

Quickstart 2

# Quickstart on Azure

**Date of Publish:** 2019-02-06



<https://docs.hortonworks.com/>

# Contents

<b>Prerequisites on Azure.....</b>	<b>3</b>
<b>Launch Cloudbreak from the quickstart template on Azure.....</b>	<b>3</b>
<b>Access Cloudbreak web UI on Azure.....</b>	<b>5</b>
<b>Next steps.....</b>	<b>7</b>
<b>Delete Cloudbreak on Azure.....</b>	<b>7</b>

## Prerequisites on Azure

In order to launch Cloudbreak from the ARM template you must:

- Have an existing Azure account. If you don't have an account, you can create one at <https://azure.microsoft.com>.
- Have an SSH key pair. If needed, you can generate a new SSH key pair:
  - On MacOS X and Linux using `ssh-keygen -t rsa -b 4096 -C "your_email@example.com"`
  - On Windows using [PuTTYgen](#)
- In order to create a credential, your Azure account must have the minimum permissions described in [Azure roles](#).
- In order to access Cloudbreak web UI, you should use one of the following supported browsers: Chrome, Firefox, or Safari.

### Related Information

[Azure roles](#)

## Launch Cloudbreak from the quickstart template on Azure

Launch Cloudbreak from an Azure Resource Manager (ARM) template by using the following steps. This is the quickstart deployment option.



**Attention:** As of December 31, 2021, Cloudbreak reached end of support. For more information, see [Support lifecycle policy](#). Cloudera recommends that you migrate your workloads to [CDP Public Cloud](#).

Steps

1. Log in to your [Azure Portal](#).
2. Click here to get started with Cloudbreak installation using the Azure Resource Manager template:



3. The template for installing Cloudbreak will appear. On the Basics page, provide the following basic parameters:

The screenshot shows the 'Custom deployment' page in the Azure portal. The left sidebar contains navigation options like 'Create a resource', 'All services', 'Dashboard', 'Resource groups', 'All resources', 'Recent', 'App Services', 'Virtual machines (classic)', 'Virtual machines', 'SQL databases', 'Cloud services (classic)', 'Security Center', and 'Subscriptions'. The main content area is titled 'Custom deployment' and includes a search bar. Below the title, there are buttons for 'Edit template', 'Edit parameters', and 'Learn more'. The 'BASICS' section contains the following fields:

- Subscription: R&D
- Resource group: Create new (selected), Use existing
- Location: West Europe

The 'SETTINGS' section contains the following fields:

- Vm Size: Standard\_DS2
- Admin Username: admin@example.com
- Admin User Password: [empty]
- Username: cloudbreak
- Remote Location: INTERNET

## BASICS

Parameter	Description
Subscription	Select which existing subscription you want to use.
Resource group	Select an existing resource group or create a new one by selecting Create new and entering a name for your new resource group. Cloudbreak resources will later be accessible in that chosen resource group.
Location	Select an Azure region in which you want to deploy Cloudbreak.

## SETTINGS

Parameter	Description
Vm Size	Select virtual machine instance type to use for the Cloudbreak instance. The minimum instance type suitable for Cloudbreak is Standard_DS3. The minimum requirements are 16GB RAM, 40GB disk, 4 cores.
Admin Username	Create an admin login that you will use to log in to the Cloudbreak web UI. Must be a valid email address. By default, admin@example.com is used but you should change it to your email address.
Admin User Password	Password for the admin login. Must be at least 8 characters containing letters, numbers, and symbols.
Username	Enter an admin username for the virtual machine. You will use it to SSH to the VM. By default, "cloudbreak" is used.
Remote Location	Enter a valid <a href="#">CIDR IP</a> or use one of the default tags. Default value is Internet which allows access from all IP addresses. Examples: <ul style="list-style-type: none"> <li>10.0.0.0/24 will allow access from 10.0.0.0 through 10.0.0.255</li> <li>'Internet' will allow access from all. This is not a secure option but you can use it if you are just getting started and are not planning to have the instance on for a longer period.</li> <li>(Advanced) 'VirtualNetwork' will allow access from the address space of the Virtual Network.</li> <li>(Advanced) 'AzureLoadBalancer' will allow access from the address space of the load balancer.</li> </ul> For more information, refer to the <a href="#">Plan virtual networks</a> in Azure documentation.
Ssh Key	Paste your SSH public key. You can use pbcopy to quickly copy it. For example: pbcopy < /Users/homedir/.ssh/id_rsa.pub
Vnet New Or Existing	By default, Cloudbreak is launched in a new VNet called cbdeployerVnet and a new subnet called cbdeployerSubnet; if needed, you can customize the settings for the new VNet using available VNet and Subnet parameters.
Vnet Name	Provide the name for a new Vnet. Default is cbdeployerVnet.
Vnet Subnet Name	Provide a name for a new subnet. Default is cbdeployerSubnet.
Vnet Address Prefix	Provide a CIDR for the virtual network. Default is 10.0.0.0/16.
Vnet Subnet Address Prefix	Provide a CIDR for the subnet. Default is 10.0.0.0/24.
Vnet RG Name	The name of the resource group in which the Vnet is located. If creating a new Vnet, enter the same resource group name as provided in the "Resource group" field in the BASICS section.

- Review terms of use and check "I agree to the terms and conditions stated above".
- Click Purchase.
- Your deployment should be initiated.

## Related Information

[CIDR IP calculator](#)

[Plan virtual networks \(Azure\)](#)

# Access Cloudbreak web UI on Azure

Follow these steps to obtain Cloudbreak VM's public IP address and log in to the Cloudbreak web UI.

## Steps


1. When your deployment succeeds, you will receive a notification in the top-right corner. You can click on the link provided to navigate to the resource group created earlier.




### Note:

This only works right after deployment. At other times, you can find your resource group by selecting Resource Groups from the service menu and then finding your resource group by name.

2. Once you've navigated to your resource group, click on Deployments and then click on Microsoft.Template:



3. From Outputs, you can copy the link by clicking on the copy icon:




4. Paste the link in your browser's address bar.

- a. Confirm the security exception to proceed to the Cloudbreak web UI.


The first time you access Cloudbreak web UI, Cloudbreak automatically generates a self-signed certificate, due to which your browser warns you about an untrusted connection and asks you to confirm a security exception.

Browser	Steps
Firefox	Click Advanced > Click Add Exception... > Click Confirm Security Exception
Safari	Click Continue
Chrome	Click Advanced > Click Proceed...

- b. The login page is displayed:



- c. Log in to the Cloudbreak web UI using the credential that you configured in the CloudFormation template.  
 d. Upon a successful login, you are redirected to the dashboard:



The last task that you need to perform before you can use Cloudbreak is to create a Cloudbreak credential.

## Next steps

After launching Cloudbreak, you must configure an external Cloudbreak database (if using Cloudbreak for production) and then create a Cloudbreak credential.

### Configuring an external Cloudbreak database

By default, Cloudbreak, uses an embedded PostgreSQL database to persist data related to Cloudbreak, configuration and so on. This database is only suitable for non-production Cloudbreak, deployments. For production, you must configure [an external Cloudbreak database](#).

### Creating a Cloudbreak credential

This step is required. Only after you've performed it, you can start creating clusters. For Cloudbreak credential options on Azure, refer to [Credential options on Azure](#).

### Related Information

[External Cloudbreak database](#)

[Cloudbreak credential options on Azure](#)


## Delete Cloudbreak on Azure

You can delete Cloudbreak instance from your Azure account by deleting related resources. To delete a Cloudbreak instance:

- If you deployed Cloudbreak in a new resource group: to delete Cloudbreak, delete the whole related resource group.
- If you deployed Cloudbreak in an existing resource group: navigate to the group and delete only Cloudbreak deployment- related resources such as the VM.

Steps

1. From the Microsoft Azure Portal dashboard, select Resource groups.
2. Find the resource group that you want to delete.
3. If you deployed Cloudbreak in a new resource group, you can delete the whole resource group. Click on ... and select Delete:



Next, type the name of the resource group to delete and click Delete.

4. If you deployed Cloudbreak in an existing resource group, navigate to the details of the resource group and delete only Cloudbreak-related resources such as the VM.