

# Hortonworks Cybersecurity Platform

## Tuning Guide

(May 18, 2018)

## Hortonworks Cybersecurity Platform: Tuning Guide

Copyright © 2012-2018 Hortonworks, Inc. Some rights reserved.

Hortonworks Cybersecurity Platform (HCP) is a modern data application based on Apache Metron, powered by Apache Hadoop, Apache Storm, and related technologies.

HCP provides a framework and tools to enable greater efficiency in Security Operation Centers (SOCs) along with better and faster threat detection in real-time at massive scale. It provides ingestion, parsing and normalization of fully enriched, contextualized data, threat intelligence feeds, triage and machine learning based detection. It also provides end user near real-time dashboarding.

Based on a strong foundation in the Hortonworks Data Platform (HDP) and Hortonworks DataFlow (HDF) stacks, HCP provides an integrated advanced platform for security analytics.

Please visit the [Hortonworks Data Platform](#) page for more information on Hortonworks technology. For more information on Hortonworks services, please visit either the [Support](#) or [Training](#) page. Feel free to [Contact Us](#) directly to discuss your specific needs.



Except where otherwise noted, this document is licensed under  
**Creative Commons Attribution ShareAlike 4.0 License.**  
<http://creativecommons.org/licenses/by-sa/4.0/legalcode>

## Table of Contents

1. Overview .....	1
2. General Tuning Suggestions .....	2
3. Component Tuning Properties .....	3
3.1. Kafka Tuning .....	4
3.2. Storm Tuning .....	4
3.3. Parsers .....	5
3.4. Enrichments .....	6
3.4.1. Modifying Enrichment Properties Using Ambari .....	7
3.4.2. Modifying Enrichments Properties Using Flux (Advanced) .....	7
3.5. Indexing .....	8
3.5.1. Modifying Index Parameters Using Ambari .....	8
3.5.2. Modifying Index Parameters Using Flux (Advanced) .....	9
4. Use Case Tuning Examples .....	11
4.1. Performance Monitoring .....	11
4.1.1. Tooling .....	11
4.1.2. Parser Tuning Example .....	13
4.1.3. Enrichment Tuning Example .....	14
4.1.4. Indexing (HDFS) Tuning Example .....	15
4.2. Debugging .....	16
4.3. Issues .....	17
A. Property Mappings .....	19
B. References .....	22

---

# List of Tables

3.1. .... 6  
3.2. .... 7  
A.1. .... 19  
A.2. .... 20

# 1. Overview

Tuning your Hortonworks Cybersecurity Platform (HCP) architecture can help maximize the performance of the Apache Metron Storm topologies.

In the simplest terms, HCP powered by Apache Metron is a streaming architecture created on top of Kafka and three main types of Storm topologies: parsers, enrichment, and indexing. Each parser has its own topology. HCP also features a highly performant, specialized spout-only topology for streaming PCAP data to HDFS.

The HCP architecture can be tuned almost exclusively using a few primary Storm and Kafka parameters along with a few Metron-specific options. You can think of the data flow as being similar to water flowing through a pipe, and the majority of these options assist in tweaking the various pipe widths in the system.

This document provides guidance for tuning the Apache Metron Storm topologies for maximum performance. You'll find suggestions for optimum configurations under a 1 Gbps load along with some guidance around the tooling we used to monitor and assess our throughput.

## 2. General Tuning Suggestions

Tuning Hortonworks Cybersecurity Platform (HCP) depends in large part on tuning three areas: Kafka, Storm, and indexing.

Indexing is where most of your tuning issues are likely to occur because it is the most IO intensive.

The second area that needs tuning is parallelism in both Kafka and Storm. The performance of the Storm topology, and therefore the performance of Metron, degrades when it cannot ingest data fast enough to keep up with the data source. Therefore, much of Metron tuning focuses on adjusting the data throughput of the Storm topologies. For more information on tuning a Storm topology, see [Tuning an Apache Storm Topology](#).

The third area that requires analysis and tuning is consumer lags on the key Kafka topics: enrichment, indexing, parser

When tuning your Metron configuration, consider the following:

- Look at Elasticsearch and Solr tuning
- Assign small values for parallelism, and increase values incrementally
- Aim for an even balance across your topologies
- Check your system logs for the following:
  - Empty results - may indicate that your data is broken
  - Kafka - Consumer lags on key Kafka topics
  - Load average or system latency - a high load average might indicate underlying stress on the machine
  - Exceptions - Any exceptions shown in the Storm log or key topologies can indicate possible problems with underlying systems and data
- What topology do I want to tune?
- What is the capacity of Storm topology?

It is also important to consider the growth of your cluster and data flow. You might want to set the number of tasks higher than the number of executors to accommodate for future performance tuning and rebalancing without the need to bring down your topologies.

## 3. Component Tuning Properties

There are a number of services that you can use to tune the performance of your Metron cluster. These services include Kafka, Storm, and HDFS. Within these services, you can modify parsers, enrichment, and indexing (Elasticsearch or Solr).

When you consider tuning your HCP architecture, it is important to note where you can modify settings. For example, Storm gives you the ability to independently set tasks in executors for parser topologies. This is important if you want to set the number of tasks higher than the number of executors to accommodate for future performance tuning and rebalancing without the need to bring down your topologies. However, for enrichment and indexing topologies, HCP uses Flux, and there is no method for specifying the number of tasks from the number of executors in Flux. By default, the number of tasks equals the number of executors.

The following lists the major properties for each service that you can modify to tune your cluster:

- Kafka
  - Number of partitions
- Storm
  - Kafka spout
    - Polling frequency
    - Polling timeouts
    - Offset commit period
    - Maximum uncommitted offsets
  - Number of workers (OS processes)
  - Number of executors (threads in a process)
  - Number of ackers
  - Maximum spout pending
  - Spout and bolt parallelism
- HDFS
  - Replication factor
- Indexing
  - Elasticsearch
  - Solr

## 3.1. Kafka Tuning

The main property you can adjust to tune Kafka throughput is the number of partitions.

To determine the number of partitions required to attain your desired throughput, calculate the throughput for a single producer ( $p$ ) and a single consumer ( $c$ ). Then calculate your desired throughput ( $t$ ). Assign the number of Kafka partitions equal to  $\max(t/p, t/c)$ . For more information, see [Confluent - How to choose the number of topics/partitions in a Kafka cluster](#).

## 3.2. Storm Tuning

There are several Storm properties you can adjust to tune your Storm topologies. Achieving the desired performance can be iterative and will take some trial and error.

Hortonworks recommends you start your tuning with the Storm topology defaults and smaller numbers in terms of parallelism. Then you can iteratively increase the values until you achieve your desired level of performance. Use the offset lag tool to verify your settings.

The following sections assume log type messages. However, if your data consists of emails which are much larger in size, then you should adjust your values accordingly. For more detailed information on Storm's architecture, see [References](#).

### Storm Topology Parallelism

To provide a uniform distribution to each machine and jvm process, you can modify the values for the number of tasks, executors, and workers properties. Start with small values and iteratively increase the values so you don't overwhelm you CPU with too many processes.

Usually your number of tasks is equal to the number of executors, which is the default in Storm. Flux does not provide a method to independently set the number of tasks, so for enrichments and indexing, which use Flux, `num tasks` are always equal to `num executors`.

You can change the number of workers in the Storm property `topology.workers`.

The following table lists the variables you can set to adjust the parallelism in a Storm topology and provides recommendations for their values:

Storm Topology Variables	Description	Value
<code>num tasks</code>	Tasks are instances of a given spout or bolt. Executors are threads in a process.	Set the number of tasks as a multiple of the number of executors.
<code>num executors</code>	Executors are threads in a process.	Set the number of executors as a multiple of the number of workers.
<code>num workers</code>	Workers are jvm processes.	Set the number of workers as a multiple of the number of machines

### Maximum Number of Tuples



The `topology.max.spout.pending` setting sets the maximum number of tuples that can be in a field (for example, not yet acked) at any given time within your topology. You set this property as a form of back pressure to ensure that you don't flood your topology.

```
topology.max.spout.pending
```

### Topology Acker Executors

The `topology.ackers.executors` setting specifies how many threads are dedicated to tuple acking. Set this setting to equal the number of partitions in your inbound Kafka topic.

```
topology.ackers.executors
```

### Spout Recommended Defaults

As a general rule, it is optimal to set spout parallelism equal to the number of partitions used in your Kafka topic. Any greater parallelism will leave you with idle consumers because Kafka limits the maximum number of consumers to the number of partitions. This is important because Kafka has certain ordering guarantees for message delivery per partition that would not be possible if more than one consumer in a given consumer group is able to read from that partition.

You can modify the following spout settings in the `spout-config.json` file. However, if the spout default settings work for your system, you can omit these settings from the file. These default settings are based on recommendations from Storm and are provided in the Kafka spout itself.

```
{
  ...
  "spout.pollTimeoutMs" : 200,
  "spout.maxUncommittedOffsets" : 10000000,
  "spout.offsetCommitPeriodMs" : 30000
}
```

## 3.3. Parsers

You can modify certain parser properties to tune your HCP architecture using the Management module. Modifying properties using the Management module is simple and can be performed by any user.

Parsers tend to vary a lot. Some will be very high volume receiving thousands of messages per second and others will be much lower. Rather than using a standard setting for the number of partitions and parallelism, you should base your settings on the expected data volume. That said, use the following guidelines:

- The spout parallelism should be roughly the same as your Kafka partitions.
- Consider data flow when assigning Kafka partitions to parsers.
- Keep in mind the aggregate number of partitions when assigning them to partitions. You do not want to assign the maximum number of partitions to each parser because that can overload your system.

The parser topologies are deployed by a builder pattern that takes parameters from the CLI as set by the Management module. The parser properties materialize as follows:

Management UI -> parser json config and CLI -> Storm

The following table lists the parser properties you can modify in the Management module:

**Table 3.1.**

Category	Management UI Property Name	CLI Option
Storm topology config	<b>Num Workers</b>	-nw, --num_workers <NUM_WORKERS>
	<b>Num Ackers</b>	--na, --num_ackers <NUM_ACKERS>
	<b>Storm Config</b>	<JSON_FILE>, e.g., { "topology.max.spout.pending" : NUM }
Kafka	<b>Spout Parallelism</b>	-sp, --spout_p <SPOUT_PARALLELISM_HINT>
	<b>Spout Num Tasks</b>	-snt, --spout_num_tasks <NUM_TASKS>
	<b>Spout Config</b>	<JSON_FILE>, e.g., { "spout.pollTimeoutMs" : 200 }
	<b>Spout Config</b>	<JSON_FILE>, e.g., { "spout.maxUncommittedOffsets" : 10000000 }
Parser bolt	<b>Spout Config</b>	<JSON_FILE>, e.g., { "spout.offsetCommitPeriodMs" : 30000 }
	<b>Parser Num Tasks</b>	-pnt, --parser_num_tasks <NUM_TASKS>
	<b>Parser Parallelism</b>	-pp, --parser_p <PARALLELISM_HINT>
	<b>Parser Parallelism</b>	-pp, --parser_p <PARALLELISM_HINT>

All of the Storm parameters are available in the **STORM SETTINGS** section of the Management module.

For the **Storm config** and **Spout config** properties, you enter the JSON\_FILE information in the appropriate field using the JSON format supplied in the following table.

For more detail on starting parsers, see [Starting and Stopping Parsers](#).

## 3.4. Enrichments

Because all of the data is coming together in enrichments, you will probably need larger enrichment settings than your parallelism settings. Enrichment settings focus more on the compute workload than on the mapping workload in parsers or the IO driven workload in indexing. Enrichment makes significant use of caching for performance.

**\*\*\* Consider memory usage implications. Talk to Dev. \*\*\***

You can modify many performance tuning properties for enrichment using Ambari or Storm Flux. Modifying properties using Ambari is simple and can be performed by any

user. However, you should have knowledge of Storm Flux usage and formatting before attempting to modify any Flux files.

The enrichment properties materialize as follows:

Ambari UI -> properties file -> Flux -> Storm

### 3.4.1. Modifying Enrichment Properties Using Ambari

You can modify various enrichment properties using Ambari.

To modify the enrichment properties, navigate to **Ambari>Metron>Enrichment**.



#### Note

Many of the following settings are relevant **only** to the split-join topology.

The following table lists the enrichment properties you can modify in Ambari:

Category	Ambari Property Name
Storm topology config	enrichment_workers
	enrichment_acker_executors
	enrichment_topology_max_spout_pending
Kafka spout	enrichment_kafka_spout_parallelism
Enrichment splitter	enrichment_split_parallelism
Enrichment joiner	enrichment_join_parallelism
Threat intel splitter	threat_intel_split_parallelism
Threat intel joiner	threat_intel_join_parallelism

### 3.4.2. Modifying Enrichments Properties Using Flux (Advanced)

Some of the tuning enrichment properties can only be modified using Flux. However, if you manually change your Flux file, if you perform an upgrade, Ambari will overwrite all of your changes. Be sure to save your Flux changes prior to performing an upgrade.



#### Important

You should be familiar with Storm Flux before you adjust the values in this section. Changes to Flux file properties that are managed by Ambari will render Ambari unable to further manage the property.

You can find the enrichment Flux file at `$METRON_HOME/flux/enrichment/remote.yaml`.

The following table lists the enrichment properties you can modify in the flux file:

**Table 3.2.**

Category	Flux Property or Function	Flux Section Location
Kafka spout	session.timeout.ms	line 201, id: kafkaProps

Category	Flux Property or Function	Flux Section Location
	<code>enable.auto.commit</code>	line 201, id: <code>kafkaProps</code>
	<code>setPollTimeoutMs</code>	line 230, id: <code>kafkaConfig</code>
	<code>setMaxUncommittedOffsets</code>	line 230, id: <code>kafkaConfig</code>
	<code>setOffsetCommitPeriodMs</code>	line 230, id: <code>kafkaConfig</code>

You can add Kafka spout properties or functions using two methods:

Flux properties - Flux #  
kafkaProps

Add a new key/value to the `kafkaProps` section `HashMap` on line 201. For example, if you want to set the Kafka Spout consumer's `session.timeout.ms` to 30 seconds, add the following:

```
- name: "put"
  args:
    - "session.timeout.ms"
    - 30000
```

Flux functions - Flux #  
kafkaConfig

Add a new setter to the `kafkaConfig` object section on line 230. For example, if you want to set the Kafka Spout consumer's poll timeout to 200 milliseconds, add the following under `configMethods`:

```
- name: "setPollTimeoutMs"
  args:
    - 200
```

## 3.5. Indexing

Indexing is primarily IO driven. Tuning indexing tends to focus on the search index (Solr or Elasticsearch). Problems with indexing running too slow will often manifest as Kafka not committing in time. This results from the indexing backing up so that it fails batches and the poll interval in Kafka is exceeded. The issue is actually with the index rather than Kafka.

You can modify many performance tuning properties for indexing using Ambari or Storm Flux. Modifying properties using Ambari is simple and can be performed by any user. However, you should have knowledge of Storm Flux usage and formatting before attempting to modify any Flux files.

The indexing properties materialize as follows:

```
Ambari UI -> properties file -> Flux -> Storm
```

### 3.5.1. Modifying Index Parameters Using Ambari

You can modify various indexing properties using Ambari. The HDFS sync policy is not currently managed by Ambari. To accommodate the HDFS sync policy setting, modify the Flux file directly.

To modify the indexing properties, navigate to **Ambari>Metron>Indexing**.

The following table lists the indexing properties you can modify in Ambari:

Category	Ambari Property Name	Storm Property Name
Storm topology config	<code>enrichment_workers</code>	<code>topology.workers</code>
	<code>enrichment_acker_executors</code>	<code>topology.acker.executors</code>
	<code>enrichment_topology_max_spout_pending</code>	<code>topology.max.spout.pending</code>
Kafka spout	<code>batch_indexing_kafka_spout_parallelism</code>	n/a
Output bolt	<code>hdfs_writer_parallelism</code>	n/a
	<code>bolt_hdfs_rotation_policy_units</code>	n/a
	<code>bolt_hdfs_rotation_policy_count</code>	n/a

### 3.5.2. Modifying Index Parameters Using Flux (Advanced)

Some of the tuning indexing properties, for example the HDFS sync policy setting, can only be modified using Flux. However, if you manually change your Flux file, if you perform an upgrade, Ambari will overwrite all of your changes. Be sure to back up your Flux changes prior to performing an upgrade.



#### Important

You should be familiar with Storm Flux before you adjust the values in this section. Changes to Flux file properties that are managed by Ambari will render Ambari unable to further manage the property.

You can find the indexing Flux file at `$METRON_HOME/flux/indexing/batch/remote.yaml`.

Category	Flux Property	Flux Section Location	Suggested Value
Kafka spout	<code>session.timeout.ms</code>	line 80, id: kafkaProps	Kafka consumer client property
	<code>enable.auto.commit</code>	line 80, id: kafkaProps	Kafka consumer client property
	<code>setPollTimeoutMs</code>	line 108, id: kafkaConfig	Kafka consumer client property
	<code>setMaxUncommittedOffset</code>	line 108, id: kafkaConfig	Kafka consumer client property
	<code>setOffsetCommitPeriodMs</code>	line 108, id: kafkaConfig	Kafka consumer client property
Output bolt	<code>hdfsSyncPolicy</code>	line 47, id: hdfsWriter	See notes below about adding this prop

To modify index tuning properties, complete the following steps:

1. Add a new setter to the `hdfsWriter` around line 56.

```

53         - name: "withRotationPolicy"
54           args:
55             - ref: "hdfsRotationPolicy"
56         - name: "withSyncPolicy"
57           args:
58             - ref: "hdfsSyncPolicy"

```

Lines are 53-55 provided for context.

2. Add an `hdfsSyncPolicy` after the `hdfsRotationPolicy` that appears on line 41:

```
41 - id: "hdfsRotationPolicy"
...
45 - "${bolt.hdfs.rotation.policy.units}"
46
47 - id: "hdfsSyncPolicy"
48   className: "org.apache.storm.hdfs.bolt.sync.CountSyncPolicy"
49   constructorArgs:
50     - 100000
```

## 4. Use Case Tuning Examples

The following discussion outlines a specific tuning exercise Hortonworks went through for driving 1 Gbps of traffic through a Metron cluster running with four Kafka brokers and four Storm Supervisors.

General machine specs:

- 10 GB network cards
- 256 GB memory
- 12 disks
- 32 cores

### 4.1. Performance Monitoring

Prior to switching over to the new Storm Kafka client, which leverages the new Kafka consumer API, HCP stored offsets in ZooKeeper. While the broker hosts are still stored in ZooKeeper, offsets are now stored in Kafka. This is a configurable option, and you may switch back to ZooKeeper if you choose. However, Metron currently uses the new defaults. And there are some useful tools that come with Storm and Kafka that we can use to monitor our topologies.

#### 4.1.1. Tooling

You can use the following Storm and Kafka tools to monitor your topologies.

##### Kafka

- Consumer group offset lag viewer
- [Kafka Manager](#) - A GUI tool to facilitate creating, modifying, and managing your Kafka topics
- Console consumer - useful for quickly verifying topic contents

##### Storm

The Storm user interface is a very useful tool for monitoring your topologies. For more information on the Storm user interface, see [Reading and Understanding the Storm UI](#).

##### Example: Viewing Kafka Offset Lags

You can use the Kafka consumer group offset lag viewer to monitor the delta calculations between the current and end offset for a partition.

1. Set up some environment variables.

```
export BROKERLIST your broker comma-delimited list of host:ports>
```

```
export ZOOKEEPER your zookeeper comma-delimited list of host:ports>
export KAFKA_HOME kafka home dir>
export METRON_HOME your metron home>
export HDP_HOME your HDP home>
```

2. If you have Kerberos enabled, set up the security protocol.

```
$ cat /tmp/consumergroup.config
security.protocol=SASL_PLAINTEXT
```

3. Enter the following command to display a table containing offsets for all partitions and consumers associated with a running topology's consumer group:

```
`${KAFKA_HOME}/bin/kafka-consumer-groups.sh \
  --command-config=/tmp/consumergroup.config \
  --describe \
  --group enrichments \
  --bootstrap-server $BROKERLIST \
  --new-consumer
```

The command displays the following table:

GROUP	LOG-END-OFFSET	LAG	TOPIC	PARTITION	CURRENT-OFFSET
enrichments	29746067	1	enrichments	9	29746066
enrichments	29754326	1	enrichments	3	29754325
enrichments	29754332	1	enrichments	43	29754331
...			enrichments	consumer-2_/xxx.xxx.xxx.xxx	
			enrichments	consumer-1_/xxx.xxx.xxx.xxx	
			enrichments	consumer-6_/xxx.xxx.xxx.xxx	



### Note

Output displays only when the topology is running because the consumer groups only exist while consumers in the spouts are up and running.

The LAG column lists the current delta calculation between the current and end offset for the partition. The column value indicates how close you are to keeping up with incoming data. It also indicates whether there are any problems with specific consumers getting stuck.

4. To watch the offsets and lags change over time, add a **watch** command and set the refresh rate to 10 seconds:

```
watch -n 10 -d `${KAFKA_HOME}/bin/kafka-consumer-groups.sh \
  --command-config=/tmp/consumergroup.config \
  --describe \
  --group enrichments \
  --bootstrap-server $BROKERLIST \
  --new-consumer
```

The **watch** command runs every 10 seconds and refreshes the screen with new information. The command also highlights the differences from the current output and the last output screens.



## 4.1.2. Parser Tuning Example

We'll be using the Bro sensor in this example. The parsers and PCAP use a builder utility, as opposed to enrichments and indexing, which use Flux.

The following example of parser tuning starts with a single partition for the inbound Kafka topics and eventually increases to 48 partitions.

1. In the `storm-bro.config` file, set the `topology.max.spout.pending` value to 2000.

```
{
  ...
  "topology.max.spout.pending" : 2000
  ...
}
```

The default is `null` which would result in no limit.

2. In the `spout-bro.config` file, set the following settings to use the default values:

```
{
  ...

  "spout.pollTimeoutMs" : 200,
  "spout.maxUncommittedOffsets" : 10000000,
  "spout.offsetCommitPeriodMs" : 30000
}
```

Because we are using the default settings, you can optionally omit these settings.

3. Run the Bro parser topology with the following options:

```
$METRON_HOME/bin/start_parser_topology.sh \
-e ~metron/.storm/storm-bro.config \
-esc ~/.storm/spout-bro.config \
-k $BROKERLIST \
-ksp SASL_PLAINTEXT \
-nw 1 \
-ot enrichments \
-pnt 24 \
-pp 24 \
-s bro \
-snt 24 \
-sp 24 \
-z $ZOOKEEPER \
```

This example does not fully match the number of Kafka partitions with the parallelism in this case, though you could do so if necessary. Notice that the example only needs one worker.

From the usage docs, here are the options used.

```
usage: start_parser_topology.sh
-e,--extra_topology_options <JSON_FILE>
form
map
-esc,--extra_kafka_spout_config <JSON_FILE>
options
file
retryDelay
retryInitialDel
stateUpdateIntervalMs
fetchMaxW
maxOffs
metricsTimeBucket
socketTimeoutMs
-k,--kafka <BROKER_URL>
-ksp,--kafka_security_protocol <SECURITY_PROTOCOL>
-nw,--num_workers <NUM_WORKERS>
-ot,--output_topic <KAFKA_TOPIC>
-pnt,--parser_num_tasks <NUM_TASKS>
-pp,--parser_p <PARALLELISM_HINT>
-s,--sensor <SENSOR_TYPE>
-snt,--spout_num_tasks <NUM_TASKS>
-sp,--spout_p <SPOUT_PARALLELISM_HINT>
-z,--zk <ZK_QUORUM>
```

Extra options in the  
of a JSON file with a  
for content.  
Extra spout config  
in the form of a JSON  
with a map for content.  
Possible keys are:  
retryDelayMaxMs,  
Multiplier,  
ayMs,  
,bufferSizeBytes,  
ait,fetchSizeBytes,  
etBehind,  
SizeInSecs,  
Kafka Broker URL  
Kafka Security Protocol  
Number of Workers  
Output Kafka Topic  
Parser Num Tasks  
Parser Parallelism Hint  
Sensor Type  
Spout Num Tasks  
Spout Parallelism Hint  
ZooKeeper Quorum URL  
(zk1:2181,zk2:2181,...

### 4.1.3. Enrichment Tuning Example

We landed on the same number of partitions for enrichment and indexing as we did for bro - 48.

For configuring Storm, there is a flux file and properties file that we modified. Here are the settings we changed for Bro in Flux. +Note that the main Metron-specific option we've changed to accommodate the desired rate of data throughput is max cache size in the join bolts.

More information on Flux can be found here - <https://storm.apache.org/releases/1.1.2/flux.html>

#### general storm settings

```
topology.workers: 8
topology.acker.executors: 48
topology.max.spout.pending: 2000
```

### Spout and Bolt Settings

```
kafkaSpout
  parallelism=48
  session.timeout.ms=29999
  enable.auto.commit=false
  setPollTimeoutMs=200
  setMaxUncommittedOffsets=10000000
  setOffsetCommitPeriodMs=30000
enrichmentSplitBolt
  parallelism=4
enrichmentJoinBolt
  parallelism=8
  withMaxCacheSize=200000
  withMaxTimeRetain=10
threatIntelSplitBolt
  parallelism=4
threatIntelJoinBolt
  parallelism=4
  withMaxCacheSize=200000
  withMaxTimeRetain=10
outputBolt
  parallelism=48
```

## 4.1.4. Indexing (HDFS) Tuning Example

There are 48 partitions set for the indexing partition, which carries through from the enrichment exercise above. The enrichment output matches the input for the indexing partition.

These are the batch size settings for the Bro index.

```
cat $METRON_HOME/config/zookeeper/indexing/bro.json
{
  "hdfs" : {
    "index": "bro",
    "batchSize": 50,
    "enabled" : true
  }...
}
```

And here are the settings we used for the indexing topology:

### General storm settings

```
topology.workers: 4
topology.acker.executors: 24
topology.max.spout.pending: 2000
```

### Spout and Bolt Settings

```
hdfsSyncPolicy
```

```
org.apache.storm.hdfs.bolt.sync.CountSyncPolicy
  constructor arg=100000
hdfsRotationPolicy
  bolt.hdfs.rotation.policy.units=DAYS
  bolt.hdfs.rotation.policy.count=1
kafkaSpout
  parallelism: 24
  session.timeout.ms=29999
  enable.auto.commit=false
  setPollTimeoutMs=200
  setMaxUncommittedOffsets=10000000
  setOffsetCommitPeriodMs=30000
hdfsIndexingBolt
  parallelism: 24
```

### 4.1.4.1. PCAP Tuning

PCAP is a specialized topology that is a Spout-only topology. Both Kafka topic consumption and HDFS writing is done within a spout to avoid the additional network hop required if using an additional bolt.

#### General Storm topology properties

```
topology.workers=16
topology.ackers.executors: 0
```

#### Spout and Bolt Properties

```
kafkaSpout
  parallelism: 128
  poll.timeout.ms=100
  offset.commit.period.ms=30000
  session.timeout.ms=39000
  max.uncommitted.offsets=200000000
  max.poll.interval.ms=10
  max.poll.records=200000
  receive.buffer.bytes=431072
  max.partition.fetch.bytes=10000000
  enable.auto.commit=false
  setMaxUncommittedOffsets=20000000
  setOffsetCommitPeriodMs=30000

writerConfig
  withNumPackets=1265625
  withMaxTimeMS=0
  withReplicationFactor=1
  withSyncEvery=80000
  withHDFSConfig
    io.file.buffer.size=1000000
    dfs.blocksize=1073741824
```

## 4.2. Debugging

If you experience issues when you tune your system, you can use several tools to determine the source of the issues.

Before using any of the tools, set the following environment variables for your cluster. The following example illustrates how we would configure the environment variables:

```
export HDP_HOME=/usr/hdp/current
export KAFKA_HOME=$HDP_HOME/kafka-broker
export STORM_UI=http://$STORM_HOST:8744
export ELASTIC=http://$ELASTICSEARCH_HOST:9200
export ZOOKEEPER=$ZOOKEEPER_HOST:2181
export METRON_VERSION=1.5.0
export METRON_HOME=/usr/hcp/${METRON_VERSION}
```

Note that the output from Storm will be a flattened JSON file. To print the file for readability, pipe it through a JSON formatter. For example:

```
[some Storm curl command] | python -m json.tool
```

### Getting Storm Configuration Details

To get full details about your running topologies, see the Storm view. For information on using the Storm View, see [Using Storm View](#). If you have never used Apache Ambari Views, see [Creating View Instances](#) to get started.

Alternatively, Storm has a useful REST API you can use to get full details about your running topologies. See Storm's [REST API docs](#) for more details.

```
# get Storm cluster summary info including version
curl -XGET ${STORM_UI} '/api/v1/cluster/summary'
```

```
# get overall Storm cluster configuration
curl -XGET ${STORM_UI} '/api/v1/cluster/configuration'
```

```
# get list of topologies and brief summary detail
curl -XGET ${STORM_UI} '/api/v1/topology/summary'
```

```
# get all topology runtime settings. Plugin the ID for your topology, which
  you can get from the topology summary command or from the Storm UI. Passing
  sys=1 will also return system stats.
curl -XGET ${STORM_UI} '/api/v1/topology/:id?sys=1'
```

### Getting Kafka Configuration Details

```
# Get list of Kafka topics
${HDP_HOME}/kafka-broker/bin/kafka-topics.sh --zookeeper $ZOOKEEPER --list
```

```
# Get Kafka topic details - plugin the desired topic name in place of
  "enrichments"
${HDP_HOME}/kafka-broker/bin/kafka-topics.sh --zookeeper $ZOOKEEPER --topic
enrichments --describe
```

### Getting Metron Topology ZooKeeper Configuration

```
# Provides a full listing of all Metron parser, enrichment, and indexing
  topology configuration
$METRON_HOME/bin/zk_load_configs.sh -m DUMP -z $ZOOKEEPER
```

## 4.3. Issues

### Error

```
org.apache.kafka.clients.consumer.CommitFailedException: Commit cannot be
  completed since the group has already rebalanced and assigned
  the partitions to another member. This means that the time between subsequent
  calls to poll() was longer than the configured session.timeout.ms,
  which typically implies that the poll loop is spending too much time message
  processing. You can address this either by increasing the
  session timeout or by reducing the maximum size of batches returned in poll()
  with max.poll.records
```

### **Suggestions**

This implies that the spout hasn't been given enough time between polls before committing the offsets. In other words, the amount of time taken to process the messages is greater than the timeout window. In order to fix this, you can improve message throughput by modifying the options outlined above, increasing the poll timeout, or both.

# Appendix A. Property Mappings

This section contains mappings for the various performance tuning properties for parsers, enrichment, and indexing and how they are materialized.

## Parsers

**Table A.1.**

Category	Management UI Property Name	JSON Config File Property Name	CLI Option	Storm Property Name	Notes
Storm topology config	Num Workers	n/a	-nw, --num_workers <NUM_WORKERS>	topology.workers	
	Num Ackers	n/a	--na, --num_ackers <NUM_ACKERS>	topology.acker-executors	
	Storm Config	topology.max-spout.pending	-e, --extra_topology_options <JSON_FILE>, e.g., { "topology.max.spout.pending": NUM }	topology.max.spout.pending	Put property in JSON format in a file named storm- MY_PARSER- config.json
Kafka	Spout Parallelism	n/a	-sp, --spout_parallelism <SPOUT_PARALLELISM_HINT>	n/a	
	Spout Num Tasks	n/a	-snt, --spout_num_tasks <NUM_TASKS>	n/a	
	Spout Config	spout.pollTimeoutMs	-e, --extra_kafka_spout_config <JSON_FILE>, e.g. { "spout.pollTimeoutMs" : 200 }	n/a	Put property in JSON format in a file named spout- MY_PARSER- config.json
	Spout Config	spout.maxUncommittedOffsets	-e, --extra_kafka_spout_config <JSON_FILE>, e.g. { "spout.maxUncommittedOffsets": 1000000 }	n/a	Put property in JSON format in a file named spout- MY_PARSER- config.json
	Spout Config	spout.offsetCommitPeriodMs	-e, --extra_kafka_spout_config <JSON_FILE>, e.g. { "spout.offsetCommitPeriodMs": 30000 }	n/a	Put property in JSON format in a file named spout- MY_PARSER- config.json
Parser bolt	Parser Num Tasks	n/a	-pnt, --parser_num_tasks <NUM_TASKS>	n/a	
	Parser Parallelism	n/a	-pp, --parser_parallelism <PARALLELISM_HINT>	n/a	
	Parser Parallelism	n/a	-pp, --parser_parallelism <PARALLELISM_HINT>	n/a	

## Enrichments

**Table A.2.**

Category	Ambari Property Name	enrichment-splitjoin.properties Property	Flux Property	Flux Section Location	Storm Property Name	Notes
Storm topology config	enrichment_workers	enrichment.workers	topology.workers	line 18, config	topology.workers	
	enrichment_acker	enrichment.acker	topology.acker	line 18, config	topology.acker	executors
	enrichment_topo	topology.max.spout.pending	topology.max.spout.pending	line 48, config	topology.max.spout.pending	
Kafka spout	enrichment_kafka_spout_parallelism	kafka_spout_parallelism	parallelism	line 245, id: kafkaSpout	n/a	
	n/a	n/a	session.timeout.ms	line 201, id: kafkaProps	n/a	Kafka consumer client property
	n/a	n/a	enable.auto.commit	line 201, id: kafkaProps	n/a	Kafka consumer client property
	n/a	n/a	setPollTimeoutMs	line 230, id: kafkaConfig	n/a	Kafka consumer client property
	n/a	n/a	setMaxUncommittedOffsets	line 230, id: kafkaConfig	n/a	Kafka consumer client property
	n/a	n/a	setOffsetCommitTime	line 240, id: kafkaConfig	n/a	Kafka consumer client property
Enrichment splitter	enrichment_split_parallelism	enrichment_split_parallelism	parallelism	line 253, id: enrichmentSplitBolt	n/a	
Enrichment joiner	enrichment_join_parallelism	enrichment_join_parallelism	parallelism	line 316, id: enrichmentJoinBolt	n/a	
Threat intel splitter	threat_intel_split_parallelism	threat_intel_split_parallelism	parallelism	line 338, id: threatIntelSplitBolt	n/a	
Threat intel joiner	threat_intel_join_parallelism	threat_intel_join_parallelism	parallelism	line 376, id: threatIntelJoinBolt	n/a	
Output bolt	kafka_writer_parallelism	kafka_writer_parallelism	parallelism	line 397, id:	n/a	

**Indexing**

Category	Ambari Property Name	hdfs.properties property	Flux Property	Flux Section Location	Storm Property Name	Notes
Storm topology config	enrichment_workers	enrichment.workers	topology.workers	line 19, config	topology.workers	
	enrichment_acker	enrichment.acker	topology.acker	line 19, config	topology.acker	executors
	enrichment_topo	topology.max.spout.pending	topology.max.spout.pending	line 48, config	topology.max.spout.pending	
Kafka spout	batch_indexing_kafka_spout_parallelism	kafka_spout_parallelism	parallelism	line 123, id: kafkaSpout	n/a	
	n/a	session.timeout.ms	session.timeout.ms	line 80, id: kafkaProps	n/a	Kafka consumer client property
	n/a	enable.auto.commit	enable.auto.commit	line 80, id: kafkaProps	n/a	Kafka consumer client property
	n/a	n/a	setPollTimeoutMs	line 108, id: kafkaConfig	n/a	Kafka consumer client property
	n/a	n/a	setMaxUncommittedOffsets	line 108, id: kafkaConfig	n/a	Kafka consumer client property
	n/a	n/a	setOffsetCommitTime	line 108, id: kafkaConfig	n/a	Kafka consumer client property



Category	Ambari Property Name	hdfs.properties property	Flux Property	Flux Section Location	Storm Property Name	Notes
Output bolt	hdfs_writer_parallelism	hdfs.writer.parallelism	parallelism	line 133, id: hdfsIndexingBolt	n/a	
	n/a	n/a	hdfsSyncPolicy	line 47, id: hdfsWriter	n/a	See notes below about adding this prop
	bolt_hdfs_rotation_policy	hdfs.rotation.policy	rotationArgs	line 41, id: hdfsRotationPolicy	n/a	
	bolt_hdfs_rotation_policy	hdfs.rotation.policy	rotationArgs	line 41, id: hdfsRotationPolicy	n/a	

## Appendix B. References

- [Tuning an Apache Storm Topology](#)
- [What is the "task" in Storm parallelism](#)
- [Understanding the Parallelism of a Storm Topology](#)
- [Reading and Understanding the Storm UI](#)
- [How to choose the number of topics/partitions in a Kafka cluster?](#)