Release Notes for HDInsight 2

Apache Ambari Release Notes for HDInsight

Date of Publish: 2020-06-02



Contents

| Apache Ambari Release Notes | 3 |
|--------------------------------------|----|
| Descriptions of New Features | |
| Behavioral Changes | |
| Patch Information | |
| Common Vulnerabilities and Exposures | 4 |
| Fixed Issues | |
| HDInsight Fixed Issues | 5 |
| Known Issues | 11 |
| HDInsight Known Issues | 14 |

Apache Ambari Release Notes

This document provides you with the latest information about the Apache Ambari 2.7.3.16 release.

Descriptions of New Features

There are no new features introduced in the Ambari 2.7.3.16 release.

Behavioral Changes

Behavioral changes denote a marked change in behavior from the previously released version to this version of Ambari. There are no behavioral changes in this version when compared to the previously released version.

Patch Information

This section lists patches in Ambari 2.7.3.16 beyond what was fixed in the base version of Apache Ambari 2.7.3. Ambari 2.7.3.16 is based on Apache Ambari 2.7.3.0 and the following patches.

Table 1: Apache Ambari 2.7.3 Patches

| Apache Jira | Description | |
|--------------|--|--|
| AMBARI-24886 | Add stack feature constant to support Ranger admin users password change | |

Table 2: Apache Ambari 2.7.1 Patches

| Apache Jira | Description | | |
|--------------|---|--|--|
| AMBARI-24523 | Hive and Oozie JDBC url reset after set manually | | |
| AMBARI-24543 | Client install is failing with Ambari 2.7.0 on Ubuntu14 | | |
| AMBARI-24522 | Cannot connect to MIT KDC admin server when port is specified in kerberos-env/admin_server_host | | |
| AMBARI-24520 | Fix set KDC admin credentials section in enable Kerberos documentation | | |
| AMBARI-24524 | Unable to validate password complexity for properties rangertagsync_user_password, rangerusersync_user_password | | |
| AMBARI-24526 | Status of components does not become RED if their deamon goes down immediately after successful start | | |
| AMBARI-24527 | Unable to Add ZooKeeper-Only Host To Cluster With Hadoop | | |
| AMBARI-24426 | [Log Search UI] Show user friendly component names in Log Index Filter screen | | |
| AMBARI-24435 | [Log Search UI] Remove underline text decoration from dropdowns on hover | | |
| AMBARI-24550 | YARN Timeline Service V2 Reader goes down after Ambari Upgrade from 2.7.0.0 to 2.7.1.0 | | |
| AMBARI-24553 | Cannot start Hive Metastore without HDFS | | |
| AMBARI-24540 | Allow skipping Oozie DB schema creation for sysprepped cluster | | |
| AMBARI-24552 | Storm service-check fails due to missung StringUtils class definition | | |

| Apache Jira | Description | |
|--------------|---|--|
| AMBARI-24563 | global name 'VERIFY_DEPENDENCY_CMD' is not defined' | |

Table 3: Apache Ambari 2.7.0 Patches

| Apache Jira | Description | |
|--------------|--|--|
| AMBARI-24254 | ADDENDUM: flag infra-solr instances to restart after upgrade | |
| AMBARI-23945 | Infra Solr migration: REQUESTSTATUS response content type is xml instead of json | |
| AMBARI-24276 | Upgrade failed at ConvertTable, container mode, with data deployed | |
| AMBARI-24268 | Fix pre-upload script references, clean imports | |
| AMBARI-24270 | Agent Status Command Are Randomly Failing With Empty stderr | |
| AMBARI-24275 | Unable to Restart Hive When Using An Ambari-Managed MySQL Server | |
| AMBARI-24278 | Infra Solr: /etc/security/limits.d folder does not exist on Suse | |

Common Vulnerabilities and Exposures

No Common Vulnerabilities and Exposures (CVEs) fixes apply to Ambari 2.7.3.16.

Fixed Issues

Fixed issues represents selected issues that were previously logged via Hortonworks Support, but are now addressed in the current release. These issues may have been reported in previous versions within the Known Issues section; meaning they were reported by customers or identified by Hortonworks Quality Engineering team.

Other

| Hortonworks Bug ID | Apache JIRA | Summary | |
|--------------------|--------------|--|--|
| BUG-109907 | AMBARI-24542 | Rename LDAP configuration ambari.ldap.advance.collision_behavior | |

Security

| Hortonworks Bug ID | Apache JIRA | Summary | |
|--------------------|--------------|--|--|
| BUG-107090 | AMBARI-24593 | Download client config fails if user running Ambari server has UID>2097151 | |
| BUG-109839 | AMBARI-24536 | Ambari SPNEGO breaks SSO redirect | |
| BUG-109960 | AMBARI-24546 | Protect the Request resource so that only authorized users may have read-only access the data | |
| BUG-110181 | AMBARI-24562 | Protect the ClusterConfig resource so that only authorized users may have read-only access the data | |
| BUG-110695 | AMBARI-24616 | Disable Kerberos from Ambari UI didn't clean up keytab directories | |
| BUG-111350 | AMBARI-24757 | Grafana start failing on U14 fails with error "AttributeError: 'module' object has no attribute 'PROTOCOL_TLSv1_2" | |
| BUG-111644 | AMBARI-24690 | Ambari-server setup-ldap throws an error when the OU has spaces | |
| BUG-87895 | AMBARI-22863 | Hive should handle a customized Zookeeper service principal name | |
| BUG-87896 | AMBARI-24576 | Ambari Metrics should handle a customized Zookeeper service principal name | |

| Hortonworks Bug ID | Apache JIRA | Summary | |
|--------------------|--------------|---|--|
| BUG-87901 | AMBARI-24565 | HDFS should handle a customized Zookeeper service principal name | |
| BUG-87902 | AMBARI-24564 | Zookeeper should handle a customized Zookeeper service principal name | |

Stability

| Hortonworks Bug ID | Apache JIRA | Summary | |
|--------------------|--------------|--|--|
| BUG-109836 | AMBARI-24535 | File View not accessible in Ambari 2.7 after enabling 3 namenodes in HDP 3.0 | |
| BUG-110504 | AMBARI-24596 | Stack Advisor reported an error. Exit Code: 2. Error: KeyError: 'onefs' | |
| BUG-110804 | AMBARI-24641 | Stackadvisor error while trying to add atlas service. Error - "if mountPoints[mountPoint] < requiredDiskSpace: KeyError: None" | |
| BUG-110964 | AMBARI-24637 | Ambari metrics service check failed during UI deploy | |
| BUG-111145 | AMBARI-24669 | Ambari Metrics collector stuck at stopping status; unable to perform any other operation on it. | |
| BUG-111507 | AMBARI-24679 | Fix race condition in agent during registration and topology updates. | |

Supportability

| Hortonworks Bug ID | Apache JIRA | Summary | |
|--------------------|--------------|--|--|
| BUG-109917 | AMBARI-24540 | Allow skipping Oozie DB schema creation for sysprepped cluster | |
| BUG-110166 | AMBARI-24548 | Allow skipping Hive Metastore schema creation for sysprepped cluster | |
| BUG-111556 | AMBARI-24681 | Cannot deploy cluster without HDFS_CLIENT | |

Usability

| Hortonworks Bug ID | Apache JIRA | Summary | |
|--------------------|--------------|--|--|
| BUG-110638 | AMBARI-24605 | ambari-server exception if any user with cluster operator role is trying to edit the widget. | |
| BUG-111968 | AMBARI-24781 | Ambari setup-ldap doesn't persist settings | |
| BUG-112913 | AMBARI-24815 | Add column to show which service recommended changes during upgrade refer to | |
| BUG-113683 | AMBARI-24852 | NPE in default host group replacement | |

HDInsight Fixed Issues

The fixed issues listed here are issues that were specifically addressed to support HDInsight. For fixed issues in HDP, see the *HDP HDInsight Release Notes*.

Ambari 2.7.3.16 (Celtic-HDI-M20)

Other

| Bug ID | Apache JIRA | Apache Component | Summary |
|-------------|-------------|------------------|--|
| AMBARI-1197 | N/A | N/A | [Intermittent]Dashboard is unable to load . Common console error : "SEVERE TypeError: widgetGroups is undefined" |
| AMBARI-1206 | N/A | N/A | HBase is not able to start in WASB cluster |
| AMBARI-1208 | N/A | N/A | Connections to Ambari server are stochastically result in ECONNRESET |
| AMBARI-1209 | N/A | N/A | HDFS Service Checking with an ClassNotFound Error in Ambari |

| Bug ID | Apache JIRA | Apache Component | Summary |
|-------------|--------------|-------------------------|--|
| AMBARI-1212 | N/A | N/A | Ambari Component installations are done serially; lot of unnecessary dry-runs seen with Component installations |
| AMBARI-1213 | N/A | N/A | Hive Service check failure in LLAP cluster type |
| AMBARI-1214 | N/A | N/A | Unable to move Hive metastore from one node to another |
| AMBARI-1216 | AMBARI-25214 | N/A | Resource Manager is unable to come up after moving from head node (hno-XXX) to slave node (zk1-XXX) in HDI clusters |
| AMBARI-1217 | N/A | N/A | Upgrade pack is missing for HOU |
| AMBARI-1228 | N/A | N/A | Unable to move Hive metastore from one node to another in WASB Secure cluster |
| AMBARI-1235 | N/A | N/A | Hive service check is failing after moving Hive Metastore from node to another using system tests. |
| AMBARI-1242 | N/A | N/A | Some Metrics at the service level do not show any data on the Ambari UI |
| AMBARI-1258 | N/A | N/A | Publish org.apache.ambari::ambari-metrics-common and ambari- metrics-timelineservice maven packages with latest changes |
| AMBARI-1259 | N/A | N/A | Apparent DeadLock in the Database connection Pooling |
| AMBARI-1275 | N/A | N/A | CLONE - Initial configuration of services during cluster creation request processing is sequential |
| AMBARI-1281 | N/A | N/A | [Intermittent] Connection resets when trying to login to Ambari |
| AMBARI-1287 | N/A | N/A | Backport AMBARI-24670 - Directory creation should be atomic |
| AMBARI-1292 | N/A | N/A | Express upgrade pack is missing |
| AMBARI-1293 | N/A | N/A | Fixed the issue where MapReduce2 Service check fails during Express Upgrade |
| AMBARI-1294 | AMBARI-25391 | N/A | Ambari logging Grafana Password in ActionQueue.py Cmd Log |
| AMBARI-1295 | AMBARI-25440 | N/A | Namenode failing to startup - with exception message "NameNode is not formatted." |
| AMBARI-1297 | N/A | N/A | Unable to retrieve actual node/host counts from Ambari cluster manager. |
| AMBARI-1300 | N/A | N/A | [HDP 3.1.6 Upgrades] Upgrade packs are missing in previous HDInsight releases |
| AMBARI-1301 | AMBARI-25414 | N/A | Ambari agent failing to send hearbeat for more than 3 minutes |
| AMBARI-1303 | N/A | N/A | [WFD] WFM unable to fetch Oozie configuration on a Kerberized cluster |
| AMBARI-1304 | N/A | N/A | Upgrade packs are missing for HDP 3.0 to 3.1 path |
| AMBARI-1305 | N/A | N/A | Fixes an issue where package install is failing for oozie package on one host for HDP-3.1.6.0 |
| AMBARI-1306 | N/A | N/A | Fixes an issue where you are unable to register the HDP-3.1 stack |
| AMBARI-1308 | N/A | N/A | Preparing Oozie server steps fail with CNF during Express Upgrade from HDP-3.1.2.0 to HDP-3.1.6.0 |
| AMBARI-1309 | N/A | N/A | Preparing Oozie server steps fail with CNF during Express Upgrade from HDP-3.1.2.0 to HDP-3.1.6.0 |
| AMBARI-1312 | N/A | N/A | Hive Quick Links Broken in HDP 3.x |
| AMBARI-1316 | N/A | N/A | Map Reduce2 Service check fails during Express Upgrade /HOU from HDP-3.1.2.0 to HDP-3.1.6.0 |
| AMBARI-1317 | N/A | N/A | HDP-3.1.6.0 - HIVE QuickLinks never loaded |

| Bug ID | Apache JIRA | Apache Component | Summary |
|-------------|--------------|--|--|
| AMBARI-1318 | N/A | N/A | YARN/MR2 fails to restart while doing Express Upgrade from HDP-3.1.2.0 to HDP-3.1.6.0 with error : "Unable to load custom token provider class." |
| AMBARI-1319 | AMBARI-25449 | N/A | Bulk Delete Host Components API throwing 400 HTTP error |
| AMBARI-1321 | N/A | N/A | Kafka is found to be down post HOU from HDP 3.0.2 to HDP-3.1.x |
| AMBARI-1322 | N/A | N/A | Ambari Agent memory monitoring |
| AMBARI-1323 | N/A | N/A | Yarn App timeline server 1.5 fails to start on hn0 during upgrade for HDP 3.0.2 to HDP 3.1.2 upgrade |
| AMBARI-1325 | N/A | N/A | Step to apply ranger java patch interactively missing for HOU from HDP 3.0.2 to HDP 3.1.2 |
| AMBARI-1326 | N/A | N/A | [intermittent] Hive Service check fails during HOU from HDP 3.0.2.0 to HDP 3.1.2.0 |
| AMBARI-1327 | N/A | N/A | HBase Service check fails during HOU from HDP 3.0.2.0 to HDP 3.1.2.0 |
| AMBARI-1333 | AMBARI-25391 | N/A | Backport fix into HDP 2.6.3 for Ambari logging Grafana Password in ActionQueue.py Cmd Log |
| AMBARI-1335 | N/A | N/A | Restart of Ranger after the HOU upgrade is failing |
| AMBARI-1338 | AMBARI-25391 | N/A | Grafana Password in multiple places in conf and log files |
| AMBARI-1352 | N/A | N/A | Hive service check and Hive server 2 restart is failing on WASB secure cluster after changing cluster name |
| BUG-117789 | AMBARI-25041 | Ambari | Scale hosts does not install component if service is in maintenance mode |
| BUG-117792 | N/A | Ambari | Remove hive.metastore.uris from hive-interactive-site |
| BUG-117868 | AMBARI-25158 | Ambari | Dashboard is unable to load . Common console error : "SEVERE TypeError: widgetGroups is undefined" |
| BUG-118848 | AMBARI-25196 | Ambari | HDFS Service Checking with an ClassNotFound Error in Ambari WFManager view |
| BUG-118937 | AMBARI-25207 | Ambari | The Ubuntu repository id for the cached apt package list is generated wrong in case if were used URL with https protocol |
| BUG-119259 | N/A | Ambari | Ambari upgrade script causes GC conflict for Atlantic HDI |
| BUG-119395 | AMBARI-25214 | Ambari | Add a sysprep configurations to run conf-selects only a single time |
| BUG-119469 | N/A | Ambari | Unable to move Hive metastore from one node to another in Secure cluster |
| BUG-119560 | AMBARI-25248 | Ambari | Hive service check is failing after moving Hive Metastore from node to another using system tests. |
| BUG-121889 | AMBARI-25385 | Ambari | Reduce cluster creation request processing time |
| BUG-122366 | N/A | Ambari HSI2 JDBC URL configured incorrectly in Zeppelin JD | |
| BUG-122543 | AMBARI-25440 | Ambari | Server sets blueprint_provisioning_state for component to finished before start command execution |
| BUG-122546 | N/A | Ambari | Ambari should add auth type to beeline-site.xml |
| BUG-123380 | N/A | Ambari | Ambari process attempts steps after HS2 LLAP service shutdown & fails |
| HIVE-1203 | N/A | Hive | Hive 3 schema tool runs despite sysprep flags enabled |

Upgrade

| Bug ID | Apache JIRA | Apache Component | Summary |
|------------|--------------|------------------|--|
| BUG-119398 | AMBARI-25236 | Ambari | Host Ordered Upgrade: Pre Upgrade check of fs.defaultFS fails for ABFS |

Ambari 2.7.3.7 (Celtic-HDI-M10)

Other

| Bug ID | Apache JIRA | Summary | |
|------------|--------------|---------|--|
| BUG-118787 | N/A | Ambari | Add SHS dependency for STS to role_command_order_jsc |
| BUG-119259 | N/A | Ambari | Ambari upgrade script causes GC conflict for Atlantic HDI |
| BUG-121308 | N/A | Ambari | Wrong zeppelin hive.url when HiveInteractive HA is enabled |
| BUG-118848 | AMBARI-25196 | Ambari | HDFS Service Checking with an ClassNotFound Error in Ambari WFManager view |
| BUG-120002 | N/A | Ambari | Missing commits in Celtic-HDI-M10 |
| BUG-119560 | AMBARI-25248 | Ambari | Hive service check is failing after moving Hive Metastore from node to another using system tests. |
| BUG-119469 | N/A | Ambari | Unable to move Hive metastore from one node to another in Secure cluster |
| BUG-117792 | N/A | Ambari | Remove hive.metastore.uris from hive-interactive- site |
| BUG-119561 | N/A | Ambari | Ambari DB has reached its size quota on HDI |
| BUG-119559 | N/A | Ambari | Ambari UI quicklinks |
| BUG-117789 | AMBARI-25041 | Ambari | Scale hosts does not install component if service is in maintenance mode |
| BUG-118937 | AMBARI-25207 | Ambari | The Ubuntu repository id for the cached apt package list is generated wrong in case if were used URL with https protocol |

| Bug ID | Apache JIRA | Summary | |
|-------------|--------------|--|---|
| BUG-117793 | N/A | Ambari | Fix hive ranger plugin config issue if only HSI is present |
| BUG-121034 | N/A | Ambari | Ambari should provide an option to graceful decommission Nodemanagers. |
| BUG-121705 | AMBARI-25370 | Ambari | Producer and Customer 'Request / s' graphs are failing on Kafa Grafana dashboards |
| BUG-117868 | AMBARI-25158 | Ambari | Dashboard is unable to load . Common console error : "SEVERE TypeError: widgetGroups is undefined" |
| AMBARI-1283 | N/A | Enable configuration of SASL for Zookeeper in Ambari | |
| AMBARI-1282 | N/A | Facing issue while moving resource manager from one node to another node | |
| AMBARI-1280 | N/A | Backport 2.7.4 CVE fixes applicable to HDI env | |
| AMBARI-1279 | N/A | Oozie Service Check failed | |
| AMBARI-1278 | N/A | backport of Heatmap Data Issues | |
| AMBARI-1272 | N/A | ABFS short-term fix to Create Hive tables | |
| AMBARI-1261 | N/A | Moving from NTP to Chrony has issues due to NTP dependency in recommended packages of Hive and Hadoop | |
| AMBARI-1258 | N/A | Publish org.apache.ambari::ambari-metrics-common and ambari- metrics-timelineservice maven packages with latest changes | |
| AMBARI-1256 | N/A | Ambari should provide an option to graceful decommission Nodemanagers. | |
| AMBARI-1253 | N/A | Fixes as part of JIRAS mentioned in description has to forward port in new M10 HDI release - amabri vesion: 2.7.3.7 | |
| AMBARI-1252 | N/A | HDFS service check fails for WFM view on WASB Secure | |
| AMBARI-1251 | N/A | [Intermittent] Dashboard loading is slow | |
| AMBARI-1242 | N/A | Some Metrics at the service level do not show any data on the Ambari UI | |
| AMBARI-1235 | N/A | Hive service check is failing after moving Hive Metastore from node to another using system tests. | |
| AMBARI-1230 | N/A | Install HDP packages are failing - Ambari 2.7.x | |
| AMBARI-1228 | N/A | Unable to move Hive metastore from one node to another in WASB Secure cluster | |
| AMBARI-1223 | N/A | YARN, Tez, HBase, Pig, MR2 service checks failed due to python script timeout | |
| AMBARI-1219 | N/A | Ambari UI quicklinks | |
| AMBARI-1218 | N/A | Add a sysprep configurations to run conf-selects only a single time | |
| AMBARI-1216 | AMBARI-25214 | Resource Manager is unable to come up after moving from head node (hno-XXX) to slave node (zk1-XXX) in HDI clusters | |
| AMBARI-1214 | N/A | Unable to move Hive metastore from one node to another | |

| Bug ID | Apache JIRA | Summary | |
|-------------|-------------|--|--|
| AMBARI-1213 | N/A | Hive Service check failure in LLAP cluster type | |
| AMBARI-1212 | N/A | Ambari Component installations are done serially; lot of unnecessary dry-runs seen with Component installations | |
| AMBARI-1209 | N/A | HDFS Service Checking with an ClassNotFound Error in Ambari (Celtic HDI) | |
| AMBARI-1208 | N/A | Connections to Ambari server are stochastically result in ECONNRESET | |
| AMBARI-1206 | N/A | Hbase is not able to start in WASB cluster | |
| AMBARI-1197 | N/A | [Intermittent]Dashboard is unable to load . Common console error : "SEVERE TypeError: widgetGroups is undefined" | |
| AMBARI-1284 | N/A | Ambari-metrics-assembly is missing | |

Ambari 2.7.3.2 (Celtic)

Other

| Bug ID | Apache JIRA | Summary |
|----------------------------|--------------|--|
| AMBARI-1206 | N/A | HBase does not start in WASB cluster |
| AMBARI-1209, BUG-118848 | AMBARI-25197 | HDFS service checking with an ClassNotFound Error in Ambari |
| AMBARI-1212 | N/A | Ambari component installations are done serially; unnecessary dry-runs seen with Component installations |
| AMBARI-1216 | AMBARI-25214 | ResourceManager is unable to start after moving from head node (hno-XXX) to slave node (zk1-XXX) in HDInsight clusters |
| AMBARI-1218 | N/A | Add a sysprep configurations to run conf-selects only a single time |
| BUG-1171792 | N/A | Remove hive.metastore.uris from hive-interactive-site |
| BUG-117793 | N/A | Fix Hive ranger plugin config issue if only HSI is present |
| BUG-118787 | N/A | Add SHS dependency for STS to role_command_order_json |
| BUG-118937 | AMBARI-25207 | The Ubuntu repository ID for the cached apt package list is generated wrong in case if were used URL with https protocol |
| BUG-119105, AMBARI-1218 | AMBARI-25215 | Add a sysprep configurations to run conf-selects only a single time |
| AMBARI-1213 | N/A | Hive Service check failure in LLAP cluster type |
| AMBARI-1214 | N/A | Unable to move Hive metastore from one node to another |
| AMBARI-1219 | N/A | Ambari UI quicklinks |
| AMBARI-1228 | N/A | Unable to move Hive metastore from one node to another in WASB Secure cluster |
| AMBARI-1230 | N/A | Install HDP packages are failing - Ambari 2.7.x |
| AMBARI-1235 | N/A | Hive service check is failing after moving Hive Metastore from node to another using system tests. |

Usability

| Bug ID | Apache JIRA | Summary |
|----------------------------|--------------|---|
| BUG-117868, AMBARI-1197 | AMBARI-25158 | Dashboard is unable to load. Common console error : "SEVERE TypeError: widgetGroups is undefined" |

Ambari 2.7.2 (Atlantic)

Other

| Bug ID | Apache JIRA | Summary |
|-------------|--------------|--|
| AMBARI-1101 | N/A | Extra logger beanutils.FluentPropertyBeanIntrospector while running Hdfs commands |
| AMBARI-1103 | N/A | Error in custom script action |
| AMBARI-1110 | N/A | Backport Ambari-24275 so that custom services can be restarted |
| AMBARI-1117 | N/A | HDI Livy2 fails to restart |
| AMBARI-1122 | N/A | Not able to submit queries through REST on templeton |
| AMBARI-1123 | N/A | webhcat mpack versioning |
| AMBARI-1127 | N/A | DAS cannot be installed when a custom component doesnt have configs |
| AMBARI-1157 | N/A | Service component configuration parameters is only available in components start() but not available in status() and when defining script based alerts |
| AMBARI-1163 | N/A | Error while starting Timeline v2 Reader during Move operation |
| AMBARI-1179 | N/A | On enabling Node Labels in ABFS configs, the folders created do not have correct permissions and owner |
| AMBARI-1181 | N/A | Ambari user interface freezes after 15-20 minutes of usage |
| AMBARI-1182 | N/A | Service components in maintenance mode are stuck in 'INSTALLATION PENDING' state for scaled up hosts. |
| BUG-109436 | AMBARI-24506 | Upgrade History page is blank after a cluster is upgraded multiple times |

Security

| Bug ID | Apache JIRA | Summary |
|-------------|-------------|---|
| AMBARI-1147 | N/A | Scale-up fails with permission denied exception |

Supportability

| Bug ID | Apache JIRA | Summary |
|-------------|-------------|---------------------------------|
| AMBARI-1155 | N/A | Need Official URL for templeton |

Known Issues

Ambari 2.7.3.16 has the following known issues, scheduled for resolution in a future release.

Table 4: Ambari 2.7.3 Known Issues

| Apache Jira | Hortonwo Bug ID | rRroblem | Solution |
|----------------|--------------------|--|--|
| N/A | BUG-1066 | 5After express ubgrade, Ambari Metrics System metrics collectors may be found to be down. | Manually restart the metrics collectors on affected nodes. |

| Apache Jira | Hortonwo Bug ID | - _K roblem | Solution |
|----------------|----------------------|---|---|
| N/A | BUG-1089 | 2After using patch upgrade on storm, exceptions are found in the logs when running service checks. | No known workaround. Service checks exceptions for this service immediately after patch upgrade can be safely ignored. |
| AMBARI- | 2 8446 -1135 | 2 When using redhat satelite for repository management, if a repo URL is not specified for each operating system, the installation can fail. | Do a fresh sign into Ambari Server. Click on Register Version screen. Click on option "Use local repository" Select the appropriate OS version and remove the unwanted OS version. Put some dummy url (that starts with http://) in the repo fields Now select the option "Use Redhat Satellite repo" Make the package changes if needed and proceed. |
| AMBARI- | 2 4510G -1094 | 36/pgrade History page is blank after a cluster is upgraded multiple times. | No known workaround. |
| N/A | BUG-1097 | 6YARN Timeline Service V 2.0 Reader component stops after a patch upgrade of the service HBase from HDP 3.0.0 to HDP 3.0.1. | Manually start the YARN Timeline Service V 2.0 Reader component. |
| N/A | BUG-1155 | OB/nable to create tables after upgrade if running hive as custom user. | Change permissions on the Hive directory. |
| N/A | BUG-1153 | | Clear out the data on the znode specified in ams-hbase-site:zookeeper.znode.parent. • If Ambari Metrics System is in embedded mode, this can be done by deleting the directory as specified in the ams-hbase-site property 'HBase ZooKeeper Property DataDir'. • If Ambari Metrics System is in distributed mode, this can be done by deleting the znode in cluster zookeeper using zkCli. Instead of deleting the znode, you canchange the value of the znode from /ams-hbase-unsecure to something like /ams-hbase-unsecure-new. *the.hadoop.hbase.NotServingRegionException: 1 |
| N/A | BUG-1158 | 12eppelin Server status alerts are not triggered even when Zeppelin server is stopped. | In the alert_check_zeppelin.py script located in the /var/lib/ambari-agent/cache/commonservices/ZEPPELIN/ <version>/package/scripts/ folder, change the 'return' statement to the following: return (RESULT_CODE_CRITICAL, ["Zeppelin is not running"])</version> |

| Apache Jira | Hortonwo Bug ID | - _K roblem | Solution |
|----------------|--------------------|--|--|
| N/A | SPEC-57 | Spectrum Scale installation Fails in Ambari for scripts not found reason. Exception is seen when the Mpack is integrated with the following error: | Ensure that the property agent.auto.cache.update=true is set in /etc/ambari-server/conf/ambari.properties on the Ambari Server, and then restart the Ambari Server so that the Ambari agents will now get the propagated changes for the Mpack extensions. |
| | | stdout: / var/lib/ ambari- agent/ data/ output-402.t Caught an exception while executing custom service command: <class 'ambari_age="" 'script="" 2.7.0.1="" agent="" ambari-="" cache="" does="" exist';="" exist'<="" extensions="" gpfs="" lib="" not="" package="" scripts="" services="" slave.py="" spectrumscal="" td="" var=""><td>ent.AgentException.AgentException'>: eExtension</td></class> | ent.AgentException.AgentException'>: eExtension |

| Apache Jira | Hortonwo Bug ID | - R roblem | Solution |
|----------------|----------------------|---|--|
| AMBARI-2 | SQGC-58, BUG-1163 | 28ocal repository fails to deploy. Empty baseurl values written to the repo files when using a local repository causes an HDP stack installation failure. | 1. Go to the folder /usr/lib/ambari-server/web/javascipts using |
| | | | cd /usr/lib/ambari-server/web/javascripts |
| | | | 2. Take a backup of app.js using |
| | | | cp app.js_backup |
| | | | 3. Edit the app.js file. Find the line(39892) |
| | | | <pre>onNetworkIssuesExist: function () { Change the line from:</pre> |
| | | | |
| | | | /** * Use Local Repo if some network issues exist */ |
| | | | <pre>onNetworkIssuesExist: function () { if (this.get('networkIssuesExist')) {</pre> |
| | | | <pre>this.get('content.stacks').forEach(function (stack) { stack.setProperties({ usePublicRepo: false, useLocalRepo: true }); stack.cleanReposBaseUrls(); }); } cobserves('networkIssuesExist'),</pre> |
| | | | to |
| | | | <pre>/** * Use Local Repo if some network issues exist */ onNetworkIssuesExist: function () { if (this.get('networkIssuesExist')) { this.get('content.stacks').forEach(function (stack) { if(stack.get('useLocalRepo') != true){ stack.setProperties({ usePublicRepo: false, useLocalRepo: true</pre> |
| | | | <pre>}); stack.cleanReposBaseUrls(); } });</pre> |
| | | | <pre>} }.observes('networkIssuesExist'),</pre> |
| | | | 4. Reload the page, and then start the create cluster wizard again. |

HDInsight Known Issues

There are no Ambari known issues in this release of HDInsight.