Cloudera DataFlow for Data Hub 7.3.1

## Changing Java version of Flow Management clusters

Date published: 2019-12-16 Date modified: 2024-12-10



https://docs.cloudera.com/

### **Legal Notice**

© Cloudera Inc. 2025. All rights reserved.

The documentation is and contains Cloudera proprietary information protected by copyright and other intellectual property rights. No license under copyright or any other intellectual property right is granted herein.

Unless otherwise noted, scripts and sample code are licensed under the Apache License, Version 2.0.

Copyright information for Cloudera software may be found within the documentation accompanying each component in a particular release.

Cloudera software includes software from various open source or other third party projects, and may be released under the Apache Software License 2.0 ("ASLv2"), the Affero General Public License version 3 (AGPLv3), or other license terms. Other software included may be released under the terms of alternative open source licenses. Please review the license and notice files accompanying the software for additional licensing information.

Please visit the Cloudera software product page for more information on Cloudera software. For more information on Cloudera support services, please visit either the Support or Sales page. Feel free to contact us directly to discuss your specific needs.

Cloudera reserves the right to change any products at any time, and without notice. Cloudera assumes no responsibility nor liability arising from the use of products, except as expressly agreed to in writing by Cloudera.

Cloudera, Cloudera Altus, HUE, Impala, Cloudera Impala, and other Cloudera marks are registered or unregistered trademarks in the United States and other countries. All other trademarks are the property of their respective owners.

Disclaimer: EXCEPT AS EXPRESSLY PROVIDED IN A WRITTEN AGREEMENT WITH CLOUDERA, CLOUDERA DOES NOT MAKE NOR GIVE ANY REPRESENTATION, WARRANTY, NOR COVENANT OF ANY KIND, WHETHER EXPRESS OR IMPLIED, IN CONNECTION WITH CLOUDERA TECHNOLOGY OR RELATED SUPPORT PROVIDED IN CONNECTION THEREWITH. CLOUDERA DOES NOT WARRANT THAT CLOUDERA PRODUCTS NOR SOFTWARE WILL OPERATE UNINTERRUPTED NOR THAT IT WILL BE FREE FROM DEFECTS NOR ERRORS, THAT IT WILL PROTECT YOUR DATA FROM LOSS, CORRUPTION NOR UNAVAILABILITY, NOR THAT IT WILL MEET ALL OF CUSTOMER'S BUSINESS REQUIREMENTS. WITHOUT LIMITING THE FOREGOING, AND TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, CLOUDERA EXPRESSLY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY, QUALITY, NON-INFRINGEMENT, TITLE, AND FITNESS FOR A PARTICULAR PURPOSE AND ANY REPRESENTATION, WARRANTY, OR COVENANT BASED ON COURSE OF DEALING OR USAGE IN TRADE.

## Contents

Changing the Java version of Flow Management Data Hub clusters......4

# Changing the Java version of Flow Management Data Hub clusters

Java 8 and 11 are installed on Cloudera Data Hub nodes in Cloudera Public Cloud by default. When you create a new cluster, Java 8 is used as the default JDK. However, it is possible to switch to Java 11 after provisioning a new cluster or after upgrading your cluster to version 7.2.17.

### About this task

### Procedure

- 1. Open the Cloudera Manager UI and click the Clusters tab in the left-hand navigation.
- 2. Click NiFi in the list of services to display the NiFi service page.
- **3.** Click Configuration and update the nifi.jdk.home property.

#### Paths:

- Java 8: /usr/lib/jvm/java
- Java 11: /usr/lib/jvm/java-11

nifi-cluster				
오 🎄 nifi-NIFI-BASE	Actions -		Jul 13,	5:45 PM UTC
Status Instances Configuration	Commands Charts Library Quick Links 👻			
Q java			Filters Role Groups History	& Rollback
Filters	Java Home Path Override	NiFi Node Default Groupand 2 others 🕎	Show All Desc	criptions
SCOPE  nifi-NIFI-BASE (Service-Wide) 0 Gateway 0	nifi.jdk.home Edit Individual Values © nifi.jdk.home	/ust/lib/ym/java-11		

4. Repeat the same steps for the NiFi Registry service as well.

nifi-cluster				
Stringistry Actions -			Jul 13, 5:46 PM	и итс
Status Instances Configuration Com	nmands Charts Library Quick Links 👻			
Q java			Filters Role Groups History & Rollb	back
Filters			Show All Description	ıs
v SCOPE nifiregistry (Service-Wide) 0	Java Home Path Override nífi.registry.jdk.home of, nífi.registry.jdk.home	NiFi Registry Default Group 🕤 /usr/lib/jvm/java-11	©	

5. Restart NiFi and NiFi Registry.

- 6. When the services are restarted, you can confirm the Java version used by NiFi.
  - a) Open the NiFi UI and click the Global menu in the top right corner.
  - b) Click Cluster Versions

NiFi Cluster									-
NODES	SYSTEM	JVM	FLOWFILE	STORAGE	CONTENT STORAGE	PI	ROVENANCE STORAGE	VERSIONS	
Displaying 3 of 3									
Filter		by address	~						
Node Address	NiFi Version	n Ja	ava Vendor	Java V	version O	S Name	OS Vers	ion	OS Architecture
nifi-cluster-nifi1.p	1.21.0.2.2	7.0-263 F	Red Hat, Inc.	11.0.	19 I	.inux	3.10.0	-1160.90.1.el7.x86	amd64
nifi-cluster-nifi2.p	1.21.0.2.2	7.0-263 F	Red Hat, Inc.	11.0.	19 1	.inux	3.10.0	-1160.90.1.el7.x86	amd64
nifi-cluster-nifi0.p	1.21.0.2.2	7.0-263 F	Red Hat, Inc.	11.0.	19	.inux	3.10.0	-1160.90.1.el7.x86	amd64