

Cloudera DataFlow for Data Hub 7.3.2

Setting up your Edge Management cluster

Date published: 2019-12-16

Date modified: 2024-12-11

The Cloudera logo is displayed in a bold, orange, sans-serif font. The word "CLOUDERA" is written in all caps, with a stylized horizontal line through the middle of the letters 'E' and 'R'.

<https://docs.cloudera.com/>

Legal Notice

© Cloudera Inc. 2026. All rights reserved.

The documentation is and contains Cloudera proprietary information protected by copyright and other intellectual property rights. No license under copyright or any other intellectual property right is granted herein.

Unless otherwise noted, scripts and sample code are licensed under the Apache License, Version 2.0.

Copyright information for Cloudera software may be found within the documentation accompanying each component in a particular release.

Cloudera software includes software from various open source or other third party projects, and may be released under the Apache Software License 2.0 (“ASLv2”), the Affero General Public License version 3 (AGPLv3), or other license terms. Other software included may be released under the terms of alternative open source licenses. Please review the license and notice files accompanying the software for additional licensing information.

Please visit the Cloudera software product page for more information on Cloudera software. For more information on Cloudera support services, please visit either the Support or Sales page. Feel free to contact us directly to discuss your specific needs.

Cloudera reserves the right to change any products at any time, and without notice. Cloudera assumes no responsibility nor liability arising from the use of products, except as expressly agreed to in writing by Cloudera.

Cloudera, Cloudera Altus, HUE, Impala, Cloudera Impala, and other Cloudera marks are registered or unregistered trademarks in the United States and other countries. All other trademarks are the property of their respective owners.

Disclaimer: EXCEPT AS EXPRESSLY PROVIDED IN A WRITTEN AGREEMENT WITH CLOUDERA, CLOUDERA DOES NOT MAKE NOR GIVE ANY REPRESENTATION, WARRANTY, NOR COVENANT OF ANY KIND, WHETHER EXPRESS OR IMPLIED, IN CONNECTION WITH CLOUDERA TECHNOLOGY OR RELATED SUPPORT PROVIDED IN CONNECTION THEREWITH. CLOUDERA DOES NOT WARRANT THAT CLOUDERA PRODUCTS NOR SOFTWARE WILL OPERATE UNINTERRUPTED NOR THAT IT WILL BE FREE FROM DEFECTS NOR ERRORS, THAT IT WILL PROTECT YOUR DATA FROM LOSS, CORRUPTION NOR UNAVAILABILITY, NOR THAT IT WILL MEET ALL OF CUSTOMER’S BUSINESS REQUIREMENTS. WITHOUT LIMITING THE FOREGOING, AND TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, CLOUDERA EXPRESSLY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY, QUALITY, NON-INFRINGEMENT, TITLE, AND FITNESS FOR A PARTICULAR PURPOSE AND ANY REPRESENTATION, WARRANTY, OR COVENANT BASED ON COURSE OF DEALING OR USAGE IN TRADE.

Contents

Checking prerequisites.....	4
Creating your cluster.....	4
After creating your cluster.....	5
Generating certificates for MiNiFi agents.....	6
Adding agents to your cluster.....	10

Checking prerequisites

Before you start creating your Edge Flow Management Data Hub cluster, you need to ensure that you have set up the environment properly and have all the necessary accesses to use Cloudera on cloud. Use this checklist to verify that you meet all the requirements before you start creating the cluster.

- You have Cloudera login credentials.
- You have an available Cloudera environment.

When you register your environment, make sure that the correct security access settings are configured. You need to enable SSH access and specify SSH key so that you can generate certificates for the agents. For more information on creating a Cloudera environment, see:

- [Working with AWS environments](#)
- [Working with Azure environments](#)
- [Working with GCP environments](#)
- You have a running Data Lake. For more information on the Data Lake service in a Cloudera environment, see [Introduction to Data Lakes](#).



Important: Make sure that the Runtime version of the Data Lake cluster matches the Runtime version of the Cloudera Data Hub cluster that you are about to create. If these versions do not match, you may encounter warnings and/or errors.

- You have a Cloudera username and the predefined resource role of this user is EnvironmentAdmin.
- Your Cloudera user is synchronized to the Cloudera on cloud environment.

If you need more information about Cloudera basics, see [Getting started as a user](#).


Creating your cluster

If you meet all prerequisites, you are ready to create a managed and secured Edge Flow Management cluster in Cloudera on cloud by using the prescriptive cluster definition available in Technical Preview.

Procedure

1. Log into the Cloudera on cloud web interface.
2. Navigate to `Cloudera Management Console Environments` and select the environment where you want to create a cluster.
3. Click `Create Data Hub`.

The Provision Data Hub page is displayed:



4. Select Cluster Definition.
5. Select the appropriate Edge Flow Management cluster definition from the Cluster Definition dropdown depending on which cloud provider you are using.

There are three template options available:

- Edge Flow Management Light Duty for AWS
- Edge Flow Management Light Duty for Azure
- Edge Flow Management Light Duty for GCP

The cluster template referenced in the selected cluster definition determines which services are included in the cluster. The list of services is automatically displayed below the selected cluster definition name. It shows that the cluster definition contains the Edge Flow Manager.

6. Provide a cluster name and add tags you might need.



Note:

The name must be between 5 and 40 characters, it must start with a letter, and should only include lowercase letters, numbers, and hyphens.

You can define tags that will be applied to your cluster-related resources on your cloud provider account. For more information, see *Tags*.

7. Use the Configure Advanced Options section to customize the infrastructure settings.

For more information on these options, see the *Advanced cluster options* for your cloud environment.

8. Click Provision Cluster.

Results

The new Cloudera Data Hub cluster appears on the Data Hubs tab of the Clusters page. You can follow the status of the provisioning process in the Status column. When your cluster is ready, its status changes to Running.

After creating your cluster

The cluster you have created using the Edge Flow Management cluster definition is secured by default, and it is integrated with Knox SSO.

You can access the Edge Flow Manager UI from the Services section of the Data Hub cluster page. Click the CEM icon or the Edge Flow Manager UI link and you are redirected to the Edge Flow Manager page.

The screenshot displays the Cloudera Management Console interface for a Data Hub cluster named 'ifeher-doc-test'. The left sidebar shows navigation options like Dashboard, Environments, Data Lakes, User Management, and Data Hub Clusters. The main content area shows cluster details for 'ifeher-doc-test', including its status (Running), nodes (1), and creation time. Below this, the 'Services' section lists 'Edge Flow Manager UI' with a red box highlighting the link. Other services shown include CM-UI and Token Integration. The 'Cloudera Manager Info' section provides details on the CM URL, version (7.11.0), and runtime version (7.2.17-1.cdh7.2.17.p0.41981875). At the bottom, an 'Event History' section shows a list of events such as 'CDP services have been installed' and 'Installing CDP services'.

The user who creates the Cloudera Data Hub cluster is automatically designated as an administrator in Edge Flow Manager and gains immediate access to the UI.

Edge Flow Manager now integrates with Cloudera User Management and synchronizes all available users and groups. Besides the cluster creator user, all users who belong to the admin group also gain administrator rights, providing access to all Edge Flow Manager features. Users who do not belong to the admin group can still log in, but need access rights granted by an administrator before they can access the data in Edge Flow Manager.

To secure the agent-to-Edge Flow Manager communication, generate and use appropriate certificates. You also need to add the agents that you want to manage with Edge Flow Manager.

Generating certificates for MiNiFi agents

To secure the communication between agents and Edge Flow Manager, you need to generate and use proper certificates.

About this task

Edge Flow Manager is a secured application, which has to be bootstrapped with the initial admin identity. The initial admin is the person who is able to assign roles and manage permissions in Edge Flow Manager. In the Technical Preview, the initial admin is the workload user of the person who deploys the Cloudera Data Hub cluster. For more information about authentication and authorization, see *Access control bootstrapping*.

While the user traffic accessing the UI utilizes Knox, the agents running outside of the Cloudera deployment need to access Edge Flow Manager directly. To enable this, you have to open a port for the agents on the host where Edge Flow Manager is deployed. By default, this port is 10090, used by Cloudera Edge Management components for C2 Protocol.

You do not have to generate the certificates from the agent host. You can generate them on any host that has access to the management node. When created, you can copy the certificates to the appropriate agent host.

In test environments it is not necessary to create different certificates for all agents. The same certificate can be configured for all agents. However, in production environments it is highly recommended to create a certificate for each agent.

Generating certificates with this approach is similar to adding a node to the cluster using Cloudera Manager.



Note: Agents using these certificates are considered to be the members of the cluster managed by Cloudera Manager. Use your certificates with care and protect them from illegal access.

MiNiFi agents need to set up mutual TLS (mTLS) for C2 communication to be able to communicate with Edge Flow Manager. For information on MiNiFi Java Agent authentication, see *Securing MiNiFi Java Agent*. For information on MiNiFi C++ Agent authentication, see *Securing MiNiFi C++ Agent*.

In Cloudera on cloud, certificates are managed by Cloudera Manager, acting as a certificate authority. All certificates are generated by Cloudera Manager, there is no option to use custom certificates.



Note: In the Technical Preview version of Cloudera Edge Management for Cloudera on cloud, you have to set up agent security manually. In later versions there will be an option to set up agent security using Edge Flow Manager.

Before you begin

- You have a running Cloudera Edge Management on cloud cluster
- SSH access is configured to the management node of the cluster
- You have an SSH user with keypair that has sudo privileges
- You have the host name of the Edge Management cluster's management node
- An external node is available from which you are able to SSH into the Edge Management cluster's management node

Procedure

1. Create a working directory on your external node that has SSH access to your Edge Flow Management cluster.
2. Save the following script to the previously created working directory, and name it `create_certs.sh`.

```
#!/bin/bash
set -eo pipefail

# input parameters
SSH_USER=$1
SSH_KEY=$2
CM_HOST=$3
AGENT_FQDN=$4

EXAMPLE_USAGE="Example usage: ./create_certs.sh sshUserName ~/.ssh/userKey.pem host0.company.site agent-x.company.site"

[[ -z "$SSH_USER" ]] && echo "SSH User parameter is missing. $EXAMPLE_USAGE" && exit 1
[[ -z "$SSH_KEY" ]] && echo "SSH Key parameter is missing. $EXAMPLE_USAGE" && exit 1
[[ -z "$CM_HOST" ]] && echo "Cloudera Manager parameter is missing. $EXAMPLE_USAGE" && exit 1
[[ -z "$AGENT_FQDN" ]] && echo "Agent FQDN parameter is missing. $EXAMPLE_USAGE" && exit 1

KEYSTORE_PASSWORD=$(hexdump -vn16 -e'4/4 "%08X" 1 "\n"' /dev/urandom | tr '[:upper:]' '[:lower:]')

# constants
```

```

GENERATED_CREDENTIALS_ARCHIVE=credentials.tar
GENERATED_CREDENTIALS_REMOTE_PATH="/tmp/$GENERATED_CREDENTIALS_ARCHIVE"
CM_SITE_PACKAGES="/opt/cloudera/cm-agent/lib/python3.8/site-packages"
ORIGINAL_CERTMANAGER_BASE_DIR="/etc/cloudera-scm-server/certs"
CUSTOM_CERTMANAGER_BASE_DIR="/root/certs"
CERT_PASSWORDS_DIR="$CUSTOM_CERTMANAGER_BASE_DIR/private"
GLOBAL_KEY_PASSWORD_FILE="$CERT_PASSWORDS_DIR/.global_key_password"
GLOBAL_TRUSTSTORE_PASSWORD_FILE="$CERT_PASSWORDS_DIR/.global_truststore_password"

rm -rf "$AGENT_FQDN"
mkdir "$AGENT_FQDN"

remote_ssh_command=$(cat << EOF
sudo \cp -n -R $ORIGINAL_CERTMANAGER_BASE_DIR $CUSTOM_CERTMANAGER_BASE_DIR;
sudo /opt/rh/rh-python38/root/bin/python -c "import site; site.addsitedir('$CM_SITE_PACKAGES'); import cmf.tools.cert; passwd = cmf.tools.cert.read_obfuscated_password('$GLOBAL_TRUSTSTORE_PASSWORD_FILE'); print(passwd);"
sudo rm -f $GLOBAL_KEY_PASSWORD_FILE;
sudo /opt/rh/rh-python38/root/bin/python -c "import site; site.addsitedir('$CM_SITE_PACKAGES'); import cmf.tools.cert; cmf.tools.cert.write_obfuscated_password('$GLOBAL_KEY_PASSWORD_FILE', '$KEYSTORE_PASSWORD');";
sudo /opt/cloudera/cm-agent/bin/certmanager --location "$CUSTOM_CERTMANAGER_BASE_DIR" gen_node_cert --output "$GENERATED_CREDENTIALS_REMOTE_PATH" --rotate "$AGENT_FQDN";
sudo chmod 666 "$GENERATED_CREDENTIALS_REMOTE_PATH";
EOF
)

ssh -i "$SSH_KEY" -o StrictHostKeyChecking=no "$SSH_USER@"$CM_HOST "$remote_ssh_command" > "$AGENT_FQDN/cm-auto-in_cluster_trust.pw" 2> /dev/null
scp -r -i "$SSH_KEY" -o "StrictHostKeyChecking=no" "$SSH_USER@"$CM_HOST: "$GENERATED_CREDENTIALS_REMOTE_PATH" "$AGENT_FQDN/" 2> /dev/null
tar -xf "$AGENT_FQDN/$GENERATED_CREDENTIALS_ARCHIVE" -C "$AGENT_FQDN"
echo "MiNiFi-Java KeyStore File:"
ls -alh "$AGENT_FQDN/cm-auto-host_keystore.jks"
echo "MiNiFi-Java TrustStore File:"
ls -alh "$AGENT_FQDN/cm-auto-in_cluster_truststore.jks"
echo "MiNiFi-CPP Client certificate:"
ls -alh "$AGENT_FQDN/cm-auto-host_key_cert_chain.pem"
echo "MiNiFi-CPP Client private key:"
ls -alh "$AGENT_FQDN/cm-auto-host_key.pem"
echo "MiNiFi-CPP CA certificate"
ls -alh "$AGENT_FQDN/cm-auto-in_cluster_ca_cert.pem"
echo "KeyStore / HostKey Password: sensitive data, please check for it in $AGENT_FQDN/cm-auto-host_key.pw"
echo "TrustStore Password: sensitive data, please check for it in $AGENT_FQDN/cm-auto-in_cluster_trust.pw"

rm -f "$AGENT_FQDN/cm-auto-global_cacerts.pem" "$AGENT_FQDN/cm-auto-global_truststore.jks" "$AGENT_FQDN/$GENERATED_CREDENTIALS_ARCHIVE" "$AGENT_FQDN/cm-auto-host_cert_chain.pem"

```

3. Make the script executable.

```
chmod +x create_certs.sh
```

4. Run the script with the following parameters:

```
./create_certs.s
h **[$SSH_USER]** **[$SSH_PRIVATE_KEY]** **[$MANAGEMENT_NODE_HOST_NAME]** **[$AGENT_FQDN]
```

For example:

```
./create_certs.sh adminuser ~/.ssh/adminuser.pem management-node.company
.site.com agent-1.company.site.com
```

The script should print a similar output:

```
credentials.tar
                                                    100%  420KB 222.0KB/s
  00:01
MiNiFi-Java KeyStore File:
-rw-----@ 1 user  group   5.2K Apr 24 13:33 agent-1.company.site.com/cm-
auto-host_keystore.jks
MiNiFi-Java TrustStore File:
-rw-r-----@ 1 user  group   2.3K Apr 24 13:19 agent-1.company.site.com/cm-
auto-in_cluster_truststore.jks
MiNiFi-CPP Client certificate:
-rw-----@ 1 user  group   7.1K Apr 24 13:33 agent-1.company.site.com/cm-
auto-host_key_cert_chain.pem
MiNiFi-CPP Client private key:
-rw-----@ 1 user  group   2.5K Apr 24 13:33 agent-1.company.site.com/cm-
auto-host_key.pem
MiNiFi-CPP CA certificate
-rw-r-----@ 1 user  group   3.0K Apr 24 13:19 agent-1.company.site.com/cm-
auto-in_cluster_ca_cert.pem
KeyStore / HostKey Password: sensitive data, please check for it in agent-
1.company.site.com/cm-auto-host_key.pw
TrustStore Password: sensitive data, please check for it in agent-1.compa
ny.site.com/cm-auto-in_cluster_trust.pw
```

A directory is created with the same name as the agent's FQDN, provided as a parameter for the script. The directory contains all the necessary keystores and certificates for configuring mTLS authentication.

The keystore and truststore passwords are not printed as they are sensitive information. You can find them in the directory that was created with the following names:

- cm-auto-host_key.pw
- cm-auto-in_cluster_trust.pw

5. Set the agent parameters.

- For the MiNiFi Java Agent:

```
c2.security.truststore.location=/path/to/cm-auto-in_cluster_truststore.j
ks
c2.security.truststore.password=<password_from_cm-auto-in_cluster_tru
st.pw>
c2.security.truststore.type=JKS
c2.security.keystore.location=/path/to/cm-auto-host_keystore.jks
c2.security.keystore.password=<password_from_cm-auto-host_key.pw>
c2.security.keystore.type=JKS
```

- For the MiNiFi C++ Agent:

```
nifi.security.client.certificate=/path/to/cm-auto-host_key_cert_chain.pe
m
nifi.security.client.private.key=/path/to/cm-auto-host_key.pem
nifi.security.client.pass.phrase=/path/to/cm-auto-host_key.pw
nifi.security.client.ca.certificate=/path/to/cm-auto-in_cluster_ca_ce
rt.pem
```

**Note:**

Although the parameter is called Agent FQDN, it is not mandatory to use the agent's domain name. You can use any other string. Keep in mind that the string you provide will be the common name (CN) in the generated certificate.

Adding agents to your cluster

When your cluster has been created successfully, you can add agents that you want to manage with Edge Flow Manager. Agents are deployed outside of Cloudera on cloud, so follow the standard agent deployment instructions:

Java Agents

[Installing the MiNiFi Java Agent](#)

C++ Agents

[Installing the MiNiFi C++ Agent](#)

**Note:**

Make sure that you point the agents to heartbeat to the Cloudera Data Hub Edge Flow Manager deployment.