

Users and User Groups

Date published: 2020-10-30

Date modified: 2024-05-30

CLOUDERA

Legal Notice

© Cloudera Inc. 2024. All rights reserved.

The documentation is and contains Cloudera proprietary information protected by copyright and other intellectual property rights. No license under copyright or any other intellectual property right is granted herein.

Unless otherwise noted, scripts and sample code are licensed under the Apache License, Version 2.0.

Copyright information for Cloudera software may be found within the documentation accompanying each component in a particular release.

Cloudera software includes software from various open source or other third party projects, and may be released under the Apache Software License 2.0 (“ASLv2”), the Affero General Public License version 3 (AGPLv3), or other license terms. Other software included may be released under the terms of alternative open source licenses. Please review the license and notice files accompanying the software for additional licensing information.

Please visit the Cloudera software product page for more information on Cloudera software. For more information on Cloudera support services, please visit either the Support or Sales page. Feel free to contact us directly to discuss your specific needs.

Cloudera reserves the right to change any products at any time, and without notice. Cloudera assumes no responsibility nor liability arising from the use of products, except as expressly agreed to in writing by Cloudera.

Cloudera, Cloudera Altus, HUE, Impala, Cloudera Impala, and other Cloudera marks are registered or unregistered trademarks in the United States and other countries. All other trademarks are the property of their respective owners.

Disclaimer: EXCEPT AS EXPRESSLY PROVIDED IN A WRITTEN AGREEMENT WITH CLOUDERA, CLOUDERA DOES NOT MAKE NOR GIVE ANY REPRESENTATION, WARRANTY, NOR COVENANT OF ANY KIND, WHETHER EXPRESS OR IMPLIED, IN CONNECTION WITH CLOUDERA TECHNOLOGY OR RELATED SUPPORT PROVIDED IN CONNECTION THEREWITH. CLOUDERA DOES NOT WARRANT THAT CLOUDERA PRODUCTS NOR SOFTWARE WILL OPERATE UNINTERRUPTED NOR THAT IT WILL BE FREE FROM DEFECTS NOR ERRORS, THAT IT WILL PROTECT YOUR DATA FROM LOSS, CORRUPTION NOR UNAVAILABILITY, NOR THAT IT WILL MEET ALL OF CUSTOMER’S BUSINESS REQUIREMENTS. WITHOUT LIMITING THE FOREGOING, AND TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, CLOUDERA EXPRESSLY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY, QUALITY, NON-INFRINGEMENT, TITLE, AND FITNESS FOR A PARTICULAR PURPOSE AND ANY REPRESENTATION, WARRANTY, OR COVENANT BASED ON COURSE OF DEALING OR USAGE IN TRADE.

Contents

Creating new user accounts.....	4
Editing accounts.....	8
Changing user passwords.....	12
Promoting a user to administrator.....	16
Creating new administrator accounts.....	17
Inactivating user accounts.....	22
Assigning roles to users.....	22
Assigning roles to a single user.....	22
Assigning roles to multiple users.....	24
Assigning multiple roles to multiple users.....	28
Deleting user accounts.....	31
Deleting individual user accounts.....	31
Deleting several user accounts.....	33
Creating new user groups.....	34
Editing user groups.....	37
Adding users to user groups.....	38
Adding a user to multiple groups; user modal.....	39
Adding multiple users to a single group; group modal.....	40
Adding multiple users to multiple groups; users tab.....	41
Assigning roles to user groups.....	41
Deleting user groups.....	43

Creating new user accounts


The following steps demonstrate how to create a new user account.

Before you begin

You must have administrative privileges to perform this action.


Procedure

1. Click the Gear icon on the main navigation bar to open the Administration menu.
2. Click Users & Groups.



The Manage Users & Groups interface appears, open on the Users tab.

3. Click NEW USER.



The New User modal window appears.

4. Fill in the new user details:

- Name & password

- Username
- First Name and Last Name

You can also pick these values from LDAP user definitions.

- Password



Important: When you enter your password, ensure that the password meets the minimum security requirements specified for Data Visualization.

For more information, see *Setting user password requirements*.

After five failed login attempts, Data Visualization locks out the user. For instructions on how to change the account lockout configuration settings or to unlock the user, see *Configuring account lockout*. You can check the Show Password option to display the password.

- Permissions

- Normal user and Admin user

Select Normal user.

- [Optional] On the Groups tab, under Group Membership, you can use the Search box to find user groups, and assign the new user to existing groups by selecting user groups on the left list, and then clicking Add

to move them to the right. For more information on how to add users to groups see, *Creating new user groups*.

- [Optional] On the Roles tab, under Roles, you can use the Search box to find roles, and assign the new user to existing roles by selecting roles on the left list, and then clicking Add to move them to the right. For more information on users and roles, see *Assigning roles to users*.



Note: If you have not defined at least one User Group, the New User modal window does not contain Group Membership information.

New User



Username *

enter username

First Name

enter first name

Last Name

enter last name

Password *

enter password



Permissions

- Normal user - can access Cloudera Data Visualization site
- Admin user - have all permissions to site

Groups Roles

Roles

Search



Available to select

- Select All
- Administrators Only
- Analyst
- bug
- Database admin
- Dataset 1
- Dataset 2
- END

ADD >>

<<

Selected

Select options from the left

CANCEL

SAVE

5. Click SAVE.

Results

After the operation succeeds, you can see the Manage Users & Groups page, showing the Users tab with the new user's information.

When a user logs in, their first name and last name appear in the top right corner of the navigation bar.



After a new user logs in, notice that the date joined changes and the last login changes from Never to a few seconds ago.

Related Information

[Setting user password requirements](#)

[Configuring account lockout](#)

[Creating new user groups](#)

[Assigning roles to users](#)

Editing accounts

You can change the profile of any user or administrator account in Cloudera Data Visualization (CDV).

Before you begin

You must have administrative privileges to perform this action.


About this task

The following steps demonstrate how to change the username and permissions for a CDV user account. The process is the same for changing the administrative account.

Procedure

1. Click the Gear icon on the main navigation bar to open the Administration menu.

2. Click Users & Groups.



The Manage Users & Groups interface appears, open on the Users tab.

3. In the list of registered users, do one of the following:
 - Click the Username of the user that you want to edit.
 - Click the Pencil icon next to the account that you want to edit.

The Edit User modal window appears.

4. You can change the following details:

- Name & password
 - Username
 - First Name and Last Name
 - Password
- Permissions
 - Normal user and Admin user
 - Group Membership
 - Roles
- Active or Inactive

Edit User ✕

Username

First Name **Last Name**

[Change password](#)

Permissions

Normal user - can access Cloudera Data Visualization site
 Admin user - have all permissions to site

Groups **Roles**

Roles

Available to select		Selected
<input type="checkbox"/> Select All	<input type="button" value="ADD >>"/>	<p>Select options from the left</p>
<input type="checkbox"/> Analyst	<input type="button" value="<<"/>	
<input type="checkbox"/> bug		
<input type="checkbox"/> Database admin		
<input type="checkbox"/> Dataset 1		
<input type="checkbox"/> Dataset 2		
<input type="checkbox"/>		
<input type="checkbox"/> nur_can't_manage_connections		

Active Inactive

Date joined: a year ago
Last login: Never

5. Click SAVE.

Results

After the operation succeeds, you can see the Manage Users & Groups page, showing the Users tab with the updated information.

Changing user passwords

An administrator may reset the password of any user or of another administrator in Cloudera Data Visualization (CDV).

Before you begin

You must have administrative privileges to perform this action.

About this task




Note: The 'change password' option is not available for LDAP and SAML user accounts.

The following steps demonstrate how to change the password for any CDV user account.

Procedure

1. Click the Gear icon on the main navigation bar to open the Administration menu.
2. Click Users & Groups.



The Manage Users & Groups interface appears, open on the Users tab.

3. In the list of registered users, do one of the following:

- Click the Username of the account you want to change.
- Click the Pencil/Edit icon that corresponds to the account you want to change.

The Edit User modal window appears.

4. In the Edit User modal window, click Change password.

Edit User ✕

Username

First Name

Last Name

Change Password

Permissions

- Normal user** - can access Cloudera Data Visualization site
- Admin user** - have all permissions to site

Groups

Roles

Group Membership

Available to select

ADD >>

<<

Selected

Select All

viz_guest_group

New group name

+ ADD

- Active**
- Inactive**

Date joined: 18 hours ago

Last login: 18 hours ago

5. Enter the new password.

Consider the following when choosing the password:

- Ensure that the password meets the minimum security requirements specified for the CDV instance. For more information, see *Setting user password requirements*.
- After five failed login attempts, CDV locks out the user. For instructions on how to change the account lockout configuration settings or to unlock the user, see *Configuring account lockout*.

You can check the password you have added if you check the Show Password option.

[Hide password](#)

New Password *

6. Click SAVE.

Results

The user's password is changed and you get back to the Manage Users & Groups interface.

Related Information

[Setting user password requirements](#)

[Configuring account lockout](#)

Promoting a user to administrator

You can promote any user to an administrator in Cloudera Data Visualization.

Before you begin

You must have administrative privileges to perform this action.

Procedure

1. To promote the user to administrator, open the user account in Edit mode and change the Permissions by selecting Admin user.

The image shows two side-by-side screenshots of the 'Edit User' dialog box. Both screenshots show the same form fields: Username (User1), First Name (Sara), Last Name (Lee), Password (user1), and a 'Show Password' checkbox. The 'Permissions' section is highlighted with an orange box in both. In the left screenshot, the 'Admin user - have all permissions to site' radio button is selected. An orange arrow points from this selection to the right screenshot, where the 'Normal user - can access Arcadia site' radio button is selected. Below the permissions section, there are tabs for 'Groups' and 'Roles', and a 'Group Membership' section with a search bar and a list of available and selected groups. At the bottom, there are 'CANCEL' and 'SAVE' buttons.

2. To demote an administrator to plain user, select Normal User under Permissions.

Creating new administrator accounts

An administrator can create new administrator accounts in Cloudera Data Visualization.

Before you begin

You must have administrative privileges to perform this action.


About this task

The following steps demonstrate how to create a new admin account.

Procedure


1. Click the Gear icon on the main navigation bar to open the Administration menu.

2. Click Users & Groups.



The Manage Users & Groups interface appears, open on the Users tab.

3. Click NEW USER.



The New User modal window appears.

4. Fill in the new admin details:

- Name & password

- Username
- First Name and Last Name

You can also pick these values from LDAP user definitions.

- Password



Important: When you enter your password, ensure that the password meets the minimum security requirements specified for Data Visualization.

For more information, see *Setting user password requirements*.

After five failed login attempts, Data Visualization locks out the user. For instructions on how to change the account lockout configuration settings or to unlock the user, see *Configuring account lockout*. You can check the Show Password option to display the password.

- Permissions

- Normal user and Admin user

Select Admin user.

- [Optional] On the Groups tab, under Group Membership, you can use the Search box to find user groups, and assign the new user to existing groups by selecting user groups on the left list, and then clicking Add

to move them to the right. For more information on how to add users to groups see, *Creating new user groups*.

- [Optional] On the Roles tab, under Roles, you can use the Search box to find roles, and assign the new user to existing roles by selecting roles on the left list, and then clicking Add to move them to the right. For more information on users and roles, see *Assigning roles to users*.



Note: If you have not defined at least one User Group, the New User modal window does not contain Group Membership information.

New User



Username *

First Name

Last Name

Password *



Permissions

- Normal user - can access Cloudera Data Visualization site
- Admin user - have all permissions to site

Groups Roles

Roles



Available to select

- Select All
- Administrators Only
- Analyst
- bug
- Database admin
- Dataset 1
- Dataset 2
- END

ADD >>

<<

Selected

Select options from the left

CANCEL

SAVE

Results

After the operation succeeds, you can see the Manage Users & Groups page, showing the Users tab with the new admin user's information.

Related Information

[Setting user password requirements](#)

[Creating new user groups](#)

Inactivating user accounts

If it is necessary, you can inactivate a user's account without removing it from the system in Cloudera Data Visualization (CDV).

Before you begin

You must have administrative privileges to perform this action.

About this task

The following steps demonstrate how to inactivate a CDV user account.

Procedure

1. Click the Gear icon on the main navigation bar to open the Administration menu.
2. Click Users & Groups.
The Manage Users & Groups interface appears, open on the Users tab.
3. In the list of Users, click either the Username of the account you want to inactivate, or the Edit (Pencil) icon.
4. In the Edit User modal window, select Inactive.
5. Click SAVE.
- 6.

Results

After the operation succeeds, you can see the Users list on the screen. The inactivated user is part of the list, and the status shown is set to inactive.

Assigning roles to users

You can assign roles to users in Cloudera Data Visualization.



Note: This feature is only available to users with *Manage roles and users* privileges.

An administrator can assign users to roles in several ways:

Assigning roles to a single user


You can add security roles to a user's profile in Cloudera Data Visualization.

Before you begin

You must have administrative privileges to perform this action.

Procedure

1. Click the Gear icon on the main navigation bar to open the Administration menu.
2. Click Users & Groups.



The Manage Users & Groups interface appears, open on the Users tab.

3. In the list of registered users, select the user for which you plan to assign new roles, and click the edit (Pencil) icon that corresponds to that account.

Alternatively, you can click the Username of the account that you want to change.

A screenshot of the 'Manage Users & Groups' interface. The page has a dark header with 'CLOUDERA Data Visualization' and navigation links for 'HOME', 'SQL', 'VISUALS', and 'DATA'. Below the header is a navigation bar with 'Activity Log', 'Users & Groups' (selected), 'Manage Roles', 'Manage API Keys', 'Email Templates', 'Custom Styles', 'Custom Colors', 'Custom Dates', 'Static Assets', and 'Site Settings'. The main content area is titled 'Manage Users & Groups' and has a 'NEW GROUP' button. There are two tabs: 'Users' (selected) and 'Groups'. Below the tabs are buttons for '+ ADD TO GROUP', '+ ADD TO ROLE', and 'DELETE'. A table lists users with columns: Username (first last), Permissions, Date Joined, Last Login, Member of Group(s), Roles, and Status. The 'vizapps_admin' user is selected, and its edit (pencil) icon is highlighted with an orange box. The table shows two users: one with a redacted username and 'Normal' permissions, and 'vizapps_admin' with 'Admin' permissions. The status for both is 'A' in a green circle.

<input type="checkbox"/>	Username (first last)	Permissions	Date Joined	Last Login	Member of Group(s)	Roles	Status	
<input type="checkbox"/>	[REDACTED]	Normal	a minute ago	a minute ago	cdp_sandbox_workers_wv, viz_guest_group	Database admin	A	
<input type="checkbox"/>	vizapps_admin	Admin	13 minutes ago	a few seconds ago	viz_guest_group	Database admin	A	

Showing 1 to 2 of 2 entries

The Edit User modal window appears.

4. Click the Roles tab.

5. Select a new role to assign to the user and click ADD.

The screenshot shows the 'Edit User' modal window. At the top, it says 'Edit User' with a close button. Below that, the 'Username' field contains 'jdown'. The 'First Name' field contains 'John' and the 'Last Name' field contains 'Dow'. Under the 'Permissions' section, there are two radio buttons: 'Normal user - can access Cloudera Data Visualization site' (selected) and 'Admin user - have all permissions to site'. Below that, there are two tabs: 'Groups' and 'Roles' (selected). Under the 'Roles' tab, there is a search bar and two lists. The 'Available to select' list has a 'Select All' checkbox and three roles: 'Analyst', 'System Admin' (checked), and 'Visual Consumer'. The 'Selected' list has a 'Select All' checkbox and one role: 'Database admin'. There are 'ADD >>' and '<<' buttons between the lists. At the bottom, there are two radio buttons: 'Active' (selected) and 'Inactive'. Below that, it says 'Date joined: a minute ago' and 'Last login: a minute ago'. At the very bottom, there are three buttons: 'CANCEL', 'DELETE USER', and 'SAVE' (highlighted in blue).

6. After the desired role or roles appear on the right side of the interface, click SAVE.

Results

In the Users & Groups interface, the user now has the new role assignment.

Assigning roles to multiple users

You can add several users to a role at the same time in Cloudera Data Visualization.

Before you begin

You must have administrative privileges to perform this action.

About this task

To assign users to existing roles, follow these steps:


Procedure

1. Under the Members tab, in the Users list, click Edit User(s)
2. The Role Assignment modal window for users appears.

3. There are several options for adding a user to a membership:


- *Search*

If you have a long list of users in the Members section, use the Search box to match user names, select them from the sub-list, then click **ADD** to move them to the right side of the modal window, and finally click **APPLY**.




- *Select*

In the Members section, select the users to assign to the role, click **ADD** to move them to the right side of the modal window, and finally click **APPLY**.



- *Select All*


To assign all users to Members, select **All** to get all user names, then click **ADD** to move them to the right side of the modal window, and finally click **APPLY**.



- *Adding Externally Defined Users; LDAP Authentication*


For convenience, the Role Assignment interface supports adding into the list of assignees usernames that are not stored locally. For example, known usernames available through LDAP authentication may be added in this manner.

Enter the new user name, and click ADD. After the new user name appears in the Members section, select it and click ADD to move the new user to the right side of the modal window. Click APPLY.




- *Remove*

To move users out of Members, select the user(s) on the right side panel, then click the Left Arrow, and finally click APPLY.



The list of users assigned to the role appears in the Role: Test Role 1 interface, under the Members tab.

4. Click SAVE. A confirmation of role update appears briefly on the screen.



The screenshot displays the 'Role: admin_test' configuration page. The 'Members' tab is active, showing a list of users assigned to the role. The 'Users' table is highlighted with an orange border and contains the following data:

Username ↑	First Name	Last Name
admin		
tora	Tori	Amundson
vizapps_admin		

Below the table, it indicates 'Showing 1 to 3 of 3 entries' and '(these users were explicitly added and are not necessarily part of the added groups)'. The 'Groups' section on the right is currently empty, showing 'Showing 1 to 0 of 0 entries'.

Assigning multiple roles to multiple users

You can add multiple users to multiple role at the same time in Cloudera Data Visualization.

Before you begin

You must have administrative privileges to perform this action.


About this task

To assign multiple users to existing roles, follow these steps:

Procedure

1. Click the Gear icon on the main navigation bar to open the Administration menu.

2. Click Users & Groups.




The Manage Users & Groups interface appears, open on the Users tab.

3. Select the users that you want to assign to roles. In this example the following users are used: CArep1, CArep2, NVrep1, ORrep1, and WArepl.

The screenshot shows the 'Manage Users & Groups' interface. At the top, there are navigation tabs: 'Activity Log', 'Users & Groups' (selected), 'Manage Roles', 'Manage API Keys', 'Email Templates', 'Custom Styles', 'Custom Colors', 'Custom Dates', 'Static Assets', and 'Site Settings'. Below the tabs, there are buttons for 'NEW USER' and 'NEW GROUP'. A summary shows 'Users 11' and 'Groups 4'. There are also buttons for '+ ADD TO GROUP', '+ ADD TO ROLES', and 'DELETE'. The main area is a table of users with columns: Username, Permissions, Date Joined, Last Login, Member of Group(s), Roles, and Status. Five users are selected with checkboxes: CArep1, CArep2, NVrep1, ORrep1, and WArepl. At the bottom, it says 'Showing 1 to 11 of 11 entries'.


Username	Permissions	Date Joined	Last Login	Member of Group(s)	Roles	Status
admin	Admin	2 years ago	a year ago	Administrators	Test Role 1, Administrators Only	A
Administrator	Admin	a year ago	20 days ago	Administrators	Test Role 1, Administrators Only	A
ArcadiaAdmin	Admin	2 months ago	2 months ago	Administrators	Test Role 1, Administrators Only	A
ArcadiaUser	Normal	2 years ago	7 months ago		Test Role 1	A
<input checked="" type="checkbox"/> CArep1	Normal	a year ago	a year ago	SalesReps		A
<input checked="" type="checkbox"/> CArep2	Normal	a year ago	a year ago	SalesReps		A
NormalUser	Normal	2 months ago	2 months ago		Test Role 1	I
<input checked="" type="checkbox"/> NVrep1	Normal	a year ago	a year ago	SalesReps		A
<input checked="" type="checkbox"/> ORrep1	Normal	a year ago	a year ago	SalesReps		A
SimpleUser	Normal	7 months ago	7 months ago		Test Role 1	A
<input checked="" type="checkbox"/> WArepl	Normal	a year ago	a year ago	SalesReps		A

4. Click ADD TO ROLES.



5. In the drop-down menu, select the roles you plan to assign to the selected users, and click SAVE.

In this example, Test Role 1 and View Only are used.



Results

Note the changes to the information in the Users interface.

Username	Permissions	Date Joined	Last Login	Member of Group(s)	Roles	Status
admin	Admin	2 years ago	a year ago	Administrators	Test Role 1, Administrators Only	A
Administrator	Admin	a year ago	20 days ago	Administrators	Test Role 1, Administrators Only	A
ArcadiaAdmin	Admin	2 months ago	2 months ago	Administrators	Test Role 1, Administrators Only	A
ArcadiaUser	Normal	2 years ago	7 months ago		Test Role 1	A
CArep1	Normal	a year ago	a year ago	SalesReps	Test Role 1, View Only	A
CArep2	Normal	a year ago	a year ago	SalesReps	Test Role 1, View Only	A
NormalUser	Normal	2 months ago	2 months ago		Test Role 1	I
NVrep1	Normal	a year ago	a year ago	SalesReps	Test Role 1, View Only	A
ORrep1	Normal	a year ago	a year ago	SalesReps	Test Role 1, View Only	A
SimpleUser	Normal	7 months ago	7 months ago		Test Role 1	A
WArep1	Normal	a year ago	a year ago	SalesReps	Test Role 1, View Only	A

Showing 1 to 11 of 11 entries

Deleting user accounts

You can delete both standard user accounts, and administrator accounts in Cloudera Data Visualization.



Note: This feature is only available to users with administrative privileges.

An administrator can delete user accounts in the following ways:

Deleting individual user accounts

You can delete user accounts in Cloudera Data Visualization (CDV).

Before you begin

You must have administrative privileges to perform this action.


About this task

The following steps demonstrate how to delete an individual CDV user account.

Procedure

1. Click the Gear icon on the main navigation bar to open the Administration menu.

2. Click Users & Groups.



The Manage Users & Groups interface appears, open on the Users tab.

3. In the list of users, do one of the following:

- Find the username of the account you want to delete, and click the Trashcan icon.

The screenshot shows the 'Manage Users & Groups' interface. At the top, there are navigation tabs: 'Activity Log', 'Users & Groups' (selected), 'Manage Roles', 'Manage API Keys', 'Email Templates', 'Custom Styles', 'Custom Colors', 'Custom Dates', 'Static Assets', and 'Site Settings'. Below the tabs, there are buttons for 'NEW USER' and 'NEW GROUP', and a 'REFRESH' button. The 'Users' tab is active, showing a table of users. The user 'abarr (Anthony Barr)' is highlighted with an orange border. The table has columns for Username, Permissions, Date Joined, Last Login, Member of Group(s), Roles, and Status. At the bottom, there is a pagination bar showing 'Showing 21 to 30 of 3,630 entries' and a search bar.

Username (first last)	Permissions	Date Joined	Last Login	Member of Group(s)	Roles	Status
abagnall (Alex Bagnall)	Normal	a year ago	Never			A
abajwa (Ali Bajwa)	Normal	a year ago	Never			A
abaker (Adham Bani Baker)	Normal	a year ago	Never			A
abalasubramanian (Aswin Shakil Balasubramanian)	Normal	a year ago	Never			A
abanejee (Arijit Banerjee)	Normal	a year ago	Never			A
abarr (Anthony Barr)	Normal	a year ago	Never			A
abarrette (Aaron Barrette)	Normal	a year ago	Never			A
abartfeld (Alexander Bartfeld)	Normal	a year ago	Never			A
abatham (Anurag Batham)	Normal	a year ago	Never			A
abathia (Ashish Bathia)	Normal	a year ago	Never			A

- Click the Username of the account you want to delete, or the edit (Pencil) icon.

The Edit User modal window is displayed.

4. Click DELETE USER.

5. In the confirmation modal window, click DELETE.

Results

After the operation succeeds, you will see the Users screen. The Username of the account you just deleted is no longer on the list.

Deleting several user accounts

You can delete user accounts in Cloudera Data Visualization (CDV).

Before you begin


You must have administrative privileges to perform this action.

About this task

The following steps demonstrate how to delete several CDV user accounts at the same time.

Procedure

1. Click the Gear icon on the main navigation bar to open the Administration menu.
2. Click Users & Groups.



The Manage Users & Groups interface appears, open on the Users tab.

3. In the list of users, click the checkmarks next to the usernames you plan to delete.

4. Click DELETE.

The screenshot shows the 'Manage Users & Groups' page in Cloudera Data Visualization. The top navigation bar includes 'HOME', 'SQL', 'VISUALS', and 'DATA'. Below the navigation, there are tabs for 'Activity Log', 'Users & Groups', 'Manage Roles', 'Manage API Keys', 'Email Templates', 'Custom Styles', 'Custom Colors', 'Custom Dates', 'Static Assets', and 'Site Settings'. The main content area is titled 'Manage Users & Groups' and includes a 'REFRESH' button. There are buttons for 'NEW USER' and 'NEW GROUP'. Below these, there are tabs for 'Users' (3,630) and 'Groups' (2). A toolbar contains '+ ADD TO GROUP', '+ ADD TO ROLE', and 'DELETE' (highlighted with a red box and an orange arrow). Below the toolbar, there is a 'Show 10 entries' dropdown and a search box. The main table has columns: Username (first last), Permissions, Date Joined, Last Login, Member of Group(s), Roles, and Status. The table lists 21 users, with the last three rows (abartfeld, abatham, abathia) having checkboxes in the first column that are checked. The bottom of the page shows 'Showing 21 to 30 of 3,630 entries' and a pagination control.

<input type="checkbox"/>	Username (first last)	Permissions	Date Joined	Last Login	Member of Group(s)	Roles	Status
<input type="checkbox"/>	abagnall (Alex Bagnall)	Normal	a year ago	Never			A
<input type="checkbox"/>	abajwa (Ali Bajwa)	Normal	a year ago	Never			A
<input type="checkbox"/>	abaker (Asham Bani Baker)	Normal	a year ago	Never			A
<input type="checkbox"/>	abelasjoramanian (Aswin Shakil Bala Bramanian)	Normal	a year ago	Never			A
<input type="checkbox"/>	abanerjee (Arijit Banerjee)	Normal	a year ago	Never			A
<input type="checkbox"/>	abarr (Anthony Barr)	Normal	a year ago	Never			A
<input type="checkbox"/>	abarrette (Aaron Barrette)	Normal	a year ago	Never			A
<input checked="" type="checkbox"/>	abartfeld (Alexander Bartfeld)	Normal	a year ago	Never			A
<input checked="" type="checkbox"/>	abatham (Anurag Batham)	Normal	a year ago	Never			A
<input checked="" type="checkbox"/>	abathia (Ashish Bathia)	Normal	a year ago	Never			A

5. In the confirmation modal window, click DELETE.

Creating new user groups

You can create new user groups in Cloudera Data Visualization (CDV).

Before you begin

You must have administrative privileges to perform this action.


About this task

The following steps demonstrate how to create a new user group.

Procedure


1. Click the Gear icon on the main navigation bar to open the Administration menu.

2. Click Users & Groups.



The Manage Users & Groups interface appears, open on the Users tab.

3. Click New Group.



The New Group modal window appears.

4. In the New Group modal window:

- Enter Group Name.
- [Optional] Under Members on the Users tab, use the Search box to find users, and assign the new user to existing groups by selecting user groups on the left list, and then clicking ADD to move them to the right.

New Group

Group name

enter group name

Users Roles

Members

Search

Partial users are shown; please use the search box to search the full list of users.

Available to select

Select All

a (Akriti Garg)

aabraahams (Andrew Abrahams)

aakulov (Oleksandr Akulov)

aalmel (Abdul Khaliq Almel)

Anvesh.Koripella (Anvesh Koripella)

Hamid Zorqani (Hamid)

ADD >>

<<

Selected

Select options from the left

CANCEL SAVE

5. Click SAVE.**Results**

After the operation succeeds, you can check the Users interface and find that the group assignment applies to the users just assigned to the new group.

Editing user groups

You can edit the user groups in Cloudera Data Visualization (CDV).

Before you begin

You must have administrative privileges to perform this action.


About this task

When editing a user group, you can change its name, and the users assigned to it.

The following steps demonstrate how to edit user groups.

Procedure

1. Click the Gear icon on the main navigation bar to open the Administration menu.
2. Click Users & Groups.



The Manage Users & Groups interface appears, open on the Users tab.

3. Click the Groups tab.
4. In the list of user groups, click the name of the user group to edit, or the Pencil icon on that row.
5. The Edit Group modal window appears.

- To change the name of the user group, simply change the text in the Group name field, and click Save.

Edit Group ✕

Group name

Users Roles

Members

Partial users are shown; please use the search box to search the full list of users.

<input type="checkbox"/> abaker (Adham Bani Baker)	<input type="button" value="ADD >>"/>	Selected
<input type="checkbox"/> abalasubramanian (Aswin Shakil Balasubramanian)		
<input type="checkbox"/> abanerjee (Arijit Banerjee)	<input type="button" value="<<"/>	Select options from the left
<input type="checkbox"/> abarr (Anthony Barr)		
<input type="checkbox"/> abarrette (Aaron Barrette)		
<input type="checkbox"/> abartfeld (Alexander Bartfeld)		
<input type="checkbox"/> abatham (Anurag Batham)		
<input type="checkbox"/> abathla (Ashish Bathla)		

Related Information

[Adding users to user groups](#)

Adding users to user groups

You can add users to groups in Cloudera Data Visualization.



Note: This feature is only available to users with administrative privileges.

Administrators can add users to groups in several ways:


Adding a user to multiple groups; user modal

There are several options for adding a user to user groups when working in the New Group or Edit Group modal window.


Procedure

Choose from the below options:


- If you have a long list of groups in the Group Membership section, use the Search box to match group names, select groups from the sub-list, and then click ADD to move them to the right side of the modal window. Click SAVE.




- In the Group Membership section, select the group to assign to the user and click ADD to move them to the right side of the modal window. Click SAVE.



- To assign the user to all user groups, select All to get all the groups, and then click ADD to move them to the right side of the modal window. Click SAVE.



- To move the user out of one or more groups, select the groups on the right side panel, and then click the Left Arrow. Click SAVE.




Adding multiple users to a single group; group modal

There are several options for adding users into a specific user group when working in the New Group or Edit Group modal window.

Procedure

Choose from the below options:


- If you have a long list of users in the Members section, use the Search box to match usernames, select users from the sub-list, and then click ADD to move them to the right side of the modal window. Click SAVE.
- In the Members section, select the users to assign to the group and click ADD to move them to the right side of the modal window. Click SAVE.



- To add all users to a particular group, select All, and then click ADD. Click SAVE.



- To move users out of the group, select the users on the right side panel, and then click the Left Arrow. Click SAVE.



Adding multiple users to multiple groups; users tab

When working in the Users tab, you can add multiple users to one or more user groups.

Procedure

- Select the users that you want to assign to groups.
- Click the Down Arrow on the right of Add to Group, and select the groups for the users.
- Click SAVE.

Assigning roles to user groups

About this task

The following steps demonstrate how to add user groups to a role.

Procedure

- Navigate to the Members tab of the Role Detail interface.


The Require all groups option ensures that only members of ALL groups listed in the role membership fields have the role's defined access. It determines whether members must belong to all listed groups or any one of them to access the role's privileges.




Note:

- If Require all groups is checked, only users belonging to both groups will receive the role's privileges.
- Exceptions to group membership include explicitly named users and users imported through Ranger groups.

2. Click EDIT GROUP(S).



The Role Assignment modal window is displayed.



3. There are several options to add groups to role membership:

- Search

If you have a long list of groups in the Groups section, use the Search box to find specific group names, select them from the sub-list, and click ADD>> to move them to the right side of the modal window.

When you are ready, click APPLY.

- Select

In the Groups section, select the groups to assign to the role and click ADD>> to move them to the right side of the modal window.

When you are ready, click APPLY.

- Select All

To assign all groups to Groups, mark Select All and click ADD>> to move them to the right side of the modal window.

When you are ready, click APPLY.

- Adding externally defined users (LDAP authentication)

The Role Assignment modal supports adding user groups to the list of assignees that are not stored locally. For example, you can add known groups available through LDAP authentication using this method.

Enter the new group name and click ADD>>. After the new group name appears in the Members section, select it and click ADD>> to move the new group to the right side of the modal window.

When you are ready, click APPLY.

- Remove

To remove users from the Members list, select them on the right side panel and click <<.

When you are ready, click APPLY.

4. Click APPLY CHANGES.

The Users list is updated.

The screenshot shows the Cloudera Data Visualization interface for managing roles. The top navigation bar includes 'Users and Groups', 'Manage Roles', 'Manage URL Aliases', 'Manage API Keys', 'Email Templates', 'Custom Styles', 'Custom Colors', 'Custom Dates', and 'Static Assets'. The main content area is titled 'Roles / Role Detail' and shows the configuration for 'Role: admin_test'. The 'Name' field is 'admin_test' and the 'Description' is 'admin'. Below this, there are tabs for 'Privilege' and 'Members'. The 'Members' tab is active, showing a list of users and groups. The 'Users' section is currently empty, showing 'Showing 1 to 0 of 0 entries'. The 'Groups' section shows a list of groups: 'test group' and 'viz_guest_group'. The 'test group' is highlighted with an orange box, indicating it is selected for addition to the role membership. The 'Groups' section also includes a search box and a 'Require all groups' checkbox.

Deleting user groups

You can delete user groups in Cloudera Data Visualization

Before you begin

You must have administrative privileges to perform this action.

About this task

The following steps demonstrate how to delete a previously defined user group.

Procedure

1. Click the Groups tab.

2. There are several ways for deleting user groups:

Method 1:

- a. Click the boxes next to the names of the user groups to select them.
- b. Click DELETE.
- c. In the confirmation window modal, click DELETE.

Activity Log **Users & Groups** Manage Roles

Manage Users & Groups

REFRESH

NEW USER NEW GROUP

Users 4 **Groups 4**

DELETE

<input type="checkbox"/>	Group
<input checked="" type="checkbox"/>	Test 1
<input checked="" type="checkbox"/>	Test 2
<input type="checkbox"/>	test_00
<input type="checkbox"/>	viz_guest_group

Showing 1 to 4 of 4 entries

- Method 2:**
- a. Click on the select box next to the table header Group.
This Selects all user groups.

- b. Click Delete.
- c. In the confirmation window modal, click Delete.

Activity Log **Users & Groups** Manage Roles

Manage Users & Groups

 REFRESH

 NEW USER  NEW GROUP

 Users 4  Groups 4

 DELETE

<input checked="" type="checkbox"/>	Group
<input checked="" type="checkbox"/>	Test 1
<input checked="" type="checkbox"/>	Test 2
<input checked="" type="checkbox"/>	test_00
<input checked="" type="checkbox"/>	viz_guest_group

Showing 1 to 4 of 4 entries

Method 3:

- a. Click the name of the user group.

Alternatively, click the Pencil icon.

- b. In the Edit Group window modal, click DELETE GROUP.
- c. In the confirmation window modal, click DELETE.

Group name

Test 1

Users Roles

Members

Search

Available to select

Select All

ifeher

szhou

ADD >>

<<

Selected

Select All

doctestuser (Ildiko vizapps_admin)

vizapps_admin

CANCEL DELETE GROUP SAVE

Method 4:

- a. Click the Trashcan icon that corresponds to the user group.
- b. In the confirmation window modal, click DELETE.