

Cloudera Runtime 7.1.8

Release Notes

Date published: 2021-08-05

Date modified: 2022-08-30

CLOUdera

<https://docs.cloudera.com/>

Legal Notice

© Cloudera Inc. 2024. All rights reserved.

The documentation is and contains Cloudera proprietary information protected by copyright and other intellectual property rights. No license under copyright or any other intellectual property right is granted herein.

Unless otherwise noted, scripts and sample code are licensed under the Apache License, Version 2.0.

Copyright information for Cloudera software may be found within the documentation accompanying each component in a particular release.

Cloudera software includes software from various open source or other third party projects, and may be released under the Apache Software License 2.0 (“ASLv2”), the Affero General Public License version 3 (AGPLv3), or other license terms. Other software included may be released under the terms of alternative open source licenses. Please review the license and notice files accompanying the software for additional licensing information.

Please visit the Cloudera software product page for more information on Cloudera software. For more information on Cloudera support services, please visit either the Support or Sales page. Feel free to contact us directly to discuss your specific needs.

Cloudera reserves the right to change any products at any time, and without notice. Cloudera assumes no responsibility nor liability arising from the use of products, except as expressly agreed to in writing by Cloudera.

Cloudera, Cloudera Altus, HUE, Impala, Cloudera Impala, and other Cloudera marks are registered or unregistered trademarks in the United States and other countries. All other trademarks are the property of their respective owners.

Disclaimer: EXCEPT AS EXPRESSLY PROVIDED IN A WRITTEN AGREEMENT WITH CLOUDERA, CLOUDERA DOES NOT MAKE NOR GIVE ANY REPRESENTATION, WARRANTY, NOR COVENANT OF ANY KIND, WHETHER EXPRESS OR IMPLIED, IN CONNECTION WITH CLOUDERA TECHNOLOGY OR RELATED SUPPORT PROVIDED IN CONNECTION THEREWITH. CLOUDERA DOES NOT WARRANT THAT CLOUDERA PRODUCTS NOR SOFTWARE WILL OPERATE UNINTERRUPTED NOR THAT IT WILL BE FREE FROM DEFECTS NOR ERRORS, THAT IT WILL PROTECT YOUR DATA FROM LOSS, CORRUPTION NOR UNAVAILABILITY, NOR THAT IT WILL MEET ALL OF CUSTOMER’S BUSINESS REQUIREMENTS. WITHOUT LIMITING THE FOREGOING, AND TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, CLOUDERA EXPRESSLY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY, QUALITY, NON-INFRINGEMENT, TITLE, AND FITNESS FOR A PARTICULAR PURPOSE AND ANY REPRESENTATION, WARRANTY, OR COVENANT BASED ON COURSE OF DEALING OR USAGE IN TRADE.

Contents

Overview.....	7
----------------------	----------

What's new in Cloudera Runtime 7.1.8.....	7
--	----------

Atlas.....	8
Cruise Control.....	8
Cruise Control Rebase Summary.....	9
HBase.....	11
HDFS.....	11
Hive.....	11
Hue.....	13
Impala.....	15
Kafka.....	16
Key Trustee Server.....	19
Knox.....	20
Kudu.....	20
Navigator Encrypt.....	21
Ozone.....	21
Phoenix.....	22
Ranger.....	22
Schema Registry.....	24
Search.....	25
Solr.....	25
Spark.....	25
Sqoop.....	25
SRM.....	26
SMM.....	29
YARN and YARN Queue Manager.....	32
Unaffected Components in this release.....	33

Cloudera Runtime 7.1.8 component versions.....	33
---	-----------

Using the Cloudera Runtime Maven repository 7.1.8.....	34
---	-----------

Runtime 7.1.8.0-801.....	35
Runtime 7.1.8.5-1.....	52
Runtime 7.1.8.8-3.....	69
Runtime 7.1.8.11-3.....	85
Runtime 7.1.8.15-5.....	102
Runtime 7.1.8.25-6.....	119
Runtime 7.1.8.28-1.....	136
Runtime 7.1.8.32-1.....	153
Runtime 7.1.8.34-1.....	170
Runtime 7.1.8.35-1.....	187
Runtime 7.1.8.36-4.....	196
Runtime 7.1.8.42-1.....	209
Runtime 7.1.8.44-1.....	221
Runtime 7.1.8.45-2.....	238

Runtime 7.1.8.46-1.....	254
Runtime 7.1.8.48-2.....	271
Runtime 7.1.8.50-2.....	288
Runtime 7.1.8.51-3.....	304
Runtime 7.1.8.55-1.....	319
Runtime 7.1.8.56-1.....	335
Runtime 7.1.8.57-1.....	351
Runtime 7.1.8.58-1.....	366
Runtime 7.1.8.59-4.....	382
Runtime 7.1.8.60-2.....	397
Runtime 7.1.8.61-1.....	413
Runtime 7.1.8.64-1.....	429
Runtime 7.1.8.65-1.....	444
Runtime 7.1.8.68-1.....	460

Fixed issues in Cloudera Runtime 7.1.8..... 467

Atlas.....	467
Avro.....	469
Cruise Control.....	469
DAS.....	469
Hadoop.....	469
HDFS.....	470
HBase.....	471
Hive.....	471
Hue.....	476
Impala.....	476
Kafka.....	477
Kerberos.....	478
Kudu.....	478
Knox.....	478
Livy.....	479
Navigator Encrypt.....	479
Oozie.....	479
Ozone.....	481
Parquet.....	482
Phoenix.....	482
Ranger.....	484
Schema Registry.....	493
Search.....	494
Fixed Issues in Apache Solr.....	494
Spark.....	495
Sqoop.....	495
SRM.....	496
SMM.....	496
Tez.....	497
YARN and YARN Queue Manager.....	497
Zeppelin.....	501
Zookeeper.....	501

Hotfixes in Cloudera Runtime 7.1.8..... 502

Known issues in Cloudera Runtime 7.1.8..... 502

Atlas.....	502
------------	-----

Avro.....	509
Cruise Control.....	509
DAS.....	510
Hadoop.....	512
HBase.....	512
HDFS.....	514
Hive.....	516
Hue.....	520
Impala.....	525
Kafka.....	529
Key Trustee Server.....	533
Knox.....	533
Kudu.....	534
Navigator Encrypt.....	534
Oozie.....	535
Ozone.....	536
Parquet.....	543
Phoenix.....	543
Ranger.....	543
Schema Registry.....	544
Search.....	547
Known Issues in Apache Solr.....	547
Spark.....	553
SRM.....	554
Sqoop.....	556
SMM.....	557
YARN and YARN Queue Manager.....	558
Zeppelin.....	565
Zookeeper.....	566
Behavioral changes in Cloudera Runtime 7.1.8.....	566
Cruise Control.....	567
Hive.....	567
Kafka.....	569
Kudu.....	570
Navigator Encrypt.....	570
Behavioral Changes in Apache Ranger.....	570
Search.....	571
Behavioral Changes in Apache Solr.....	571
Impala.....	571
SMM.....	572
SRM.....	572
YARN.....	573
Deprecation notices in Cloudera Runtime 7.1.8.....	574
Oracle Instant Client library.....	574
Kafka.....	574
Deprecation notices in Streams Messaging Manager.....	575
Deprecation Notices in HDFS.....	575
Fixed Common Vulnerabilities and Exposures 7.1.8.....	577

Cumulative hotfixes..... 580

Cumulative hotfix CDP Private Cloud Base 7.1.8.68-1 (Cumulative hotfix27).....	580
Cumulative hotfix CDP Private Cloud Base 7.1.8.65-1 (Cumulative hotfix26).....	581
Cumulative hotfix CDP Private Cloud Base 7.1.8.64-1 (Cumulative hotfix25).....	583
Cumulative hotfix CDP PvC Base 7.1.8.61-1 (Cumulative hotfix24).....	585
Cumulative hotfix CDP PvC Base 7.1.8.60-2 (Cumulative hotfix23).....	587
Cumulative hotfix CDP PvC Base 7.1.8.59-4 (Cumulative hotfix22).....	589
Cumulative hotfix CDP PvC Base 7.1.8.58-1 (Cumulative hotfix21).....	591
Cumulative hotfix CDP PvC Base 7.1.8.57-1 (Cumulative hotfix20).....	592
Cumulative hotfix CDP PvC Base 7.1.8.56-1 (Cumulative hotfix19).....	593
Cumulative hotfix CDP PvC Base 7.1.8.55-1 (Cumulative hotfix18).....	595
Cumulative hotfix CDP PvC Base 7.1.8.51-3 (Cumulative hotfix17).....	597
Cumulative hotfix CDP PvC Base 7.1.8.50-2 (Cumulative hotfix16).....	599
Cumulative hotfix CDP PvC Base 7.1.8.48-2 (Cumulative hotfix15).....	602
Cumulative hotfix CDP PvC Base 7.1.8.46-1 (Cumulative hotfix14).....	603
Cumulative hotfix CDP PvC Base 7.1.8.45-2 (Cumulative hotfix13).....	604
Cumulative hotfix CDP PvC Base 7.1.8.44-1 (Cumulative hotfix12).....	605
Cumulative hotfix CDP PvC Base 7.1.8.42-1 (Cumulative hotfix11).....	606
Cumulative hotfix CDP PvC Base 7.1.8.36-4 (Cumulative hotfix10).....	607
Cumulative hotfix CDP PvC Base 7.1.8 (Cumulative hotfix9).....	609
Cumulative hotfix CDP PvC Base 7.1.8 (Cumulative hotfix8).....	610
Cumulative hotfix CDP PvC Base 7.1.8.32-1 (Cumulative hotfix7).....	612
Cumulative hotfix CDP PvC Base 7.1.8.28-1 (Cumulative hotfix6).....	613
Cumulative hotfix CDP PvC Base 7.1.8.25-6 (Cumulative hotfix5).....	615
Cumulative hotfix CDP PvC Base 7.1.8.15-5 (Cumulative hotfix4).....	620
Cumulative hotfix CDP PvC Base 7.1.8.11-3 (Cumulative hotfix3).....	625
Cumulative hotfix CDP PvC Base 7.1.8.8-3 (Cumulative hotfix2).....	627
Cumulative hotfix CDP PvC Base 7.1.8.5-1 (Cumulative hotfix1).....	630

Overview

You can review the Release Notes of Cloudera Runtime 7.1.8 for release-specific information related to new features and improvements, bug fixes, deprecated features and components, known issues, and changed features that can affect product behavior.

What's new in Cloudera Runtime 7.1.8

You must be aware of the additional functionalities and improvements to features of components in Cloudera Runtime 7.1.8. Learn how the new features and improvements benefit you.

Upgrade CDH 6 > CDP-7.1.8

You can perform an In-place upgrade from CDH 6 to CDP 7.1.8.

Upgrade CDH 5 > CDP-7.1.8

Cloudera Manager will not allow an upgrade to CDP Private Cloud Base 7.1.8/Cloudera Manager 7.7.1 if Cloudera Manager is managing a CDH 5.x cluster. To upgrade a CDH 5 cluster:

1. Upgrade Cloudera Manager to version 6.3.4.
2. Upgrade CDH to version 6.3.4
3. Upgrade Cloudera Manager to version 7.6.5 or higher.

Upgrade HDP-3.1.5 > CDP-7.1.8

You can perform an In-place upgrade from HDP 3.1.5 to CDP 7.1.8.

Upgrade HDP 2 to CDP 7.1.8

You can perform In-place one stage upgrade from HDP 2 to CDP 7.1.8 using CMA 2.6.2. For more information, see [HDP 2 to CDP](#) documentation.

Upgrade CDP-7.1.6, 7.1.7, 7.1.7 SP1 > CDP-7.1.8

You can perform an upgrade from CDP 7.1.6, 7.1.7, or 7.1.7 SP1 to CDP 7.1.8.

Rollback CDP-7.1.8 > CDH6

You can roll back an upgrade from CDP Private Cloud Base 7 to CDH 6. The rollback restores your CDH cluster to the state it was in before the upgrade, including Kerberos and TLS/SSL configurations.

Rollback CDP-7.1.8 > HDP3

You can roll back an upgrade from CDP Private Cloud Base 7.1.8 to HDP 3.1.5.x. The rollback restores your HDP cluster to the state it was in before the upgrade, including Kerberos and TLS/SSL configurations.

Platform Support Enhancements

New OS Versions: CDP Private Cloud Base now supports RHEL 8.6.

New DB Versions: CDP Private Cloud Base now supports Maria DB 10.5, Postgres14, and Oracle RAC.

What's New in Apache Atlas

Learn about the new features of Apache Atlas in Cloudera Runtime 7.1.8.

HDFS lineage extraction

Atlas supports the HDFS lineage data extraction mechanism. For more information, see [HDFS lineage data extraction in Atlas](#).

Bulk and migration import of Hive metadata

An improvised method to import Hive metadata into Atlas is now available.

For more information, see [Bulk and migration import](#).

On-demand lineage support

The on-demand lineage provides enhanced end user experience to handle data flow and related entities.

For more information, see [On-demand lineage](#).

Search query improvements

When you perform search operations in Atlas, note some of the new changes that are in effect.

For more information, see [Search query enhancements](#).

Performance and Function Improvements

- Atlas Glossary: A patch is provided that can bypass unnecessary database calls and improve the performance when there is a large number of data associated with Glossary. For more information, see [Glossary performance improvements](#).
- Atlas Glossary: A patch is provided to improve the Bulk Term creation process that was earlier taking a very long time to complete. For more information, see [Glossary performance improvements](#).

What's New in Cruise Control

Learn about the new features of Cruise Control in Cloudera Runtime 7.1.8.

Cruise Control 2.5.66 Rebase

Cruise Control in Cloudera Runtime is rebased from 2.0.100 to the 2.5.66 version. The main feature changes include ZooKeeper TLS/SSL support and the Cruise Control Metrics Reporter support.

For more information about the fixes and features in Cruise Control 2.5.66, see the [Cruise Control Rebase Summary](#).

ZooKeeper TLS/SSL support for Cruise Control

When TLS is enabled on the cluster, Cruise Control automatically uses the Zookeeper for secure communication.

Cruise Control Metrics Reporter support

Beside the Cloudera Manager Metrics Reporter, the Kafka based Cruise Control Metrics Reporter can also be used. The configuration needs to be set manually, and further adjustments are needed when changing the default Metrics Reporter.

Configuration property for HTTP Strict Transport Security

There is a new configuration property for Cruise Control that enables Strict Transport Security header in the web server responses when SSL is enabled. By default, the configuration is enabled, and when TLS is enabled, Cruise Control sets the Strict Transport Security policy in the web server responses.

Cruise Control Rebase Summary

In CDP Private Cloud Base 7.1.8, Cruise Control is rebased from 2.0.100 to the 2.5.66 version. Other than the added new feature, several issues are fixed and several features are enhanced to have a better performance when using Cruise Control.

Table 1: Fixed Issues

PR-1184 Fix the bug in replica movement strategy chaining	PR-1291 Fix GOAL_VIOLATION detector getting stuck execution in GENERATING_PROPOSALS_FOR_EXECUTION state
PR-1209 Fix NPE if task execution takes longer than executionProgressCheckIntervalMs()	PR-1381 Fix a bug that might cause invalid throttle replica list to be used
PR-1231 Fix reported balancedness when there are offline brokers	PR-1476 Fix miscalculated recommendation for the number of racks to drop for clusters over-provisioned wrt rack count
PR-1232 Fix returns for completed_with_error tasks on user_tasks endpoint when json=false	PR-1597 Fix incorrect values generated for number of replicas by topic
PR-1238 Fix inconsistent/bad response in monitor substate	PR-1616 Fix throttler quota removal for in-progress tasks
PR-1279 Fix missed broker failure detection/self-healing upon bootstrap	PR-1676 Fix EnvConfigProvider to work well if there is no pre configured env vars

Table 2: Version Update

PR-1233 Upgrade to Kafka 2.5.0 in development branch migrate_to_kafka_2_5
PR-1311 Add support for Kafka 2.6 brokers
PR-1471 Add support for Kafka version 2.7
PR-1612 Upgrade to Kafka 2.8 libraries
PR-1614 Updated to Scala 2.13

Table 3: Feature Support

PR-1159 Support SPNEGO and trusted proxy authentication	PR-1569 Add support to switch from ZK to Kafka Admin Client for topic config provider class
PR-1245 , PR-1320 Bump up ZK session and connection timeout	PR-1583 Ability to configure TLS protocols and ciphers via configuration
PR-1510 Add support for Alerta.io notifications	PR-1661 Support connecting to ZooKeeper with TLS
PR-1525 Add support for (At/Under)MinISR-based throttling/cancellation	PR-1703 Add ZK TLS support with properties file and modify broker failure detection

Table 4: Goal Improvements

PR-1203 Add missing sanity check for goals	PR-1400 Add gap-based balance limits for TopicReplicaDistributionGoal
PR-1267 LeaderReplicaDistributionGoal should honor excludedTopics during leadership movement	PR-1420 Relax low resource utilization upper limit for resource distribution goals
PR-1306 Update min valid windows required to start self-healing with goals using resource history	PR-1429 Add a new hard goal that ensures that each alive broker has a leader replica from a configured pool of topics
PR-1324 Add support for goal-based operations via maintenance event	PR-1500 Drop enforcement that anomaly.detection.goals must be a subset of self.healing.goals (if non-empty)
PR-1345 Add a new hard goal that evenly distributes replicas over racks	PR-1514 Prevent ResourceDistributionGoal from generating provision recommendations with a negative number of brokers to remove
PR-1383 Ensure that topology distribution goals compute balance constraints properly	PR-1564 Add timers to track goal violation detection and fix generation for self-healing

[PR-1385](#) Add support to switch from ZK to Kafka Admin Client for topic config provider class

Table 5: Functionality Enhancements

PR-868 Provide capacity stats for a broker	PR-1302 Support stop ongoing executions with rollback	PR-1448 Reset the provision status to ensure freshness for consecutive optimizations
PR-1177 Make TopicReplicationFactorAnomalyFinder ignore topic with large minISR	PR-1313 Make min execution progress check interval and slow task alerting backoff configurable	PR-1456 Update slow broker detection sensitivity and reporting details
PR-1180 Update min valid windows required to start self-healing with goals using resource history	PR-1316 Added option to configure metrics topic minISR	PR-1460 Add a config for admin client request timeout
PR-1186 Further filter detected slow broker against pre-defined flush time threshold	PR-1332 Support handling planned maintenance events submitted via a topic	PR-1463 Add sensors to report the number of slow brokers
PR-1190 [ccclient-1.1.0] Add force_stop parameter	PR-1334 [ccclient-1.1.1] Extend support for anomaly detectors	PR-1469 Report ongoing replica reassignments started by an external agent
PR-1196 Adopt admin client-based replica reassignment API for Kafka 2.4+	PR-1341 Adopt a shared AdminClient across selected CC components	PR-1470 Provide recommendations on the estimated resource requirements
PR-1198 Support environment variable resolution in configs	PR-1349 Make MetricSampler more extensible	PR-1484 Add a sensor to indicate the metadata factor of the managed Kafka cluster
PR-1199 Add rack information to load response	PR-1357 Add check to validate that time range start time is smaller than end time	PR-1485 Add a sensor to indicate if the cluster has partitions with RF > the number of eligible racks
PR-1212 Make CPU capacity threshold stricter	PR-1358 Check whether a cluster is using JBOD when populate_disk_info is true	PR-1496 Stop execution before shutting down Cruise Control
PR-1214 Update the Balancedness Score under Unhealthy Cluster State	PR-1360 Handle Wrapped AdminClient Timeouts as Timeouts	PR-1505 Make CC inter-broker replica reassignments resilient against partitions with ISR set > replica set
PR-1220 Enable configurable backoff on metrics topic creation	PR-1362 Prevent MaintenanceEventTopicReader from prematurely closing the adminClient	PR-1509 Add a sensor to identify if the cluster has partitions with ISR > replicas
PR-1223 Ensure that requests to update replication factor cannot cause a deadlock	PR-1364 Let implementations of OptimizationOptionsGenerator be configured with an AdminClient	PR-1533 Avoid NPE due to misused rebalance_disk parameter
PR-1225 Allow customization of CruiseControlMetricsReporterSampler	PR-1368 Automate leadership concurrency adjustment based on broker metrics	PR-1538 Enable partition metric collection to a configured topic during ongoing execution
PR-1234 Ensure consistent rackID during topic_configuration operations to avoid NPE	PR-1369 Enable Cruise Control to collect metrics from low traffic clusters by default	PR-1559 Add a ReplicaMovementStrategy that prioritizes (At/Under)MinISR partitions with offline replicas
PR-1241 Add support to retrieve capacity only via load endpoint	PR-1391 Calculate balance lower bound for resource distribution lower bound with low utilization threshold	PR-1589 Add parameters to relevant endpoints to control the speed of proposal generation
PR-1246 Enable Kafka port retrieval from listeners config	PR-1401 Honor webserver.api.urlprefix config	PR-1593 Set the default proposal generation speed to fast mode
PR-1255 Enable broker metric collection during ongoing executions	PR-1407 Provide idempotency support to handle duplicate maintenance events	PR-1599 Add a config to enable/disable provisioner
PR-1256 Prevent Cruise Control from mistakenly believe that there is an ongoing execution	PR-1409 [ccclient-1.1.2] Add topic parameter in cruise-control-client to query the kafka_cluster_state endpoint	PR-1604 Move broker failure detector away from using zNode-based failed broker persistence
PR-1282 Let executor substate show information on process before starting an execution	PR-1410 Add a sensor to emit topic count in cluster	PR-1608 Disable bootstrap endpoint in non-developer_mode
PR-1287 Prevent concurrent execution request from corrupting ongoing execution state	PR-1412 Enable detecting and fixing maintenance events during ongoing executions	PR-1622 Enable users to monitor the min.insync.replicas of all topics

PR-1289 Automate replica reassignment concurrency adjustment based on broker metrics	PR-1418 Add missing population of anomaly details for maintenance events	PR-1635 Add config to skip rack-awareness check while self-healing RF anomalies
PR-1294 Add sensors to emit concurrency caps for partition and leadership reassignments	PR-1419 Handle non-existent topic while setting/removing throttled replicas for a topic	PR-1636 Add capability to stop executions not started by Cruise Control
PR-1297 Make timeout for listing partition reassignments configurable along with a retry logic	PR-1433 Handle missing listeners config in CruiseControlMetricsReporter	PR-1637 Detect RF violations for topics having targetReplicationFactor with topicReplicationFactorMargin violation
PR-1646 Setup ProvisionerState for rightsizing clusters	PR-1681 Handle metrics reporter exceptions while getting CPU metric	

What's New in Apache HBase

Learn about the new features of Apache HBase in Cloudera Runtime 7.1.8.

HBase Multi-cluster Client Support

Operational Database supports HBase Multi-cluster Client (MCC) that ensures high availability and better performance. Learn about the HBase MCC and ways to switch between the single HBase clusters and Multi-HBase clients. For more information, see [Introduction to HBase Multi-cluster Client](#).

HBase is rebased to version 2.4.6

is updated to use HBase version 2.4.6 for a smother and better functionality. Upgrade your HBase client for seamless connectivity.

HBase META replicas enablement

Operational Database supports to enable HBase META replicas. With this functionality, HBase maintains read-only copies of the META table on additional region servers and ensures that the META table reads are load balanced between the replicas. For more information, see [Enabling HBase META Replicas](#).

What's New in Apache Hadoop HDFS

Learn about the new features of Apache HDFS in Cloudera Runtime 7.1.8.

Support for Multiple NameNodes

This feature provides CDP Private Cloud Base the ability to use multiple standby namenodes. This feature is enabled only for the 7.1.8 clusters. This requires the High Availability feature enabled. After configuring an additional NameNode to the cluster, you cannot roll back either the Cloudera Manager upgrade or the CDP parcel upgrade. You must add an additional namenode after the upgrade to 718 is finalized.

For more information, see [Multiple NameNodes documentation](#).

What's New in Apache Hive

Learn about the new features of Hive in Cloudera Runtime 7.1.8.

Hive ACID compaction observability

Compaction observability is a notification and information system based on metrics about the health of the compaction process. You can use Cloudera Manager to view compaction health checks for the Hive Metastore and Hive on Tez services, view actions and advice related to configurations and thresholds, and use the Compaction

tab from the Hive Metastore service to view compaction-related charts based on the collected metrics. For more information, see [Compaction Observability in Cloudera Manager](#).

Using SYS table to monitor compactions, transactions, and locks

You can monitor the progress and filter for specific compaction, transaction, and transaction lock jobs by querying the COMPACTIONS, TRANSACTIONS, and LOCKS view within the SYS database. For details, see [Monitoring compactions](#), [Monitoring transactions](#), and [Monitoring transaction locks](#).

Support table defaults at database-level

You can use the database property, `defaultTableType=EXTERNAL` or `ACID` to specify the default table type to be created using the `CREATE TABLE` statement. You can specify this property when creating the database or at a later point using the `ALTER DATABASE` statement. For more information, see [Understanding CREATE TABLE behavior](#).

Support external-only tables at database-level

You can choose to configure a database to allow only external tables to be created and prevent the creation of ACID tables. While creating a database, you can set the database property, `EXTERNAL_TABLES_ONLY=true` to ensure that only external tables are created in the database. For more information, see [Understanding CREATE TABLE behavior](#).

Partition filtering support for the MSCK REPAIR TABLE statement

The `MSCK REPAIR TABLE` statement is enhanced to support filtering of the partition columns using operators so that a larger subset of partitions can be recovered (added/removed) without triggering a full repair. For more information, see [Partition refresh and configuration](#).

Mapping specific columns in the INSERT clause of the MERGE statement

The `MERGE` statement is enhanced to support mapping of specific columns in the `INSERT` clause of the query instead of passing values (including null) for columns in the target table that do not have any data to insert. The unspecified columns in the `INSERT` clause are either mapped to null or use default constraints, if any. For more information, see [Merging data in Hive tables](#).

Hive Warehouse Connector support for Spark 3

As part of this release, Hive Warehouse Connector (HWC) is certified to work with Spark 3. You can use the CDS 3.3 Powered by Apache Spark add-on service to use Spark 3 for querying Hive managed tables. For more information, see [Introduction to HWC](#).

Simplified Hive Warehouse Connector configuration

Setting up HWC configurations that are required by Spark is now simplified. As a cluster administrator, you need to specify the required configurations in Cloudera Manager as a one-time activity and then enable HWC by setting the `spark.cloudera.useHWC` property to "true". The `spark.cloudera.useHWC` property can either be specified in the `spark-defaults.conf` file or by using the `-conf` option in `spark-shell` or `spark-submit`. For more information, see [Setting up HWC configurations](#).

Enable caching for Hive Warehouse Connector Secure access mode

You can enable caching for the HWC secure access mode to have finer control over read queries and ensure that the content updated outside of a Spark session is considered during reads. For more information, see [Enabling caching for secure access mode](#).

Hive metastore supports Oracle RAC databases for High Availability

Hive metastore supports using Oracle Real Application Clusters (RAC) to achieve high availability and seamlessly handle SELECT, DDL, and DML operations.

Create and Drop UDFs are authorized in Hive metastore (Technical Preview)

The Create and Drop user-defined functions (UDFs) that were earlier authorized only in HiveServer2 (HS2) are enhanced to be authorized in Hive metastore (HMS). For details, see [HIVE-25468](#).

Technical Preview: This is a technical preview feature and considered under development. Do not use this in your production systems. To share your feedback, contact Support by logging a case on our [Cloudera Support Portal](#). Technical preview features are not guaranteed troubleshooting guidance and fixes.

Hive ACID improvements

As part of this release, the following improvements have been implemented to enhance Hive ACID operations:

- Allow faster CREATE TABLE (no-rename CTAS) — During table creation, the table location is suffixed with the transaction identifier of the query to prevent a possible race condition between users who are trying to create a table with the same name at the exact same time. See [HIVE-24906](#).
- Faster Drop Table/Drop Partition operation — [HIVE-25393](#) introduces read locks in compaction (MR, Minor Query-based) that would prevent concurrency issues with DDL operations (DROP/RENAME table).
- Faster sequence numbers — [HIVE-23048](#) implements the use of sequences for TXN_ID generation, which does not restore the number when rolling back the transaction.
- Split Update statement and skip sorting of Insert rows — [HIVE-21158](#) rewrites the Update statement as Multi-Insert and performs Update split early. This helps in preventing the sorting of insert delta since these records have new record identifier which are generated in a monotonic increase manner, and can lead to a faster statement execution when a large number of records are affected.
- Improved read-locks and prevent single transaction locks — This improvement fixes the issue that occurs when a single long running transaction prevents the Cleaner to clean up any tables. This causes file buildup in tables, which can cause performance penalties when listing the directories.

Hive ACID replication using REPL commands

As part of this release, you can now use [REPL commands](#) (REPL DUMP and REPL LOAD) to replicate Hive ACID tables between CDP Private Cloud Base clusters.

What's New in Hue

Learn about the new features of Hue in Cloudera Runtime 7.1.8.

Security and performance improvements by upgrading to Python 3

Python 2 has reached the end of life and is no longer supported. Hue now uses Python 3 which makes use of critical bug fixes and Common Vulnerabilities and Exposures (CVE) fixes for many third-party software dependencies. Python libraries have been upgraded from Python 2.7 to Python 3.8.

Python modules such as django-auth-ldap, django-axes, django-rest-framework-simplejwt, Mako, Markdown, python-ldap, django-babel, django-mako, django-cors-headers, django-rest-framework, eventlet, sqlparse, and so on have also been upgraded.

These upgrades bring in significant performance improvement and stability in query execution. Operating System, Python version, and Python module upgrades have resulted in a more stable environment.

You must install Python 3.8 after installing Cloudera Manager on your cluster. For more information, see [Installing Python 3.8](#).

You also need to install Psycopg2 package for PostgreSQL database and MySQL client for MySQL and MariaDB databases. For more information, see [Installing the psycopg2 Python package for PostgreSQL-backed Hue](#), [Installing the MySQL client for MySQL database](#), [Installing the MySQL client for MariaDB database](#).

CDP 7.1.8 uses Django version 3.2.13 which supports Oracle Database Server versions 12.2 and higher and cx_Oracle (the Python interface for Oracle database) versions 6.0 or higher.

Hue uses Gunicorn instead of the CherryPy web server

In CDP 7.1.8, Cloudera Manager starts Hue with Gunicorn web server instead of CherryPy.

Hue uses TLS 1.2 by default

On CDP 7.1.8 and higher, Hue and Hue Load Balancer use TLS 1.2 or 1.3 by default. You no longer have to configure settings in Cloudera Manager (7.7.1) to enforce TLS 1.2.

High Availability support added for Oracle databases

Hue supports Oracle Real Application Clusters (RAC) on the Oracle database to achieve high availability and seamlessly handle SELECT, DDL, and DML operations. For more information, see [Configuring high availability support for Oracle database](#).

No 64-character restriction on hostnames for Hue roles

Hue supports creating Hue role hostnames of more than 64 characters. There is no longer a restriction of 64 characters for the “BalancerMember Route” property.

Hue uses the SHA-256 signing algorithm for SAML authentication

SHA-1 signing algorithm is deprecated in most environments. Hue now uses a stronger, secure hash algorithm, SHA-256, for signature and digest methods when authenticating using SAML.

Hue uses basic search to look up data in Atlas

Hue polls Atlas for changes to the entities at a set frequency. By default, Hue now uses the basic search option to look up data in Atlas which is more efficient than the Domain-Specific Language (DSL). DSL queries are resource-intensive and thus expensive. You can enable DSL search by setting the search_cluster property in the Advanced Configuration Snippet. See [Enabling DSL search for Hue](#).

Update to the list of supported non-ASCII characters

Hue supports an additional set of non-ASCII characters. Review the list: [Supported non-ASCII and special characters in Hue](#).

Support for HiveServer2 (HS2) high availability

Hue can now handle HS2 failover using ZooKeeper without setting up a load balancer. You must configure the following setting in the Hue Advanced Configuration snippet:

```
[beeswax]
hive_discovery_hs2=true
hive_discovery_hiveserver2_znode=/hiveserver2
```

See [Configuring Hue to handle HS2 failover](#).

Hue supports rolling restart

Hue service downtime is reduced from more than 30 minutes to approximately 80-90 seconds when you restart the CDP cluster in the rolling restart mode. When you restart only the Hue service, then Hue’s non-worker roles, such

as the load balancer, Kerberos ticket renewer, and Hue server restart one after the other. For information about the rolling restart options, see [Options to restart the Hue service](#).

Ability to view Hive query details in Hue

Hue packs the combined abilities of Data Analytics Studio (DAS) such as query optimization, query debugging framework, and rich query editor experience of Hue, making Hue the next generation SQL assistant on CDP. You can search Hive query history, view query details, visual explain plan, and DAG information, compare two queries, and download debug bundles for troubleshooting from the **Job Browser** page.

To support this feature, a new service called “Query Processor” is added to the CDP stack as a dependency for Hue. It is used for indexing and retrieving Hive query history and query details. You must install the Query Processor service manually on your CDP Private Cloud Base clusters. To know more about the Query Processor service, see [About Hue Query Processor](#). For installation instructions, see [Adding Query Processor service to a cluster](#).

Hue supports Spark SQL using Apache Livy for Spark 3

Hue supports Spark 3 and Livy for Spark 3. To run Spark SQL queries, you must install the Spark 3 and Livy for Spark 3 services on your CDP cluster and then configure these services using Cloudera Manager. See [Enabling Spark 3 engine in Hue](#).



Note:

- Starting a Livy for Spark 3 session can take from 30 seconds upto a minute. If you cancel a running Spark SQL query and rerun it, the Livy for Spark 3 session expires, and a new session is created.
- Hue does not support PySpark with Livy for Spark 3.

Added Phoenix as a new supported dialect

Apache Phoenix provides a SQL interface to create, access, and query HBase tables using the Hue query editor. You can query HBase tables using the Phoenix SQL Data Definition Language (DDL) and Data Manipulation Language (DML) commands and grammar. For more information, see [Enabling the Phoenix SQL editor in Hue](#).

Hue scripts included in CDP

CDP now includes Hue scripts that you can use for cleaning up old data, setting default editors, changing the document owners, and so on. You no longer need to clone the scripts from Cloudera’s GitHub repository. For more information, see [Using Hue scripts](#).

What's New in Apache Impala

Learn about the new features of Impala in Cloudera Runtime 7.1.8.

UTF-8 mode support

Certain Impala STRING data types now [support UTF-8 aware](#) behavior to ensure consistent results for non-ASCII characters in the string value, in both Hive and Impala.

Querying arrays using JOIN and UNNEST

Impala now supports using the UNNEST function in the SELECT list or in the FROM clause in the SELECT statement to [query arrays](#). When you use the UNNEST function, you can provide more than one array in the SELECT statement. If you use JOIN functions for querying arrays it yields a “joining unnest” functionality; however, the latter provides a “zipping unnest” functionality.

Zippping unnest on arrays from views

As part of this release, you can use the [zippping unnest functionality on arrays from views](#) as the source. Before this release, this zipping functionality worked for arrays only in Tables but did not support views as a source. For more information about using this zipping unnest functionality, see [Zippping unnest on arrays from Views](#).

Support for Kerberos over HTTP

Currently, Impala-shell does not support Kerberos over HTTP. When we have Knox as a gateway, users cannot access Impala using impala-shell with Kerberos authentication. As part of this release, Impala-shell now [supports connecting to a Kerberized Impala instance over HTTP](#) in a cluster, to issue queries.

Multi-row transactions in Kudu

This release adds broader transactional support between Kudu and Impala. Since the [support for multi-row transactions](#) has been added in Kudu, you can now use an INSERT query in Impala to insert multiple rows into Kudu's table in the context of a single transaction.

Ranger audit behavior enhancements

Before this release, the Ranger authorization is called for each Impala object; that is, database, table and each column, and this generates a bulky audit for a larger number of columns. This release consolidates the log entries of several columns' accesses into one entry in the same table, which saves space.

Impala hash functions

This release adds [built-in functions to compute SHA-1 digest and SHA-2](#) family of hashing functions. This new function enables you to use queries where certain fields must apply a one-way hash function to prevent the values of those fields from being displayed.

Asynchronous model for some DDL statements

This release adds a new query option `ENABLE_ASYNC_DDL_EXECUTION` that you can configure to execute any request from an Impala client to the Impala server asynchronously in different threads without blocking the RPC. Using this [asynchronous model](#), you can get a query handle and poll for state and results to avoid Impala clients hanging indefinitely.

Impala-shell with Python 3

Since Python 2.7 has reached the end of life, impala-shell can now be used with Python 3 by installing the latest release from PyPI at <https://pypi.org/project/impala-shell/4.2.0a1/>.

READ support for FULL-ACID ORC Tables

Until this release, Impala in CDP supported INSERT-ONLY transactional tables allowing both READ and WRITE operations. The latest version of Impala in CDP 7.1.8 now also [supports READ of FULL ACID ORC tables](#) without modifying any configurations.

What's New in Apache Kafka

Learn about the new features of Kafka in Cloudera Runtime 7.1.8.

Rebase on Kafka 3.1.1

Kafka shipped with this version of Cloudera Runtime is based on Apache Kafka 3.1.1. For more information, see the following upstream resources:

Apache Kafka Notable Changes:

- [2.6.0](#)
- [2.7.0](#)
- [2.8.0](#)
- [3.0.0](#)
- [3.0.1](#)
- [3.1.0](#)
- [3.1.1](#)

Apache Kafka Release Notes:

- [2.6.0](#)
- [2.7.0](#)
- [2.8.0](#)
- [3.0.0](#)
- [3.0.1](#)
- [3.1.0](#)
- [3.1.1](#)

Kerberos principal used by MirrorMaker is configurable

The Kerberos principal used by the MirrorMaker role is configurable. Configuration can be done using the Role-Specific Kerberos Principal (`kerberos_role_princ_name`) property. In addition, on newly installed clusters, the default principal (`kafka_mirror_maker`) is automatically granted correct access rights in Ranger.

Kafka broker rolling restart checks

Cloudera Manager can now be configured to perform different types of checks on the Kafka brokers during a rolling restart. Using these checks can ensure that the brokers remain healthy during and after a rolling restart. As a result of this change, Kafka rolling restarts may take longer than in previous versions. This is true even if you disable the rolling restart checks. For more information, see [Rolling restart checks](#).

Http Metrics Report Exclude Filter introduced for Kafka

A new property, Http Metrics Report Exclude Filter (`kafka.http.metrics.reporter.exclude.filter`), is introduced for the Kafka service. This property can be used to specify a regular expression that is used to filter metrics. Any metric matching the specified regular expression is not reported by Cloudera Manager. As a result, these metrics are also not displayed in SMM. Use JMX metric names when configuring this property.

Enable JMX Authentication by default

JMX Authentication is now enabled by default for the Kafka service. Randomly generated passwords are now set for both the JMX monitor (read only access) and control (read and write access) users. The default passwords can be changed at any time using the Password of User with read-only Access to the JMX agent and the Password of user with read-write access to the JMX agent Kafka service properties. Additionally, JMX authentication can be turned off using the Enable Authenticated Communication with the JMX Agent property.

OAuth2 authentication available for Kafka

OAuth2 authentication support is added for the Kafka service. You can now configure Kafka brokers to authenticate clients using OAuth2. For more information, see [OAuth2 authentication](#).

HSTS header is included by default in Kafka Connect REST API responses

Kafka Connect REST API responses now include the HSTS header by default.

Kafka load balancer support

The Kafka service can now be provided with a host of a load balancer that is used to balance connection bootstraps between multiple brokers. The host can be configured using the Kafka Broker Load Balancer Host property. Additionally, if a host is configured, the Kafka service configures a listener for accepting requests from the load balancer. This port is customizable using the Kafka Broker Load Balancer Listener Port property. Using these properties configures your Kafka service in a way that clients can connect to the brokers without encountering ticket mismatch issues in Kerberized environments or TLS/SSL hostname verification failures.

Importing Kafka entities into Atlas

Kafka topics and clients can now be imported into Atlas as entities (metadata) using a new action available for the Kafka service in Cloudera Manager. The new action is available at Kafka service>ActionsImport Kafka Topics Into Atlas. The action serves as a replacement/alternative for the kafka-import.sh tool. For more information, see [Importing Kafka entities into Atlas](#).

Kafka data directories are now only readable by Kafka

Previously, Kafka data directories were configured as world-readable on the filesystem of the broker host. From now on, they are only readable by Kafka. Although Kafka brokers are usually locked down, and as a result world-readable directories should not pose a security risk, this change applies more restrictive access control on the data directories of the Kafka brokers, hardening their security.

Collect ControlPlaneNetworkProcessorAvgIdlePercent metric

The ControlPlaneNetworkProcessorAvgIdlePercent Kafka metric is now collected by Cloudera Manager and is available as `control_plane_network_processor_avg_idle`.

Set sasl.kerberos.principal.to.local.rules based on HDFS auth_to_local

The Kafka service now uses the `hadoop.security.auth_to_local` settings from `hadoop's core_site.xml` to automatically populate the `sasl.kerberos.principal.to.local.rules` Kafka broker property. The value can still be overridden in Kafka using the Kafka Broker Advanced Configuration Snippet (Safety Valve) for `kafka.properties` property.

Bootstrap servers are automatically configured for Kafka Connect

The Bootstrap Servers property of the Kafka Connect role is now automatically configured to include the bootstrap servers of its co-located Kafka brokers. This is only done if the property is left empty (default). You can provide custom value for this property if you want to override the default host:port pairs that Kafka Connect uses when it establishes a connection with the Kafka brokers.

Stateless NiFi Source and Sink

The Stateless NiFi Source and Sink connectors enable you to run NiFi dataflows within Kafka Connect. Using these connectors can grant you access to a number of NiFi features without having the need to deploy or maintain NiFi on your cluster. For more information on the connectors, best practices on building dataflows to use with these connectors, as well as information on how to deploy the connectors, see [Stateless NiFi Source and Sink](#).

New Cloudera developed Kafka Connect connectors

In addition to the introduction of the Stateless NiFi Source and Sink, 14 new Cloudera developed connectors are available for use with Kafka Connect. These are powered by the Stateless NiFi engine and run Cloudera developed dataflows. They provide an out-of-the box solution for some of the most common use cases for moving data in or out of Kafka. For more information, see [Connectors](#) in the Kafka Connect documentation.

Debezium Connector support

The following change data capture (CDC) connectors are added to Kafka Connect:

- Debezium MySQL Source
- Debezium Postgres Source
- Debezium SQL Server Source
- Debezium Oracle Source

Each of the connectors require CDP specific steps before they can be deployed. For more information, see [Connectors](#).

Connect internal topic Ranger policy

A new Ranger policy, connect internal - topic, is generated by default on fresh installations. This policy allows the Kafka and SMM service principals to access Kafka Connect internal topics (connect-configs, connect-offsets, connect-status) and the secret management's storage topic (connect-secrets).

Secure Kafka Connect

A number of significant improvements and new features are introduced related to Kafka Connect security. These are as follows:

SPNEGO authentication for the Kafka Connect REST API

You can secure the Kafka Connect REST API by enabling SPNEGO authentication. If SPNEGO authentication is enabled, only users authenticated with Kerberos are able to access and use the REST API. Additionally, if Ranger authorization is enabled for the Kafka service, authenticated users will only be able perform the operations that they are authorized for. For more information, see [Configuring SPNEGO Authentication and trusted proxies for the Kafka Connect REST API](#).

Kafka Connect Authorization model

An authorization model is introduced for Kafka Connect. Implementations are pluggable and it is up to the implementation how the capabilities of the model are utilized. The authorization model is implemented by default in Ranger. For more information about the model, see [Kafka Connect authorization model](#). For more information about the Ranger integration of the model, see [Kafka Connect Ranger integration](#).

Kafka Connect connector configurations can now be secured

A new feature called Kafka Connect Secrets Storage is introduced. This feature enables you to mark properties within connector configurations as a secret. If a property is marked as a secret, the feature stores and handles the value of that property in a secure manner. For more information, see [Kafka Connect Secrets Storage](#).

Kafka Connect Connectors can be configured to override the JAAS, and restrict the usage of the Worker principal

Kafka Connect now allows users to force Connectors to override the JAAS configuration of the Kafka connection, and also forbid using the same Kerberos credentials as the Connect worker is using. For more information, see [Configuring connector JAAS configuration and Kerberos principal overrides](#)

Nexus allow list for Stateless NiFi Source and Sink connectors

A new configuration property, List Of Allowed Nexus Repository Urls, is introduced for the Kafka service. This property enables you to specify a list of allowed Nexus repositories that Kafka Connect connectors are allowed to connect to when fetching NiFi extensions. Configuring an allow list using the property can harden the security Kafka Connect deployment. For more information, see [Configuring a Nexus repository allow list](#).

What's New in Key Trustee Server

Learn about the new features of Key Trustee Server in Cloudera Runtime 7.1.8

- Key Trustee is now compatible to work with GCP Cloud HSM and Thales HSM CipherTrust Manager 2.0.

- Key Trustee Server will not use an IP address in self-signed certificates when a hostname/dns is provided.

KeyHSM

- Removed instances of the third party library log4j from KeyHSM due to CVE vulnerabilities.
- To avoid out of memory issues when using KeyHSM, the default heap size has been increased from 1GB to 2GB.

What's New in Apache Knox

This topic lists new features for Apache Knox in Cloudera Runtime 7.1.8.

Certified OpenIDConnect (OIDC) support for Knox SSO

Users can now enable authentication via OpenIDConnect (OIDC). OIDC is an industry standard for using a third party as an identity provider for web applications.

What's New in Apache Kudu

Learn about the new features of Kudu in Cloudera Runtime 7.1.8.

Custom hash schemas

Previously once the partition schema was set the number of hash buckets per range partition could not be changed. For the newly added range partitions the number of hash buckets was tied to the amount that was initialized in the partition schema. The custom hash schemas feature enables you to vary the number of hash buckets per range partition, both at table creation and alteration time.

For more information, see [Managing Kudu tables with range-specific hash schemas](#)

Support native encryption at rest

Kudu now supports data encryption at rest, using File Key, Server Key and Cluster Key for encryption. However, data at rest encryption is supported only on fresh installation and once it is enabled you cannot disable it.

For more information, see [Configuring data at rest encryption](#)

Add tool to unregister a tablet server

Add a 'kudu tserver unregister' tool to unregister a tserver from the master. This tool can be used to decommission a tserver without restarting masters. This tool unregisters the dead tserver from the master's in-memory map and removes its persisted state from the catalog table by default. It's also possible to unregister a tserver which is not presumed dead by adding `-force_unregister_live_tserver`, or keep tserver's persisted state by adding `-remove_tserver_state=false`.

Optimizations and improvements

KUDU-2181: Multi master configuration support

Adding a new Kudu master instance to your cluster, for example to migrate to a multiple master configuration, is automated and does not require you to restart the already existing masters.

KUDU-2623 Expose table as public in WriteOp

Making `KuduWriteOperation::table()` method public to enable identification of the problematic table when an error happens.

KUDU-3197 tserver optimal Schema's memory used, using `std::shared_ptr`

Change `TabletMeta`'s variable `Schema*` to `std::shared_ptr<Schema>` to reduce memory used when altering schema.

KUDU-3328: Make rebalancer tool take into account maintenance mode

Before this fix kudu master would not assign new replicas on maintenance tservers but replicas could still be moved through the rebalancer tool. This patch improves the rebalancer tool's behavior. If maintenance tservers are not specified in 'ignored_tservers' and users do not specify '-force_rebalance_replicas_on_maintenance_tservers' neither, the rebalancer tool cannot get replica moves and return IllegalState.

KUDU-3340 Disable compaction on the specified table

For tables with only inserts but no updates, we can disable the compaction of the table's data, which can improve the search efficiency (the effect is more obvious in the search scenario involving multiple tables).

KUDU-3341: Stop retrying to DeleteTablet on wrong server

This patch improves catalog_manager's behavior when delete tablet with a 'WRONG_SERVER_UUID' error. This RetryTask is marked failed instead of getting retried in order to avoid too many requests.

What's New in Navigator Encrypt

Learn about the new features of Navigator Encrypt in Cloudera Runtime 7.1.8

Linux Distributions RHEL 8.6, SLES12-SP5 and SLES15-SP3 certified for Navigator Encrypt

NavEncrypt now supports Linux Distributions RHEL 8.6, SLES12-SP5 and SLES15-SP3

What's New in Apache Ozone

Learn about the new features of Apache Ozone in Cloudera Runtime 7.1.8.

Upgrading Ozone

You can now upgrade Ozone component and onboard the features release for this 7.1.8 release

For more information, see [Upgrading Ozone documentation](#).

Support for Ozone S3 Multitenancy (Technical Preview)

Apache Ozone now supports the multi-tenancy feature. This feature enables Ozone to compartmentalize the resources and create multiple tenants.

For more information, see [Ozone S3 Multitenancy documentation](#).

Support for Multi-Protocol Aware System to store files and objects

This feature helps you to understand Ozone file system support, differences between flat namespace and hierarchical namespace, different bucket layouts, and their use cases.

For more information, see [Multi-Protocol Aware System documentation](#).

Ozone Ranger Integration

Set up policies in Ranger for the users to have the right access permissions to the various Ozone objects such as buckets and volumes.

For more information, see [Ozone Ranger Integration documentation](#).

Support for Erasure Coding

The Ozone Erasure Coding feature provides data durability and fault-tolerance along with reduced storage space and ensures data durability similar to Ratis THREE replication approach.

For more information, see [Erasure Coding documentation](#).

Support for Container Balancer tool

Container balancer tool balances the utilization of datanodes in an Ozone cluster and identifies the datanodes that are over utilized and moves containers to underutilized datanodes so that the containers align to the placement policies that are defined for a specific cluster..

For more information, see [Container Balancer documentation](#).

What's New in Apache Phoenix

Learn about the new features of Apache Phoenix in Cloudera Runtime 7.1.8.

Spark3 Phoenix connector support

Phoenix Spark-connector functionality allows you to integrate Spark3 with Phoenix.

Apache Ranger

Learn about the new features of Ranger in Cloudera Runtime 7.1.8.

HDFS Hive ACL Sync (Ranger RMS) propagates Hive db-level grants

When multiple databases are mapped to single hdfs location, and if a hive policy allows a user to access one database; then, a user can access that database's hdfs location and all other files & directories under it. For more information, see the updated examples in [Ranger HIVE-HDFS ACL Sync Overview](#).

New Ranger Usersync configuration that specifies role assignment for service users

You can now automatically assign Admin and Key Admin roles for external users. For more information, see the updated examples in [Configure Usersync assignment of Admin users](#).

Ozone-Ranger integration Enhancement : Recursive ACL check for subpaths

Ranger now only supports authorization for rename and recursive delete operations, and also provides an option to enable performance optimized solution when these operations are performed on directory containing large set of subpaths (directories/files) within it. This support the Ozone File System Optimized Bucket layout. For more information, see [Configure rename and recursive delete operations in Ranger Ozone plugin](#).

Solr-Ranger integration Enhancement : Map Ranger Policies to Sentry Privileges

Ranger in CDP-7.1.8 supports collection, admin, config, and schema object types for Solr. For more information, see updated examples in: [Configure a resource-based policy: Solr](#).

Ranger: HA Support for Oracle Database

Oracle RAC is now supported and certified as a backend database for Ranger.

Hive plugin enhancement - add coarse URI check for Hive Agent

Ranger now supports a coarse check for URI permissions. For more information, see [How to add a coarse URI check for Hive agent](#).

Hive plugin enhancements - separate INSERT/DELETE audit

Ranger audit handler enhanced to intercept the login of insert, update, delete and truncate calls and modify the access type accordingly. The audit now shows specific operations. For more information, see updated examples, in [View audit details](#).

Ranger HDFS audit enhancement - allow closing by configured threshold

Configuration of HDFS audit file behavior enhanced. For more information, see [How to trigger HDFS audit files rollover](#).

Ranger RMS Database Full Sync

Provides a full sync of the Ranger RMS database with the Hive metastore, performed from Cloudera Manager. For more information, see [How to full sync the Ranger RMS database](#).

Support browser login using kerberized authentication

Ranger Admin now supports browser login using kerberos authentication. To control browser-specific access, a user can add / update user-agents by configuring ranger-admin-site.xml through a safety-valve. For more information, see [Enable Ranger Admin login using kerberos authentication](#).

Ranger KMS

Learn about the new features, and improvements in Ranger KMS in Cloudera Runtime 7.1.8.

Expansion of Encryption support

- Ranger KMS is now certified to work with GCP Cloud HSM, Thales CipherTrust Manager 2.0, and Thales Luna HSM.
- Kudu now supports native encryption for data at rest. With native encryption, the local file system no longer has to be encrypted. This was often an issue for colocated Kudu and HDFS nodes where in order to encrypt Kudu, HDFS had to be needlessly encrypted again at the local file system level. Ranger KMS can be used to manage the keys used for Kudu's native data at rest encryption.

For more information, see [Integrating Components for Encrypting Data at Rest](#).

Performance and Function Improvements

- Ranger policy page now includes better visibility for HDFS and YARN fallback to ACL options. Fallback to HDFS/YARN ACLs is enabled by default.
- Ranger KMS will no longer report an error (ArrayIndexOutOfBoundsException) when SOLR is offline during the upload configuration phase. Now, per [Ranger-3290](#), a more useful message is shown ("No live SolrServers available").
- Merged [Ranger-3442](#), which improves memory management when adding multiple keys to Ranger KMS at the same time. For example, in the case of running a script to call createKey and getMetadata in a loop. After this patch, keys can be added to the KMS with no speed limitations.
- Improved error messaging during Hadoop KMS startup by merging [HADOOP-15234](#). Now if "keyProvider" is null, instead of a null pointer exception the user will get a meaningful message about initializing a key provider.
- Fixed error logging message when checking if user is in a blacklist by merging [HADOOP-15455](#). Now the log correctly states the user is not in a blacklist instead of stating the opposite.
- KeyAuthorizationKeyProvider is now logged when KMS server is started by merging [HADOOP-14784](#). This will help clarify that the KeyAuthorizationKeyProvider is actually loading during start-up.
- Ranger KMS will now invalidate the key cache across all KMSSClientProvider instances when a key is deleted instead of waiting for the cache to expire.
- When Ranger KMS is paired with KTS, connections will enforce HSTS as defined by RFC 6797.
- Ranger, and Ranger KMS, now support in-place upgrades in FIPS environments.

What's New in Schema Registry

Learn about the new features for Schema Registry in Cloudera Runtime 7.1.8.

Support added for JSON schemas in Schema Registry

The JSON type schema format is now supported.

Earlier, only Avro type schema format was supported out of the box.

Support added for Atlas

Schema Registry lineage is also now displayed in Atlas. You can see the schemas in Atlas for the given topic.

Added OAuth support for Schema Registry client authentication

You can use OAuth2 JSON Web Token (JWT) in Schema Registry for authentication. Authorization continues to be implemented in Ranger, however, you can obtain the principal from a JWT token.

Added a findAllSchemas() method to the Schema Registry Client code

Provides a findAllSchemas() method which enumerates all schemas contained in the schema registry, returned as a list of SchemaMetadataInfo. This is useful if you only need to enumerate all schemas by name, without incurring the additional overhead of the findAggregatedSchemas() method.

Schema Registry CDC Support - change default schema compatibility

When a new Avro schema is created and its compatibility is not explicitly set, then a default compatibility value is used. Until now, that value was always BACKWARD. After this change, users on the server side can configure the default value.

Schema Registry: HA Support for Oracle Database with RAC

Added HA support for Oracle database with RAC for Schema Registry.

Mutual TLS authentication for Schema Registry

Schema Registry supports two-way TLS authentication, also known as mutual TLS or mTLS.

Support for RSA and HMAC certificates

Schema Registry supports JWT signed by either RSA or HMAC.

Retrieve principal from client's certificate

When two-way TLS authentication is enabled, Schema Registry extracts the principal from the certificate and uses it for authentication/authorization.

Create JWT validation filter

Servlet filter which checks if the incoming requests contain a valid authentication token.

Support added for JSON schema type in the registry config template on fork 7.1.8

Schema Registry now supports Avro and JSON schemas; affects CM \geq 7.6.2, CDH \geq 7.1.8.

Enable setting offset in Schema Registry DB

Users can set minimum and maximum values for new IDs of schema versions, schema branches and schema metadatas in Schema Registry database. These offset ranges can be configured through Cloudera Manager; affects CM $\geq 7.6.0$ and CDH $\geq 7.2.14$.

CM changes for Schema Registry OAuth server side configuration for CDP 7.1.8

Schema Registry added support for authentication through OAuth2 JWT tokens; affects CM $\geq 7.6.2$ and CDH $\geq 7.2.15$ and CDH $\geq 7.1.8$.

What's New in Cloudera Search

Learn about the new features of Cloudera Search in Cloudera Runtime 7.1.8.



Note: From Cloudera Runtime 7.1.8 and higher, new Cloudera Search features are listed under [Apache Solr](#).

What's New in Apache Solr

Learn about the new features of Solr in Cloudera Runtime 7.1.8.

The MapReduceIndexerTool now supports ingesting parquet DECIMAL data into Solr

The ReadAvroParquetFile morphline command got a new attribute, decimalConversionEnabled. When set to true, decimal Parquet data is correctly read (instead of returning raw bytes as earlier). Its default value is false for backwards compatibility.

Decimal data can be stored as a string, float or double Solr field. Only storage as string is lossless, float and double can result in loss of precision.

Optimize phase of MRIT reducers can now be skipped

This release adds a new feature to MapReduceIndexerTool (MRIT) that allows skipping the optimize phase of reducers. To skip the optimize operation at the end of reducers, set the value of the maxSegments parameter to 0 or -1. You can set the value of this parameter using the --max-segments CLI option.

What's New in Apache Spark

Learn about the new features of Spark in Cloudera Runtime 7.1.8.

Apache Spark version support

Spark included in Cloudera Runtime version 7.1.8 for CDP Private Cloud Base is based on Apache Spark version 2.4.8 and contains all the feature content of that release.

What's New in Sqoop

There are no new features for Sqoop in Cloudera Runtime 7.1.8.

To access the latest Sqoop documentation on Cloudera's documentation web site, go to [Sqoop Documentation 1.4.7.7.1.6.0](#).

Discontinued maintenance of direct mode

The Sqoop direct mode feature is no longer maintained. This feature was primarily designed to import data from an abandoned database, which is no longer updated. Using direct mode has several drawbacks:

- Imports can cause an intermittent and overlapping input split.
- Imports can generate duplicate data.
- Many problems, such as intermittent failures, can occur.
- Additional configuration is required.

Do not use the `--direct` option in Sqoop import or export commands.

What's New in Streams Replication Manager

Learn about the new features of Streams Replication Manager in Cloudera Runtime 7.1.8.

New property Metric Reporting Period

A new property, Metric Reporting Period (`metrics.period`), is introduced for the SRM service. This property configures the frequency (in seconds) at which metrics should be reported.

New properties related metrics processor batching

Two new properties are introduced for the SRM Service role. These properties enable configuring the batching behavior of the metrics processor. The new properties are as follows:

- SRM Service Streams Cache Maximum Bytes Buffering (`streams.replication.manager.service.streams.cache.max.bytes.buffering`)
- SRM Service Streams Commit Interval (`streams.replication.manager.service.streams.commit.interval.ms`)

Internal SRM topics are now automatically added to the replication deny list

SRM now ignores internal SRM topics when replicating data. If required, this behavior can be disabled by adding `srm.internal.topic.exclude.enable=false` to Streams Replication Manager's Replication Configs in Cloudera Manager.

Log format changes

The SRM Log Format property was moved to the service level from the SRM Service role level, and now applies to both SRM Service and SRM Driver. Changes made to the SRM Log Format property before upgrading to the new version are lost and need to be applied again after the upgrade. The name of the log files of the SRM Driver and SRM Service will contain the host name. Additionally, the SRM Service now accepts all log configurations specified on the Cloudera Manager UI, and does a size-based rotation of the log files instead of a time based rotation.

SRM Service new intra cluster protocol and internal changelog data format

A new intra cluster protocol and a new internal changelog data format when aggregating raw metrics are introduced to the SRM Service. Both the protocol and data format are incompatible with earlier versions. Two new configuration properties are introduced that force the SRM service to use the legacy formats. During an upgrade both of these properties are automatically set to true to maintain backward compatibility. After a successful upgrade, both properties must be cleared, otherwise some SRM features will not function. The properties are as follows:

- Use Legacy Intra Cluster Host Name Format (`streams.replication.manager.use.legacy.intra.cluster.host.name.format`)
- Use Legacy Internal Changelog Data Format (`streams.replication.manager.use.legacy.internal.changelog.data.format`)

New properties for SRM explicit topic creation

SRM now supports user configured values for partition count and/or replication factor of its internal topics. Multiple dedicated configurations are introduced:

- Metrics Topics Partition Count (`metrics.topic.partition.count`)
- SRM Control Topics Replication Factor (`control.topic.replication.factor`)
- SRM Service Advertisement Topics Replication Factor For Remote Queries (`streams.replication.manager.service.remote.advertisement.topic.replication.factor`)
- Streams Applications Internal Topics Replication Factor (`streams.replication.manager.service.streams.replication.factor`)

Improved error message for the srm-control tool when `SECURESTOREPASS` is not set

The error message that is displayed when the `SECURESTOREPASS` environment variable is not set for the srm-control tool has been improved. Instead of failing with a `NullPointerException`, an error message was added that notifies users that the `SECURESTOREPASS` is not configured.

SRM Service Remote Querying

A new feature, Remote Querying, is introduced for the SRM Service. Remote Querying enables the SRM Service to query other, remote SRM Services and fetch the metrics gathered by the remote SRM Services. This allows users to monitor all replications of a deployment that has multiple instances of SRM with a single SRM Service. For more information, see [Remote Querying](#) and [Configuring Remote Querying](#).

SRM Service Multi Target Cluster Support

The SRM Service can now target and monitor multiple Kafka clusters. Previously, the Service could only target a single cluster. Targeting multiple clusters enables you to monitor multiple remote Kafka clusters using a single SRM deployment. Configuration is done in Cloudera Manager by adding multiple target Kafka cluster aliases to the Streams Replication Manager Service Target Cluster property. For more information, see [Configuring the service role target cluster](#).

New property, Cluster Alias, introduced for Kafka Credentials

A new optional property, Cluster Alias, is introduced for Kafka Credentials. This property can be used to specify the alias of the Kafka cluster that the Kafka Credential defines. If you choose to use this property, the Name property of a Kafka Credential does not have to match the alias of the Kafka cluster that the Kafka Credential defines. If an alias is not specified in Cluster Alias, the value specified in the Name property is used as the alias.

Increase the default replication factor of internal topics to 3

The internal topics used by SRM are now created with a replication factor of 3 by default. As a result, SRM is now more resistant to host failures. Additionally, Cruise Control can now automatically heal SRM's internal topics in the event of a single host failure.

SRM now creates all internal topics with correct configurations at startup

The internal topics used by SRM are now automatically created with correct configurations at startup. These are the metrics topics, the topics used by the srm-control tool, and the topics used by the SRM Service for service discovery. Additionally, SRM also verifies that the topics are created with correct configurations. If the topics are not configured as expected, SRM fails to start. This improvement fixes CDPD-31745.

Enhance replication status metrics with task information

The SRM Service now reports the status of the Connectors and Tasks in the replication status with detailed descriptions. The status and detailed descriptions can be viewed on the Replications tab of SMM UI.

Auto topic creation is disabled by default on source clusters

A new Connector property, `disable.source.topic.auto.creation`, is introduced. This property controls whether auto topic creation is enabled for SRM's internal consumers that fetch data from source clusters. This property is enabled by default meaning that auto topic creation is disabled by default. This property is not directly available for configuration in Cloudera Manager, and does not have a dedicated configuration entry on the UI. Instead, it can be configured through the Streams Replication Manager's Replication Configs Cloudera Manager property. Configuration is possible on a global or replication level.

SRM configuration properties can be configured globally for Connect workers and Connect connectors

The SRM Driver now accepts configuration properties prefixed with the `workers.` and `connectors.` prefixes. Configuration properties added to Streams Replication Manager's Replication Configs that use these prefixes are applied globally to all Connect workers or Connect connectors that the SRM Driver creates. For more information regarding the prefixes, see [Understanding SRM properties, their configuration and hierarchy](#). For more information on Connect workers and connectors, see [Streams Replication Manager Architecture](#).

SRM Driver monitoring using Cloudera Manager

Cloudera Manager's ability to monitor the SRM Driver, its replications, and the overall health of SRM is improved. Most notably, the health status of SRM is based on the health of the network and the availability of replication sources and targets. As a result of this improvement, two new metrics, a new health test, and several new configuration properties are introduced for the SRM Driver in Cloudera Manager.

New metrics and health test

The new metrics are as follows:

- SRM Driver Distributed Herder Status (`streams_replication_manager_distributed_herder_status`)
- Aggregated Status Code of SRM Driver Replication Flows (`streams_replication_manager_aggregated_herder_status`)

The distributed metric describes the status of individual replications. The aggregate metric provides the aggregate status of all replications.

The new health test is called `DISTRIBUTED_HERDER_STATUS`. This health test is based on the aggregate metric and provides information on the overall status of SRM and its replications.

New properties

The new monitoring related properties are as follows:

- Path for driver plugins (`plugin.path`)
- Enable HTTP(S) Metrics Reporter (`mm.metrics.servlet.enable`)
- SSL Encryption for the Metrics Reporter (`metrics.jetty.server.ssl.enabled`)
- HTTP Metrics Reporter Port (`metrics.jetty.server.port`)
- HTTPS Metrics Reporter Port (`metrics.jetty.server.secureport`)
- Enable Basic Authentication for Metrics Reporter (`metrics.jetty.server.authentication.enabled`)
- Metrics Reporter User Name (`metrics.jetty.server.auth.username`)
- Metrics Reporter Password (`metrics.jetty.server.auth.password`)

For more information, see [Cloudera Manager Configuration Properties Reference](#).

SRM Driver now automatically retries setting up replications for unavailable target Kafka clusters

Previously, if any of the Kafka clusters that were targeted by the SRM Driver were unavailable at startup, the SRM Driver stopped. As a result of an improvement, the SRM Driver now instead sets up replications for all target Kafka clusters that are available and continuously retries to set up replication for unavailable clusters. Retry behaviour is configurable in Cloudera Manager. The new properties related to retry behaviour are as follows:

- Retry Count for SRM Driver (`mm.replication.restart.count`)

- Retry Delay for SRM Driver (mm.replication.restart.delay.ms)

For more information see, [Cloudera Manager Configuration Properties Reference](#) or [Configuring SRM Driver retry behaviour](#).

Disabled replications can now be fully deactivated by configuring heartbeat emission

As a result of the Kafka rebase in this version of Cloudera Runtime, an improvement is introduced in connection with heartbeat emission. From now on, you can fine tune your deployment and fully deactivate any unnecessary replications that are set up by default by configuring heartbeat emission. This can help with minimizing any performance overhead caused by unnecessary replications.

To support this change, an improvement was made for the SRM service in Cloudera Manager. A dedicated configuration property, Enable Heartbeats, is introduced. You can use this property to configure emit.heartbeats, enabled on a global level directly in Cloudera Manager. Replication level overrides are still supported. This can be done by adding emit.heartbeats.enabled with a valid replication prefix to Streams Replication Manager's Replication Configs. For more information on configuring heartbeat emission, see [Configuring SRM Driver heartbeat emission](#).

IdentityReplicationPolicy now available



Warning: The IdentityReplicationPolicy does not detect cycles. As a result, using this replication policy is only viable in deployments where the replication setup is acyclic. If your replication setup is not acyclic, using this replication policy might result in records being replicated in an infinite loop between clusters. Additionally, monitoring replications with the SRM Service is not possible when this policy is in use.

The IdentityReplicationPolicy is available for use with Streams Replication Manager. This replication policy does not rename remote (replicated) topics. Streams Replication Manager can be configured to use this replication policy by adding the following entry to Streams Replication Manager's Replication Configs:

```
replication.policy.class=org.apache.kafka.connect.mirror.IdentityReplicationPolicy
```

For more information, see [KAFKA-9726](#).

SRM Service Basic Authentication support

The SRM Service can now be secured using Basic Authentication. Once Basic Authentication is set up and enabled, the REST API of the SRM Service becomes secured. Any clients or services that connect to the REST API will be required to present valid credentials for access. Configuration is done in Cloudera Manager using SRM configuration properties and external accounts. For more information, see [Configuring Basic Authentication for the SRM Service](#).

SRM automatically creates a Basic Authentication credential for co-located services

SRM automatically creates a Basic Authentication credential for co-located services (you can change the credentials using SRM Service Co-Located Service Username and SRM Service Co-Located Service User Password). When Basic Authentication is enabled, this user is automatically accepted by the SRM Service. For more information, see [Configuring Basic Authentication for the SRM Service](#).

What's new in Streams Messaging Manager

Learn about the new features for Streams Messaging Manager in Cloudera Runtime 7.1.8.

Improvement in the Connect tab of the SMM UI

You can now deploy Kafka Connect connector configurations containing secret properties which will be stored in an encrypted storage (by default in Kafka). The deployed configuration will only contain references to these secrets. With this comes the need to mark properties as secret on the Streams Messaging Manager user interface so a new

connector creation form is introduced, which supports it. You can import configurations and populate the form automatically.

Data Explorer Performance Optimization

The Data Explorer performance has been improved. The SMM UI has the following changes:

- 'null' values are shown explicitly as null (in italics to signify its not the string literal 'null').
- Message keys can now be truncated as well and have a 'show more' button.
- When the 'show more' button is clicked the non-truncated key/value is fetched.
- Truncated content <1MB are opened in a modal, otherwise a new tab is opened and the content is written to it.
- Numerical values >9007199254740991 are now shown correctly.

Kafka Connect improvement

- In NiFi connectors you can now provide file path or URL for the flow.snapshot or alternatively you can browse the file in the SMM UI and then populate the flow.snapshot property with the content of that file.
- You can now import Connector Configurations as a whole instead of adding individual configurations.
- Connector configuration validation errors are now correlated with individual config key.
- Sensitive properties are now hidden from the SMM UI and support is added to set properties as sensitive.
- To monitor and manage Kafka Connect in SMM, a number of SMM service properties must be configured. From now on, these properties are automatically configured if Kafka Connect Host is left empty (default). This means that the SMM service automatically configures itself to connect to its co-located Kafka Connect instance. You can provide custom values for all properties if you want to override the defaults. The automatically configured properties are as follows:
 - Kafka Connect Host
 - Kafka Connect Port
 - Kafka Connect Protocol

Partition dimension removal in SMM

The partition dimensions of the producer ("/api/v2/admin/metrics/aggregated/producers") and consumer ("/api/v2/admin/metrics/aggregated/groups") metrics are removed from the SMM cache, and are not exposed anymore through the API. This made the SMM memory footprint smaller, relieved some of the load from the metric store, and the network traffic became smaller. With this change, you get a cleaner, and easily readable API, and the UI is snappier, and faster than before.

The version of the /api/v1/admin/metrics/aggregated/* and /api/v1/admin/lineage/* endpoints have been changed to /api/v2/admin/aggregated and /api/v2/admin/lineage. With this change, the response objects are changed as well.

For the /lineage endpoints a common lineage response object is introduced in v2 as opposed to the specific (and different) objects in the experimental v1 endpoint.

For the /aggregated/* endpoints, the partition level metrics (that were in the wrappedPartitionMetrics field) are removed. Partition level metrics have been removed from the /aggregate/producers and /aggregated/producers/{producerClientId} but they are still available in the corresponding /metrics/producers and /metrics/producers/{producerId} endpoints.

Ability to reset consumer group offsets in SMM

Users are now able to reset consumer group offsets so that the consumers will consume messages again. This is especially helpful when a bulk data import operation fails and needs to be retried.

Stateless Sink and Source should populate Key/Value Converters

SMM UI Connector Creation page now contains a default key/value converter to the StatelessNiFiSource or StatelessNiFiSink connectors.

SMM UI shows the replication status tooltip

Streams Messaging Manager now shows tooltip for the replication status.

On the Overview page the lineage information shown is adjusted

On the Overview page, when a Producer or a Consumer is selected, an arrow points to the topic(s) it produced to or consumed from, instead of the partitions.

SMM: HA Support for Oracle Database with RAC

Added HA support for Oracle database with RAC for SMM.

Added API to enrich a connector sample configuration

Streams Messaging Manager API `/connector-templates/config/enhance` is added, which accepts a sample connector configuration and enhances it with the properties that are probably needed for that connector.

Added `emit.consumer.metrics` config to SMM CSD, and removed unused `SMON` host/port configs

Removed `"cm.metrics.service.monitor.host"` and `"cm.metrics.service.monitor.port"` configurations from Streams Messaging Manager.

These no longer have to be configured as SMM automatically detects ServiceMonitor's location and emits the ConsumerGroup metrics into it.

Added `"emit.consumer.metrics"` configuration to Streams Messaging Manager.

In case this flag is disabled, Streams Messaging Manager does not emit historic ConsumerGroup metrics into ServiceMonitor, meaning historic metrics (for group Lag and CommittedOffset) would not be available for Groups in SMM. These metrics are used to populate the charts at the bottom of the ConsumerGroupDetail page, or accessed through the `"api/v2/admin/metrics/consumers/group/{groupId}"` REST API endpoint.

The SMM API now hides email notifier SMTP passwords in its response

Previously the `/notifiers` endpoint returned the full configuration of the notifier. In the case of email notifiers, the configuration included the password of the SMTP server. API responses from now on do not include the password. As result of this change, the `PASSWORD` field of existing email notifiers is left blank when you edit them. If you decide to edit the notifier you must reenter the password.

Added common parameters for Stateless NiFi Connectors in SMM

The following new properties are added to SMM to support Stateless NiFi Connectors. Users can add these to the connector config json manually any time.

Property	Description	Default
<code>extensions.directory</code>	Specifies the directory that stores the extensions that will be downloaded (if any) from the configured Extension Client.	<code>/tmp/nifi-stateless-extensions</code>
<code>working.directory</code>	Specifies the temporary working directory for expanding NiFi Archives (NARs).	<code>/tmp/nifi-stateless-working</code>
<code>krb5.file</code>	Specifies the <code>krb5.conf</code> file to use if connecting to Kerberos-enabled services.	<code>/etc/krb5.conf</code>
<code>nexus.url</code>	Specifies the Base URL of the Nexus instance to source extensions from.	
<code>flow.definitions.directory</code>	Where the flow definitions are stored.	

What's New in Apache Hadoop YARN and YARN Queue Manager

Learn about the new features of YARN and YARN Queue Manager in Cloudera Runtime 7.1.8

Apache Hadoop YARN

There are no new features for Apache Hadoop YARN in this release of Cloudera Runtime.

YARN Queue Manager

Dynamic Queue Scheduling

Dynamic Queue Scheduling is now generally available and can be used in production environments. This is the result of multiple changes, improvements, and new features such as Dynamic Configuration revalidation and execution logs.

For more information, see [Dynamic Queue Scheduling](#).

Queue priority

Setting queue priorities is now supported by the YARN Queue Manager UI. By setting queue priorities you can ensure that applications can access cluster resources. This is especially important in the case of Hive LLAP, long-running applications, and applications that require large containers. For more information about the Dynamic Queue Scheduling feature, see [Setting queue priorities](#).

Setting Maximum Parallel Application Limits

You can set the maximum number of applications limits for all queues, all users, and at the user level. The maximum parallel application limit is inherited from the “root” queue level and is lowered down in the queue hierarchy. The limit is checked in the queue hierarchy and the lowest value is applied as the limit.

For more information, see [Setting Maximum Parallel Application](#).

Editing placement rules

Support to edit previously created placement rules was added.

For more information, see [Editing placement rules](#).

Refresh queues option in Queue Manager UI

A Refresh button was added to the Overview tab in the YARN Queue Manager UI which provides the functionality to refresh the queues on demand.

Configuring the the capacity and max capacity of root queue in absolute mode

Support to configure memory/vcores and maximum memory/vcores for the root queue in absolute resource allocation mode is added. They can be set using the YARN Queue Manager UI.

For more information, see [Configuring the resource capacity of root queue in absolute mode](#).

New YARN Queue Manager Overview Page

The new YARN Queue Manager **Overview** page has a new improved User Interface (UI) with the following new features:

- **Minimap:** The Overview page now has a minimap of the queue structure. It shows the whole queue structure even if you zoom in to a specific part of it.
- **Refresh:** You can click the Refresh icon for in-screen refresh of the page.
- **Zoom and Panning :** You can use the mouse to zoom in and zoom out on the screen to view the queue structure. You can also drag the queue structure to see different parts of the structure.
- **Tool Tip:** You can hover on the queue name for information like queue name and its queue path, queue status, and capacity. Previously, only the queue name and its path was displayed.

Unaffected Components in this release

There are no new features for the following components in Cloudera Runtime 7.1.8.

- Apache Avro
- DAS
- Apache Hadoop
- Livy
- MapReduce
- Apache Oozie
- Apache Parquet
- TEZ
- Apache Zeppelin
- Apache Zookeeper

Cloudera Runtime 7.1.8 component versions

You must be familiar with the versions of all the components in the Cloudera Runtime 7.1.8 distribution to ensure the compatibility of these components with other applications. You must also be aware of the available Technical Preview components and use them only in a testing environment.

Apache Components

The component version number has three parts, **[**Apache component version**].[*Runtime version number*].[*Runtime Build number*]**. For example, if the listed Apache HBase component version number is 2.4.6.7.1.8.0-801, 2.4.6 is the upstream Apache HBase component version, 7.1.8.0 is the Runtime version, and 801 is Runtime build. You can also view the component version numbers in Cloudera Manager.

Component	Version
Apache Arrow	0.8.0.7.1.8.0-801
Apache Atlas	2.2.0.7.1.8.0-801
Apache Calcite	1.19.0.7.1.8.0-801
Apache Avro	1.8.2.7.1.8.0-801
Apache Hadoop (Includes YARN and HDFS)	3.1.1.7.1.8.0-801
Apache HBase	2.4.6.7.1.8.0-801
Apache Hive	3.1.3000.7.1.8.0-801
Apache Impala	4.0.0.7.1.8.0-801
Apache Kafka	3.1.1.7.1.8.0-801
Apache Knox	1.3.0.7.1.8.0-801
Apache Kudu	1.15.0.7.1.8.0-801
Apache Livy	0.6.0.7.1.8.0-801
Apache MapReduce	3.1.1.7.1.8.0-801
Apache Ozone	1.2.0.7.1.8.0-801
Apache Oozie	5.1.0.7.1.8.0-801
Apache ORC	1.5.1.7.1.8.0-801
Apache Parquet	1.10.99.7.1.8.0-801
Apache Phoenix	5.1.1.7.1.8.0-801

Component	Version
Apache Ranger	2.3.0.7.1.8.0-801
Apache Solr	8.4.1.7.1.8.0-801
Apache Spark 2.x	2.4.8.7.1.8.0-801
Apache Spark 3.x	CDS
Apache Sqoop	1.4.7.7.1.8.0-801
Apache Tez	0.9.1.7.1.8.0-801
Apache Zeppelin	0.8.2.7.1.8.0-801
Apache ZooKeeper	3.5.5.7.1.8.0-801

Other Components

Component	Version
Cruise Control	2.5.85.7.1.8.0-801
Data Analytics Studio	1.4.2.7.1.8.0-801
GCS Connector	2.1.2.7.1.8.0-801
HBase Indexer	1.5.0.7.5.0-141
Hue	4.5.0.7.1.8.0-801
Search	1.0.0.7.1.8.0-801
Schema Registry	0.10.0.7.1.8.0-801
Streams Messaging Manager	2.3.0.7.1.8.0-801
Streams Replication Manager	1.1.0.7.1.8.0-801

Connectors and Encryption Components

Component	Version
HBase connectors	1.0.0.7.1.8.0-801
Hive Meta Store (HMS)	1.0.0
Hive on Tez	1.0.0
Hive Warehouse Connector	1.0.0.7.1.8.0-801
Spark Atlas Connector	0.1.0.7.1.8.0-801
Spark Schema Registry	1.1.0.7.1.8.0-801

Using the Cloudera Runtime Maven repository 7.1.8

Information about using Maven to build applications with Cloudera Runtime components.

If you want to build applications or tools for use with Cloudera Runtime components and you are using Maven or Ivy for dependency management, you can pull the Cloudera Runtime artifacts from the Cloudera Maven repository. The repository is available at <https://repository.cloudera.com/artifactory/cloudera-repos/>.



Important: When you build an application JAR, do not include CDH JARs, because they are already provided. If you do, upgrading CDH can break your application. To avoid this situation, set the Maven dependency scope to provided. If you have already built applications which include the CDH JARs, update the dependency to set scope to provided and recompile.

The following is a sample POM (pom.xml) file:

```
<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/maven-v4_0_0.xsd">
  <repositories>
    <repository>
      <id>cloudera</id>
      <url>https://repository.cloudera.com/artifactory/cloudera-repos/</url>
    </repository>
  </repositories>
</project>
```

Runtime 7.1.8.0-801

The following table lists the project name, groupId, artifactId, and version required to access each Runtime artifact.

Project	groupId	artifactId	version
Apache Atlas	org.apache.atlas	atlas-authorization	2.1.0.7.1.8.0-801
	org.apache.atlas	atlas-aws-s3-bridge	2.1.0.7.1.8.0-801
	org.apache.atlas	atlas-azure-adls-bridge	2.1.0.7.1.8.0-801
	org.apache.atlas	atlas-classification-updater	2.1.0.7.1.8.0-801
	org.apache.atlas	atlas-client-common	2.1.0.7.1.8.0-801
	org.apache.atlas	atlas-client-v1	2.1.0.7.1.8.0-801
	org.apache.atlas	atlas-client-v2	2.1.0.7.1.8.0-801
	org.apache.atlas	atlas-common	2.1.0.7.1.8.0-801
	org.apache.atlas	atlas-distro	2.1.0.7.1.8.0-801
	org.apache.atlas	atlas-docs	2.1.0.7.1.8.0-801
	org.apache.atlas	atlas-graphdb-api	2.1.0.7.1.8.0-801
	org.apache.atlas	atlas-graphdb-common	2.1.0.7.1.8.0-801
	org.apache.atlas	atlas-graphdb-janus	2.1.0.7.1.8.0-801
	org.apache.atlas	atlas-hdfs-bridge	2.1.0.7.1.8.0-801
	org.apache.atlas	atlas-index-repair-tool	2.1.0.7.1.8.0-801
	org.apache.atlas	atlas-intg	2.1.0.7.1.8.0-801
	org.apache.atlas	atlas-janusgraph-hbase2	2.1.0.7.1.8.0-801
	org.apache.atlas	atlas-notification	2.1.0.7.1.8.0-801
	org.apache.atlas	atlas-plugin-classloader	2.1.0.7.1.8.0-801
	org.apache.atlas	atlas-repository	2.1.0.7.1.8.0-801
	org.apache.atlas	atlas-server-api	2.1.0.7.1.8.0-801
	org.apache.atlas	atlas-testtools	2.1.0.7.1.8.0-801
	org.apache.atlas	hbase-bridge	2.1.0.7.1.8.0-801
	org.apache.atlas	hbase-bridge-shim	2.1.0.7.1.8.0-801
	org.apache.atlas	hbase-testing-util	2.1.0.7.1.8.0-801
	org.apache.atlas	hdfs-model	2.1.0.7.1.8.0-801
	org.apache.atlas	hive-bridge	2.1.0.7.1.8.0-801

Project	groupId	artifactId	version
	org.apache.atlas	hive-bridge-shim	2.1.0.7.1.8.0-801
	org.apache.atlas	impala-bridge	2.1.0.7.1.8.0-801
	org.apache.atlas	impala-bridge-shim	2.1.0.7.1.8.0-801
	org.apache.atlas	impala-hook-api	2.1.0.7.1.8.0-801
	org.apache.atlas	kafka-bridge	2.1.0.7.1.8.0-801
	org.apache.atlas	kafka-bridge-shim	2.1.0.7.1.8.0-801
	org.apache.atlas	navigator-to-atlas	2.1.0.7.1.8.0-801
	org.apache.atlas	sample-app	2.1.0.7.1.8.0-801
	org.apache.atlas	sqoop-bridge	2.1.0.7.1.8.0-801
	org.apache.atlas	sqoop-bridge-shim	2.1.0.7.1.8.0-801
Apache Avro	org.apache.avro	avro	1.8.2.7.1.8.0-801
	org.apache.avro	avro-compiler	1.8.2.7.1.8.0-801
	org.apache.avro	avro-ipc	1.8.2.7.1.8.0-801
	org.apache.avro	avro-mapred	1.8.2.7.1.8.0-801
	org.apache.avro	avro-maven-plugin	1.8.2.7.1.8.0-801
	org.apache.avro	avro-protobuf	1.8.2.7.1.8.0-801
	org.apache.avro	avro-service-archetype	1.8.2.7.1.8.0-801
	org.apache.avro	avro-thrift	1.8.2.7.1.8.0-801
	org.apache.avro	avro-tools	1.8.2.7.1.8.0-801
	org.apache.avro	trevni-avro	1.8.2.7.1.8.0-801
	org.apache.avro	trevni-core	1.8.2.7.1.8.0-801
Apache Calcite	org.apache.calcite	calcite-babel	1.19.0.7.1.8.0-801
	org.apache.calcite	calcite-core	1.19.0.7.1.8.0-801
	org.apache.calcite	calcite-druid	1.19.0.7.1.8.0-801
	org.apache.calcite	calcite-linq4j	1.19.0.7.1.8.0-801
	org.apache.calcite	calcite-server	1.19.0.7.1.8.0-801
	org.apache.calcite.avatica	avatica	1.16.0.7.1.8.0-801
	org.apache.calcite.avatica	avatica-core	1.16.0.7.1.8.0-801
	org.apache.calcite.avatica	avatica-metrics	1.16.0.7.1.8.0-801
	org.apache.calcite.avatica	avatica-metrics-dropwizardmetrics	1.16.0.7.1.8.0-801
	org.apache.calcite.avatica	avatica-noop-driver	1.16.0.7.1.8.0-801
	org.apache.calcite.avatica	avatica-server	1.16.0.7.1.8.0-801
	org.apache.calcite.avatica	avatica-standalone-server	1.16.0.7.1.8.0-801
	org.apache.calcite.avatica	avatica-tck	1.16.0.7.1.8.0-801
GCS Connector	com.google.cloud.bigtable	bigtable-hbase-connector	2.1.2.7.1.8.0-801
	com.google.cloud.bigtable	gdata-connector	2.1.2.7.1.8.0-801
	com.google.cloud.bigtable	gdata-oss	2.1.2.7.1.8.0-801
	com.google.cloud.bigtable	gdata-oss	2.1.2.7.1.8.0-801
	com.google.cloud.bigtable	gdata-oss-sqoop	2.1.2.7.1.8.0-801

Project	groupId	artifactId	version
Apache Hadoop	org.apache.hadoop	hadoop-aliyun	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-annotations	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-archive-logs	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-archives	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-assemblies	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-auth	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-aws	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-azure	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-azure-datalake	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-build-tools	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-client	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-client-api	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-client-integration-tests	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-client-miniclust	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-client-runtime	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-cloud-storage	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-common	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-datajoin	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-distcp	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-extras	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-fs2img	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-gridmix	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-hdfs	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-hdfs-client	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-hdfs-httpfs	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-hdfs-native-client	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-hdfs-nfs	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-hdfs-rbf	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-kafka	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-kms	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-mapreduce-client-app	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-mapreduce-client-common	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-mapreduce-client-core	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-mapreduce-client-hs	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-mapreduce-client-hs-plugins	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-mapreduce-client-jobclient	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-mapreduce-client-nativetask	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-mapreduce-client-shuffle	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-mapreduce-client-uploader	3.1.1.7.1.8.0-801

Project	groupId	artifactId	version
	org.apache.hadoop	hadoop-mapreduce-examples	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-maven-plugins	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-minicluster	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-minikdc	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-nfs	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-openstack	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-resourceestimator	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-rumen	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-sls	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-streaming	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-tools-dist	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-yarn-api	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-yarn-applications-distributedshell	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-yarn-applications-unmanaged-am-launcher	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-yarn-client	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-yarn-common	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-yarn-registry	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-yarn-server-applicationhistoryservice	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-yarn-server-common	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-yarn-server-nodemanager	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-yarn-server-resourcemanager	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-yarn-server-router	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-yarn-server-sharedcachemanager	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-yarn-server-tests	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-yarn-server-timeline-pluginstorage	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-yarn-server-timelineservice	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-client	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-common	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-server-2	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-tests	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-yarn-server-web-proxy	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-yarn-services-api	3.1.1.7.1.8.0-801
	org.apache.hadoop	hadoop-yarn-services-core	3.1.1.7.1.8.0-801
Apache HBase	org.apache.hbase	filesystem	hadoop3-3-testutils
	org.apache.hbase	hbase-annotations	2.4.6.7.1.8.0-801
	org.apache.hbase	hbase-asyncfs	2.4.6.7.1.8.0-801
	org.apache.hbase	hbase-checkstyle	2.4.6.7.1.8.0-801
	org.apache.hbase	hbase-client	2.4.6.7.1.8.0-801
	org.apache.hbase	hbase-client-project	2.4.6.7.1.8.0-801

Project	groupId	artifactId	version
	org.apache.hbase	hbase-common	2.4.6.7.1.8.0-801
	org.apache.hbase	hbase-endpoint	2.4.6.7.1.8.0-801
	org.apache.hbase	hbase-examples	2.4.6.7.1.8.0-801
	org.apache.hbase	hbase-external-blockcache	2.4.6.7.1.8.0-801
	org.apache.hbase	hbase-hadoop-compat	2.4.6.7.1.8.0-801
	org.apache.hbase	hbase-hadoop2-compat	2.4.6.7.1.8.0-801
	org.apache.hbase	hbase-hbtop	2.4.6.7.1.8.0-801
	org.apache.hbase	hbase-http	2.4.6.7.1.8.0-801
	org.apache.hbase	hbase-it	2.4.6.7.1.8.0-801
	org.apache.hbase	hbase-logging	2.4.6.7.1.8.0-801
	org.apache.hbase	hbase-mapreduce	2.4.6.7.1.8.0-801
	org.apache.hbase	hbase-metrics	2.4.6.7.1.8.0-801
	org.apache.hbase	hbase-metrics-api	2.4.6.7.1.8.0-801
	org.apache.hbase	hbase-procedure	2.4.6.7.1.8.0-801
	org.apache.hbase	hbase-protocol	2.4.6.7.1.8.0-801
	org.apache.hbase	hbase-protocol-shaded	2.4.6.7.1.8.0-801
	org.apache.hbase	hbase-replication	2.4.6.7.1.8.0-801
	org.apache.hbase	hbase-resource-bundle	2.4.6.7.1.8.0-801
	org.apache.hbase	hbase-rest	2.4.6.7.1.8.0-801
	org.apache.hbase	hbase-rsgroup	2.4.6.7.1.8.0-801
	org.apache.hbase	hbase-server	2.4.6.7.1.8.0-801
	org.apache.hbase	hbase-shaded-client	2.4.6.7.1.8.0-801
	org.apache.hbase	hbase-shaded-client-byo-hadoop	2.4.6.7.1.8.0-801
	org.apache.hbase	hbase-shaded-client-project	2.4.6.7.1.8.0-801
	org.apache.hbase	hbase-shaded-mapreduce	2.4.6.7.1.8.0-801
	org.apache.hbase	hbase-shaded-testing-util	2.4.6.7.1.8.0-801
	org.apache.hbase	hbase-shaded-testing-util-tester	2.4.6.7.1.8.0-801
	org.apache.hbase	hbase-shell	2.4.6.7.1.8.0-801
	org.apache.hbase	hbase-testing-util	2.4.6.7.1.8.0-801
	org.apache.hbase	hbase-thrift	2.4.6.7.1.8.0-801
	org.apache.hbase	hbase-zookeeper	2.4.6.7.1.8.0-801
	org.apache.hbase.connector.kudu	hbase-connector-kudu-model	1.0.0.7.1.8.0-801
	org.apache.hbase.connector.kudu	hbase-connector-kudu-proxy	1.0.0.7.1.8.0-801
	org.apache.hbase.connector.spark	hbase-connector-spark	1.0.0.7.1.8.0-801
	org.apache.hbase.connector.spark	hbase-connector-spark-it	1.0.0.7.1.8.0-801
	org.apache.hbase.connector.spark	hbase-connector-spark-protocol	1.0.0.7.1.8.0-801
	org.apache.hbase.connector.spark	hbase-connector-spark-protocol-shaded	1.0.0.7.1.8.0-801
	org.apache.hbase.filesystem	hbase-filesystem-testutils	1.0.0.7.1.8.0-801
	org.apache.hbase.filesystem	hbase-filesystems-impl	1.0.0.7.1.8.0-801

Project	groupId	artifactId	version
	org.apache.hbase.thirdparty	hbase-system	1.0.0.7.1.8.0-801
	org.apache.hbase.thirdparty	hbase-annotations	3.5.0.7.1.8.0-801
	org.apache.hbase.thirdparty	hbase-shaded-gson	3.5.0.7.1.8.0-801
	org.apache.hbase.thirdparty	hbase-shaded-jackson-jaxrs-json-provider	3.5.0.7.1.8.0-801
	org.apache.hbase.thirdparty	hbase-shaded-jersey	3.5.0.7.1.8.0-801
	org.apache.hbase.thirdparty	hbase-shaded-jetty	3.5.0.7.1.8.0-801
	org.apache.hbase.thirdparty	hbase-shaded-miscellaneous	3.5.0.7.1.8.0-801
	org.apache.hbase.thirdparty	hbase-shaded-netty	3.5.0.7.1.8.0-801
	org.apache.hbase.thirdparty	hbase-shaded-protobuf	3.5.0.7.1.8.0-801
Apache Hive	org.apache.hive	hive-beeline	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-blobstore	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-classification	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-cli	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-common	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-contrib	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-exec	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-hbase-handler	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-hcatalog-it-unit	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-hplsql	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-it-custom-serde	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-it-minikdc	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-it-qfile	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-it-qfile-kudu	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-it-test-serde	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-it-unit	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-it-unit-hadoop2	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-it-util	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-jdbc	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-jdbc-handler	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-jmh	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-kryo-registrator	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-kudu-handler	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-llap-client	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-llap-common	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-llap-ext-client	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-llap-server	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-llap-tez	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-metastore	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-pre-upgrade	3.1.3000.7.1.8.0-801

Project	groupId	artifactId	version
	org.apache.hive	hive-serde	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-service	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-service-rpc	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-shims	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-spark-client	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-standalone-metastore	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-storage-api	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-streaming	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-testutils	3.1.3000.7.1.8.0-801
	org.apache.hive	hive-vector-code-gen	3.1.3000.7.1.8.0-801
	org.apache.hive	kafka-handler	3.1.3000.7.1.8.0-801
	org.apache.hive.hcatalog	hive-hcatalog-core	3.1.3000.7.1.8.0-801
	org.apache.hive.hcatalog	hive-hcatalog-server-extensions	3.1.3000.7.1.8.0-801
	org.apache.hive.hcatalog	hive-hcatalog-streaming	3.1.3000.7.1.8.0-801
	org.apache.hive.hcatalog	hive-webhcat	3.1.3000.7.1.8.0-801
	org.apache.hive.hcatalog	hive-webhcat-java-client	3.1.3000.7.1.8.0-801
	org.apache.hive.hive-udf-classloader-udf1 it-custom-udfs	hive-udf-classloader-udf1	3.1.3000.7.1.8.0-801
	org.apache.hive.hive-udf-classloader-udf2 it-custom-udfs	hive-udf-classloader-udf2	3.1.3000.7.1.8.0-801
	org.apache.hive.hive-udf-classloader-util it-custom-udfs	hive-udf-classloader-util	3.1.3000.7.1.8.0-801
	org.apache.hive.hive-udf-vectorized-badexample it-custom-udfs	hive-udf-vectorized-badexample	3.1.3000.7.1.8.0-801
	org.apache.hive.shims	hive-shims-0.23	3.1.3000.7.1.8.0-801
	org.apache.hive.shims	hive-shims-common	3.1.3000.7.1.8.0-801
	org.apache.hive.shims	hive-shims-scheduler	3.1.3000.7.1.8.0-801
Apache Hive Warehouse Connector	com.hortonworks.hive	hive-warehouse-connector_2.11	1.0.0.7.1.8.0-801
Apache Kafka	org.apache.kafka	connect	3.1.1.7.1.8.0-801
	org.apache.kafka	connect-api	3.1.1.7.1.8.0-801
	org.apache.kafka	connect-basic-auth-extension	3.1.1.7.1.8.0-801
	org.apache.kafka	connect-cloudera-authorization-extension	3.1.1.7.1.8.0-801
	org.apache.kafka	connect-cloudera-common	3.1.1.7.1.8.0-801
	org.apache.kafka	connect-cloudera-secret-storage	3.1.1.7.1.8.0-801
	org.apache.kafka	connect-cloudera-security-policies	3.1.1.7.1.8.0-801
	org.apache.kafka	connect-file	3.1.1.7.1.8.0-801
	org.apache.kafka	connect-json	3.1.1.7.1.8.0-801
	org.apache.kafka	connect-mirror	3.1.1.7.1.8.0-801
	org.apache.kafka	connect-mirror-client	3.1.1.7.1.8.0-801
	org.apache.kafka	connect-runtime	3.1.1.7.1.8.0-801

Project	groupId	artifactId	version
	org.apache.kafka	connect-transforms	3.1.1.7.1.8.0-801
	org.apache.kafka	generator	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka-clients	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka-cloudera-metrics-reporter_2.12	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka-cloudera-metrics-reporter_2.13	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka-cloudera-plugins	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka-examples	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka-log4j-appender	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka-metadata	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka-raft	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka-server-common	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka-shell	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka-storage	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka-storage-api	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka-streams	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka-streams-examples	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka-streams-scala_2.12	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka-streams-scala_2.13	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka-streams-test-utils	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka-streams-upgrade-system-tests-0100	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka-streams-upgrade-system-tests-0101	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka-streams-upgrade-system-tests-0102	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka-streams-upgrade-system-tests-0110	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka-streams-upgrade-system-tests-10	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka-streams-upgrade-system-tests-11	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka-streams-upgrade-system-tests-20	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka-streams-upgrade-system-tests-21	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka-streams-upgrade-system-tests-22	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka-streams-upgrade-system-tests-23	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka-streams-upgrade-system-tests-24	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka-streams-upgrade-system-tests-25	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka-streams-upgrade-system-tests-26	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka-streams-upgrade-system-tests-27	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka-streams-upgrade-system-tests-28	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka-tools	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka_2.12	3.1.1.7.1.8.0-801
	org.apache.kafka	kafka_2.13	3.1.1.7.1.8.0-801
	org.apache.kafka	trogdor	3.1.1.7.1.8.0-801
Apache Knox	org.apache.knox	gateway-adapter	1.3.0.7.1.8.0-801

Project	groupId	artifactId	version
	org.apache.knox	gateway-admin-ui	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-applications	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-cloud-bindings	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-demo-ldap	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-demo-ldap-launcher	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-discovery-ambari	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-discovery-cm	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-docker	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-i18n	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-i18n-logging-log4j	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-i18n-logging-sl4j	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-provider-ha	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-provider-identity-assertion-common	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-provider-identity-assertion-concat	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-provider-identity-assertion-hadoop-groups	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-provider-identity-assertion-pseudo	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-provider-identity-assertion-regex	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-provider-identity-assertion-switchcase	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-provider-jersey	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-provider-rewrite	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-provider-rewrite-common	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-provider-rewrite-func-hostmap-static	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-provider-rewrite-func-inbound-query-param	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-provider-rewrite-func-service-registry	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-provider-rewrite-step-encrypt-uri	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-provider-rewrite-step-secure-query	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-provider-security-authc-anon	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-provider-security-authz-acls	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-provider-security-authz-composite	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-provider-security-clientcert	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-provider-security-hadoopauth	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-provider-security-jwt	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-provider-security-pac4j	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-provider-security-preauth	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-provider-security-shiro	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-provider-security-webappsec	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-release	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-server	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-server-launcher	1.3.0.7.1.8.0-801

Project	groupId	artifactId	version
	org.apache.knox	gateway-server-xforwarded-filter	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-service-admin	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-service-as	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-service-definitions	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-service-hashicorp-vault	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-service-hbase	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-service-health	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-service-hive	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-service-idbroker	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-service-impala	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-service-jkg	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-service-knoxsso	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-service-knoxssout	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-service-knoxtoken	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-service-livy	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-service-metadata	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-service-nifi	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-service-nifi-registry	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-service-remoteconfig	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-service-rm	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-service-session	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-service-storm	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-service-test	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-service-tgs	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-service-vault	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-service-webhdfs	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-shell	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-shell-launcher	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-shell-release	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-shell-samples	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-spi	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-test	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-test-idbroker	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-test-release-utils	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-test-utils	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-topology-hadoop-xml	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-topology-simple	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-util-common	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-util-configinjector	1.3.0.7.1.8.0-801

Project	groupId	artifactId	version
	org.apache.knox	gateway-util-launcher	1.3.0.7.1.8.0-801
	org.apache.knox	gateway-util-urltemplate	1.3.0.7.1.8.0-801
	org.apache.knox	hadoop-examples	1.3.0.7.1.8.0-801
	org.apache.knox	knox-cli-launcher	1.3.0.7.1.8.0-801
	org.apache.knox	knox-homepage-ui	1.3.0.7.1.8.0-801
	org.apache.knox	webhdfs-kerb-test	1.3.0.7.1.8.0-801
	org.apache.knox	webhdfs-test	1.3.0.7.1.8.0-801
Apache Kudu	org.apache.kudu	kudu-backup-tools	1.15.0.7.1.8.0-801
	org.apache.kudu	kudu-backup2_2.11	1.15.0.7.1.8.0-801
	org.apache.kudu	kudu-backup3_2.12	1.15.0.7.1.8.0-801
	org.apache.kudu	kudu-client	1.15.0.7.1.8.0-801
	org.apache.kudu	kudu-hive	1.15.0.7.1.8.0-801
	org.apache.kudu	kudu-spark2-tools_2.11	1.15.0.7.1.8.0-801
	org.apache.kudu	kudu-spark2_2.11	1.15.0.7.1.8.0-801
	org.apache.kudu	kudu-spark3-tools_2.12	1.15.0.7.1.8.0-801
	org.apache.kudu	kudu-spark3_2.12	1.15.0.7.1.8.0-801
	org.apache.kudu	kudu-test-utils	1.15.0.7.1.8.0-801
Apache Livy	org.apache.livy	livy-api	0.6.0.7.1.8.0-801
	org.apache.livy	livy-client-common	0.6.0.7.1.8.0-801
	org.apache.livy	livy-client-http	0.6.0.7.1.8.0-801
	org.apache.livy	livy-core_2.11	0.6.0.7.1.8.0-801
	org.apache.livy	livy-examples	0.6.0.7.1.8.0-801
	org.apache.livy	livy-integration-test	0.6.0.7.1.8.0-801
	org.apache.livy	livy-repl_2.11	0.6.0.7.1.8.0-801
	org.apache.livy	livy-rsc	0.6.0.7.1.8.0-801
	org.apache.livy	livy-scala-api_2.11	0.6.0.7.1.8.0-801
	org.apache.livy	livy-server	0.6.0.7.1.8.0-801
	org.apache.livy	livy-test-lib	0.6.0.7.1.8.0-801
	org.apache.livy	livy-thriftserver	0.6.0.7.1.8.0-801
	org.apache.livy	livy-thriftserver-session	0.6.0.7.1.8.0-801
Apache Lucene	org.apache.lucene	lucene-analyzers-common	8.4.1.7.1.8.0-801
	org.apache.lucene	lucene-analyzers-icu	8.4.1.7.1.8.0-801
	org.apache.lucene	lucene-analyzers-kuromoji	8.4.1.7.1.8.0-801
	org.apache.lucene	lucene-analyzers-morfologik	8.4.1.7.1.8.0-801
	org.apache.lucene	lucene-analyzers-nori	8.4.1.7.1.8.0-801
	org.apache.lucene	lucene-analyzers-openslp	8.4.1.7.1.8.0-801
	org.apache.lucene	lucene-analyzers-phonetic	8.4.1.7.1.8.0-801
	org.apache.lucene	lucene-analyzers-smartcn	8.4.1.7.1.8.0-801
	org.apache.lucene	lucene-analyzers-stempel	8.4.1.7.1.8.0-801

Project	groupId	artifactId	version
	org.apache.lucene	lucene-backward-codecs	8.4.1.7.1.8.0-801
	org.apache.lucene	lucene-benchmark	8.4.1.7.1.8.0-801
	org.apache.lucene	lucene-classification	8.4.1.7.1.8.0-801
	org.apache.lucene	lucene-codecs	8.4.1.7.1.8.0-801
	org.apache.lucene	lucene-core	8.4.1.7.1.8.0-801
	org.apache.lucene	lucene-demo	8.4.1.7.1.8.0-801
	org.apache.lucene	lucene-expressions	8.4.1.7.1.8.0-801
	org.apache.lucene	lucene-facet	8.4.1.7.1.8.0-801
	org.apache.lucene	lucene-grouping	8.4.1.7.1.8.0-801
	org.apache.lucene	lucene-highlighter	8.4.1.7.1.8.0-801
	org.apache.lucene	lucene-join	8.4.1.7.1.8.0-801
	org.apache.lucene	lucene-memory	8.4.1.7.1.8.0-801
	org.apache.lucene	lucene-misc	8.4.1.7.1.8.0-801
	org.apache.lucene	lucene-monitor	8.4.1.7.1.8.0-801
	org.apache.lucene	lucene-queries	8.4.1.7.1.8.0-801
	org.apache.lucene	lucene-queryparser	8.4.1.7.1.8.0-801
	org.apache.lucene	lucene-replicator	8.4.1.7.1.8.0-801
	org.apache.lucene	lucene-sandbox	8.4.1.7.1.8.0-801
	org.apache.lucene	lucene-spatial	8.4.1.7.1.8.0-801
	org.apache.lucene	lucene-spatial-extras	8.4.1.7.1.8.0-801
	org.apache.lucene	lucene-spatial3d	8.4.1.7.1.8.0-801
	org.apache.lucene	lucene-suggest	8.4.1.7.1.8.0-801
	org.apache.lucene	lucene-test-framework	8.4.1.7.1.8.0-801
Apache Oozie	org.apache.oozie	oozie-client	5.1.0.7.1.8.0-801
	org.apache.oozie	oozie-core	5.1.0.7.1.8.0-801
	org.apache.oozie	oozie-distro	5.1.0.7.1.8.0-801
	org.apache.oozie	oozie-examples	5.1.0.7.1.8.0-801
	org.apache.oozie	oozie-fluent-job-api	5.1.0.7.1.8.0-801
	org.apache.oozie	oozie-fluent-job-client	5.1.0.7.1.8.0-801
	org.apache.oozie	oozie-server	5.1.0.7.1.8.0-801
	org.apache.oozie	oozie-sharelib-distcp	5.1.0.7.1.8.0-801
	org.apache.oozie	oozie-sharelib-git	5.1.0.7.1.8.0-801
	org.apache.oozie	oozie-sharelib-hcatalog	5.1.0.7.1.8.0-801
	org.apache.oozie	oozie-sharelib-hive	5.1.0.7.1.8.0-801
	org.apache.oozie	oozie-sharelib-hive2	5.1.0.7.1.8.0-801
	org.apache.oozie	oozie-sharelib-oozie	5.1.0.7.1.8.0-801
	org.apache.oozie	oozie-sharelib-spark	5.1.0.7.1.8.0-801
	org.apache.oozie	oozie-sharelib-sqoop	5.1.0.7.1.8.0-801
	org.apache.oozie	oozie-sharelib-streaming	5.1.0.7.1.8.0-801

Project	groupId	artifactId	version
	org.apache.oozie	oozie-tools	5.1.0.7.1.8.0-801
	org.apache.oozie	oozie-zookeeper-security-tests	5.1.0.7.1.8.0-801
	org.apache.oozie.test	oozie-mini	5.1.0.7.1.8.0-801
Apache ORC	org.apache.orc	orc-core	1.5.1.7.1.8.0-801
	org.apache.orc	orc-examples	1.5.1.7.1.8.0-801
	org.apache.orc	orc-mapreduce	1.5.1.7.1.8.0-801
	org.apache.orc	orc-shims	1.5.1.7.1.8.0-801
	org.apache.orc	orc-tools	1.5.1.7.1.8.0-801
Apache Parquet	org.apache.parquet	parquet-avro	1.10.99.7.1.8.0-801
	org.apache.parquet	parquet-cascading	1.10.99.7.1.8.0-801
	org.apache.parquet	parquet-cascading3	1.10.99.7.1.8.0-801
	org.apache.parquet	parquet-column	1.10.99.7.1.8.0-801
	org.apache.parquet	parquet-common	1.10.99.7.1.8.0-801
	org.apache.parquet	parquet-encoding	1.10.99.7.1.8.0-801
	org.apache.parquet	parquet-format-structures	1.10.99.7.1.8.0-801
	org.apache.parquet	parquet-generator	1.10.99.7.1.8.0-801
	org.apache.parquet	parquet-hadoop	1.10.99.7.1.8.0-801
	org.apache.parquet	parquet-hadoop-bundle	1.10.99.7.1.8.0-801
	org.apache.parquet	parquet-jackson	1.10.99.7.1.8.0-801
	org.apache.parquet	parquet-pig	1.10.99.7.1.8.0-801
	org.apache.parquet	parquet-pig-bundle	1.10.99.7.1.8.0-801
	org.apache.parquet	parquet-protobuf	1.10.99.7.1.8.0-801
	org.apache.parquet	parquet-scala_2.10	1.10.99.7.1.8.0-801
	org.apache.parquet	parquet-thrift	1.10.99.7.1.8.0-801
	org.apache.parquet	parquet-tools	1.10.99.7.1.8.0-801
Apache Phoenix	org.apache.phoenix	phoenix-client-embedded-hbase-2.4	5.1.1.7.1.8.0-801
	org.apache.phoenix	phoenix-client-hbase-2.4	5.1.1.7.1.8.0-801
	org.apache.phoenix	phoenix-connectors-phoenix5-compatible	6.0.0.7.1.8.0-801
	org.apache.phoenix	phoenix-core	5.1.1.7.1.8.0-801
	org.apache.phoenix	phoenix-hbase-compatible-2.1.6	5.1.1.7.1.8.0-801
	org.apache.phoenix	phoenix-hbase-compatible-2.2.5	5.1.1.7.1.8.0-801
	org.apache.phoenix	phoenix-hbase-compatible-2.3.0	5.1.1.7.1.8.0-801
	org.apache.phoenix	phoenix-hbase-compatible-2.4.0	5.1.1.7.1.8.0-801
	org.apache.phoenix	phoenix-hbase-compatible-2.4.1	5.1.1.7.1.8.0-801
	org.apache.phoenix	phoenix-pherf	5.1.1.7.1.8.0-801
	org.apache.phoenix	phoenix-queryserver	6.0.0.7.1.8.0-801
	org.apache.phoenix	phoenix-queryserver-client	6.0.0.7.1.8.0-801
	org.apache.phoenix	phoenix-queryserver-it	6.0.0.7.1.8.0-801
	org.apache.phoenix	phoenix-queryserver-load-balancer	6.0.0.7.1.8.0-801

Project	groupId	artifactId	version
	org.apache.phoenix	phoenix-queryserver-orchestrator	6.0.0.7.1.8.0-801
	org.apache.phoenix	phoenix-server-hbase-2.4	5.1.1.7.1.8.0-801
	org.apache.phoenix	phoenix-tracing-webapp	5.1.1.7.1.8.0-801
	org.apache.phoenix	phoenix5-hive	6.0.0.7.1.8.0-801
	org.apache.phoenix	phoenix5-hive-shaded	6.0.0.7.1.8.0-801
	org.apache.phoenix	phoenix5-spark	6.0.0.7.1.8.0-801
	org.apache.phoenix	phoenix5-spark-shaded	6.0.0.7.1.8.0-801
	org.apache.phoenix	phoenix5-shaded-commons-cli	1.1.0.7.1.8.0-801
	org.apache.phoenix	phoenix5-shaded-guava	1.1.0.7.1.8.0-801
Apache Ranger	org.apache.ranger	conditions-enrichers	2.3.0.7.1.8.0-801
	org.apache.ranger	credentialbuilder	2.3.0.7.1.8.0-801
	org.apache.ranger	embeddedwebserver	2.3.0.7.1.8.0-801
	org.apache.ranger	jisql	2.3.0.7.1.8.0-801
	org.apache.ranger	ldapconfigcheck	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-adls-plugin	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-atlas-plugin	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-atlas-plugin-shim	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-authn	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-distro	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-examples-distro	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-hbase-plugin	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-hbase-plugin-shim	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-hdfs-plugin	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-hdfs-plugin-shim	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-hive-plugin	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-hive-plugin-shim	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-intg	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-kafka-connect-plugin	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-kafka-plugin	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-kafka-plugin-shim	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-kms	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-kms-plugin	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-kms-plugin-shim	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-knox-plugin	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-knox-plugin-shim	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-kudu-plugin	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-kylin-plugin	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-kylin-plugin-shim	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-nifi-plugin	2.3.0.7.1.8.0-801

Project	groupId	artifactId	version
	org.apache.ranger	ranger-nifi-registry-plugin	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-ozone-plugin	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-ozone-plugin-shim	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-plugin-classloader	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-plugins-audit	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-plugins-common	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-plugins-cred	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-plugins-installer	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-policymigration	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-raz-adls	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-raz-chained-plugins	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-raz-hook-abfs	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-raz-intg	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-raz-processor	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-rms-common	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-rms-hive	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-rms-plugins-common	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-rms-webapp	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-sampleapp-plugin	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-schema-registry-plugin	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-solr-plugin	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-solr-plugin-shim	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-sqoop-plugin	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-sqoop-plugin-shim	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-storm-plugin	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-storm-plugin-shim	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-tagsync	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-tools	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-util	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-yarn-plugin	2.3.0.7.1.8.0-801
	org.apache.ranger	ranger-yarn-plugin-shim	2.3.0.7.1.8.0-801
	org.apache.ranger	sample-client	2.3.0.7.1.8.0-801
	org.apache.ranger	sampleapp	2.3.0.7.1.8.0-801
	org.apache.ranger	shaded-raz-hook-abfs	2.3.0.7.1.8.0-801
	org.apache.ranger	ugsync-util	2.3.0.7.1.8.0-801
	org.apache.ranger	unixauthclient	2.3.0.7.1.8.0-801
	org.apache.ranger	unixauthservice	2.3.0.7.1.8.0-801
	org.apache.ranger	unixusersync	2.3.0.7.1.8.0-801
Apache Solr	org.apache.solr	solr-analysis-extras	8.4.1.7.1.8.0-801

Project	groupId	artifactId	version
	org.apache.solr	solr-analytics	8.4.1.7.1.8.0-801
	org.apache.solr	solr-cell	8.4.1.7.1.8.0-801
	org.apache.solr	solr-clustering	8.4.1.7.1.8.0-801
	org.apache.solr	solr-core	8.4.1.7.1.8.0-801
	org.apache.solr	solr-dataimporthandler	8.4.1.7.1.8.0-801
	org.apache.solr	solr-dataimporthandler-extras	8.4.1.7.1.8.0-801
	org.apache.solr	solr-jaegertracer-configurator	8.4.1.7.1.8.0-801
	org.apache.solr	solr-langid	8.4.1.7.1.8.0-801
	org.apache.solr	solr-ltr	8.4.1.7.1.8.0-801
	org.apache.solr	solr-prometheus-exporter	8.4.1.7.1.8.0-801
	org.apache.solr	solr-security-util	8.4.1.7.1.8.0-801
	org.apache.solr	solr-solrj	8.4.1.7.1.8.0-801
	org.apache.solr	solr-test-framework	8.4.1.7.1.8.0-801
	org.apache.solr	solr-velocity	8.4.1.7.1.8.0-801
Apache Spark	org.apache.spark	spark-avro_2.11	2.4.8.7.1.8.0-801
	org.apache.spark	spark-catalyst_2.11	2.4.8.7.1.8.0-801
	org.apache.spark	spark-core_2.11	2.4.8.7.1.8.0-801
	org.apache.spark	spark-graphx_2.11	2.4.8.7.1.8.0-801
	org.apache.spark	spark-hadoop-cloud_2.11	2.4.8.7.1.8.0-801
	org.apache.spark	spark-hive_2.11	2.4.8.7.1.8.0-801
	org.apache.spark	spark-kubernetes_2.11	2.4.8.7.1.8.0-801
	org.apache.spark	spark-kvstore_2.11	2.4.8.7.1.8.0-801
	org.apache.spark	spark-launcher_2.11	2.4.8.7.1.8.0-801
	org.apache.spark	spark-mllib-local_2.11	2.4.8.7.1.8.0-801
	org.apache.spark	spark-mllib_2.11	2.4.8.7.1.8.0-801
	org.apache.spark	spark-network-common_2.11	2.4.8.7.1.8.0-801
	org.apache.spark	spark-network-shuffle_2.11	2.4.8.7.1.8.0-801
	org.apache.spark	spark-network-yarn_2.11	2.4.8.7.1.8.0-801
	org.apache.spark	spark-repl_2.11	2.4.8.7.1.8.0-801
	org.apache.spark	spark-sketch_2.11	2.4.8.7.1.8.0-801
	org.apache.spark	spark-sql-kafka-0-10_2.11	2.4.8.7.1.8.0-801
	org.apache.spark	spark-sql_2.11	2.4.8.7.1.8.0-801
	org.apache.spark	spark-streaming-kafka-0-10-assembly_2.11	2.4.8.7.1.8.0-801
	org.apache.spark	spark-streaming-kafka-0-10_2.11	2.4.8.7.1.8.0-801
	org.apache.spark	spark-streaming_2.11	2.4.8.7.1.8.0-801
	org.apache.spark	spark-tags_2.11	2.4.8.7.1.8.0-801
	org.apache.spark	spark-token-provider-kafka-0-10_2.11	2.4.8.7.1.8.0-801
	org.apache.spark	spark-unsafe_2.11	2.4.8.7.1.8.0-801
	org.apache.spark	spark-yarn_2.11	2.4.8.7.1.8.0-801

Project	groupId	artifactId	version
Apache Sqoop	org.apache.sqoop	sqoop	1.4.7.7.1.8.0-801
	org.apache.sqoop	sqoop-test	1.4.7.7.1.8.0-801
Apache Tez	org.apache.tez	hadoop-shim	0.9.1.7.1.8.0-801
	org.apache.tez	hadoop-shim-2.8	0.9.1.7.1.8.0-801
	org.apache.tez	tez-api	0.9.1.7.1.8.0-801
	org.apache.tez	tez-aux-services	0.9.1.7.1.8.0-801
	org.apache.tez	tez-common	0.9.1.7.1.8.0-801
	org.apache.tez	tez-dag	0.9.1.7.1.8.0-801
	org.apache.tez	tez-examples	0.9.1.7.1.8.0-801
	org.apache.tez	tez-ext-service-tests	0.9.1.7.1.8.0-801
	org.apache.tez	tez-history-parser	0.9.1.7.1.8.0-801
	org.apache.tez	tez-javadoc-tools	0.9.1.7.1.8.0-801
	org.apache.tez	tez-job-analyzer	0.9.1.7.1.8.0-801
	org.apache.tez	tez-mapreduce	0.9.1.7.1.8.0-801
	org.apache.tez	tez-protobuf-history-plugin	0.9.1.7.1.8.0-801
	org.apache.tez	tez-runtime-internals	0.9.1.7.1.8.0-801
	org.apache.tez	tez-runtime-library	0.9.1.7.1.8.0-801
	org.apache.tez	tez-tests	0.9.1.7.1.8.0-801
	org.apache.tez	tez-yarn-timeline-cache-plugin	0.9.1.7.1.8.0-801
	org.apache.tez	tez-yarn-timeline-history	0.9.1.7.1.8.0-801
	org.apache.tez	tez-yarn-timeline-history-with-acls	0.9.1.7.1.8.0-801
	org.apache.tez	tez-yarn-timeline-history-with-fs	0.9.1.7.1.8.0-801
Apache Zeppelin	org.apache.zeppelin	zeppelin-angular	0.8.2.7.1.8.0-801
	org.apache.zeppelin	zeppelin-display	0.8.2.7.1.8.0-801
	org.apache.zeppelin	zeppelin-interpreter	0.8.2.7.1.8.0-801
	org.apache.zeppelin	zeppelin-jdbc	0.8.2.7.1.8.0-801
	org.apache.zeppelin	zeppelin-jupyter	0.8.2.7.1.8.0-801
	org.apache.zeppelin	zeppelin-livy	0.8.2.7.1.8.0-801
	org.apache.zeppelin	zeppelin-markdown	0.8.2.7.1.8.0-801
	org.apache.zeppelin	zeppelin-server	0.8.2.7.1.8.0-801
	org.apache.zeppelin	zeppelin-shell	0.8.2.7.1.8.0-801
	org.apache.zeppelin	zeppelin-zengine	0.8.2.7.1.8.0-801
Apache ZooKeeper	org.apache.zookeeper	zookeeper	3.5.5.7.1.8.0-801
	org.apache.zookeeper	zookeeper-client-c	3.5.5.7.1.8.0-801
	org.apache.zookeeper	zookeeper-contrib-loggraph	3.5.5.7.1.8.0-801
	org.apache.zookeeper	zookeeper-contrib-rest	3.5.5.7.1.8.0-801
	org.apache.zookeeper	zookeeper-contrib-zooinspector	3.5.5.7.1.8.0-801
	org.apache.zookeeper	zookeeper-docs	3.5.5.7.1.8.0-801
	org.apache.zookeeper	zookeeper-jute	3.5.5.7.1.8.0-801

Project	groupId	artifactId	version
	org.apache.zookeeper	zookeeper-recipes-election	3.5.5.7.1.8.0-801
	org.apache.zookeeper	zookeeper-recipes-lock	3.5.5.7.1.8.0-801
	org.apache.zookeeper	zookeeper-recipes-queue	3.5.5.7.1.8.0-801

Runtime 7.1.8.5-1

The following table lists the project name, groupId, artifactId, and version required to access each Runtime artifact.

Project	groupId	artifactId	version
Apache Atlas	org.apache.atlas	atlas-authorization	2.1.0.7.1.8.5-1
	org.apache.atlas	atlas-aws-s3-bridge	2.1.0.7.1.8.5-1
	org.apache.atlas	atlas-azure-adls-bridge	2.1.0.7.1.8.5-1
	org.apache.atlas	atlas-classification-updater	2.1.0.7.1.8.5-1
	org.apache.atlas	atlas-client-common	2.1.0.7.1.8.5-1
	org.apache.atlas	atlas-client-v1	2.1.0.7.1.8.5-1
	org.apache.atlas	atlas-client-v2	2.1.0.7.1.8.5-1
	org.apache.atlas	atlas-common	2.1.0.7.1.8.5-1
	org.apache.atlas	atlas-distro	2.1.0.7.1.8.5-1
	org.apache.atlas	atlas-docs	2.1.0.7.1.8.5-1
	org.apache.atlas	atlas-graphdb-api	2.1.0.7.1.8.5-1
	org.apache.atlas	atlas-graphdb-common	2.1.0.7.1.8.5-1
	org.apache.atlas	atlas-graphdb-janus	2.1.0.7.1.8.5-1
	org.apache.atlas	atlas-hdfs-bridge	2.1.0.7.1.8.5-1
	org.apache.atlas	atlas-index-repair-tool	2.1.0.7.1.8.5-1
	org.apache.atlas	atlas-intg	2.1.0.7.1.8.5-1
	org.apache.atlas	atlas-janusgraph-hbase2	2.1.0.7.1.8.5-1
	org.apache.atlas	atlas-notification	2.1.0.7.1.8.5-1
	org.apache.atlas	atlas-plugin-classloader	2.1.0.7.1.8.5-1
	org.apache.atlas	atlas-repository	2.1.0.7.1.8.5-1
	org.apache.atlas	atlas-server-api	2.1.0.7.1.8.5-1
	org.apache.atlas	atlas-testtools	2.1.0.7.1.8.5-1
	org.apache.atlas	hbase-bridge	2.1.0.7.1.8.5-1
	org.apache.atlas	hbase-bridge-shim	2.1.0.7.1.8.5-1
	org.apache.atlas	hbase-testing-util	2.1.0.7.1.8.5-1
	org.apache.atlas	hdfs-model	2.1.0.7.1.8.5-1
	org.apache.atlas	hive-bridge	2.1.0.7.1.8.5-1
	org.apache.atlas	hive-bridge-shim	2.1.0.7.1.8.5-1
	org.apache.atlas	impala-bridge	2.1.0.7.1.8.5-1
	org.apache.atlas	impala-bridge-shim	2.1.0.7.1.8.5-1
	org.apache.atlas	impala-hook-api	2.1.0.7.1.8.5-1
	org.apache.atlas	kafka-bridge	2.1.0.7.1.8.5-1

Project	groupId	artifactId	version
	org.apache.atlas	kafka-bridge-shim	2.1.0.7.1.8.5-1
	org.apache.atlas	navigator-to-atlas	2.1.0.7.1.8.5-1
	org.apache.atlas	sample-app	2.1.0.7.1.8.5-1
	org.apache.atlas	sqoop-bridge	2.1.0.7.1.8.5-1
	org.apache.atlas	sqoop-bridge-shim	2.1.0.7.1.8.5-1
Apache Avro	org.apache.avro	avro	1.8.2.7.1.8.5-1
	org.apache.avro	avro-compiler	1.8.2.7.1.8.5-1
	org.apache.avro	avro-ipc	1.8.2.7.1.8.5-1
	org.apache.avro	avro-mapred	1.8.2.7.1.8.5-1
	org.apache.avro	avro-maven-plugin	1.8.2.7.1.8.5-1
	org.apache.avro	avro-protobuf	1.8.2.7.1.8.5-1
	org.apache.avro	avro-service-archetype	1.8.2.7.1.8.5-1
	org.apache.avro	avro-thrift	1.8.2.7.1.8.5-1
	org.apache.avro	avro-tools	1.8.2.7.1.8.5-1
	org.apache.avro	trevni-avro	1.8.2.7.1.8.5-1
	org.apache.avro	trevni-core	1.8.2.7.1.8.5-1
Apache Calcite	org.apache.calcite	calcite-babel	1.19.0.7.1.8.5-1
	org.apache.calcite	calcite-core	1.19.0.7.1.8.5-1
	org.apache.calcite	calcite-druid	1.19.0.7.1.8.5-1
	org.apache.calcite	calcite-linq4j	1.19.0.7.1.8.5-1
	org.apache.calcite	calcite-server	1.19.0.7.1.8.5-1
	org.apache.calcite.avatica	avatica	1.16.0.7.1.8.5-1
	org.apache.calcite.avatica	avatica-core	1.16.0.7.1.8.5-1
	org.apache.calcite.avatica	avatica-metrics	1.16.0.7.1.8.5-1
	org.apache.calcite.avatica	avatica-metrics-dropwizardmetrics	1.16.0.7.1.8.5-1
	org.apache.calcite.avatica	avatica-noop-driver	1.16.0.7.1.8.5-1
	org.apache.calcite.avatica	avatica-server	1.16.0.7.1.8.5-1
	org.apache.calcite.avatica	avatica-standalone-server	1.16.0.7.1.8.5-1
	org.apache.calcite.avatica	avatica-tck	1.16.0.7.1.8.5-1
GCS Connector	com.google.cloud.bigtable	bigtable-hbase-connector	2.1.2.7.1.8.5-1
	com.google.cloud.bigtable	bigtable-connector	2.1.2.7.1.8.5-1
	com.google.cloud.bigtable	bigtable-hbase	2.1.2.7.1.8.5-1
	com.google.cloud.bigtable	bigtable-hbase	2.1.2.7.1.8.5-1
	com.google.cloud.bigtable	bigtable-hbase	2.1.2.7.1.8.5-1
Apache Hadoop	org.apache.hadoop	hadoop-aliyun	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-annotations	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-archive-logs	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-archives	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-assemblies	3.1.1.7.1.8.5-1

Project	groupId	artifactId	version
	org.apache.hadoop	hadoop-auth	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-aws	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-azure	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-azure-datalake	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-build-tools	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-client	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-client-api	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-client-integration-tests	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-client-minicluster	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-client-runtime	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-cloud-storage	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-common	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-datajoin	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-distcp	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-extras	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-fs2img	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-gridmix	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-hdfs	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-hdfs-client	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-hdfs-httpfs	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-hdfs-native-client	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-hdfs-nfs	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-hdfs-rbf	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-kafka	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-kms	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-mapreduce-client-app	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-mapreduce-client-common	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-mapreduce-client-core	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-mapreduce-client-hs	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-mapreduce-client-hs-plugins	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-mapreduce-client-jobclient	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-mapreduce-client-nativetask	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-mapreduce-client-shuffle	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-mapreduce-client-uploader	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-mapreduce-examples	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-maven-plugins	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-minicluster	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-minikdc	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-nfs	3.1.1.7.1.8.5-1

Project	groupId	artifactId	version
	org.apache.hadoop	hadoop-openstack	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-resourceestimator	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-rumen	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-sls	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-streaming	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-tools-dist	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-yarn-api	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-yarn-applications-distributedshell	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-yarn-applications-unmanaged-am-launcher	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-yarn-client	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-yarn-common	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-yarn-registry	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-yarn-server-applicationhistoryservice	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-yarn-server-common	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-yarn-server-nodemanager	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-yarn-server-resourcemanager	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-yarn-server-router	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-yarn-server-sharedcachemanager	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-yarn-server-tests	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-yarn-server-timeline-pluginstorage	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-yarn-server-timelineservice	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-client	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-common	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-server-2	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-tests	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-yarn-server-web-proxy	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-yarn-services-api	3.1.1.7.1.8.5-1
	org.apache.hadoop	hadoop-yarn-services-core	3.1.1.7.1.8.5-1
Apache HBase	org.apache.hbase	filesystem	hadoop3-3-testutils
	org.apache.hbase	hbase-annotations	2.4.6.7.1.8.5-1
	org.apache.hbase	hbase-asyncfs	2.4.6.7.1.8.5-1
	org.apache.hbase	hbase-checkstyle	2.4.6.7.1.8.5-1
	org.apache.hbase	hbase-client	2.4.6.7.1.8.5-1
	org.apache.hbase	hbase-client-project	2.4.6.7.1.8.5-1
	org.apache.hbase	hbase-common	2.4.6.7.1.8.5-1
	org.apache.hbase	hbase-endpoint	2.4.6.7.1.8.5-1
	org.apache.hbase	hbase-examples	2.4.6.7.1.8.5-1
	org.apache.hbase	hbase-external-blockcache	2.4.6.7.1.8.5-1
	org.apache.hbase	hbase-hadoop-compat	2.4.6.7.1.8.5-1

Project	groupId	artifactId	version
	org.apache.hbase	hbase-hadoop2-compat	2.4.6.7.1.8.5-1
	org.apache.hbase	hbase-hbtop	2.4.6.7.1.8.5-1
	org.apache.hbase	hbase-http	2.4.6.7.1.8.5-1
	org.apache.hbase	hbase-it	2.4.6.7.1.8.5-1
	org.apache.hbase	hbase-logging	2.4.6.7.1.8.5-1
	org.apache.hbase	hbase-mapreduce	2.4.6.7.1.8.5-1
	org.apache.hbase	hbase-metrics	2.4.6.7.1.8.5-1
	org.apache.hbase	hbase-metrics-api	2.4.6.7.1.8.5-1
	org.apache.hbase	hbase-procedure	2.4.6.7.1.8.5-1
	org.apache.hbase	hbase-protocol	2.4.6.7.1.8.5-1
	org.apache.hbase	hbase-protocol-shaded	2.4.6.7.1.8.5-1
	org.apache.hbase	hbase-replication	2.4.6.7.1.8.5-1
	org.apache.hbase	hbase-resource-bundle	2.4.6.7.1.8.5-1
	org.apache.hbase	hbase-rest	2.4.6.7.1.8.5-1
	org.apache.hbase	hbase-rsgroup	2.4.6.7.1.8.5-1
	org.apache.hbase	hbase-server	2.4.6.7.1.8.5-1
	org.apache.hbase	hbase-shaded-client	2.4.6.7.1.8.5-1
	org.apache.hbase	hbase-shaded-client-byo-hadoop	2.4.6.7.1.8.5-1
	org.apache.hbase	hbase-shaded-client-project	2.4.6.7.1.8.5-1
	org.apache.hbase	hbase-shaded-mapreduce	2.4.6.7.1.8.5-1
	org.apache.hbase	hbase-shaded-testing-util	2.4.6.7.1.8.5-1
	org.apache.hbase	hbase-shaded-testing-util-tester	2.4.6.7.1.8.5-1
	org.apache.hbase	hbase-shell	2.4.6.7.1.8.5-1
	org.apache.hbase	hbase-testing-util	2.4.6.7.1.8.5-1
	org.apache.hbase	hbase-thrift	2.4.6.7.1.8.5-1
	org.apache.hbase	hbase-zookeeper	2.4.6.7.1.8.5-1
	org.apache.hbase.connector.kudu	hbase-connector-kudu-model	1.0.0.7.1.8.5-1
	org.apache.hbase.connector.kudu	hbase-connector-kudu-proxy	1.0.0.7.1.8.5-1
	org.apache.hbase.connector.spark	hbase-connector-spark	1.0.0.7.1.8.5-1
	org.apache.hbase.connector.spark	hbase-connector-spark-it	1.0.0.7.1.8.5-1
	org.apache.hbase.connector.spark	hbase-connector-spark-protocol	1.0.0.7.1.8.5-1
	org.apache.hbase.connector.spark	hbase-connector-spark-protocol-shaded	1.0.0.7.1.8.5-1
	org.apache.hbase.filesystem	hbase-filesystem-testutils	1.0.0.7.1.8.5-1
	org.apache.hbase.filesystem	hbase-filesystems-impl	1.0.0.7.1.8.5-1
	org.apache.hbase.filesystem	hbase-filesystems	1.0.0.7.1.8.5-1
	org.apache.hbase.thirdparty	hbase-thirdparty-noop-htrace	3.5.0.7.1.8.5-1
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-gson	3.5.0.7.1.8.5-1
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-jackson-jaxrs-json-provider	3.5.0.7.1.8.5-1
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-jersey	3.5.0.7.1.8.5-1

Project	groupId	artifactId	version
	org.apache.hbase.thirdparty	hbase-shaded-jetty	3.5.0.7.1.8.5-1
	org.apache.hbase.thirdparty	hbase-shaded-miscellaneous	3.5.0.7.1.8.5-1
	org.apache.hbase.thirdparty	hbase-shaded-netty	3.5.0.7.1.8.5-1
	org.apache.hbase.thirdparty	hbase-shaded-protobuf	3.5.0.7.1.8.5-1
Apache Hive	org.apache.hive	hive-beeline	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-blobstore	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-classification	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-cli	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-common	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-contrib	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-exec	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-hbase-handler	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-hcatalog-it-unit	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-hplsql	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-it-custom-serde	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-it-minikdc	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-it-qfile	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-it-qfile-kudu	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-it-test-serde	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-it-unit	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-it-unit-hadoop2	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-it-util	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-jdbc	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-jdbc-handler	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-jmh	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-kryo-registrator	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-kudu-handler	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-llap-client	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-llap-common	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-llap-ext-client	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-llap-server	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-llap-tez	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-metastore	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-pre-upgrade	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-serde	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-service	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-service-rpc	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-shims	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-spark-client	3.1.3000.7.1.8.5-1

Project	groupId	artifactId	version
	org.apache.hive	hive-standalone-metastore	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-storage-api	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-streaming	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-testutils	3.1.3000.7.1.8.5-1
	org.apache.hive	hive-vector-code-gen	3.1.3000.7.1.8.5-1
	org.apache.hive	kafka-handler	3.1.3000.7.1.8.5-1
	org.apache.hive.hcatalog	hive-hcatalog-core	3.1.3000.7.1.8.5-1
	org.apache.hive.hcatalog	hive-hcatalog-server-extensions	3.1.3000.7.1.8.5-1
	org.apache.hive.hcatalog	hive-hcatalog-streaming	3.1.3000.7.1.8.5-1
	org.apache.hive.hcatalog	hive-webhcat	3.1.3000.7.1.8.5-1
	org.apache.hive.hcatalog	hive-webhcat-java-client	3.1.3000.7.1.8.5-1
	org.apache.hive.hive-udf-classloader-udf1 it-custom-udfs		3.1.3000.7.1.8.5-1
	org.apache.hive.hive-udf-classloader-udf2 it-custom-udfs		3.1.3000.7.1.8.5-1
	org.apache.hive.hive-udf-classloader-util it-custom-udfs		3.1.3000.7.1.8.5-1
	org.apache.hive.hive-udf-vectorized-badexample it-custom-udfs		3.1.3000.7.1.8.5-1
	org.apache.hive.shims	hive-shims-0.23	3.1.3000.7.1.8.5-1
	org.apache.hive.shims	hive-shims-common	3.1.3000.7.1.8.5-1
	org.apache.hive.shims	hive-shims-scheduler	3.1.3000.7.1.8.5-1
Apache Hive Warehouse Connector	com.hortonworks.hive	hive-warehouse-connector_2.11	1.0.0.7.1.8.5-1
Apache Kafka	org.apache.kafka	connect	3.1.1.7.1.8.5-1
	org.apache.kafka	connect-api	3.1.1.7.1.8.5-1
	org.apache.kafka	connect-basic-auth-extension	3.1.1.7.1.8.5-1
	org.apache.kafka	connect-cloudera-authorization-extension	3.1.1.7.1.8.5-1
	org.apache.kafka	connect-cloudera-common	3.1.1.7.1.8.5-1
	org.apache.kafka	connect-cloudera-secret-storage	3.1.1.7.1.8.5-1
	org.apache.kafka	connect-cloudera-security-policies	3.1.1.7.1.8.5-1
	org.apache.kafka	connect-file	3.1.1.7.1.8.5-1
	org.apache.kafka	connect-json	3.1.1.7.1.8.5-1
	org.apache.kafka	connect-mirror	3.1.1.7.1.8.5-1
	org.apache.kafka	connect-mirror-client	3.1.1.7.1.8.5-1
	org.apache.kafka	connect-runtime	3.1.1.7.1.8.5-1
	org.apache.kafka	connect-transforms	3.1.1.7.1.8.5-1
	org.apache.kafka	generator	3.1.1.7.1.8.5-1
	org.apache.kafka	kafka-clients	3.1.1.7.1.8.5-1
	org.apache.kafka	kafka-cloudera-metrics-reporter_2.12	3.1.1.7.1.8.5-1
	org.apache.kafka	kafka-cloudera-metrics-reporter_2.13	3.1.1.7.1.8.5-1

Project	groupId	artifactId	version
	org.apache.kafka	kafka-cloudera-plugins	3.1.1.7.1.8.5-1
	org.apache.kafka	kafka-examples	3.1.1.7.1.8.5-1
	org.apache.kafka	kafka-log4j-appender	3.1.1.7.1.8.5-1
	org.apache.kafka	kafka-metadata	3.1.1.7.1.8.5-1
	org.apache.kafka	kafka-raft	3.1.1.7.1.8.5-1
	org.apache.kafka	kafka-server-common	3.1.1.7.1.8.5-1
	org.apache.kafka	kafka-shell	3.1.1.7.1.8.5-1
	org.apache.kafka	kafka-storage	3.1.1.7.1.8.5-1
	org.apache.kafka	kafka-storage-api	3.1.1.7.1.8.5-1
	org.apache.kafka	kafka-streams	3.1.1.7.1.8.5-1
	org.apache.kafka	kafka-streams-examples	3.1.1.7.1.8.5-1
	org.apache.kafka	kafka-streams-scala_2.12	3.1.1.7.1.8.5-1
	org.apache.kafka	kafka-streams-scala_2.13	3.1.1.7.1.8.5-1
	org.apache.kafka	kafka-streams-test-utils	3.1.1.7.1.8.5-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-0100	3.1.1.7.1.8.5-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-0101	3.1.1.7.1.8.5-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-0102	3.1.1.7.1.8.5-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-0110	3.1.1.7.1.8.5-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-10	3.1.1.7.1.8.5-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-11	3.1.1.7.1.8.5-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-20	3.1.1.7.1.8.5-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-21	3.1.1.7.1.8.5-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-22	3.1.1.7.1.8.5-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-23	3.1.1.7.1.8.5-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-24	3.1.1.7.1.8.5-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-25	3.1.1.7.1.8.5-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-26	3.1.1.7.1.8.5-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-27	3.1.1.7.1.8.5-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-28	3.1.1.7.1.8.5-1
	org.apache.kafka	kafka-tools	3.1.1.7.1.8.5-1
	org.apache.kafka	kafka_2.12	3.1.1.7.1.8.5-1
	org.apache.kafka	kafka_2.13	3.1.1.7.1.8.5-1
	org.apache.kafka	trogdor	3.1.1.7.1.8.5-1
Apache Knox	org.apache.knox	gateway-adapter	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-admin-ui	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-applications	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-cloud-bindings	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-demo-ldap	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-demo-ldap-launcher	1.3.0.7.1.8.5-1

Project	groupId	artifactId	version
	org.apache.knox	gateway-discovery-ambari	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-discovery-cm	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-docker	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-i18n	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-i18n-logging-log4j	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-i18n-logging-sl4j	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-provider-ha	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-provider-identity-assertion-common	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-provider-identity-assertion-concat	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-provider-identity-assertion-hadoop-groups	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-provider-identity-assertion-pseudo	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-provider-identity-assertion-regex	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-provider-identity-assertion-switchcase	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-provider-jersey	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-provider-rewrite	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-provider-rewrite-common	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-provider-rewrite-func-hostmap-static	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-provider-rewrite-func-inbound-query-param	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-provider-rewrite-func-service-registry	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-provider-rewrite-step-encrypt-uri	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-provider-rewrite-step-secure-query	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-provider-security-authc-anon	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-provider-security-authz-acls	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-provider-security-authz-composite	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-provider-security-clientcert	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-provider-security-hadoopauth	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-provider-security-jwt	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-provider-security-pac4j	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-provider-security-preauth	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-provider-security-shiro	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-provider-security-webappsec	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-release	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-server	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-server-launcher	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-server-xforwarded-filter	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-service-admin	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-service-as	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-service-definitions	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-service-hashicorp-vault	1.3.0.7.1.8.5-1

Project	groupId	artifactId	version
	org.apache.knox	gateway-service-hbase	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-service-health	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-service-hive	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-service-idbroker	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-service-impala	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-service-jkg	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-service-knoxsso	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-service-knoxsout	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-service-knoxtoken	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-service-livy	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-service-metadata	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-service-nifi	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-service-nifi-registry	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-service-remoteconfig	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-service-rm	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-service-session	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-service-storm	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-service-test	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-service-tgs	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-service-vault	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-service-webhdfs	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-shell	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-shell-launcher	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-shell-release	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-shell-samples	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-spi	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-test	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-test-idbroker	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-test-release-utils	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-test-utils	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-topology-hadoop-xml	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-topology-simple	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-util-common	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-util-configinjector	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-util-launcher	1.3.0.7.1.8.5-1
	org.apache.knox	gateway-util-urltemplate	1.3.0.7.1.8.5-1
	org.apache.knox	hadoop-examples	1.3.0.7.1.8.5-1
	org.apache.knox	knox-cli-launcher	1.3.0.7.1.8.5-1
	org.apache.knox	knox-homepage-ui	1.3.0.7.1.8.5-1

Project	groupId	artifactId	version
	org.apache.knox	webhdfs-kerb-test	1.3.0.7.1.8.5-1
	org.apache.knox	webhdfs-test	1.3.0.7.1.8.5-1
Apache Kudu	org.apache.kudu	kudu-backup-tools	1.15.0.7.1.8.5-1
	org.apache.kudu	kudu-backup2_2.11	1.15.0.7.1.8.5-1
	org.apache.kudu	kudu-backup3_2.12	1.15.0.7.1.8.5-1
	org.apache.kudu	kudu-client	1.15.0.7.1.8.5-1
	org.apache.kudu	kudu-hive	1.15.0.7.1.8.5-1
	org.apache.kudu	kudu-spark2-tools_2.11	1.15.0.7.1.8.5-1
	org.apache.kudu	kudu-spark2_2.11	1.15.0.7.1.8.5-1
	org.apache.kudu	kudu-spark3-tools_2.12	1.15.0.7.1.8.5-1
	org.apache.kudu	kudu-spark3_2.12	1.15.0.7.1.8.5-1
	org.apache.kudu	kudu-test-utils	1.15.0.7.1.8.5-1
Apache Livy	org.apache.livy	livy-api	0.6.0.7.1.8.5-1
	org.apache.livy	livy-client-common	0.6.0.7.1.8.5-1
	org.apache.livy	livy-client-http	0.6.0.7.1.8.5-1
	org.apache.livy	livy-core_2.11	0.6.0.7.1.8.5-1
	org.apache.livy	livy-examples	0.6.0.7.1.8.5-1
	org.apache.livy	livy-integration-test	0.6.0.7.1.8.5-1
	org.apache.livy	livy-repl_2.11	0.6.0.7.1.8.5-1
	org.apache.livy	livy-rsc	0.6.0.7.1.8.5-1
	org.apache.livy	livy-scala-api_2.11	0.6.0.7.1.8.5-1
	org.apache.livy	livy-server	0.6.0.7.1.8.5-1
	org.apache.livy	livy-test-lib	0.6.0.7.1.8.5-1
	org.apache.livy	livy-thriftserver	0.6.0.7.1.8.5-1
	org.apache.livy	livy-thriftserver-session	0.6.0.7.1.8.5-1
Apache Lucene	org.apache.lucene	lucene-analyzers-common	8.4.1.7.1.8.5-1
	org.apache.lucene	lucene-analyzers-icu	8.4.1.7.1.8.5-1
	org.apache.lucene	lucene-analyzers-kuromoji	8.4.1.7.1.8.5-1
	org.apache.lucene	lucene-analyzers-morfologik	8.4.1.7.1.8.5-1
	org.apache.lucene	lucene-analyzers-nori	8.4.1.7.1.8.5-1
	org.apache.lucene	lucene-analyzers-openssl	8.4.1.7.1.8.5-1
	org.apache.lucene	lucene-analyzers-phonetic	8.4.1.7.1.8.5-1
	org.apache.lucene	lucene-analyzers-smartcn	8.4.1.7.1.8.5-1
	org.apache.lucene	lucene-analyzers-stempel	8.4.1.7.1.8.5-1
	org.apache.lucene	lucene-backward-codecs	8.4.1.7.1.8.5-1
	org.apache.lucene	lucene-benchmark	8.4.1.7.1.8.5-1
	org.apache.lucene	lucene-classification	8.4.1.7.1.8.5-1
	org.apache.lucene	lucene-codecs	8.4.1.7.1.8.5-1
	org.apache.lucene	lucene-core	8.4.1.7.1.8.5-1

Project	groupId	artifactId	version
	org.apache.lucene	lucene-demo	8.4.1.7.1.8.5-1
	org.apache.lucene	lucene-expressions	8.4.1.7.1.8.5-1
	org.apache.lucene	lucene-facet	8.4.1.7.1.8.5-1
	org.apache.lucene	lucene-grouping	8.4.1.7.1.8.5-1
	org.apache.lucene	lucene-highlighter	8.4.1.7.1.8.5-1
	org.apache.lucene	lucene-join	8.4.1.7.1.8.5-1
	org.apache.lucene	lucene-memory	8.4.1.7.1.8.5-1
	org.apache.lucene	lucene-misc	8.4.1.7.1.8.5-1
	org.apache.lucene	lucene-monitor	8.4.1.7.1.8.5-1
	org.apache.lucene	lucene-queries	8.4.1.7.1.8.5-1
	org.apache.lucene	lucene-queryparser	8.4.1.7.1.8.5-1
	org.apache.lucene	lucene-replicator	8.4.1.7.1.8.5-1
	org.apache.lucene	lucene-sandbox	8.4.1.7.1.8.5-1
	org.apache.lucene	lucene-spatial	8.4.1.7.1.8.5-1
	org.apache.lucene	lucene-spatial-extras	8.4.1.7.1.8.5-1
	org.apache.lucene	lucene-spatial3d	8.4.1.7.1.8.5-1
	org.apache.lucene	lucene-suggest	8.4.1.7.1.8.5-1
	org.apache.lucene	lucene-test-framework	8.4.1.7.1.8.5-1
Apache Oozie	org.apache.oozie	oozie-client	5.1.0.7.1.8.5-1
	org.apache.oozie	oozie-core	5.1.0.7.1.8.5-1
	org.apache.oozie	oozie-distro	5.1.0.7.1.8.5-1
	org.apache.oozie	oozie-examples	5.1.0.7.1.8.5-1
	org.apache.oozie	oozie-fluent-job-api	5.1.0.7.1.8.5-1
	org.apache.oozie	oozie-fluent-job-client	5.1.0.7.1.8.5-1
	org.apache.oozie	oozie-server	5.1.0.7.1.8.5-1
	org.apache.oozie	oozie-sharelib-distcp	5.1.0.7.1.8.5-1
	org.apache.oozie	oozie-sharelib-git	5.1.0.7.1.8.5-1
	org.apache.oozie	oozie-sharelib-hcatalog	5.1.0.7.1.8.5-1
	org.apache.oozie	oozie-sharelib-hive	5.1.0.7.1.8.5-1
	org.apache.oozie	oozie-sharelib-hive2	5.1.0.7.1.8.5-1
	org.apache.oozie	oozie-sharelib-oozie	5.1.0.7.1.8.5-1
	org.apache.oozie	oozie-sharelib-spark	5.1.0.7.1.8.5-1
	org.apache.oozie	oozie-sharelib-sqoop	5.1.0.7.1.8.5-1
	org.apache.oozie	oozie-sharelib-streaming	5.1.0.7.1.8.5-1
	org.apache.oozie	oozie-tools	5.1.0.7.1.8.5-1
	org.apache.oozie	oozie-zookeeper-security-tests	5.1.0.7.1.8.5-1
	org.apache.oozie.test	oozie-mini	5.1.0.7.1.8.5-1
Apache ORC	org.apache.orc	orc-core	1.5.1.7.1.8.5-1
	org.apache.orc	orc-examples	1.5.1.7.1.8.5-1

Project	groupId	artifactId	version
	org.apache.orc	orc-mapreduce	1.5.1.7.1.8.5-1
	org.apache.orc	orc-shims	1.5.1.7.1.8.5-1
	org.apache.orc	orc-tools	1.5.1.7.1.8.5-1
Apache Parquet	org.apache.parquet	parquet-avro	1.10.99.7.1.8.5-1
	org.apache.parquet	parquet-cascading	1.10.99.7.1.8.5-1
	org.apache.parquet	parquet-cascading3	1.10.99.7.1.8.5-1
	org.apache.parquet	parquet-column	1.10.99.7.1.8.5-1
	org.apache.parquet	parquet-common	1.10.99.7.1.8.5-1
	org.apache.parquet	parquet-encoding	1.10.99.7.1.8.5-1
	org.apache.parquet	parquet-format-structures	1.10.99.7.1.8.5-1
	org.apache.parquet	parquet-generator	1.10.99.7.1.8.5-1
	org.apache.parquet	parquet-hadoop	1.10.99.7.1.8.5-1
	org.apache.parquet	parquet-hadoop-bundle	1.10.99.7.1.8.5-1
	org.apache.parquet	parquet-jackson	1.10.99.7.1.8.5-1
	org.apache.parquet	parquet-pig	1.10.99.7.1.8.5-1
	org.apache.parquet	parquet-pig-bundle	1.10.99.7.1.8.5-1
	org.apache.parquet	parquet-protobuf	1.10.99.7.1.8.5-1
	org.apache.parquet	parquet-scala_2.10	1.10.99.7.1.8.5-1
	org.apache.parquet	parquet-thrift	1.10.99.7.1.8.5-1
	org.apache.parquet	parquet-tools	1.10.99.7.1.8.5-1
Apache Phoenix	org.apache.phoenix	phoenix-client-embedded-hbase-2.4	5.1.1.7.1.8.5-1
	org.apache.phoenix	phoenix-client-hbase-2.4	5.1.1.7.1.8.5-1
	org.apache.phoenix	phoenix-connectors-phoenix5-compatible	6.0.0.7.1.8.5-1
	org.apache.phoenix	phoenix-core	5.1.1.7.1.8.5-1
	org.apache.phoenix	phoenix-hbase-compatible-2.1.6	5.1.1.7.1.8.5-1
	org.apache.phoenix	phoenix-hbase-compatible-2.2.5	5.1.1.7.1.8.5-1
	org.apache.phoenix	phoenix-hbase-compatible-2.3.0	5.1.1.7.1.8.5-1
	org.apache.phoenix	phoenix-hbase-compatible-2.4.0	5.1.1.7.1.8.5-1
	org.apache.phoenix	phoenix-hbase-compatible-2.4.1	5.1.1.7.1.8.5-1
	org.apache.phoenix	phoenix-pherf	5.1.1.7.1.8.5-1
	org.apache.phoenix	phoenix-queryserver	6.0.0.7.1.8.5-1
	org.apache.phoenix	phoenix-queryserver-client	6.0.0.7.1.8.5-1
	org.apache.phoenix	phoenix-queryserver-it	6.0.0.7.1.8.5-1
	org.apache.phoenix	phoenix-queryserver-load-balancer	6.0.0.7.1.8.5-1
	org.apache.phoenix	phoenix-queryserver-orchestrator	6.0.0.7.1.8.5-1
	org.apache.phoenix	phoenix-server-hbase-2.4	5.1.1.7.1.8.5-1
	org.apache.phoenix	phoenix-tracing-webapp	5.1.1.7.1.8.5-1
	org.apache.phoenix	phoenix5-hive	6.0.0.7.1.8.5-1
	org.apache.phoenix	phoenix5-hive-shaded	6.0.0.7.1.8.5-1

Project	groupId	artifactId	version
	org.apache.phoenix	phoenix5-spark	6.0.0.7.1.8.5-1
	org.apache.phoenix	phoenix5-spark-shaded	6.0.0.7.1.8.5-1
	org.apache.phoenix	thirdpartyshaded-commons-cli	1.1.0.7.1.8.5-1
	org.apache.phoenix	thirdpartyshaded-guava	1.1.0.7.1.8.5-1
Apache Ranger	org.apache.ranger	conditions-enrichers	2.3.0.7.1.8.5-1
	org.apache.ranger	credentialbuilder	2.3.0.7.1.8.5-1
	org.apache.ranger	embeddedwebserver	2.3.0.7.1.8.5-1
	org.apache.ranger	jisql	2.3.0.7.1.8.5-1
	org.apache.ranger	ldapconfigcheck	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-adls-plugin	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-atlas-plugin	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-atlas-plugin-shim	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-authn	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-distro	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-examples-distro	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-hbase-plugin	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-hbase-plugin-shim	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-hdfs-plugin	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-hdfs-plugin-shim	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-hive-plugin	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-hive-plugin-shim	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-intg	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-kafka-connect-plugin	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-kafka-plugin	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-kafka-plugin-shim	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-kms	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-kms-plugin	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-kms-plugin-shim	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-knox-plugin	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-knox-plugin-shim	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-kudu-plugin	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-kylin-plugin	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-kylin-plugin-shim	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-nifi-plugin	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-nifi-registry-plugin	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-ozone-plugin	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-ozone-plugin-shim	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-plugin-classloader	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-plugins-audit	2.3.0.7.1.8.5-1

Project	groupId	artifactId	version
	org.apache.ranger	ranger-plugins-common	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-plugins-cred	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-plugins-installer	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-policymigration	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-raz-adls	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-raz-chained-plugins	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-raz-hook-abfs	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-raz-intg	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-raz-processor	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-rms-common	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-rms-hive	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-rms-plugins-common	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-rms-webapp	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-sampleapp-plugin	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-schema-registry-plugin	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-solr-plugin	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-solr-plugin-shim	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-sqoop-plugin	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-sqoop-plugin-shim	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-storm-plugin	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-storm-plugin-shim	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-tagsync	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-tools	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-util	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-yarn-plugin	2.3.0.7.1.8.5-1
	org.apache.ranger	ranger-yarn-plugin-shim	2.3.0.7.1.8.5-1
	org.apache.ranger	sample-client	2.3.0.7.1.8.5-1
	org.apache.ranger	sampleapp	2.3.0.7.1.8.5-1
	org.apache.ranger	shaded-raz-hook-abfs	2.3.0.7.1.8.5-1
	org.apache.ranger	ugsync-util	2.3.0.7.1.8.5-1
	org.apache.ranger	unixauthclient	2.3.0.7.1.8.5-1
	org.apache.ranger	unixauthservice	2.3.0.7.1.8.5-1
	org.apache.ranger	unixusersync	2.3.0.7.1.8.5-1
Apache Solr	org.apache.solr	solr-analysis-extras	8.4.1.7.1.8.5-1
	org.apache.solr	solr-analytics	8.4.1.7.1.8.5-1
	org.apache.solr	solr-cell	8.4.1.7.1.8.5-1
	org.apache.solr	solr-clustering	8.4.1.7.1.8.5-1
	org.apache.solr	solr-core	8.4.1.7.1.8.5-1
	org.apache.solr	solr-dataimporthandler	8.4.1.7.1.8.5-1

Project	groupId	artifactId	version
	org.apache.solr	solr-dataimporthandler-extras	8.4.1.7.1.8.5-1
	org.apache.solr	solr-jaegertracer-configurator	8.4.1.7.1.8.5-1
	org.apache.solr	solr-langid	8.4.1.7.1.8.5-1
	org.apache.solr	solr-ltr	8.4.1.7.1.8.5-1
	org.apache.solr	solr-prometheus-exporter	8.4.1.7.1.8.5-1
	org.apache.solr	solr-security-util	8.4.1.7.1.8.5-1
	org.apache.solr	solr-solrj	8.4.1.7.1.8.5-1
	org.apache.solr	solr-test-framework	8.4.1.7.1.8.5-1
	org.apache.solr	solr-velocity	8.4.1.7.1.8.5-1
Apache Spark	org.apache.spark	spark-avro_2.11	2.4.8.7.1.8.5-1
	org.apache.spark	spark-catalyst_2.11	2.4.8.7.1.8.5-1
	org.apache.spark	spark-core_2.11	2.4.8.7.1.8.5-1
	org.apache.spark	spark-graphx_2.11	2.4.8.7.1.8.5-1
	org.apache.spark	spark-hadoop-cloud_2.11	2.4.8.7.1.8.5-1
	org.apache.spark	spark-hive_2.11	2.4.8.7.1.8.5-1
	org.apache.spark	spark-kubernetes_2.11	2.4.8.7.1.8.5-1
	org.apache.spark	spark-kvstore_2.11	2.4.8.7.1.8.5-1
	org.apache.spark	spark-launcher_2.11	2.4.8.7.1.8.5-1
	org.apache.spark	spark-mllib-local_2.11	2.4.8.7.1.8.5-1
	org.apache.spark	spark-mllib_2.11	2.4.8.7.1.8.5-1
	org.apache.spark	spark-network-common_2.11	2.4.8.7.1.8.5-1
	org.apache.spark	spark-network-shuffle_2.11	2.4.8.7.1.8.5-1
	org.apache.spark	spark-network-yarn_2.11	2.4.8.7.1.8.5-1
	org.apache.spark	spark-repl_2.11	2.4.8.7.1.8.5-1
	org.apache.spark	spark-sketch_2.11	2.4.8.7.1.8.5-1
	org.apache.spark	spark-sql-kafka-0-10_2.11	2.4.8.7.1.8.5-1
	org.apache.spark	spark-sql_2.11	2.4.8.7.1.8.5-1
	org.apache.spark	spark-streaming-kafka-0-10-assembly_2.11	2.4.8.7.1.8.5-1
	org.apache.spark	spark-streaming-kafka-0-10_2.11	2.4.8.7.1.8.5-1
	org.apache.spark	spark-streaming_2.11	2.4.8.7.1.8.5-1
	org.apache.spark	spark-tags_2.11	2.4.8.7.1.8.5-1
	org.apache.spark	spark-token-provider-kafka-0-10_2.11	2.4.8.7.1.8.5-1
	org.apache.spark	spark-unsafe_2.11	2.4.8.7.1.8.5-1
	org.apache.spark	spark-yarn_2.11	2.4.8.7.1.8.5-1
Apache Sqoop	org.apache.sqoop	sqoop	1.4.7.7.1.8.5-1
	org.apache.sqoop	sqoop-test	1.4.7.7.1.8.5-1
Apache Tez	org.apache.tez	hadoop-shim	0.9.1.7.1.8.5-1
	org.apache.tez	hadoop-shim-2.8	0.9.1.7.1.8.5-1
	org.apache.tez	tez-api	0.9.1.7.1.8.5-1

Project	groupId	artifactId	version
	org.apache.tez	tez-aux-services	0.9.1.7.1.8.5-1
	org.apache.tez	tez-common	0.9.1.7.1.8.5-1
	org.apache.tez	tez-dag	0.9.1.7.1.8.5-1
	org.apache.tez	tez-examples	0.9.1.7.1.8.5-1
	org.apache.tez	tez-ext-service-tests	0.9.1.7.1.8.5-1
	org.apache.tez	tez-history-parser	0.9.1.7.1.8.5-1
	org.apache.tez	tez-javadoc-tools	0.9.1.7.1.8.5-1
	org.apache.tez	tez-job-analyzer	0.9.1.7.1.8.5-1
	org.apache.tez	tez-mapreduce	0.9.1.7.1.8.5-1
	org.apache.tez	tez-protobuf-history-plugin	0.9.1.7.1.8.5-1
	org.apache.tez	tez-runtime-internals	0.9.1.7.1.8.5-1
	org.apache.tez	tez-runtime-library	0.9.1.7.1.8.5-1
	org.apache.tez	tez-tests	0.9.1.7.1.8.5-1
	org.apache.tez	tez-yarn-timeline-cache-plugin	0.9.1.7.1.8.5-1
	org.apache.tez	tez-yarn-timeline-history	0.9.1.7.1.8.5-1
	org.apache.tez	tez-yarn-timeline-history-with-acls	0.9.1.7.1.8.5-1
	org.apache.tez	tez-yarn-timeline-history-with-fs	0.9.1.7.1.8.5-1
Apache Zeppelin	org.apache.zeppelin	zeppelin-angular	0.8.2.7.1.8.5-1
	org.apache.zeppelin	zeppelin-display	0.8.2.7.1.8.5-1
	org.apache.zeppelin	zeppelin-interpreter	0.8.2.7.1.8.5-1
	org.apache.zeppelin	zeppelin-jdbc	0.8.2.7.1.8.5-1
	org.apache.zeppelin	zeppelin-jupyter	0.8.2.7.1.8.5-1
	org.apache.zeppelin	zeppelin-livy	0.8.2.7.1.8.5-1
	org.apache.zeppelin	zeppelin-markdown	0.8.2.7.1.8.5-1
	org.apache.zeppelin	zeppelin-server	0.8.2.7.1.8.5-1
	org.apache.zeppelin	zeppelin-shell	0.8.2.7.1.8.5-1
	org.apache.zeppelin	zeppelin-zengine	0.8.2.7.1.8.5-1
Apache ZooKeeper	org.apache.zookeeper	zookeeper	3.5.5.7.1.8.5-1
	org.apache.zookeeper	zookeeper-client-c	3.5.5.7.1.8.5-1
	org.apache.zookeeper	zookeeper-contrib-loggraph	3.5.5.7.1.8.5-1
	org.apache.zookeeper	zookeeper-contrib-rest	3.5.5.7.1.8.5-1
	org.apache.zookeeper	zookeeper-contrib-zooinspector	3.5.5.7.1.8.5-1
	org.apache.zookeeper	zookeeper-docs	3.5.5.7.1.8.5-1
	org.apache.zookeeper	zookeeper-jute	3.5.5.7.1.8.5-1
	org.apache.zookeeper	zookeeper-recipes-election	3.5.5.7.1.8.5-1
	org.apache.zookeeper	zookeeper-recipes-lock	3.5.5.7.1.8.5-1
	org.apache.zookeeper	zookeeper-recipes-queue	3.5.5.7.1.8.5-1

Runtime 7.1.8.8-3

The following table lists the project name, groupId, artifactId, and version required to access each Runtime artifact.

Project	groupId	artifactId	version
Apache Atlas	org.apache.atlas	atlas-authorization	2.1.0.7.1.8.8-3
	org.apache.atlas	atlas-aws-s3-bridge	2.1.0.7.1.8.8-3
	org.apache.atlas	atlas-azure-adls-bridge	2.1.0.7.1.8.8-3
	org.apache.atlas	atlas-classification-updater	2.1.0.7.1.8.8-3
	org.apache.atlas	atlas-client-common	2.1.0.7.1.8.8-3
	org.apache.atlas	atlas-client-v1	2.1.0.7.1.8.8-3
	org.apache.atlas	atlas-client-v2	2.1.0.7.1.8.8-3
	org.apache.atlas	atlas-common	2.1.0.7.1.8.8-3
	org.apache.atlas	atlas-distro	2.1.0.7.1.8.8-3
	org.apache.atlas	atlas-docs	2.1.0.7.1.8.8-3
	org.apache.atlas	atlas-graphdb-api	2.1.0.7.1.8.8-3
	org.apache.atlas	atlas-graphdb-common	2.1.0.7.1.8.8-3
	org.apache.atlas	atlas-graphdb-janus	2.1.0.7.1.8.8-3
	org.apache.atlas	atlas-hdfs-bridge	2.1.0.7.1.8.8-3
	org.apache.atlas	atlas-index-repair-tool	2.1.0.7.1.8.8-3
	org.apache.atlas	atlas-intg	2.1.0.7.1.8.8-3
	org.apache.atlas	atlas-janusgraph-hbase2	2.1.0.7.1.8.8-3
	org.apache.atlas	atlas-notification	2.1.0.7.1.8.8-3
	org.apache.atlas	atlas-plugin-classloader	2.1.0.7.1.8.8-3
	org.apache.atlas	atlas-repository	2.1.0.7.1.8.8-3
	org.apache.atlas	atlas-server-api	2.1.0.7.1.8.8-3
	org.apache.atlas	atlas-testtools	2.1.0.7.1.8.8-3
	org.apache.atlas	hbase-bridge	2.1.0.7.1.8.8-3
	org.apache.atlas	hbase-bridge-shim	2.1.0.7.1.8.8-3
	org.apache.atlas	hbase-testing-util	2.1.0.7.1.8.8-3
	org.apache.atlas	hdfs-model	2.1.0.7.1.8.8-3
	org.apache.atlas	hive-bridge	2.1.0.7.1.8.8-3
	org.apache.atlas	hive-bridge-shim	2.1.0.7.1.8.8-3
	org.apache.atlas	impala-bridge	2.1.0.7.1.8.8-3
	org.apache.atlas	impala-bridge-shim	2.1.0.7.1.8.8-3
	org.apache.atlas	impala-hook-api	2.1.0.7.1.8.8-3
	org.apache.atlas	kafka-bridge	2.1.0.7.1.8.8-3
	org.apache.atlas	kafka-bridge-shim	2.1.0.7.1.8.8-3
	org.apache.atlas	navigator-to-atlas	2.1.0.7.1.8.8-3
	org.apache.atlas	sample-app	2.1.0.7.1.8.8-3
	org.apache.atlas	sqoop-bridge	2.1.0.7.1.8.8-3

Project	groupId	artifactId	version
	org.apache.atlas	sqoop-bridge-shim	2.1.0.7.1.8.8-3
Apache Avro	org.apache.avro	avro	1.8.2.7.1.8.8-3
	org.apache.avro	avro-compiler	1.8.2.7.1.8.8-3
	org.apache.avro	avro-ipc	1.8.2.7.1.8.8-3
	org.apache.avro	avro-mapred	1.8.2.7.1.8.8-3
	org.apache.avro	avro-maven-plugin	1.8.2.7.1.8.8-3
	org.apache.avro	avro-protobuf	1.8.2.7.1.8.8-3
	org.apache.avro	avro-service-archetype	1.8.2.7.1.8.8-3
	org.apache.avro	avro-thrift	1.8.2.7.1.8.8-3
	org.apache.avro	avro-tools	1.8.2.7.1.8.8-3
	org.apache.avro	trevni-avro	1.8.2.7.1.8.8-3
	org.apache.avro	trevni-core	1.8.2.7.1.8.8-3
Apache Calcite	org.apache.calcite	calcite-babel	1.19.0.7.1.8.8-3
	org.apache.calcite	calcite-core	1.19.0.7.1.8.8-3
	org.apache.calcite	calcite-druid	1.19.0.7.1.8.8-3
	org.apache.calcite	calcite-linq4j	1.19.0.7.1.8.8-3
	org.apache.calcite	calcite-server	1.19.0.7.1.8.8-3
	org.apache.calcite.avatica	avatica	1.16.0.7.1.8.8-3
	org.apache.calcite.avatica	avatica-core	1.16.0.7.1.8.8-3
	org.apache.calcite.avatica	avatica-metrics	1.16.0.7.1.8.8-3
	org.apache.calcite.avatica	avatica-metrics-dropwizardmetrics	1.16.0.7.1.8.8-3
	org.apache.calcite.avatica	avatica-noop-driver	1.16.0.7.1.8.8-3
	org.apache.calcite.avatica	avatica-server	1.16.0.7.1.8.8-3
	org.apache.calcite.avatica	avatica-standalone-server	1.16.0.7.1.8.8-3
	org.apache.calcite.avatica	avatica-tck	1.16.0.7.1.8.8-3
GCS Connector	com.google.cloud.bigtable	bigtable-hbase-connector	2.1.2.7.1.8.8-3
	com.google.cloud.bigtable	bigtable-connector	2.1.2.7.1.8.8-3
	com.google.cloud.bigtable	bigtable-hbase	2.1.2.7.1.8.8-3
	com.google.cloud.bigtable	bigtable-hbase	2.1.2.7.1.8.8-3
	com.google.cloud.bigtable	bigtable-hbase	2.1.2.7.1.8.8-3
Apache Hadoop	org.apache.hadoop	hadoop-aliyun	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-annotations	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-archive-logs	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-archives	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-assemblies	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-auth	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-aws	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-azure	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-azure-datalake	3.1.1.7.1.8.8-3

Project	groupId	artifactId	version
	org.apache.hadoop	hadoop-build-tools	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-client	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-client-api	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-client-integration-tests	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-client-minicluster	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-client-runtime	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-cloud-storage	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-common	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-datajoin	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-distcp	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-extras	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-fs2img	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-gridmix	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-hdfs	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-hdfs-client	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-hdfs-httpfs	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-hdfs-native-client	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-hdfs-nfs	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-hdfs-rbf	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-kafka	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-kms	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-mapreduce-client-app	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-mapreduce-client-common	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-mapreduce-client-core	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-mapreduce-client-hs	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-mapreduce-client-hs-plugins	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-mapreduce-client-jobclient	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-mapreduce-client-nativetask	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-mapreduce-client-shuffle	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-mapreduce-client-uploader	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-mapreduce-examples	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-maven-plugins	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-minicluster	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-minikdc	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-nfs	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-openstack	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-resourceestimator	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-rumen	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-sls	3.1.1.7.1.8.8-3

Project	groupId	artifactId	version
	org.apache.hadoop	hadoop-streaming	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-tools-dist	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-yarn-api	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-yarn-applications-distributedshell	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-yarn-applications-unmanaged-am-launcher	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-yarn-client	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-yarn-common	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-yarn-registry	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-yarn-server-applicationhistoryservice	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-yarn-server-common	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-yarn-server-nodemanager	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-yarn-server-resourcemanager	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-yarn-server-router	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-yarn-server-sharedcachemanager	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-yarn-server-tests	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-yarn-server-timeline-pluginstorage	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-yarn-server-timelineservice	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-client	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-common	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-server-2	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-tests	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-yarn-server-web-proxy	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-yarn-services-api	3.1.1.7.1.8.8-3
	org.apache.hadoop	hadoop-yarn-services-core	3.1.1.7.1.8.8-3
Apache HBase	org.apache.hbase	filesystem	hadoop3-3-testutils
	org.apache.hbase	hbase-annotations	2.4.6.7.1.8.8-3
	org.apache.hbase	hbase-asyncfs	2.4.6.7.1.8.8-3
	org.apache.hbase	hbase-checkstyle	2.4.6.7.1.8.8-3
	org.apache.hbase	hbase-client	2.4.6.7.1.8.8-3
	org.apache.hbase	hbase-client-project	2.4.6.7.1.8.8-3
	org.apache.hbase	hbase-common	2.4.6.7.1.8.8-3
	org.apache.hbase	hbase-endpoint	2.4.6.7.1.8.8-3
	org.apache.hbase	hbase-examples	2.4.6.7.1.8.8-3
	org.apache.hbase	hbase-external-blockcache	2.4.6.7.1.8.8-3
	org.apache.hbase	hbase-hadoop-compat	2.4.6.7.1.8.8-3
	org.apache.hbase	hbase-hadoop2-compat	2.4.6.7.1.8.8-3
	org.apache.hbase	hbase-hbtop	2.4.6.7.1.8.8-3
	org.apache.hbase	hbase-http	2.4.6.7.1.8.8-3
	org.apache.hbase	hbase-it	2.4.6.7.1.8.8-3

Project	groupId	artifactId	version
	org.apache.hbase	hbase-logging	2.4.6.7.1.8.8-3
	org.apache.hbase	hbase-mapreduce	2.4.6.7.1.8.8-3
	org.apache.hbase	hbase-metrics	2.4.6.7.1.8.8-3
	org.apache.hbase	hbase-metrics-api	2.4.6.7.1.8.8-3
	org.apache.hbase	hbase-procedure	2.4.6.7.1.8.8-3
	org.apache.hbase	hbase-protocol	2.4.6.7.1.8.8-3
	org.apache.hbase	hbase-protocol-shaded	2.4.6.7.1.8.8-3
	org.apache.hbase	hbase-replication	2.4.6.7.1.8.8-3
	org.apache.hbase	hbase-resource-bundle	2.4.6.7.1.8.8-3
	org.apache.hbase	hbase-rest	2.4.6.7.1.8.8-3
	org.apache.hbase	hbase-rsgroup	2.4.6.7.1.8.8-3
	org.apache.hbase	hbase-server	2.4.6.7.1.8.8-3
	org.apache.hbase	hbase-shaded-client	2.4.6.7.1.8.8-3
	org.apache.hbase	hbase-shaded-client-byo-hadoop	2.4.6.7.1.8.8-3
	org.apache.hbase	hbase-shaded-client-project	2.4.6.7.1.8.8-3
	org.apache.hbase	hbase-shaded-mapreduce	2.4.6.7.1.8.8-3
	org.apache.hbase	hbase-shaded-testing-util	2.4.6.7.1.8.8-3
	org.apache.hbase	hbase-shaded-testing-util-tester	2.4.6.7.1.8.8-3
	org.apache.hbase	hbase-shell	2.4.6.7.1.8.8-3
	org.apache.hbase	hbase-testing-util	2.4.6.7.1.8.8-3
	org.apache.hbase	hbase-thrift	2.4.6.7.1.8.8-3
	org.apache.hbase	hbase-zookeeper	2.4.6.7.1.8.8-3
	org.apache.hbase.connector.kudu	hbase-connector-kudu-model	1.0.0.7.1.8.8-3
	org.apache.hbase.connector.kudu	hbase-connector-kudu-proxy	1.0.0.7.1.8.8-3
	org.apache.hbase.connector.spark	hbase-connector-spark	1.0.0.7.1.8.8-3
	org.apache.hbase.connector.spark	hbase-connector-spark-it	1.0.0.7.1.8.8-3
	org.apache.hbase.connector.spark	hbase-connector-spark-protocol	1.0.0.7.1.8.8-3
	org.apache.hbase.connector.spark	hbase-connector-spark-protocol-shaded	1.0.0.7.1.8.8-3
	org.apache.hbase.filesystem	hbase-filesystem-testutils	1.0.0.7.1.8.8-3
	org.apache.hbase.filesystem	hbase-filesystems-impl	1.0.0.7.1.8.8-3
	org.apache.hbase.filesystem	hbase-filesystem	1.0.0.7.1.8.8-3
	org.apache.hbase.thirdparty	hbase-thirdparty-noop-htrace	3.5.0.7.1.8.8-3
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-gson	3.5.0.7.1.8.8-3
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-jackson-jaxrs-json-provider	3.5.0.7.1.8.8-3
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-jersey	3.5.0.7.1.8.8-3
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-jetty	3.5.0.7.1.8.8-3
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-miscellaneous	3.5.0.7.1.8.8-3
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-netty	3.5.0.7.1.8.8-3
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-protobuf	3.5.0.7.1.8.8-3

Project	groupId	artifactId	version
Apache Hive	org.apache.hive	hive-beeline	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-blobstore	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-classification	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-cli	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-common	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-contrib	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-exec	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-hbase-handler	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-hcatalog-it-unit	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-hplsql	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-it-custom-serde	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-it-minikdc	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-it-qfile	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-it-qfile-kudu	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-it-test-serde	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-it-unit	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-it-unit-hadoop2	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-it-util	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-jdbc	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-jdbc-handler	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-jmh	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-kryo-registrator	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-kudu-handler	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-llap-client	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-llap-common	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-llap-ext-client	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-llap-server	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-llap-tez	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-metastore	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-pre-upgrade	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-serde	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-service	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-service-rpc	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-shims	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-spark-client	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-standalone-metastore	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-storage-api	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-streaming	3.1.3000.7.1.8.8-3
	org.apache.hive	hive-testutils	3.1.3000.7.1.8.8-3

Project	groupId	artifactId	version
	org.apache.hive	hive-vector-code-gen	3.1.3000.7.1.8.8-3
	org.apache.hive	kafka-handler	3.1.3000.7.1.8.8-3
	org.apache.hive.hcatalog	hive-hcatalog-core	3.1.3000.7.1.8.8-3
	org.apache.hive.hcatalog	hive-hcatalog-server-extensions	3.1.3000.7.1.8.8-3
	org.apache.hive.hcatalog	hive-hcatalog-streaming	3.1.3000.7.1.8.8-3
	org.apache.hive.hcatalog	hive-webhcat	3.1.3000.7.1.8.8-3
	org.apache.hive.hcatalog	hive-webhcat-java-client	3.1.3000.7.1.8.8-3
	org.apache.hive.hive-udf-classloader-udf1	hive-udf-classloader-udf1	3.1.3000.7.1.8.8-3
	org.apache.hive.hive-udf-classloader-udf2	hive-udf-classloader-udf2	3.1.3000.7.1.8.8-3
	org.apache.hive.hive-udf-classloader-util	hive-udf-classloader-util	3.1.3000.7.1.8.8-3
	org.apache.hive.hive-udf-vectorized-badexample	hive-udf-vectorized-badexample	3.1.3000.7.1.8.8-3
	org.apache.hive.shims	hive-shims-0.23	3.1.3000.7.1.8.8-3
	org.apache.hive.shims	hive-shims-common	3.1.3000.7.1.8.8-3
	org.apache.hive.shims	hive-shims-scheduler	3.1.3000.7.1.8.8-3
Apache Hive Warehouse Connector	com.hortonworks.hive-warehouse-connector_2.11	hive-warehouse-connector_2.11	1.0.0.7.1.8.8-3
Apache Kafka	org.apache.kafka	connect	3.1.1.7.1.8.8-3
	org.apache.kafka	connect-api	3.1.1.7.1.8.8-3
	org.apache.kafka	connect-basic-auth-extension	3.1.1.7.1.8.8-3
	org.apache.kafka	connect-cloudera-authorization-extension	3.1.1.7.1.8.8-3
	org.apache.kafka	connect-cloudera-common	3.1.1.7.1.8.8-3
	org.apache.kafka	connect-cloudera-secret-storage	3.1.1.7.1.8.8-3
	org.apache.kafka	connect-cloudera-security-policies	3.1.1.7.1.8.8-3
	org.apache.kafka	connect-file	3.1.1.7.1.8.8-3
	org.apache.kafka	connect-json	3.1.1.7.1.8.8-3
	org.apache.kafka	connect-mirror	3.1.1.7.1.8.8-3
	org.apache.kafka	connect-mirror-client	3.1.1.7.1.8.8-3
	org.apache.kafka	connect-runtime	3.1.1.7.1.8.8-3
	org.apache.kafka	connect-transforms	3.1.1.7.1.8.8-3
	org.apache.kafka	generator	3.1.1.7.1.8.8-3
	org.apache.kafka	kafka-clients	3.1.1.7.1.8.8-3
	org.apache.kafka	kafka-cloudera-metrics-reporter_2.12	3.1.1.7.1.8.8-3
	org.apache.kafka	kafka-cloudera-metrics-reporter_2.13	3.1.1.7.1.8.8-3
	org.apache.kafka	kafka-cloudera-plugins	3.1.1.7.1.8.8-3
	org.apache.kafka	kafka-examples	3.1.1.7.1.8.8-3
	org.apache.kafka	kafka-log4j-appender	3.1.1.7.1.8.8-3
	org.apache.kafka	kafka-metadata	3.1.1.7.1.8.8-3

Project	groupId	artifactId	version
	org.apache.kafka	kafka-raft	3.1.1.7.1.8.8-3
	org.apache.kafka	kafka-server-common	3.1.1.7.1.8.8-3
	org.apache.kafka	kafka-shell	3.1.1.7.1.8.8-3
	org.apache.kafka	kafka-storage	3.1.1.7.1.8.8-3
	org.apache.kafka	kafka-storage-api	3.1.1.7.1.8.8-3
	org.apache.kafka	kafka-streams	3.1.1.7.1.8.8-3
	org.apache.kafka	kafka-streams-examples	3.1.1.7.1.8.8-3
	org.apache.kafka	kafka-streams-scala_2.12	3.1.1.7.1.8.8-3
	org.apache.kafka	kafka-streams-scala_2.13	3.1.1.7.1.8.8-3
	org.apache.kafka	kafka-streams-test-utils	3.1.1.7.1.8.8-3
	org.apache.kafka	kafka-streams-upgrade-system-tests-0100	3.1.1.7.1.8.8-3
	org.apache.kafka	kafka-streams-upgrade-system-tests-0101	3.1.1.7.1.8.8-3
	org.apache.kafka	kafka-streams-upgrade-system-tests-0102	3.1.1.7.1.8.8-3
	org.apache.kafka	kafka-streams-upgrade-system-tests-0110	3.1.1.7.1.8.8-3
	org.apache.kafka	kafka-streams-upgrade-system-tests-10	3.1.1.7.1.8.8-3
	org.apache.kafka	kafka-streams-upgrade-system-tests-11	3.1.1.7.1.8.8-3
	org.apache.kafka	kafka-streams-upgrade-system-tests-20	3.1.1.7.1.8.8-3
	org.apache.kafka	kafka-streams-upgrade-system-tests-21	3.1.1.7.1.8.8-3
	org.apache.kafka	kafka-streams-upgrade-system-tests-22	3.1.1.7.1.8.8-3
	org.apache.kafka	kafka-streams-upgrade-system-tests-23	3.1.1.7.1.8.8-3
	org.apache.kafka	kafka-streams-upgrade-system-tests-24	3.1.1.7.1.8.8-3
	org.apache.kafka	kafka-streams-upgrade-system-tests-25	3.1.1.7.1.8.8-3
	org.apache.kafka	kafka-streams-upgrade-system-tests-26	3.1.1.7.1.8.8-3
	org.apache.kafka	kafka-streams-upgrade-system-tests-27	3.1.1.7.1.8.8-3
	org.apache.kafka	kafka-streams-upgrade-system-tests-28	3.1.1.7.1.8.8-3
	org.apache.kafka	kafka-tools	3.1.1.7.1.8.8-3
	org.apache.kafka	kafka_2.12	3.1.1.7.1.8.8-3
	org.apache.kafka	kafka_2.13	3.1.1.7.1.8.8-3
	org.apache.kafka	trogdor	3.1.1.7.1.8.8-3
Apache Knox	org.apache.knox	gateway-adapter	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-admin-ui	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-applications	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-cloud-bindings	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-demo-ldap	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-demo-ldap-launcher	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-discovery-ambari	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-discovery-cm	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-docker	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-i18n	1.3.0.7.1.8.8-3

Project	groupId	artifactId	version
	org.apache.knox	gateway-i18n-logging-log4j	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-i18n-logging-slf4j	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-provider-ha	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-provider-identity-assertion-common	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-provider-identity-assertion-concat	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-provider-identity-assertion-hadoop-groups	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-provider-identity-assertion-pseudo	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-provider-identity-assertion-regex	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-provider-identity-assertion-switchcase	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-provider-jersey	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-provider-rewrite	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-provider-rewrite-common	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-provider-rewrite-func-hostmap-static	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-provider-rewrite-func-inbound-query-param	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-provider-rewrite-func-service-registry	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-provider-rewrite-step-encrypt-uri	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-provider-rewrite-step-secure-query	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-provider-security-authc-anon	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-provider-security-authz-acls	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-provider-security-authz-composite	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-provider-security-clientcert	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-provider-security-hadoopauth	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-provider-security-jwt	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-provider-security-pac4j	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-provider-security-preauth	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-provider-security-shiro	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-provider-security-webappsec	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-release	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-server	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-server-launcher	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-server-xforwarded-filter	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-service-admin	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-service-as	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-service-definitions	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-service-hashicorp-vault	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-service-hbase	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-service-health	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-service-hive	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-service-idbroker	1.3.0.7.1.8.8-3

Project	groupId	artifactId	version
	org.apache.knox	gateway-service-impala	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-service-jkg	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-service-knoxsso	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-service-knoxssout	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-service-knoxtoken	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-service-livy	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-service-metadata	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-service-nifi	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-service-nifi-registry	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-service-remoteconfig	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-service-rm	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-service-session	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-service-storm	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-service-test	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-service-tgs	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-service-vault	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-service-webhdfs	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-shell	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-shell-launcher	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-shell-release	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-shell-samples	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-spi	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-test	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-test-idbroker	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-test-release-utils	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-test-utils	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-topology-hadoop-xml	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-topology-simple	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-util-common	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-util-configinjector	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-util-launcher	1.3.0.7.1.8.8-3
	org.apache.knox	gateway-util-urltemplate	1.3.0.7.1.8.8-3
	org.apache.knox	hadoop-examples	1.3.0.7.1.8.8-3
	org.apache.knox	knox-cli-launcher	1.3.0.7.1.8.8-3
	org.apache.knox	knox-homepage-ui	1.3.0.7.1.8.8-3
	org.apache.knox	webhdfs-kerb-test	1.3.0.7.1.8.8-3
	org.apache.knox	webhdfs-test	1.3.0.7.1.8.8-3
Apache Kudu	org.apache.kudu	kudu-backup-tools	1.15.0.7.1.8.8-3
	org.apache.kudu	kudu-backup2_2.11	1.15.0.7.1.8.8-3

Project	groupId	artifactId	version
	org.apache.kudu	kudu-backup3_2.12	1.15.0.7.1.8.8-3
	org.apache.kudu	kudu-client	1.15.0.7.1.8.8-3
	org.apache.kudu	kudu-hive	1.15.0.7.1.8.8-3
	org.apache.kudu	kudu-spark2-tools_2.11	1.15.0.7.1.8.8-3
	org.apache.kudu	kudu-spark2_2.11	1.15.0.7.1.8.8-3
	org.apache.kudu	kudu-spark3-tools_2.12	1.15.0.7.1.8.8-3
	org.apache.kudu	kudu-spark3_2.12	1.15.0.7.1.8.8-3
	org.apache.kudu	kudu-test-utils	1.15.0.7.1.8.8-3
Apache Livy	org.apache.livy	livy-api	0.6.0.7.1.8.8-3
	org.apache.livy	livy-client-common	0.6.0.7.1.8.8-3
	org.apache.livy	livy-client-http	0.6.0.7.1.8.8-3
	org.apache.livy	livy-core_2.11	0.6.0.7.1.8.8-3
	org.apache.livy	livy-examples	0.6.0.7.1.8.8-3
	org.apache.livy	livy-integration-test	0.6.0.7.1.8.8-3
	org.apache.livy	livy-repl_2.11	0.6.0.7.1.8.8-3
	org.apache.livy	livy-rsc	0.6.0.7.1.8.8-3
	org.apache.livy	livy-scala-api_2.11	0.6.0.7.1.8.8-3
	org.apache.livy	livy-server	0.6.0.7.1.8.8-3
	org.apache.livy	livy-test-lib	0.6.0.7.1.8.8-3
	org.apache.livy	livy-thriftserver	0.6.0.7.1.8.8-3
	org.apache.livy	livy-thriftserver-session	0.6.0.7.1.8.8-3
Apache Lucene	org.apache.lucene	lucene-analyzers-common	8.4.1.7.1.8.8-3
	org.apache.lucene	lucene-analyzers-icu	8.4.1.7.1.8.8-3
	org.apache.lucene	lucene-analyzers-kuromoji	8.4.1.7.1.8.8-3
	org.apache.lucene	lucene-analyzers-morfologik	8.4.1.7.1.8.8-3
	org.apache.lucene	lucene-analyzers-nori	8.4.1.7.1.8.8-3
	org.apache.lucene	lucene-analyzers-openslp	8.4.1.7.1.8.8-3
	org.apache.lucene	lucene-analyzers-phonetic	8.4.1.7.1.8.8-3
	org.apache.lucene	lucene-analyzers-smartcn	8.4.1.7.1.8.8-3
	org.apache.lucene	lucene-analyzers-stempel	8.4.1.7.1.8.8-3
	org.apache.lucene	lucene-backward-codecs	8.4.1.7.1.8.8-3
	org.apache.lucene	lucene-benchmark	8.4.1.7.1.8.8-3
	org.apache.lucene	lucene-classification	8.4.1.7.1.8.8-3
	org.apache.lucene	lucene-codecs	8.4.1.7.1.8.8-3
	org.apache.lucene	lucene-core	8.4.1.7.1.8.8-3
	org.apache.lucene	lucene-demo	8.4.1.7.1.8.8-3
	org.apache.lucene	lucene-expressions	8.4.1.7.1.8.8-3
	org.apache.lucene	lucene-facet	8.4.1.7.1.8.8-3
	org.apache.lucene	lucene-grouping	8.4.1.7.1.8.8-3

Project	groupId	artifactId	version
	org.apache.lucene	lucene-highlighter	8.4.1.7.1.8.8-3
	org.apache.lucene	lucene-join	8.4.1.7.1.8.8-3
	org.apache.lucene	lucene-memory	8.4.1.7.1.8.8-3
	org.apache.lucene	lucene-misc	8.4.1.7.1.8.8-3
	org.apache.lucene	lucene-monitor	8.4.1.7.1.8.8-3
	org.apache.lucene	lucene-queries	8.4.1.7.1.8.8-3
	org.apache.lucene	lucene-queryparser	8.4.1.7.1.8.8-3
	org.apache.lucene	lucene-replicator	8.4.1.7.1.8.8-3
	org.apache.lucene	lucene-sandbox	8.4.1.7.1.8.8-3
	org.apache.lucene	lucene-spatial	8.4.1.7.1.8.8-3
	org.apache.lucene	lucene-spatial-extras	8.4.1.7.1.8.8-3
	org.apache.lucene	lucene-spatial3d	8.4.1.7.1.8.8-3
	org.apache.lucene	lucene-suggest	8.4.1.7.1.8.8-3
	org.apache.lucene	lucene-test-framework	8.4.1.7.1.8.8-3
Apache Oozie	org.apache.oozie	oozie-client	5.1.0.7.1.8.8-3
	org.apache.oozie	oozie-core	5.1.0.7.1.8.8-3
	org.apache.oozie	oozie-distro	5.1.0.7.1.8.8-3
	org.apache.oozie	oozie-examples	5.1.0.7.1.8.8-3
	org.apache.oozie	oozie-fluent-job-api	5.1.0.7.1.8.8-3
	org.apache.oozie	oozie-fluent-job-client	5.1.0.7.1.8.8-3
	org.apache.oozie	oozie-server	5.1.0.7.1.8.8-3
	org.apache.oozie	oozie-sharelib-distcp	5.1.0.7.1.8.8-3
	org.apache.oozie	oozie-sharelib-git	5.1.0.7.1.8.8-3
	org.apache.oozie	oozie-sharelib-hcatalog	5.1.0.7.1.8.8-3
	org.apache.oozie	oozie-sharelib-hive	5.1.0.7.1.8.8-3
	org.apache.oozie	oozie-sharelib-hive2	5.1.0.7.1.8.8-3
	org.apache.oozie	oozie-sharelib-oozie	5.1.0.7.1.8.8-3
	org.apache.oozie	oozie-sharelib-spark	5.1.0.7.1.8.8-3
	org.apache.oozie	oozie-sharelib-sqoop	5.1.0.7.1.8.8-3
	org.apache.oozie	oozie-sharelib-streaming	5.1.0.7.1.8.8-3
	org.apache.oozie	oozie-tools	5.1.0.7.1.8.8-3
	org.apache.oozie	oozie-zookeeper-security-tests	5.1.0.7.1.8.8-3
	org.apache.oozie.test	oozie-mini	5.1.0.7.1.8.8-3
Apache ORC	org.apache.orc	orc-core	1.5.1.7.1.8.8-3
	org.apache.orc	orc-examples	1.5.1.7.1.8.8-3
	org.apache.orc	orc-mapreduce	1.5.1.7.1.8.8-3
	org.apache.orc	orc-shims	1.5.1.7.1.8.8-3
	org.apache.orc	orc-tools	1.5.1.7.1.8.8-3
Apache Parquet	org.apache.parquet	parquet-avro	1.10.99.7.1.8.8-3

Project	groupId	artifactId	version
	org.apache.parquet	parquet-cascading	1.10.99.7.1.8.8-3
	org.apache.parquet	parquet-cascading3	1.10.99.7.1.8.8-3
	org.apache.parquet	parquet-column	1.10.99.7.1.8.8-3
	org.apache.parquet	parquet-common	1.10.99.7.1.8.8-3
	org.apache.parquet	parquet-encoding	1.10.99.7.1.8.8-3
	org.apache.parquet	parquet-format-structures	1.10.99.7.1.8.8-3
	org.apache.parquet	parquet-generator	1.10.99.7.1.8.8-3
	org.apache.parquet	parquet-hadoop	1.10.99.7.1.8.8-3
	org.apache.parquet	parquet-hadoop-bundle	1.10.99.7.1.8.8-3
	org.apache.parquet	parquet-jackson	1.10.99.7.1.8.8-3
	org.apache.parquet	parquet-pig	1.10.99.7.1.8.8-3
	org.apache.parquet	parquet-pig-bundle	1.10.99.7.1.8.8-3
	org.apache.parquet	parquet-protobuf	1.10.99.7.1.8.8-3
	org.apache.parquet	parquet-scala_2.10	1.10.99.7.1.8.8-3
	org.apache.parquet	parquet-thrift	1.10.99.7.1.8.8-3
	org.apache.parquet	parquet-tools	1.10.99.7.1.8.8-3
Apache Phoenix	org.apache.phoenix	phoenix-client-embedded-hbase-2.4	5.1.1.7.1.8.8-3
	org.apache.phoenix	phoenix-client-hbase-2.4	5.1.1.7.1.8.8-3
	org.apache.phoenix	phoenix-connectors-phoenix5-compat	6.0.0.7.1.8.8-3
	org.apache.phoenix	phoenix-core	5.1.1.7.1.8.8-3
	org.apache.phoenix	phoenix-hbase-compat-2.1.6	5.1.1.7.1.8.8-3
	org.apache.phoenix	phoenix-hbase-compat-2.2.5	5.1.1.7.1.8.8-3
	org.apache.phoenix	phoenix-hbase-compat-2.3.0	5.1.1.7.1.8.8-3
	org.apache.phoenix	phoenix-hbase-compat-2.4.0	5.1.1.7.1.8.8-3
	org.apache.phoenix	phoenix-hbase-compat-2.4.1	5.1.1.7.1.8.8-3
	org.apache.phoenix	phoenix-pherf	5.1.1.7.1.8.8-3
	org.apache.phoenix	phoenix-queryserver	6.0.0.7.1.8.8-3
	org.apache.phoenix	phoenix-queryserver-client	6.0.0.7.1.8.8-3
	org.apache.phoenix	phoenix-queryserver-it	6.0.0.7.1.8.8-3
	org.apache.phoenix	phoenix-queryserver-load-balancer	6.0.0.7.1.8.8-3
	org.apache.phoenix	phoenix-queryserver-orchestrator	6.0.0.7.1.8.8-3
	org.apache.phoenix	phoenix-server-hbase-2.4	5.1.1.7.1.8.8-3
	org.apache.phoenix	phoenix-tracing-webapp	5.1.1.7.1.8.8-3
	org.apache.phoenix	phoenix5-hive	6.0.0.7.1.8.8-3
	org.apache.phoenix	phoenix5-hive-shaded	6.0.0.7.1.8.8-3
	org.apache.phoenix	phoenix5-spark	6.0.0.7.1.8.8-3
	org.apache.phoenix	phoenix5-spark-shaded	6.0.0.7.1.8.8-3
	org.apache.phoenix	phoenix5-spark-shaded-commons-cli	1.1.0.7.1.8.8-3
	org.apache.phoenix	phoenix5-spark-shaded-guava	1.1.0.7.1.8.8-3

Project	groupId	artifactId	version
Apache Ranger	org.apache.ranger	conditions-enrichers	2.3.0.7.1.8.8-3
	org.apache.ranger	credentialbuilder	2.3.0.7.1.8.8-3
	org.apache.ranger	embeddedwebserver	2.3.0.7.1.8.8-3
	org.apache.ranger	jisql	2.3.0.7.1.8.8-3
	org.apache.ranger	ldapconfigcheck	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-adls-plugin	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-atlas-plugin	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-atlas-plugin-shim	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-authn	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-distro	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-examples-distro	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-hbase-plugin	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-hbase-plugin-shim	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-hdfs-plugin	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-hdfs-plugin-shim	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-hive-plugin	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-hive-plugin-shim	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-intg	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-kafka-connect-plugin	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-kafka-plugin	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-kafka-plugin-shim	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-kms	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-kms-plugin	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-kms-plugin-shim	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-knox-plugin	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-knox-plugin-shim	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-kudu-plugin	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-kylin-plugin	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-kylin-plugin-shim	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-nifi-plugin	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-nifi-registry-plugin	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-ozone-plugin	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-ozone-plugin-shim	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-plugin-classloader	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-plugins-audit	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-plugins-common	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-plugins-cred	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-plugins-installer	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-policymigration	2.3.0.7.1.8.8-3

Project	groupId	artifactId	version
	org.apache.ranger	ranger-raz-adls	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-raz-chained-plugins	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-raz-hook-abfs	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-raz-intg	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-raz-processor	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-rms-common	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-rms-hive	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-rms-plugins-common	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-rms-webapp	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-sampleapp-plugin	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-schema-registry-plugin	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-solr-plugin	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-solr-plugin-shim	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-sqoop-plugin	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-sqoop-plugin-shim	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-storm-plugin	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-storm-plugin-shim	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-tagsync	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-tools	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-util	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-yarn-plugin	2.3.0.7.1.8.8-3
	org.apache.ranger	ranger-yarn-plugin-shim	2.3.0.7.1.8.8-3
	org.apache.ranger	sample-client	2.3.0.7.1.8.8-3
	org.apache.ranger	sampleapp	2.3.0.7.1.8.8-3
	org.apache.ranger	shaded-raz-hook-abfs	2.3.0.7.1.8.8-3
	org.apache.ranger	ugsync-util	2.3.0.7.1.8.8-3
	org.apache.ranger	unixauthclient	2.3.0.7.1.8.8-3
	org.apache.ranger	unixauthservice	2.3.0.7.1.8.8-3
	org.apache.ranger	unixusersync	2.3.0.7.1.8.8-3
Apache Solr	org.apache.solr	solr-analysis-extras	8.4.1.7.1.8.8-3
	org.apache.solr	solr-analytics	8.4.1.7.1.8.8-3
	org.apache.solr	solr-cell	8.4.1.7.1.8.8-3
	org.apache.solr	solr-clustering	8.4.1.7.1.8.8-3
	org.apache.solr	solr-core	8.4.1.7.1.8.8-3
	org.apache.solr	solr-dataimporthandler	8.4.1.7.1.8.8-3
	org.apache.solr	solr-dataimporthandler-extras	8.4.1.7.1.8.8-3
	org.apache.solr	solr-jaegertracer-configurator	8.4.1.7.1.8.8-3
	org.apache.solr	solr-langid	8.4.1.7.1.8.8-3
	org.apache.solr	solr-ltr	8.4.1.7.1.8.8-3

Project	groupId	artifactId	version
	org.apache.solr	solr-prometheus-exporter	8.4.1.7.1.8.8-3
	org.apache.solr	solr-security-util	8.4.1.7.1.8.8-3
	org.apache.solr	solr-solrj	8.4.1.7.1.8.8-3
	org.apache.solr	solr-test-framework	8.4.1.7.1.8.8-3
	org.apache.solr	solr-velocity	8.4.1.7.1.8.8-3
Apache Spark	org.apache.spark	spark-avro_2.11	2.4.8.7.1.8.8-3
	org.apache.spark	spark-catalyst_2.11	2.4.8.7.1.8.8-3
	org.apache.spark	spark-core_2.11	2.4.8.7.1.8.8-3
	org.apache.spark	spark-graphx_2.11	2.4.8.7.1.8.8-3
	org.apache.spark	spark-hadoop-cloud_2.11	2.4.8.7.1.8.8-3
	org.apache.spark	spark-hive_2.11	2.4.8.7.1.8.8-3
	org.apache.spark	spark-kubernetes_2.11	2.4.8.7.1.8.8-3
	org.apache.spark	spark-kvstore_2.11	2.4.8.7.1.8.8-3
	org.apache.spark	spark-launcher_2.11	2.4.8.7.1.8.8-3
	org.apache.spark	spark-mllib-local_2.11	2.4.8.7.1.8.8-3
	org.apache.spark	spark-mllib_2.11	2.4.8.7.1.8.8-3
	org.apache.spark	spark-network-common_2.11	2.4.8.7.1.8.8-3
	org.apache.spark	spark-network-shuffle_2.11	2.4.8.7.1.8.8-3
	org.apache.spark	spark-network-yarn_2.11	2.4.8.7.1.8.8-3
	org.apache.spark	spark-repl_2.11	2.4.8.7.1.8.8-3
	org.apache.spark	spark-sketch_2.11	2.4.8.7.1.8.8-3
	org.apache.spark	spark-sql-kafka-0-10_2.11	2.4.8.7.1.8.8-3
	org.apache.spark	spark-sql_2.11	2.4.8.7.1.8.8-3
	org.apache.spark	spark-streaming-kafka-0-10-assembly_2.11	2.4.8.7.1.8.8-3
	org.apache.spark	spark-streaming-kafka-0-10_2.11	2.4.8.7.1.8.8-3
	org.apache.spark	spark-streaming_2.11	2.4.8.7.1.8.8-3
	org.apache.spark	spark-tags_2.11	2.4.8.7.1.8.8-3
	org.apache.spark	spark-token-provider-kafka-0-10_2.11	2.4.8.7.1.8.8-3
	org.apache.spark	spark-unsafe_2.11	2.4.8.7.1.8.8-3
	org.apache.spark	spark-yarn_2.11	2.4.8.7.1.8.8-3
Apache Sqoop	org.apache.sqoop	sqoop	1.4.7.7.1.8.8-3
	org.apache.sqoop	sqoop-test	1.4.7.7.1.8.8-3
Apache Tez	org.apache.tez	hadoop-shim	0.9.1.7.1.8.8-3
	org.apache.tez	hadoop-shim-2.8	0.9.1.7.1.8.8-3
	org.apache.tez	tez-api	0.9.1.7.1.8.8-3
	org.apache.tez	tez-aux-services	0.9.1.7.1.8.8-3
	org.apache.tez	tez-common	0.9.1.7.1.8.8-3
	org.apache.tez	tez-dag	0.9.1.7.1.8.8-3
	org.apache.tez	tez-examples	0.9.1.7.1.8.8-3

Project	groupId	artifactId	version
	org.apache.tez	tez-ext-service-tests	0.9.1.7.1.8.8-3
	org.apache.tez	tez-history-parser	0.9.1.7.1.8.8-3
	org.apache.tez	tez-javadoc-tools	0.9.1.7.1.8.8-3
	org.apache.tez	tez-job-analyzer	0.9.1.7.1.8.8-3
	org.apache.tez	tez-mapreduce	0.9.1.7.1.8.8-3
	org.apache.tez	tez-protobuf-history-plugin	0.9.1.7.1.8.8-3
	org.apache.tez	tez-runtime-internals	0.9.1.7.1.8.8-3
	org.apache.tez	tez-runtime-library	0.9.1.7.1.8.8-3
	org.apache.tez	tez-tests	0.9.1.7.1.8.8-3
	org.apache.tez	tez-yarn-timeline-cache-plugin	0.9.1.7.1.8.8-3
	org.apache.tez	tez-yarn-timeline-history	0.9.1.7.1.8.8-3
	org.apache.tez	tez-yarn-timeline-history-with-acls	0.9.1.7.1.8.8-3
	org.apache.tez	tez-yarn-timeline-history-with-fs	0.9.1.7.1.8.8-3
Apache Zeppelin	org.apache.zeppelin	zeppelin-angular	0.8.2.7.1.8.8-3
	org.apache.zeppelin	zeppelin-display	0.8.2.7.1.8.8-3
	org.apache.zeppelin	zeppelin-interpreter	0.8.2.7.1.8.8-3
	org.apache.zeppelin	zeppelin-jdbc	0.8.2.7.1.8.8-3
	org.apache.zeppelin	zeppelin-jupyter	0.8.2.7.1.8.8-3
	org.apache.zeppelin	zeppelin-livy	0.8.2.7.1.8.8-3
	org.apache.zeppelin	zeppelin-markdown	0.8.2.7.1.8.8-3
	org.apache.zeppelin	zeppelin-server	0.8.2.7.1.8.8-3
	org.apache.zeppelin	zeppelin-shell	0.8.2.7.1.8.8-3
	org.apache.zeppelin	zeppelin-zengine	0.8.2.7.1.8.8-3
Apache ZooKeeper	org.apache.zookeeper	zookeeper	3.5.5.7.1.8.8-3
	org.apache.zookeeper	zookeeper-client-c	3.5.5.7.1.8.8-3
	org.apache.zookeeper	zookeeper-contrib-loggraph	3.5.5.7.1.8.8-3
	org.apache.zookeeper	zookeeper-contrib-rest	3.5.5.7.1.8.8-3
	org.apache.zookeeper	zookeeper-contrib-zooinspector	3.5.5.7.1.8.8-3
	org.apache.zookeeper	zookeeper-docs	3.5.5.7.1.8.8-3
	org.apache.zookeeper	zookeeper-jute	3.5.5.7.1.8.8-3
	org.apache.zookeeper	zookeeper-recipes-election	3.5.5.7.1.8.8-3
	org.apache.zookeeper	zookeeper-recipes-lock	3.5.5.7.1.8.8-3
	org.apache.zookeeper	zookeeper-recipes-queue	3.5.5.7.1.8.8-3

Runtime 7.1.8.11-3

The following table lists the project name, groupId, artifactId, and version required to access each Runtime artifact.

Project	groupId	artifactId	version
Apache Atlas	org.apache.atlas	atlas-authorization	2.1.0.7.1.8.11-3

Project	groupId	artifactId	version
	org.apache.atlas	atlas-aws-s3-bridge	2.1.0.7.1.8.11-3
	org.apache.atlas	atlas-azure-adls-bridge	2.1.0.7.1.8.11-3
	org.apache.atlas	atlas-classification-updater	2.1.0.7.1.8.11-3
	org.apache.atlas	atlas-client-common	2.1.0.7.1.8.11-3
	org.apache.atlas	atlas-client-v1	2.1.0.7.1.8.11-3
	org.apache.atlas	atlas-client-v2	2.1.0.7.1.8.11-3
	org.apache.atlas	atlas-common	2.1.0.7.1.8.11-3
	org.apache.atlas	atlas-distro	2.1.0.7.1.8.11-3
	org.apache.atlas	atlas-docs	2.1.0.7.1.8.11-3
	org.apache.atlas	atlas-graphdb-api	2.1.0.7.1.8.11-3
	org.apache.atlas	atlas-graphdb-common	2.1.0.7.1.8.11-3
	org.apache.atlas	atlas-graphdb-janus	2.1.0.7.1.8.11-3
	org.apache.atlas	atlas-hdfs-bridge	2.1.0.7.1.8.11-3
	org.apache.atlas	atlas-index-repair-tool	2.1.0.7.1.8.11-3
	org.apache.atlas	atlas-intg	2.1.0.7.1.8.11-3
	org.apache.atlas	atlas-janusgraph-hbase2	2.1.0.7.1.8.11-3
	org.apache.atlas	atlas-notification	2.1.0.7.1.8.11-3
	org.apache.atlas	atlas-plugin-classloader	2.1.0.7.1.8.11-3
	org.apache.atlas	atlas-repository	2.1.0.7.1.8.11-3
	org.apache.atlas	atlas-server-api	2.1.0.7.1.8.11-3
	org.apache.atlas	atlas-testtools	2.1.0.7.1.8.11-3
	org.apache.atlas	hbase-bridge	2.1.0.7.1.8.11-3
	org.apache.atlas	hbase-bridge-shim	2.1.0.7.1.8.11-3
	org.apache.atlas	hbase-testing-util	2.1.0.7.1.8.11-3
	org.apache.atlas	hdfs-model	2.1.0.7.1.8.11-3
	org.apache.atlas	hive-bridge	2.1.0.7.1.8.11-3
	org.apache.atlas	hive-bridge-shim	2.1.0.7.1.8.11-3
	org.apache.atlas	impala-bridge	2.1.0.7.1.8.11-3
	org.apache.atlas	impala-bridge-shim	2.1.0.7.1.8.11-3
	org.apache.atlas	impala-hook-api	2.1.0.7.1.8.11-3
	org.apache.atlas	kafka-bridge	2.1.0.7.1.8.11-3
	org.apache.atlas	kafka-bridge-shim	2.1.0.7.1.8.11-3
	org.apache.atlas	navigator-to-atlas	2.1.0.7.1.8.11-3
	org.apache.atlas	sample-app	2.1.0.7.1.8.11-3
	org.apache.atlas	sqoop-bridge	2.1.0.7.1.8.11-3
	org.apache.atlas	sqoop-bridge-shim	2.1.0.7.1.8.11-3
Apache Avro	org.apache.avro	avro	1.8.2.7.1.8.11-3
	org.apache.avro	avro-compiler	1.8.2.7.1.8.11-3
	org.apache.avro	avro-ipc	1.8.2.7.1.8.11-3

Project	groupId	artifactId	version
	org.apache.avro	avro-mapred	1.8.2.7.1.8.11-3
	org.apache.avro	avro-maven-plugin	1.8.2.7.1.8.11-3
	org.apache.avro	avro-protobuf	1.8.2.7.1.8.11-3
	org.apache.avro	avro-service-archetype	1.8.2.7.1.8.11-3
	org.apache.avro	avro-thrift	1.8.2.7.1.8.11-3
	org.apache.avro	avro-tools	1.8.2.7.1.8.11-3
	org.apache.avro	trevni-avro	1.8.2.7.1.8.11-3
	org.apache.avro	trevni-core	1.8.2.7.1.8.11-3
Apache Calcite	org.apache.calcite	calcite-babel	1.19.0.7.1.8.11-3
	org.apache.calcite	calcite-core	1.19.0.7.1.8.11-3
	org.apache.calcite	calcite-druid	1.19.0.7.1.8.11-3
	org.apache.calcite	calcite-linq4j	1.19.0.7.1.8.11-3
	org.apache.calcite	calcite-server	1.19.0.7.1.8.11-3
	org.apache.calcite.avatica	avatica	1.16.0.7.1.8.11-3
	org.apache.calcite.avatica	avatica-core	1.16.0.7.1.8.11-3
	org.apache.calcite.avatica	avatica-metrics	1.16.0.7.1.8.11-3
	org.apache.calcite.avatica	avatica-metrics-dropwizardmetrics	1.16.0.7.1.8.11-3
	org.apache.calcite.avatica	avatica-noop-driver	1.16.0.7.1.8.11-3
	org.apache.calcite.avatica	avatica-server	1.16.0.7.1.8.11-3
	org.apache.calcite.avatica	avatica-standalone-server	1.16.0.7.1.8.11-3
	org.apache.calcite.avatica	avatica-tck	1.16.0.7.1.8.11-3
GCS Connector	com.google.cloud.bigtable	bigtable-hbase-connector	2.1.2.7.1.8.11-3
	com.google.cloud.bigtable	bigtable-connector	2.1.2.7.1.8.11-3
	com.google.cloud.bigtable	bigtable-hbase	2.1.2.7.1.8.11-3
	com.google.cloud.bigtable	bigtable-hbase	2.1.2.7.1.8.11-3
	com.google.cloud.bigtable	bigtable-hbase	2.1.2.7.1.8.11-3
Apache Hadoop	org.apache.hadoop	hadoop-aliyun	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-annotations	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-archive-logs	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-archives	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-assemblies	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-auth	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-aws	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-azure	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-azure-datalake	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-build-tools	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-client	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-client-api	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-client-integration-tests	3.1.1.7.1.8.11-3

Project	groupId	artifactId	version
	org.apache.hadoop	hadoop-client-minicluster	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-client-runtime	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-cloud-storage	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-common	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-datajoin	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-distcp	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-extras	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-fs2img	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-gridmix	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-hdfs	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-hdfs-client	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-hdfs-httpfs	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-hdfs-native-client	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-hdfs-nfs	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-hdfs-rbf	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-kafka	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-kms	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-mapreduce-client-app	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-mapreduce-client-common	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-mapreduce-client-core	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-mapreduce-client-hs	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-mapreduce-client-hs-plugins	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-mapreduce-client-jobclient	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-mapreduce-client-nativetask	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-mapreduce-client-shuffle	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-mapreduce-client-uploader	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-mapreduce-examples	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-maven-plugins	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-minicluster	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-minikdc	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-nfs	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-openstack	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-resourceestimator	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-rumen	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-sls	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-streaming	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-tools-dist	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-yarn-api	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-yarn-applications-distributedshell	3.1.1.7.1.8.11-3

Project	groupId	artifactId	version
	org.apache.hadoop	hadoop-yarn-applications-unmanaged-am-launcher	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-yarn-client	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-yarn-common	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-yarn-registry	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-yarn-server-applicationhistoryservice	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-yarn-server-common	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-yarn-server-nodemanager	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-yarn-server-resourcemanager	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-yarn-server-router	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-yarn-server-sharedcachemanager	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-yarn-server-tests	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-yarn-server-timeline-pluginstorage	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-yarn-server-timelineservice	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-client	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-common	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-server-2	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-tests	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-yarn-server-web-proxy	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-yarn-services-api	3.1.1.7.1.8.11-3
	org.apache.hadoop	hadoop-yarn-services-core	3.1.1.7.1.8.11-3
Apache HBase	org.apache.hbase	filesystem	hadoop3-3-testutils
	org.apache.hbase	hbase-annotations	2.4.6.7.1.8.11-3
	org.apache.hbase	hbase-asyncfs	2.4.6.7.1.8.11-3
	org.apache.hbase	hbase-checkstyle	2.4.6.7.1.8.11-3
	org.apache.hbase	hbase-client	2.4.6.7.1.8.11-3
	org.apache.hbase	hbase-client-project	2.4.6.7.1.8.11-3
	org.apache.hbase	hbase-common	2.4.6.7.1.8.11-3
	org.apache.hbase	hbase-endpoint	2.4.6.7.1.8.11-3
	org.apache.hbase	hbase-examples	2.4.6.7.1.8.11-3
	org.apache.hbase	hbase-external-blockcache	2.4.6.7.1.8.11-3
	org.apache.hbase	hbase-hadoop-compat	2.4.6.7.1.8.11-3
	org.apache.hbase	hbase-hadoop2-compat	2.4.6.7.1.8.11-3
	org.apache.hbase	hbase-hbtop	2.4.6.7.1.8.11-3
	org.apache.hbase	hbase-http	2.4.6.7.1.8.11-3
	org.apache.hbase	hbase-it	2.4.6.7.1.8.11-3
	org.apache.hbase	hbase-logging	2.4.6.7.1.8.11-3
	org.apache.hbase	hbase-mapreduce	2.4.6.7.1.8.11-3
	org.apache.hbase	hbase-metrics	2.4.6.7.1.8.11-3
	org.apache.hbase	hbase-metrics-api	2.4.6.7.1.8.11-3

Project	groupId	artifactId	version
	org.apache.hbase	hbase-procedure	2.4.6.7.1.8.11-3
	org.apache.hbase	hbase-protocol	2.4.6.7.1.8.11-3
	org.apache.hbase	hbase-protocol-shaded	2.4.6.7.1.8.11-3
	org.apache.hbase	hbase-replication	2.4.6.7.1.8.11-3
	org.apache.hbase	hbase-resource-bundle	2.4.6.7.1.8.11-3
	org.apache.hbase	hbase-rest	2.4.6.7.1.8.11-3
	org.apache.hbase	hbase-rsgroup	2.4.6.7.1.8.11-3
	org.apache.hbase	hbase-server	2.4.6.7.1.8.11-3
	org.apache.hbase	hbase-shaded-client	2.4.6.7.1.8.11-3
	org.apache.hbase	hbase-shaded-client-byo-hadoop	2.4.6.7.1.8.11-3
	org.apache.hbase	hbase-shaded-client-project	2.4.6.7.1.8.11-3
	org.apache.hbase	hbase-shaded-mapreduce	2.4.6.7.1.8.11-3
	org.apache.hbase	hbase-shaded-testing-util	2.4.6.7.1.8.11-3
	org.apache.hbase	hbase-shaded-testing-util-tester	2.4.6.7.1.8.11-3
	org.apache.hbase	hbase-shell	2.4.6.7.1.8.11-3
	org.apache.hbase	hbase-testing-util	2.4.6.7.1.8.11-3
	org.apache.hbase	hbase-thrift	2.4.6.7.1.8.11-3
	org.apache.hbase	hbase-zookeeper	2.4.6.7.1.8.11-3
	org.apache.hbase.connector.kudu	hbase-connector-kudu-model	1.0.0.7.1.8.11-3
	org.apache.hbase.connector.kudu	hbase-connector-kudu-proxy	1.0.0.7.1.8.11-3
	org.apache.hbase.connector.spark	hbase-connector-spark	1.0.0.7.1.8.11-3
	org.apache.hbase.connector.spark	hbase-connector-spark-rt	1.0.0.7.1.8.11-3
	org.apache.hbase.connector.spark	hbase-connector-spark-protocol	1.0.0.7.1.8.11-3
	org.apache.hbase.connector.spark	hbase-connector-spark-protocol-shaded	1.0.0.7.1.8.11-3
	org.apache.hbase.filebase	hbase-filebase-testutils	1.0.0.7.1.8.11-3
	org.apache.hbase.filebase	hbase-filebase-impl	1.0.0.7.1.8.11-3
	org.apache.hbase.filebase	hbase-filebase-cross	1.0.0.7.1.8.11-3
	org.apache.hbase.thirdparty	hbase-thirdparty-noop-htrace	3.5.0.7.1.8.11-3
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-gson	3.5.0.7.1.8.11-3
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-jackson-jaxrs-json-provider	3.5.0.7.1.8.11-3
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-jersey	3.5.0.7.1.8.11-3
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-jetty	3.5.0.7.1.8.11-3
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-miscellaneous	3.5.0.7.1.8.11-3
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-netty	3.5.0.7.1.8.11-3
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-protobuf	3.5.0.7.1.8.11-3
Apache Hive	org.apache.hive	hive-beeline	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-blobstore	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-classification	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-cli	3.1.3000.7.1.8.11-3

Project	groupId	artifactId	version
	org.apache.hive	hive-common	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-contrib	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-exec	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-hbase-handler	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-hcatalog-it-unit	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-hplsql	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-it-custom-serde	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-it-minikdc	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-it-qfile	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-it-qfile-kudu	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-it-test-serde	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-it-unit	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-it-unit-hadoop2	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-it-util	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-jdbc	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-jdbc-handler	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-jmh	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-kryo-registrator	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-kudu-handler	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-llap-client	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-llap-common	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-llap-ext-client	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-llap-server	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-llap-tez	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-metastore	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-pre-upgrade	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-serde	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-service	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-service-rpc	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-shims	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-spark-client	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-standalone-metastore	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-storage-api	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-streaming	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-testutils	3.1.3000.7.1.8.11-3
	org.apache.hive	hive-vector-code-gen	3.1.3000.7.1.8.11-3
	org.apache.hive	kafka-handler	3.1.3000.7.1.8.11-3
	org.apache.hive.hcatalog	hive-hcatalog-core	3.1.3000.7.1.8.11-3
	org.apache.hive.hcatalog	hive-hcatalog-server-extensions	3.1.3000.7.1.8.11-3

Project	groupId	artifactId	version
	org.apache.hive.hcatalog	hive-hcatalog-streaming	3.1.3000.7.1.8.11-3
	org.apache.hive.hcatalog	hive-webhcat	3.1.3000.7.1.8.11-3
	org.apache.hive.hcatalog	hive-webhcat-java-client	3.1.3000.7.1.8.11-3
	org.apache.hive.hiveit-custom-udfs	hive-udf-classloader-udf1	3.1.3000.7.1.8.11-3
	org.apache.hive.hiveit-custom-udfs	hive-udf-classloader-udf2	3.1.3000.7.1.8.11-3
	org.apache.hive.hiveit-custom-udfs	hive-udf-classloader-util	3.1.3000.7.1.8.11-3
	org.apache.hive.hiveit-custom-udfs	hive-udf-vectorized-badexample	3.1.3000.7.1.8.11-3
	org.apache.hive.shims	hive-shims-0.23	3.1.3000.7.1.8.11-3
	org.apache.hive.shims	hive-shims-common	3.1.3000.7.1.8.11-3
	org.apache.hive.shims	hive-shims-scheduler	3.1.3000.7.1.8.11-3
Apache Hive Warehouse Connector	com.hortonworks.hive	hive-warehouse-connector_2.11	1.0.0.7.1.8.11-3
Apache Kafka	org.apache.kafka	connect	3.1.1.7.1.8.11-3
	org.apache.kafka	connect-api	3.1.1.7.1.8.11-3
	org.apache.kafka	connect-basic-auth-extension	3.1.1.7.1.8.11-3
	org.apache.kafka	connect-cloudera-authorization-extension	3.1.1.7.1.8.11-3
	org.apache.kafka	connect-cloudera-common	3.1.1.7.1.8.11-3
	org.apache.kafka	connect-cloudera-secret-storage	3.1.1.7.1.8.11-3
	org.apache.kafka	connect-cloudera-security-policies	3.1.1.7.1.8.11-3
	org.apache.kafka	connect-file	3.1.1.7.1.8.11-3
	org.apache.kafka	connect-json	3.1.1.7.1.8.11-3
	org.apache.kafka	connect-mirror	3.1.1.7.1.8.11-3
	org.apache.kafka	connect-mirror-client	3.1.1.7.1.8.11-3
	org.apache.kafka	connect-runtime	3.1.1.7.1.8.11-3
	org.apache.kafka	connect-transforms	3.1.1.7.1.8.11-3
	org.apache.kafka	generator	3.1.1.7.1.8.11-3
	org.apache.kafka	kafka-clients	3.1.1.7.1.8.11-3
	org.apache.kafka	kafka-cloudera-metrics-reporter_2.12	3.1.1.7.1.8.11-3
	org.apache.kafka	kafka-cloudera-metrics-reporter_2.13	3.1.1.7.1.8.11-3
	org.apache.kafka	kafka-cloudera-plugins	3.1.1.7.1.8.11-3
	org.apache.kafka	kafka-examples	3.1.1.7.1.8.11-3
	org.apache.kafka	kafka-log4j-appender	3.1.1.7.1.8.11-3
	org.apache.kafka	kafka-metadata	3.1.1.7.1.8.11-3
	org.apache.kafka	kafka-raft	3.1.1.7.1.8.11-3
	org.apache.kafka	kafka-server-common	3.1.1.7.1.8.11-3
	org.apache.kafka	kafka-shell	3.1.1.7.1.8.11-3
	org.apache.kafka	kafka-storage	3.1.1.7.1.8.11-3

Project	groupId	artifactId	version
	org.apache.kafka	kafka-storage-api	3.1.1.7.1.8.11-3
	org.apache.kafka	kafka-streams	3.1.1.7.1.8.11-3
	org.apache.kafka	kafka-streams-examples	3.1.1.7.1.8.11-3
	org.apache.kafka	kafka-streams-scala_2.12	3.1.1.7.1.8.11-3
	org.apache.kafka	kafka-streams-scala_2.13	3.1.1.7.1.8.11-3
	org.apache.kafka	kafka-streams-test-utils	3.1.1.7.1.8.11-3
	org.apache.kafka	kafka-streams-upgrade-system-tests-0100	3.1.1.7.1.8.11-3
	org.apache.kafka	kafka-streams-upgrade-system-tests-0101	3.1.1.7.1.8.11-3
	org.apache.kafka	kafka-streams-upgrade-system-tests-0102	3.1.1.7.1.8.11-3
	org.apache.kafka	kafka-streams-upgrade-system-tests-0110	3.1.1.7.1.8.11-3
	org.apache.kafka	kafka-streams-upgrade-system-tests-10	3.1.1.7.1.8.11-3
	org.apache.kafka	kafka-streams-upgrade-system-tests-11	3.1.1.7.1.8.11-3
	org.apache.kafka	kafka-streams-upgrade-system-tests-20	3.1.1.7.1.8.11-3
	org.apache.kafka	kafka-streams-upgrade-system-tests-21	3.1.1.7.1.8.11-3
	org.apache.kafka	kafka-streams-upgrade-system-tests-22	3.1.1.7.1.8.11-3
	org.apache.kafka	kafka-streams-upgrade-system-tests-23	3.1.1.7.1.8.11-3
	org.apache.kafka	kafka-streams-upgrade-system-tests-24	3.1.1.7.1.8.11-3
	org.apache.kafka	kafka-streams-upgrade-system-tests-25	3.1.1.7.1.8.11-3
	org.apache.kafka	kafka-streams-upgrade-system-tests-26	3.1.1.7.1.8.11-3
	org.apache.kafka	kafka-streams-upgrade-system-tests-27	3.1.1.7.1.8.11-3
	org.apache.kafka	kafka-streams-upgrade-system-tests-28	3.1.1.7.1.8.11-3
	org.apache.kafka	kafka-tools	3.1.1.7.1.8.11-3
	org.apache.kafka	kafka_2.12	3.1.1.7.1.8.11-3
	org.apache.kafka	kafka_2.13	3.1.1.7.1.8.11-3
	org.apache.kafka	trogdor	3.1.1.7.1.8.11-3
Apache Knox	org.apache.knox	gateway-adapter	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-admin-ui	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-applications	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-cloud-bindings	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-demo-ldap	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-demo-ldap-launcher	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-discovery-ambari	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-discovery-cm	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-docker	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-i18n	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-i18n-logging-log4j	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-i18n-logging-sl4j	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-provider-ha	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-provider-identity-assertion-common	1.3.0.7.1.8.11-3

Project	groupId	artifactId	version
	org.apache.knox	gateway-provider-identity-assertion-concat	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-provider-identity-assertion-hadoop-groups	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-provider-identity-assertion-pseudo	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-provider-identity-assertion-regex	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-provider-identity-assertion-switchcase	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-provider-jersey	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-provider-rewrite	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-provider-rewrite-common	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-provider-rewrite-func-hostmap-static	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-provider-rewrite-func-inbound-query-param	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-provider-rewrite-func-service-registry	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-provider-rewrite-step-encrypt-uri	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-provider-rewrite-step-secure-query	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-provider-security-authc-anon	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-provider-security-authz-acls	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-provider-security-authz-composite	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-provider-security-clientcert	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-provider-security-hadoopauth	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-provider-security-jwt	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-provider-security-pac4j	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-provider-security-preauth	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-provider-security-shiro	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-provider-security-webappsec	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-release	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-server	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-server-launcher	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-server-xforwarded-filter	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-service-admin	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-service-as	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-service-definitions	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-service-hashicorp-vault	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-service-hbase	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-service-health	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-service-hive	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-service-idbroker	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-service-impala	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-service-jkg	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-service-knoxsso	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-service-knoxssout	1.3.0.7.1.8.11-3

Project	groupId	artifactId	version
	org.apache.knox	gateway-service-knoxtoken	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-service-livy	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-service-metadata	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-service-nifi	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-service-nifi-registry	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-service-remoteconfig	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-service-rm	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-service-session	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-service-storm	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-service-test	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-service-tgs	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-service-vault	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-service-webhdfs	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-shell	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-shell-launcher	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-shell-release	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-shell-samples	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-spi	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-test	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-test-idbroker	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-test-release-utils	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-test-utils	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-topology-hadoop-xml	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-topology-simple	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-util-common	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-util-configinjector	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-util-launcher	1.3.0.7.1.8.11-3
	org.apache.knox	gateway-util-urltemplate	1.3.0.7.1.8.11-3
	org.apache.knox	hadoop-examples	1.3.0.7.1.8.11-3
	org.apache.knox	knox-cli-launcher	1.3.0.7.1.8.11-3
	org.apache.knox	knox-homepage-ui	1.3.0.7.1.8.11-3
	org.apache.knox	webhdfs-kerb-test	1.3.0.7.1.8.11-3
	org.apache.knox	webhdfs-test	1.3.0.7.1.8.11-3
Apache Kudu	org.apache.kudu	kudu-backup-tools	1.15.0.7.1.8.11-3
	org.apache.kudu	kudu-backup2_2.11	1.15.0.7.1.8.11-3
	org.apache.kudu	kudu-backup3_2.12	1.15.0.7.1.8.11-3
	org.apache.kudu	kudu-client	1.15.0.7.1.8.11-3
	org.apache.kudu	kudu-hive	1.15.0.7.1.8.11-3
	org.apache.kudu	kudu-spark2-tools_2.11	1.15.0.7.1.8.11-3

Project	groupId	artifactId	version
	org.apache.kudu	kudu-spark2_2.11	1.15.0.7.1.8.11-3
	org.apache.kudu	kudu-spark3-tools_2.12	1.15.0.7.1.8.11-3
	org.apache.kudu	kudu-spark3_2.12	1.15.0.7.1.8.11-3
	org.apache.kudu	kudu-test-utils	1.15.0.7.1.8.11-3
Apache Livy	org.apache.livy	livy-api	0.6.0.7.1.8.11-3
	org.apache.livy	livy-client-common	0.6.0.7.1.8.11-3
	org.apache.livy	livy-client-http	0.6.0.7.1.8.11-3
	org.apache.livy	livy-core_2.11	0.6.0.7.1.8.11-3
	org.apache.livy	livy-examples	0.6.0.7.1.8.11-3
	org.apache.livy	livy-integration-test	0.6.0.7.1.8.11-3
	org.apache.livy	livy-repl_2.11	0.6.0.7.1.8.11-3
	org.apache.livy	livy-rsc	0.6.0.7.1.8.11-3
	org.apache.livy	livy-scala-api_2.11	0.6.0.7.1.8.11-3
	org.apache.livy	livy-server	0.6.0.7.1.8.11-3
	org.apache.livy	livy-test-lib	0.6.0.7.1.8.11-3
	org.apache.livy	livy-thriftserver	0.6.0.7.1.8.11-3
	org.apache.livy	livy-thriftserver-session	0.6.0.7.1.8.11-3
Apache Lucene	org.apache.lucene	lucene-analyzers-common	8.4.1.7.1.8.11-3
	org.apache.lucene	lucene-analyzers-icu	8.4.1.7.1.8.11-3
	org.apache.lucene	lucene-analyzers-kuromoji	8.4.1.7.1.8.11-3
	org.apache.lucene	lucene-analyzers-morfologik	8.4.1.7.1.8.11-3
	org.apache.lucene	lucene-analyzers-nori	8.4.1.7.1.8.11-3
	org.apache.lucene	lucene-analyzers-openslp	8.4.1.7.1.8.11-3
	org.apache.lucene	lucene-analyzers-phonetic	8.4.1.7.1.8.11-3
	org.apache.lucene	lucene-analyzers-smartcn	8.4.1.7.1.8.11-3
	org.apache.lucene	lucene-analyzers-stempel	8.4.1.7.1.8.11-3
	org.apache.lucene	lucene-backward-codecs	8.4.1.7.1.8.11-3
	org.apache.lucene	lucene-benchmark	8.4.1.7.1.8.11-3
	org.apache.lucene	lucene-classification	8.4.1.7.1.8.11-3
	org.apache.lucene	lucene-codecs	8.4.1.7.1.8.11-3
	org.apache.lucene	lucene-core	8.4.1.7.1.8.11-3
	org.apache.lucene	lucene-demo	8.4.1.7.1.8.11-3
	org.apache.lucene	lucene-expressions	8.4.1.7.1.8.11-3
	org.apache.lucene	lucene-facet	8.4.1.7.1.8.11-3
	org.apache.lucene	lucene-grouping	8.4.1.7.1.8.11-3
	org.apache.lucene	lucene-highlighter	8.4.1.7.1.8.11-3
	org.apache.lucene	lucene-join	8.4.1.7.1.8.11-3
	org.apache.lucene	lucene-memory	8.4.1.7.1.8.11-3
	org.apache.lucene	lucene-misc	8.4.1.7.1.8.11-3

Project	groupId	artifactId	version
	org.apache.lucene	lucene-monitor	8.4.1.7.1.8.11-3
	org.apache.lucene	lucene-queries	8.4.1.7.1.8.11-3
	org.apache.lucene	lucene-queryparser	8.4.1.7.1.8.11-3
	org.apache.lucene	lucene-replicator	8.4.1.7.1.8.11-3
	org.apache.lucene	lucene-sandbox	8.4.1.7.1.8.11-3
	org.apache.lucene	lucene-spatial	8.4.1.7.1.8.11-3
	org.apache.lucene	lucene-spatial-extras	8.4.1.7.1.8.11-3
	org.apache.lucene	lucene-spatial3d	8.4.1.7.1.8.11-3
	org.apache.lucene	lucene-suggest	8.4.1.7.1.8.11-3
	org.apache.lucene	lucene-test-framework	8.4.1.7.1.8.11-3
Apache Oozie	org.apache.oozie	oozie-client	5.1.0.7.1.8.11-3
	org.apache.oozie	oozie-core	5.1.0.7.1.8.11-3
	org.apache.oozie	oozie-distro	5.1.0.7.1.8.11-3
	org.apache.oozie	oozie-examples	5.1.0.7.1.8.11-3
	org.apache.oozie	oozie-fluent-job-api	5.1.0.7.1.8.11-3
	org.apache.oozie	oozie-fluent-job-client	5.1.0.7.1.8.11-3
	org.apache.oozie	oozie-server	5.1.0.7.1.8.11-3
	org.apache.oozie	oozie-sharelib-distcp	5.1.0.7.1.8.11-3
	org.apache.oozie	oozie-sharelib-git	5.1.0.7.1.8.11-3
	org.apache.oozie	oozie-sharelib-hcatalog	5.1.0.7.1.8.11-3
	org.apache.oozie	oozie-sharelib-hive	5.1.0.7.1.8.11-3
	org.apache.oozie	oozie-sharelib-hive2	5.1.0.7.1.8.11-3
	org.apache.oozie	oozie-sharelib-oozie	5.1.0.7.1.8.11-3
	org.apache.oozie	oozie-sharelib-spark	5.1.0.7.1.8.11-3
	org.apache.oozie	oozie-sharelib-sqoop	5.1.0.7.1.8.11-3
	org.apache.oozie	oozie-sharelib-streaming	5.1.0.7.1.8.11-3
	org.apache.oozie	oozie-tools	5.1.0.7.1.8.11-3
	org.apache.oozie	oozie-zookeeper-security-tests	5.1.0.7.1.8.11-3
	org.apache.oozie.test	oozie-mini	5.1.0.7.1.8.11-3
Apache ORC	org.apache.orc	orc-core	1.5.1.7.1.8.11-3
	org.apache.orc	orc-examples	1.5.1.7.1.8.11-3
	org.apache.orc	orc-mapreduce	1.5.1.7.1.8.11-3
	org.apache.orc	orc-shims	1.5.1.7.1.8.11-3
	org.apache.orc	orc-tools	1.5.1.7.1.8.11-3
Apache Parquet	org.apache.parquet	parquet-avro	1.10.99.7.1.8.11-3
	org.apache.parquet	parquet-cascading	1.10.99.7.1.8.11-3
	org.apache.parquet	parquet-cascading3	1.10.99.7.1.8.11-3
	org.apache.parquet	parquet-column	1.10.99.7.1.8.11-3
	org.apache.parquet	parquet-common	1.10.99.7.1.8.11-3

Project	groupId	artifactId	version
	org.apache.parquet	parquet-encoding	1.10.99.7.1.8.11-3
	org.apache.parquet	parquet-format-structures	1.10.99.7.1.8.11-3
	org.apache.parquet	parquet-generator	1.10.99.7.1.8.11-3
	org.apache.parquet	parquet-hadoop	1.10.99.7.1.8.11-3
	org.apache.parquet	parquet-hadoop-bundle	1.10.99.7.1.8.11-3
	org.apache.parquet	parquet-jackson	1.10.99.7.1.8.11-3
	org.apache.parquet	parquet-pig	1.10.99.7.1.8.11-3
	org.apache.parquet	parquet-pig-bundle	1.10.99.7.1.8.11-3
	org.apache.parquet	parquet-protobuf	1.10.99.7.1.8.11-3
	org.apache.parquet	parquet-scala_2.10	1.10.99.7.1.8.11-3
	org.apache.parquet	parquet-thrift	1.10.99.7.1.8.11-3
	org.apache.parquet	parquet-tools	1.10.99.7.1.8.11-3
Apache Phoenix	org.apache.phoenix	phoenix-client-embedded-hbase-2.4	5.1.1.7.1.8.11-3
	org.apache.phoenix	phoenix-client-hbase-2.4	5.1.1.7.1.8.11-3
	org.apache.phoenix	phoenix-connectors-phoenix5-compatible	6.0.0.7.1.8.11-3
	org.apache.phoenix	phoenix-core	5.1.1.7.1.8.11-3
	org.apache.phoenix	phoenix-hbase-compatible-2.1.6	5.1.1.7.1.8.11-3
	org.apache.phoenix	phoenix-hbase-compatible-2.2.5	5.1.1.7.1.8.11-3
	org.apache.phoenix	phoenix-hbase-compatible-2.3.0	5.1.1.7.1.8.11-3
	org.apache.phoenix	phoenix-hbase-compatible-2.4.0	5.1.1.7.1.8.11-3
	org.apache.phoenix	phoenix-hbase-compatible-2.4.1	5.1.1.7.1.8.11-3
	org.apache.phoenix	phoenix-pherf	5.1.1.7.1.8.11-3
	org.apache.phoenix	phoenix-queryserver	6.0.0.7.1.8.11-3
	org.apache.phoenix	phoenix-queryserver-client	6.0.0.7.1.8.11-3
	org.apache.phoenix	phoenix-queryserver-it	6.0.0.7.1.8.11-3
	org.apache.phoenix	phoenix-queryserver-load-balancer	6.0.0.7.1.8.11-3
	org.apache.phoenix	phoenix-queryserver-orchestrator	6.0.0.7.1.8.11-3
	org.apache.phoenix	phoenix-server-hbase-2.4	5.1.1.7.1.8.11-3
	org.apache.phoenix	phoenix-tracing-webapp	5.1.1.7.1.8.11-3
	org.apache.phoenix	phoenix5-hive	6.0.0.7.1.8.11-3
	org.apache.phoenix	phoenix5-hive-shaded	6.0.0.7.1.8.11-3
	org.apache.phoenix	phoenix5-spark	6.0.0.7.1.8.11-3
	org.apache.phoenix	phoenix5-spark-shaded	6.0.0.7.1.8.11-3
	org.apache.phoenix	phoenix5-shaded-commons-cli	1.1.0.7.1.8.11-3
	org.apache.phoenix	phoenix5-shaded-guava	1.1.0.7.1.8.11-3
Apache Ranger	org.apache.ranger	conditions-enrichers	2.3.0.7.1.8.11-3
	org.apache.ranger	credentialbuilder	2.3.0.7.1.8.11-3
	org.apache.ranger	embeddedwebserver	2.3.0.7.1.8.11-3
	org.apache.ranger	jdbc	2.3.0.7.1.8.11-3

Project	groupId	artifactId	version
	org.apache.ranger	ldapconfigcheck	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-adls-plugin	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-atlas-plugin	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-atlas-plugin-shim	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-authn	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-distro	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-examples-distro	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-hbase-plugin	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-hbase-plugin-shim	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-hdfs-plugin	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-hdfs-plugin-shim	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-hive-plugin	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-hive-plugin-shim	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-intg	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-kafka-connect-plugin	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-kafka-plugin	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-kafka-plugin-shim	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-kms	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-kms-plugin	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-kms-plugin-shim	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-knox-plugin	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-knox-plugin-shim	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-kudu-plugin	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-kylin-plugin	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-kylin-plugin-shim	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-nifi-plugin	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-nifi-registry-plugin	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-ozone-plugin	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-ozone-plugin-shim	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-plugin-classloader	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-plugins-audit	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-plugins-common	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-plugins-cred	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-plugins-installer	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-policymigration	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-raz-adls	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-raz-chained-plugins	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-raz-hook-abfs	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-raz-intg	2.3.0.7.1.8.11-3

Project	groupId	artifactId	version
	org.apache.ranger	ranger-raz-processor	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-rms-common	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-rms-hive	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-rms-plugins-common	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-rms-webapp	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-sampleapp-plugin	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-schema-registry-plugin	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-solr-plugin	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-solr-plugin-shim	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-sqoop-plugin	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-sqoop-plugin-shim	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-storm-plugin	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-storm-plugin-shim	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-tagsync	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-tools	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-util	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-yarn-plugin	2.3.0.7.1.8.11-3
	org.apache.ranger	ranger-yarn-plugin-shim	2.3.0.7.1.8.11-3
	org.apache.ranger	sample-client	2.3.0.7.1.8.11-3
	org.apache.ranger	sampleapp	2.3.0.7.1.8.11-3
	org.apache.ranger	shaded-raz-hook-abfs	2.3.0.7.1.8.11-3
	org.apache.ranger	ugsync-util	2.3.0.7.1.8.11-3
	org.apache.ranger	unixauthclient	2.3.0.7.1.8.11-3
	org.apache.ranger	unixauthservice	2.3.0.7.1.8.11-3
	org.apache.ranger	unixusersync	2.3.0.7.1.8.11-3
Apache Solr	org.apache.solr	solr-analysis-extras	8.4.1.7.1.8.11-3
	org.apache.solr	solr-analytics	8.4.1.7.1.8.11-3
	org.apache.solr	solr-cell	8.4.1.7.1.8.11-3
	org.apache.solr	solr-clustering	8.4.1.7.1.8.11-3
	org.apache.solr	solr-core	8.4.1.7.1.8.11-3
	org.apache.solr	solr-dataimporthandler	8.4.1.7.1.8.11-3
	org.apache.solr	solr-dataimporthandler-extras	8.4.1.7.1.8.11-3
	org.apache.solr	solr-jaegertracer-configurator	8.4.1.7.1.8.11-3
	org.apache.solr	solr-langid	8.4.1.7.1.8.11-3
	org.apache.solr	solr-ltr	8.4.1.7.1.8.11-3
	org.apache.solr	solr-prometheus-exporter	8.4.1.7.1.8.11-3
	org.apache.solr	solr-security-util	8.4.1.7.1.8.11-3
	org.apache.solr	solr-solrj	8.4.1.7.1.8.11-3
	org.apache.solr	solr-test-framework	8.4.1.7.1.8.11-3

Project	groupId	artifactId	version
	org.apache.solr	solr-velocity	8.4.1.7.1.8.11-3
Apache Spark	org.apache.spark	spark-avro_2.11	2.4.8.7.1.8.11-3
	org.apache.spark	spark-catalyst_2.11	2.4.8.7.1.8.11-3
	org.apache.spark	spark-core_2.11	2.4.8.7.1.8.11-3
	org.apache.spark	spark-graphx_2.11	2.4.8.7.1.8.11-3
	org.apache.spark	spark-hadoop-cloud_2.11	2.4.8.7.1.8.11-3
	org.apache.spark	spark-hive_2.11	2.4.8.7.1.8.11-3
	org.apache.spark	spark-kubernetes_2.11	2.4.8.7.1.8.11-3
	org.apache.spark	spark-kvstore_2.11	2.4.8.7.1.8.11-3
	org.apache.spark	spark-launcher_2.11	2.4.8.7.1.8.11-3
	org.apache.spark	spark-mllib-local_2.11	2.4.8.7.1.8.11-3
	org.apache.spark	spark-mllib_2.11	2.4.8.7.1.8.11-3
	org.apache.spark	spark-network-common_2.11	2.4.8.7.1.8.11-3
	org.apache.spark	spark-network-shuffle_2.11	2.4.8.7.1.8.11-3
	org.apache.spark	spark-network-yarn_2.11	2.4.8.7.1.8.11-3
	org.apache.spark	spark-repl_2.11	2.4.8.7.1.8.11-3
	org.apache.spark	spark-sketch_2.11	2.4.8.7.1.8.11-3
	org.apache.spark	spark-sql-kafka-0-10_2.11	2.4.8.7.1.8.11-3
	org.apache.spark	spark-sql_2.11	2.4.8.7.1.8.11-3
	org.apache.spark	spark-streaming-kafka-0-10-assembly_2.11	2.4.8.7.1.8.11-3
	org.apache.spark	spark-streaming-kafka-0-10_2.11	2.4.8.7.1.8.11-3
	org.apache.spark	spark-streaming_2.11	2.4.8.7.1.8.11-3
	org.apache.spark	spark-tags_2.11	2.4.8.7.1.8.11-3
	org.apache.spark	spark-token-provider-kafka-0-10_2.11	2.4.8.7.1.8.11-3
	org.apache.spark	spark-unsafe_2.11	2.4.8.7.1.8.11-3
	org.apache.spark	spark-yarn_2.11	2.4.8.7.1.8.11-3
Apache Sqoop	org.apache.sqoop	sqoop	1.4.7.7.1.8.11-3
	org.apache.sqoop	sqoop-test	1.4.7.7.1.8.11-3
Apache Tez	org.apache.tez	hadoop-shim	0.9.1.7.1.8.11-3
	org.apache.tez	hadoop-shim-2.8	0.9.1.7.1.8.11-3
	org.apache.tez	tez-api	0.9.1.7.1.8.11-3
	org.apache.tez	tez-aux-services	0.9.1.7.1.8.11-3
	org.apache.tez	tez-common	0.9.1.7.1.8.11-3
	org.apache.tez	tez-dag	0.9.1.7.1.8.11-3
	org.apache.tez	tez-examples	0.9.1.7.1.8.11-3
	org.apache.tez	tez-ext-service-tests	0.9.1.7.1.8.11-3
	org.apache.tez	tez-history-parser	0.9.1.7.1.8.11-3
	org.apache.tez	tez-javadoc-tools	0.9.1.7.1.8.11-3
	org.apache.tez	tez-job-analyzer	0.9.1.7.1.8.11-3

Project	groupId	artifactId	version
	org.apache.tez	tez-mapreduce	0.9.1.7.1.8.11-3
	org.apache.tez	tez-protobuf-history-plugin	0.9.1.7.1.8.11-3
	org.apache.tez	tez-runtime-internals	0.9.1.7.1.8.11-3
	org.apache.tez	tez-runtime-library	0.9.1.7.1.8.11-3
	org.apache.tez	tez-tests	0.9.1.7.1.8.11-3
	org.apache.tez	tez-yarn-timeline-cache-plugin	0.9.1.7.1.8.11-3
	org.apache.tez	tez-yarn-timeline-history	0.9.1.7.1.8.11-3
	org.apache.tez	tez-yarn-timeline-history-with-acls	0.9.1.7.1.8.11-3
	org.apache.tez	tez-yarn-timeline-history-with-fs	0.9.1.7.1.8.11-3
Apache Zeppelin	org.apache.zeppelin	zeppelin-angular	0.8.2.7.1.8.11-3
	org.apache.zeppelin	zeppelin-display	0.8.2.7.1.8.11-3
	org.apache.zeppelin	zeppelin-interpreter	0.8.2.7.1.8.11-3
	org.apache.zeppelin	zeppelin-jdbc	0.8.2.7.1.8.11-3
	org.apache.zeppelin	zeppelin-jupyter	0.8.2.7.1.8.11-3
	org.apache.zeppelin	zeppelin-livy	0.8.2.7.1.8.11-3
	org.apache.zeppelin	zeppelin-markdown	0.8.2.7.1.8.11-3
	org.apache.zeppelin	zeppelin-server	0.8.2.7.1.8.11-3
	org.apache.zeppelin	zeppelin-shell	0.8.2.7.1.8.11-3
	org.apache.zeppelin	zeppelin-zengine	0.8.2.7.1.8.11-3
Apache ZooKeeper	org.apache.zookeeper	zookeeper	3.5.5.7.1.8.11-3
	org.apache.zookeeper	zookeeper-client-c	3.5.5.7.1.8.11-3
	org.apache.zookeeper	zookeeper-contrib-loggraph	3.5.5.7.1.8.11-3
	org.apache.zookeeper	zookeeper-contrib-rest	3.5.5.7.1.8.11-3
	org.apache.zookeeper	zookeeper-contrib-zooinspector	3.5.5.7.1.8.11-3
	org.apache.zookeeper	zookeeper-docs	3.5.5.7.1.8.11-3
	org.apache.zookeeper	zookeeper-jute	3.5.5.7.1.8.11-3
	org.apache.zookeeper	zookeeper-recipes-election	3.5.5.7.1.8.11-3
	org.apache.zookeeper	zookeeper-recipes-lock	3.5.5.7.1.8.11-3
	org.apache.zookeeper	zookeeper-recipes-queue	3.5.5.7.1.8.11-3

Runtime 7.1.8.15-5

The following table lists the project name, groupId, artifactId, and version required to access each Runtime artifact.

Project	groupId	artifactId	version
Apache Atlas	org.apache.atlas	atlas-authorization	2.1.0.7.1.8.15-5
	org.apache.atlas	atlas-aws-s3-bridge	2.1.0.7.1.8.15-5
	org.apache.atlas	atlas-azure-adls-bridge	2.1.0.7.1.8.15-5
	org.apache.atlas	atlas-classification-updater	2.1.0.7.1.8.15-5
	org.apache.atlas	atlas-client-common	2.1.0.7.1.8.15-5

Project	groupId	artifactId	version
	org.apache.atlas	atlas-client-v1	2.1.0.7.1.8.15-5
	org.apache.atlas	atlas-client-v2	2.1.0.7.1.8.15-5
	org.apache.atlas	atlas-common	2.1.0.7.1.8.15-5
	org.apache.atlas	atlas-distro	2.1.0.7.1.8.15-5
	org.apache.atlas	atlas-docs	2.1.0.7.1.8.15-5
	org.apache.atlas	atlas-graphdb-api	2.1.0.7.1.8.15-5
	org.apache.atlas	atlas-graphdb-common	2.1.0.7.1.8.15-5
	org.apache.atlas	atlas-graphdb-janus	2.1.0.7.1.8.15-5
	org.apache.atlas	atlas-hdfs-bridge	2.1.0.7.1.8.15-5
	org.apache.atlas	atlas-index-repair-tool	2.1.0.7.1.8.15-5
	org.apache.atlas	atlas-intg	2.1.0.7.1.8.15-5
	org.apache.atlas	atlas-janusgraph-hbase2	2.1.0.7.1.8.15-5
	org.apache.atlas	atlas-notification	2.1.0.7.1.8.15-5
	org.apache.atlas	atlas-plugin-classloader	2.1.0.7.1.8.15-5
	org.apache.atlas	atlas-repository	2.1.0.7.1.8.15-5
	org.apache.atlas	atlas-server-api	2.1.0.7.1.8.15-5
	org.apache.atlas	atlas-testtools	2.1.0.7.1.8.15-5
	org.apache.atlas	hbase-bridge	2.1.0.7.1.8.15-5
	org.apache.atlas	hbase-bridge-shim	2.1.0.7.1.8.15-5
	org.apache.atlas	hbase-testing-util	2.1.0.7.1.8.15-5
	org.apache.atlas	hdfs-model	2.1.0.7.1.8.15-5
	org.apache.atlas	hive-bridge	2.1.0.7.1.8.15-5
	org.apache.atlas	hive-bridge-shim	2.1.0.7.1.8.15-5
	org.apache.atlas	impala-bridge	2.1.0.7.1.8.15-5
	org.apache.atlas	impala-bridge-shim	2.1.0.7.1.8.15-5
	org.apache.atlas	impala-hook-api	2.1.0.7.1.8.15-5
	org.apache.atlas	kafka-bridge	2.1.0.7.1.8.15-5
	org.apache.atlas	kafka-bridge-shim	2.1.0.7.1.8.15-5
	org.apache.atlas	navigator-to-atlas	2.1.0.7.1.8.15-5
	org.apache.atlas	sample-app	2.1.0.7.1.8.15-5
	org.apache.atlas	sqoop-bridge	2.1.0.7.1.8.15-5
	org.apache.atlas	sqoop-bridge-shim	2.1.0.7.1.8.15-5
Apache Avro	org.apache.avro	avro	1.8.2.7.1.8.15-5
	org.apache.avro	avro-compiler	1.8.2.7.1.8.15-5
	org.apache.avro	avro-ipc	1.8.2.7.1.8.15-5
	org.apache.avro	avro-mapred	1.8.2.7.1.8.15-5
	org.apache.avro	avro-maven-plugin	1.8.2.7.1.8.15-5
	org.apache.avro	avro-protobuf	1.8.2.7.1.8.15-5
	org.apache.avro	avro-service-archetype	1.8.2.7.1.8.15-5

Project	groupId	artifactId	version
	org.apache.avro	avro-thrift	1.8.2.7.1.8.15-5
	org.apache.avro	avro-tools	1.8.2.7.1.8.15-5
	org.apache.avro	trevni-avro	1.8.2.7.1.8.15-5
	org.apache.avro	trevni-core	1.8.2.7.1.8.15-5
Apache Calcite	org.apache.calcite	calcite-babel	1.19.0.7.1.8.15-5
	org.apache.calcite	calcite-core	1.19.0.7.1.8.15-5
	org.apache.calcite	calcite-druid	1.19.0.7.1.8.15-5
	org.apache.calcite	calcite-linq4j	1.19.0.7.1.8.15-5
	org.apache.calcite	calcite-server	1.19.0.7.1.8.15-5
	org.apache.calcite.avatica	avatica	1.16.0.7.1.8.15-5
	org.apache.calcite.avatica	avatica-core	1.16.0.7.1.8.15-5
	org.apache.calcite.avatica	avatica-metrics	1.16.0.7.1.8.15-5
	org.apache.calcite.avatica	avatica-metrics-dropwizardmetrics	1.16.0.7.1.8.15-5
	org.apache.calcite.avatica	avatica-noop-driver	1.16.0.7.1.8.15-5
	org.apache.calcite.avatica	avatica-server	1.16.0.7.1.8.15-5
	org.apache.calcite.avatica	avatica-standalone-server	1.16.0.7.1.8.15-5
	org.apache.calcite.avatica	avatica-tck	1.16.0.7.1.8.15-5
GCS Connector	com.google.cloud.bigtable	bigtable-hbase-connector	2.1.2.7.1.8.15-5
	com.google.cloud.bigtable	bigtable-connector	2.1.2.7.1.8.15-5
	com.google.cloud.bigtable	bigtable-cross	2.1.2.7.1.8.15-5
	com.google.cloud.bigtable	bigtable-aoss	2.1.2.7.1.8.15-5
	com.google.cloud.bigtable	bigtable-hadoop	2.1.2.7.1.8.15-5
Apache Hadoop	org.apache.hadoop	hadoop-aliyun	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-annotations	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-archive-logs	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-archives	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-assemblies	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-auth	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-aws	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-azure	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-azure-datalake	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-build-tools	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-client	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-client-api	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-client-integration-tests	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-client-minicluster	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-client-runtime	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-cloud-storage	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-common	3.1.1.7.1.8.15-5

Project	groupId	artifactId	version
	org.apache.hadoop	hadoop-datajoin	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-distcp	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-extras	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-fs2img	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-gridmix	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-hdfs	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-hdfs-client	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-hdfs-httpfs	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-hdfs-native-client	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-hdfs-nfs	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-hdfs-rbf	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-kafka	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-kms	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-mapreduce-client-app	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-mapreduce-client-common	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-mapreduce-client-core	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-mapreduce-client-hs	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-mapreduce-client-hs-plugins	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-mapreduce-client-jobclient	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-mapreduce-client-nativetask	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-mapreduce-client-shuffle	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-mapreduce-client-uploader	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-mapreduce-examples	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-maven-plugins	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-minicluster	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-minikdc	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-nfs	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-openstack	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-resourceestimator	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-rumen	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-sls	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-streaming	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-tools-dist	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-yarn-api	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-yarn-applications-distributedshell	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-yarn-applications-unmanaged-am-launcher	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-yarn-client	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-yarn-common	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-yarn-registry	3.1.1.7.1.8.15-5

Project	groupId	artifactId	version
	org.apache.hadoop	hadoop-yarn-server-applicationhistoryservice	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-yarn-server-common	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-yarn-server-nodemanager	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-yarn-server-resourcemanager	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-yarn-server-router	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-yarn-server-sharedcachemanager	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-yarn-server-tests	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-yarn-server-timeline-pluginstorage	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-yarn-server-timelineservice	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-client	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-common	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-server-2	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-tests	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-yarn-server-web-proxy	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-yarn-services-api	3.1.1.7.1.8.15-5
	org.apache.hadoop	hadoop-yarn-services-core	3.1.1.7.1.8.15-5
Apache HBase	org.apache.hbase	filesystem	hadoop3-3-testutils
	org.apache.hbase	hbase-annotations	2.4.6.7.1.8.15-5
	org.apache.hbase	hbase-asyncfs	2.4.6.7.1.8.15-5
	org.apache.hbase	hbase-checkstyle	2.4.6.7.1.8.15-5
	org.apache.hbase	hbase-client	2.4.6.7.1.8.15-5
	org.apache.hbase	hbase-client-project	2.4.6.7.1.8.15-5
	org.apache.hbase	hbase-common	2.4.6.7.1.8.15-5
	org.apache.hbase	hbase-endpoint	2.4.6.7.1.8.15-5
	org.apache.hbase	hbase-examples	2.4.6.7.1.8.15-5
	org.apache.hbase	hbase-external-blockcache	2.4.6.7.1.8.15-5
	org.apache.hbase	hbase-hadoop-compat	2.4.6.7.1.8.15-5
	org.apache.hbase	hbase-hadoop2-compat	2.4.6.7.1.8.15-5
	org.apache.hbase	hbase-hbtop	2.4.6.7.1.8.15-5
	org.apache.hbase	hbase-http	2.4.6.7.1.8.15-5
	org.apache.hbase	hbase-it	2.4.6.7.1.8.15-5
	org.apache.hbase	hbase-logging	2.4.6.7.1.8.15-5
	org.apache.hbase	hbase-mapreduce	2.4.6.7.1.8.15-5
	org.apache.hbase	hbase-metrics	2.4.6.7.1.8.15-5
	org.apache.hbase	hbase-metrics-api	2.4.6.7.1.8.15-5
	org.apache.hbase	hbase-procedure	2.4.6.7.1.8.15-5
	org.apache.hbase	hbase-protocol	2.4.6.7.1.8.15-5
	org.apache.hbase	hbase-protocol-shaded	2.4.6.7.1.8.15-5
	org.apache.hbase	hbase-replication	2.4.6.7.1.8.15-5

Project	groupId	artifactId	version
	org.apache.hbase	hbase-resource-bundle	2.4.6.7.1.8.15-5
	org.apache.hbase	hbase-rest	2.4.6.7.1.8.15-5
	org.apache.hbase	hbase-rsgroup	2.4.6.7.1.8.15-5
	org.apache.hbase	hbase-server	2.4.6.7.1.8.15-5
	org.apache.hbase	hbase-shaded-client	2.4.6.7.1.8.15-5
	org.apache.hbase	hbase-shaded-client-byo-hadoop	2.4.6.7.1.8.15-5
	org.apache.hbase	hbase-shaded-client-project	2.4.6.7.1.8.15-5
	org.apache.hbase	hbase-shaded-mapreduce	2.4.6.7.1.8.15-5
	org.apache.hbase	hbase-shaded-testing-util	2.4.6.7.1.8.15-5
	org.apache.hbase	hbase-shaded-testing-util-tester	2.4.6.7.1.8.15-5
	org.apache.hbase	hbase-shell	2.4.6.7.1.8.15-5
	org.apache.hbase	hbase-testing-util	2.4.6.7.1.8.15-5
	org.apache.hbase	hbase-thrift	2.4.6.7.1.8.15-5
	org.apache.hbase	hbase-zookeeper	2.4.6.7.1.8.15-5
	org.apache.hbase.contrib	hbase-katana-model	1.0.0.7.1.8.15-5
	org.apache.hbase.contrib	hbase-katana-proxy	1.0.0.7.1.8.15-5
	org.apache.hbase.contrib	hbase-spark	1.0.0.7.1.8.15-5
	org.apache.hbase.contrib	hbase-spark-it	1.0.0.7.1.8.15-5
	org.apache.hbase.contrib	hbase-spark-protocol	1.0.0.7.1.8.15-5
	org.apache.hbase.contrib	hbase-spark-protocol-shaded	1.0.0.7.1.8.15-5
	org.apache.hbase.filesystem	hadoop-testutils	1.0.0.7.1.8.15-5
	org.apache.hbase.filesystem	hbase-hdfs-impl	1.0.0.7.1.8.15-5
	org.apache.hbase.filesystem	hbase-hdfs	1.0.0.7.1.8.15-5
	org.apache.hbase.thirdparty	hbase-noop-htrace	3.5.0.7.1.8.15-5
	org.apache.hbase.thirdparty	hbase-shaded-gson	3.5.0.7.1.8.15-5
	org.apache.hbase.thirdparty	hbase-shaded-jackson-jaxrs-json-provider	3.5.0.7.1.8.15-5
	org.apache.hbase.thirdparty	hbase-shaded-jersey	3.5.0.7.1.8.15-5
	org.apache.hbase.thirdparty	hbase-shaded-jetty	3.5.0.7.1.8.15-5
	org.apache.hbase.thirdparty	hbase-shaded-miscellaneous	3.5.0.7.1.8.15-5
	org.apache.hbase.thirdparty	hbase-shaded-netty	3.5.0.7.1.8.15-5
	org.apache.hbase.thirdparty	hbase-shaded-protobuf	3.5.0.7.1.8.15-5
Apache Hive	org.apache.hive	hive-beeline	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-blobstore	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-classification	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-cli	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-common	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-contrib	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-exec	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-hbase-handler	3.1.3000.7.1.8.15-5

Project	groupId	artifactId	version
	org.apache.hive	hive-hcatalog-it-unit	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-hplsql	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-it-custom-serde	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-it-minikdc	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-it-qfile	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-it-qfile-kudu	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-it-test-serde	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-it-unit	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-it-unit-hadoop2	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-it-util	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-jdbc	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-jdbc-handler	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-jmh	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-kryo-registrator	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-kudu-handler	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-llap-client	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-llap-common	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-llap-ext-client	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-llap-server	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-llap-tez	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-metastore	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-pre-upgrade	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-serde	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-service	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-service-rpc	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-shims	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-spark-client	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-standalone-metastore	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-storage-api	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-streaming	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-testutils	3.1.3000.7.1.8.15-5
	org.apache.hive	hive-vector-code-gen	3.1.3000.7.1.8.15-5
	org.apache.hive	kafka-handler	3.1.3000.7.1.8.15-5
	org.apache.hive.hcatalog	hive-hcatalog-core	3.1.3000.7.1.8.15-5
	org.apache.hive.hcatalog	hive-hcatalog-server-extensions	3.1.3000.7.1.8.15-5
	org.apache.hive.hcatalog	hive-hcatalog-streaming	3.1.3000.7.1.8.15-5
	org.apache.hive.hcatalog	hive-webhcat	3.1.3000.7.1.8.15-5
	org.apache.hive.hcatalog	hive-webhcat-java-client	3.1.3000.7.1.8.15-5
	org.apache.hive.hive-udf-classloader-udf1	hive-udf-classloader-udf1	3.1.3000.7.1.8.15-5
	org.apache.hive.hive-it-custom-udfs	hive-it-custom-udfs	3.1.3000.7.1.8.15-5

Project	groupId	artifactId	version
	org.apache.hive.hive-it-custom-udfs	hive-udf-classloader-udf2	3.1.3000.7.1.8.15-5
	org.apache.hive.hive-it-custom-udfs	hive-udf-classloader-util	3.1.3000.7.1.8.15-5
	org.apache.hive.hive-it-custom-udfs	hive-udf-vectorized-badexample	3.1.3000.7.1.8.15-5
	org.apache.hive.shims	hive-shims-0.23	3.1.3000.7.1.8.15-5
	org.apache.hive.shims	hive-shims-common	3.1.3000.7.1.8.15-5
	org.apache.hive.shims	hive-shims-scheduler	3.1.3000.7.1.8.15-5
Apache Hive Warehouse Connector	com.hortonworks.hive	hive-warehouse-connector_2.11	1.0.0.7.1.8.15-5
Apache Kafka	org.apache.kafka	connect	3.1.1.7.1.8.15-5
	org.apache.kafka	connect-api	3.1.1.7.1.8.15-5
	org.apache.kafka	connect-basic-auth-extension	3.1.1.7.1.8.15-5
	org.apache.kafka	connect-cloudera-authorization-extension	3.1.1.7.1.8.15-5
	org.apache.kafka	connect-cloudera-common	3.1.1.7.1.8.15-5
	org.apache.kafka	connect-cloudera-secret-storage	3.1.1.7.1.8.15-5
	org.apache.kafka	connect-cloudera-security-policies	3.1.1.7.1.8.15-5
	org.apache.kafka	connect-file	3.1.1.7.1.8.15-5
	org.apache.kafka	connect-json	3.1.1.7.1.8.15-5
	org.apache.kafka	connect-mirror	3.1.1.7.1.8.15-5
	org.apache.kafka	connect-mirror-client	3.1.1.7.1.8.15-5
	org.apache.kafka	connect-runtime	3.1.1.7.1.8.15-5
	org.apache.kafka	connect-transforms	3.1.1.7.1.8.15-5
	org.apache.kafka	generator	3.1.1.7.1.8.15-5
	org.apache.kafka	kafka-clients	3.1.1.7.1.8.15-5
	org.apache.kafka	kafka-cloudera-metrics-reporter_2.12	3.1.1.7.1.8.15-5
	org.apache.kafka	kafka-cloudera-metrics-reporter_2.13	3.1.1.7.1.8.15-5
	org.apache.kafka	kafka-cloudera-plugins	3.1.1.7.1.8.15-5
	org.apache.kafka	kafka-examples	3.1.1.7.1.8.15-5
	org.apache.kafka	kafka-log4j-appender	3.1.1.7.1.8.15-5
	org.apache.kafka	kafka-metadata	3.1.1.7.1.8.15-5
	org.apache.kafka	kafka-raft	3.1.1.7.1.8.15-5
	org.apache.kafka	kafka-server-common	3.1.1.7.1.8.15-5
	org.apache.kafka	kafka-shell	3.1.1.7.1.8.15-5
	org.apache.kafka	kafka-storage	3.1.1.7.1.8.15-5
	org.apache.kafka	kafka-storage-api	3.1.1.7.1.8.15-5
	org.apache.kafka	kafka-streams	3.1.1.7.1.8.15-5
	org.apache.kafka	kafka-streams-examples	3.1.1.7.1.8.15-5
	org.apache.kafka	kafka-streams-scala_2.12	3.1.1.7.1.8.15-5

Project	groupId	artifactId	version
	org.apache.kafka	kafka-streams-scala_2.13	3.1.1.7.1.8.15-5
	org.apache.kafka	kafka-streams-test-utils	3.1.1.7.1.8.15-5
	org.apache.kafka	kafka-streams-upgrade-system-tests-0100	3.1.1.7.1.8.15-5
	org.apache.kafka	kafka-streams-upgrade-system-tests-0101	3.1.1.7.1.8.15-5
	org.apache.kafka	kafka-streams-upgrade-system-tests-0102	3.1.1.7.1.8.15-5
	org.apache.kafka	kafka-streams-upgrade-system-tests-0110	3.1.1.7.1.8.15-5
	org.apache.kafka	kafka-streams-upgrade-system-tests-10	3.1.1.7.1.8.15-5
	org.apache.kafka	kafka-streams-upgrade-system-tests-11	3.1.1.7.1.8.15-5
	org.apache.kafka	kafka-streams-upgrade-system-tests-20	3.1.1.7.1.8.15-5
	org.apache.kafka	kafka-streams-upgrade-system-tests-21	3.1.1.7.1.8.15-5
	org.apache.kafka	kafka-streams-upgrade-system-tests-22	3.1.1.7.1.8.15-5
	org.apache.kafka	kafka-streams-upgrade-system-tests-23	3.1.1.7.1.8.15-5
	org.apache.kafka	kafka-streams-upgrade-system-tests-24	3.1.1.7.1.8.15-5
	org.apache.kafka	kafka-streams-upgrade-system-tests-25	3.1.1.7.1.8.15-5
	org.apache.kafka	kafka-streams-upgrade-system-tests-26	3.1.1.7.1.8.15-5
	org.apache.kafka	kafka-streams-upgrade-system-tests-27	3.1.1.7.1.8.15-5
	org.apache.kafka	kafka-streams-upgrade-system-tests-28	3.1.1.7.1.8.15-5
	org.apache.kafka	kafka-tools	3.1.1.7.1.8.15-5
	org.apache.kafka	kafka_2.12	3.1.1.7.1.8.15-5
	org.apache.kafka	kafka_2.13	3.1.1.7.1.8.15-5
	org.apache.kafka	trogdor	3.1.1.7.1.8.15-5
Apache Knox	org.apache.knox	gateway-adapter	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-admin-ui	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-applications	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-cloud-bindings	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-demo-ldap	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-demo-ldap-launcher	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-discovery-ambari	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-discovery-cm	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-docker	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-i18n	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-i18n-logging-log4j	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-i18n-logging-sl4j	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-provider-ha	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-provider-identity-assertion-common	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-provider-identity-assertion-concat	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-provider-identity-assertion-hadoop-groups	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-provider-identity-assertion-pseudo	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-provider-identity-assertion-regex	1.3.0.7.1.8.15-5

Project	groupId	artifactId	version
	org.apache.knox	gateway-provider-identity-assertion-switchcase	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-provider-jersey	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-provider-rewrite	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-provider-rewrite-common	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-provider-rewrite-func-hostmap-static	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-provider-rewrite-func-inbound-query-param	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-provider-rewrite-func-service-registry	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-provider-rewrite-step-encrypt-uri	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-provider-rewrite-step-secure-query	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-provider-security-authc-anon	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-provider-security-authz-acls	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-provider-security-authz-composite	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-provider-security-clientcert	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-provider-security-hadoopauth	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-provider-security-jwt	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-provider-security-pac4j	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-provider-security-preauth	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-provider-security-shiro	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-provider-security-webappsec	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-release	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-server	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-server-launcher	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-server-xforwarded-filter	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-service-admin	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-service-as	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-service-definitions	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-service-hashicorp-vault	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-service-hbase	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-service-health	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-service-hive	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-service-idbroker	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-service-impala	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-service-jkg	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-service-knoxsso	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-service-knoxsout	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-service-knoxtoken	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-service-livy	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-service-metadata	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-service-nifi	1.3.0.7.1.8.15-5

Project	groupId	artifactId	version
	org.apache.knox	gateway-service-nifi-registry	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-service-remoteconfig	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-service-rm	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-service-session	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-service-storm	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-service-test	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-service-tgs	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-service-vault	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-service-webhdfs	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-shell	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-shell-launcher	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-shell-release	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-shell-samples	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-spi	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-test	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-test-idbroker	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-test-release-utils	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-test-utils	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-topology-hadoop-xml	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-topology-simple	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-util-common	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-util-configinjector	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-util-launcher	1.3.0.7.1.8.15-5
	org.apache.knox	gateway-util-urltemplate	1.3.0.7.1.8.15-5
	org.apache.knox	hadoop-examples	1.3.0.7.1.8.15-5
	org.apache.knox	knox-cli-launcher	1.3.0.7.1.8.15-5
	org.apache.knox	knox-homepage-ui	1.3.0.7.1.8.15-5
	org.apache.knox	webhdfs-kerb-test	1.3.0.7.1.8.15-5
	org.apache.knox	webhdfs-test	1.3.0.7.1.8.15-5
Apache Kudu	org.apache.kudu	kudu-backup-tools	1.15.0.7.1.8.15-5
	org.apache.kudu	kudu-backup2_2.11	1.15.0.7.1.8.15-5
	org.apache.kudu	kudu-backup3_2.12	1.15.0.7.1.8.15-5
	org.apache.kudu	kudu-client	1.15.0.7.1.8.15-5
	org.apache.kudu	kudu-hive	1.15.0.7.1.8.15-5
	org.apache.kudu	kudu-spark2-tools_2.11	1.15.0.7.1.8.15-5
	org.apache.kudu	kudu-spark2_2.11	1.15.0.7.1.8.15-5
	org.apache.kudu	kudu-spark3-tools_2.12	1.15.0.7.1.8.15-5
	org.apache.kudu	kudu-spark3_2.12	1.15.0.7.1.8.15-5
	org.apache.kudu	kudu-test-utils	1.15.0.7.1.8.15-5

Project	groupId	artifactId	version
Apache Livy	org.apache.livy	livy-api	0.6.0.7.1.8.15-5
	org.apache.livy	livy-client-common	0.6.0.7.1.8.15-5
	org.apache.livy	livy-client-http	0.6.0.7.1.8.15-5
	org.apache.livy	livy-core_2.11	0.6.0.7.1.8.15-5
	org.apache.livy	livy-examples	0.6.0.7.1.8.15-5
	org.apache.livy	livy-integration-test	0.6.0.7.1.8.15-5
	org.apache.livy	livy-repl_2.11	0.6.0.7.1.8.15-5
	org.apache.livy	livy-rsc	0.6.0.7.1.8.15-5
	org.apache.livy	livy-scala-api_2.11	0.6.0.7.1.8.15-5
	org.apache.livy	livy-server	0.6.0.7.1.8.15-5
	org.apache.livy	livy-test-lib	0.6.0.7.1.8.15-5
	org.apache.livy	livy-thriftserver	0.6.0.7.1.8.15-5
	org.apache.livy	livy-thriftserver-session	0.6.0.7.1.8.15-5
Apache Lucene	org.apache.lucene	lucene-analyzers-common	8.4.1.7.1.8.15-5
	org.apache.lucene	lucene-analyzers-icu	8.4.1.7.1.8.15-5
	org.apache.lucene	lucene-analyzers-kuromoji	8.4.1.7.1.8.15-5
	org.apache.lucene	lucene-analyzers-morfologik	8.4.1.7.1.8.15-5
	org.apache.lucene	lucene-analyzers-nori	8.4.1.7.1.8.15-5
	org.apache.lucene	lucene-analyzers-openslp	8.4.1.7.1.8.15-5
	org.apache.lucene	lucene-analyzers-phonetic	8.4.1.7.1.8.15-5
	org.apache.lucene	lucene-analyzers-smartcn	8.4.1.7.1.8.15-5
	org.apache.lucene	lucene-analyzers-stempel	8.4.1.7.1.8.15-5
	org.apache.lucene	lucene-backward-codecs	8.4.1.7.1.8.15-5
	org.apache.lucene	lucene-benchmark	8.4.1.7.1.8.15-5
	org.apache.lucene	lucene-classification	8.4.1.7.1.8.15-5
	org.apache.lucene	lucene-codecs	8.4.1.7.1.8.15-5
	org.apache.lucene	lucene-core	8.4.1.7.1.8.15-5
	org.apache.lucene	lucene-demo	8.4.1.7.1.8.15-5
	org.apache.lucene	lucene-expressions	8.4.1.7.1.8.15-5
	org.apache.lucene	lucene-facet	8.4.1.7.1.8.15-5
	org.apache.lucene	lucene-grouping	8.4.1.7.1.8.15-5
	org.apache.lucene	lucene-highlighter	8.4.1.7.1.8.15-5
	org.apache.lucene	lucene-join	8.4.1.7.1.8.15-5
	org.apache.lucene	lucene-memory	8.4.1.7.1.8.15-5
	org.apache.lucene	lucene-misc	8.4.1.7.1.8.15-5
	org.apache.lucene	lucene-monitor	8.4.1.7.1.8.15-5
	org.apache.lucene	lucene-queries	8.4.1.7.1.8.15-5
	org.apache.lucene	lucene-queryparser	8.4.1.7.1.8.15-5
	org.apache.lucene	lucene-replicator	8.4.1.7.1.8.15-5

Project	groupId	artifactId	version
	org.apache.lucene	lucene-sandbox	8.4.1.7.1.8.15-5
	org.apache.lucene	lucene-spatial	8.4.1.7.1.8.15-5
	org.apache.lucene	lucene-spatial-extras	8.4.1.7.1.8.15-5
	org.apache.lucene	lucene-spatial3d	8.4.1.7.1.8.15-5
	org.apache.lucene	lucene-suggest	8.4.1.7.1.8.15-5
	org.apache.lucene	lucene-test-framework	8.4.1.7.1.8.15-5
Apache Oozie	org.apache.oozie	oozie-client	5.1.0.7.1.8.15-5
	org.apache.oozie	oozie-core	5.1.0.7.1.8.15-5
	org.apache.oozie	oozie-distro	5.1.0.7.1.8.15-5
	org.apache.oozie	oozie-examples	5.1.0.7.1.8.15-5
	org.apache.oozie	oozie-fluent-job-api	5.1.0.7.1.8.15-5
	org.apache.oozie	oozie-fluent-job-client	5.1.0.7.1.8.15-5
	org.apache.oozie	oozie-server	5.1.0.7.1.8.15-5
	org.apache.oozie	oozie-sharelib-distcp	5.1.0.7.1.8.15-5
	org.apache.oozie	oozie-sharelib-git	5.1.0.7.1.8.15-5
	org.apache.oozie	oozie-sharelib-hcatalog	5.1.0.7.1.8.15-5
	org.apache.oozie	oozie-sharelib-hive	5.1.0.7.1.8.15-5
	org.apache.oozie	oozie-sharelib-hive2	5.1.0.7.1.8.15-5
	org.apache.oozie	oozie-sharelib-oozie	5.1.0.7.1.8.15-5
	org.apache.oozie	oozie-sharelib-spark	5.1.0.7.1.8.15-5
	org.apache.oozie	oozie-sharelib-sqoop	5.1.0.7.1.8.15-5
	org.apache.oozie	oozie-sharelib-streaming	5.1.0.7.1.8.15-5
	org.apache.oozie	oozie-tools	5.1.0.7.1.8.15-5
	org.apache.oozie	oozie-zookeeper-security-tests	5.1.0.7.1.8.15-5
	org.apache.oozie.test	oozie-mini	5.1.0.7.1.8.15-5
Apache ORC	org.apache.orc	orc-core	1.5.1.7.1.8.15-5
	org.apache.orc	orc-examples	1.5.1.7.1.8.15-5
	org.apache.orc	orc-mapreduce	1.5.1.7.1.8.15-5
	org.apache.orc	orc-shims	1.5.1.7.1.8.15-5
	org.apache.orc	orc-tools	1.5.1.7.1.8.15-5
Apache Parquet	org.apache.parquet	parquet-avro	1.10.99.7.1.8.15-5
	org.apache.parquet	parquet-cascading	1.10.99.7.1.8.15-5
	org.apache.parquet	parquet-cascading3	1.10.99.7.1.8.15-5
	org.apache.parquet	parquet-column	1.10.99.7.1.8.15-5
	org.apache.parquet	parquet-common	1.10.99.7.1.8.15-5
	org.apache.parquet	parquet-encoding	1.10.99.7.1.8.15-5
	org.apache.parquet	parquet-format-structures	1.10.99.7.1.8.15-5
	org.apache.parquet	parquet-generator	1.10.99.7.1.8.15-5
	org.apache.parquet	parquet-hadoop	1.10.99.7.1.8.15-5

Project	groupId	artifactId	version
	org.apache.parquet	parquet-hadoop-bundle	1.10.99.7.1.8.15-5
	org.apache.parquet	parquet-jackson	1.10.99.7.1.8.15-5
	org.apache.parquet	parquet-pig	1.10.99.7.1.8.15-5
	org.apache.parquet	parquet-pig-bundle	1.10.99.7.1.8.15-5
	org.apache.parquet	parquet-protobuf	1.10.99.7.1.8.15-5
	org.apache.parquet	parquet-scala_2.10	1.10.99.7.1.8.15-5
	org.apache.parquet	parquet-thrift	1.10.99.7.1.8.15-5
	org.apache.parquet	parquet-tools	1.10.99.7.1.8.15-5
Apache Phoenix	org.apache.phoenix	phoenix-client-embedded-hbase-2.4	5.1.1.7.1.8.15-5
	org.apache.phoenix	phoenix-client-hbase-2.4	5.1.1.7.1.8.15-5
	org.apache.phoenix	phoenix-connectors-phoenix5-compatible	6.0.0.7.1.8.15-5
	org.apache.phoenix	phoenix-core	5.1.1.7.1.8.15-5
	org.apache.phoenix	phoenix-hbase-compatible-2.1.6	5.1.1.7.1.8.15-5
	org.apache.phoenix	phoenix-hbase-compatible-2.2.5	5.1.1.7.1.8.15-5
	org.apache.phoenix	phoenix-hbase-compatible-2.3.0	5.1.1.7.1.8.15-5
	org.apache.phoenix	phoenix-hbase-compatible-2.4.0	5.1.1.7.1.8.15-5
	org.apache.phoenix	phoenix-hbase-compatible-2.4.1	5.1.1.7.1.8.15-5
	org.apache.phoenix	phoenix-pherf	5.1.1.7.1.8.15-5
	org.apache.phoenix	phoenix-queryserver	6.0.0.7.1.8.15-5
	org.apache.phoenix	phoenix-queryserver-client	6.0.0.7.1.8.15-5
	org.apache.phoenix	phoenix-queryserver-it	6.0.0.7.1.8.15-5
	org.apache.phoenix	phoenix-queryserver-load-balancer	6.0.0.7.1.8.15-5
	org.apache.phoenix	phoenix-queryserver-orchestrator	6.0.0.7.1.8.15-5
	org.apache.phoenix	phoenix-server-hbase-2.4	5.1.1.7.1.8.15-5
	org.apache.phoenix	phoenix-tracing-webapp	5.1.1.7.1.8.15-5
	org.apache.phoenix	phoenix5-hive	6.0.0.7.1.8.15-5
	org.apache.phoenix	phoenix5-hive-shaded	6.0.0.7.1.8.15-5
	org.apache.phoenix	phoenix5-spark	6.0.0.7.1.8.15-5
	org.apache.phoenix	phoenix5-spark-shaded	6.0.0.7.1.8.15-5
	org.apache.phoenix	phoenix5-shaded-commons-cli	1.1.0.7.1.8.15-5
	org.apache.phoenix	phoenix5-shaded-guava	1.1.0.7.1.8.15-5
Apache Ranger	org.apache.ranger	conditions-enrichers	2.3.0.7.1.8.15-5
	org.apache.ranger	credentialbuilder	2.3.0.7.1.8.15-5
	org.apache.ranger	embeddedwebserver	2.3.0.7.1.8.15-5
	org.apache.ranger	jisql	2.3.0.7.1.8.15-5
	org.apache.ranger	ldapconfigcheck	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-adls-plugin	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-atlas-plugin	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-atlas-plugin-shim	2.3.0.7.1.8.15-5

Project	groupId	artifactId	version
	org.apache.ranger	ranger-authn	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-distro	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-examples-distro	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-hbase-plugin	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-hbase-plugin-shim	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-hdfs-plugin	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-hdfs-plugin-shim	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-hive-plugin	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-hive-plugin-shim	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-intg	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-kafka-connect-plugin	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-kafka-plugin	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-kafka-plugin-shim	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-kms	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-kms-plugin	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-kms-plugin-shim	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-knox-plugin	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-knox-plugin-shim	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-kudu-plugin	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-kylin-plugin	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-kylin-plugin-shim	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-nifi-plugin	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-nifi-registry-plugin	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-ozone-plugin	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-ozone-plugin-shim	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-plugin-classloader	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-plugins-audit	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-plugins-common	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-plugins-cred	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-plugins-installer	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-policymigration	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-raz-adls	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-raz-chained-plugins	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-raz-hook-abfs	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-raz-intg	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-raz-processor	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-rms-common	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-rms-hive	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-rms-plugins-common	2.3.0.7.1.8.15-5

Project	groupId	artifactId	version
	org.apache.ranger	ranger-rms-webapp	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-sampleapp-plugin	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-schema-registry-plugin	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-solr-plugin	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-solr-plugin-shim	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-sqoop-plugin	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-sqoop-plugin-shim	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-storm-plugin	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-storm-plugin-shim	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-tagsync	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-tools	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-util	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-yarn-plugin	2.3.0.7.1.8.15-5
	org.apache.ranger	ranger-yarn-plugin-shim	2.3.0.7.1.8.15-5
	org.apache.ranger	sample-client	2.3.0.7.1.8.15-5
	org.apache.ranger	sampleapp	2.3.0.7.1.8.15-5
	org.apache.ranger	shaded-raz-hook-abfs	2.3.0.7.1.8.15-5
	org.apache.ranger	ugsync-util	2.3.0.7.1.8.15-5
	org.apache.ranger	unixauthclient	2.3.0.7.1.8.15-5
	org.apache.ranger	unixauthservice	2.3.0.7.1.8.15-5
	org.apache.ranger	unixusersync	2.3.0.7.1.8.15-5
Apache Solr	org.apache.solr	solr-analysis-extras	8.4.1.7.1.8.15-5
	org.apache.solr	solr-analytics	8.4.1.7.1.8.15-5
	org.apache.solr	solr-cell	8.4.1.7.1.8.15-5
	org.apache.solr	solr-clustering	8.4.1.7.1.8.15-5
	org.apache.solr	solr-core	8.4.1.7.1.8.15-5
	org.apache.solr	solr-dataimporthandler	8.4.1.7.1.8.15-5
	org.apache.solr	solr-dataimporthandler-extras	8.4.1.7.1.8.15-5
	org.apache.solr	solr-jaegertracer-configurator	8.4.1.7.1.8.15-5
	org.apache.solr	solr-langid	8.4.1.7.1.8.15-5
	org.apache.solr	solr-ltr	8.4.1.7.1.8.15-5
	org.apache.solr	solr-prometheus-exporter	8.4.1.7.1.8.15-5
	org.apache.solr	solr-security-util	8.4.1.7.1.8.15-5
	org.apache.solr	solr-solrj	8.4.1.7.1.8.15-5
	org.apache.solr	solr-test-framework	8.4.1.7.1.8.15-5
	org.apache.solr	solr-velocity	8.4.1.7.1.8.15-5
Apache Spark	org.apache.spark	spark-avro_2.11	2.4.8.7.1.8.15-5
	org.apache.spark	spark-catalyst_2.11	2.4.8.7.1.8.15-5
	org.apache.spark	spark-core_2.11	2.4.8.7.1.8.15-5

Project	groupId	artifactId	version
	org.apache.spark	spark-graphx_2.11	2.4.8.7.1.8.15-5
	org.apache.spark	spark-hadoop-cloud_2.11	2.4.8.7.1.8.15-5
	org.apache.spark	spark-hive_2.11	2.4.8.7.1.8.15-5
	org.apache.spark	spark-kubernetes_2.11	2.4.8.7.1.8.15-5
	org.apache.spark	spark-kvstore_2.11	2.4.8.7.1.8.15-5
	org.apache.spark	spark-launcher_2.11	2.4.8.7.1.8.15-5
	org.apache.spark	spark-mllib-local_2.11	2.4.8.7.1.8.15-5
	org.apache.spark	spark-mllib_2.11	2.4.8.7.1.8.15-5
	org.apache.spark	spark-network-common_2.11	2.4.8.7.1.8.15-5
	org.apache.spark	spark-network-shuffle_2.11	2.4.8.7.1.8.15-5
	org.apache.spark	spark-network-yarn_2.11	2.4.8.7.1.8.15-5
	org.apache.spark	spark-repl_2.11	2.4.8.7.1.8.15-5
	org.apache.spark	spark-sketch_2.11	2.4.8.7.1.8.15-5
	org.apache.spark	spark-sql-kafka-0-10_2.11	2.4.8.7.1.8.15-5
	org.apache.spark	spark-sql_2.11	2.4.8.7.1.8.15-5
	org.apache.spark	spark-streaming-kafka-0-10-assembly_2.11	2.4.8.7.1.8.15-5
	org.apache.spark	spark-streaming-kafka-0-10_2.11	2.4.8.7.1.8.15-5
	org.apache.spark	spark-streaming_2.11	2.4.8.7.1.8.15-5
	org.apache.spark	spark-tags_2.11	2.4.8.7.1.8.15-5
	org.apache.spark	spark-token-provider-kafka-0-10_2.11	2.4.8.7.1.8.15-5
	org.apache.spark	spark-unsafe_2.11	2.4.8.7.1.8.15-5
	org.apache.spark	spark-yarn_2.11	2.4.8.7.1.8.15-5
Apache Sqoop	org.apache.sqoop	sqoop	1.4.7.7.1.8.15-5
	org.apache.sqoop	sqoop-test	1.4.7.7.1.8.15-5
Apache Tez	org.apache.tez	hadoop-shim	0.9.1.7.1.8.15-5
	org.apache.tez	hadoop-shim-2.8	0.9.1.7.1.8.15-5
	org.apache.tez	tez-api	0.9.1.7.1.8.15-5
	org.apache.tez	tez-aux-services	0.9.1.7.1.8.15-5
	org.apache.tez	tez-common	0.9.1.7.1.8.15-5
	org.apache.tez	tez-dag	0.9.1.7.1.8.15-5
	org.apache.tez	tez-examples	0.9.1.7.1.8.15-5
	org.apache.tez	tez-ext-service-tests	0.9.1.7.1.8.15-5
	org.apache.tez	tez-history-parser	0.9.1.7.1.8.15-5
	org.apache.tez	tez-javadoc-tools	0.9.1.7.1.8.15-5
	org.apache.tez	tez-job-analyzer	0.9.1.7.1.8.15-5
	org.apache.tez	tez-mapreduce	0.9.1.7.1.8.15-5
	org.apache.tez	tez-protobuf-history-plugin	0.9.1.7.1.8.15-5
	org.apache.tez	tez-runtime-internals	0.9.1.7.1.8.15-5
	org.apache.tez	tez-runtime-library	0.9.1.7.1.8.15-5

Project	groupId	artifactId	version
	org.apache.tez	tez-tests	0.9.1.7.1.8.15-5
	org.apache.tez	tez-yarn-timeline-cache-plugin	0.9.1.7.1.8.15-5
	org.apache.tez	tez-yarn-timeline-history	0.9.1.7.1.8.15-5
	org.apache.tez	tez-yarn-timeline-history-with-acls	0.9.1.7.1.8.15-5
	org.apache.tez	tez-yarn-timeline-history-with-fs	0.9.1.7.1.8.15-5
Apache Zeppelin	org.apache.zeppelin	zeppelin-angular	0.8.2.7.1.8.15-5
	org.apache.zeppelin	zeppelin-display	0.8.2.7.1.8.15-5
	org.apache.zeppelin	zeppelin-interpreter	0.8.2.7.1.8.15-5
	org.apache.zeppelin	zeppelin-jdbc	0.8.2.7.1.8.15-5
	org.apache.zeppelin	zeppelin-jupyter	0.8.2.7.1.8.15-5
	org.apache.zeppelin	zeppelin-livy	0.8.2.7.1.8.15-5
	org.apache.zeppelin	zeppelin-markdown	0.8.2.7.1.8.15-5
	org.apache.zeppelin	zeppelin-server	0.8.2.7.1.8.15-5
	org.apache.zeppelin	zeppelin-shell	0.8.2.7.1.8.15-5
	org.apache.zeppelin	zeppelin-zengine	0.8.2.7.1.8.15-5
Apache ZooKeeper	org.apache.zookeeper	zookeeper	3.5.5.7.1.8.15-5
	org.apache.zookeeper	zookeeper-client-c	3.5.5.7.1.8.15-5
	org.apache.zookeeper	zookeeper-contrib-loggraph	3.5.5.7.1.8.15-5
	org.apache.zookeeper	zookeeper-contrib-rest	3.5.5.7.1.8.15-5
	org.apache.zookeeper	zookeeper-contrib-zooinspector	3.5.5.7.1.8.15-5
	org.apache.zookeeper	zookeeper-docs	3.5.5.7.1.8.15-5
	org.apache.zookeeper	zookeeper-jute	3.5.5.7.1.8.15-5
	org.apache.zookeeper	zookeeper-recipes-election	3.5.5.7.1.8.15-5
	org.apache.zookeeper	zookeeper-recipes-lock	3.5.5.7.1.8.15-5
	org.apache.zookeeper	zookeeper-recipes-queue	3.5.5.7.1.8.15-5

Runtime 7.1.8.25-6

The following table lists the project name, groupId, artifactId, and version required to access each Runtime artifact.

Project	groupId	artifactId	version
Apache Atlas	org.apache.atlas	atlas-authorization	2.1.0.7.1.8.25-6
	org.apache.atlas	atlas-aws-s3-bridge	2.1.0.7.1.8.25-6
	org.apache.atlas	atlas-azure-adls-bridge	2.1.0.7.1.8.25-6
	org.apache.atlas	atlas-classification-updater	2.1.0.7.1.8.25-6
	org.apache.atlas	atlas-client-common	2.1.0.7.1.8.25-6
	org.apache.atlas	atlas-client-v1	2.1.0.7.1.8.25-6
	org.apache.atlas	atlas-client-v2	2.1.0.7.1.8.25-6
	org.apache.atlas	atlas-common	2.1.0.7.1.8.25-6
	org.apache.atlas	atlas-distro	2.1.0.7.1.8.25-6

Project	groupId	artifactId	version
	org.apache.atlas	atlas-docs	2.1.0.7.1.8.25-6
	org.apache.atlas	atlas-graphdb-api	2.1.0.7.1.8.25-6
	org.apache.atlas	atlas-graphdb-common	2.1.0.7.1.8.25-6
	org.apache.atlas	atlas-graphdb-janus	2.1.0.7.1.8.25-6
	org.apache.atlas	atlas-hdfs-bridge	2.1.0.7.1.8.25-6
	org.apache.atlas	atlas-index-repair-tool	2.1.0.7.1.8.25-6
	org.apache.atlas	atlas-intg	2.1.0.7.1.8.25-6
	org.apache.atlas	atlas-janusgraph-hbase2	2.1.0.7.1.8.25-6
	org.apache.atlas	atlas-notification	2.1.0.7.1.8.25-6
	org.apache.atlas	atlas-plugin-classloader	2.1.0.7.1.8.25-6
	org.apache.atlas	atlas-repository	2.1.0.7.1.8.25-6
	org.apache.atlas	atlas-server-api	2.1.0.7.1.8.25-6
	org.apache.atlas	atlas-testtools	2.1.0.7.1.8.25-6
	org.apache.atlas	hbase-bridge	2.1.0.7.1.8.25-6
	org.apache.atlas	hbase-bridge-shim	2.1.0.7.1.8.25-6
	org.apache.atlas	hbase-testing-util	2.1.0.7.1.8.25-6
	org.apache.atlas	hdfs-model	2.1.0.7.1.8.25-6
	org.apache.atlas	hive-bridge	2.1.0.7.1.8.25-6
	org.apache.atlas	hive-bridge-shim	2.1.0.7.1.8.25-6
	org.apache.atlas	impala-bridge	2.1.0.7.1.8.25-6
	org.apache.atlas	impala-bridge-shim	2.1.0.7.1.8.25-6
	org.apache.atlas	impala-hook-api	2.1.0.7.1.8.25-6
	org.apache.atlas	kafka-bridge	2.1.0.7.1.8.25-6
	org.apache.atlas	kafka-bridge-shim	2.1.0.7.1.8.25-6
	org.apache.atlas	navigator-to-atlas	2.1.0.7.1.8.25-6
	org.apache.atlas	sample-app	2.1.0.7.1.8.25-6
	org.apache.atlas	sqoop-bridge	2.1.0.7.1.8.25-6
	org.apache.atlas	sqoop-bridge-shim	2.1.0.7.1.8.25-6
Apache Avro	org.apache.avro	avro	1.8.2.7.1.8.25-6
	org.apache.avro	avro-compiler	1.8.2.7.1.8.25-6
	org.apache.avro	avro-ipc	1.8.2.7.1.8.25-6
	org.apache.avro	avro-mapred	1.8.2.7.1.8.25-6
	org.apache.avro	avro-maven-plugin	1.8.2.7.1.8.25-6
	org.apache.avro	avro-protobuf	1.8.2.7.1.8.25-6
	org.apache.avro	avro-service-archetype	1.8.2.7.1.8.25-6
	org.apache.avro	avro-thrift	1.8.2.7.1.8.25-6
	org.apache.avro	avro-tools	1.8.2.7.1.8.25-6
	org.apache.avro	trevni-avro	1.8.2.7.1.8.25-6
	org.apache.avro	trevni-core	1.8.2.7.1.8.25-6

Project	groupId	artifactId	version
Apache Calcite	org.apache.calcite	calcite-babel	1.19.0.7.1.8.25-6
	org.apache.calcite	calcite-core	1.19.0.7.1.8.25-6
	org.apache.calcite	calcite-druid	1.19.0.7.1.8.25-6
	org.apache.calcite	calcite-linq4j	1.19.0.7.1.8.25-6
	org.apache.calcite	calcite-server	1.19.0.7.1.8.25-6
	org.apache.calcite.avatica	avatica	1.16.0.7.1.8.25-6
	org.apache.calcite.avatica	avatica-core	1.16.0.7.1.8.25-6
	org.apache.calcite.avatica	avatica-metrics	1.16.0.7.1.8.25-6
	org.apache.calcite.avatica	avatica-metrics-dropwizardmetrics	1.16.0.7.1.8.25-6
	org.apache.calcite.avatica	avatica-noop-driver	1.16.0.7.1.8.25-6
	org.apache.calcite.avatica	avatica-server	1.16.0.7.1.8.25-6
	org.apache.calcite.avatica	avatica-standalone-server	1.16.0.7.1.8.25-6
	org.apache.calcite.avatica	avatica-tck	1.16.0.7.1.8.25-6
GCS Connector	com.google.cloud.bigtable	bigtable-hbase-connector	2.1.2.7.1.8.25-6
	com.google.cloud.bigtable	bigtable-hbase-connector	2.1.2.7.1.8.25-6
	com.google.cloud.bigtable	bigtable-hbase	2.1.2.7.1.8.25-6
	com.google.cloud.bigtable	bigtable-hbase	2.1.2.7.1.8.25-6
	com.google.cloud.bigtable	bigtable-hbase	2.1.2.7.1.8.25-6
Apache Hadoop	org.apache.hadoop	hadoop-aliyun	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-annotations	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-archive-logs	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-archives	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-assemblies	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-auth	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-aws	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-azure	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-azure-datalake	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-build-tools	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-client	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-client-api	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-client-integration-tests	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-client-minicluster	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-client-runtime	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-cloud-storage	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-common	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-datajoin	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-distcp	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-extras	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-fs2img	3.1.1.7.1.8.25-6

Project	groupId	artifactId	version
	org.apache.hadoop	hadoop-gridmix	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-hdfs	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-hdfs-client	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-hdfs-httpfs	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-hdfs-native-client	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-hdfs-nfs	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-hdfs-rbf	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-kafka	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-kms	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-mapreduce-client-app	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-mapreduce-client-common	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-mapreduce-client-core	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-mapreduce-client-hs	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-mapreduce-client-hs-plugins	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-mapreduce-client-jobclient	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-mapreduce-client-nativetask	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-mapreduce-client-shuffle	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-mapreduce-client-uploader	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-mapreduce-examples	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-maven-plugins	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-minicluster	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-minikdc	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-nfs	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-openstack	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-resourceestimator	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-rumen	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-sls	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-streaming	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-tools-dist	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-yarn-api	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-yarn-applications-distributedshell	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-yarn-applications-unmanaged-am-launcher	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-yarn-client	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-yarn-common	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-yarn-registry	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-yarn-server-applicationhistoryservice	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-yarn-server-common	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-yarn-server-nodemanager	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-yarn-server-resourcemanager	3.1.1.7.1.8.25-6

Project	groupId	artifactId	version
	org.apache.hadoop	hadoop-yarn-server-router	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-yarn-server-sharedcachemanager	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-yarn-server-tests	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-yarn-server-timeline-pluginstorage	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-yarn-server-timelineservice	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-client	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-common	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-server-2	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-tests	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-yarn-server-web-proxy	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-yarn-services-api	3.1.1.7.1.8.25-6
	org.apache.hadoop	hadoop-yarn-services-core	3.1.1.7.1.8.25-6
Apache HBase	org.apache.hbase	filesystem	hadoop3-3-testutils
	org.apache.hbase	hbase-annotations	2.4.6.7.1.8.25-6
	org.apache.hbase	hbase-asyncfs	2.4.6.7.1.8.25-6
	org.apache.hbase	hbase-checkstyle	2.4.6.7.1.8.25-6
	org.apache.hbase	hbase-client	2.4.6.7.1.8.25-6
	org.apache.hbase	hbase-client-project	2.4.6.7.1.8.25-6
	org.apache.hbase	hbase-common	2.4.6.7.1.8.25-6
	org.apache.hbase	hbase-endpoint	2.4.6.7.1.8.25-6
	org.apache.hbase	hbase-examples	2.4.6.7.1.8.25-6
	org.apache.hbase	hbase-external-blockcache	2.4.6.7.1.8.25-6
	org.apache.hbase	hbase-hadoop-compat	2.4.6.7.1.8.25-6
	org.apache.hbase	hbase-hadoop2-compat	2.4.6.7.1.8.25-6
	org.apache.hbase	hbase-hbtop	2.4.6.7.1.8.25-6
	org.apache.hbase	hbase-http	2.4.6.7.1.8.25-6
	org.apache.hbase	hbase-it	2.4.6.7.1.8.25-6
	org.apache.hbase	hbase-logging	2.4.6.7.1.8.25-6
	org.apache.hbase	hbase-mapreduce	2.4.6.7.1.8.25-6
	org.apache.hbase	hbase-metrics	2.4.6.7.1.8.25-6
	org.apache.hbase	hbase-metrics-api	2.4.6.7.1.8.25-6
	org.apache.hbase	hbase-procedure	2.4.6.7.1.8.25-6
	org.apache.hbase	hbase-protocol	2.4.6.7.1.8.25-6
	org.apache.hbase	hbase-protocol-shaded	2.4.6.7.1.8.25-6
	org.apache.hbase	hbase-replication	2.4.6.7.1.8.25-6
	org.apache.hbase	hbase-resource-bundle	2.4.6.7.1.8.25-6
	org.apache.hbase	hbase-rest	2.4.6.7.1.8.25-6
	org.apache.hbase	hbase-rsgroup	2.4.6.7.1.8.25-6
	org.apache.hbase	hbase-server	2.4.6.7.1.8.25-6

Project	groupId	artifactId	version
	org.apache.hbase	hbase-shaded-client	2.4.6.7.1.8.25-6
	org.apache.hbase	hbase-shaded-client-byo-hadoop	2.4.6.7.1.8.25-6
	org.apache.hbase	hbase-shaded-client-project	2.4.6.7.1.8.25-6
	org.apache.hbase	hbase-shaded-mapreduce	2.4.6.7.1.8.25-6
	org.apache.hbase	hbase-shaded-testing-util	2.4.6.7.1.8.25-6
	org.apache.hbase	hbase-shaded-testing-util-tester	2.4.6.7.1.8.25-6
	org.apache.hbase	hbase-shell	2.4.6.7.1.8.25-6
	org.apache.hbase	hbase-testing-util	2.4.6.7.1.8.25-6
	org.apache.hbase	hbase-thrift	2.4.6.7.1.8.25-6
	org.apache.hbase	hbase-zookeeper	2.4.6.7.1.8.25-6
	org.apache.hbase.compatibility	hbase-kudu-model	1.0.0.7.1.8.25-6
	org.apache.hbase.compatibility	hbase-kudu-proxy	1.0.0.7.1.8.25-6
	org.apache.hbase.compatibility	hbase-spark	1.0.0.7.1.8.25-6
	org.apache.hbase.compatibility	hbase-spark-it	1.0.0.7.1.8.25-6
	org.apache.hbase.compatibility	hbase-spark-protocol	1.0.0.7.1.8.25-6
	org.apache.hbase.compatibility	hbase-spark-protocol-shaded	1.0.0.7.1.8.25-6
	org.apache.hbase.filesystem	hbase-testutils	1.0.0.7.1.8.25-6
	org.apache.hbase.filesystem	hbase-ufs-impl	1.0.0.7.1.8.25-6
	org.apache.hbase.filesystem	hbase-ufs	1.0.0.7.1.8.25-6
	org.apache.hbase.thirdparty	hbase-noop-htrace	3.5.0.7.1.8.25-6
	org.apache.hbase.thirdparty	hbase-shaded-gson	3.5.0.7.1.8.25-6
	org.apache.hbase.thirdparty	hbase-shaded-jackson-jaxrs-json-provider	3.5.0.7.1.8.25-6
	org.apache.hbase.thirdparty	hbase-shaded-jersey	3.5.0.7.1.8.25-6
	org.apache.hbase.thirdparty	hbase-shaded-jetty	3.5.0.7.1.8.25-6
	org.apache.hbase.thirdparty	hbase-shaded-miscellaneous	3.5.0.7.1.8.25-6
	org.apache.hbase.thirdparty	hbase-shaded-netty	3.5.0.7.1.8.25-6
	org.apache.hbase.thirdparty	hbase-shaded-protobuf	3.5.0.7.1.8.25-6
Apache Hive	org.apache.hive	hive-beeline	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-blobstore	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-classification	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-cli	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-common	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-contrib	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-exec	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-hbase-handler	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-hcatalog-it-unit	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-hplsql	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-it-custom-serde	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-it-minikdc	3.1.3000.7.1.8.25-6

Project	groupId	artifactId	version
	org.apache.hive	hive-it-qfile	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-it-qfile-kudu	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-it-test-serde	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-it-unit	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-it-unit-hadoop2	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-it-util	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-jdbc	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-jdbc-handler	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-jmh	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-kryo-registrator	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-kudu-handler	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-llap-client	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-llap-common	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-llap-ext-client	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-llap-server	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-llap-tez	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-metastore	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-pre-upgrade	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-serde	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-service	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-service-rpc	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-shims	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-spark-client	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-standalone-metastore	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-storage-api	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-streaming	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-testutils	3.1.3000.7.1.8.25-6
	org.apache.hive	hive-vector-code-gen	3.1.3000.7.1.8.25-6
	org.apache.hive	kafka-handler	3.1.3000.7.1.8.25-6
	org.apache.hive.hcatalog	hive-hcatalog-core	3.1.3000.7.1.8.25-6
	org.apache.hive.hcatalog	hive-hcatalog-server-extensions	3.1.3000.7.1.8.25-6
	org.apache.hive.hcatalog	hive-hcatalog-streaming	3.1.3000.7.1.8.25-6
	org.apache.hive.hcatalog	hive-webhcat	3.1.3000.7.1.8.25-6
	org.apache.hive.hcatalog	hive-webhcat-java-client	3.1.3000.7.1.8.25-6
	org.apache.hive.hive-udf-classloader-udf1 it-custom-udfs		3.1.3000.7.1.8.25-6
	org.apache.hive.hive-udf-classloader-udf2 it-custom-udfs		3.1.3000.7.1.8.25-6
	org.apache.hive.hive-udf-classloader-util it-custom-udfs		3.1.3000.7.1.8.25-6

Project	groupId	artifactId	version
	org.apache.hive.hive-udf-vectorized-badexample		3.1.3000.7.1.8.25-6
	org.apache.hive.shims	hive-shims-0.23	3.1.3000.7.1.8.25-6
	org.apache.hive.shims	hive-shims-common	3.1.3000.7.1.8.25-6
	org.apache.hive.shims	hive-shims-scheduler	3.1.3000.7.1.8.25-6
Apache Hive Warehouse Connector	com.hortonworks.hive	hive-warehouse-connector_2.11	1.0.0.7.1.8.25-6
Apache Kafka	org.apache.kafka	connect	3.1.1.7.1.8.25-6
	org.apache.kafka	connect-api	3.1.1.7.1.8.25-6
	org.apache.kafka	connect-basic-auth-extension	3.1.1.7.1.8.25-6
	org.apache.kafka	connect-cloudera-authorization-extension	3.1.1.7.1.8.25-6
	org.apache.kafka	connect-cloudera-common	3.1.1.7.1.8.25-6
	org.apache.kafka	connect-cloudera-secret-storage	3.1.1.7.1.8.25-6
	org.apache.kafka	connect-cloudera-security-policies	3.1.1.7.1.8.25-6
	org.apache.kafka	connect-file	3.1.1.7.1.8.25-6
	org.apache.kafka	connect-json	3.1.1.7.1.8.25-6
	org.apache.kafka	connect-mirror	3.1.1.7.1.8.25-6
	org.apache.kafka	connect-mirror-client	3.1.1.7.1.8.25-6
	org.apache.kafka	connect-runtime	3.1.1.7.1.8.25-6
	org.apache.kafka	connect-transforms	3.1.1.7.1.8.25-6
	org.apache.kafka	generator	3.1.1.7.1.8.25-6
	org.apache.kafka	kafka-clients	3.1.1.7.1.8.25-6
	org.apache.kafka	kafka-cloudera-metrics-reporter_2.12	3.1.1.7.1.8.25-6
	org.apache.kafka	kafka-cloudera-metrics-reporter_2.13	3.1.1.7.1.8.25-6
	org.apache.kafka	kafka-cloudera-plugins	3.1.1.7.1.8.25-6
	org.apache.kafka	kafka-examples	3.1.1.7.1.8.25-6
	org.apache.kafka	kafka-log4j-appender	3.1.1.7.1.8.25-6
	org.apache.kafka	kafka-metadata	3.1.1.7.1.8.25-6
	org.apache.kafka	kafka-raft	3.1.1.7.1.8.25-6
	org.apache.kafka	kafka-server-common	3.1.1.7.1.8.25-6
	org.apache.kafka	kafka-shell	3.1.1.7.1.8.25-6
	org.apache.kafka	kafka-storage	3.1.1.7.1.8.25-6
	org.apache.kafka	kafka-storage-api	3.1.1.7.1.8.25-6
	org.apache.kafka	kafka-streams	3.1.1.7.1.8.25-6
	org.apache.kafka	kafka-streams-examples	3.1.1.7.1.8.25-6
	org.apache.kafka	kafka-streams-scala_2.12	3.1.1.7.1.8.25-6
	org.apache.kafka	kafka-streams-scala_2.13	3.1.1.7.1.8.25-6
	org.apache.kafka	kafka-streams-test-utils	3.1.1.7.1.8.25-6
	org.apache.kafka	kafka-streams-upgrade-system-tests-0100	3.1.1.7.1.8.25-6
	org.apache.kafka	kafka-streams-upgrade-system-tests-0101	3.1.1.7.1.8.25-6

Project	groupId	artifactId	version
	org.apache.kafka	kafka-streams-upgrade-system-tests-0102	3.1.1.7.1.8.25-6
	org.apache.kafka	kafka-streams-upgrade-system-tests-0110	3.1.1.7.1.8.25-6
	org.apache.kafka	kafka-streams-upgrade-system-tests-10	3.1.1.7.1.8.25-6
	org.apache.kafka	kafka-streams-upgrade-system-tests-11	3.1.1.7.1.8.25-6
	org.apache.kafka	kafka-streams-upgrade-system-tests-20	3.1.1.7.1.8.25-6
	org.apache.kafka	kafka-streams-upgrade-system-tests-21	3.1.1.7.1.8.25-6
	org.apache.kafka	kafka-streams-upgrade-system-tests-22	3.1.1.7.1.8.25-6
	org.apache.kafka	kafka-streams-upgrade-system-tests-23	3.1.1.7.1.8.25-6
	org.apache.kafka	kafka-streams-upgrade-system-tests-24	3.1.1.7.1.8.25-6
	org.apache.kafka	kafka-streams-upgrade-system-tests-25	3.1.1.7.1.8.25-6
	org.apache.kafka	kafka-streams-upgrade-system-tests-26	3.1.1.7.1.8.25-6
	org.apache.kafka	kafka-streams-upgrade-system-tests-27	3.1.1.7.1.8.25-6
	org.apache.kafka	kafka-streams-upgrade-system-tests-28	3.1.1.7.1.8.25-6
	org.apache.kafka	kafka-tools	3.1.1.7.1.8.25-6
	org.apache.kafka	kafka_2.12	3.1.1.7.1.8.25-6
	org.apache.kafka	kafka_2.13	3.1.1.7.1.8.25-6
	org.apache.kafka	trogdor	3.1.1.7.1.8.25-6
Apache Knox	org.apache.knox	gateway-adapter	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-admin-ui	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-applications	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-cloud-bindings	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-demo-ldap	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-demo-ldap-launcher	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-discovery-ambari	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-discovery-cm	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-docker	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-i18n	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-i18n-logging-log4j	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-i18n-logging-sl4j	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-provider-ha	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-provider-identity-assertion-common	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-provider-identity-assertion-concat	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-provider-identity-assertion-hadoop-groups	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-provider-identity-assertion-pseudo	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-provider-identity-assertion-regex	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-provider-identity-assertion-switchcase	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-provider-jersey	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-provider-rewrite	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-provider-rewrite-common	1.3.0.7.1.8.25-6

Project	groupId	artifactId	version
	org.apache.knox	gateway-provider-rewrite-func-hostmap-static	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-provider-rewrite-func-inbound-query-param	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-provider-rewrite-func-service-registry	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-provider-rewrite-step-encrypt-uri	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-provider-rewrite-step-secure-query	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-provider-security-authc-anon	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-provider-security-authz-acls	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-provider-security-authz-composite	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-provider-security-clientcert	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-provider-security-hadoopauth	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-provider-security-jwt	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-provider-security-pac4j	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-provider-security-preauth	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-provider-security-shiro	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-provider-security-webappsec	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-release	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-server	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-server-launcher	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-server-xforwarded-filter	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-service-admin	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-service-as	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-service-definitions	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-service-hashicorp-vault	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-service-hbase	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-service-health	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-service-hive	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-service-idbroker	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-service-impala	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-service-jkg	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-service-knoxsso	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-service-knoxssout	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-service-knoxtoken	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-service-livy	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-service-metadata	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-service-nifi	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-service-nifi-registry	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-service-remoteconfig	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-service-rm	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-service-session	1.3.0.7.1.8.25-6

Project	groupId	artifactId	version
	org.apache.knox	gateway-service-storm	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-service-test	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-service-tgs	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-service-vault	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-service-webhdfs	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-shell	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-shell-launcher	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-shell-release	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-shell-samples	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-spi	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-test	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-test-idbroker	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-test-release-utils	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-test-utils	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-topology-hadoop-xml	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-topology-simple	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-util-common	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-util-configinjector	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-util-launcher	1.3.0.7.1.8.25-6
	org.apache.knox	gateway-util-urltemplate	1.3.0.7.1.8.25-6
	org.apache.knox	hadoop-examples	1.3.0.7.1.8.25-6
	org.apache.knox	knox-cli-launcher	1.3.0.7.1.8.25-6
	org.apache.knox	knox-homepage-ui	1.3.0.7.1.8.25-6
	org.apache.knox	webhdfs-kerb-test	1.3.0.7.1.8.25-6
	org.apache.knox	webhdfs-test	1.3.0.7.1.8.25-6
Apache Kudu	org.apache.kudu	kudu-backup-tools	1.15.0.7.1.8.25-6
	org.apache.kudu	kudu-backup2_2.11	1.15.0.7.1.8.25-6
	org.apache.kudu	kudu-backup3_2.12	1.15.0.7.1.8.25-6
	org.apache.kudu	kudu-client	1.15.0.7.1.8.25-6
	org.apache.kudu	kudu-hive	1.15.0.7.1.8.25-6
	org.apache.kudu	kudu-spark2-tools_2.11	1.15.0.7.1.8.25-6
	org.apache.kudu	kudu-spark2_2.11	1.15.0.7.1.8.25-6
	org.apache.kudu	kudu-spark3-tools_2.12	1.15.0.7.1.8.25-6
	org.apache.kudu	kudu-spark3_2.12	1.15.0.7.1.8.25-6
	org.apache.kudu	kudu-test-utils	1.15.0.7.1.8.25-6
Apache Livy	org.apache.livy	livy-api	0.6.0.7.1.8.25-6
	org.apache.livy	livy-client-common	0.6.0.7.1.8.25-6
	org.apache.livy	livy-client-http	0.6.0.7.1.8.25-6
	org.apache.livy	livy-core_2.11	0.6.0.7.1.8.25-6

Project	groupId	artifactId	version
	org.apache.livy	livy-examples	0.6.0.7.1.8.25-6
	org.apache.livy	livy-integration-test	0.6.0.7.1.8.25-6
	org.apache.livy	livy-repl_2.11	0.6.0.7.1.8.25-6
	org.apache.livy	livy-rsc	0.6.0.7.1.8.25-6
	org.apache.livy	livy-scala-api_2.11	0.6.0.7.1.8.25-6
	org.apache.livy	livy-server	0.6.0.7.1.8.25-6
	org.apache.livy	livy-test-lib	0.6.0.7.1.8.25-6
	org.apache.livy	livy-thriftserver	0.6.0.7.1.8.25-6
	org.apache.livy	livy-thriftserver-session	0.6.0.7.1.8.25-6
Apache Lucene	org.apache.lucene	lucene-analyzers-common	8.4.1.7.1.8.25-6
	org.apache.lucene	lucene-analyzers-icu	8.4.1.7.1.8.25-6
	org.apache.lucene	lucene-analyzers-kuromoji	8.4.1.7.1.8.25-6
	org.apache.lucene	lucene-analyzers-morfologik	8.4.1.7.1.8.25-6
	org.apache.lucene	lucene-analyzers-nori	8.4.1.7.1.8.25-6
	org.apache.lucene	lucene-analyzers-openslp	8.4.1.7.1.8.25-6
	org.apache.lucene	lucene-analyzers-phonetic	8.4.1.7.1.8.25-6
	org.apache.lucene	lucene-analyzers-smartcn	8.4.1.7.1.8.25-6
	org.apache.lucene	lucene-analyzers-stempel	8.4.1.7.1.8.25-6
	org.apache.lucene	lucene-backward-codecs	8.4.1.7.1.8.25-6
	org.apache.lucene	lucene-benchmark	8.4.1.7.1.8.25-6
	org.apache.lucene	lucene-classification	8.4.1.7.1.8.25-6
	org.apache.lucene	lucene-codecs	8.4.1.7.1.8.25-6
	org.apache.lucene	lucene-core	8.4.1.7.1.8.25-6
	org.apache.lucene	lucene-demo	8.4.1.7.1.8.25-6
	org.apache.lucene	lucene-expressions	8.4.1.7.1.8.25-6
	org.apache.lucene	lucene-facet	8.4.1.7.1.8.25-6
	org.apache.lucene	lucene-grouping	8.4.1.7.1.8.25-6
	org.apache.lucene	lucene-highlighter	8.4.1.7.1.8.25-6
	org.apache.lucene	lucene-join	8.4.1.7.1.8.25-6
	org.apache.lucene	lucene-memory	8.4.1.7.1.8.25-6
	org.apache.lucene	lucene-misc	8.4.1.7.1.8.25-6
	org.apache.lucene	lucene-monitor	8.4.1.7.1.8.25-6
	org.apache.lucene	lucene-queries	8.4.1.7.1.8.25-6
	org.apache.lucene	lucene-queryparser	8.4.1.7.1.8.25-6
	org.apache.lucene	lucene-replicator	8.4.1.7.1.8.25-6
	org.apache.lucene	lucene-sandbox	8.4.1.7.1.8.25-6
	org.apache.lucene	lucene-spatial	8.4.1.7.1.8.25-6
	org.apache.lucene	lucene-spatial-extras	8.4.1.7.1.8.25-6
	org.apache.lucene	lucene-spatial3d	8.4.1.7.1.8.25-6

Project	groupId	artifactId	version
	org.apache.lucene	lucene-suggest	8.4.1.7.1.8.25-6
	org.apache.lucene	lucene-test-framework	8.4.1.7.1.8.25-6
Apache Oozie	org.apache.oozie	oozie-client	5.1.0.7.1.8.25-6
	org.apache.oozie	oozie-core	5.1.0.7.1.8.25-6
	org.apache.oozie	oozie-distro	5.1.0.7.1.8.25-6
	org.apache.oozie	oozie-examples	5.1.0.7.1.8.25-6
	org.apache.oozie	oozie-fluent-job-api	5.1.0.7.1.8.25-6
	org.apache.oozie	oozie-fluent-job-client	5.1.0.7.1.8.25-6
	org.apache.oozie	oozie-server	5.1.0.7.1.8.25-6
	org.apache.oozie	oozie-sharelib-distcp	5.1.0.7.1.8.25-6
	org.apache.oozie	oozie-sharelib-git	5.1.0.7.1.8.25-6
	org.apache.oozie	oozie-sharelib-hcatalog	5.1.0.7.1.8.25-6
	org.apache.oozie	oozie-sharelib-hive	5.1.0.7.1.8.25-6
	org.apache.oozie	oozie-sharelib-hive2	5.1.0.7.1.8.25-6
	org.apache.oozie	oozie-sharelib-oozie	5.1.0.7.1.8.25-6
	org.apache.oozie	oozie-sharelib-spark	5.1.0.7.1.8.25-6
	org.apache.oozie	oozie-sharelib-sqoop	5.1.0.7.1.8.25-6
	org.apache.oozie	oozie-sharelib-streaming	5.1.0.7.1.8.25-6
	org.apache.oozie	oozie-tools	5.1.0.7.1.8.25-6
	org.apache.oozie	oozie-zookeeper-security-tests	5.1.0.7.1.8.25-6
	org.apache.oozie.test	oozie-mini	5.1.0.7.1.8.25-6
Apache ORC	org.apache.orc	orc-core	1.5.1.7.1.8.25-6
	org.apache.orc	orc-examples	1.5.1.7.1.8.25-6
	org.apache.orc	orc-mapreduce	1.5.1.7.1.8.25-6
	org.apache.orc	orc-shims	1.5.1.7.1.8.25-6
	org.apache.orc	orc-tools	1.5.1.7.1.8.25-6
Apache Parquet	org.apache.parquet	parquet-avro	1.10.99.7.1.8.25-6
	org.apache.parquet	parquet-cascading	1.10.99.7.1.8.25-6
	org.apache.parquet	parquet-cascading3	1.10.99.7.1.8.25-6
	org.apache.parquet	parquet-column	1.10.99.7.1.8.25-6
	org.apache.parquet	parquet-common	1.10.99.7.1.8.25-6
	org.apache.parquet	parquet-encoding	1.10.99.7.1.8.25-6
	org.apache.parquet	parquet-format-structures	1.10.99.7.1.8.25-6
	org.apache.parquet	parquet-generator	1.10.99.7.1.8.25-6
	org.apache.parquet	parquet-hadoop	1.10.99.7.1.8.25-6
	org.apache.parquet	parquet-hadoop-bundle	1.10.99.7.1.8.25-6
	org.apache.parquet	parquet-jackson	1.10.99.7.1.8.25-6
	org.apache.parquet	parquet-pig	1.10.99.7.1.8.25-6
	org.apache.parquet	parquet-pig-bundle	1.10.99.7.1.8.25-6

Project	groupId	artifactId	version
	org.apache.parquet	parquet-protobuf	1.10.99.7.1.8.25-6
	org.apache.parquet	parquet-scala_2.10	1.10.99.7.1.8.25-6
	org.apache.parquet	parquet-thrift	1.10.99.7.1.8.25-6
	org.apache.parquet	parquet-tools	1.10.99.7.1.8.25-6
Apache Phoenix	org.apache.phoenix	phoenix-client-embedded-hbase-2.4	5.1.1.7.1.8.25-6
	org.apache.phoenix	phoenix-client-hbase-2.4	5.1.1.7.1.8.25-6
	org.apache.phoenix	phoenix-connectors-phoenix5-compatible	6.0.0.7.1.8.25-6
	org.apache.phoenix	phoenix-core	5.1.1.7.1.8.25-6
	org.apache.phoenix	phoenix-hbase-compatible-2.1.6	5.1.1.7.1.8.25-6
	org.apache.phoenix	phoenix-hbase-compatible-2.2.5	5.1.1.7.1.8.25-6
	org.apache.phoenix	phoenix-hbase-compatible-2.3.0	5.1.1.7.1.8.25-6
	org.apache.phoenix	phoenix-hbase-compatible-2.4.0	5.1.1.7.1.8.25-6
	org.apache.phoenix	phoenix-hbase-compatible-2.4.1	5.1.1.7.1.8.25-6
	org.apache.phoenix	phoenix-pherf	5.1.1.7.1.8.25-6
	org.apache.phoenix	phoenix-queryserver	6.0.0.7.1.8.25-6
	org.apache.phoenix	phoenix-queryserver-client	6.0.0.7.1.8.25-6
	org.apache.phoenix	phoenix-queryserver-it	6.0.0.7.1.8.25-6
	org.apache.phoenix	phoenix-queryserver-load-balancer	6.0.0.7.1.8.25-6
	org.apache.phoenix	phoenix-queryserver-orchestrator	6.0.0.7.1.8.25-6
	org.apache.phoenix	phoenix-server-hbase-2.4	5.1.1.7.1.8.25-6
	org.apache.phoenix	phoenix-tracing-webapp	5.1.1.7.1.8.25-6
	org.apache.phoenix	phoenix5-hive	6.0.0.7.1.8.25-6
	org.apache.phoenix	phoenix5-hive-shaded	6.0.0.7.1.8.25-6
	org.apache.phoenix	phoenix5-spark	6.0.0.7.1.8.25-6
	org.apache.phoenix	phoenix5-spark-shaded	6.0.0.7.1.8.25-6
	org.apache.phoenix	phoenix5-shaded-commons-cli	1.1.0.7.1.8.25-6
	org.apache.phoenix	phoenix5-shaded-guava	1.1.0.7.1.8.25-6
Apache Ranger	org.apache.ranger	conditions-enrichers	2.3.0.7.1.8.25-6
	org.apache.ranger	credentialbuilder	2.3.0.7.1.8.25-6
	org.apache.ranger	embeddedwebserver	2.3.0.7.1.8.25-6
	org.apache.ranger	jisql	2.3.0.7.1.8.25-6
	org.apache.ranger	ldapconfigcheck	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-adls-plugin	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-atlas-plugin	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-atlas-plugin-shim	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-authn	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-distro	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-examples-distro	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-hbase-plugin	2.3.0.7.1.8.25-6

Project	groupId	artifactId	version
	org.apache.ranger	ranger-hbase-plugin-shim	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-hdfs-plugin	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-hdfs-plugin-shim	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-hive-plugin	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-hive-plugin-shim	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-intg	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-kafka-connect-plugin	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-kafka-plugin	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-kafka-plugin-shim	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-kms	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-kms-plugin	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-kms-plugin-shim	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-knox-plugin	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-knox-plugin-shim	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-kudu-plugin	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-kylin-plugin	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-kylin-plugin-shim	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-nifi-plugin	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-nifi-registry-plugin	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-ozone-plugin	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-ozone-plugin-shim	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-plugin-classloader	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-plugins-audit	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-plugins-common	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-plugins-cred	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-plugins-installer	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-policymigration	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-raz-adls	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-raz-chained-plugins	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-raz-hook-abfs	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-raz-intg	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-raz-processor	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-rms-common	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-rms-hive	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-rms-plugins-common	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-rms-webapp	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-sampleapp-plugin	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-schema-registry-plugin	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-solr-plugin	2.3.0.7.1.8.25-6

Project	groupId	artifactId	version
	org.apache.ranger	ranger-solr-plugin-shim	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-sqoop-plugin	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-sqoop-plugin-shim	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-storm-plugin	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-storm-plugin-shim	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-tagsync	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-tools	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-util	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-yarn-plugin	2.3.0.7.1.8.25-6
	org.apache.ranger	ranger-yarn-plugin-shim	2.3.0.7.1.8.25-6
	org.apache.ranger	sample-client	2.3.0.7.1.8.25-6
	org.apache.ranger	sampleapp	2.3.0.7.1.8.25-6
	org.apache.ranger	shaded-raz-hook-abfs	2.3.0.7.1.8.25-6
	org.apache.ranger	ugsync-util	2.3.0.7.1.8.25-6
	org.apache.ranger	unixauthclient	2.3.0.7.1.8.25-6
	org.apache.ranger	unixauthservice	2.3.0.7.1.8.25-6
	org.apache.ranger	unixusersync	2.3.0.7.1.8.25-6
Apache Solr	org.apache.solr	solr-analysis-extras	8.4.1.7.1.8.25-6
	org.apache.solr	solr-analytics	8.4.1.7.1.8.25-6
	org.apache.solr	solr-cell	8.4.1.7.1.8.25-6
	org.apache.solr	solr-clustering	8.4.1.7.1.8.25-6
	org.apache.solr	solr-core	8.4.1.7.1.8.25-6
	org.apache.solr	solr-dataimporthandler	8.4.1.7.1.8.25-6
	org.apache.solr	solr-dataimporthandler-extras	8.4.1.7.1.8.25-6
	org.apache.solr	solr-jaegertracer-configurator	8.4.1.7.1.8.25-6
	org.apache.solr	solr-langid	8.4.1.7.1.8.25-6
	org.apache.solr	solr-ltr	8.4.1.7.1.8.25-6
	org.apache.solr	solr-prometheus-exporter	8.4.1.7.1.8.25-6
	org.apache.solr	solr-security-util	8.4.1.7.1.8.25-6
	org.apache.solr	solr-solrj	8.4.1.7.1.8.25-6
	org.apache.solr	solr-test-framework	8.4.1.7.1.8.25-6
	org.apache.solr	solr-velocity	8.4.1.7.1.8.25-6
Apache Spark	org.apache.spark	spark-avro_2.11	2.4.8.7.1.8.25-6
	org.apache.spark	spark-catalyst_2.11	2.4.8.7.1.8.25-6
	org.apache.spark	spark-core_2.11	2.4.8.7.1.8.25-6
	org.apache.spark	spark-graphx_2.11	2.4.8.7.1.8.25-6
	org.apache.spark	spark-hadoop-cloud_2.11	2.4.8.7.1.8.25-6
	org.apache.spark	spark-hive_2.11	2.4.8.7.1.8.25-6
	org.apache.spark	spark-kubernetes_2.11	2.4.8.7.1.8.25-6

Project	groupId	artifactId	version
	org.apache.spark	spark-kvstore_2.11	2.4.8.7.1.8.25-6
	org.apache.spark	spark-launcher_2.11	2.4.8.7.1.8.25-6
	org.apache.spark	spark-mllib-local_2.11	2.4.8.7.1.8.25-6
	org.apache.spark	spark-mllib_2.11	2.4.8.7.1.8.25-6
	org.apache.spark	spark-network-common_2.11	2.4.8.7.1.8.25-6
	org.apache.spark	spark-network-shuffle_2.11	2.4.8.7.1.8.25-6
	org.apache.spark	spark-network-yarn_2.11	2.4.8.7.1.8.25-6
	org.apache.spark	spark-repl_2.11	2.4.8.7.1.8.25-6
	org.apache.spark	spark-sketch_2.11	2.4.8.7.1.8.25-6
	org.apache.spark	spark-sql-kafka-0-10_2.11	2.4.8.7.1.8.25-6
	org.apache.spark	spark-sql_2.11	2.4.8.7.1.8.25-6
	org.apache.spark	spark-streaming-kafka-0-10-assembly_2.11	2.4.8.7.1.8.25-6
	org.apache.spark	spark-streaming-kafka-0-10_2.11	2.4.8.7.1.8.25-6
	org.apache.spark	spark-streaming_2.11	2.4.8.7.1.8.25-6
	org.apache.spark	spark-tags_2.11	2.4.8.7.1.8.25-6
	org.apache.spark	spark-token-provider-kafka-0-10_2.11	2.4.8.7.1.8.25-6
	org.apache.spark	spark-unsafe_2.11	2.4.8.7.1.8.25-6
	org.apache.spark	spark-yarn_2.11	2.4.8.7.1.8.25-6
Apache Sqoop	org.apache.sqoop	sqoop	1.4.7.7.1.8.25-6
	org.apache.sqoop	sqoop-test	1.4.7.7.1.8.25-6
Apache Tez	org.apache.tez	hadoop-shim	0.9.1.7.1.8.25-6
	org.apache.tez	hadoop-shim-2.8	0.9.1.7.1.8.25-6
	org.apache.tez	tez-api	0.9.1.7.1.8.25-6
	org.apache.tez	tez-aux-services	0.9.1.7.1.8.25-6
	org.apache.tez	tez-common	0.9.1.7.1.8.25-6
	org.apache.tez	tez-dag	0.9.1.7.1.8.25-6
	org.apache.tez	tez-examples	0.9.1.7.1.8.25-6
	org.apache.tez	tez-ext-service-tests	0.9.1.7.1.8.25-6
	org.apache.tez	tez-history-parser	0.9.1.7.1.8.25-6
	org.apache.tez	tez-javadoc-tools	0.9.1.7.1.8.25-6
	org.apache.tez	tez-job-analyzer	0.9.1.7.1.8.25-6
	org.apache.tez	tez-mapreduce	0.9.1.7.1.8.25-6
	org.apache.tez	tez-protobuf-history-plugin	0.9.1.7.1.8.25-6
	org.apache.tez	tez-runtime-internals	0.9.1.7.1.8.25-6
	org.apache.tez	tez-runtime-library	0.9.1.7.1.8.25-6
	org.apache.tez	tez-tests	0.9.1.7.1.8.25-6
	org.apache.tez	tez-yarn-timeline-cache-plugin	0.9.1.7.1.8.25-6
	org.apache.tez	tez-yarn-timeline-history	0.9.1.7.1.8.25-6
	org.apache.tez	tez-yarn-timeline-history-with-acls	0.9.1.7.1.8.25-6

Project	groupId	artifactId	version
	org.apache.tez	tez-yarn-timeline-history-with-fs	0.9.1.7.1.8.25-6
Apache Zeppelin	org.apache.zeppelin	zeppelin-angular	0.8.2.7.1.8.25-6
	org.apache.zeppelin	zeppelin-display	0.8.2.7.1.8.25-6
	org.apache.zeppelin	zeppelin-interpreter	0.8.2.7.1.8.25-6
	org.apache.zeppelin	zeppelin-jdbc	0.8.2.7.1.8.25-6
	org.apache.zeppelin	zeppelin-jupyter	0.8.2.7.1.8.25-6
	org.apache.zeppelin	zeppelin-livy	0.8.2.7.1.8.25-6
	org.apache.zeppelin	zeppelin-markdown	0.8.2.7.1.8.25-6
	org.apache.zeppelin	zeppelin-server	0.8.2.7.1.8.25-6
	org.apache.zeppelin	zeppelin-shell	0.8.2.7.1.8.25-6
	org.apache.zeppelin	zeppelin-zengine	0.8.2.7.1.8.25-6
Apache ZooKeeper	org.apache.zookeeper	zookeeper	3.5.5.7.1.8.25-6
	org.apache.zookeeper	zookeeper-client-c	3.5.5.7.1.8.25-6
	org.apache.zookeeper	zookeeper-contrib-loggraph	3.5.5.7.1.8.25-6
	org.apache.zookeeper	zookeeper-contrib-rest	3.5.5.7.1.8.25-6
	org.apache.zookeeper	zookeeper-contrib-zooinspector	3.5.5.7.1.8.25-6
	org.apache.zookeeper	zookeeper-docs	3.5.5.7.1.8.25-6
	org.apache.zookeeper	zookeeper-jute	3.5.5.7.1.8.25-6
	org.apache.zookeeper	zookeeper-recipes-election	3.5.5.7.1.8.25-6
	org.apache.zookeeper	zookeeper-recipes-lock	3.5.5.7.1.8.25-6
	org.apache.zookeeper	zookeeper-recipes-queue	3.5.5.7.1.8.25-6

Runtime 7.1.8.28-1

The following table lists the project name, groupId, artifactId, and version required to access each Runtime artifact.

Project	groupId	artifactId	version
Apache Atlas	org.apache.atlas	atlas-authorization	2.1.0.7.1.8.28-1
	org.apache.atlas	atlas-aws-s3-bridge	2.1.0.7.1.8.28-1
	org.apache.atlas	atlas-azure-adls-bridge	2.1.0.7.1.8.28-1
	org.apache.atlas	atlas-classification-updater	2.1.0.7.1.8.28-1
	org.apache.atlas	atlas-client-common	2.1.0.7.1.8.28-1
	org.apache.atlas	atlas-client-v1	2.1.0.7.1.8.28-1
	org.apache.atlas	atlas-client-v2	2.1.0.7.1.8.28-1
	org.apache.atlas	atlas-common	2.1.0.7.1.8.28-1
	org.apache.atlas	atlas-distro	2.1.0.7.1.8.28-1
	org.apache.atlas	atlas-docs	2.1.0.7.1.8.28-1
	org.apache.atlas	atlas-graphdb-api	2.1.0.7.1.8.28-1
	org.apache.atlas	atlas-graphdb-common	2.1.0.7.1.8.28-1
	org.apache.atlas	atlas-graphdb-janus	2.1.0.7.1.8.28-1

Project	groupId	artifactId	version
	org.apache.atlas	atlas-hdfs-bridge	2.1.0.7.1.8.28-1
	org.apache.atlas	atlas-index-repair-tool	2.1.0.7.1.8.28-1
	org.apache.atlas	atlas-intg	2.1.0.7.1.8.28-1
	org.apache.atlas	atlas-janusgraph-hbase2	2.1.0.7.1.8.28-1
	org.apache.atlas	atlas-notification	2.1.0.7.1.8.28-1
	org.apache.atlas	atlas-plugin-classloader	2.1.0.7.1.8.28-1
	org.apache.atlas	atlas-repository	2.1.0.7.1.8.28-1
	org.apache.atlas	atlas-server-api	2.1.0.7.1.8.28-1
	org.apache.atlas	atlas-testtools	2.1.0.7.1.8.28-1
	org.apache.atlas	hbase-bridge	2.1.0.7.1.8.28-1
	org.apache.atlas	hbase-bridge-shim	2.1.0.7.1.8.28-1
	org.apache.atlas	hbase-testing-util	2.1.0.7.1.8.28-1
	org.apache.atlas	hdfs-model	2.1.0.7.1.8.28-1
	org.apache.atlas	hive-bridge	2.1.0.7.1.8.28-1
	org.apache.atlas	hive-bridge-shim	2.1.0.7.1.8.28-1
	org.apache.atlas	impala-bridge	2.1.0.7.1.8.28-1
	org.apache.atlas	impala-bridge-shim	2.1.0.7.1.8.28-1
	org.apache.atlas	impala-hook-api	2.1.0.7.1.8.28-1
	org.apache.atlas	kafka-bridge	2.1.0.7.1.8.28-1
	org.apache.atlas	kafka-bridge-shim	2.1.0.7.1.8.28-1
	org.apache.atlas	navigator-to-atlas	2.1.0.7.1.8.28-1
	org.apache.atlas	sample-app	2.1.0.7.1.8.28-1
	org.apache.atlas	sqoop-bridge	2.1.0.7.1.8.28-1
	org.apache.atlas	sqoop-bridge-shim	2.1.0.7.1.8.28-1
Apache Avro	org.apache.avro	avro	1.8.2.7.1.8.28-1
	org.apache.avro	avro-compiler	1.8.2.7.1.8.28-1
	org.apache.avro	avro-ipc	1.8.2.7.1.8.28-1
	org.apache.avro	avro-mapred	1.8.2.7.1.8.28-1
	org.apache.avro	avro-maven-plugin	1.8.2.7.1.8.28-1
	org.apache.avro	avro-protobuf	1.8.2.7.1.8.28-1
	org.apache.avro	avro-service-archetype	1.8.2.7.1.8.28-1
	org.apache.avro	avro-thrift	1.8.2.7.1.8.28-1
	org.apache.avro	avro-tools	1.8.2.7.1.8.28-1
	org.apache.avro	trevni-avro	1.8.2.7.1.8.28-1
	org.apache.avro	trevni-core	1.8.2.7.1.8.28-1
Apache Calcite	org.apache.calcite	calcite-babel	1.19.0.7.1.8.28-1
	org.apache.calcite	calcite-core	1.19.0.7.1.8.28-1
	org.apache.calcite	calcite-druid	1.19.0.7.1.8.28-1
	org.apache.calcite	calcite-linq4j	1.19.0.7.1.8.28-1

Project	groupId	artifactId	version
	org.apache.calcite	calcite-server	1.19.0.7.1.8.28-1
	org.apache.calcite.avatica	avatica	1.16.0.7.1.8.28-1
	org.apache.calcite.avatica	avatica-core	1.16.0.7.1.8.28-1
	org.apache.calcite.avatica	avatica-metrics	1.16.0.7.1.8.28-1
	org.apache.calcite.avatica	avatica-metrics-dropwizardmetrics	1.16.0.7.1.8.28-1
	org.apache.calcite.avatica	avatica-noop-driver	1.16.0.7.1.8.28-1
	org.apache.calcite.avatica	avatica-server	1.16.0.7.1.8.28-1
	org.apache.calcite.avatica	avatica-standalone-server	1.16.0.7.1.8.28-1
	org.apache.calcite.avatica	avatica-tck	1.16.0.7.1.8.28-1
GCS Connector	com.google.cloud.bigtable	bigtable-hbase-connector	2.1.2.7.1.8.28-1
	com.google.cloud.bigtable	bigtable-connector	2.1.2.7.1.8.28-1
	com.google.cloud.bigtable	bigtable-hbase	2.1.2.7.1.8.28-1
	com.google.cloud.bigtable	bigtable-hbase	2.1.2.7.1.8.28-1
	com.google.cloud.bigtable	bigtable-hbase	2.1.2.7.1.8.28-1
Apache Hadoop	org.apache.hadoop	hadoop-aliyun	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-annotations	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-archive-logs	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-archives	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-assemblies	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-auth	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-aws	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-azure	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-azure-datalake	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-build-tools	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-client	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-client-api	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-client-integration-tests	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-client-minicluster	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-client-runtime	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-cloud-storage	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-common	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-datajoin	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-distcp	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-extras	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-fs2img	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-gridmix	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-hdfs	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-hdfs-client	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-hdfs-httpfs	3.1.1.7.1.8.28-1

Project	groupId	artifactId	version
	org.apache.hadoop	hadoop-hdfs-native-client	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-hdfs-nfs	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-hdfs-rbf	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-kafka	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-kms	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-mapreduce-client-app	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-mapreduce-client-common	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-mapreduce-client-core	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-mapreduce-client-hs	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-mapreduce-client-hs-plugins	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-mapreduce-client-jobclient	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-mapreduce-client-nativetask	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-mapreduce-client-shuffle	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-mapreduce-client-uploader	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-mapreduce-examples	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-maven-plugins	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-minicluster	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-minikdc	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-nfs	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-openstack	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-resourceestimator	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-rumen	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-sls	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-streaming	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-tools-dist	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-yarn-api	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-yarn-applications-distributedshell	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-yarn-applications-unmanaged-am-launcher	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-yarn-client	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-yarn-common	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-yarn-registry	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-yarn-server-applicationhistoryservice	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-yarn-server-common	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-yarn-server-nodemanager	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-yarn-server-resourcemanager	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-yarn-server-router	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-yarn-server-sharedcachemanager	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-yarn-server-tests	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-yarn-server-timeline-pluginstorage	3.1.1.7.1.8.28-1

Project	groupId	artifactId	version
	org.apache.hadoop	hadoop-yarn-server-timelineservice	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-client	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-common	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-server-2	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-tests	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-yarn-server-web-proxy	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-yarn-services-api	3.1.1.7.1.8.28-1
	org.apache.hadoop	hadoop-yarn-services-core	3.1.1.7.1.8.28-1
Apache HBase	org.apache.hbase	filesystem	hadoop3-3-testutils
	org.apache.hbase	hbase-annotations	2.4.6.7.1.8.28-1
	org.apache.hbase	hbase-asyncfs	2.4.6.7.1.8.28-1
	org.apache.hbase	hbase-checkstyle	2.4.6.7.1.8.28-1
	org.apache.hbase	hbase-client	2.4.6.7.1.8.28-1
	org.apache.hbase	hbase-client-project	2.4.6.7.1.8.28-1
	org.apache.hbase	hbase-common	2.4.6.7.1.8.28-1
	org.apache.hbase	hbase-endpoint	2.4.6.7.1.8.28-1
	org.apache.hbase	hbase-examples	2.4.6.7.1.8.28-1
	org.apache.hbase	hbase-external-blockcache	2.4.6.7.1.8.28-1
	org.apache.hbase	hbase-hadoop-compat	2.4.6.7.1.8.28-1
	org.apache.hbase	hbase-hadoop2-compat	2.4.6.7.1.8.28-1
	org.apache.hbase	hbase-hbtop	2.4.6.7.1.8.28-1
	org.apache.hbase	hbase-http	2.4.6.7.1.8.28-1
	org.apache.hbase	hbase-it	2.4.6.7.1.8.28-1
	org.apache.hbase	hbase-logging	2.4.6.7.1.8.28-1
	org.apache.hbase	hbase-mapreduce	2.4.6.7.1.8.28-1
	org.apache.hbase	hbase-metrics	2.4.6.7.1.8.28-1
	org.apache.hbase	hbase-metrics-api	2.4.6.7.1.8.28-1
	org.apache.hbase	hbase-procedure	2.4.6.7.1.8.28-1
	org.apache.hbase	hbase-protocol	2.4.6.7.1.8.28-1
	org.apache.hbase	hbase-protocol-shaded	2.4.6.7.1.8.28-1
	org.apache.hbase	hbase-replication	2.4.6.7.1.8.28-1
	org.apache.hbase	hbase-resource-bundle	2.4.6.7.1.8.28-1
	org.apache.hbase	hbase-rest	2.4.6.7.1.8.28-1
	org.apache.hbase	hbase-rsgroup	2.4.6.7.1.8.28-1
	org.apache.hbase	hbase-server	2.4.6.7.1.8.28-1
	org.apache.hbase	hbase-shaded-client	2.4.6.7.1.8.28-1
	org.apache.hbase	hbase-shaded-client-byo-hadoop	2.4.6.7.1.8.28-1
	org.apache.hbase	hbase-shaded-client-project	2.4.6.7.1.8.28-1
	org.apache.hbase	hbase-shaded-mapreduce	2.4.6.7.1.8.28-1

Project	groupId	artifactId	version
	org.apache.hbase	hbase-shaded-testing-util	2.4.6.7.1.8.28-1
	org.apache.hbase	hbase-shaded-testing-util-tester	2.4.6.7.1.8.28-1
	org.apache.hbase	hbase-shell	2.4.6.7.1.8.28-1
	org.apache.hbase	hbase-testing-util	2.4.6.7.1.8.28-1
	org.apache.hbase	hbase-thrift	2.4.6.7.1.8.28-1
	org.apache.hbase	hbase-zookeeper	2.4.6.7.1.8.28-1
	org.apache.hbase.connector.kafka	hbase-connector-kafka-model	1.0.0.7.1.8.28-1
	org.apache.hbase.connector.kafka	hbase-connector-kafka-proxy	1.0.0.7.1.8.28-1
	org.apache.hbase.connector.spark	hbase-connector-spark	1.0.0.7.1.8.28-1
	org.apache.hbase.connector.spark	hbase-connector-spark-it	1.0.0.7.1.8.28-1
	org.apache.hbase.connector.spark	hbase-connector-spark-protocol	1.0.0.7.1.8.28-1
	org.apache.hbase.connector.spark	hbase-connector-spark-protocol-shaded	1.0.0.7.1.8.28-1
	org.apache.hbase.filesystem	hbase-filesystem-testutils	1.0.0.7.1.8.28-1
	org.apache.hbase.filesystem	hbase-filesystems-impl	1.0.0.7.1.8.28-1
	org.apache.hbase.filesystem	hbase-filesystem	1.0.0.7.1.8.28-1
	org.apache.hbase.thirdparty	hbase-thirdparty-noop-htrace	3.5.0.7.1.8.28-1
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-gson	3.5.0.7.1.8.28-1
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-jackson-jaxrs-json-provider	3.5.0.7.1.8.28-1
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-jersey	3.5.0.7.1.8.28-1
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-jetty	3.5.0.7.1.8.28-1
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-miscellaneous	3.5.0.7.1.8.28-1
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-netty	3.5.0.7.1.8.28-1
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-protobuf	3.5.0.7.1.8.28-1
Apache Hive	org.apache.hive	hive-beeline	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-blobstore	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-classification	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-cli	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-common	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-contrib	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-exec	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-hbase-handler	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-hcatalog-it-unit	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-hplsql	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-it-custom-serde	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-it-minikdc	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-it-qfile	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-it-qfile-kudu	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-it-test-serde	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-it-unit	3.1.3000.7.1.8.28-1

Project	groupId	artifactId	version
	org.apache.hive	hive-it-unit-hadoop2	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-it-util	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-jdbc	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-jdbc-handler	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-jmh	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-kryo-registrator	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-kudu-handler	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-llap-client	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-llap-common	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-llap-ext-client	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-llap-server	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-llap-tez	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-metastore	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-pre-upgrade	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-serde	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-service	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-service-rpc	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-shims	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-spark-client	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-standalone-metastore	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-storage-api	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-streaming	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-testutils	3.1.3000.7.1.8.28-1
	org.apache.hive	hive-vector-code-gen	3.1.3000.7.1.8.28-1
	org.apache.hive	kafka-handler	3.1.3000.7.1.8.28-1
	org.apache.hive.hcatalog	hive-hcatalog-core	3.1.3000.7.1.8.28-1
	org.apache.hive.hcatalog	hive-hcatalog-server-extensions	3.1.3000.7.1.8.28-1
	org.apache.hive.hcatalog	hive-hcatalog-streaming	3.1.3000.7.1.8.28-1
	org.apache.hive.hcatalog	hive-webhcat	3.1.3000.7.1.8.28-1
	org.apache.hive.hcatalog	hive-webhcat-java-client	3.1.3000.7.1.8.28-1
	org.apache.hive.hive-udf-classloader-udf1 it-custom-udfs		3.1.3000.7.1.8.28-1
	org.apache.hive.hive-udf-classloader-udf2 it-custom-udfs		3.1.3000.7.1.8.28-1
	org.apache.hive.hive-udf-classloader-util it-custom-udfs		3.1.3000.7.1.8.28-1
	org.apache.hive.hive-udf-vectorized-badexample it-custom-udfs		3.1.3000.7.1.8.28-1
	org.apache.hive.shims	hive-shims-0.23	3.1.3000.7.1.8.28-1
	org.apache.hive.shims	hive-shims-common	3.1.3000.7.1.8.28-1
	org.apache.hive.shims	hive-shims-scheduler	3.1.3000.7.1.8.28-1

Project	groupId	artifactId	version
Apache Hive Warehouse Connector	com.hortonworks.hive	hive-warehouse-connector_2.11	1.0.0.7.1.8.28-1
Apache Kafka	org.apache.kafka	connect	3.1.1.7.1.8.28-1
	org.apache.kafka	connect-api	3.1.1.7.1.8.28-1
	org.apache.kafka	connect-basic-auth-extension	3.1.1.7.1.8.28-1
	org.apache.kafka	connect-cloudera-authorization-extension	3.1.1.7.1.8.28-1
	org.apache.kafka	connect-cloudera-common	3.1.1.7.1.8.28-1
	org.apache.kafka	connect-cloudera-secret-storage	3.1.1.7.1.8.28-1
	org.apache.kafka	connect-cloudera-security-policies	3.1.1.7.1.8.28-1
	org.apache.kafka	connect-file	3.1.1.7.1.8.28-1
	org.apache.kafka	connect-json	3.1.1.7.1.8.28-1
	org.apache.kafka	connect-mirror	3.1.1.7.1.8.28-1
	org.apache.kafka	connect-mirror-client	3.1.1.7.1.8.28-1
	org.apache.kafka	connect-runtime	3.1.1.7.1.8.28-1
	org.apache.kafka	connect-transforms	3.1.1.7.1.8.28-1
	org.apache.kafka	generator	3.1.1.7.1.8.28-1
	org.apache.kafka	kafka-clients	3.1.1.7.1.8.28-1
	org.apache.kafka	kafka-cloudera-metrics-reporter_2.12	3.1.1.7.1.8.28-1
	org.apache.kafka	kafka-cloudera-metrics-reporter_2.13	3.1.1.7.1.8.28-1
	org.apache.kafka	kafka-cloudera-plugins	3.1.1.7.1.8.28-1
	org.apache.kafka	kafka-examples	3.1.1.7.1.8.28-1
	org.apache.kafka	kafka-log4j-appender	3.1.1.7.1.8.28-1
	org.apache.kafka	kafka-metadata	3.1.1.7.1.8.28-1
	org.apache.kafka	kafka-raft	3.1.1.7.1.8.28-1
	org.apache.kafka	kafka-server-common	3.1.1.7.1.8.28-1
	org.apache.kafka	kafka-shell	3.1.1.7.1.8.28-1
	org.apache.kafka	kafka-storage	3.1.1.7.1.8.28-1
	org.apache.kafka	kafka-storage-api	3.1.1.7.1.8.28-1
	org.apache.kafka	kafka-streams	3.1.1.7.1.8.28-1
	org.apache.kafka	kafka-streams-examples	3.1.1.7.1.8.28-1
	org.apache.kafka	kafka-streams-scala_2.12	3.1.1.7.1.8.28-1
	org.apache.kafka	kafka-streams-scala_2.13	3.1.1.7.1.8.28-1
	org.apache.kafka	kafka-streams-test-utils	3.1.1.7.1.8.28-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-0100	3.1.1.7.1.8.28-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-0101	3.1.1.7.1.8.28-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-0102	3.1.1.7.1.8.28-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-0110	3.1.1.7.1.8.28-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-10	3.1.1.7.1.8.28-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-11	3.1.1.7.1.8.28-1

Project	groupId	artifactId	version
	org.apache.kafka	kafka-streams-upgrade-system-tests-20	3.1.1.7.1.8.28-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-21	3.1.1.7.1.8.28-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-22	3.1.1.7.1.8.28-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-23	3.1.1.7.1.8.28-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-24	3.1.1.7.1.8.28-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-25	3.1.1.7.1.8.28-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-26	3.1.1.7.1.8.28-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-27	3.1.1.7.1.8.28-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-28	3.1.1.7.1.8.28-1
	org.apache.kafka	kafka-tools	3.1.1.7.1.8.28-1
	org.apache.kafka	kafka_2.12	3.1.1.7.1.8.28-1
	org.apache.kafka	kafka_2.13	3.1.1.7.1.8.28-1
	org.apache.kafka	trogdor	3.1.1.7.1.8.28-1
Apache Knox	org.apache.knox	gateway-adapter	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-admin-ui	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-applications	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-cloud-bindings	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-demo-ldap	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-demo-ldap-launcher	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-discovery-ambari	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-discovery-cm	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-docker	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-i18n	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-i18n-logging-log4j	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-i18n-logging-sl4j	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-provider-ha	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-provider-identity-assertion-common	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-provider-identity-assertion-concat	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-provider-identity-assertion-hadoop-groups	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-provider-identity-assertion-pseudo	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-provider-identity-assertion-regex	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-provider-identity-assertion-switchcase	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-provider-jersey	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-provider-rewrite	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-provider-rewrite-common	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-provider-rewrite-func-hostmap-static	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-provider-rewrite-func-inbound-query-param	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-provider-rewrite-func-service-registry	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-provider-rewrite-step-encrypt-uri	1.3.0.7.1.8.28-1

Project	groupId	artifactId	version
	org.apache.knox	gateway-provider-rewrite-step-secure-query	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-provider-security-authc-anon	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-provider-security-authz-acls	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-provider-security-authz-composite	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-provider-security-clientcert	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-provider-security-hadoopauth	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-provider-security-jwt	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-provider-security-pac4j	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-provider-security-preauth	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-provider-security-shiro	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-provider-security-webappsec	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-release	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-server	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-server-launcher	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-server-xforwarded-filter	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-service-admin	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-service-as	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-service-definitions	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-service-hashicorp-vault	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-service-hbase	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-service-health	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-service-hive	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-service-idbroker	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-service-impala	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-service-jkg	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-service-knoxsso	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-service-knoxssout	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-service-knoxtoken	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-service-livy	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-service-metadata	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-service-nifi	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-service-nifi-registry	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-service-remoteconfig	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-service-rm	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-service-session	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-service-storm	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-service-test	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-service-tgs	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-service-vault	1.3.0.7.1.8.28-1

Project	groupId	artifactId	version
	org.apache.knox	gateway-service-webhdfs	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-shell	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-shell-launcher	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-shell-release	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-shell-samples	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-spi	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-test	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-test-idbroker	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-test-release-utils	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-test-utils	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-topology-hadoop-xml	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-topology-simple	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-util-common	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-util-configinjector	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-util-launcher	1.3.0.7.1.8.28-1
	org.apache.knox	gateway-util-urltemplate	1.3.0.7.1.8.28-1
	org.apache.knox	hadoop-examples	1.3.0.7.1.8.28-1
	org.apache.knox	knox-cli-launcher	1.3.0.7.1.8.28-1
	org.apache.knox	knox-homepage-ui	1.3.0.7.1.8.28-1
	org.apache.knox	webhdfs-kerb-test	1.3.0.7.1.8.28-1
	org.apache.knox	webhdfs-test	1.3.0.7.1.8.28-1
Apache Kudu	org.apache.kudu	kudu-backup-tools	1.15.0.7.1.8.28-1
	org.apache.kudu	kudu-backup2_2.11	1.15.0.7.1.8.28-1
	org.apache.kudu	kudu-backup3_2.12	1.15.0.7.1.8.28-1
	org.apache.kudu	kudu-client	1.15.0.7.1.8.28-1
	org.apache.kudu	kudu-hive	1.15.0.7.1.8.28-1
	org.apache.kudu	kudu-spark2-tools_2.11	1.15.0.7.1.8.28-1
	org.apache.kudu	kudu-spark2_2.11	1.15.0.7.1.8.28-1
	org.apache.kudu	kudu-spark3-tools_2.12	1.15.0.7.1.8.28-1
	org.apache.kudu	kudu-spark3_2.12	1.15.0.7.1.8.28-1
	org.apache.kudu	kudu-test-utils	1.15.0.7.1.8.28-1
Apache Livy	org.apache.livy	livy-api	0.6.0.7.1.8.28-1
	org.apache.livy	livy-client-common	0.6.0.7.1.8.28-1
	org.apache.livy	livy-client-http	0.6.0.7.1.8.28-1
	org.apache.livy	livy-core_2.11	0.6.0.7.1.8.28-1
	org.apache.livy	livy-examples	0.6.0.7.1.8.28-1
	org.apache.livy	livy-integration-test	0.6.0.7.1.8.28-1
	org.apache.livy	livy-repl_2.11	0.6.0.7.1.8.28-1
	org.apache.livy	livy-rsc	0.6.0.7.1.8.28-1

Project	groupId	artifactId	version
	org.apache.livy	livy-scala-api_2.11	0.6.0.7.1.8.28-1
	org.apache.livy	livy-server	0.6.0.7.1.8.28-1
	org.apache.livy	livy-test-lib	0.6.0.7.1.8.28-1
	org.apache.livy	livy-thriftserver	0.6.0.7.1.8.28-1
	org.apache.livy	livy-thriftserver-session	0.6.0.7.1.8.28-1
Apache Lucene	org.apache.lucene	lucene-analyzers-common	8.4.1.7.1.8.28-1
	org.apache.lucene	lucene-analyzers-icu	8.4.1.7.1.8.28-1
	org.apache.lucene	lucene-analyzers-kuromoji	8.4.1.7.1.8.28-1
	org.apache.lucene	lucene-analyzers-morfologik	8.4.1.7.1.8.28-1
	org.apache.lucene	lucene-analyzers-nori	8.4.1.7.1.8.28-1
	org.apache.lucene	lucene-analyzers-opennlp	8.4.1.7.1.8.28-1
	org.apache.lucene	lucene-analyzers-phonetic	8.4.1.7.1.8.28-1
	org.apache.lucene	lucene-analyzers-smartcn	8.4.1.7.1.8.28-1
	org.apache.lucene	lucene-analyzers-stempel	8.4.1.7.1.8.28-1
	org.apache.lucene	lucene-backward-codecs	8.4.1.7.1.8.28-1
	org.apache.lucene	lucene-benchmark	8.4.1.7.1.8.28-1
	org.apache.lucene	lucene-classification	8.4.1.7.1.8.28-1
	org.apache.lucene	lucene-codecs	8.4.1.7.1.8.28-1
	org.apache.lucene	lucene-core	8.4.1.7.1.8.28-1
	org.apache.lucene	lucene-demo	8.4.1.7.1.8.28-1
	org.apache.lucene	lucene-expressions	8.4.1.7.1.8.28-1
	org.apache.lucene	lucene-facet	8.4.1.7.1.8.28-1
	org.apache.lucene	lucene-grouping	8.4.1.7.1.8.28-1
	org.apache.lucene	lucene-highlighter	8.4.1.7.1.8.28-1
	org.apache.lucene	lucene-join	8.4.1.7.1.8.28-1
	org.apache.lucene	lucene-memory	8.4.1.7.1.8.28-1
	org.apache.lucene	lucene-misc	8.4.1.7.1.8.28-1
	org.apache.lucene	lucene-monitor	8.4.1.7.1.8.28-1
	org.apache.lucene	lucene-queries	8.4.1.7.1.8.28-1
	org.apache.lucene	lucene-queryparser	8.4.1.7.1.8.28-1
	org.apache.lucene	lucene-replicator	8.4.1.7.1.8.28-1
	org.apache.lucene	lucene-sandbox	8.4.1.7.1.8.28-1
	org.apache.lucene	lucene-spatial	8.4.1.7.1.8.28-1
	org.apache.lucene	lucene-spatial-extras	8.4.1.7.1.8.28-1
	org.apache.lucene	lucene-spatial3d	8.4.1.7.1.8.28-1
	org.apache.lucene	lucene-suggest	8.4.1.7.1.8.28-1
	org.apache.lucene	lucene-test-framework	8.4.1.7.1.8.28-1
Apache Oozie	org.apache.oozie	oozie-client	5.1.0.7.1.8.28-1
	org.apache.oozie	oozie-core	5.1.0.7.1.8.28-1

Project	groupId	artifactId	version
	org.apache.oozie	oozie-distro	5.1.0.7.1.8.28-1
	org.apache.oozie	oozie-examples	5.1.0.7.1.8.28-1
	org.apache.oozie	oozie-fluent-job-api	5.1.0.7.1.8.28-1
	org.apache.oozie	oozie-fluent-job-client	5.1.0.7.1.8.28-1
	org.apache.oozie	oozie-server	5.1.0.7.1.8.28-1
	org.apache.oozie	oozie-sharelib-distcp	5.1.0.7.1.8.28-1
	org.apache.oozie	oozie-sharelib-git	5.1.0.7.1.8.28-1
	org.apache.oozie	oozie-sharelib-hcatalog	5.1.0.7.1.8.28-1
	org.apache.oozie	oozie-sharelib-hive	5.1.0.7.1.8.28-1
	org.apache.oozie	oozie-sharelib-hive2	5.1.0.7.1.8.28-1
	org.apache.oozie	oozie-sharelib-oozie	5.1.0.7.1.8.28-1
	org.apache.oozie	oozie-sharelib-spark	5.1.0.7.1.8.28-1
	org.apache.oozie	oozie-sharelib-sqoop	5.1.0.7.1.8.28-1
	org.apache.oozie	oozie-sharelib-streaming	5.1.0.7.1.8.28-1
	org.apache.oozie	oozie-tools	5.1.0.7.1.8.28-1
	org.apache.oozie	oozie-zookeeper-security-tests	5.1.0.7.1.8.28-1
	org.apache.oozie.test	oozie-mini	5.1.0.7.1.8.28-1
Apache ORC	org.apache.orc	orc-core	1.5.1.7.1.8.28-1
	org.apache.orc	orc-examples	1.5.1.7.1.8.28-1
	org.apache.orc	orc-mapreduce	1.5.1.7.1.8.28-1
	org.apache.orc	orc-shims	1.5.1.7.1.8.28-1
	org.apache.orc	orc-tools	1.5.1.7.1.8.28-1
Apache Parquet	org.apache.parquet	parquet-avro	1.10.99.7.1.8.28-1
	org.apache.parquet	parquet-cascading	1.10.99.7.1.8.28-1
	org.apache.parquet	parquet-cascading3	1.10.99.7.1.8.28-1
	org.apache.parquet	parquet-column	1.10.99.7.1.8.28-1
	org.apache.parquet	parquet-common	1.10.99.7.1.8.28-1
	org.apache.parquet	parquet-encoding	1.10.99.7.1.8.28-1
	org.apache.parquet	parquet-format-structures	1.10.99.7.1.8.28-1
	org.apache.parquet	parquet-generator	1.10.99.7.1.8.28-1
	org.apache.parquet	parquet-hadoop	1.10.99.7.1.8.28-1
	org.apache.parquet	parquet-hadoop-bundle	1.10.99.7.1.8.28-1
	org.apache.parquet	parquet-jackson	1.10.99.7.1.8.28-1
	org.apache.parquet	parquet-pig	1.10.99.7.1.8.28-1
	org.apache.parquet	parquet-pig-bundle	1.10.99.7.1.8.28-1
	org.apache.parquet	parquet-protobuf	1.10.99.7.1.8.28-1
	org.apache.parquet	parquet-scala_2.10	1.10.99.7.1.8.28-1
	org.apache.parquet	parquet-thrift	1.10.99.7.1.8.28-1
	org.apache.parquet	parquet-tools	1.10.99.7.1.8.28-1

Project	groupId	artifactId	version
Apache Phoenix	org.apache.phoenix	phoenix-client-embedded-hbase-2.4	5.1.1.7.1.8.28-1
	org.apache.phoenix	phoenix-client-hbase-2.4	5.1.1.7.1.8.28-1
	org.apache.phoenix	phoenix-connectors-phoenix5-compat	6.0.0.7.1.8.28-1
	org.apache.phoenix	phoenix-core	5.1.1.7.1.8.28-1
	org.apache.phoenix	phoenix-hbase-compat-2.1.6	5.1.1.7.1.8.28-1
	org.apache.phoenix	phoenix-hbase-compat-2.2.5	5.1.1.7.1.8.28-1
	org.apache.phoenix	phoenix-hbase-compat-2.3.0	5.1.1.7.1.8.28-1
	org.apache.phoenix	phoenix-hbase-compat-2.4.0	5.1.1.7.1.8.28-1
	org.apache.phoenix	phoenix-hbase-compat-2.4.1	5.1.1.7.1.8.28-1
	org.apache.phoenix	phoenix-pherf	5.1.1.7.1.8.28-1
	org.apache.phoenix	phoenix-queryserver	6.0.0.7.1.8.28-1
	org.apache.phoenix	phoenix-queryserver-client	6.0.0.7.1.8.28-1
	org.apache.phoenix	phoenix-queryserver-it	6.0.0.7.1.8.28-1
	org.apache.phoenix	phoenix-queryserver-load-balancer	6.0.0.7.1.8.28-1
	org.apache.phoenix	phoenix-queryserver-orchestrator	6.0.0.7.1.8.28-1
	org.apache.phoenix	phoenix-server-hbase-2.4	5.1.1.7.1.8.28-1
	org.apache.phoenix	phoenix-tracing-webapp	5.1.1.7.1.8.28-1
	org.apache.phoenix	phoenix5-hive	6.0.0.7.1.8.28-1
	org.apache.phoenix	phoenix5-hive-shaded	6.0.0.7.1.8.28-1
	org.apache.phoenix	phoenix5-spark	6.0.0.7.1.8.28-1
	org.apache.phoenix	phoenix5-spark-shaded	6.0.0.7.1.8.28-1
	org.apache.phoenix	phoenix5-shaded-commons-cli	1.1.0.7.1.8.28-1
	org.apache.phoenix	phoenix5-shaded-guava	1.1.0.7.1.8.28-1
Apache Ranger	org.apache.ranger	conditions-enrichers	2.3.0.7.1.8.28-1
	org.apache.ranger	credentialbuilder	2.3.0.7.1.8.28-1
	org.apache.ranger	embeddedwebserver	2.3.0.7.1.8.28-1
	org.apache.ranger	jisql	2.3.0.7.1.8.28-1
	org.apache.ranger	ldapconfigcheck	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-adls-plugin	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-atlas-plugin	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-atlas-plugin-shim	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-authn	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-distro	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-examples-distro	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-hbase-plugin	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-hbase-plugin-shim	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-hdfs-plugin	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-hdfs-plugin-shim	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-hive-plugin	2.3.0.7.1.8.28-1

Project	groupId	artifactId	version
	org.apache.ranger	ranger-hive-plugin-shim	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-intg	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-kafka-connect-plugin	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-kafka-plugin	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-kafka-plugin-shim	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-kms	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-kms-plugin	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-kms-plugin-shim	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-knox-plugin	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-knox-plugin-shim	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-kudu-plugin	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-kylin-plugin	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-kylin-plugin-shim	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-nifi-plugin	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-nifi-registry-plugin	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-ozone-plugin	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-ozone-plugin-shim	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-plugin-classloader	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-plugins-audit	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-plugins-common	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-plugins-cred	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-plugins-installer	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-policymigration	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-raz-adls	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-raz-chained-plugins	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-raz-hook-abfs	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-raz-intg	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-raz-processor	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-rms-common	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-rms-hive	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-rms-plugins-common	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-rms-webapp	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-sampleapp-plugin	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-schema-registry-plugin	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-solr-plugin	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-solr-plugin-shim	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-sqoop-plugin	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-sqoop-plugin-shim	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-storm-plugin	2.3.0.7.1.8.28-1

Project	groupId	artifactId	version
	org.apache.ranger	ranger-storm-plugin-shim	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-tagsync	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-tools	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-util	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-yarn-plugin	2.3.0.7.1.8.28-1
	org.apache.ranger	ranger-yarn-plugin-shim	2.3.0.7.1.8.28-1
	org.apache.ranger	sample-client	2.3.0.7.1.8.28-1
	org.apache.ranger	sampleapp	2.3.0.7.1.8.28-1
	org.apache.ranger	shaded-raz-hook-abfs	2.3.0.7.1.8.28-1
	org.apache.ranger	ugsync-util	2.3.0.7.1.8.28-1
	org.apache.ranger	unixauthclient	2.3.0.7.1.8.28-1
	org.apache.ranger	unixauthservice	2.3.0.7.1.8.28-1
	org.apache.ranger	unixusersync	2.3.0.7.1.8.28-1
Apache Solr	org.apache.solr	solr-analysis-extras	8.4.1.7.1.8.28-1
	org.apache.solr	solr-analytics	8.4.1.7.1.8.28-1
	org.apache.solr	solr-cell	8.4.1.7.1.8.28-1
	org.apache.solr	solr-clustering	8.4.1.7.1.8.28-1
	org.apache.solr	solr-core	8.4.1.7.1.8.28-1
	org.apache.solr	solr-dataimporthandler	8.4.1.7.1.8.28-1
	org.apache.solr	solr-dataimporthandler-extras	8.4.1.7.1.8.28-1
	org.apache.solr	solr-jaegertracer-configurator	8.4.1.7.1.8.28-1
	org.apache.solr	solr-langid	8.4.1.7.1.8.28-1
	org.apache.solr	solr-ltr	8.4.1.7.1.8.28-1
	org.apache.solr	solr-prometheus-exporter	8.4.1.7.1.8.28-1
	org.apache.solr	solr-security-util	8.4.1.7.1.8.28-1
	org.apache.solr	solr-solrj	8.4.1.7.1.8.28-1
	org.apache.solr	solr-test-framework	8.4.1.7.1.8.28-1
	org.apache.solr	solr-velocity	8.4.1.7.1.8.28-1
Apache Spark	org.apache.spark	spark-avro_2.11	2.4.8.7.1.8.28-1
	org.apache.spark	spark-catalyst_2.11	2.4.8.7.1.8.28-1
	org.apache.spark	spark-core_2.11	2.4.8.7.1.8.28-1
	org.apache.spark	spark-graphx_2.11	2.4.8.7.1.8.28-1
	org.apache.spark	spark-hadoop-cloud_2.11	2.4.8.7.1.8.28-1
	org.apache.spark	spark-hive_2.11	2.4.8.7.1.8.28-1
	org.apache.spark	spark-kubernetes_2.11	2.4.8.7.1.8.28-1
	org.apache.spark	spark-kvstore_2.11	2.4.8.7.1.8.28-1
	org.apache.spark	spark-launcher_2.11	2.4.8.7.1.8.28-1
	org.apache.spark	spark-mllib-local_2.11	2.4.8.7.1.8.28-1
	org.apache.spark	spark-mllib_2.11	2.4.8.7.1.8.28-1

Project	groupId	artifactId	version
	org.apache.spark	spark-network-common_2.11	2.4.8.7.1.8.28-1
	org.apache.spark	spark-network-shuffle_2.11	2.4.8.7.1.8.28-1
	org.apache.spark	spark-network-yarn_2.11	2.4.8.7.1.8.28-1
	org.apache.spark	spark-repl_2.11	2.4.8.7.1.8.28-1
	org.apache.spark	spark-sketch_2.11	2.4.8.7.1.8.28-1
	org.apache.spark	spark-sql-kafka-0-10_2.11	2.4.8.7.1.8.28-1
	org.apache.spark	spark-sql_2.11	2.4.8.7.1.8.28-1
	org.apache.spark	spark-streaming-kafka-0-10-assembly_2.11	2.4.8.7.1.8.28-1
	org.apache.spark	spark-streaming-kafka-0-10_2.11	2.4.8.7.1.8.28-1
	org.apache.spark	spark-streaming_2.11	2.4.8.7.1.8.28-1
	org.apache.spark	spark-tags_2.11	2.4.8.7.1.8.28-1
	org.apache.spark	spark-token-provider-kafka-0-10_2.11	2.4.8.7.1.8.28-1
	org.apache.spark	spark-unsafe_2.11	2.4.8.7.1.8.28-1
	org.apache.spark	spark-yarn_2.11	2.4.8.7.1.8.28-1
Apache Sqoop	org.apache.sqoop	sqoop	1.4.7.7.1.8.28-1
	org.apache.sqoop	sqoop-test	1.4.7.7.1.8.28-1
Apache Tez	org.apache.tez	hadoop-shim	0.9.1.7.1.8.28-1
	org.apache.tez	hadoop-shim-2.8	0.9.1.7.1.8.28-1
	org.apache.tez	tez-api	0.9.1.7.1.8.28-1
	org.apache.tez	tez-aux-services	0.9.1.7.1.8.28-1
	org.apache.tez	tez-common	0.9.1.7.1.8.28-1
	org.apache.tez	tez-dag	0.9.1.7.1.8.28-1
	org.apache.tez	tez-examples	0.9.1.7.1.8.28-1
	org.apache.tez	tez-ext-service-tests	0.9.1.7.1.8.28-1
	org.apache.tez	tez-history-parser	0.9.1.7.1.8.28-1
	org.apache.tez	tez-javadoc-tools	0.9.1.7.1.8.28-1
	org.apache.tez	tez-job-analyzer	0.9.1.7.1.8.28-1
	org.apache.tez	tez-mapreduce	0.9.1.7.1.8.28-1
	org.apache.tez	tez-protobuf-history-plugin	0.9.1.7.1.8.28-1
	org.apache.tez	tez-runtime-internals	0.9.1.7.1.8.28-1
	org.apache.tez	tez-runtime-library	0.9.1.7.1.8.28-1
	org.apache.tez	tez-tests	0.9.1.7.1.8.28-1
	org.apache.tez	tez-yarn-timeline-cache-plugin	0.9.1.7.1.8.28-1
	org.apache.tez	tez-yarn-timeline-history	0.9.1.7.1.8.28-1
	org.apache.tez	tez-yarn-timeline-history-with-acls	0.9.1.7.1.8.28-1
	org.apache.tez	tez-yarn-timeline-history-with-fs	0.9.1.7.1.8.28-1
Apache Zeppelin	org.apache.zeppelin	zeppelin-angular	0.8.2.7.1.8.28-1
	org.apache.zeppelin	zeppelin-display	0.8.2.7.1.8.28-1
	org.apache.zeppelin	zeppelin-interpreter	0.8.2.7.1.8.28-1

Project	groupId	artifactId	version
	org.apache.zepplin	zeppelin-jdbc	0.8.2.7.1.8.28-1
	org.apache.zepplin	zeppelin-jupyter	0.8.2.7.1.8.28-1
	org.apache.zepplin	zeppelin-livy	0.8.2.7.1.8.28-1
	org.apache.zepplin	zeppelin-markdown	0.8.2.7.1.8.28-1
	org.apache.zepplin	zeppelin-server	0.8.2.7.1.8.28-1
	org.apache.zepplin	zeppelin-shell	0.8.2.7.1.8.28-1
	org.apache.zepplin	zeppelin-zengine	0.8.2.7.1.8.28-1
Apache ZooKeeper	org.apache.zookeeper	zookeeper	3.5.5.7.1.8.28-1
	org.apache.zookeeper	zookeeper-client-c	3.5.5.7.1.8.28-1
	org.apache.zookeeper	zookeeper-contrib-loggraph	3.5.5.7.1.8.28-1
	org.apache.zookeeper	zookeeper-contrib-rest	3.5.5.7.1.8.28-1
	org.apache.zookeeper	zookeeper-contrib-zooinspector	3.5.5.7.1.8.28-1
	org.apache.zookeeper	zookeeper-docs	3.5.5.7.1.8.28-1
	org.apache.zookeeper	zookeeper-jute	3.5.5.7.1.8.28-1
	org.apache.zookeeper	zookeeper-recipes-election	3.5.5.7.1.8.28-1
	org.apache.zookeeper	zookeeper-recipes-lock	3.5.5.7.1.8.28-1
	org.apache.zookeeper	zookeeper-recipes-queue	3.5.5.7.1.8.28-1

Runtime 7.1.8.32-1

The following table lists the project name, groupId, artifactId, and version required to access each Runtime artifact.

Project	groupId	artifactId	version
Apache Atlas	org.apache.atlas	atlas-authorization	2.1.0.7.1.8.32-1
	org.apache.atlas	atlas-aws-s3-bridge	2.1.0.7.1.8.32-1
	org.apache.atlas	atlas-azure-adls-bridge	2.1.0.7.1.8.32-1
	org.apache.atlas	atlas-classification-updater	2.1.0.7.1.8.32-1
	org.apache.atlas	atlas-client-common	2.1.0.7.1.8.32-1
	org.apache.atlas	atlas-client-v1	2.1.0.7.1.8.32-1
	org.apache.atlas	atlas-client-v2	2.1.0.7.1.8.32-1
	org.apache.atlas	atlas-common	2.1.0.7.1.8.32-1
	org.apache.atlas	atlas-distro	2.1.0.7.1.8.32-1
	org.apache.atlas	atlas-docs	2.1.0.7.1.8.32-1
	org.apache.atlas	atlas-graphdb-api	2.1.0.7.1.8.32-1
	org.apache.atlas	atlas-graphdb-common	2.1.0.7.1.8.32-1
	org.apache.atlas	atlas-graphdb-janus	2.1.0.7.1.8.32-1
	org.apache.atlas	atlas-hdfs-bridge	2.1.0.7.1.8.32-1
	org.apache.atlas	atlas-index-repair-tool	2.1.0.7.1.8.32-1
	org.apache.atlas	atlas-intg	2.1.0.7.1.8.32-1
	org.apache.atlas	atlas-janusgraph-hbase2	2.1.0.7.1.8.32-1

Project	groupId	artifactId	version
	org.apache.atlas	atlas-notification	2.1.0.7.1.8.32-1
	org.apache.atlas	atlas-plugin-classloader	2.1.0.7.1.8.32-1
	org.apache.atlas	atlas-repository	2.1.0.7.1.8.32-1
	org.apache.atlas	atlas-server-api	2.1.0.7.1.8.32-1
	org.apache.atlas	atlas-testtools	2.1.0.7.1.8.32-1
	org.apache.atlas	hbase-bridge	2.1.0.7.1.8.32-1
	org.apache.atlas	hbase-bridge-shim	2.1.0.7.1.8.32-1
	org.apache.atlas	hbase-testing-util	2.1.0.7.1.8.32-1
	org.apache.atlas	hdfs-model	2.1.0.7.1.8.32-1
	org.apache.atlas	hive-bridge	2.1.0.7.1.8.32-1
	org.apache.atlas	hive-bridge-shim	2.1.0.7.1.8.32-1
	org.apache.atlas	impala-bridge	2.1.0.7.1.8.32-1
	org.apache.atlas	impala-bridge-shim	2.1.0.7.1.8.32-1
	org.apache.atlas	impala-hook-api	2.1.0.7.1.8.32-1
	org.apache.atlas	kafka-bridge	2.1.0.7.1.8.32-1
	org.apache.atlas	kafka-bridge-shim	2.1.0.7.1.8.32-1
	org.apache.atlas	navigator-to-atlas	2.1.0.7.1.8.32-1
	org.apache.atlas	sample-app	2.1.0.7.1.8.32-1
	org.apache.atlas	sqoop-bridge	2.1.0.7.1.8.32-1
	org.apache.atlas	sqoop-bridge-shim	2.1.0.7.1.8.32-1
Apache Avro	org.apache.avro	avro	1.8.2.7.1.8.32-1
	org.apache.avro	avro-compiler	1.8.2.7.1.8.32-1
	org.apache.avro	avro-ipc	1.8.2.7.1.8.32-1
	org.apache.avro	avro-mapred	1.8.2.7.1.8.32-1
	org.apache.avro	avro-maven-plugin	1.8.2.7.1.8.32-1
	org.apache.avro	avro-protobuf	1.8.2.7.1.8.32-1
	org.apache.avro	avro-service-archetype	1.8.2.7.1.8.32-1
	org.apache.avro	avro-thrift	1.8.2.7.1.8.32-1
	org.apache.avro	avro-tools	1.8.2.7.1.8.32-1
	org.apache.avro	trevni-avro	1.8.2.7.1.8.32-1
	org.apache.avro	trevni-core	1.8.2.7.1.8.32-1
Apache Calcite	org.apache.calcite	calcite-babel	1.19.0.7.1.8.32-1
	org.apache.calcite	calcite-core	1.19.0.7.1.8.32-1
	org.apache.calcite	calcite-druid	1.19.0.7.1.8.32-1
	org.apache.calcite	calcite-linq4j	1.19.0.7.1.8.32-1
	org.apache.calcite	calcite-server	1.19.0.7.1.8.32-1
	org.apache.calcite.avatica	avatica	1.16.0.7.1.8.32-1
	org.apache.calcite.avatica	avatica-core	1.16.0.7.1.8.32-1
	org.apache.calcite.avatica	avatica-metrics	1.16.0.7.1.8.32-1

Project	groupId	artifactId	version
	org.apache.calcite.avatica	avatica-metrics-dropwizardmetrics	1.16.0.7.1.8.32-1
	org.apache.calcite.avatica	avatica-noop-driver	1.16.0.7.1.8.32-1
	org.apache.calcite.avatica	avatica-server	1.16.0.7.1.8.32-1
	org.apache.calcite.avatica	avatica-standalone-server	1.16.0.7.1.8.32-1
	org.apache.calcite.avatica	avatica-tck	1.16.0.7.1.8.32-1
GCS Connector	com.google.cloud.bigtable	bigtable-hbase-connector	2.1.2.7.1.8.32-1
	com.google.cloud.bigtable	gcs-connector	2.1.2.7.1.8.32-1
	com.google.cloud.bigtable	gcs-connector	2.1.2.7.1.8.32-1
	com.google.cloud.bigtable	gcs-connector	2.1.2.7.1.8.32-1
	com.google.cloud.bigtable	gcs-connector	2.1.2.7.1.8.32-1
Apache Hadoop	org.apache.hadoop	hadoop-aliyun	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-annotations	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-archive-logs	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-archives	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-assemblies	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-auth	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-aws	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-azure	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-azure-datalake	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-build-tools	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-client	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-client-api	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-client-integration-tests	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-client-minicluster	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-client-runtime	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-cloud-storage	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-common	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-datajoin	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-distcp	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-extras	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-fs2img	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-gridmix	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-hdfs	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-hdfs-client	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-hdfs-httpfs	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-hdfs-native-client	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-hdfs-nfs	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-hdfs-rbf	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-kafka	3.1.1.7.1.8.32-1

Project	groupId	artifactId	version
	org.apache.hadoop	hadoop-kms	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-mapreduce-client-app	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-mapreduce-client-common	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-mapreduce-client-core	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-mapreduce-client-hs	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-mapreduce-client-hs-plugins	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-mapreduce-client-jobclient	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-mapreduce-client-nativetask	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-mapreduce-client-shuffle	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-mapreduce-client-uploader	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-mapreduce-examples	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-maven-plugins	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-minicluster	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-minikdc	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-nfs	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-openstack	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-resourceestimator	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-rumen	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-sls	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-streaming	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-tools-dist	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-yarn-api	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-yarn-applications-distributedshell	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-yarn-applications-unmanaged-am-launcher	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-yarn-client	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-yarn-common	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-yarn-registry	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-yarn-server-applicationhistoryservice	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-yarn-server-common	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-yarn-server-nodemanager	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-yarn-server-resourcemanager	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-yarn-server-router	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-yarn-server-sharedcachemanager	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-yarn-server-tests	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-yarn-server-timeline-pluginstorage	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-yarn-server-timelineservice	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-client	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-common	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-server-2	3.1.1.7.1.8.32-1

Project	groupId	artifactId	version
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-tests	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-yarn-server-web-proxy	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-yarn-services-api	3.1.1.7.1.8.32-1
	org.apache.hadoop	hadoop-yarn-services-core	3.1.1.7.1.8.32-1
Apache HBase	org.apache.hbase	filesystem	hadoop3-3-testutils
	org.apache.hbase	hbase-annotations	2.4.6.7.1.8.32-1
	org.apache.hbase	hbase-asyncfs	2.4.6.7.1.8.32-1
	org.apache.hbase	hbase-checkstyle	2.4.6.7.1.8.32-1
	org.apache.hbase	hbase-client	2.4.6.7.1.8.32-1
	org.apache.hbase	hbase-client-project	2.4.6.7.1.8.32-1
	org.apache.hbase	hbase-common	2.4.6.7.1.8.32-1
	org.apache.hbase	hbase-endpoint	2.4.6.7.1.8.32-1
	org.apache.hbase	hbase-examples	2.4.6.7.1.8.32-1
	org.apache.hbase	hbase-external-blockcache	2.4.6.7.1.8.32-1
	org.apache.hbase	hbase-hadoop-compat	2.4.6.7.1.8.32-1
	org.apache.hbase	hbase-hadoop2-compat	2.4.6.7.1.8.32-1
	org.apache.hbase	hbase-hbtop	2.4.6.7.1.8.32-1
	org.apache.hbase	hbase-http	2.4.6.7.1.8.32-1
	org.apache.hbase	hbase-it	2.4.6.7.1.8.32-1
	org.apache.hbase	hbase-logging	2.4.6.7.1.8.32-1
	org.apache.hbase	hbase-mapreduce	2.4.6.7.1.8.32-1
	org.apache.hbase	hbase-metrics	2.4.6.7.1.8.32-1
	org.apache.hbase	hbase-metrics-api	2.4.6.7.1.8.32-1
	org.apache.hbase	hbase-procedure	2.4.6.7.1.8.32-1
	org.apache.hbase	hbase-protocol	2.4.6.7.1.8.32-1
	org.apache.hbase	hbase-protocol-shaded	2.4.6.7.1.8.32-1
	org.apache.hbase	hbase-replication	2.4.6.7.1.8.32-1
	org.apache.hbase	hbase-resource-bundle	2.4.6.7.1.8.32-1
	org.apache.hbase	hbase-rest	2.4.6.7.1.8.32-1
	org.apache.hbase	hbase-rsgroup	2.4.6.7.1.8.32-1
	org.apache.hbase	hbase-server	2.4.6.7.1.8.32-1
	org.apache.hbase	hbase-shaded-client	2.4.6.7.1.8.32-1
	org.apache.hbase	hbase-shaded-client-byo-hadoop	2.4.6.7.1.8.32-1
	org.apache.hbase	hbase-shaded-client-project	2.4.6.7.1.8.32-1
	org.apache.hbase	hbase-shaded-mapreduce	2.4.6.7.1.8.32-1
	org.apache.hbase	hbase-shaded-testing-util	2.4.6.7.1.8.32-1
	org.apache.hbase	hbase-shaded-testing-util-tester	2.4.6.7.1.8.32-1
	org.apache.hbase	hbase-shell	2.4.6.7.1.8.32-1
	org.apache.hbase	hbase-testing-util	2.4.6.7.1.8.32-1

Project	groupId	artifactId	version
	org.apache.hbase	hbase-thrift	2.4.6.7.1.8.32-1
	org.apache.hbase	hbase-zookeeper	2.4.6.7.1.8.32-1
	org.apache.hbase.contrib	hbase-kafka-model	1.0.0.7.1.8.32-1
	org.apache.hbase.contrib	hbase-kafka-proxy	1.0.0.7.1.8.32-1
	org.apache.hbase.contrib	hbase-spark	1.0.0.7.1.8.32-1
	org.apache.hbase.contrib	hbase-spark-it	1.0.0.7.1.8.32-1
	org.apache.hbase.contrib	hbase-spark-protocol	1.0.0.7.1.8.32-1
	org.apache.hbase.contrib	hbase-spark-protocol-shaded	1.0.0.7.1.8.32-1
	org.apache.hbase.filesystem	hbase-loop-testutils	1.0.0.7.1.8.32-1
	org.apache.hbase.filesystem	hbase-ufs-impl	1.0.0.7.1.8.32-1
	org.apache.hbase.filesystem	hbase-ufs	1.0.0.7.1.8.32-1
	org.apache.hbase.thriftparty	hbase-noop-htrace	3.5.0.7.1.8.32-1
	org.apache.hbase.thriftparty	hbase-shaded-gson	3.5.0.7.1.8.32-1
	org.apache.hbase.thriftparty	hbase-shaded-jackson-jaxrs-json-provider	3.5.0.7.1.8.32-1
	org.apache.hbase.thriftparty	hbase-shaded-jersey	3.5.0.7.1.8.32-1
	org.apache.hbase.thriftparty	hbase-shaded-jetty	3.5.0.7.1.8.32-1
	org.apache.hbase.thriftparty	hbase-shaded-miscellaneous	3.5.0.7.1.8.32-1
	org.apache.hbase.thriftparty	hbase-shaded-netty	3.5.0.7.1.8.32-1
	org.apache.hbase.thriftparty	hbase-shaded-protobuf	3.5.0.7.1.8.32-1
Apache Hive	org.apache.hive	hive-beeline	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-blobstore	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-classification	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-cli	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-common	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-contrib	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-exec	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-hbase-handler	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-hcatalog-it-unit	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-hplsql	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-it-custom-serde	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-it-minikdc	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-it-qfile	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-it-qfile-kudu	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-it-test-serde	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-it-unit	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-it-unit-hadoop2	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-it-util	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-jdbc	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-jdbc-handler	3.1.3000.7.1.8.32-1

Project	groupId	artifactId	version
	org.apache.hive	hive-jmh	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-kryo-registrator	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-kudu-handler	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-llap-client	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-llap-common	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-llap-ext-client	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-llap-server	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-llap-tez	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-metastore	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-pre-upgrade	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-serde	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-service	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-service-rpc	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-shims	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-spark-client	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-standalone-metastore	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-storage-api	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-streaming	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-testutils	3.1.3000.7.1.8.32-1
	org.apache.hive	hive-vector-code-gen	3.1.3000.7.1.8.32-1
	org.apache.hive	kafka-handler	3.1.3000.7.1.8.32-1
	org.apache.hive.hcatalog	hive-hcatalog-core	3.1.3000.7.1.8.32-1
	org.apache.hive.hcatalog	hive-hcatalog-server-extensions	3.1.3000.7.1.8.32-1
	org.apache.hive.hcatalog	hive-hcatalog-streaming	3.1.3000.7.1.8.32-1
	org.apache.hive.hcatalog	hive-webhcat	3.1.3000.7.1.8.32-1
	org.apache.hive.hcatalog	hive-webhcat-java-client	3.1.3000.7.1.8.32-1
	org.apache.hive.hive-udf-classloader-udf1 it-custom-udfs		3.1.3000.7.1.8.32-1
	org.apache.hive.hive-udf-classloader-udf2 it-custom-udfs		3.1.3000.7.1.8.32-1
	org.apache.hive.hive-udf-classloader-util it-custom-udfs		3.1.3000.7.1.8.32-1
	org.apache.hive.hive-udf-vectorized-badexample it-custom-udfs		3.1.3000.7.1.8.32-1
	org.apache.hive.shims	hive-shims-0.23	3.1.3000.7.1.8.32-1
	org.apache.hive.shims	hive-shims-common	3.1.3000.7.1.8.32-1
	org.apache.hive.shims	hive-shims-scheduler	3.1.3000.7.1.8.32-1
Apache Hive Warehouse Connector	com.hortonworks.hive	hive-warehouse-connector_2.11	1.0.0.7.1.8.32-1
Apache Kafka	org.apache.kafka	connect	3.1.1.7.1.8.32-1
	org.apache.kafka	connect-api	3.1.1.7.1.8.32-1

Project	groupId	artifactId	version
	org.apache.kafka	connect-basic-auth-extension	3.1.1.7.1.8.32-1
	org.apache.kafka	connect-cloudera-authorization-extension	3.1.1.7.1.8.32-1
	org.apache.kafka	connect-cloudera-common	3.1.1.7.1.8.32-1
	org.apache.kafka	connect-cloudera-secret-storage	3.1.1.7.1.8.32-1
	org.apache.kafka	connect-cloudera-security-policies	3.1.1.7.1.8.32-1
	org.apache.kafka	connect-file	3.1.1.7.1.8.32-1
	org.apache.kafka	connect-json	3.1.1.7.1.8.32-1
	org.apache.kafka	connect-mirror	3.1.1.7.1.8.32-1
	org.apache.kafka	connect-mirror-client	3.1.1.7.1.8.32-1
	org.apache.kafka	connect-runtime	3.1.1.7.1.8.32-1
	org.apache.kafka	connect-transforms	3.1.1.7.1.8.32-1
	org.apache.kafka	generator	3.1.1.7.1.8.32-1
	org.apache.kafka	kafka-clients	3.1.1.7.1.8.32-1
	org.apache.kafka	kafka-cloudera-metrics-reporter_2.12	3.1.1.7.1.8.32-1
	org.apache.kafka	kafka-cloudera-metrics-reporter_2.13	3.1.1.7.1.8.32-1
	org.apache.kafka	kafka-cloudera-plugins	3.1.1.7.1.8.32-1
	org.apache.kafka	kafka-examples	3.1.1.7.1.8.32-1
	org.apache.kafka	kafka-log4j-appender	3.1.1.7.1.8.32-1
	org.apache.kafka	kafka-metadata	3.1.1.7.1.8.32-1
	org.apache.kafka	kafka-raft	3.1.1.7.1.8.32-1
	org.apache.kafka	kafka-server-common	3.1.1.7.1.8.32-1
	org.apache.kafka	kafka-shell	3.1.1.7.1.8.32-1
	org.apache.kafka	kafka-storage	3.1.1.7.1.8.32-1
	org.apache.kafka	kafka-storage-api	3.1.1.7.1.8.32-1
	org.apache.kafka	kafka-streams	3.1.1.7.1.8.32-1
	org.apache.kafka	kafka-streams-examples	3.1.1.7.1.8.32-1
	org.apache.kafka	kafka-streams-scala_2.12	3.1.1.7.1.8.32-1
	org.apache.kafka	kafka-streams-scala_2.13	3.1.1.7.1.8.32-1
	org.apache.kafka	kafka-streams-test-utils	3.1.1.7.1.8.32-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-0100	3.1.1.7.1.8.32-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-0101	3.1.1.7.1.8.32-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-0102	3.1.1.7.1.8.32-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-0110	3.1.1.7.1.8.32-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-10	3.1.1.7.1.8.32-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-11	3.1.1.7.1.8.32-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-20	3.1.1.7.1.8.32-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-21	3.1.1.7.1.8.32-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-22	3.1.1.7.1.8.32-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-23	3.1.1.7.1.8.32-1

Project	groupId	artifactId	version
	org.apache.kafka	kafka-streams-upgrade-system-tests-24	3.1.1.7.1.8.32-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-25	3.1.1.7.1.8.32-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-26	3.1.1.7.1.8.32-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-27	3.1.1.7.1.8.32-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-28	3.1.1.7.1.8.32-1
	org.apache.kafka	kafka-tools	3.1.1.7.1.8.32-1
	org.apache.kafka	kafka_2.12	3.1.1.7.1.8.32-1
	org.apache.kafka	kafka_2.13	3.1.1.7.1.8.32-1
	org.apache.kafka	trogdor	3.1.1.7.1.8.32-1
Apache Knox	org.apache.knox	gateway-adapter	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-admin-ui	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-applications	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-cloud-bindings	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-demo-ldap	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-demo-ldap-launcher	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-discovery-ambari	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-discovery-cm	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-docker	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-i18n	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-i18n-logging-log4j	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-i18n-logging-sl4j	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-provider-ha	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-provider-identity-assertion-common	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-provider-identity-assertion-concat	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-provider-identity-assertion-hadoop-groups	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-provider-identity-assertion-pseudo	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-provider-identity-assertion-regex	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-provider-identity-assertion-switchcase	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-provider-jersey	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-provider-rewrite	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-provider-rewrite-common	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-provider-rewrite-func-hostmap-static	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-provider-rewrite-func-inbound-query-param	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-provider-rewrite-func-service-registry	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-provider-rewrite-step-encrypt-uri	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-provider-rewrite-step-secure-query	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-provider-security-authc-anon	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-provider-security-authz-acls	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-provider-security-authz-composite	1.3.0.7.1.8.32-1

Project	groupId	artifactId	version
	org.apache.knox	gateway-provider-security-clientcert	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-provider-security-hadoopauth	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-provider-security-jwt	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-provider-security-pac4j	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-provider-security-preauth	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-provider-security-shiro	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-provider-security-webappsec	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-release	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-server	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-server-launcher	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-server-xforwarded-filter	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-service-admin	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-service-as	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-service-definitions	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-service-hashicorp-vault	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-service-hbase	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-service-health	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-service-hive	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-service-idbroker	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-service-impala	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-service-jkg	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-service-knoxsso	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-service-knoxssout	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-service-knoxtoken	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-service-livy	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-service-metadata	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-service-nifi	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-service-nifi-registry	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-service-remoteconfig	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-service-rm	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-service-session	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-service-storm	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-service-test	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-service-tgs	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-service-vault	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-service-webhdfs	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-shell	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-shell-launcher	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-shell-release	1.3.0.7.1.8.32-1

Project	groupId	artifactId	version
	org.apache.knox	gateway-shell-samples	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-spi	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-test	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-test-idbroker	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-test-release-utils	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-test-utils	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-topology-hadoop-xml	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-topology-simple	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-util-common	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-util-configinjector	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-util-launcher	1.3.0.7.1.8.32-1
	org.apache.knox	gateway-util-urltemplate	1.3.0.7.1.8.32-1
	org.apache.knox	hadoop-examples	1.3.0.7.1.8.32-1
	org.apache.knox	knox-cli-launcher	1.3.0.7.1.8.32-1
	org.apache.knox	knox-homepage-ui	1.3.0.7.1.8.32-1
	org.apache.knox	webhdfs-kerb-test	1.3.0.7.1.8.32-1
	org.apache.knox	webhdfs-test	1.3.0.7.1.8.32-1
Apache Kudu	org.apache.kudu	kudu-backup-tools	1.15.0.7.1.8.32-1
	org.apache.kudu	kudu-backup2_2.11	1.15.0.7.1.8.32-1
	org.apache.kudu	kudu-backup3_2.12	1.15.0.7.1.8.32-1
	org.apache.kudu	kudu-client	1.15.0.7.1.8.32-1
	org.apache.kudu	kudu-hive	1.15.0.7.1.8.32-1
	org.apache.kudu	kudu-spark2-tools_2.11	1.15.0.7.1.8.32-1
	org.apache.kudu	kudu-spark2_2.11	1.15.0.7.1.8.32-1
	org.apache.kudu	kudu-spark3-tools_2.12	1.15.0.7.1.8.32-1
	org.apache.kudu	kudu-spark3_2.12	1.15.0.7.1.8.32-1
	org.apache.kudu	kudu-test-utils	1.15.0.7.1.8.32-1
Apache Livy	org.apache.livy	livy-api	0.6.0.7.1.8.32-1
	org.apache.livy	livy-client-common	0.6.0.7.1.8.32-1
	org.apache.livy	livy-client-http	0.6.0.7.1.8.32-1
	org.apache.livy	livy-core_2.11	0.6.0.7.1.8.32-1
	org.apache.livy	livy-examples	0.6.0.7.1.8.32-1
	org.apache.livy	livy-integration-test	0.6.0.7.1.8.32-1
	org.apache.livy	livy-repl_2.11	0.6.0.7.1.8.32-1
	org.apache.livy	livy-rsc	0.6.0.7.1.8.32-1
	org.apache.livy	livy-scala-api_2.11	0.6.0.7.1.8.32-1
	org.apache.livy	livy-server	0.6.0.7.1.8.32-1
	org.apache.livy	livy-test-lib	0.6.0.7.1.8.32-1
	org.apache.livy	livy-thriftserver	0.6.0.7.1.8.32-1

Project	groupId	artifactId	version
	org.apache.livy	livy-thriftserver-session	0.6.0.7.1.8.32-1
Apache Lucene	org.apache.lucene	lucene-analyzers-common	8.4.1.7.1.8.32-1
	org.apache.lucene	lucene-analyzers-icu	8.4.1.7.1.8.32-1
	org.apache.lucene	lucene-analyzers-kuromoji	8.4.1.7.1.8.32-1
	org.apache.lucene	lucene-analyzers-morfologik	8.4.1.7.1.8.32-1
	org.apache.lucene	lucene-analyzers-nori	8.4.1.7.1.8.32-1
	org.apache.lucene	lucene-analyzers-openslp	8.4.1.7.1.8.32-1
	org.apache.lucene	lucene-analyzers-phonetic	8.4.1.7.1.8.32-1
	org.apache.lucene	lucene-analyzers-smartcn	8.4.1.7.1.8.32-1
	org.apache.lucene	lucene-analyzers-stempel	8.4.1.7.1.8.32-1
	org.apache.lucene	lucene-backward-codecs	8.4.1.7.1.8.32-1
	org.apache.lucene	lucene-benchmark	8.4.1.7.1.8.32-1
	org.apache.lucene	lucene-classification	8.4.1.7.1.8.32-1
	org.apache.lucene	lucene-codecs	8.4.1.7.1.8.32-1
	org.apache.lucene	lucene-core	8.4.1.7.1.8.32-1
	org.apache.lucene	lucene-demo	8.4.1.7.1.8.32-1
	org.apache.lucene	lucene-expressions	8.4.1.7.1.8.32-1
	org.apache.lucene	lucene-facet	8.4.1.7.1.8.32-1
	org.apache.lucene	lucene-grouping	8.4.1.7.1.8.32-1
	org.apache.lucene	lucene-highlighter	8.4.1.7.1.8.32-1
	org.apache.lucene	lucene-join	8.4.1.7.1.8.32-1
	org.apache.lucene	lucene-memory	8.4.1.7.1.8.32-1
	org.apache.lucene	lucene-misc	8.4.1.7.1.8.32-1
	org.apache.lucene	lucene-monitor	8.4.1.7.1.8.32-1
	org.apache.lucene	lucene-queries	8.4.1.7.1.8.32-1
	org.apache.lucene	lucene-queryparser	8.4.1.7.1.8.32-1
	org.apache.lucene	lucene-replicator	8.4.1.7.1.8.32-1
	org.apache.lucene	lucene-sandbox	8.4.1.7.1.8.32-1
	org.apache.lucene	lucene-spatial	8.4.1.7.1.8.32-1
	org.apache.lucene	lucene-spatial-extras	8.4.1.7.1.8.32-1
	org.apache.lucene	lucene-spatial3d	8.4.1.7.1.8.32-1
	org.apache.lucene	lucene-suggest	8.4.1.7.1.8.32-1
	org.apache.lucene	lucene-test-framework	8.4.1.7.1.8.32-1
Apache Oozie	org.apache.oozie	oozie-client	5.1.0.7.1.8.32-1
	org.apache.oozie	oozie-core	5.1.0.7.1.8.32-1
	org.apache.oozie	oozie-distro	5.1.0.7.1.8.32-1
	org.apache.oozie	oozie-examples	5.1.0.7.1.8.32-1
	org.apache.oozie	oozie-fluent-job-api	5.1.0.7.1.8.32-1
	org.apache.oozie	oozie-fluent-job-client	5.1.0.7.1.8.32-1

Project	groupId	artifactId	version
	org.apache.oozie	oozie-server	5.1.0.7.1.8.32-1
	org.apache.oozie	oozie-sharelib-distcp	5.1.0.7.1.8.32-1
	org.apache.oozie	oozie-sharelib-git	5.1.0.7.1.8.32-1
	org.apache.oozie	oozie-sharelib-hcatalog	5.1.0.7.1.8.32-1
	org.apache.oozie	oozie-sharelib-hive	5.1.0.7.1.8.32-1
	org.apache.oozie	oozie-sharelib-hive2	5.1.0.7.1.8.32-1
	org.apache.oozie	oozie-sharelib-oozie	5.1.0.7.1.8.32-1
	org.apache.oozie	oozie-sharelib-spark	5.1.0.7.1.8.32-1
	org.apache.oozie	oozie-sharelib-sqoop	5.1.0.7.1.8.32-1
	org.apache.oozie	oozie-sharelib-streaming	5.1.0.7.1.8.32-1
	org.apache.oozie	oozie-tools	5.1.0.7.1.8.32-1
	org.apache.oozie	oozie-zookeeper-security-tests	5.1.0.7.1.8.32-1
	org.apache.oozie.test	oozie-mini	5.1.0.7.1.8.32-1
Apache ORC	org.apache.orc	orc-core	1.5.1.7.1.8.32-1
	org.apache.orc	orc-examples	1.5.1.7.1.8.32-1
	org.apache.orc	orc-mapreduce	1.5.1.7.1.8.32-1
	org.apache.orc	orc-shims	1.5.1.7.1.8.32-1
	org.apache.orc	orc-tools	1.5.1.7.1.8.32-1
Apache Parquet	org.apache.parquet	parquet-avro	1.10.99.7.1.8.32-1
	org.apache.parquet	parquet-cascading	1.10.99.7.1.8.32-1
	org.apache.parquet	parquet-cascading3	1.10.99.7.1.8.32-1
	org.apache.parquet	parquet-column	1.10.99.7.1.8.32-1
	org.apache.parquet	parquet-common	1.10.99.7.1.8.32-1
	org.apache.parquet	parquet-encoding	1.10.99.7.1.8.32-1
	org.apache.parquet	parquet-format-structures	1.10.99.7.1.8.32-1
	org.apache.parquet	parquet-generator	1.10.99.7.1.8.32-1
	org.apache.parquet	parquet-hadoop	1.10.99.7.1.8.32-1
	org.apache.parquet	parquet-hadoop-bundle	1.10.99.7.1.8.32-1
	org.apache.parquet	parquet-jackson	1.10.99.7.1.8.32-1
	org.apache.parquet	parquet-pig	1.10.99.7.1.8.32-1
	org.apache.parquet	parquet-pig-bundle	1.10.99.7.1.8.32-1
	org.apache.parquet	parquet-protobuf	1.10.99.7.1.8.32-1
	org.apache.parquet	parquet-scala_2.10	1.10.99.7.1.8.32-1
	org.apache.parquet	parquet-thrift	1.10.99.7.1.8.32-1
	org.apache.parquet	parquet-tools	1.10.99.7.1.8.32-1
Apache Phoenix	org.apache.phoenix	phoenix-client-embedded-hbase-2.4	5.1.1.7.1.8.32-1
	org.apache.phoenix	phoenix-client-hbase-2.4	5.1.1.7.1.8.32-1
	org.apache.phoenix	phoenix-connectors-phoenix5-compatible	6.0.0.7.1.8.32-1
	org.apache.phoenix	phoenix-core	5.1.1.7.1.8.32-1

Project	groupId	artifactId	version
	org.apache.phoenix	phoenix-hbase-compat-2.1.6	5.1.1.7.1.8.32-1
	org.apache.phoenix	phoenix-hbase-compat-2.2.5	5.1.1.7.1.8.32-1
	org.apache.phoenix	phoenix-hbase-compat-2.3.0	5.1.1.7.1.8.32-1
	org.apache.phoenix	phoenix-hbase-compat-2.4.0	5.1.1.7.1.8.32-1
	org.apache.phoenix	phoenix-hbase-compat-2.4.1	5.1.1.7.1.8.32-1
	org.apache.phoenix	phoenix-pherf	5.1.1.7.1.8.32-1
	org.apache.phoenix	phoenix-queryserver	6.0.0.7.1.8.32-1
	org.apache.phoenix	phoenix-queryserver-client	6.0.0.7.1.8.32-1
	org.apache.phoenix	phoenix-queryserver-it	6.0.0.7.1.8.32-1
	org.apache.phoenix	phoenix-queryserver-load-balancer	6.0.0.7.1.8.32-1
	org.apache.phoenix	phoenix-queryserver-orchestrator	6.0.0.7.1.8.32-1
	org.apache.phoenix	phoenix-server-hbase-2.4	5.1.1.7.1.8.32-1
	org.apache.phoenix	phoenix-tracing-webapp	5.1.1.7.1.8.32-1
	org.apache.phoenix	phoenix5-hive	6.0.0.7.1.8.32-1
	org.apache.phoenix	phoenix5-hive-shaded	6.0.0.7.1.8.32-1
	org.apache.phoenix	phoenix5-spark	6.0.0.7.1.8.32-1
	org.apache.phoenix	phoenix5-spark-shaded	6.0.0.7.1.8.32-1
	org.apache.phoenix	phoenix5-shaded-commons-cli	1.1.0.7.1.8.32-1
	org.apache.phoenix	phoenix5-shaded-guava	1.1.0.7.1.8.32-1
Apache Ranger	org.apache.ranger	conditions-enrichers	2.3.0.7.1.8.32-1
	org.apache.ranger	credentialbuilder	2.3.0.7.1.8.32-1
	org.apache.ranger	embeddedwebserver	2.3.0.7.1.8.32-1
	org.apache.ranger	jisql	2.3.0.7.1.8.32-1
	org.apache.ranger	ldapconfigcheck	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-adls-plugin	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-atlas-plugin	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-atlas-plugin-shim	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-authn	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-distro	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-examples-distro	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-hbase-plugin	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-hbase-plugin-shim	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-hdfs-plugin	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-hdfs-plugin-shim	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-hive-plugin	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-hive-plugin-shim	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-intg	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-kafka-connect-plugin	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-kafka-plugin	2.3.0.7.1.8.32-1

Project	groupId	artifactId	version
	org.apache.ranger	ranger-kafka-plugin-shim	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-kms	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-kms-plugin	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-kms-plugin-shim	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-knox-plugin	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-knox-plugin-shim	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-kudu-plugin	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-kylin-plugin	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-kylin-plugin-shim	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-nifi-plugin	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-nifi-registry-plugin	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-ozone-plugin	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-ozone-plugin-shim	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-plugin-classloader	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-plugins-audit	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-plugins-common	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-plugins-cred	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-plugins-installer	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-policymigration	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-raz-adls	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-raz-chained-plugins	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-raz-hook-abfs	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-raz-intg	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-raz-processor	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-rms-common	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-rms-hive	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-rms-plugins-common	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-rms-webapp	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-sampleapp-plugin	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-schema-registry-plugin	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-solr-plugin	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-solr-plugin-shim	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-sqoop-plugin	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-sqoop-plugin-shim	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-storm-plugin	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-storm-plugin-shim	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-tagsync	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-tools	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-util	2.3.0.7.1.8.32-1

Project	groupId	artifactId	version
	org.apache.ranger	ranger-yarn-plugin	2.3.0.7.1.8.32-1
	org.apache.ranger	ranger-yarn-plugin-shim	2.3.0.7.1.8.32-1
	org.apache.ranger	sample-client	2.3.0.7.1.8.32-1
	org.apache.ranger	sampleapp	2.3.0.7.1.8.32-1
	org.apache.ranger	shaded-raz-hook-abfs	2.3.0.7.1.8.32-1
	org.apache.ranger	ugsync-util	2.3.0.7.1.8.32-1
	org.apache.ranger	unixauthclient	2.3.0.7.1.8.32-1
	org.apache.ranger	unixauthservice	2.3.0.7.1.8.32-1
	org.apache.ranger	unixusersync	2.3.0.7.1.8.32-1
Apache Solr	org.apache.solr	solr-analysis-extras	8.4.1.7.1.8.32-1
	org.apache.solr	solr-analytics	8.4.1.7.1.8.32-1
	org.apache.solr	solr-cell	8.4.1.7.1.8.32-1
	org.apache.solr	solr-clustering	8.4.1.7.1.8.32-1
	org.apache.solr	solr-core	8.4.1.7.1.8.32-1
	org.apache.solr	solr-dataimporthandler	8.4.1.7.1.8.32-1
	org.apache.solr	solr-dataimporthandler-extras	8.4.1.7.1.8.32-1
	org.apache.solr	solr-jaegertracer-configurator	8.4.1.7.1.8.32-1
	org.apache.solr	solr-langid	8.4.1.7.1.8.32-1
	org.apache.solr	solr-ltr	8.4.1.7.1.8.32-1
	org.apache.solr	solr-prometheus-exporter	8.4.1.7.1.8.32-1
	org.apache.solr	solr-security-util	8.4.1.7.1.8.32-1
	org.apache.solr	solr-solrj	8.4.1.7.1.8.32-1
	org.apache.solr	solr-test-framework	8.4.1.7.1.8.32-1
	org.apache.solr	solr-velocity	8.4.1.7.1.8.32-1
Apache Spark	org.apache.spark	spark-avro_2.11	2.4.8.7.1.8.32-1
	org.apache.spark	spark-catalyst_2.11	2.4.8.7.1.8.32-1
	org.apache.spark	spark-core_2.11	2.4.8.7.1.8.32-1
	org.apache.spark	spark-graphx_2.11	2.4.8.7.1.8.32-1
	org.apache.spark	spark-hadoop-cloud_2.11	2.4.8.7.1.8.32-1
	org.apache.spark	spark-hive_2.11	2.4.8.7.1.8.32-1
	org.apache.spark	spark-kubernetes_2.11	2.4.8.7.1.8.32-1
	org.apache.spark	spark-kvstore_2.11	2.4.8.7.1.8.32-1
	org.apache.spark	spark-launcher_2.11	2.4.8.7.1.8.32-1
	org.apache.spark	spark-mllib-local_2.11	2.4.8.7.1.8.32-1
	org.apache.spark	spark-mllib_2.11	2.4.8.7.1.8.32-1
	org.apache.spark	spark-network-common_2.11	2.4.8.7.1.8.32-1
	org.apache.spark	spark-network-shuffle_2.11	2.4.8.7.1.8.32-1
	org.apache.spark	spark-network-yarn_2.11	2.4.8.7.1.8.32-1
	org.apache.spark	spark-repl_2.11	2.4.8.7.1.8.32-1

Project	groupId	artifactId	version
	org.apache.spark	spark-sketch_2.11	2.4.8.7.1.8.32-1
	org.apache.spark	spark-sql-kafka-0-10_2.11	2.4.8.7.1.8.32-1
	org.apache.spark	spark-sql_2.11	2.4.8.7.1.8.32-1
	org.apache.spark	spark-streaming-kafka-0-10-assembly_2.11	2.4.8.7.1.8.32-1
	org.apache.spark	spark-streaming-kafka-0-10_2.11	2.4.8.7.1.8.32-1
	org.apache.spark	spark-streaming_2.11	2.4.8.7.1.8.32-1
	org.apache.spark	spark-tags_2.11	2.4.8.7.1.8.32-1
	org.apache.spark	spark-token-provider-kafka-0-10_2.11	2.4.8.7.1.8.32-1
	org.apache.spark	spark-unsafe_2.11	2.4.8.7.1.8.32-1
	org.apache.spark	spark-yarn_2.11	2.4.8.7.1.8.32-1
Apache Sqoop	org.apache.sqoop	sqoop	1.4.7.7.1.8.32-1
	org.apache.sqoop	sqoop-test	1.4.7.7.1.8.32-1
Apache Tez	org.apache.tez	hadoop-shim	0.9.1.7.1.8.32-1
	org.apache.tez	hadoop-shim-2.8	0.9.1.7.1.8.32-1
	org.apache.tez	tez-api	0.9.1.7.1.8.32-1
	org.apache.tez	tez-aux-services	0.9.1.7.1.8.32-1
	org.apache.tez	tez-common	0.9.1.7.1.8.32-1
	org.apache.tez	tez-dag	0.9.1.7.1.8.32-1
	org.apache.tez	tez-examples	0.9.1.7.1.8.32-1
	org.apache.tez	tez-ext-service-tests	0.9.1.7.1.8.32-1
	org.apache.tez	tez-history-parser	0.9.1.7.1.8.32-1
	org.apache.tez	tez-javadoc-tools	0.9.1.7.1.8.32-1
	org.apache.tez	tez-job-analyzer	0.9.1.7.1.8.32-1
	org.apache.tez	tez-mapreduce	0.9.1.7.1.8.32-1
	org.apache.tez	tez-protobuf-history-plugin	0.9.1.7.1.8.32-1
	org.apache.tez	tez-runtime-internals	0.9.1.7.1.8.32-1
	org.apache.tez	tez-runtime-library	0.9.1.7.1.8.32-1
	org.apache.tez	tez-tests	0.9.1.7.1.8.32-1
	org.apache.tez	tez-yarn-timeline-cache-plugin	0.9.1.7.1.8.32-1
	org.apache.tez	tez-yarn-timeline-history	0.9.1.7.1.8.32-1
	org.apache.tez	tez-yarn-timeline-history-with-acls	0.9.1.7.1.8.32-1
	org.apache.tez	tez-yarn-timeline-history-with-fs	0.9.1.7.1.8.32-1
Apache Zeppelin	org.apache.zeppelin	zeppelin-angular	0.8.2.7.1.8.32-1
	org.apache.zeppelin	zeppelin-display	0.8.2.7.1.8.32-1
	org.apache.zeppelin	zeppelin-interpreter	0.8.2.7.1.8.32-1
	org.apache.zeppelin	zeppelin-jdbc	0.8.2.7.1.8.32-1
	org.apache.zeppelin	zeppelin-jupyter	0.8.2.7.1.8.32-1
	org.apache.zeppelin	zeppelin-livy	0.8.2.7.1.8.32-1
	org.apache.zeppelin	zeppelin-markdown	0.8.2.7.1.8.32-1

Project	groupId	artifactId	version
	org.apache.zookeeper	zookeeper-server	0.8.2.7.1.8.32-1
	org.apache.zookeeper	zookeeper-shell	0.8.2.7.1.8.32-1
	org.apache.zookeeper	zookeeper-zengine	0.8.2.7.1.8.32-1
Apache ZooKeeper	org.apache.zookeeper	zookeeper	3.5.5.7.1.8.32-1
	org.apache.zookeeper	zookeeper-client-c	3.5.5.7.1.8.32-1
	org.apache.zookeeper	zookeeper-contrib-loggraph	3.5.5.7.1.8.32-1
	org.apache.zookeeper	zookeeper-contrib-rest	3.5.5.7.1.8.32-1
	org.apache.zookeeper	zookeeper-contrib-zooinspector	3.5.5.7.1.8.32-1
	org.apache.zookeeper	zookeeper-docs	3.5.5.7.1.8.32-1
	org.apache.zookeeper	zookeeper-jute	3.5.5.7.1.8.32-1
	org.apache.zookeeper	zookeeper-recipes-election	3.5.5.7.1.8.32-1
	org.apache.zookeeper	zookeeper-recipes-lock	3.5.5.7.1.8.32-1
	org.apache.zookeeper	zookeeper-recipes-queue	3.5.5.7.1.8.32-1

Runtime 7.1.8.34-1

The following table lists the project name, groupId, artifactId, and version required to access each Runtime artifact.

Project	groupId	artifactId	version
Apache Atlas	org.apache.atlas	atlas-authorization	2.1.0.7.1.8.34-1
	org.apache.atlas	atlas-aws-s3-bridge	2.1.0.7.1.8.34-1
	org.apache.atlas	atlas-azure-adls-bridge	2.1.0.7.1.8.34-1
	org.apache.atlas	atlas-classification-updater	2.1.0.7.1.8.34-1
	org.apache.atlas	atlas-client-common	2.1.0.7.1.8.34-1
	org.apache.atlas	atlas-client-v1	2.1.0.7.1.8.34-1
	org.apache.atlas	atlas-client-v2	2.1.0.7.1.8.34-1
	org.apache.atlas	atlas-common	2.1.0.7.1.8.34-1
	org.apache.atlas	atlas-distro	2.1.0.7.1.8.34-1
	org.apache.atlas	atlas-docs	2.1.0.7.1.8.34-1
	org.apache.atlas	atlas-graphdb-api	2.1.0.7.1.8.34-1
	org.apache.atlas	atlas-graphdb-common	2.1.0.7.1.8.34-1
	org.apache.atlas	atlas-graphdb-janus	2.1.0.7.1.8.34-1
	org.apache.atlas	atlas-hdfs-bridge	2.1.0.7.1.8.34-1
	org.apache.atlas	atlas-index-repair-tool	2.1.0.7.1.8.34-1
	org.apache.atlas	atlas-intg	2.1.0.7.1.8.34-1
	org.apache.atlas	atlas-janusgraph-hbase2	2.1.0.7.1.8.34-1
	org.apache.atlas	atlas-notification	2.1.0.7.1.8.34-1
	org.apache.atlas	atlas-plugin-classloader	2.1.0.7.1.8.34-1
	org.apache.atlas	atlas-repository	2.1.0.7.1.8.34-1
	org.apache.atlas	atlas-server-api	2.1.0.7.1.8.34-1

Project	groupId	artifactId	version
	org.apache.atlas	atlas-testtools	2.1.0.7.1.8.34-1
	org.apache.atlas	hbase-bridge	2.1.0.7.1.8.34-1
	org.apache.atlas	hbase-bridge-shim	2.1.0.7.1.8.34-1
	org.apache.atlas	hbase-testing-util	2.1.0.7.1.8.34-1
	org.apache.atlas	hdfs-model	2.1.0.7.1.8.34-1
	org.apache.atlas	hive-bridge	2.1.0.7.1.8.34-1
	org.apache.atlas	hive-bridge-shim	2.1.0.7.1.8.34-1
	org.apache.atlas	impala-bridge	2.1.0.7.1.8.34-1
	org.apache.atlas	impala-bridge-shim	2.1.0.7.1.8.34-1
	org.apache.atlas	impala-hook-api	2.1.0.7.1.8.34-1
	org.apache.atlas	kafka-bridge	2.1.0.7.1.8.34-1
	org.apache.atlas	kafka-bridge-shim	2.1.0.7.1.8.34-1
	org.apache.atlas	navigator-to-atlas	2.1.0.7.1.8.34-1
	org.apache.atlas	sample-app	2.1.0.7.1.8.34-1
	org.apache.atlas	sqoop-bridge	2.1.0.7.1.8.34-1
	org.apache.atlas	sqoop-bridge-shim	2.1.0.7.1.8.34-1
Apache Avro	org.apache.avro	avro	1.8.2.7.1.8.34-1
	org.apache.avro	avro-compiler	1.8.2.7.1.8.34-1
	org.apache.avro	avro-ipc	1.8.2.7.1.8.34-1
	org.apache.avro	avro-mapred	1.8.2.7.1.8.34-1
	org.apache.avro	avro-maven-plugin	1.8.2.7.1.8.34-1
	org.apache.avro	avro-protobuf	1.8.2.7.1.8.34-1
	org.apache.avro	avro-service-archetype	1.8.2.7.1.8.34-1
	org.apache.avro	avro-thrift	1.8.2.7.1.8.34-1
	org.apache.avro	avro-tools	1.8.2.7.1.8.34-1
	org.apache.avro	trevni-avro	1.8.2.7.1.8.34-1
	org.apache.avro	trevni-core	1.8.2.7.1.8.34-1
Apache Calcite	org.apache.calcite	calcite-babel	1.19.0.7.1.8.34-1
	org.apache.calcite	calcite-core	1.19.0.7.1.8.34-1
	org.apache.calcite	calcite-druid	1.19.0.7.1.8.34-1
	org.apache.calcite	calcite-linq4j	1.19.0.7.1.8.34-1
	org.apache.calcite	calcite-server	1.19.0.7.1.8.34-1
	org.apache.calcite.avatica	avatica	1.16.0.7.1.8.34-1
	org.apache.calcite.avatica	avatica-core	1.16.0.7.1.8.34-1
	org.apache.calcite.avatica	avatica-metrics	1.16.0.7.1.8.34-1
	org.apache.calcite.avatica	avatica-metrics-dropwizardmetrics	1.16.0.7.1.8.34-1
	org.apache.calcite.avatica	avatica-noop-driver	1.16.0.7.1.8.34-1
	org.apache.calcite.avatica	avatica-server	1.16.0.7.1.8.34-1
	org.apache.calcite.avatica	avatica-standalone-server	1.16.0.7.1.8.34-1

Project	groupId	artifactId	version
	org.apache.calcite.avatica	avatica-tck	1.16.0.7.1.8.34-1
GCS Connector	com.google.cloud.bigtable	bigtable-gcs-connector	2.1.2.7.1.8.34-1
	com.google.cloud.bigtable	bigtable-hbase-connector	2.1.2.7.1.8.34-1
	com.google.cloud.bigtable	bigtable-hbase	2.1.2.7.1.8.34-1
	com.google.cloud.bigtable	bigtable-hbase	2.1.2.7.1.8.34-1
	com.google.cloud.bigtable	bigtable-hbase	2.1.2.7.1.8.34-1
Apache Hadoop	org.apache.hadoop	hadoop-aliyun	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-annotations	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-archive-logs	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-archives	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-assemblies	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-auth	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-aws	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-azure	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-azure-datalake	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-build-tools	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-client	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-client-api	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-client-integration-tests	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-client-minicluster	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-client-runtime	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-cloud-storage	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-common	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-datajoin	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-distcp	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-extras	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-fs2img	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-gridmix	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-hdfs	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-hdfs-client	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-hdfs-httpfs	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-hdfs-native-client	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-hdfs-nfs	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-hdfs-rbf	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-kafka	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-kms	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-mapreduce-client-app	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-mapreduce-client-common	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-mapreduce-client-core	3.1.1.7.1.8.34-1

Project	groupId	artifactId	version
	org.apache.hadoop	hadoop-mapreduce-client-hs	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-mapreduce-client-hs-plugins	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-mapreduce-client-jobclient	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-mapreduce-client-nativetask	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-mapreduce-client-shuffle	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-mapreduce-client-uploader	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-mapreduce-examples	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-maven-plugins	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-minicluster	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-minikdc	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-nfs	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-openstack	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-resourceestimator	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-rumen	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-sls	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-streaming	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-tools-dist	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-yarn-api	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-yarn-applications-distributedshell	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-yarn-applications-unmanaged-am-launcher	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-yarn-client	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-yarn-common	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-yarn-registry	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-yarn-server-applicationhistoryservice	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-yarn-server-common	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-yarn-server-nodemanager	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-yarn-server-resourcemanager	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-yarn-server-router	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-yarn-server-sharedcachemanager	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-yarn-server-tests	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-yarn-server-timeline-pluginstorage	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-yarn-server-timelineservice	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-client	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-common	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-server-2	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-tests	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-yarn-server-web-proxy	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-yarn-services-api	3.1.1.7.1.8.34-1
	org.apache.hadoop	hadoop-yarn-services-core	3.1.1.7.1.8.34-1

Project	groupId	artifactId	version
Apache HBase	org.apache.hbase	filesystem	hadoop3-3-testutils
	org.apache.hbase	hbase-annotations	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-asyncfs	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-checkstyle	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-client	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-client-project	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-common	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-endpoint	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-examples	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-external-blockcache	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-hadoop-compat	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-hadoop2-compat	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-hbtop	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-http	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-it	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-logging	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-mapreduce	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-metrics	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-metrics-api	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-procedure	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-protocol	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-protocol-shaded	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-replication	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-resource-bundle	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-rest	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-rsgroup	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-server	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-shaded-client	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-shaded-client-byo-hadoop	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-shaded-client-project	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-shaded-mapreduce	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-shaded-testing-util	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-shaded-testing-util-tester	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-shell	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-testing-util	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-thrift	2.4.6.7.1.8.34-1
	org.apache.hbase	hbase-zookeeper	2.4.6.7.1.8.34-1
	org.apache.hbase.com	hbase-zookeeper-model	1.0.0.7.1.8.34-1
	org.apache.hbase.com	hbase-zookeeper-proxy	1.0.0.7.1.8.34-1

Project	groupId	artifactId	version
	org.apache.hbase.contrib	hbase-spark	1.0.0.7.1.8.34-1
	org.apache.hbase.contrib	hbase-spark-1.1	1.0.0.7.1.8.34-1
	org.apache.hbase.contrib	hbase-spark-protocol	1.0.0.7.1.8.34-1
	org.apache.hbase.contrib	hbase-spark-protocol-shaded	1.0.0.7.1.8.34-1
	org.apache.hbase.file	hbase-loop-testutils	1.0.0.7.1.8.34-1
	org.apache.hbase.file	hbase-mfs-impl	1.0.0.7.1.8.34-1
	org.apache.hbase.file	hbase-mfs	1.0.0.7.1.8.34-1
	org.apache.hbase.thirdparty	hbase-tyrionop-htrace	3.5.0.7.1.8.34-1
	org.apache.hbase.thirdparty	hbase-tyrionop-shaded-gson	3.5.0.7.1.8.34-1
	org.apache.hbase.thirdparty	hbase-tyrionop-shaded-jackson-jaxrs-json-provider	3.5.0.7.1.8.34-1
	org.apache.hbase.thirdparty	hbase-tyrionop-shaded-jersey	3.5.0.7.1.8.34-1
	org.apache.hbase.thirdparty	hbase-tyrionop-shaded-jetty	3.5.0.7.1.8.34-1
	org.apache.hbase.thirdparty	hbase-tyrionop-shaded-miscellaneous	3.5.0.7.1.8.34-1
	org.apache.hbase.thirdparty	hbase-tyrionop-shaded-netty	3.5.0.7.1.8.34-1
	org.apache.hbase.thirdparty	hbase-tyrionop-shaded-protobuf	3.5.0.7.1.8.34-1
Apache Hive	org.apache.hive	hive-beeline	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-blobstore	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-classification	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-cli	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-common	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-contrib	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-exec	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-hbase-handler	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-hcatalog-it-unit	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-hplsql	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-it-custom-serde	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-it-minikdc	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-it-qfile	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-it-qfile-kudu	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-it-test-serde	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-it-unit	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-it-unit-hadoop2	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-it-util	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-jdbc	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-jdbc-handler	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-jmh	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-kryo-registrator	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-kudu-handler	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-llap-client	3.1.3000.7.1.8.34-1

Project	groupId	artifactId	version
	org.apache.hive	hive-llap-common	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-llap-ext-client	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-llap-server	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-llap-tez	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-metastore	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-pre-upgrade	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-serde	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-service	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-service-rpc	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-shims	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-spark-client	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-standalone-metastore	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-storage-api	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-streaming	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-testutils	3.1.3000.7.1.8.34-1
	org.apache.hive	hive-vector-code-gen	3.1.3000.7.1.8.34-1
	org.apache.hive	kafka-handler	3.1.3000.7.1.8.34-1
	org.apache.hive.hcatalog	hive-hcatalog-core	3.1.3000.7.1.8.34-1
	org.apache.hive.hcatalog	hive-hcatalog-server-extensions	3.1.3000.7.1.8.34-1
	org.apache.hive.hcatalog	hive-hcatalog-streaming	3.1.3000.7.1.8.34-1
	org.apache.hive.hcatalog	hive-webhcat	3.1.3000.7.1.8.34-1
	org.apache.hive.hcatalog	hive-webhcat-java-client	3.1.3000.7.1.8.34-1
	org.apache.hive.hive-udf-classloader-udf1 it-custom-udfs		3.1.3000.7.1.8.34-1
	org.apache.hive.hive-udf-classloader-udf2 it-custom-udfs		3.1.3000.7.1.8.34-1
	org.apache.hive.hive-udf-classloader-util it-custom-udfs		3.1.3000.7.1.8.34-1
	org.apache.hive.hive-udf-vectorized-badexample it-custom-udfs		3.1.3000.7.1.8.34-1
	org.apache.hive.shims	hive-shims-0.23	3.1.3000.7.1.8.34-1
	org.apache.hive.shims	hive-shims-common	3.1.3000.7.1.8.34-1
	org.apache.hive.shims	hive-shims-scheduler	3.1.3000.7.1.8.34-1
Apache Hive Warehouse Connector	com.hortonworks.hive	hive-warehouse-connector_2.11	1.0.0.7.1.8.34-1
Apache Kafka	org.apache.kafka	connect	3.1.1.7.1.8.34-1
	org.apache.kafka	connect-api	3.1.1.7.1.8.34-1
	org.apache.kafka	connect-basic-auth-extension	3.1.1.7.1.8.34-1
	org.apache.kafka	connect-cloudera-authorization-extension	3.1.1.7.1.8.34-1
	org.apache.kafka	connect-cloudera-common	3.1.1.7.1.8.34-1
	org.apache.kafka	connect-cloudera-secret-storage	3.1.1.7.1.8.34-1

Project	groupId	artifactId	version
	org.apache.kafka	connect-cloudera-security-policies	3.1.1.7.1.8.34-1
	org.apache.kafka	connect-file	3.1.1.7.1.8.34-1
	org.apache.kafka	connect-json	3.1.1.7.1.8.34-1
	org.apache.kafka	connect-mirror	3.1.1.7.1.8.34-1
	org.apache.kafka	connect-mirror-client	3.1.1.7.1.8.34-1
	org.apache.kafka	connect-runtime	3.1.1.7.1.8.34-1
	org.apache.kafka	connect-transforms	3.1.1.7.1.8.34-1
	org.apache.kafka	generator	3.1.1.7.1.8.34-1
	org.apache.kafka	kafka-clients	3.1.1.7.1.8.34-1
	org.apache.kafka	kafka-cloudera-metrics-reporter_2.12	3.1.1.7.1.8.34-1
	org.apache.kafka	kafka-cloudera-metrics-reporter_2.13	3.1.1.7.1.8.34-1
	org.apache.kafka	kafka-cloudera-plugins	3.1.1.7.1.8.34-1
	org.apache.kafka	kafka-examples	3.1.1.7.1.8.34-1
	org.apache.kafka	kafka-log4j-appender	3.1.1.7.1.8.34-1
	org.apache.kafka	kafka-metadata	3.1.1.7.1.8.34-1
	org.apache.kafka	kafka-raft	3.1.1.7.1.8.34-1
	org.apache.kafka	kafka-server-common	3.1.1.7.1.8.34-1
	org.apache.kafka	kafka-shell	3.1.1.7.1.8.34-1
	org.apache.kafka	kafka-storage	3.1.1.7.1.8.34-1
	org.apache.kafka	kafka-storage-api	3.1.1.7.1.8.34-1
	org.apache.kafka	kafka-streams	3.1.1.7.1.8.34-1
	org.apache.kafka	kafka-streams-examples	3.1.1.7.1.8.34-1
	org.apache.kafka	kafka-streams-scala_2.12	3.1.1.7.1.8.34-1
	org.apache.kafka	kafka-streams-scala_2.13	3.1.1.7.1.8.34-1
	org.apache.kafka	kafka-streams-test-utils	3.1.1.7.1.8.34-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-0100	3.1.1.7.1.8.34-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-0101	3.1.1.7.1.8.34-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-0102	3.1.1.7.1.8.34-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-0110	3.1.1.7.1.8.34-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-10	3.1.1.7.1.8.34-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-11	3.1.1.7.1.8.34-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-20	3.1.1.7.1.8.34-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-21	3.1.1.7.1.8.34-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-22	3.1.1.7.1.8.34-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-23	3.1.1.7.1.8.34-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-24	3.1.1.7.1.8.34-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-25	3.1.1.7.1.8.34-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-26	3.1.1.7.1.8.34-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-27	3.1.1.7.1.8.34-1

Project	groupId	artifactId	version
	org.apache.kafka	kafka-streams-upgrade-system-tests-28	3.1.1.7.1.8.34-1
	org.apache.kafka	kafka-tools	3.1.1.7.1.8.34-1
	org.apache.kafka	kafka_2.12	3.1.1.7.1.8.34-1
	org.apache.kafka	kafka_2.13	3.1.1.7.1.8.34-1
	org.apache.kafka	trogdor	3.1.1.7.1.8.34-1
Apache Knox	org.apache.knox	gateway-adapter	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-admin-ui	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-applications	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-cloud-bindings	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-demo-ldap	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-demo-ldap-launcher	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-discovery-ambari	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-discovery-cm	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-docker	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-i18n	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-i18n-logging-log4j	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-i18n-logging-sl4j	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-provider-ha	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-provider-identity-assertion-common	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-provider-identity-assertion-concat	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-provider-identity-assertion-hadoop-groups	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-provider-identity-assertion-pseudo	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-provider-identity-assertion-regex	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-provider-identity-assertion-switchcase	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-provider-jersey	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-provider-rewrite	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-provider-rewrite-common	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-provider-rewrite-func-hostmap-static	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-provider-rewrite-func-inbound-query-param	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-provider-rewrite-func-service-registry	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-provider-rewrite-step-encrypt-uri	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-provider-rewrite-step-secure-query	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-provider-security-authc-anon	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-provider-security-authz-acls	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-provider-security-authz-composite	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-provider-security-clientcert	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-provider-security-hadoopauth	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-provider-security-jwt	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-provider-security-pac4j	1.3.0.7.1.8.34-1

Project	groupId	artifactId	version
	org.apache.knox	gateway-provider-security-preauth	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-provider-security-shiro	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-provider-security-webappsec	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-release	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-server	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-server-launcher	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-server-xforwarded-filter	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-service-admin	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-service-as	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-service-definitions	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-service-hashicorp-vault	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-service-hbase	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-service-health	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-service-hive	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-service-idbroker	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-service-impala	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-service-jkg	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-service-knoxsso	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-service-knoxssout	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-service-knoxtoken	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-service-livy	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-service-metadata	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-service-nifi	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-service-nifi-registry	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-service-remoteconfig	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-service-rm	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-service-session	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-service-storm	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-service-test	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-service-tgs	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-service-vault	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-service-webhdfs	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-shell	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-shell-launcher	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-shell-release	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-shell-samples	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-spi	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-test	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-test-idbroker	1.3.0.7.1.8.34-1

Project	groupId	artifactId	version
	org.apache.knox	gateway-test-release-utils	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-test-utils	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-topology-hadoop-xml	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-topology-simple	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-util-common	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-util-configinjector	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-util-launcher	1.3.0.7.1.8.34-1
	org.apache.knox	gateway-util-urltemplate	1.3.0.7.1.8.34-1
	org.apache.knox	hadoop-examples	1.3.0.7.1.8.34-1
	org.apache.knox	knox-cli-launcher	1.3.0.7.1.8.34-1
	org.apache.knox	knox-homepage-ui	1.3.0.7.1.8.34-1
	org.apache.knox	webhdfs-kerb-test	1.3.0.7.1.8.34-1
	org.apache.knox	webhdfs-test	1.3.0.7.1.8.34-1
Apache Kudu	org.apache.kudu	kudu-backup-tools	1.15.0.7.1.8.34-1
	org.apache.kudu	kudu-backup2_2.11	1.15.0.7.1.8.34-1
	org.apache.kudu	kudu-backup3_2.12	1.15.0.7.1.8.34-1
	org.apache.kudu	kudu-client	1.15.0.7.1.8.34-1
	org.apache.kudu	kudu-hive	1.15.0.7.1.8.34-1
	org.apache.kudu	kudu-spark2-tools_2.11	1.15.0.7.1.8.34-1
	org.apache.kudu	kudu-spark2_2.11	1.15.0.7.1.8.34-1
	org.apache.kudu	kudu-spark3-tools_2.12	1.15.0.7.1.8.34-1
	org.apache.kudu	kudu-spark3_2.12	1.15.0.7.1.8.34-1
	org.apache.kudu	kudu-test-utils	1.15.0.7.1.8.34-1
Apache Livy	org.apache.livy	livy-api	0.6.0.7.1.8.34-1
	org.apache.livy	livy-client-common	0.6.0.7.1.8.34-1
	org.apache.livy	livy-client-http	0.6.0.7.1.8.34-1
	org.apache.livy	livy-core_2.11	0.6.0.7.1.8.34-1
	org.apache.livy	livy-examples	0.6.0.7.1.8.34-1
	org.apache.livy	livy-integration-test	0.6.0.7.1.8.34-1
	org.apache.livy	livy-repl_2.11	0.6.0.7.1.8.34-1
	org.apache.livy	livy-rsc	0.6.0.7.1.8.34-1
	org.apache.livy	livy-scala-api_2.11	0.6.0.7.1.8.34-1
	org.apache.livy	livy-server	0.6.0.7.1.8.34-1
	org.apache.livy	livy-test-lib	0.6.0.7.1.8.34-1
	org.apache.livy	livy-thriftserver	0.6.0.7.1.8.34-1
	org.apache.livy	livy-thriftserver-session	0.6.0.7.1.8.34-1
Apache Lucene	org.apache.lucene	lucene-analyzers-common	8.4.1.7.1.8.34-1
	org.apache.lucene	lucene-analyzers-icu	8.4.1.7.1.8.34-1
	org.apache.lucene	lucene-analyzers-kuromoji	8.4.1.7.1.8.34-1

Project	groupId	artifactId	version
	org.apache.lucene	lucene-analyzers-morfologik	8.4.1.7.1.8.34-1
	org.apache.lucene	lucene-analyzers-nori	8.4.1.7.1.8.34-1
	org.apache.lucene	lucene-analyzers-opennlp	8.4.1.7.1.8.34-1
	org.apache.lucene	lucene-analyzers-phonetic	8.4.1.7.1.8.34-1
	org.apache.lucene	lucene-analyzers-smartcn	8.4.1.7.1.8.34-1
	org.apache.lucene	lucene-analyzers-stempel	8.4.1.7.1.8.34-1
	org.apache.lucene	lucene-backward-codecs	8.4.1.7.1.8.34-1
	org.apache.lucene	lucene-benchmark	8.4.1.7.1.8.34-1
	org.apache.lucene	lucene-classification	8.4.1.7.1.8.34-1
	org.apache.lucene	lucene-codecs	8.4.1.7.1.8.34-1
	org.apache.lucene	lucene-core	8.4.1.7.1.8.34-1
	org.apache.lucene	lucene-demo	8.4.1.7.1.8.34-1
	org.apache.lucene	lucene-expressions	8.4.1.7.1.8.34-1
	org.apache.lucene	lucene-facet	8.4.1.7.1.8.34-1
	org.apache.lucene	lucene-grouping	8.4.1.7.1.8.34-1
	org.apache.lucene	lucene-highlighter	8.4.1.7.1.8.34-1
	org.apache.lucene	lucene-join	8.4.1.7.1.8.34-1
	org.apache.lucene	lucene-memory	8.4.1.7.1.8.34-1
	org.apache.lucene	lucene-misc	8.4.1.7.1.8.34-1
	org.apache.lucene	lucene-monitor	8.4.1.7.1.8.34-1
	org.apache.lucene	lucene-queries	8.4.1.7.1.8.34-1
	org.apache.lucene	lucene-queryparser	8.4.1.7.1.8.34-1
	org.apache.lucene	lucene-replicator	8.4.1.7.1.8.34-1
	org.apache.lucene	lucene-sandbox	8.4.1.7.1.8.34-1
	org.apache.lucene	lucene-spatial	8.4.1.7.1.8.34-1
	org.apache.lucene	lucene-spatial-extras	8.4.1.7.1.8.34-1
	org.apache.lucene	lucene-spatial3d	8.4.1.7.1.8.34-1
	org.apache.lucene	lucene-suggest	8.4.1.7.1.8.34-1
	org.apache.lucene	lucene-test-framework	8.4.1.7.1.8.34-1
Apache Oozie	org.apache.oozie	oozie-client	5.1.0.7.1.8.34-1
	org.apache.oozie	oozie-core	5.1.0.7.1.8.34-1
	org.apache.oozie	oozie-distro	5.1.0.7.1.8.34-1
	org.apache.oozie	oozie-examples	5.1.0.7.1.8.34-1
	org.apache.oozie	oozie-fluent-job-api	5.1.0.7.1.8.34-1
	org.apache.oozie	oozie-fluent-job-client	5.1.0.7.1.8.34-1
	org.apache.oozie	oozie-server	5.1.0.7.1.8.34-1
	org.apache.oozie	oozie-sharelib-distcp	5.1.0.7.1.8.34-1
	org.apache.oozie	oozie-sharelib-git	5.1.0.7.1.8.34-1
	org.apache.oozie	oozie-sharelib-hcatalog	5.1.0.7.1.8.34-1

Project	groupId	artifactId	version
	org.apache.oozie	oozie-sharelib-hive	5.1.0.7.1.8.34-1
	org.apache.oozie	oozie-sharelib-hive2	5.1.0.7.1.8.34-1
	org.apache.oozie	oozie-sharelib-oozie	5.1.0.7.1.8.34-1
	org.apache.oozie	oozie-sharelib-spark	5.1.0.7.1.8.34-1
	org.apache.oozie	oozie-sharelib-sqoop	5.1.0.7.1.8.34-1
	org.apache.oozie	oozie-sharelib-streaming	5.1.0.7.1.8.34-1
	org.apache.oozie	oozie-tools	5.1.0.7.1.8.34-1
	org.apache.oozie	oozie-zookeeper-security-tests	5.1.0.7.1.8.34-1
	org.apache.oozie.test	oozie-mini	5.1.0.7.1.8.34-1
Apache ORC	org.apache.orc	orc-core	1.5.1.7.1.8.34-1
	org.apache.orc	orc-examples	1.5.1.7.1.8.34-1
	org.apache.orc	orc-mapreduce	1.5.1.7.1.8.34-1
	org.apache.orc	orc-shims	1.5.1.7.1.8.34-1
	org.apache.orc	orc-tools	1.5.1.7.1.8.34-1
Apache Parquet	org.apache.parquet	parquet-avro	1.10.99.7.1.8.34-1
	org.apache.parquet	parquet-cascading	1.10.99.7.1.8.34-1
	org.apache.parquet	parquet-cascading3	1.10.99.7.1.8.34-1
	org.apache.parquet	parquet-column	1.10.99.7.1.8.34-1
	org.apache.parquet	parquet-common	1.10.99.7.1.8.34-1
	org.apache.parquet	parquet-encoding	1.10.99.7.1.8.34-1
	org.apache.parquet	parquet-format-structures	1.10.99.7.1.8.34-1
	org.apache.parquet	parquet-generator	1.10.99.7.1.8.34-1
	org.apache.parquet	parquet-hadoop	1.10.99.7.1.8.34-1
	org.apache.parquet	parquet-hadoop-bundle	1.10.99.7.1.8.34-1
	org.apache.parquet	parquet-jackson	1.10.99.7.1.8.34-1
	org.apache.parquet	parquet-pig	1.10.99.7.1.8.34-1
	org.apache.parquet	parquet-pig-bundle	1.10.99.7.1.8.34-1
	org.apache.parquet	parquet-protobuf	1.10.99.7.1.8.34-1
	org.apache.parquet	parquet-scala_2.10	1.10.99.7.1.8.34-1
	org.apache.parquet	parquet-thrift	1.10.99.7.1.8.34-1
	org.apache.parquet	parquet-tools	1.10.99.7.1.8.34-1
Apache Phoenix	org.apache.phoenix	phoenix-client-embedded-hbase-2.4	5.1.1.7.1.8.34-1
	org.apache.phoenix	phoenix-client-hbase-2.4	5.1.1.7.1.8.34-1
	org.apache.phoenix	phoenix-connectors-phoenix5-compatible	6.0.0.7.1.8.34-1
	org.apache.phoenix	phoenix-core	5.1.1.7.1.8.34-1
	org.apache.phoenix	phoenix-hbase-compatible-2.1.6	5.1.1.7.1.8.34-1
	org.apache.phoenix	phoenix-hbase-compatible-2.2.5	5.1.1.7.1.8.34-1
	org.apache.phoenix	phoenix-hbase-compatible-2.3.0	5.1.1.7.1.8.34-1
	org.apache.phoenix	phoenix-hbase-compatible-2.4.0	5.1.1.7.1.8.34-1

Project	groupId	artifactId	version
	org.apache.phoenix	phoenix-hbase-compat-2.4.1	5.1.1.7.1.8.34-1
	org.apache.phoenix	phoenix-pherf	5.1.1.7.1.8.34-1
	org.apache.phoenix	phoenix-queryserver	6.0.0.7.1.8.34-1
	org.apache.phoenix	phoenix-queryserver-client	6.0.0.7.1.8.34-1
	org.apache.phoenix	phoenix-queryserver-it	6.0.0.7.1.8.34-1
	org.apache.phoenix	phoenix-queryserver-load-balancer	6.0.0.7.1.8.34-1
	org.apache.phoenix	phoenix-queryserver-orchestrator	6.0.0.7.1.8.34-1
	org.apache.phoenix	phoenix-server-hbase-2.4	5.1.1.7.1.8.34-1
	org.apache.phoenix	phoenix-tracing-webapp	5.1.1.7.1.8.34-1
	org.apache.phoenix	phoenix5-hive	6.0.0.7.1.8.34-1
	org.apache.phoenix	phoenix5-hive-shaded	6.0.0.7.1.8.34-1
	org.apache.phoenix	phoenix5-spark	6.0.0.7.1.8.34-1
	org.apache.phoenix	phoenix5-spark-shaded	6.0.0.7.1.8.34-1
	org.apache.phoenix	phoenix5-shaded-commons-cli	1.1.0.7.1.8.34-1
	org.apache.phoenix	phoenix5-shaded-guava	1.1.0.7.1.8.34-1
Apache Ranger	org.apache.ranger	conditions-enrichers	2.3.0.7.1.8.34-1
	org.apache.ranger	credentialbuilder	2.3.0.7.1.8.34-1
	org.apache.ranger	embeddedwebserver	2.3.0.7.1.8.34-1
	org.apache.ranger	jisql	2.3.0.7.1.8.34-1
	org.apache.ranger	ldapconfigcheck	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-adls-plugin	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-atlas-plugin	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-atlas-plugin-shim	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-authn	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-distro	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-examples-distro	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-hbase-plugin	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-hbase-plugin-shim	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-hdfs-plugin	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-hdfs-plugin-shim	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-hive-plugin	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-hive-plugin-shim	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-intg	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-kafka-connect-plugin	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-kafka-plugin	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-kafka-plugin-shim	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-kms	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-kms-plugin	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-kms-plugin-shim	2.3.0.7.1.8.34-1

Project	groupId	artifactId	version
	org.apache.ranger	ranger-knox-plugin	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-knox-plugin-shim	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-kudu-plugin	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-kylin-plugin	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-kylin-plugin-shim	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-nifi-plugin	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-nifi-registry-plugin	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-ozone-plugin	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-ozone-plugin-shim	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-plugin-classloader	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-plugins-audit	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-plugins-common	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-plugins-cred	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-plugins-installer	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-policymigration	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-raz-adls	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-raz-chained-plugins	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-raz-hook-abfs	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-raz-intg	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-raz-processor	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-rms-common	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-rms-hive	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-rms-plugins-common	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-rms-webapp	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-sampleapp-plugin	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-schema-registry-plugin	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-solr-plugin	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-solr-plugin-shim	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-sqoop-plugin	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-sqoop-plugin-shim	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-storm-plugin	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-storm-plugin-shim	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-tagsync	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-tools	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-util	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-yarn-plugin	2.3.0.7.1.8.34-1
	org.apache.ranger	ranger-yarn-plugin-shim	2.3.0.7.1.8.34-1
	org.apache.ranger	sample-client	2.3.0.7.1.8.34-1
	org.apache.ranger	sampleapp	2.3.0.7.1.8.34-1

Project	groupId	artifactId	version
	org.apache.ranger	shaded-raz-hook-abfs	2.3.0.7.1.8.34-1
	org.apache.ranger	ugsync-util	2.3.0.7.1.8.34-1
	org.apache.ranger	unixauthclient	2.3.0.7.1.8.34-1
	org.apache.ranger	unixauthservice	2.3.0.7.1.8.34-1
	org.apache.ranger	unixusersync	2.3.0.7.1.8.34-1
Apache Solr	org.apache.solr	solr-analysis-extras	8.4.1.7.1.8.34-1
	org.apache.solr	solr-analytics	8.4.1.7.1.8.34-1
	org.apache.solr	solr-cell	8.4.1.7.1.8.34-1
	org.apache.solr	solr-clustering	8.4.1.7.1.8.34-1
	org.apache.solr	solr-core	8.4.1.7.1.8.34-1
	org.apache.solr	solr-dataimporthandler	8.4.1.7.1.8.34-1
	org.apache.solr	solr-dataimporthandler-extras	8.4.1.7.1.8.34-1
	org.apache.solr	solr-jaegertracer-configurator	8.4.1.7.1.8.34-1
	org.apache.solr	solr-langid	8.4.1.7.1.8.34-1
	org.apache.solr	solr-ltr	8.4.1.7.1.8.34-1
	org.apache.solr	solr-prometheus-exporter	8.4.1.7.1.8.34-1
	org.apache.solr	solr-security-util	8.4.1.7.1.8.34-1
	org.apache.solr	solr-solrj	8.4.1.7.1.8.34-1
	org.apache.solr	solr-test-framework	8.4.1.7.1.8.34-1
	org.apache.solr	solr-velocity	8.4.1.7.1.8.34-1
Apache Spark	org.apache.spark	spark-avro_2.11	2.4.8.7.1.8.34-1
	org.apache.spark	spark-catalyst_2.11	2.4.8.7.1.8.34-1
	org.apache.spark	spark-core_2.11	2.4.8.7.1.8.34-1
	org.apache.spark	spark-graphx_2.11	2.4.8.7.1.8.34-1
	org.apache.spark	spark-hadoop-cloud_2.11	2.4.8.7.1.8.34-1
	org.apache.spark	spark-hive_2.11	2.4.8.7.1.8.34-1
	org.apache.spark	spark-kubernetes_2.11	2.4.8.7.1.8.34-1
	org.apache.spark	spark-kvstore_2.11	2.4.8.7.1.8.34-1
	org.apache.spark	spark-launcher_2.11	2.4.8.7.1.8.34-1
	org.apache.spark	spark-mllib-local_2.11	2.4.8.7.1.8.34-1
	org.apache.spark	spark-mllib_2.11	2.4.8.7.1.8.34-1
	org.apache.spark	spark-network-common_2.11	2.4.8.7.1.8.34-1
	org.apache.spark	spark-network-shuffle_2.11	2.4.8.7.1.8.34-1
	org.apache.spark	spark-network-yarn_2.11	2.4.8.7.1.8.34-1
	org.apache.spark	spark-repl_2.11	2.4.8.7.1.8.34-1
	org.apache.spark	spark-sketch_2.11	2.4.8.7.1.8.34-1
	org.apache.spark	spark-sql-kafka-0-10_2.11	2.4.8.7.1.8.34-1
	org.apache.spark	spark-sql_2.11	2.4.8.7.1.8.34-1
	org.apache.spark	spark-streaming-kafka-0-10-assembly_2.11	2.4.8.7.1.8.34-1

Project	groupId	artifactId	version
	org.apache.spark	spark-streaming-kafka-0-10_2.11	2.4.8.7.1.8.34-1
	org.apache.spark	spark-streaming_2.11	2.4.8.7.1.8.34-1
	org.apache.spark	spark-tags_2.11	2.4.8.7.1.8.34-1
	org.apache.spark	spark-token-provider-kafka-0-10_2.11	2.4.8.7.1.8.34-1
	org.apache.spark	spark-unsafe_2.11	2.4.8.7.1.8.34-1
	org.apache.spark	spark-yarn_2.11	2.4.8.7.1.8.34-1
Apache Sqoop	org.apache.sqoop	sqoop	1.4.7.7.1.8.34-1
	org.apache.sqoop	sqoop-test	1.4.7.7.1.8.34-1
Apache Tez	org.apache.tez	hadoop-shim	0.9.1.7.1.8.34-1
	org.apache.tez	hadoop-shim-2.8	0.9.1.7.1.8.34-1
	org.apache.tez	tez-api	0.9.1.7.1.8.34-1
	org.apache.tez	tez-aux-services	0.9.1.7.1.8.34-1
	org.apache.tez	tez-common	0.9.1.7.1.8.34-1
	org.apache.tez	tez-dag	0.9.1.7.1.8.34-1
	org.apache.tez	tez-examples	0.9.1.7.1.8.34-1
	org.apache.tez	tez-ext-service-tests	0.9.1.7.1.8.34-1
	org.apache.tez	tez-history-parser	0.9.1.7.1.8.34-1
	org.apache.tez	tez-javadoc-tools	0.9.1.7.1.8.34-1
	org.apache.tez	tez-job-analyzer	0.9.1.7.1.8.34-1
	org.apache.tez	tez-mapreduce	0.9.1.7.1.8.34-1
	org.apache.tez	tez-protobuf-history-plugin	0.9.1.7.1.8.34-1
	org.apache.tez	tez-runtime-internals	0.9.1.7.1.8.34-1
	org.apache.tez	tez-runtime-library	0.9.1.7.1.8.34-1
	org.apache.tez	tez-tests	0.9.1.7.1.8.34-1
	org.apache.tez	tez-yarn-timeline-cache-plugin	0.9.1.7.1.8.34-1
	org.apache.tez	tez-yarn-timeline-history	0.9.1.7.1.8.34-1
	org.apache.tez	tez-yarn-timeline-history-with-acls	0.9.1.7.1.8.34-1
	org.apache.tez	tez-yarn-timeline-history-with-fs	0.9.1.7.1.8.34-1
Apache Zeppelin	org.apache.zeppelin	zeppelin-angular	0.8.2.7.1.8.34-1
	org.apache.zeppelin	zeppelin-display	0.8.2.7.1.8.34-1
	org.apache.zeppelin	zeppelin-interpreter	0.8.2.7.1.8.34-1
	org.apache.zeppelin	zeppelin-jdbc	0.8.2.7.1.8.34-1
	org.apache.zeppelin	zeppelin-jupyter	0.8.2.7.1.8.34-1
	org.apache.zeppelin	zeppelin-livy	0.8.2.7.1.8.34-1
	org.apache.zeppelin	zeppelin-markdown	0.8.2.7.1.8.34-1
	org.apache.zeppelin	zeppelin-server	0.8.2.7.1.8.34-1
	org.apache.zeppelin	zeppelin-shell	0.8.2.7.1.8.34-1
	org.apache.zeppelin	zeppelin-zengine	0.8.2.7.1.8.34-1
Apache ZooKeeper	org.apache.zookeeper	zookeeper	3.5.5.7.1.8.34-1

Project	groupId	artifactId	version
	org.apache.zookeeper	zookeeper-client-c	3.5.5.7.1.8.34-1
	org.apache.zookeeper	zookeeper-contrib-loggraph	3.5.5.7.1.8.34-1
	org.apache.zookeeper	zookeeper-contrib-rest	3.5.5.7.1.8.34-1
	org.apache.zookeeper	zookeeper-contrib-zooinspector	3.5.5.7.1.8.34-1
	org.apache.zookeeper	zookeeper-docs	3.5.5.7.1.8.34-1
	org.apache.zookeeper	zookeeper-jute	3.5.5.7.1.8.34-1
	org.apache.zookeeper	zookeeper-recipes-election	3.5.5.7.1.8.34-1
	org.apache.zookeeper	zookeeper-recipes-lock	3.5.5.7.1.8.34-1
	org.apache.zookeeper	zookeeper-recipes-queue	3.5.5.7.1.8.34-1

Runtime 7.1.8.35-1

Project	groupId	artifactId	version
Apache Atlas	org.apache.atlas	atlas-authorization	2.1.0.7.1.8.35-1
	org.apache.atlas	atlas-aws-s3-bridge	2.1.0.7.1.8.35-1
	org.apache.atlas	atlas-azure-adls-bridge	2.1.0.7.1.8.35-1
	org.apache.atlas	atlas-classification-updater	2.1.0.7.1.8.35-1
	org.apache.atlas	atlas-client-common	2.1.0.7.1.8.35-1
	org.apache.atlas	atlas-client-v1	2.1.0.7.1.8.35-1
	org.apache.atlas	atlas-client-v2	2.1.0.7.1.8.35-1
	org.apache.atlas	atlas-common	2.1.0.7.1.8.35-1
	org.apache.atlas	atlas-distro	2.1.0.7.1.8.35-1
	org.apache.atlas	atlas-docs	2.1.0.7.1.8.35-1
	org.apache.atlas	atlas-graphdb-api	2.1.0.7.1.8.35-1
	org.apache.atlas	atlas-graphdb-common	2.1.0.7.1.8.35-1
	org.apache.atlas	atlas-graphdb-janus	2.1.0.7.1.8.35-1
	org.apache.atlas	atlas-hdfs-bridge	2.1.0.7.1.8.35-1
	org.apache.atlas	atlas-index-repair-tool	2.1.0.7.1.8.35-1
	org.apache.atlas	atlas-intg	2.1.0.7.1.8.35-1
	org.apache.atlas	atlas-janusgraph-hbase2	2.1.0.7.1.8.35-1
	org.apache.atlas	atlas-notification	2.1.0.7.1.8.35-1
	org.apache.atlas	atlas-plugin-classloader	2.1.0.7.1.8.35-1
	org.apache.atlas	atlas-repository	2.1.0.7.1.8.35-1
	org.apache.atlas	atlas-server-api	2.1.0.7.1.8.35-1
	org.apache.atlas	atlas-testtools	2.1.0.7.1.8.35-1
	org.apache.atlas	hbase-bridge	2.1.0.7.1.8.35-1
	org.apache.atlas	hbase-bridge-shim	2.1.0.7.1.8.35-1
	org.apache.atlas	hbase-testing-util	2.1.0.7.1.8.35-1
	org.apache.atlas	hdfs-model	2.1.0.7.1.8.35-1

Project	groupId	artifactId	version
	org.apache.atlas	hive-bridge	2.1.0.7.1.8.35-1
	org.apache.atlas	hive-bridge-shim	2.1.0.7.1.8.35-1
	org.apache.atlas	impala-bridge	2.1.0.7.1.8.35-1
	org.apache.atlas	impala-bridge-shim	2.1.0.7.1.8.35-1
	org.apache.atlas	impala-hook-api	2.1.0.7.1.8.35-1
	org.apache.atlas	kafka-bridge	2.1.0.7.1.8.35-1
	org.apache.atlas	kafka-bridge-shim	2.1.0.7.1.8.35-1
	org.apache.atlas	navigator-to-atlas	2.1.0.7.1.8.35-1
	org.apache.atlas	sample-app	2.1.0.7.1.8.35-1
	org.apache.atlas	sqoop-bridge	2.1.0.7.1.8.35-1
	org.apache.atlas	sqoop-bridge-shim	2.1.0.7.1.8.35-1
Apache Avro	org.apache.avro	avro	1.8.2.7.1.8.35-1
	org.apache.avro	avro-compiler	1.8.2.7.1.8.35-1
	org.apache.avro	avro-ipc	1.8.2.7.1.8.35-1
	org.apache.avro	avro-mapred	1.8.2.7.1.8.35-1
	org.apache.avro	avro-maven-plugin	1.8.2.7.1.8.35-1
	org.apache.avro	avro-protobuf	1.8.2.7.1.8.35-1
	org.apache.avro	avro-service-archetype	1.8.2.7.1.8.35-1
	org.apache.avro	avro-thrift	1.8.2.7.1.8.35-1
	org.apache.avro	avro-tools	1.8.2.7.1.8.35-1
	org.apache.avro	trevni-avro	1.8.2.7.1.8.35-1
	org.apache.avro	trevni-core	1.8.2.7.1.8.35-1
Apache Calcite	org.apache.calcite	calcite-babel	1.19.0.7.1.8.35-1
	org.apache.calcite	calcite-core	1.19.0.7.1.8.35-1
	org.apache.calcite	calcite-druid	1.19.0.7.1.8.35-1
	org.apache.calcite	calcite-linq4j	1.19.0.7.1.8.35-1
	org.apache.calcite	calcite-server	1.19.0.7.1.8.35-1
	org.apache.calcite.avatica	avatica	1.16.0.7.1.8.35-1
	org.apache.calcite.avatica	avatica-core	1.16.0.7.1.8.35-1
	org.apache.calcite.avatica	avatica-metrics	1.16.0.7.1.8.35-1
	org.apache.calcite.avatica	avatica-metrics-dropwizardmetrics	1.16.0.7.1.8.35-1
	org.apache.calcite.avatica	avatica-noop-driver	1.16.0.7.1.8.35-1
	org.apache.calcite.avatica	avatica-server	1.16.0.7.1.8.35-1
	org.apache.calcite.avatica	avatica-standalone-server	1.16.0.7.1.8.35-1
	org.apache.calcite.avatica	avatica-tck	1.16.0.7.1.8.35-1
GCS Connector	com.google.cloud.bigtable	bigtable-hbase-connector	2.1.2.7.1.8.35-1
	com.google.cloud.bigtable	bigtable-hbase-connector	2.1.2.7.1.8.35-1
	com.google.cloud.bigtable	bigtable-hbase	2.1.2.7.1.8.35-1
	com.google.cloud.bigtable	bigtable-hbase	2.1.2.7.1.8.35-1

Project	groupId	artifactId	version
	com.google.cloud.bigtable	bigtable-hadoop	2.1.2.7.1.8.35-1
Apache Hadoop	org.apache.hadoop	hadoop-aliyun	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-annotations	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-archive-logs	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-archives	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-assemblies	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-auth	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-aws	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-azure	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-azure-datalake	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-build-tools	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-client	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-client-api	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-client-integration-tests	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-client-minicluster	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-client-runtime	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-cloud-storage	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-common	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-datajoin	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-distcp	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-extras	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-fs2img	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-gridmix	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-hdfs	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-hdfs-client	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-hdfs-httpfs	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-hdfs-native-client	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-hdfs-nfs	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-hdfs-rbf	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-kafka	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-kms	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-mapreduce-client-app	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-mapreduce-client-common	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-mapreduce-client-core	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-mapreduce-client-hs	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-mapreduce-client-hs-plugins	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-mapreduce-client-jobclient	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-mapreduce-client-nativetask	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-mapreduce-client-shuffle	3.1.1.7.1.8.35-1

Project	groupId	artifactId	version
	org.apache.hadoop	hadoop-mapreduce-client-uploader	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-mapreduce-examples	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-maven-plugins	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-minicluster	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-minikdc	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-nfs	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-openstack	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-resourceestimator	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-rumen	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-sls	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-streaming	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-tools-dist	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-yarn-api	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-yarn-applications-distributedshell	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-yarn-applications-unmanaged-am-launcher	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-yarn-client	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-yarn-common	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-yarn-registry	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-yarn-server-applicationhistoryservice	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-yarn-server-common	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-yarn-server-nodemanager	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-yarn-server-resourcemanager	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-yarn-server-router	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-yarn-server-sharedcachemanager	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-yarn-server-tests	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-yarn-server-timeline-pluginstorage	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-yarn-server-timelineservice	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-client	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-common	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-server-2	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-tests	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-yarn-server-web-proxy	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-yarn-services-api	3.1.1.7.1.8.35-1
	org.apache.hadoop	hadoop-yarn-services-core	3.1.1.7.1.8.35-1
Apache HBase	org.apache.hbase	filesystem	hadoop3-3-testutils
	org.apache.hbase	hbase-annotations	2.4.6.7.1.8.35-1
	org.apache.hbase	hbase-asyncfs	2.4.6.7.1.8.35-1
	org.apache.hbase	hbase-checkstyle	2.4.6.7.1.8.35-1
	org.apache.hbase	hbase-client	2.4.6.7.1.8.35-1

Project	groupId	artifactId	version
	org.apache.hbase	hbase-client-project	2.4.6.7.1.8.35-1
	org.apache.hbase	hbase-common	2.4.6.7.1.8.35-1
	org.apache.hbase	hbase-endpoint	2.4.6.7.1.8.35-1
	org.apache.hbase	hbase-examples	2.4.6.7.1.8.35-1
	org.apache.hbase	hbase-external-blockcache	2.4.6.7.1.8.35-1
	org.apache.hbase	hbase-hadoop-compat	2.4.6.7.1.8.35-1
	org.apache.hbase	hbase-hadoop2-compat	2.4.6.7.1.8.35-1
	org.apache.hbase	hbase-hbtop	2.4.6.7.1.8.35-1
	org.apache.hbase	hbase-http	2.4.6.7.1.8.35-1
	org.apache.hbase	hbase-it	2.4.6.7.1.8.35-1
	org.apache.hbase	hbase-logging	2.4.6.7.1.8.35-1
	org.apache.hbase	hbase-mapreduce	2.4.6.7.1.8.35-1
	org.apache.hbase	hbase-metrics	2.4.6.7.1.8.35-1
	org.apache.hbase	hbase-metrics-api	2.4.6.7.1.8.35-1
	org.apache.hbase	hbase-procedure	2.4.6.7.1.8.35-1
	org.apache.hbase	hbase-protocol	2.4.6.7.1.8.35-1
	org.apache.hbase	hbase-protocol-shaded	2.4.6.7.1.8.35-1
	org.apache.hbase	hbase-replication	2.4.6.7.1.8.35-1
	org.apache.hbase	hbase-resource-bundle	2.4.6.7.1.8.35-1
	org.apache.hbase	hbase-rest	2.4.6.7.1.8.35-1
	org.apache.hbase	hbase-rsgroup	2.4.6.7.1.8.35-1
	org.apache.hbase	hbase-server	2.4.6.7.1.8.35-1
	org.apache.hbase	hbase-shaded-client	2.4.6.7.1.8.35-1
	org.apache.hbase	hbase-shaded-client-byo-hadoop	2.4.6.7.1.8.35-1
	org.apache.hbase	hbase-shaded-client-project	2.4.6.7.1.8.35-1
	org.apache.hbase	hbase-shaded-mapreduce	2.4.6.7.1.8.35-1
	org.apache.hbase	hbase-shaded-testing-util	2.4.6.7.1.8.35-1
	org.apache.hbase	hbase-shaded-testing-util-tester	2.4.6.7.1.8.35-1
	org.apache.hbase	hbase-shell	2.4.6.7.1.8.35-1
	org.apache.hbase	hbase-testing-util	2.4.6.7.1.8.35-1
	org.apache.hbase	hbase-thrift	2.4.6.7.1.8.35-1
	org.apache.hbase	hbase-zookeeper	2.4.6.7.1.8.35-1
	org.apache.hbase.connector.kafka	hbase-kafka-model	1.0.0.7.1.8.35-1
	org.apache.hbase.connector.kafka	hbase-kafka-proxy	1.0.0.7.1.8.35-1
	org.apache.hbase.connector.spark	hbase-spark	1.0.0.7.1.8.35-1
	org.apache.hbase.connector.spark	hbase-spark-it	1.0.0.7.1.8.35-1
	org.apache.hbase.connector.spark	hbase-spark-protocol	1.0.0.7.1.8.35-1
	org.apache.hbase.connector.spark	hbase-spark-protocol-shaded	1.0.0.7.1.8.35-1
	org.apache.hbase.filesystem	hbase-testutils	1.0.0.7.1.8.35-1

Project	groupId	artifactId	version
	org.apache.hbase.filecache	hbase-filecache-impl	1.0.0.7.1.8.35-1
	org.apache.hbase.filecache	hbase-filecache	1.0.0.7.1.8.35-1
	org.apache.hbase.thirdparty	hbase-thirdparty-noop-htrace	3.5.0.7.1.8.35-1
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-gson	3.5.0.7.1.8.35-1
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-jackson-jaxrs-json-provider	3.5.0.7.1.8.35-1
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-jersey	3.5.0.7.1.8.35-1
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-jetty	3.5.0.7.1.8.35-1
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-miscellaneous	3.5.0.7.1.8.35-1
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-netty	3.5.0.7.1.8.35-1
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-protobuf	3.5.0.7.1.8.35-1
Apache Hive	org.apache.hive	hive-beeline	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-blobstore	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-classification	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-cli	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-common	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-contrib	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-exec	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-hbase-handler	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-hcatalog-it-unit	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-hplsql	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-it-custom-serde	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-it-minikdc	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-it-qfile	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-it-qfile-kudu	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-it-test-serde	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-it-unit	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-it-unit-hadoop2	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-it-util	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-jdbc	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-jdbc-handler	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-jmh	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-kryo-registrator	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-kudu-handler	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-llap-client	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-llap-common	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-llap-ext-client	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-llap-server	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-llap-tez	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-metastore	3.1.3000.7.1.8.35-1

Project	groupId	artifactId	version
	org.apache.hive	hive-pre-upgrade	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-serde	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-service	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-service-rpc	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-shims	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-spark-client	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-standalone-metastore	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-storage-api	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-streaming	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-testutils	3.1.3000.7.1.8.35-1
	org.apache.hive	hive-vector-code-gen	3.1.3000.7.1.8.35-1
	org.apache.hive	kafka-handler	3.1.3000.7.1.8.35-1
	org.apache.hive.hcatalog	hive-hcatalog-core	3.1.3000.7.1.8.35-1
	org.apache.hive.hcatalog	hive-hcatalog-server-extensions	3.1.3000.7.1.8.35-1
	org.apache.hive.hcatalog	hive-hcatalog-streaming	3.1.3000.7.1.8.35-1
	org.apache.hive.hcatalog	hive-webhcat	3.1.3000.7.1.8.35-1
	org.apache.hive.hcatalog	hive-webhcat-java-client	3.1.3000.7.1.8.35-1
	org.apache.hive.hive-udf-classloader-udf1 it-custom-udfs		3.1.3000.7.1.8.35-1
	org.apache.hive.hive-udf-classloader-udf2 it-custom-udfs		3.1.3000.7.1.8.35-1
	org.apache.hive.hive-udf-classloader-util it-custom-udfs		3.1.3000.7.1.8.35-1
	org.apache.hive.hive-udf-vectorized-badexample it-custom-udfs		3.1.3000.7.1.8.35-1
	org.apache.hive.shims	hive-shims-0.23	3.1.3000.7.1.8.35-1
	org.apache.hive.shims	hive-shims-common	3.1.3000.7.1.8.35-1
	org.apache.hive.shims	hive-shims-scheduler	3.1.3000.7.1.8.35-1
Apache Hive Warehouse Connector	com.hortonworks.hive	hive-warehouse-connector_2.11	1.0.0.7.1.8.35-1
Apache Kafka	org.apache.kafka	connect	3.1.1.7.1.8.35-1
	org.apache.kafka	connect-api	3.1.1.7.1.8.35-1
	org.apache.kafka	connect-basic-auth-extension	3.1.1.7.1.8.35-1
	org.apache.kafka	connect-cloudera-authorization-extension	3.1.1.7.1.8.35-1
	org.apache.kafka	connect-cloudera-common	3.1.1.7.1.8.35-1
	org.apache.kafka	connect-cloudera-secret-storage	3.1.1.7.1.8.35-1
	org.apache.kafka	connect-cloudera-security-policies	3.1.1.7.1.8.35-1
	org.apache.kafka	connect-file	3.1.1.7.1.8.35-1
	org.apache.kafka	connect-json	3.1.1.7.1.8.35-1
	org.apache.kafka	connect-mirror	3.1.1.7.1.8.35-1
	org.apache.kafka	connect-mirror-client	3.1.1.7.1.8.35-1

Project	groupId	artifactId	version
	org.apache.kafka	connect-runtime	3.1.1.7.1.8.35-1
	org.apache.kafka	connect-transforms	3.1.1.7.1.8.35-1
	org.apache.kafka	generator	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka-clients	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka-cloudera-metrics-reporter_2.12	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka-cloudera-metrics-reporter_2.13	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka-cloudera-plugins	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka-examples	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka-log4j-appender	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka-metadata	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka-raft	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka-server-common	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka-shell	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka-storage	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka-storage-api	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka-streams	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka-streams-examples	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka-streams-scala_2.12	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka-streams-scala_2.13	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka-streams-test-utils	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-0100	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-0101	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-0102	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-0110	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-10	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-11	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-20	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-21	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-22	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-23	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-24	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-25	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-26	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-27	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-28	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka-tools	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka_2.12	3.1.1.7.1.8.35-1
	org.apache.kafka	kafka_2.13	3.1.1.7.1.8.35-1
	org.apache.kafka	trogdor	3.1.1.7.1.8.35-1

Project	groupId	artifactId	version
Apache Knox	org.apache.knox	gateway-adapter	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-admin-ui	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-applications	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-cloud-bindings	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-demo-ldap	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-demo-ldap-launcher	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-discovery-ambari	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-discovery-cm	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-docker	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-i18n	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-i18n-logging-log4j	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-i18n-logging-sl4j	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-provider-ha	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-provider-identity-assertion-common	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-provider-identity-assertion-concat	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-provider-identity-assertion-hadoop-groups	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-provider-identity-assertion-pseudo	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-provider-identity-assertion-regex	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-provider-identity-assertion-switchcase	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-provider-jersey	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-provider-rewrite	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-provider-rewrite-common	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-provider-rewrite-func-hostmap-static	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-provider-rewrite-func-inbound-query-param	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-provider-rewrite-func-service-registry	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-provider-rewrite-step-encrypt-uri	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-provider-rewrite-step-secure-query	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-provider-security-authc-anon	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-provider-security-authz-acls	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-provider-security-authz-composite	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-provider-security-clientcert	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-provider-security-hadoopauth	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-provider-security-jwt	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-provider-security-pac4j	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-provider-security-preauth	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-provider-security-shiro	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-provider-security-webappsec	1.3.0.7.1.8.35-1
	org.apache.knox	gateway-release	1.3.0.7.1.8.35-1
Apache Oozie	org.apache.oozie.test	stoozie-mini	5.1.0.7.1.8.35-1

Project	groupId	artifactId	version
Apache ORC	org.apache.orc	orc-core	1.5.1.7.1.8.35-1
	org.apache.orc	orc-examples	1.5.1.7.1.8.35-1
	org.apache.orc	orc-mapreduce	1.5.1.7.1.8.35-1
	org.apache.orc	orc-shims	1.5.1.7.1.8.35-1
	org.apache.orc	orc-tools	1.5.1.7.1.8.35-1
Apache Parquet	org.apache.parquet	parquet-avro	1.10.99.7.1.8.35-1
	org.apache.parquet	parquet-cascading	1.10.99.7.1.8.35-1
	org.apache.parquet	parquet-cascading3	1.10.99.7.1.8.35-1
	org.apache.parquet	parquet-column	1.10.99.7.1.8.35-1

Runtime 7.1.8.36-4

The following table lists the project name, groupId, artifactId, and version required to access each Runtime artifact.

Project	groupId	artifactId	version
Apache Atlas	org.apache.atlas	atlas-authorization	2.1.0.7.1.8.36-4
	org.apache.atlas	atlas-aws-s3-bridge	2.1.0.7.1.8.36-4
	org.apache.atlas	atlas-azure-adls-bridge	2.1.0.7.1.8.36-4
	org.apache.atlas	atlas-classification-updater	2.1.0.7.1.8.36-4
	org.apache.atlas	atlas-client-common	2.1.0.7.1.8.36-4
	org.apache.atlas	atlas-client-v1	2.1.0.7.1.8.36-4
	org.apache.atlas	atlas-client-v2	2.1.0.7.1.8.36-4
	org.apache.atlas	atlas-common	2.1.0.7.1.8.36-4
	org.apache.atlas	atlas-distro	2.1.0.7.1.8.36-4
	org.apache.atlas	atlas-docs	2.1.0.7.1.8.36-4
	org.apache.atlas	atlas-graphdb-api	2.1.0.7.1.8.36-4
	org.apache.atlas	atlas-graphdb-common	2.1.0.7.1.8.36-4
	org.apache.atlas	atlas-graphdb-janus	2.1.0.7.1.8.36-4
	org.apache.atlas	atlas-hdfs-bridge	2.1.0.7.1.8.36-4
	org.apache.atlas	atlas-index-repair-tool	2.1.0.7.1.8.36-4
	org.apache.atlas	atlas-intg	2.1.0.7.1.8.36-4
	org.apache.atlas	atlas-janusgraph-hbase2	2.1.0.7.1.8.36-4
	org.apache.atlas	atlas-notification	2.1.0.7.1.8.36-4
	org.apache.atlas	atlas-plugin-classloader	2.1.0.7.1.8.36-4
	org.apache.atlas	atlas-repository	2.1.0.7.1.8.36-4
	org.apache.atlas	atlas-server-api	2.1.0.7.1.8.36-4
	org.apache.atlas	atlas-testtools	2.1.0.7.1.8.36-4
	org.apache.atlas	hbase-bridge	2.1.0.7.1.8.36-4
	org.apache.atlas	hbase-bridge-shim	2.1.0.7.1.8.36-4
	org.apache.atlas	hbase-testing-util	2.1.0.7.1.8.36-4
	org.apache.atlas	hdfs-model	2.1.0.7.1.8.36-4

Project	groupId	artifactId	version
	org.apache.atlas	hive-bridge	2.1.0.7.1.8.36-4
	org.apache.atlas	hive-bridge-shim	2.1.0.7.1.8.36-4
	org.apache.atlas	impala-bridge	2.1.0.7.1.8.36-4
	org.apache.atlas	impala-bridge-shim	2.1.0.7.1.8.36-4
	org.apache.atlas	impala-hook-api	2.1.0.7.1.8.36-4
	org.apache.atlas	kafka-bridge	2.1.0.7.1.8.36-4
	org.apache.atlas	kafka-bridge-shim	2.1.0.7.1.8.36-4
	org.apache.atlas	navigator-to-atlas	2.1.0.7.1.8.36-4
	org.apache.atlas	sample-app	2.1.0.7.1.8.36-4
	org.apache.atlas	sqoop-bridge	2.1.0.7.1.8.36-4
	org.apache.atlas	sqoop-bridge-shim	2.1.0.7.1.8.36-4
Apache Avro	org.apache.avro	avro	1.8.2.7.1.8.36-4
	org.apache.avro	avro-compiler	1.8.2.7.1.8.36-4
	org.apache.avro	avro-ipc	1.8.2.7.1.8.36-4
	org.apache.avro	avro-mapred	1.8.2.7.1.8.36-4
	org.apache.avro	avro-maven-plugin	1.8.2.7.1.8.36-4
	org.apache.avro	avro-protobuf	1.8.2.7.1.8.36-4
	org.apache.avro	avro-service-archetype	1.8.2.7.1.8.36-4
	org.apache.avro	avro-thrift	1.8.2.7.1.8.36-4
	org.apache.avro	avro-tools	1.8.2.7.1.8.36-4
	org.apache.avro	trevni-avro	1.8.2.7.1.8.36-4
	org.apache.avro	trevni-core	1.8.2.7.1.8.36-4
Apache Calcite	org.apache.calcite	calcite-babel	1.19.0.7.1.8.36-4
	org.apache.calcite	calcite-core	1.19.0.7.1.8.36-4
	org.apache.calcite	calcite-druid	1.19.0.7.1.8.36-4
	org.apache.calcite	calcite-linq4j	1.19.0.7.1.8.36-4
	org.apache.calcite	calcite-server	1.19.0.7.1.8.36-4
	org.apache.calcite.avatica	avatica	1.16.0.7.1.8.36-4
	org.apache.calcite.avatica	avatica-core	1.16.0.7.1.8.36-4
	org.apache.calcite.avatica	avatica-metrics	1.16.0.7.1.8.36-4
	org.apache.calcite.avatica	avatica-metrics-dropwizardmetrics	1.16.0.7.1.8.36-4
	org.apache.calcite.avatica	avatica-noop-driver	1.16.0.7.1.8.36-4
	org.apache.calcite.avatica	avatica-server	1.16.0.7.1.8.36-4
	org.apache.calcite.avatica	avatica-standalone-server	1.16.0.7.1.8.36-4
	org.apache.calcite.avatica	avatica-tck	1.16.0.7.1.8.36-4
GCS Connector	com.google.cloud.bigtable	bigtable-hbase-connector	2.1.2.7.1.8.36-4
	com.google.cloud.bigtable	bigtable-connector	2.1.2.7.1.8.36-4
	com.google.cloud.bigtable	bigtable-hbase	2.1.2.7.1.8.36-4
	com.google.cloud.bigtable	bigtable-hbase	2.1.2.7.1.8.36-4

Project	groupId	artifactId	version
	com.google.cloud.bigtable	bigtable-hadoop	2.1.2.7.1.8.36-4
Apache Hadoop	org.apache.hadoop	hadoop-aliyun	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-annotations	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-archive-logs	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-archives	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-assemblies	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-auth	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-aws	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-azure	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-azure-datalake	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-build-tools	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-client	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-client-api	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-client-integration-tests	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-client-minicluster	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-client-runtime	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-cloud-storage	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-common	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-datajoin	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-distcp	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-extras	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-fs2img	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-gridmix	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-hdfs	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-hdfs-client	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-hdfs-httpfs	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-hdfs-native-client	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-hdfs-nfs	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-hdfs-rbf	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-kafka	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-kms	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-mapreduce-client-app	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-mapreduce-client-common	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-mapreduce-client-core	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-mapreduce-client-hs	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-mapreduce-client-hs-plugins	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-mapreduce-client-jobclient	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-mapreduce-client-nativetask	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-mapreduce-client-shuffle	3.1.1.7.1.8.36-4

Project	groupId	artifactId	version
	org.apache.hadoop	hadoop-mapreduce-client-uploader	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-mapreduce-examples	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-maven-plugins	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-minicluster	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-minikdc	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-nfs	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-openstack	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-resourceestimator	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-rumen	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-sls	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-streaming	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-tools-dist	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-yarn-api	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-yarn-applications-distributedshell	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-yarn-applications-unmanaged-am-launcher	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-yarn-client	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-yarn-common	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-yarn-registry	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-yarn-server-applicationhistoryservice	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-yarn-server-common	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-yarn-server-nodemanager	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-yarn-server-resourcemanager	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-yarn-server-router	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-yarn-server-sharedcachemanager	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-yarn-server-tests	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-yarn-server-timeline-pluginstorage	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-yarn-server-timelineservice	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-client	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-common	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-server-2	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-tests	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-yarn-server-web-proxy	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-yarn-services-api	3.1.1.7.1.8.36-4
	org.apache.hadoop	hadoop-yarn-services-core	3.1.1.7.1.8.36-4
Apache HBase	org.apache.hbase	filesystem	hadoop3-3-testutils
	org.apache.hbase	hbase-annotations	2.4.6.7.1.8.36-4
	org.apache.hbase	hbase-asyncfs	2.4.6.7.1.8.36-4
	org.apache.hbase	hbase-checkstyle	2.4.6.7.1.8.36-4
	org.apache.hbase	hbase-client	2.4.6.7.1.8.36-4

Project	groupId	artifactId	version
	org.apache.hbase	hbase-client-project	2.4.6.7.1.8.36-4
	org.apache.hbase	hbase-common	2.4.6.7.1.8.36-4
	org.apache.hbase	hbase-endpoint	2.4.6.7.1.8.36-4
	org.apache.hbase	hbase-examples	2.4.6.7.1.8.36-4
	org.apache.hbase	hbase-external-blockcache	2.4.6.7.1.8.36-4
	org.apache.hbase	hbase-hadoop-compat	2.4.6.7.1.8.36-4
	org.apache.hbase	hbase-hadoop2-compat	2.4.6.7.1.8.36-4
	org.apache.hbase	hbase-hbtop	2.4.6.7.1.8.36-4
	org.apache.hbase	hbase-http	2.4.6.7.1.8.36-4
	org.apache.hbase	hbase-it	2.4.6.7.1.8.36-4
	org.apache.hbase	hbase-logging	2.4.6.7.1.8.36-4
	org.apache.hbase	hbase-mapreduce	2.4.6.7.1.8.36-4
	org.apache.hbase	hbase-metrics	2.4.6.7.1.8.36-4
	org.apache.hbase	hbase-metrics-api	2.4.6.7.1.8.36-4
	org.apache.hbase	hbase-procedure	2.4.6.7.1.8.36-4
	org.apache.hbase	hbase-protocol	2.4.6.7.1.8.36-4
	org.apache.hbase	hbase-protocol-shaded	2.4.6.7.1.8.36-4
	org.apache.hbase	hbase-replication	2.4.6.7.1.8.36-4
	org.apache.hbase	hbase-resource-bundle	2.4.6.7.1.8.36-4
	org.apache.hbase	hbase-rest	2.4.6.7.1.8.36-4
	org.apache.hbase	hbase-rsgroup	2.4.6.7.1.8.36-4
	org.apache.hbase	hbase-server	2.4.6.7.1.8.36-4
	org.apache.hbase	hbase-shaded-client	2.4.6.7.1.8.36-4
	org.apache.hbase	hbase-shaded-client-byo-hadoop	2.4.6.7.1.8.36-4
	org.apache.hbase	hbase-shaded-client-project	2.4.6.7.1.8.36-4
	org.apache.hbase	hbase-shaded-mapreduce	2.4.6.7.1.8.36-4
	org.apache.hbase	hbase-shaded-testing-util	2.4.6.7.1.8.36-4
	org.apache.hbase	hbase-shaded-testing-util-tester	2.4.6.7.1.8.36-4
	org.apache.hbase	hbase-shell	2.4.6.7.1.8.36-4
	org.apache.hbase	hbase-testing-util	2.4.6.7.1.8.36-4
	org.apache.hbase	hbase-thrift	2.4.6.7.1.8.36-4
	org.apache.hbase	hbase-zookeeper	2.4.6.7.1.8.36-4
	org.apache.hbase.connector.kafka	hbase-kafka-model	1.0.0.7.1.8.36-4
	org.apache.hbase.connector.kafka	hbase-kafka-proxy	1.0.0.7.1.8.36-4
	org.apache.hbase.connector.spark	hbase-spark	1.0.0.7.1.8.36-4
	org.apache.hbase.connector.spark	hbase-spark-it	1.0.0.7.1.8.36-4
	org.apache.hbase.connector.spark	hbase-spark-protocol	1.0.0.7.1.8.36-4
	org.apache.hbase.connector.spark	hbase-spark-protocol-shaded	1.0.0.7.1.8.36-4
	org.apache.hbase.filesystem	hbase-testutils	1.0.0.7.1.8.36-4

Project	groupId	artifactId	version
	org.apache.hbase.filecache	hbase-filecache-impl	1.0.0.7.1.8.36-4
	org.apache.hbase.filecache	hbase-filecache	1.0.0.7.1.8.36-4
	org.apache.hbase.thirdparty	hbase-thirdparty-noop-htrace	3.5.0.7.1.8.36-4
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-gson	3.5.0.7.1.8.36-4
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-jackson-jaxrs-json-provider	3.5.0.7.1.8.36-4
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-jersey	3.5.0.7.1.8.36-4
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-jetty	3.5.0.7.1.8.36-4
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-miscellaneous	3.5.0.7.1.8.36-4
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-netty	3.5.0.7.1.8.36-4
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-protobuf	3.5.0.7.1.8.36-4
Apache Hive	org.apache.hive	hive-beeline	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-blobstore	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-classification	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-cli	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-common	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-contrib	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-exec	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-hbase-handler	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-hcatalog-it-unit	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-hplsql	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-it-custom-serde	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-it-minikdc	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-it-qfile	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-it-qfile-kudu	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-it-test-serde	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-it-unit	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-it-unit-hadoop2	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-it-util	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-jdbc	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-jdbc-handler	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-jmh	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-kryo-registrator	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-kudu-handler	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-llap-client	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-llap-common	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-llap-ext-client	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-llap-server	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-llap-tez	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-metastore	3.1.3000.7.1.8.36-4

Project	groupId	artifactId	version
	org.apache.hive	hive-pre-upgrade	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-serde	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-service	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-service-rpc	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-shims	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-spark-client	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-standalone-metastore	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-storage-api	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-streaming	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-testutils	3.1.3000.7.1.8.36-4
	org.apache.hive	hive-vector-code-gen	3.1.3000.7.1.8.36-4
	org.apache.hive	kafka-handler	3.1.3000.7.1.8.36-4
	org.apache.hive.hcatalog	hive-hcatalog-core	3.1.3000.7.1.8.36-4
	org.apache.hive.hcatalog	hive-hcatalog-server-extensions	3.1.3000.7.1.8.36-4
	org.apache.hive.hcatalog	hive-hcatalog-streaming	3.1.3000.7.1.8.36-4
	org.apache.hive.hcatalog	hive-webhcat	3.1.3000.7.1.8.36-4
	org.apache.hive.hcatalog	hive-webhcat-java-client	3.1.3000.7.1.8.36-4
	org.apache.hive.hive-udf-classloader-udf1 it-custom-udfs		3.1.3000.7.1.8.36-4
	org.apache.hive.hive-udf-classloader-udf2 it-custom-udfs		3.1.3000.7.1.8.36-4
	org.apache.hive.hive-udf-classloader-util it-custom-udfs		3.1.3000.7.1.8.36-4
	org.apache.hive.hive-udf-vectorized-badexample it-custom-udfs		3.1.3000.7.1.8.36-4
	org.apache.hive.shims	hive-shims-0.23	3.1.3000.7.1.8.36-4
	org.apache.hive.shims	hive-shims-common	3.1.3000.7.1.8.36-4
	org.apache.hive.shims	hive-shims-scheduler	3.1.3000.7.1.8.36-4
Apache Hive Warehouse Connector	com.hortonworks.hive	hive-warehouse-connector_2.11	1.0.0.7.1.8.36-4
Apache Kafka	org.apache.kafka	connect	3.1.1.7.1.8.36-4
	org.apache.kafka	connect-api	3.1.1.7.1.8.36-4
	org.apache.kafka	connect-basic-auth-extension	3.1.1.7.1.8.36-4
	org.apache.kafka	connect-cloudera-authorization-extension	3.1.1.7.1.8.36-4
	org.apache.kafka	connect-cloudera-common	3.1.1.7.1.8.36-4
	org.apache.kafka	connect-cloudera-secret-storage	3.1.1.7.1.8.36-4
	org.apache.kafka	connect-cloudera-security-policies	3.1.1.7.1.8.36-4
	org.apache.kafka	connect-file	3.1.1.7.1.8.36-4
	org.apache.kafka	connect-json	3.1.1.7.1.8.36-4
	org.apache.kafka	connect-mirror	3.1.1.7.1.8.36-4
	org.apache.kafka	connect-mirror-client	3.1.1.7.1.8.36-4

Project	groupId	artifactId	version
	org.apache.kafka	connect-runtime	3.1.1.7.1.8.36-4
	org.apache.kafka	connect-transforms	3.1.1.7.1.8.36-4
	org.apache.kafka	generator	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka-clients	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka-cloudera-metrics-reporter_2.12	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka-cloudera-metrics-reporter_2.13	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka-cloudera-plugins	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka-examples	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka-log4j-appender	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka-metadata	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka-raft	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka-server-common	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka-shell	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka-storage	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka-storage-api	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka-streams	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka-streams-examples	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka-streams-scala_2.12	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka-streams-scala_2.13	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka-streams-test-utils	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka-streams-upgrade-system-tests-0100	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka-streams-upgrade-system-tests-0101	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka-streams-upgrade-system-tests-0102	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka-streams-upgrade-system-tests-0110	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka-streams-upgrade-system-tests-10	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka-streams-upgrade-system-tests-11	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka-streams-upgrade-system-tests-20	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka-streams-upgrade-system-tests-21	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka-streams-upgrade-system-tests-22	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka-streams-upgrade-system-tests-23	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka-streams-upgrade-system-tests-24	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka-streams-upgrade-system-tests-25	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka-streams-upgrade-system-tests-26	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka-streams-upgrade-system-tests-27	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka-streams-upgrade-system-tests-28	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka-tools	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka_2.12	3.1.1.7.1.8.36-4
	org.apache.kafka	kafka_2.13	3.1.1.7.1.8.36-4
	org.apache.kafka	trogdor	3.1.1.7.1.8.36-4

Project	groupId	artifactId	version
Apache Knox	org.apache.knox	gateway-adapter	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-admin-ui	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-applications	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-cloud-bindings	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-demo-ldap	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-demo-ldap-launcher	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-discovery-ambari	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-discovery-cm	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-docker	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-i18n	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-i18n-logging-log4j	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-i18n-logging-sl4j	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-provider-ha	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-provider-identity-assertion-common	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-provider-identity-assertion-concat	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-provider-identity-assertion-hadoop-groups	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-provider-identity-assertion-pseudo	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-provider-identity-assertion-regex	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-provider-identity-assertion-switchcase	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-provider-jersey	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-provider-rewrite	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-provider-rewrite-common	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-provider-rewrite-func-hostmap-static	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-provider-rewrite-func-inbound-query-param	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-provider-rewrite-func-service-registry	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-provider-rewrite-step-encrypt-uri	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-provider-rewrite-step-secure-query	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-provider-security-authc-anon	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-provider-security-authz-acls	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-provider-security-authz-composite	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-provider-security-clientcert	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-provider-security-hadoopauth	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-provider-security-jwt	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-provider-security-pac4j	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-provider-security-preauth	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-provider-security-shiro	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-provider-security-webappsec	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-release	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-server	1.3.0.7.1.8.36-4

Project	groupId	artifactId	version
	org.apache.knox	gateway-server-launcher	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-server-xforwarded-filter	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-service-admin	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-service-as	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-service-definitions	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-service-hashicorp-vault	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-service-hbase	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-service-health	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-service-hive	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-service-idbroker	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-service-impala	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-service-jkg	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-service-knoxsso	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-service-knoxssout	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-service-knoxtoken	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-service-livy	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-service-metadata	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-service-nifi	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-service-nifi-registry	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-service-remoteconfig	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-service-rm	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-service-session	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-service-storm	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-service-test	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-service-tgs	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-service-vault	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-service-webhdfs	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-shell	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-shell-launcher	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-shell-release	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-shell-samples	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-spi	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-test	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-test-idbroker	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-test-release-utils	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-test-utils	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-topology-hadoop-xml	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-topology-simple	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-util-common	1.3.0.7.1.8.36-4

Project	groupId	artifactId	version
	org.apache.knox	gateway-util-configinjector	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-util-launcher	1.3.0.7.1.8.36-4
	org.apache.knox	gateway-util-urltemplate	1.3.0.7.1.8.36-4
	org.apache.knox	hadoop-examples	1.3.0.7.1.8.36-4
	org.apache.knox	knox-cli-launcher	1.3.0.7.1.8.36-4
	org.apache.knox	knox-homepage-ui	1.3.0.7.1.8.36-4
	org.apache.knox	webhdfs-kerb-test	1.3.0.7.1.8.36-4
	org.apache.knox	webhdfs-test	1.3.0.7.1.8.36-4
Apache Kudu	org.apache.kudu	kudu-backup-tools	1.15.0.7.1.8.36-4
	org.apache.kudu	kudu-backup2_2.11	1.15.0.7.1.8.36-4
	org.apache.kudu	kudu-backup3_2.12	1.15.0.7.1.8.36-4
	org.apache.kudu	kudu-client	1.15.0.7.1.8.36-4
	org.apache.kudu	kudu-hive	1.15.0.7.1.8.36-4
	org.apache.kudu	kudu-spark2-tools_2.11	1.15.0.7.1.8.36-4
	org.apache.kudu	kudu-spark2_2.11	1.15.0.7.1.8.36-4
	org.apache.kudu	kudu-spark3-tools_2.12	1.15.0.7.1.8.36-4
	org.apache.kudu	kudu-spark3_2.12	1.15.0.7.1.8.36-4
	org.apache.kudu	kudu-test-utils	1.15.0.7.1.8.36-4
Apache Livy	org.apache.livy	livy-api	0.6.0.7.1.8.36-4
	org.apache.livy	livy-client-common	0.6.0.7.1.8.36-4
	org.apache.livy	livy-client-http	0.6.0.7.1.8.36-4
	org.apache.livy	livy-core_2.11	0.6.0.7.1.8.36-4
	org.apache.livy	livy-examples	0.6.0.7.1.8.36-4
	org.apache.livy	livy-integration-test	0.6.0.7.1.8.36-4
	org.apache.livy	livy-repl_2.11	0.6.0.7.1.8.36-4
	org.apache.livy	livy-rsc	0.6.0.7.1.8.36-4
	org.apache.livy	livy-scala-api_2.11	0.6.0.7.1.8.36-4
	org.apache.livy	livy-server	0.6.0.7.1.8.36-4
	org.apache.livy	livy-test-lib	0.6.0.7.1.8.36-4
	org.apache.livy	livy-thriftserver	0.6.0.7.1.8.36-4
	org.apache.livy	livy-thriftserver-session	0.6.0.7.1.8.36-4
Apache Lucene	org.apache.lucene	lucene-analyzers-common	8.4.1.7.1.8.36-4
	org.apache.lucene	lucene-analyzers-icu	8.4.1.7.1.8.36-4
	org.apache.lucene	lucene-analyzers-kuromoji	8.4.1.7.1.8.36-4
	org.apache.lucene	lucene-analyzers-morfologik	8.4.1.7.1.8.36-4
	org.apache.lucene	lucene-analyzers-nori	8.4.1.7.1.8.36-4
	org.apache.lucene	lucene-analyzers-opennlp	8.4.1.7.1.8.36-4
	org.apache.lucene	lucene-analyzers-phonetic	8.4.1.7.1.8.36-4
	org.apache.lucene	lucene-analyzers-smartcnc	8.4.1.7.1.8.36-4

Project	groupId	artifactId	version
	org.apache.lucene	lucene-analyzers-stempel	8.4.1.7.1.8.36-4
	org.apache.lucene	lucene-backward-codecs	8.4.1.7.1.8.36-4
	org.apache.lucene	lucene-benchmark	8.4.1.7.1.8.36-4
	org.apache.lucene	lucene-classification	8.4.1.7.1.8.36-4
	org.apache.lucene	lucene-codecs	8.4.1.7.1.8.36-4
	org.apache.lucene	lucene-core	8.4.1.7.1.8.36-4
	org.apache.lucene	lucene-demo	8.4.1.7.1.8.36-4
	org.apache.lucene	lucene-expressions	8.4.1.7.1.8.36-4
	org.apache.lucene	lucene-facet	8.4.1.7.1.8.36-4
	org.apache.lucene	lucene-grouping	8.4.1.7.1.8.36-4
	org.apache.lucene	lucene-highlighter	8.4.1.7.1.8.36-4
	org.apache.lucene	lucene-join	8.4.1.7.1.8.36-4
	org.apache.lucene	lucene-memory	8.4.1.7.1.8.36-4
	org.apache.lucene	lucene-misc	8.4.1.7.1.8.36-4
	org.apache.lucene	lucene-monitor	8.4.1.7.1.8.36-4
	org.apache.lucene	lucene-queries	8.4.1.7.1.8.36-4
	org.apache.lucene	lucene-queryparser	8.4.1.7.1.8.36-4
	org.apache.lucene	lucene-replicator	8.4.1.7.1.8.36-4
	org.apache.lucene	lucene-sandbox	8.4.1.7.1.8.36-4
	org.apache.lucene	lucene-spatial	8.4.1.7.1.8.36-4
	org.apache.lucene	lucene-spatial-extras	8.4.1.7.1.8.36-4
	org.apache.lucene	lucene-spatial3d	8.4.1.7.1.8.36-4
	org.apache.lucene	lucene-suggest	8.4.1.7.1.8.36-4
	org.apache.lucene	lucene-test-framework	8.4.1.7.1.8.36-4
Apache Oozie	org.apache.oozie	oozie-client	5.1.0.7.1.8.36-4
	org.apache.oozie	oozie-core	5.1.0.7.1.8.36-4
	org.apache.oozie	oozie-distro	5.1.0.7.1.8.36-4
	org.apache.oozie	oozie-examples	5.1.0.7.1.8.36-4
	org.apache.oozie	oozie-fluent-job-api	5.1.0.7.1.8.36-4
	org.apache.oozie	oozie-fluent-job-client	5.1.0.7.1.8.36-4
	org.apache.oozie	oozie-server	5.1.0.7.1.8.36-4
	org.apache.oozie	oozie-sharelib-distcp	5.1.0.7.1.8.36-4
	org.apache.oozie	oozie-sharelib-git	5.1.0.7.1.8.36-4
	org.apache.oozie	oozie-sharelib-hcatalog	5.1.0.7.1.8.36-4
	org.apache.oozie	oozie-sharelib-hive	5.1.0.7.1.8.36-4
	org.apache.oozie	oozie-sharelib-hive2	5.1.0.7.1.8.36-4
	org.apache.oozie	oozie-sharelib-oozie	5.1.0.7.1.8.36-4
	org.apache.oozie	oozie-sharelib-spark	5.1.0.7.1.8.36-4
	org.apache.oozie	oozie-sharelib-sqoop	5.1.0.7.1.8.36-4

Project	groupId	artifactId	version
	org.apache.oozie	oozie-sharelib-streaming	5.1.0.7.1.8.36-4
	org.apache.oozie	oozie-tools	5.1.0.7.1.8.36-4
Apache Spark	org.apache.spark	spark-network-shuffle_2.11	2.4.8.7.1.8.36-4
	org.apache.spark	spark-network-yarn_2.11	2.4.8.7.1.8.36-4
	org.apache.spark	spark-repl_2.11	2.4.8.7.1.8.36-4
	org.apache.spark	spark-sketch_2.11	2.4.8.7.1.8.36-4
	org.apache.spark	spark-sql-kafka-0-10_2.11	2.4.8.7.1.8.36-4
	org.apache.spark	spark-sql_2.11	2.4.8.7.1.8.36-4
	org.apache.spark	spark-streaming-kafka-0-10-assembly_2.11	2.4.8.7.1.8.36-4
	org.apache.spark	spark-streaming-kafka-0-10_2.11	2.4.8.7.1.8.36-4
	org.apache.spark	spark-streaming_2.11	2.4.8.7.1.8.36-4
	org.apache.spark	spark-tags_2.11	2.4.8.7.1.8.36-4
	org.apache.spark	spark-token-provider-kafka-0-10_2.11	2.4.8.7.1.8.36-4
	org.apache.spark	spark-unsafe_2.11	2.4.8.7.1.8.36-4
	org.apache.spark	spark-yarn_2.11	2.4.8.7.1.8.36-4
Apache Sqoop	org.apache.sqoop	sqoop	1.4.7.7.1.8.36-4
	org.apache.sqoop	sqoop-test	1.4.7.7.1.8.36-4
Apache Tez	org.apache.tez	hadoop-shim	0.9.1.7.1.8.36-4
	org.apache.tez	hadoop-shim-2.8	0.9.1.7.1.8.36-4
	org.apache.tez	tez-api	0.9.1.7.1.8.36-4
	org.apache.tez	tez-aux-services	0.9.1.7.1.8.36-4
	org.apache.tez	tez-common	0.9.1.7.1.8.36-4
	org.apache.tez	tez-dag	0.9.1.7.1.8.36-4
	org.apache.tez	tez-examples	0.9.1.7.1.8.36-4
	org.apache.tez	tez-ext-service-tests	0.9.1.7.1.8.36-4
	org.apache.tez	tez-history-parser	0.9.1.7.1.8.36-4
	org.apache.tez	tez-javadoc-tools	0.9.1.7.1.8.36-4
	org.apache.tez	tez-job-analyzer	0.9.1.7.1.8.36-4
	org.apache.tez	tez-mapreduce	0.9.1.7.1.8.36-4
	org.apache.tez	tez-protobuf-history-plugin	0.9.1.7.1.8.36-4
	org.apache.tez	tez-runtime-internals	0.9.1.7.1.8.36-4
	org.apache.tez	tez-runtime-library	0.9.1.7.1.8.36-4
	org.apache.tez	tez-tests	0.9.1.7.1.8.36-4
	org.apache.tez	tez-yarn-timeline-cache-plugin	0.9.1.7.1.8.36-4
	org.apache.tez	tez-yarn-timeline-history	0.9.1.7.1.8.36-4
	org.apache.tez	tez-yarn-timeline-history-with-acls	0.9.1.7.1.8.36-4
	org.apache.tez	tez-yarn-timeline-history-with-fs	0.9.1.7.1.8.36-4
Apache Zeppelin	org.apache.zeppelin	zeppelin-angular	0.8.2.7.1.8.36-4
	org.apache.zeppelin	zeppelin-display	0.8.2.7.1.8.36-4

Project	groupId	artifactId	version
	org.apache.zepplin	zepplin-interpreter	0.8.2.7.1.8.36-4
	org.apache.zepplin	zepplin-jdbc	0.8.2.7.1.8.36-4
	org.apache.zepplin	zepplin-jupyter	0.8.2.7.1.8.36-4
	org.apache.zepplin	zepplin-livy	0.8.2.7.1.8.36-4
	org.apache.zepplin	zepplin-markdown	0.8.2.7.1.8.36-4

Runtime 7.1.8.42-1

The following table lists the project name, groupId, artifactId, and version required to access each Runtime artifact.

Project	groupId	artifactId	version
Atlas	org.apache.atlas	atlas-authorization	2.1.0.7.1.8.42-1
Atlas	org.apache.atlas	atlas-aws-s3-bridge	2.1.0.7.1.8.42-1
Atlas	org.apache.atlas	atlas-azure-adls-bridge	2.1.0.7.1.8.42-1
Atlas	org.apache.atlas	atlas-client-common	2.1.0.7.1.8.42-1
Atlas	org.apache.atlas	atlas-client-v1	2.1.0.7.1.8.42-1
Atlas	org.apache.atlas	atlas-client-v2	2.1.0.7.1.8.42-1
Atlas	org.apache.atlas	atlas-common	2.1.0.7.1.8.42-1
Atlas	org.apache.atlas	atlas-graphdb-api	2.1.0.7.1.8.42-1
Atlas	org.apache.atlas	atlas-graphdb-common	2.1.0.7.1.8.42-1
Atlas	org.apache.atlas	atlas-graphdb-janus	2.1.0.7.1.8.42-1
Atlas	org.apache.atlas	atlas-hdfs-bridge	2.1.0.7.1.8.42-1
Atlas	org.apache.atlas	atlas-intg	2.1.0.7.1.8.42-1
Atlas	org.apache.atlas	atlas-janusgraph-hbase2	2.1.0.7.1.8.42-1
Atlas	org.apache.atlas	atlas-notification	2.1.0.7.1.8.42-1
Atlas	org.apache.atlas	atlas-repository	2.1.0.7.1.8.42-1
Atlas	org.apache.atlas	atlas-server-api	2.1.0.7.1.8.42-1
Atlas	org.apache.atlas	atlas-testtools	2.1.0.7.1.8.42-1
Atlas	org.apache.atlas	impala-bridge-shim	2.1.0.7.1.8.42-1
Atlas	org.apache.atlas	kafka-bridge	2.1.0.7.1.8.42-1
Atlas	org.apache.atlas	kafka-bridge-shim	2.1.0.7.1.8.42-1
Avro	org.apache.avro	avro	1.8.2.7.1.8.42-1
Avro	org.apache.avro	avro-compiler	1.8.2.7.1.8.42-1
Avro	org.apache.avro	avro-ipc	1.8.2.7.1.8.42-1
Avro	org.apache.avro	avro-mapred	1.8.2.7.1.8.42-1
Avro	org.apache.avro	avro-maven-plugin	1.8.2.7.1.8.42-1
Avro	org.apache.avro	avro-protobuf	1.8.2.7.1.8.42-1
Avro	org.apache.avro	avro-service-archetype	1.8.2.7.1.8.42-1
Avro	org.apache.avro	avro-thrift	1.8.2.7.1.8.42-1
Avro	org.apache.avro	avro-tools	1.8.2.7.1.8.42-1
Avro	org.apache.avro	trevni-avro	1.8.2.7.1.8.42-1

Project	groupId	artifactId	version
Avro	org.apache.avro	trevni-core	1.8.2.7.1.8.42-1
Calcite	org.apache.calcite	calcite-core	1.19.0.7.1.8.42-1
Calcite	org.apache.calcite	calcite-druid	1.19.0.7.1.8.42-1
Calcite	org.apache.calcite	calcite-linq4j	1.19.0.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-aliyun	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-annotations	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-archive-logs	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-archives	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-assemblies	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-auth	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-aws	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-azure	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-azure-datalake	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-build-tools	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-client	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-client-api	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-client-integration-tests	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-client-minicluster	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-client-runtime	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-cloud-storage	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-common	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-datajoin	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-distcp	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-extras	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-fs2img	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-gridmix	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-hdfs	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-hdfs-client	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-hdfs-httpfs	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-hdfs-native-client	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-hdfs-nfs	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-kafka	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-kms	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-app	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-common	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-core	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-hs	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-hs-plugins	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-jobclient	3.1.1.7.1.8.42-1

Project	groupId	artifactId	version
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-nativetask	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-shuffle	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-uploader	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-examples	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-maven-plugins	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-minicluster	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-minikdc	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-nfs	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-openstack	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-resourceestimator	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-rumen	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-sls	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-streaming	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-yarn-api	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-yarn-applications-distributedshell	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-yarn-applications-unmanaged-am-launcher	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-yarn-client	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-yarn-common	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-yarn-registry	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-applicationhistoryservice	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-common	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-nodemanager	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-resourcemanager	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-router	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-sharedcachemanager	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-tests	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timeline-pluginstorage	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-client	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-tests	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-web-proxy	3.1.1.7.1.8.42-1
Hadoop	org.apache.hadoop	hadoop-yarn-services-core	3.1.1.7.1.8.42-1
HBase	org.apache.hbase	hbase-annotations	2.4.6.7.1.8.42-1
HBase	org.apache.hbase	hbase-asyncfs	2.4.6.7.1.8.42-1
HBase	org.apache.hbase	hbase-checkstyle	2.4.6.7.1.8.42-1
HBase	org.apache.hbase	hbase-client	2.4.6.7.1.8.42-1
HBase	org.apache.hbase	hbase-client-project	2.4.6.7.1.8.42-1
HBase	org.apache.hbase	hbase-common	2.4.6.7.1.8.42-1
HBase	org.apache.hbase	hbase-endpoint	2.4.6.7.1.8.42-1

Project	groupId	artifactId	version
HBase	org.apache.hbase	hbase-examples	2.4.6.7.1.8.42-1
HBase	org.apache.hbase	hbase-external-blockcache	2.4.6.7.1.8.42-1
HBase	org.apache.hbase	hbase-hadoop-compat	2.4.6.7.1.8.42-1
HBase	org.apache.hbase	hbase-hadoop2-compat	2.4.6.7.1.8.42-1
HBase	org.apache.hbase	hbase-hbtop	2.4.6.7.1.8.42-1
HBase	org.apache.hbase	hbase-http	2.4.6.7.1.8.42-1
HBase	org.apache.hbase	hbase-it	2.4.6.7.1.8.42-1
HBase	org.apache.hbase	hbase-logging	2.4.6.7.1.8.42-1
HBase	org.apache.hbase	hbase-mapreduce	2.4.6.7.1.8.42-1
HBase	org.apache.hbase	hbase-metrics	2.4.6.7.1.8.42-1
HBase	org.apache.hbase	hbase-metrics-api	2.4.6.7.1.8.42-1
HBase	org.apache.hbase	hbase-procedure	2.4.6.7.1.8.42-1
HBase	org.apache.hbase	hbase-protocol	2.4.6.7.1.8.42-1
HBase	org.apache.hbase	hbase-protocol-shaded	2.4.6.7.1.8.42-1
HBase	org.apache.hbase	hbase-replication	2.4.6.7.1.8.42-1
HBase	org.apache.hbase	hbase-resource-bundle	2.4.6.7.1.8.42-1
HBase	org.apache.hbase	hbase-rest	2.4.6.7.1.8.42-1
HBase	org.apache.hbase	hbase-rsgroup	2.4.6.7.1.8.42-1
HBase	org.apache.hbase	hbase-server	2.4.6.7.1.8.42-1
HBase	org.apache.hbase	hbase-shaded-client	2.4.6.7.1.8.42-1
HBase	org.apache.hbase	hbase-shaded-client-byo-hadoop	2.4.6.7.1.8.42-1
HBase	org.apache.hbase	hbase-shaded-client-project	2.4.6.7.1.8.42-1
HBase	org.apache.hbase	hbase-shaded-mapreduce	2.4.6.7.1.8.42-1
HBase	org.apache.hbase	hbase-shaded-testing-util	2.4.6.7.1.8.42-1
HBase	org.apache.hbase	hbase-shaded-testing-util-tester	2.4.6.7.1.8.42-1
HBase	org.apache.hbase	hbase-shell	2.4.6.7.1.8.42-1
HBase	org.apache.hbase	hbase-testing-util	2.4.6.7.1.8.42-1
HBase	org.apache.hbase	hbase-thrift	2.4.6.7.1.8.42-1
HBase	org.apache.hbase	hbase-zookeeper	2.4.6.7.1.8.42-1
Hive	org.apache.hive	hive-beeline	3.1.3000.7.1.8.42-1
Hive	org.apache.hive	hive-classification	3.1.3000.7.1.8.42-1
Hive	org.apache.hive	hive-cli	3.1.3000.7.1.8.42-1
Hive	org.apache.hive	hive-common	3.1.3000.7.1.8.42-1
Hive	org.apache.hive	hive-contrib	3.1.3000.7.1.8.42-1
Hive	org.apache.hive	hive-exec	3.1.3000.7.1.8.42-1
Hive	org.apache.hive	hive-hbase-handler	3.1.3000.7.1.8.42-1
Hive	org.apache.hive	hive-hplsql	3.1.3000.7.1.8.42-1
Hive	org.apache.hive	hive-it-minikdc	3.1.3000.7.1.8.42-1
Hive	org.apache.hive	hive-it-unit-hadoop2	3.1.3000.7.1.8.42-1

Project	groupId	artifactId	version
Hive	org.apache.hive	hive-it-util	3.1.3000.7.1.8.42-1
Hive	org.apache.hive	hive-jdbc	3.1.3000.7.1.8.42-1
Hive	org.apache.hive	hive-jdbc-handler	3.1.3000.7.1.8.42-1
Hive	org.apache.hive	hive-jmh	3.1.3000.7.1.8.42-1
Hive	org.apache.hive	hive-kryo-registrator	3.1.3000.7.1.8.42-1
Hive	org.apache.hive	hive-kudu-handler	3.1.3000.7.1.8.42-1
Hive	org.apache.hive	hive-llap-client	3.1.3000.7.1.8.42-1
Hive	org.apache.hive	hive-llap-common	3.1.3000.7.1.8.42-1
Hive	org.apache.hive	hive-llap-ext-client	3.1.3000.7.1.8.42-1
Hive	org.apache.hive	hive-llap-server	3.1.3000.7.1.8.42-1
Hive	org.apache.hive	hive-llap-tez	3.1.3000.7.1.8.42-1
Hive	org.apache.hive	hive-metastore	3.1.3000.7.1.8.42-1
Hive	org.apache.hive	hive-serde	3.1.3000.7.1.8.42-1
Hive	org.apache.hive	hive-service	3.1.3000.7.1.8.42-1
Hive	org.apache.hive	hive-service-rpc	3.1.3000.7.1.8.42-1
Hive	org.apache.hive	hive-shims	3.1.3000.7.1.8.42-1
Hive	org.apache.hive	hive-spark-client	3.1.3000.7.1.8.42-1
Hive	org.apache.hive	hive-standalone-metastore	3.1.3000.7.1.8.42-1
Hive	org.apache.hive	hive-storage-api	3.1.3000.7.1.8.42-1
Hive	org.apache.hive	hive-streaming	3.1.3000.7.1.8.42-1
Hive	org.apache.hive	hive-testutils	3.1.3000.7.1.8.42-1
Hive	org.apache.hive	hive-vector-code-gen	3.1.3000.7.1.8.42-1
Hive Warehouse Connector	com.hortonworks.hive	hive-warehouse-connector_2.11	1.0.0.7.1.8.42-1
Kafka	org.apache.kafka	connect	3.1.1.7.1.8.42-1
Kafka	org.apache.kafka	connect-api	3.1.1.7.1.8.42-1
Kafka	org.apache.kafka	connect-basic-auth-extension	3.1.1.7.1.8.42-1
Kafka	org.apache.kafka	connect-cloudera-common	3.1.1.7.1.8.42-1
Kafka	org.apache.kafka	connect-cloudera-security-policies	3.1.1.7.1.8.42-1
Kafka	org.apache.kafka	connect-file	3.1.1.7.1.8.42-1
Kafka	org.apache.kafka	connect-json	3.1.1.7.1.8.42-1
Kafka	org.apache.kafka	connect-mirror	3.1.1.7.1.8.42-1
Kafka	org.apache.kafka	connect-mirror-client	3.1.1.7.1.8.42-1
Kafka	org.apache.kafka	connect-runtime	3.1.1.7.1.8.42-1
Kafka	org.apache.kafka	connect-transforms	3.1.1.7.1.8.42-1
Kafka	org.apache.kafka	generator	3.1.1.7.1.8.42-1
Kafka	org.apache.kafka	kafka-clients	3.1.1.7.1.8.42-1
Kafka	org.apache.kafka	kafka-cloudera-metrics-reporter_2.13	3.1.1.7.1.8.42-1
Kafka	org.apache.kafka	kafka-examples	3.1.1.7.1.8.42-1
Kafka	org.apache.kafka	kafka-log4j-appender	3.1.1.7.1.8.42-1

Project	groupId	artifactId	version
Kafka	org.apache.kafka	kafka-metadata	3.1.1.7.1.8.42-1
Kafka	org.apache.kafka	kafka-raft	3.1.1.7.1.8.42-1
Kafka	org.apache.kafka	kafka-server-common	3.1.1.7.1.8.42-1
Kafka	org.apache.kafka	kafka-shell	3.1.1.7.1.8.42-1
Kafka	org.apache.kafka	kafka-storage	3.1.1.7.1.8.42-1
Kafka	org.apache.kafka	kafka-storage-api	3.1.1.7.1.8.42-1
Kafka	org.apache.kafka	kafka-streams	3.1.1.7.1.8.42-1
Kafka	org.apache.kafka	kafka-streams-examples	3.1.1.7.1.8.42-1
Kafka	org.apache.kafka	kafka-streams-scala_2.12	3.1.1.7.1.8.42-1
Kafka	org.apache.kafka	kafka-streams-scala_2.13	3.1.1.7.1.8.42-1
Kafka	org.apache.kafka	kafka-streams-test-utils	3.1.1.7.1.8.42-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0102	3.1.1.7.1.8.42-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0110	3.1.1.7.1.8.42-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-10	3.1.1.7.1.8.42-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-24	3.1.1.7.1.8.42-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-28	3.1.1.7.1.8.42-1
Kafka	org.apache.kafka	kafka-tools	3.1.1.7.1.8.42-1
Kafka	org.apache.kafka	kafka_2.12	3.1.1.7.1.8.42-1
Kafka	org.apache.kafka	kafka_2.13	3.1.1.7.1.8.42-1
Kafka	org.apache.kafka	trogdor	3.1.1.7.1.8.42-1
Knox	org.apache.knox	gateway-adapter	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-admin-ui	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-applications	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-cloud-bindings	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-demo-ldap	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-demo-ldap-launcher	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-discovery-ambari	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-discovery-cm	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-i18n	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-i18n-logging-log4j	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-provider-ha	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-provider-identity-assertion-common	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-provider-identity-assertion-concat	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-provider-identity-assertion-hadoop-groups	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-provider-identity-assertion-pseudo	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-provider-identity-assertion-regex	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-provider-identity-assertion-switchcase	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-provider-jersey	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-provider-rewrite	1.3.0.7.1.8.42-1

Project	groupId	artifactId	version
Knox	org.apache.knox	gateway-provider-rewrite-common	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-provider-rewrite-func-hostmap-static	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-provider-rewrite-func-inbound-query-param	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-provider-rewrite-func-service-registry	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-provider-rewrite-step-encrypt-uri	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-provider-rewrite-step-secure-query	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-provider-security-authc-anon	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-provider-security-authz-acls	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-provider-security-authz-composite	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-provider-security-clientcert	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-provider-security-hadoopauth	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-provider-security-jwt	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-provider-security-preauth	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-provider-security-shiro	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-provider-security-webappsec	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-release	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-server	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-server-launcher	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-server-xforwarded-filter	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-service-admin	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-service-as	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-service-definitions	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-service-hashicorp-vault	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-service-hbase	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-service-health	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-service-hive	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-service-impala	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-service-jkg	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-service-knoxsso	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-service-knoxsout	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-service-knoxtoken	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-service-livy	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-service-metadata	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-service-nifi	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-service-nifi-registry	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-service-remoteconfig	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-service-rm	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-service-session	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-service-storm	1.3.0.7.1.8.42-1

Project	groupId	artifactId	version
Knox	org.apache.knox	gateway-service-test	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-service-tgs	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-service-webhdfs	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-shell	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-shell-launcher	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-shell-samples	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-spi	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-test	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-test-release-utils	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-test-utils	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-topology-hadoop-xml	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-topology-simple	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-util-common	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-util-configinjector	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-util-launcher	1.3.0.7.1.8.42-1
Knox	org.apache.knox	gateway-util-urltemplate	1.3.0.7.1.8.42-1
Knox	org.apache.knox	hadoop-examples	1.3.0.7.1.8.42-1
Knox	org.apache.knox	knox-cli-launcher	1.3.0.7.1.8.42-1
Knox	org.apache.knox	knox-homepage-ui	1.3.0.7.1.8.42-1
Kudu	org.apache.kudu	kudu-backup-tools	1.15.0.7.1.8.42-1
Kudu	org.apache.kudu	kudu-backup2_2.11	1.15.0.7.1.8.42-1
Kudu	org.apache.kudu	kudu-client	1.15.0.7.1.8.42-1
Kudu	org.apache.kudu	kudu-hive	1.15.0.7.1.8.42-1
Kudu	org.apache.kudu	kudu-spark2-tools_2.11	1.15.0.7.1.8.42-1
Kudu	org.apache.kudu	kudu-spark2_2.11	1.15.0.7.1.8.42-1
Kudu	org.apache.kudu	kudu-spark3-tools_2.12	1.15.0.7.1.8.42-1
Kudu	org.apache.kudu	kudu-spark3_2.12	1.15.0.7.1.8.42-1
Kudu	org.apache.kudu	kudu-test-utils	1.15.0.7.1.8.42-1
Livy	org.apache.livy	livy-api	0.6.0.7.1.8.42-1
Livy	org.apache.livy	livy-client-common	0.6.0.7.1.8.42-1
Livy	org.apache.livy	livy-client-http	0.6.0.7.1.8.42-1
Livy	org.apache.livy	livy-core_2.11	0.6.0.7.1.8.42-1
Livy	org.apache.livy	livy-rsc	0.6.0.7.1.8.42-1
Livy	org.apache.livy	livy-server	0.6.0.7.1.8.42-1
Livy	org.apache.livy	livy-thriftserver	0.6.0.7.1.8.42-1
Lucene	org.apache.lucene	lucene-analyzers-common	8.4.1.7.1.8.42-1
Lucene	org.apache.lucene	lucene-analyzers-icu	8.4.1.7.1.8.42-1
Lucene	org.apache.lucene	lucene-analyzers-kuromoji	8.4.1.7.1.8.42-1
Lucene	org.apache.lucene	lucene-analyzers-morfologik	8.4.1.7.1.8.42-1

Project	groupId	artifactId	version
Lucene	org.apache.lucene	lucene-analyzers-nori	8.4.1.7.1.8.42-1
Lucene	org.apache.lucene	lucene-analyzers-openssl	8.4.1.7.1.8.42-1
Lucene	org.apache.lucene	lucene-analyzers-phonetic	8.4.1.7.1.8.42-1
Lucene	org.apache.lucene	lucene-analyzers-smartcn	8.4.1.7.1.8.42-1
Lucene	org.apache.lucene	lucene-analyzers-stempel	8.4.1.7.1.8.42-1
Lucene	org.apache.lucene	lucene-backward-codecs	8.4.1.7.1.8.42-1
Lucene	org.apache.lucene	lucene-benchmark	8.4.1.7.1.8.42-1
Lucene	org.apache.lucene	lucene-classification	8.4.1.7.1.8.42-1
Lucene	org.apache.lucene	lucene-codecs	8.4.1.7.1.8.42-1
Lucene	org.apache.lucene	lucene-core	8.4.1.7.1.8.42-1
Lucene	org.apache.lucene	lucene-demo	8.4.1.7.1.8.42-1
Lucene	org.apache.lucene	lucene-expressions	8.4.1.7.1.8.42-1
Lucene	org.apache.lucene	lucene-facet	8.4.1.7.1.8.42-1
Lucene	org.apache.lucene	lucene-grouping	8.4.1.7.1.8.42-1
Lucene	org.apache.lucene	lucene-highlighter	8.4.1.7.1.8.42-1
Lucene	org.apache.lucene	lucene-join	8.4.1.7.1.8.42-1
Lucene	org.apache.lucene	lucene-memory	8.4.1.7.1.8.42-1
Lucene	org.apache.lucene	lucene-misc	8.4.1.7.1.8.42-1
Lucene	org.apache.lucene	lucene-queries	8.4.1.7.1.8.42-1
Lucene	org.apache.lucene	lucene-queryparser	8.4.1.7.1.8.42-1
Lucene	org.apache.lucene	lucene-replicator	8.4.1.7.1.8.42-1
Lucene	org.apache.lucene	lucene-sandbox	8.4.1.7.1.8.42-1
Lucene	org.apache.lucene	lucene-spatial	8.4.1.7.1.8.42-1
Lucene	org.apache.lucene	lucene-spatial-extras	8.4.1.7.1.8.42-1
Lucene	org.apache.lucene	lucene-spatial3d	8.4.1.7.1.8.42-1
Lucene	org.apache.lucene	lucene-suggest	8.4.1.7.1.8.42-1
Lucene	org.apache.lucene	lucene-test-framework	8.4.1.7.1.8.42-1
Oozie	org.apache.oozie	oozie-client	5.1.0.7.1.8.42-1
Oozie	org.apache.oozie	oozie-core	5.1.0.7.1.8.42-1
Oozie	org.apache.oozie	oozie-examples	5.1.0.7.1.8.42-1
Oozie	org.apache.oozie	oozie-fluent-job-api	5.1.0.7.1.8.42-1
Oozie	org.apache.oozie	oozie-fluent-job-client	5.1.0.7.1.8.42-1
Oozie	org.apache.oozie	oozie-server	5.1.0.7.1.8.42-1
Oozie	org.apache.oozie	oozie-sharelib-distcp	5.1.0.7.1.8.42-1
Oozie	org.apache.oozie	oozie-sharelib-git	5.1.0.7.1.8.42-1
Oozie	org.apache.oozie	oozie-sharelib-hcatalog	5.1.0.7.1.8.42-1
Oozie	org.apache.oozie	oozie-sharelib-hive	5.1.0.7.1.8.42-1
Oozie	org.apache.oozie	oozie-sharelib-hive2	5.1.0.7.1.8.42-1
Oozie	org.apache.oozie	oozie-sharelib-oozie	5.1.0.7.1.8.42-1

Project	groupId	artifactId	version
Oozie	org.apache.oozie	oozie-sharelib-spark	5.1.0.7.1.8.42-1
Oozie	org.apache.oozie	oozie-sharelib-sqoop	5.1.0.7.1.8.42-1
Oozie	org.apache.oozie	oozie-sharelib-streaming	5.1.0.7.1.8.42-1
Oozie	org.apache.oozie	oozie-tools	5.1.0.7.1.8.42-1
ORC	org.apache.orc	orc-core	1.5.1.7.1.8.42-1
ORC	org.apache.orc	orc-mapreduce	1.5.1.7.1.8.42-1
ORC	org.apache.orc	orc-shims	1.5.1.7.1.8.42-1
ORC	org.apache.orc	orc-tools	1.5.1.7.1.8.42-1
Parquet	org.apache.parquet	parquet-avro	1.10.99.7.1.8.42-1
Parquet	org.apache.parquet	parquet-cascading	1.10.99.7.1.8.42-1
Parquet	org.apache.parquet	parquet-cascading3	1.10.99.7.1.8.42-1
Parquet	org.apache.parquet	parquet-column	1.10.99.7.1.8.42-1
Parquet	org.apache.parquet	parquet-common	1.10.99.7.1.8.42-1
Parquet	org.apache.parquet	parquet-encoding	1.10.99.7.1.8.42-1
Parquet	org.apache.parquet	parquet-format-structures	1.10.99.7.1.8.42-1
Parquet	org.apache.parquet	parquet-generator	1.10.99.7.1.8.42-1
Parquet	org.apache.parquet	parquet-hadoop	1.10.99.7.1.8.42-1
Parquet	org.apache.parquet	parquet-hadoop-bundle	1.10.99.7.1.8.42-1
Parquet	org.apache.parquet	parquet-jackson	1.10.99.7.1.8.42-1
Parquet	org.apache.parquet	parquet-pig	1.10.99.7.1.8.42-1
Parquet	org.apache.parquet	parquet-pig-bundle	1.10.99.7.1.8.42-1
Parquet	org.apache.parquet	parquet-protobuf	1.10.99.7.1.8.42-1
Parquet	org.apache.parquet	parquet-thrift	1.10.99.7.1.8.42-1
Parquet	org.apache.parquet	parquet-tools	1.10.99.7.1.8.42-1
Phoenix	org.apache.phoenix	phoenix-connectors-phoenix5-compat	6.0.0.7.1.8.42-1
Phoenix	org.apache.phoenix	phoenix-core	5.1.1.7.1.8.42-1
Phoenix	org.apache.phoenix	phoenix-hbase-compat-2.2.5	5.1.1.7.1.8.42-1
Phoenix	org.apache.phoenix	phoenix-hbase-compat-2.4.0	5.1.1.7.1.8.42-1
Phoenix	org.apache.phoenix	phoenix-phrf	5.1.1.7.1.8.42-1
Phoenix	org.apache.phoenix	phoenix-queryserver-client	6.0.0.7.1.8.42-1
Phoenix	org.apache.phoenix	phoenix5-spark-shaded	6.0.0.7.1.8.42-1
Ranger	org.apache.ranger	credentialbuilder	2.3.0.7.1.8.42-1
Ranger	org.apache.ranger	embeddedwebserver	2.3.0.7.1.8.42-1
Ranger	org.apache.ranger	ranger-hbase-plugin	2.3.0.7.1.8.42-1
Ranger	org.apache.ranger	ranger-hive-plugin	2.3.0.7.1.8.42-1
Ranger	org.apache.ranger	ranger-intg	2.3.0.7.1.8.42-1
Ranger	org.apache.ranger	ranger-kafka-plugin	2.3.0.7.1.8.42-1
Ranger	org.apache.ranger	ranger-kafka-plugin-shim	2.3.0.7.1.8.42-1
Ranger	org.apache.ranger	ranger-kms-plugin	2.3.0.7.1.8.42-1

Project	groupId	artifactId	version
Ranger	org.apache.ranger	ranger-knox-plugin	2.3.0.7.1.8.42-1
Ranger	org.apache.ranger	ranger-plugin-classloader	2.3.0.7.1.8.42-1
Ranger	org.apache.ranger	ranger-plugins-audit	2.3.0.7.1.8.42-1
Ranger	org.apache.ranger	ranger-plugins-common	2.3.0.7.1.8.42-1
Ranger	org.apache.ranger	ranger-plugins-cred	2.3.0.7.1.8.42-1
Ranger	org.apache.ranger	ranger-raz-adls	2.3.0.7.1.8.42-1
Ranger	org.apache.ranger	ranger-raz-hook-abfs	2.3.0.7.1.8.42-1
Ranger	org.apache.ranger	ranger-raz-intg	2.3.0.7.1.8.42-1
Ranger	org.apache.ranger	ranger-raz-processor	2.3.0.7.1.8.42-1
Ranger	org.apache.ranger	ranger-solr-plugin	2.3.0.7.1.8.42-1
Ranger	org.apache.ranger	ranger-sqoop-plugin	2.3.0.7.1.8.42-1
Ranger	org.apache.ranger	ranger-storm-plugin	2.3.0.7.1.8.42-1
Ranger	org.apache.ranger	ranger-storm-plugin-shim	2.3.0.7.1.8.42-1
Ranger	org.apache.ranger	ranger-yarn-plugin-shim	2.3.0.7.1.8.42-1
Ranger	org.apache.ranger	sample-client	2.3.0.7.1.8.42-1
Ranger	org.apache.ranger	shaded-raz-hook-abfs	2.3.0.7.1.8.42-1
Solr	org.apache.solr	solr-analysis-extras	8.4.1.7.1.8.42-1
Solr	org.apache.solr	solr-analytics	8.4.1.7.1.8.42-1
Solr	org.apache.solr	solr-cell	8.4.1.7.1.8.42-1
Solr	org.apache.solr	solr-clustering	8.4.1.7.1.8.42-1
Solr	org.apache.solr	solr-core	8.4.1.7.1.8.42-1
Solr	org.apache.solr	solr-dataimporthandler	8.4.1.7.1.8.42-1
Solr	org.apache.solr	solr-dataimporthandler-extras	8.4.1.7.1.8.42-1
Solr	org.apache.solr	solr-jaegertracer-configurator	8.4.1.7.1.8.42-1
Solr	org.apache.solr	solr-langid	8.4.1.7.1.8.42-1
Solr	org.apache.solr	solr-ltr	8.4.1.7.1.8.42-1
Solr	org.apache.solr	solr-prometheus-exporter	8.4.1.7.1.8.42-1
Solr	org.apache.solr	solr-security-util	8.4.1.7.1.8.42-1
Solr	org.apache.solr	solr-solrj	8.4.1.7.1.8.42-1
Solr	org.apache.solr	solr-test-framework	8.4.1.7.1.8.42-1
Solr	org.apache.solr	solr-velocity	8.4.1.7.1.8.42-1
Spark	org.apache.spark	spark-avro_2.11	2.4.8.7.1.8.42-1
Spark	org.apache.spark	spark-catalyst_2.11	2.4.8.7.1.8.42-1
Spark	org.apache.spark	spark-core_2.11	2.4.8.7.1.8.42-1
Spark	org.apache.spark	spark-graphx_2.11	2.4.8.7.1.8.42-1
Spark	org.apache.spark	spark-hadoop-cloud_2.11	2.4.8.7.1.8.42-1
Spark	org.apache.spark	spark-hive_2.11	2.4.8.7.1.8.42-1
Spark	org.apache.spark	spark-kubernetes_2.11	2.4.8.7.1.8.42-1
Spark	org.apache.spark	spark-kvstore_2.11	2.4.8.7.1.8.42-1

Project	groupId	artifactId	version
Spark	org.apache.spark	spark-launcher_2.11	2.4.8.7.1.8.42-1
Spark	org.apache.spark	spark-mllib-local_2.11	2.4.8.7.1.8.42-1
Spark	org.apache.spark	spark-mllib_2.11	2.4.8.7.1.8.42-1
Spark	org.apache.spark	spark-network-common_2.11	2.4.8.7.1.8.42-1
Spark	org.apache.spark	spark-network-shuffle_2.11	2.4.8.7.1.8.42-1
Spark	org.apache.spark	spark-network-yarn_2.11	2.4.8.7.1.8.42-1
Spark	org.apache.spark	spark-repl_2.11	2.4.8.7.1.8.42-1
Spark	org.apache.spark	spark-sketch_2.11	2.4.8.7.1.8.42-1
Spark	org.apache.spark	spark-sql-kafka-0-10_2.11	2.4.8.7.1.8.42-1
Spark	org.apache.spark	spark-sql_2.11	2.4.8.7.1.8.42-1
Spark	org.apache.spark	spark-streaming-kafka-0-10-assembly_2.11	2.4.8.7.1.8.42-1
Spark	org.apache.spark	spark-streaming-kafka-0-10_2.11	2.4.8.7.1.8.42-1
Spark	org.apache.spark	spark-streaming_2.11	2.4.8.7.1.8.42-1
Spark	org.apache.spark	spark-tags_2.11	2.4.8.7.1.8.42-1
Spark	org.apache.spark	spark-token-provider-kafka-0-10_2.11	2.4.8.7.1.8.42-1
Spark	org.apache.spark	spark-unsafe_2.11	2.4.8.7.1.8.42-1
Spark	org.apache.spark	spark-yarn_2.11	2.4.8.7.1.8.42-1
Sqoop	org.apache.sqoop	sqoop	1.4.7.7.1.8.42-1
Sqoop	org.apache.sqoop	sqoop-test	1.4.7.7.1.8.42-1
Tez	org.apache.tez	hadoop-shim	0.9.1.7.1.8.42-1
Tez	org.apache.tez	tez-api	0.9.1.7.1.8.42-1
Tez	org.apache.tez	tez-aux-services	0.9.1.7.1.8.42-1
Tez	org.apache.tez	tez-common	0.9.1.7.1.8.42-1
Tez	org.apache.tez	tez-dag	0.9.1.7.1.8.42-1
Tez	org.apache.tez	tez-examples	0.9.1.7.1.8.42-1
Tez	org.apache.tez	tez-history-parser	0.9.1.7.1.8.42-1
Tez	org.apache.tez	tez-job-analyzer	0.9.1.7.1.8.42-1
Tez	org.apache.tez	tez-mapreduce	0.9.1.7.1.8.42-1
Tez	org.apache.tez	tez-runtime-internals	0.9.1.7.1.8.42-1
Tez	org.apache.tez	tez-runtime-library	0.9.1.7.1.8.42-1
Tez	org.apache.tez	tez-tests	0.9.1.7.1.8.42-1
Tez	org.apache.tez	tez-yarn-timeline-cache-plugin	0.9.1.7.1.8.42-1
Tez	org.apache.tez	tez-yarn-timeline-history	0.9.1.7.1.8.42-1
Zeppelin	org.apache.zeppelin	zeppelin-interpreter	0.8.2.7.1.8.42-1
Zeppelin	org.apache.zeppelin	zeppelin-jupyter	0.8.2.7.1.8.42-1
Zeppelin	org.apache.zeppelin	zeppelin-markdown	0.8.2.7.1.8.42-1
Zeppelin	org.apache.zeppelin	zeppelin-server	0.8.2.7.1.8.42-1
Zeppelin	org.apache.zeppelin	zeppelin-shell	0.8.2.7.1.8.42-1
Zeppelin	org.apache.zeppelin	zeppelin-zengine	0.8.2.7.1.8.42-1

Project	groupId	artifactId	version
ZooKeeper	org.apache.zookeeper	zookeeper	3.5.5.7.1.8.42-1
ZooKeeper	org.apache.zookeeper	zookeeper-client-c	3.5.5.7.1.8.42-1
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-rest	3.5.5.7.1.8.42-1
ZooKeeper	org.apache.zookeeper	zookeeper-jute	3.5.5.7.1.8.42-1
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-lock	3.5.5.7.1.8.42-1

Runtime 7.1.8.44-1

The following table lists the project name, groupId, artifactId, and version required to access each Runtime artifact.

Project	groupId	artifactId	version
Apache Atlas	org.apache.atlas	atlas-authorization	2.1.0.7.1.8.44-1
	org.apache.atlas	atlas-aws-s3-bridge	2.1.0.7.1.8.44-1
	org.apache.atlas	atlas-azure-adls-bridge	2.1.0.7.1.8.44-1
	org.apache.atlas	atlas-classification-updater	2.1.0.7.1.8.44-1
	org.apache.atlas	atlas-client-common	2.1.0.7.1.8.44-1
	org.apache.atlas	atlas-client-v1	2.1.0.7.1.8.44-1
	org.apache.atlas	atlas-client-v2	2.1.0.7.1.8.44-1
	org.apache.atlas	atlas-common	2.1.0.7.1.8.44-1
	org.apache.atlas	atlas-distro	2.1.0.7.1.8.44-1
	org.apache.atlas	atlas-docs	2.1.0.7.1.8.44-1
	org.apache.atlas	atlas-graphdb-api	2.1.0.7.1.8.44-1
	org.apache.atlas	atlas-graphdb-common	2.1.0.7.1.8.44-1
	org.apache.atlas	atlas-graphdb-janus	2.1.0.7.1.8.44-1
	org.apache.atlas	atlas-hdfs-bridge	2.1.0.7.1.8.44-1
	org.apache.atlas	atlas-index-repair-tool	2.1.0.7.1.8.44-1
	org.apache.atlas	atlas-intg	2.1.0.7.1.8.44-1
	org.apache.atlas	atlas-janusgraph-hbase2	2.1.0.7.1.8.44-1
	org.apache.atlas	atlas-notification	2.1.0.7.1.8.44-1
	org.apache.atlas	atlas-plugin-classloader	2.1.0.7.1.8.44-1
	org.apache.atlas	atlas-repository	2.1.0.7.1.8.44-1
	org.apache.atlas	atlas-server-api	2.1.0.7.1.8.44-1
	org.apache.atlas	atlas-testtools	2.1.0.7.1.8.44-1
	org.apache.atlas	hbase-bridge	2.1.0.7.1.8.44-1
	org.apache.atlas	hbase-bridge-shim	2.1.0.7.1.8.44-1
	org.apache.atlas	hbase-testing-util	2.1.0.7.1.8.44-1
	org.apache.atlas	hdfs-model	2.1.0.7.1.8.44-1
	org.apache.atlas	hive-bridge	2.1.0.7.1.8.44-1
	org.apache.atlas	hive-bridge-shim	2.1.0.7.1.8.44-1
	org.apache.atlas	impala-bridge	2.1.0.7.1.8.44-1
	org.apache.atlas	impala-bridge-shim	2.1.0.7.1.8.44-1

Project	groupId	artifactId	version
	org.apache.atlas	impala-hook-api	2.1.0.7.1.8.44-1
	org.apache.atlas	kafka-bridge	2.1.0.7.1.8.44-1
	org.apache.atlas	kafka-bridge-shim	2.1.0.7.1.8.44-1
	org.apache.atlas	navigator-to-atlas	2.1.0.7.1.8.44-1
	org.apache.atlas	sample-app	2.1.0.7.1.8.44-1
	org.apache.atlas	sqoop-bridge	2.1.0.7.1.8.44-1
	org.apache.atlas	sqoop-bridge-shim	2.1.0.7.1.8.44-1
Apache Avro	org.apache.avro	avro	1.8.2.7.1.8.44-1
	org.apache.avro	avro-compiler	1.8.2.7.1.8.44-1
	org.apache.avro	avro-ipc	1.8.2.7.1.8.44-1
	org.apache.avro	avro-mapred	1.8.2.7.1.8.44-1
	org.apache.avro	avro-maven-plugin	1.8.2.7.1.8.44-1
	org.apache.avro	avro-protobuf	1.8.2.7.1.8.44-1
	org.apache.avro	avro-service-archetype	1.8.2.7.1.8.44-1
	org.apache.avro	avro-thrift	1.8.2.7.1.8.44-1
	org.apache.avro	avro-tools	1.8.2.7.1.8.44-1
	org.apache.avro	trevni-avro	1.8.2.7.1.8.44-1
	org.apache.avro	trevni-core	1.8.2.7.1.8.44-1
Apache Calcite	org.apache.calcite	calcite-babel	1.19.0.7.1.8.44-1
	org.apache.calcite	calcite-core	1.19.0.7.1.8.44-1
	org.apache.calcite	calcite-druid	1.19.0.7.1.8.44-1
	org.apache.calcite	calcite-linq4j	1.19.0.7.1.8.44-1
	org.apache.calcite	calcite-server	1.19.0.7.1.8.44-1
	org.apache.calcite.avatica	avatica	1.16.0.7.1.8.44-1
	org.apache.calcite.avatica	avatica-core	1.16.0.7.1.8.44-1
	org.apache.calcite.avatica	avatica-metrics	1.16.0.7.1.8.44-1
	org.apache.calcite.avatica	avatica-metrics-dropwizardmetrics	1.16.0.7.1.8.44-1
	org.apache.calcite.avatica	avatica-noop-driver	1.16.0.7.1.8.44-1
	org.apache.calcite.avatica	avatica-server	1.16.0.7.1.8.44-1
	org.apache.calcite.avatica	avatica-standalone-server	1.16.0.7.1.8.44-1
	org.apache.calcite.avatica	avatica-tck	1.16.0.7.1.8.44-1
GCS Connector	com.google.cloud.bigtable	bigtable-hbase-connector	2.1.2.7.1.8.44-1
	com.google.cloud.bigtable	gcs-connector	2.1.2.7.1.8.44-1
	com.google.cloud.bigtable	gcsio	2.1.2.7.1.8.44-1
	com.google.cloud.bigtable	gdataoss	2.1.2.7.1.8.44-1
	com.google.cloud.bigtable	gdataoss	2.1.2.7.1.8.44-1
Apache Hadoop	org.apache.hadoop	hadoop-aliyun	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-annotations	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-archive-logs	3.1.1.7.1.8.44-1

Project	groupId	artifactId	version
	org.apache.hadoop	hadoop-archives	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-assemblies	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-auth	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-aws	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-azure	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-azure-datalake	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-build-tools	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-client	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-client-api	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-client-integration-tests	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-client-miniclust	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-client-runtime	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-cloud-storage	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-common	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-datajoin	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-distcp	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-extras	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-fs2img	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-gridmix	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-hdfs	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-hdfs-client	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-hdfs-httpfs	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-hdfs-native-client	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-hdfs-nfs	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-hdfs-rbf	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-kafka	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-kms	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-mapreduce-client-app	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-mapreduce-client-common	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-mapreduce-client-core	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-mapreduce-client-hs	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-mapreduce-client-hs-plugins	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-mapreduce-client-jobclient	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-mapreduce-client-nativetask	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-mapreduce-client-shuffle	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-mapreduce-client-uploader	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-mapreduce-examples	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-maven-plugins	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-miniclust	3.1.1.7.1.8.44-1

Project	groupId	artifactId	version
	org.apache.hadoop	hadoop-minikdc	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-nfs	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-openstack	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-resourceestimator	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-rumen	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-sls	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-streaming	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-tools-dist	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-yarn-api	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-yarn-applications-distributedshell	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-yarn-applications-unmanaged-am-launcher	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-yarn-client	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-yarn-common	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-yarn-registry	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-yarn-server-applicationhistoryservice	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-yarn-server-common	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-yarn-server-nodemanager	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-yarn-server-resourcemanager	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-yarn-server-router	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-yarn-server-sharedcachemanager	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-yarn-server-tests	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-yarn-server-timeline-pluginstorage	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-yarn-server-timelineservice	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-client	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-common	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-server-2	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-tests	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-yarn-server-web-proxy	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-yarn-services-api	3.1.1.7.1.8.44-1
	org.apache.hadoop	hadoop-yarn-services-core	3.1.1.7.1.8.44-1
Apache HBase	org.apache.hbase	filesystem	hadoop3-3-testutils
	org.apache.hbase	hbase-annotations	2.4.6.7.1.8.44-1
	org.apache.hbase	hbase-asyncfs	2.4.6.7.1.8.44-1
	org.apache.hbase	hbase-checkstyle	2.4.6.7.1.8.44-1
	org.apache.hbase	hbase-client	2.4.6.7.1.8.44-1
	org.apache.hbase	hbase-client-project	2.4.6.7.1.8.44-1
	org.apache.hbase	hbase-common	2.4.6.7.1.8.44-1
	org.apache.hbase	hbase-endpoint	2.4.6.7.1.8.44-1
	org.apache.hbase	hbase-examples	2.4.6.7.1.8.44-1

Project	groupId	artifactId	version
	org.apache.hbase	hbase-external-blockcache	2.4.6.7.1.8.44-1
	org.apache.hbase	hbase-hadoop-compat	2.4.6.7.1.8.44-1
	org.apache.hbase	hbase-hadoop2-compat	2.4.6.7.1.8.44-1
	org.apache.hbase	hbase-hbtop	2.4.6.7.1.8.44-1
	org.apache.hbase	hbase-http	2.4.6.7.1.8.44-1
	org.apache.hbase	hbase-it	2.4.6.7.1.8.44-1
	org.apache.hbase	hbase-logging	2.4.6.7.1.8.44-1
	org.apache.hbase	hbase-mapreduce	2.4.6.7.1.8.44-1
	org.apache.hbase	hbase-metrics	2.4.6.7.1.8.44-1
	org.apache.hbase	hbase-metrics-api	2.4.6.7.1.8.44-1
	org.apache.hbase	hbase-procedure	2.4.6.7.1.8.44-1
	org.apache.hbase	hbase-protocol	2.4.6.7.1.8.44-1
	org.apache.hbase	hbase-protocol-shaded	2.4.6.7.1.8.44-1
	org.apache.hbase	hbase-replication	2.4.6.7.1.8.44-1
	org.apache.hbase	hbase-resource-bundle	2.4.6.7.1.8.44-1
	org.apache.hbase	hbase-rest	2.4.6.7.1.8.44-1
	org.apache.hbase	hbase-rsgroup	2.4.6.7.1.8.44-1
	org.apache.hbase	hbase-server	2.4.6.7.1.8.44-1
	org.apache.hbase	hbase-shaded-client	2.4.6.7.1.8.44-1
	org.apache.hbase	hbase-shaded-client-byo-hadoop	2.4.6.7.1.8.44-1
	org.apache.hbase	hbase-shaded-client-project	2.4.6.7.1.8.44-1
	org.apache.hbase	hbase-shaded-mapreduce	2.4.6.7.1.8.44-1
	org.apache.hbase	hbase-shaded-testing-util	2.4.6.7.1.8.44-1
	org.apache.hbase	hbase-shaded-testing-util-tester	2.4.6.7.1.8.44-1
	org.apache.hbase	hbase-shell	2.4.6.7.1.8.44-1
	org.apache.hbase	hbase-testing-util	2.4.6.7.1.8.44-1
	org.apache.hbase	hbase-thrift	2.4.6.7.1.8.44-1
	org.apache.hbase	hbase-zookeeper	2.4.6.7.1.8.44-1
	org.apache.hbase.connector.kafka	hbase-connector-kafka-model	1.0.0.7.1.8.44-1
	org.apache.hbase.connector.kafka	hbase-connector-kafka-proxy	1.0.0.7.1.8.44-1
	org.apache.hbase.connector.spark	hbase-connector-spark	1.0.0.7.1.8.44-1
	org.apache.hbase.connector.spark	hbase-connector-spark-it	1.0.0.7.1.8.44-1
	org.apache.hbase.connector.spark	hbase-connector-spark-protocol	1.0.0.7.1.8.44-1
	org.apache.hbase.connector.spark	hbase-connector-spark-protocol-shaded	1.0.0.7.1.8.44-1
	org.apache.hbase.filesystem	hbase-filesystem-testutils	1.0.0.7.1.8.44-1
	org.apache.hbase.filesystem	hbase-filesystems-impl	1.0.0.7.1.8.44-1
	org.apache.hbase.filesystem	hbase-filesystem	1.0.0.7.1.8.44-1
	org.apache.hbase.thirdparty	hbase-thirdparty-noop-htrace	3.5.0.7.1.8.44-1
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-gson	3.5.0.7.1.8.44-1

Project	groupId	artifactId	version
	org.apache.hbase.thirdparty	thrift-shaded-jackson-jaxrs-json-provider	3.5.0.7.1.8.44-1
	org.apache.hbase.thirdparty	thrift-shaded-jersey	3.5.0.7.1.8.44-1
	org.apache.hbase.thirdparty	thrift-shaded-jetty	3.5.0.7.1.8.44-1
	org.apache.hbase.thirdparty	thrift-shaded-miscellaneous	3.5.0.7.1.8.44-1
	org.apache.hbase.thirdparty	thrift-shaded-netty	3.5.0.7.1.8.44-1
	org.apache.hbase.thirdparty	thrift-shaded-protobuf	3.5.0.7.1.8.44-1
Apache Hive	org.apache.hive	hive-beeline	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-blobstore	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-classification	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-cli	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-common	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-contrib	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-exec	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-hbase-handler	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-hcatalog-it-unit	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-hplsql	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-it-custom-serde	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-it-minikdc	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-it-qfile	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-it-qfile-kudu	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-it-test-serde	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-it-unit	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-it-unit-hadoop2	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-it-util	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-jdbc	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-jdbc-handler	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-jmh	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-kryo-registrator	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-kudu-handler	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-llap-client	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-llap-common	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-llap-ext-client	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-llap-server	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-llap-tez	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-metastore	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-pre-upgrade	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-serde	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-service	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-service-rpc	3.1.3000.7.1.8.44-1

Project	groupId	artifactId	version
	org.apache.hive	hive-shims	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-spark-client	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-standalone-metastore	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-storage-api	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-streaming	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-testutils	3.1.3000.7.1.8.44-1
	org.apache.hive	hive-vector-code-gen	3.1.3000.7.1.8.44-1
	org.apache.hive	kafka-handler	3.1.3000.7.1.8.44-1
	org.apache.hive.hcatalog	hive-hcatalog-core	3.1.3000.7.1.8.44-1
	org.apache.hive.hcatalog	hive-hcatalog-server-extensions	3.1.3000.7.1.8.44-1
	org.apache.hive.hcatalog	hive-hcatalog-streaming	3.1.3000.7.1.8.44-1
	org.apache.hive.hcatalog	hive-webhcat	3.1.3000.7.1.8.44-1
	org.apache.hive.hcatalog	hive-webhcat-java-client	3.1.3000.7.1.8.44-1
	org.apache.hive.hive-udf-classloader-udf1 it-custom-udfs		3.1.3000.7.1.8.44-1
	org.apache.hive.hive-udf-classloader-udf2 it-custom-udfs		3.1.3000.7.1.8.44-1
	org.apache.hive.hive-udf-classloader-util it-custom-udfs		3.1.3000.7.1.8.44-1
	org.apache.hive.hive-udf-vectorized-badexample it-custom-udfs		3.1.3000.7.1.8.44-1
	org.apache.hive.shims	hive-shims-0.23	3.1.3000.7.1.8.44-1
	org.apache.hive.shims	hive-shims-common	3.1.3000.7.1.8.44-1
	org.apache.hive.shims	hive-shims-scheduler	3.1.3000.7.1.8.44-1
Apache Hive Warehouse Connector	com.hortonworks.hive	hive-warehouse-connector_2.11	1.0.0.7.1.8.44-1
Apache Kafka	org.apache.kafka	connect	3.1.1.7.1.8.44-1
	org.apache.kafka	connect-api	3.1.1.7.1.8.44-1
	org.apache.kafka	connect-basic-auth-extension	3.1.1.7.1.8.44-1
	org.apache.kafka	connect-cloudera-authorization-extension	3.1.1.7.1.8.44-1
	org.apache.kafka	connect-cloudera-common	3.1.1.7.1.8.44-1
	org.apache.kafka	connect-cloudera-secret-storage	3.1.1.7.1.8.44-1
	org.apache.kafka	connect-cloudera-security-policies	3.1.1.7.1.8.44-1
	org.apache.kafka	connect-file	3.1.1.7.1.8.44-1
	org.apache.kafka	connect-json	3.1.1.7.1.8.44-1
	org.apache.kafka	connect-mirror	3.1.1.7.1.8.44-1
	org.apache.kafka	connect-mirror-client	3.1.1.7.1.8.44-1
	org.apache.kafka	connect-runtime	3.1.1.7.1.8.44-1
	org.apache.kafka	connect-transforms	3.1.1.7.1.8.44-1
	org.apache.kafka	generator	3.1.1.7.1.8.44-1
	org.apache.kafka	kafka-clients	3.1.1.7.1.8.44-1

Project	groupId	artifactId	version
	org.apache.kafka	kafka-cloudera-metrics-reporter_2.12	3.1.1.7.1.8.44-1
	org.apache.kafka	kafka-cloudera-metrics-reporter_2.13	3.1.1.7.1.8.44-1
	org.apache.kafka	kafka-cloudera-plugins	3.1.1.7.1.8.44-1
	org.apache.kafka	kafka-examples	3.1.1.7.1.8.44-1
	org.apache.kafka	kafka-log4j-appender	3.1.1.7.1.8.44-1
	org.apache.kafka	kafka-metadata	3.1.1.7.1.8.44-1
	org.apache.kafka	kafka-raft	3.1.1.7.1.8.44-1
	org.apache.kafka	kafka-server-common	3.1.1.7.1.8.44-1
	org.apache.kafka	kafka-shell	3.1.1.7.1.8.44-1
	org.apache.kafka	kafka-storage	3.1.1.7.1.8.44-1
	org.apache.kafka	kafka-storage-api	3.1.1.7.1.8.44-1
	org.apache.kafka	kafka-streams	3.1.1.7.1.8.44-1
	org.apache.kafka	kafka-streams-examples	3.1.1.7.1.8.44-1
	org.apache.kafka	kafka-streams-scala_2.12	3.1.1.7.1.8.44-1
	org.apache.kafka	kafka-streams-scala_2.13	3.1.1.7.1.8.44-1
	org.apache.kafka	kafka-streams-test-utils	3.1.1.7.1.8.44-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-0100	3.1.1.7.1.8.44-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-0101	3.1.1.7.1.8.44-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-0102	3.1.1.7.1.8.44-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-0110	3.1.1.7.1.8.44-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-10	3.1.1.7.1.8.44-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-11	3.1.1.7.1.8.44-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-20	3.1.1.7.1.8.44-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-21	3.1.1.7.1.8.44-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-22	3.1.1.7.1.8.44-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-23	3.1.1.7.1.8.44-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-24	3.1.1.7.1.8.44-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-25	3.1.1.7.1.8.44-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-26	3.1.1.7.1.8.44-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-27	3.1.1.7.1.8.44-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-28	3.1.1.7.1.8.44-1
	org.apache.kafka	kafka-tools	3.1.1.7.1.8.44-1
	org.apache.kafka	kafka_2.12	3.1.1.7.1.8.44-1
	org.apache.kafka	kafka_2.13	3.1.1.7.1.8.44-1
	org.apache.kafka	trogdor	3.1.1.7.1.8.44-1
Apache Knox	org.apache.knox	gateway-adapter	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-admin-ui	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-applications	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-cloud-bindings	1.3.0.7.1.8.44-1

Project	groupId	artifactId	version
	org.apache.knox	gateway-demo-ldap	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-demo-ldap-launcher	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-discovery-ambari	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-discovery-cm	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-docker	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-i18n	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-i18n-logging-log4j	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-i18n-logging-sl4j	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-provider-ha	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-provider-identity-assertion-common	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-provider-identity-assertion-concat	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-provider-identity-assertion-hadoop-groups	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-provider-identity-assertion-pseudo	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-provider-identity-assertion-regex	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-provider-identity-assertion-switchcase	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-provider-jersey	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-provider-rewrite	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-provider-rewrite-common	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-provider-rewrite-func-hostmap-static	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-provider-rewrite-func-inbound-query-param	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-provider-rewrite-func-service-registry	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-provider-rewrite-step-encrypt-uri	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-provider-rewrite-step-secure-query	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-provider-security-authc-anon	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-provider-security-authz-acls	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-provider-security-authz-composite	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-provider-security-clientcert	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-provider-security-hadoopauth	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-provider-security-jwt	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-provider-security-pac4j	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-provider-security-preauth	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-provider-security-shiro	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-provider-security-webappsec	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-release	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-server	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-server-launcher	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-server-xforwarded-filter	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-service-admin	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-service-as	1.3.0.7.1.8.44-1

Project	groupId	artifactId	version
	org.apache.knox	gateway-service-definitions	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-service-hashicorp-vault	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-service-hbase	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-service-health	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-service-hive	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-service-idbroker	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-service-impala	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-service-jkg	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-service-knoxsso	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-service-knoxssout	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-service-knoxtoken	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-service-livy	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-service-metadata	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-service-nifi	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-service-nifi-registry	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-service-remoteconfig	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-service-rm	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-service-session	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-service-storm	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-service-test	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-service-tgs	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-service-vault	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-service-webhdfs	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-shell	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-shell-launcher	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-shell-release	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-shell-samples	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-spi	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-test	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-test-idbroker	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-test-release-utils	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-test-utils	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-topology-hadoop-xml	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-topology-simple	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-util-common	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-util-configinjector	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-util-launcher	1.3.0.7.1.8.44-1
	org.apache.knox	gateway-util-urltemplate	1.3.0.7.1.8.44-1
	org.apache.knox	hadoop-examples	1.3.0.7.1.8.44-1

Project	groupId	artifactId	version
	org.apache.knox	knox-cli-launcher	1.3.0.7.1.8.44-1
	org.apache.knox	knox-homepage-ui	1.3.0.7.1.8.44-1
	org.apache.knox	webhdfs-kerb-test	1.3.0.7.1.8.44-1
	org.apache.knox	webhdfs-test	1.3.0.7.1.8.44-1
Apache Kudu	org.apache.kudu	kudu-backup-tools	1.15.0.7.1.8.44-1
	org.apache.kudu	kudu-backup2_2.11	1.15.0.7.1.8.44-1
	org.apache.kudu	kudu-backup3_2.12	1.15.0.7.1.8.44-1
	org.apache.kudu	kudu-client	1.15.0.7.1.8.44-1
	org.apache.kudu	kudu-hive	1.15.0.7.1.8.44-1
	org.apache.kudu	kudu-spark2-tools_2.11	1.15.0.7.1.8.44-1
	org.apache.kudu	kudu-spark2_2.11	1.15.0.7.1.8.44-1
	org.apache.kudu	kudu-spark3-tools_2.12	1.15.0.7.1.8.44-1
	org.apache.kudu	kudu-spark3_2.12	1.15.0.7.1.8.44-1
	org.apache.kudu	kudu-test-utils	1.15.0.7.1.8.44-1
Apache Livy	org.apache.livy	livy-api	0.6.0.7.1.8.44-1
	org.apache.livy	livy-client-common	0.6.0.7.1.8.44-1
	org.apache.livy	livy-client-http	0.6.0.7.1.8.44-1
	org.apache.livy	livy-core_2.11	0.6.0.7.1.8.44-1
	org.apache.livy	livy-examples	0.6.0.7.1.8.44-1
	org.apache.livy	livy-integration-test	0.6.0.7.1.8.44-1
	org.apache.livy	livy-repl_2.11	0.6.0.7.1.8.44-1
	org.apache.livy	livy-rsc	0.6.0.7.1.8.44-1
	org.apache.livy	livy-scala-api_2.11	0.6.0.7.1.8.44-1
	org.apache.livy	livy-server	0.6.0.7.1.8.44-1
	org.apache.livy	livy-test-lib	0.6.0.7.1.8.44-1
	org.apache.livy	livy-thriftserver	0.6.0.7.1.8.44-1
	org.apache.livy	livy-thriftserver-session	0.6.0.7.1.8.44-1
Apache Lucene	org.apache.lucene	lucene-analyzers-common	8.4.1.7.1.8.44-1
	org.apache.lucene	lucene-analyzers-icu	8.4.1.7.1.8.44-1
	org.apache.lucene	lucene-analyzers-kuromoji	8.4.1.7.1.8.44-1
	org.apache.lucene	lucene-analyzers-morfologik	8.4.1.7.1.8.44-1
	org.apache.lucene	lucene-analyzers-nori	8.4.1.7.1.8.44-1
	org.apache.lucene	lucene-analyzers-openslp	8.4.1.7.1.8.44-1
	org.apache.lucene	lucene-analyzers-phonetic	8.4.1.7.1.8.44-1
	org.apache.lucene	lucene-analyzers-smartcn	8.4.1.7.1.8.44-1
	org.apache.lucene	lucene-analyzers-stempel	8.4.1.7.1.8.44-1
	org.apache.lucene	lucene-backward-codecs	8.4.1.7.1.8.44-1
	org.apache.lucene	lucene-benchmark	8.4.1.7.1.8.44-1
	org.apache.lucene	lucene-classification	8.4.1.7.1.8.44-1

Project	groupId	artifactId	version
	org.apache.lucene	lucene-codecs	8.4.1.7.1.8.44-1
	org.apache.lucene	lucene-core	8.4.1.7.1.8.44-1
	org.apache.lucene	lucene-demo	8.4.1.7.1.8.44-1
	org.apache.lucene	lucene-expressions	8.4.1.7.1.8.44-1
	org.apache.lucene	lucene-facet	8.4.1.7.1.8.44-1
	org.apache.lucene	lucene-grouping	8.4.1.7.1.8.44-1
	org.apache.lucene	lucene-highlighter	8.4.1.7.1.8.44-1
	org.apache.lucene	lucene-join	8.4.1.7.1.8.44-1
	org.apache.lucene	lucene-memory	8.4.1.7.1.8.44-1
	org.apache.lucene	lucene-misc	8.4.1.7.1.8.44-1
	org.apache.lucene	lucene-monitor	8.4.1.7.1.8.44-1
	org.apache.lucene	lucene-queries	8.4.1.7.1.8.44-1
	org.apache.lucene	lucene-queryparser	8.4.1.7.1.8.44-1
	org.apache.lucene	lucene-replicator	8.4.1.7.1.8.44-1
	org.apache.lucene	lucene-sandbox	8.4.1.7.1.8.44-1
	org.apache.lucene	lucene-spatial	8.4.1.7.1.8.44-1
	org.apache.lucene	lucene-spatial-extras	8.4.1.7.1.8.44-1
	org.apache.lucene	lucene-spatial3d	8.4.1.7.1.8.44-1
	org.apache.lucene	lucene-suggest	8.4.1.7.1.8.44-1
	org.apache.lucene	lucene-test-framework	8.4.1.7.1.8.44-1
Apache Oozie	org.apache.oozie	oozie-client	5.1.0.7.1.8.44-1
	org.apache.oozie	oozie-core	5.1.0.7.1.8.44-1
	org.apache.oozie	oozie-distro	5.1.0.7.1.8.44-1
	org.apache.oozie	oozie-examples	5.1.0.7.1.8.44-1
	org.apache.oozie	oozie-fluent-job-api	5.1.0.7.1.8.44-1
	org.apache.oozie	oozie-fluent-job-client	5.1.0.7.1.8.44-1
	org.apache.oozie	oozie-server	5.1.0.7.1.8.44-1
	org.apache.oozie	oozie-sharelib-distcp	5.1.0.7.1.8.44-1
	org.apache.oozie	oozie-sharelib-git	5.1.0.7.1.8.44-1
	org.apache.oozie	oozie-sharelib-hcatalog	5.1.0.7.1.8.44-1
	org.apache.oozie	oozie-sharelib-hive	5.1.0.7.1.8.44-1
	org.apache.oozie	oozie-sharelib-hive2	5.1.0.7.1.8.44-1
	org.apache.oozie	oozie-sharelib-oozie	5.1.0.7.1.8.44-1
	org.apache.oozie	oozie-sharelib-spark	5.1.0.7.1.8.44-1
	org.apache.oozie	oozie-sharelib-sqoop	5.1.0.7.1.8.44-1
	org.apache.oozie	oozie-sharelib-streaming	5.1.0.7.1.8.44-1
	org.apache.oozie	oozie-tools	5.1.0.7.1.8.44-1
	org.apache.oozie	oozie-zookeeper-security-tests	5.1.0.7.1.8.44-1
	org.apache.oozie.test	oozie-mini	5.1.0.7.1.8.44-1

Project	groupId	artifactId	version
Apache ORC	org.apache.orc	orc-core	1.5.1.7.1.8.44-1
	org.apache.orc	orc-examples	1.5.1.7.1.8.44-1
	org.apache.orc	orc-mapreduce	1.5.1.7.1.8.44-1
	org.apache.orc	orc-shims	1.5.1.7.1.8.44-1
	org.apache.orc	orc-tools	1.5.1.7.1.8.44-1
Apache Parquet	org.apache.parquet	parquet-avro	1.10.99.7.1.8.44-1
	org.apache.parquet	parquet-cascading	1.10.99.7.1.8.44-1
	org.apache.parquet	parquet-cascading3	1.10.99.7.1.8.44-1
	org.apache.parquet	parquet-column	1.10.99.7.1.8.44-1
	org.apache.parquet	parquet-common	1.10.99.7.1.8.44-1
	org.apache.parquet	parquet-encoding	1.10.99.7.1.8.44-1
	org.apache.parquet	parquet-format-structures	1.10.99.7.1.8.44-1
	org.apache.parquet	parquet-generator	1.10.99.7.1.8.44-1
	org.apache.parquet	parquet-hadoop	1.10.99.7.1.8.44-1
	org.apache.parquet	parquet-hadoop-bundle	1.10.99.7.1.8.44-1
	org.apache.parquet	parquet-jackson	1.10.99.7.1.8.44-1
	org.apache.parquet	parquet-pig	1.10.99.7.1.8.44-1
	org.apache.parquet	parquet-pig-bundle	1.10.99.7.1.8.44-1
	org.apache.parquet	parquet-protobuf	1.10.99.7.1.8.44-1
	org.apache.parquet	parquet-scala_2.10	1.10.99.7.1.8.44-1
	org.apache.parquet	parquet-thrift	1.10.99.7.1.8.44-1
	org.apache.parquet	parquet-tools	1.10.99.7.1.8.44-1
Apache Phoenix	org.apache.phoenix	phoenix-client-embedded-hbase-2.4	5.1.1.7.1.8.44-1
	org.apache.phoenix	phoenix-client-hbase-2.4	5.1.1.7.1.8.44-1
	org.apache.phoenix	phoenix-connectors-phoenix5-compat	6.0.0.7.1.8.44-1
	org.apache.phoenix	phoenix-core	5.1.1.7.1.8.44-1
	org.apache.phoenix	phoenix-hbase-compat-2.1.6	5.1.1.7.1.8.44-1
	org.apache.phoenix	phoenix-hbase-compat-2.2.5	5.1.1.7.1.8.44-1
	org.apache.phoenix	phoenix-hbase-compat-2.3.0	5.1.1.7.1.8.44-1
	org.apache.phoenix	phoenix-hbase-compat-2.4.0	5.1.1.7.1.8.44-1
	org.apache.phoenix	phoenix-hbase-compat-2.4.1	5.1.1.7.1.8.44-1
	org.apache.phoenix	phoenix-pherf	5.1.1.7.1.8.44-1
	org.apache.phoenix	phoenix-queryserver	6.0.0.7.1.8.44-1
	org.apache.phoenix	phoenix-queryserver-client	6.0.0.7.1.8.44-1
	org.apache.phoenix	phoenix-queryserver-it	6.0.0.7.1.8.44-1
	org.apache.phoenix	phoenix-queryserver-load-balancer	6.0.0.7.1.8.44-1
	org.apache.phoenix	phoenix-queryserver-orchestrator	6.0.0.7.1.8.44-1
	org.apache.phoenix	phoenix-server-hbase-2.4	5.1.1.7.1.8.44-1
	org.apache.phoenix	phoenix-tracing-webapp	5.1.1.7.1.8.44-1

Project	groupId	artifactId	version
	org.apache.phoenix	phoenix5-hive	6.0.0.7.1.8.44-1
	org.apache.phoenix	phoenix5-hive-shaded	6.0.0.7.1.8.44-1
	org.apache.phoenix	phoenix5-spark	6.0.0.7.1.8.44-1
	org.apache.phoenix	phoenix5-spark-shaded	6.0.0.7.1.8.44-1
	org.apache.phoenix	phoenix5-shaded-commons-cli	1.1.0.7.1.8.44-1
	org.apache.phoenix	phoenix5-shaded-guava	1.1.0.7.1.8.44-1
Apache Ranger	org.apache.ranger	conditions-enrichers	2.3.0.7.1.8.44-1
	org.apache.ranger	credentialbuilder	2.3.0.7.1.8.44-1
	org.apache.ranger	embeddedwebserver	2.3.0.7.1.8.44-1
	org.apache.ranger	jisql	2.3.0.7.1.8.44-1
	org.apache.ranger	ldapconfigcheck	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-adls-plugin	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-atlas-plugin	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-atlas-plugin-shim	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-authn	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-distro	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-examples-distro	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-hbase-plugin	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-hbase-plugin-shim	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-hdfs-plugin	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-hdfs-plugin-shim	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-hive-plugin	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-hive-plugin-shim	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-intg	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-kafka-connect-plugin	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-kafka-plugin	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-kafka-plugin-shim	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-kms	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-kms-plugin	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-kms-plugin-shim	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-knox-plugin	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-knox-plugin-shim	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-kudu-plugin	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-kylin-plugin	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-kylin-plugin-shim	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-nifi-plugin	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-nifi-registry-plugin	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-ozone-plugin	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-ozone-plugin-shim	2.3.0.7.1.8.44-1

Project	groupId	artifactId	version
	org.apache.ranger	ranger-plugin-classloader	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-plugins-audit	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-plugins-common	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-plugins-cred	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-plugins-installer	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-policymigration	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-raz-adls	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-raz-chained-plugins	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-raz-hook-abfs	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-raz-intg	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-raz-processor	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-rms-common	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-rms-hive	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-rms-plugins-common	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-rms-webapp	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-sampleapp-plugin	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-schema-registry-plugin	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-solr-plugin	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-solr-plugin-shim	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-sqoop-plugin	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-sqoop-plugin-shim	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-storm-plugin	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-storm-plugin-shim	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-tagsync	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-tools	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-util	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-yarn-plugin	2.3.0.7.1.8.44-1
	org.apache.ranger	ranger-yarn-plugin-shim	2.3.0.7.1.8.44-1
	org.apache.ranger	sample-client	2.3.0.7.1.8.44-1
	org.apache.ranger	sampleapp	2.3.0.7.1.8.44-1
	org.apache.ranger	shaded-raz-hook-abfs	2.3.0.7.1.8.44-1
	org.apache.ranger	ugsync-util	2.3.0.7.1.8.44-1
	org.apache.ranger	unixauthclient	2.3.0.7.1.8.44-1
	org.apache.ranger	unixauthservice	2.3.0.7.1.8.44-1
	org.apache.ranger	unixusersync	2.3.0.7.1.8.44-1
Apache Solr	org.apache.solr	solr-analysis-extras	8.4.1.7.1.8.44-1
	org.apache.solr	solr-analytics	8.4.1.7.1.8.44-1
	org.apache.solr	solr-cell	8.4.1.7.1.8.44-1
	org.apache.solr	solr-clustering	8.4.1.7.1.8.44-1

Project	groupId	artifactId	version
	org.apache.solr	solr-core	8.4.1.7.1.8.44-1
	org.apache.solr	solr-dataimporthandler	8.4.1.7.1.8.44-1
	org.apache.solr	solr-dataimporthandler-extras	8.4.1.7.1.8.44-1
	org.apache.solr	solr-jaegertracer-configurator	8.4.1.7.1.8.44-1
	org.apache.solr	solr-langid	8.4.1.7.1.8.44-1
	org.apache.solr	solr-ltr	8.4.1.7.1.8.44-1
	org.apache.solr	solr-prometheus-exporter	8.4.1.7.1.8.44-1
	org.apache.solr	solr-security-util	8.4.1.7.1.8.44-1
	org.apache.solr	solr-solrj	8.4.1.7.1.8.44-1
	org.apache.solr	solr-test-framework	8.4.1.7.1.8.44-1
	org.apache.solr	solr-velocity	8.4.1.7.1.8.44-1
Apache Spark	org.apache.spark	spark-avro_2.11	2.4.8.7.1.8.44-1
	org.apache.spark	spark-catalyst_2.11	2.4.8.7.1.8.44-1
	org.apache.spark	spark-core_2.11	2.4.8.7.1.8.44-1
	org.apache.spark	spark-graphx_2.11	2.4.8.7.1.8.44-1
	org.apache.spark	spark-hadoop-cloud_2.11	2.4.8.7.1.8.44-1
	org.apache.spark	spark-hive_2.11	2.4.8.7.1.8.44-1
	org.apache.spark	spark-kubernetes_2.11	2.4.8.7.1.8.44-1
	org.apache.spark	spark-kvstore_2.11	2.4.8.7.1.8.44-1
	org.apache.spark	spark-launcher_2.11	2.4.8.7.1.8.44-1
	org.apache.spark	spark-mllib-local_2.11	2.4.8.7.1.8.44-1
	org.apache.spark	spark-mllib_2.11	2.4.8.7.1.8.44-1
	org.apache.spark	spark-network-common_2.11	2.4.8.7.1.8.44-1
	org.apache.spark	spark-network-shuffle_2.11	2.4.8.7.1.8.44-1
	org.apache.spark	spark-network-yarn_2.11	2.4.8.7.1.8.44-1
	org.apache.spark	spark-repl_2.11	2.4.8.7.1.8.44-1
	org.apache.spark	spark-sketch_2.11	2.4.8.7.1.8.44-1
	org.apache.spark	spark-sql-kafka-0-10_2.11	2.4.8.7.1.8.44-1
	org.apache.spark	spark-sql_2.11	2.4.8.7.1.8.44-1
	org.apache.spark	spark-streaming-kafka-0-10-assembly_2.11	2.4.8.7.1.8.44-1
	org.apache.spark	spark-streaming-kafka-0-10_2.11	2.4.8.7.1.8.44-1
	org.apache.spark	spark-streaming_2.11	2.4.8.7.1.8.44-1
	org.apache.spark	spark-tags_2.11	2.4.8.7.1.8.44-1
	org.apache.spark	spark-token-provider-kafka-0-10_2.11	2.4.8.7.1.8.44-1
	org.apache.spark	spark-unsafe_2.11	2.4.8.7.1.8.44-1
	org.apache.spark	spark-yarn_2.11	2.4.8.7.1.8.44-1
Apache Sqoop	org.apache.sqoop	sqoop	1.4.7.7.1.8.44-1
	org.apache.sqoop	sqoop-test	1.4.7.7.1.8.44-1
Apache Tez	org.apache.tez	hadoop-shim	0.9.1.7.1.8.44-1

Project	groupId	artifactId	version
	org.apache.tez	hadoop-shim-2.8	0.9.1.7.1.8.44-1
	org.apache.tez	tez-api	0.9.1.7.1.8.44-1
	org.apache.tez	tez-aux-services	0.9.1.7.1.8.44-1
	org.apache.tez	tez-common	0.9.1.7.1.8.44-1
	org.apache.tez	tez-dag	0.9.1.7.1.8.44-1
	org.apache.tez	tez-examples	0.9.1.7.1.8.44-1
	org.apache.tez	tez-ext-service-tests	0.9.1.7.1.8.44-1
	org.apache.tez	tez-history-parser	0.9.1.7.1.8.44-1
	org.apache.tez	tez-javadoc-tools	0.9.1.7.1.8.44-1
	org.apache.tez	tez-job-analyzer	0.9.1.7.1.8.44-1
	org.apache.tez	tez-mapreduce	0.9.1.7.1.8.44-1
	org.apache.tez	tez-protobuf-history-plugin	0.9.1.7.1.8.44-1
	org.apache.tez	tez-runtime-internals	0.9.1.7.1.8.44-1
	org.apache.tez	tez-runtime-library	0.9.1.7.1.8.44-1
	org.apache.tez	tez-tests	0.9.1.7.1.8.44-1
	org.apache.tez	tez-yarn-timeline-cache-plugin	0.9.1.7.1.8.44-1
	org.apache.tez	tez-yarn-timeline-history	0.9.1.7.1.8.44-1
	org.apache.tez	tez-yarn-timeline-history-with-acls	0.9.1.7.1.8.44-1
	org.apache.tez	tez-yarn-timeline-history-with-fs	0.9.1.7.1.8.44-1
Apache Zeppelin	org.apache.zeppelin	zeppelin-angular	0.8.2.7.1.8.44-1
	org.apache.zeppelin	zeppelin-display	0.8.2.7.1.8.44-1
	org.apache.zeppelin	zeppelin-interpreter	0.8.2.7.1.8.44-1
	org.apache.zeppelin	zeppelin-jdbc	0.8.2.7.1.8.44-1
	org.apache.zeppelin	zeppelin-jupyter	0.8.2.7.1.8.44-1
	org.apache.zeppelin	zeppelin-livy	0.8.2.7.1.8.44-1
	org.apache.zeppelin	zeppelin-markdown	0.8.2.7.1.8.44-1
	org.apache.zeppelin	zeppelin-server	0.8.2.7.1.8.44-1
	org.apache.zeppelin	zeppelin-shell	0.8.2.7.1.8.44-1
	org.apache.zeppelin	zeppelin-zengine	0.8.2.7.1.8.44-1
Apache ZooKeeper	org.apache.zookeeper	zookeeper	3.5.5.7.1.8.44-1
	org.apache.zookeeper	zookeeper-client-c	3.5.5.7.1.8.44-1
	org.apache.zookeeper	zookeeper-contrib-loggraph	3.5.5.7.1.8.44-1
	org.apache.zookeeper	zookeeper-contrib-rest	3.5.5.7.1.8.44-1
	org.apache.zookeeper	zookeeper-contrib-zooinspector	3.5.5.7.1.8.44-1
	org.apache.zookeeper	zookeeper-docs	3.5.5.7.1.8.44-1
	org.apache.zookeeper	zookeeper-jute	3.5.5.7.1.8.44-1
	org.apache.zookeeper	zookeeper-recipes-election	3.5.5.7.1.8.44-1
	org.apache.zookeeper	zookeeper-recipes-lock	3.5.5.7.1.8.44-1
	org.apache.zookeeper	zookeeper-recipes-queue	3.5.5.7.1.8.44-1

Runtime 7.1.8.45-2

The following table lists the project name, groupId, artifactId, and version required to access each Runtime artifact.

Project	groupId	artifactId	version
Apache Atlas	org.apache.atlas	atlas-authorization	2.1.0.7.1.8.45-2
	org.apache.atlas	atlas-aws-s3-bridge	2.1.0.7.1.8.45-2
	org.apache.atlas	atlas-azure-adls-bridge	2.1.0.7.1.8.45-2
	org.apache.atlas	atlas-classification-updater	2.1.0.7.1.8.45-2
	org.apache.atlas	atlas-client-common	2.1.0.7.1.8.45-2
	org.apache.atlas	atlas-client-v1	2.1.0.7.1.8.45-2
	org.apache.atlas	atlas-client-v2	2.1.0.7.1.8.45-2
	org.apache.atlas	atlas-common	2.1.0.7.1.8.45-2
	org.apache.atlas	atlas-distro	2.1.0.7.1.8.45-2
	org.apache.atlas	atlas-docs	2.1.0.7.1.8.45-2
	org.apache.atlas	atlas-graphdb-api	2.1.0.7.1.8.45-2
	org.apache.atlas	atlas-graphdb-common	2.1.0.7.1.8.45-2
	org.apache.atlas	atlas-graphdb-janus	2.1.0.7.1.8.45-2
	org.apache.atlas	atlas-hdfs-bridge	2.1.0.7.1.8.45-2
	org.apache.atlas	atlas-index-repair-tool	2.1.0.7.1.8.45-2
	org.apache.atlas	atlas-intg	2.1.0.7.1.8.45-2
	org.apache.atlas	atlas-janusgraph-hbase2	2.1.0.7.1.8.45-2
	org.apache.atlas	atlas-notification	2.1.0.7.1.8.45-2
	org.apache.atlas	atlas-plugin-classloader	2.1.0.7.1.8.45-2
	org.apache.atlas	atlas-repository	2.1.0.7.1.8.45-2
	org.apache.atlas	atlas-server-api	2.1.0.7.1.8.45-2
	org.apache.atlas	atlas-testtools	2.1.0.7.1.8.45-2
	org.apache.atlas	hbase-bridge	2.1.0.7.1.8.45-2
	org.apache.atlas	hbase-bridge-shim	2.1.0.7.1.8.45-2
	org.apache.atlas	hbase-testing-util	2.1.0.7.1.8.45-2
	org.apache.atlas	hdfs-model	2.1.0.7.1.8.45-2
	org.apache.atlas	hive-bridge	2.1.0.7.1.8.45-2
	org.apache.atlas	hive-bridge-shim	2.1.0.7.1.8.45-2
	org.apache.atlas	impala-bridge	2.1.0.7.1.8.45-2
	org.apache.atlas	impala-bridge-shim	2.1.0.7.1.8.45-2
	org.apache.atlas	impala-hook-api	2.1.0.7.1.8.45-2
	org.apache.atlas	kafka-bridge	2.1.0.7.1.8.45-2
	org.apache.atlas	kafka-bridge-shim	2.1.0.7.1.8.45-2
	org.apache.atlas	navigator-to-atlas	2.1.0.7.1.8.45-2
	org.apache.atlas	sample-app	2.1.0.7.1.8.45-2
	org.apache.atlas	sqoop-bridge	2.1.0.7.1.8.45-2

Project	groupId	artifactId	version
	org.apache.atlas	sqoop-bridge-shim	2.1.0.7.1.8.45-2
Apache Avro	org.apache.avro	avro	1.8.2.7.1.8.45-2
	org.apache.avro	avro-compiler	1.8.2.7.1.8.45-2
	org.apache.avro	avro-ipc	1.8.2.7.1.8.45-2
	org.apache.avro	avro-mapred	1.8.2.7.1.8.45-2
	org.apache.avro	avro-maven-plugin	1.8.2.7.1.8.45-2
	org.apache.avro	avro-thrift	1.8.2.7.1.8.45-2
	org.apache.avro	avro-tools	1.8.2.7.1.8.45-2
	org.apache.avro	trevni-avro	1.8.2.7.1.8.45-2
	org.apache.avro	trevni-core	1.8.2.7.1.8.45-2
Apache Calcite	org.apache.calcite	calcite-babel	1.19.0.7.1.8.45-2
	org.apache.calcite	calcite-core	1.19.0.7.1.8.45-2
	org.apache.calcite	calcite-druid	1.19.0.7.1.8.45-2
	org.apache.calcite	calcite-linq4j	1.19.0.7.1.8.45-2
	org.apache.calcite	calcite-server	1.19.0.7.1.8.45-2
	org.apache.calcite.avatica	avatica	1.16.0.7.1.8.45-2
	org.apache.calcite.avatica	avatica-core	1.16.0.7.1.8.45-2
	org.apache.calcite.avatica	avatica-metrics	1.16.0.7.1.8.45-2
	org.apache.calcite.avatica	avatica-metrics-dropwizardmetrics	1.16.0.7.1.8.45-2
	org.apache.calcite.avatica	avatica-noop-driver	1.16.0.7.1.8.45-2
	org.apache.calcite.avatica	avatica-server	1.16.0.7.1.8.45-2
	org.apache.calcite.avatica	avatica-standalone-server	1.16.0.7.1.8.45-2
	org.apache.calcite.avatica	avatica-tck	1.16.0.7.1.8.45-2
GCS Connector	com.google.cloud.bigtable	bigtable-hbase-connector	2.1.2.7.1.8.45-2
	com.google.cloud.bigtable	bigtable-hbase-connector	2.1.2.7.1.8.45-2
	com.google.cloud.bigtable	bigtable-hbase	2.1.2.7.1.8.45-2
	com.google.cloud.bigtable	bigtable-hbase	2.1.2.7.1.8.45-2
	com.google.cloud.bigtable	bigtable-hbase	2.1.2.7.1.8.45-2
Apache Hadoop	org.apache.hadoop	hadoop-aliyun	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-annotations	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-archive-logs	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-archives	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-assemblies	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-auth	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-aws	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-azure	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-azure-datalake	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-build-tools	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-client	3.1.1.7.1.8.45-2

Project	groupId	artifactId	version
	org.apache.hadoop	hadoop-client-api	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-client-integration-tests	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-client-minicluster	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-client-runtime	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-cloud-storage	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-common	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-datajoin	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-distcp	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-extras	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-fs2img	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-gridmix	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-hdfs	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-hdfs-client	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-hdfs-httpfs	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-hdfs-native-client	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-hdfs-nfs	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-hdfs-rbf	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-kafka	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-kms	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-mapreduce-client-app	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-mapreduce-client-common	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-mapreduce-client-core	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-mapreduce-client-hs	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-mapreduce-client-hs-plugins	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-mapreduce-client-jobclient	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-mapreduce-client-nativetask	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-mapreduce-client-shuffle	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-mapreduce-client-uploader	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-mapreduce-examples	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-maven-plugins	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-minicluster	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-minikdc	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-nfs	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-openstack	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-resourceestimator	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-rumen	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-sls	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-streaming	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-tools-dist	3.1.1.7.1.8.45-2

Project	groupId	artifactId	version
	org.apache.hadoop	hadoop-yarn-api	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-yarn-applications-distributedshell	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-yarn-applications-unmanaged-am-launcher	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-yarn-client	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-yarn-common	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-yarn-registry	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-yarn-server-applicationhistoryservice	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-yarn-server-common	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-yarn-server-nodemanager	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-yarn-server-resourcemanager	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-yarn-server-router	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-yarn-server-sharedcachemanager	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-yarn-server-tests	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-yarn-server-timeline-pluginstorage	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-yarn-server-timelineservice	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-client	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-common	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-server-2	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-tests	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-yarn-server-web-proxy	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-yarn-services-api	3.1.1.7.1.8.45-2
	org.apache.hadoop	hadoop-yarn-services-core	3.1.1.7.1.8.45-2
Apache HBase	org.apache.hbase	filesystem	hadoop3-3-testutils
	org.apache.hbase	hbase-annotations	2.4.6.7.1.8.45-2
	org.apache.hbase	hbase-asyncfs	2.4.6.7.1.8.45-2
	org.apache.hbase	hbase-checkstyle	2.4.6.7.1.8.45-2
	org.apache.hbase	hbase-client	2.4.6.7.1.8.45-2
	org.apache.hbase	hbase-client-project	2.4.6.7.1.8.45-2
	org.apache.hbase	hbase-common	2.4.6.7.1.8.45-2
	org.apache.hbase	hbase-endpoint	2.4.6.7.1.8.45-2
	org.apache.hbase	hbase-examples	2.4.6.7.1.8.45-2
	org.apache.hbase	hbase-external-blockcache	2.4.6.7.1.8.45-2
	org.apache.hbase	hbase-hadoop-compat	2.4.6.7.1.8.45-2
	org.apache.hbase	hbase-hadoop2-compat	2.4.6.7.1.8.45-2
	org.apache.hbase	hbase-hbtop	2.4.6.7.1.8.45-2
	org.apache.hbase	hbase-http	2.4.6.7.1.8.45-2
	org.apache.hbase	hbase-it	2.4.6.7.1.8.45-2
	org.apache.hbase	hbase-logging	2.4.6.7.1.8.45-2
	org.apache.hbase	hbase-mapreduce	2.4.6.7.1.8.45-2

Project	groupId	artifactId	version
	org.apache.hbase	hbase-metrics	2.4.6.7.1.8.45-2
	org.apache.hbase	hbase-metrics-api	2.4.6.7.1.8.45-2
	org.apache.hbase	hbase-procedure	2.4.6.7.1.8.45-2
	org.apache.hbase	hbase-protocol	2.4.6.7.1.8.45-2
	org.apache.hbase	hbase-protocol-shaded	2.4.6.7.1.8.45-2
	org.apache.hbase	hbase-replication	2.4.6.7.1.8.45-2
	org.apache.hbase	hbase-resource-bundle	2.4.6.7.1.8.45-2
	org.apache.hbase	hbase-rest	2.4.6.7.1.8.45-2
	org.apache.hbase	hbase-rsgroup	2.4.6.7.1.8.45-2
	org.apache.hbase	hbase-server	2.4.6.7.1.8.45-2
	org.apache.hbase	hbase-shaded-client	2.4.6.7.1.8.45-2
	org.apache.hbase	hbase-shaded-client-byo-hadoop	2.4.6.7.1.8.45-2
	org.apache.hbase	hbase-shaded-client-project	2.4.6.7.1.8.45-2
	org.apache.hbase	hbase-shaded-mapreduce	2.4.6.7.1.8.45-2
	org.apache.hbase	hbase-shaded-testing-util	2.4.6.7.1.8.45-2
	org.apache.hbase	hbase-shaded-testing-util-tester	2.4.6.7.1.8.45-2
	org.apache.hbase	hbase-shell	2.4.6.7.1.8.45-2
	org.apache.hbase	hbase-testing-util	2.4.6.7.1.8.45-2
	org.apache.hbase	hbase-thrift	2.4.6.7.1.8.45-2
	org.apache.hbase	hbase-zookeeper	2.4.6.7.1.8.45-2
	org.apache.hbase.connector.kafka	hbase-connector-kafka-model	1.0.0.7.1.8.45-2
	org.apache.hbase.connector.kafka	hbase-connector-kafka-proxy	1.0.0.7.1.8.45-2
	org.apache.hbase.connector.spark	hbase-connector-spark	1.0.0.7.1.8.45-2
	org.apache.hbase.connector.spark	hbase-connector-spark-it	1.0.0.7.1.8.45-2
	org.apache.hbase.connector.spark	hbase-connector-spark-protocol	1.0.0.7.1.8.45-2
	org.apache.hbase.connector.spark	hbase-connector-spark-protocol-shaded	1.0.0.7.1.8.45-2
	org.apache.hbase.filebeat	hbase-filebeat-testutils	1.0.0.7.1.8.45-2
	org.apache.hbase.filebeat	hbase-filebeat-impl	1.0.0.7.1.8.45-2
	org.apache.hbase.filebeat	hbase-filebeat-moss	1.0.0.7.1.8.45-2
	org.apache.hbase.thriftparty	hbase-thriftparty-noop-htrace	3.5.0.7.1.8.45-2
	org.apache.hbase.thriftparty	hbase-thriftparty-shaded-gson	3.5.0.7.1.8.45-2
	org.apache.hbase.thriftparty	hbase-thriftparty-shaded-jackson-jaxrs-json-provider	3.5.0.7.1.8.45-2
	org.apache.hbase.thriftparty	hbase-thriftparty-shaded-jersey	3.5.0.7.1.8.45-2
	org.apache.hbase.thriftparty	hbase-thriftparty-shaded-jetty	3.5.0.7.1.8.45-2
	org.apache.hbase.thriftparty	hbase-thriftparty-shaded-miscellaneous	3.5.0.7.1.8.45-2
	org.apache.hbase.thriftparty	hbase-thriftparty-shaded-netty	3.5.0.7.1.8.45-2
	org.apache.hbase.thriftparty	hbase-thriftparty-shaded-protobuf	3.5.0.7.1.8.45-2
Apache Hive	org.apache.hive	hive-beeline	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-blobstore	3.1.3000.7.1.8.45-2

Project	groupId	artifactId	version
	org.apache.hive	hive-classification	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-cli	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-common	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-contrib	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-exec	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-hbase-handler	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-hcatalog-it-unit	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-hplsql	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-it-custom-serde	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-it-minikdc	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-it-qfile	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-it-qfile-kudu	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-it-test-serde	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-it-unit	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-it-unit-hadoop2	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-it-util	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-jdbc	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-jdbc-handler	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-jmh	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-kryo-registrator	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-kudu-handler	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-llap-client	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-llap-common	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-llap-ext-client	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-llap-server	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-llap-tez	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-metastore	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-pre-upgrade	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-serde	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-service	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-service-rpc	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-shims	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-spark-client	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-standalone-metastore	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-storage-api	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-streaming	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-testutils	3.1.3000.7.1.8.45-2
	org.apache.hive	hive-vector-code-gen	3.1.3000.7.1.8.45-2
	org.apache.hive	kafka-handler	3.1.3000.7.1.8.45-2

Project	groupId	artifactId	version
	org.apache.hive.hcatalog	hive-hcatalog-core	3.1.3000.7.1.8.45-2
	org.apache.hive.hcatalog	hive-hcatalog-server-extensions	3.1.3000.7.1.8.45-2
	org.apache.hive.hcatalog	hive-hcatalog-streaming	3.1.3000.7.1.8.45-2
	org.apache.hive.hcatalog	hive-webhcat	3.1.3000.7.1.8.45-2
	org.apache.hive.hcatalog	hive-webhcat-java-client	3.1.3000.7.1.8.45-2
	org.apache.hive.hive-udf-classloader-udf1 it-custom-udfs		3.1.3000.7.1.8.45-2
	org.apache.hive.hive-udf-classloader-udf2 it-custom-udfs		3.1.3000.7.1.8.45-2
	org.apache.hive.hive-udf-classloader-util it-custom-udfs		3.1.3000.7.1.8.45-2
	org.apache.hive.hive-udf-vectorized-badexample it-custom-udfs		3.1.3000.7.1.8.45-2
	org.apache.hive.shims	hive-shims-0.23	3.1.3000.7.1.8.45-2
	org.apache.hive.shims	hive-shims-common	3.1.3000.7.1.8.45-2
	org.apache.hive.shims	hive-shims-scheduler	3.1.3000.7.1.8.45-2
Apache Hive Warehouse Connector	com.hortonworks.hive	hive-warehouse-connector_2.11	1.0.0.7.1.8.45-2
Apache Kafka	org.apache.kafka	connect	3.1.1.7.1.8.45-2
	org.apache.kafka	connect-api	3.1.1.7.1.8.45-2
	org.apache.kafka	connect-basic-auth-extension	3.1.1.7.1.8.45-2
	org.apache.kafka	connect-cloudera-authorization-extension	3.1.1.7.1.8.45-2
	org.apache.kafka	connect-cloudera-common	3.1.1.7.1.8.45-2
	org.apache.kafka	connect-cloudera-secret-storage	3.1.1.7.1.8.45-2
	org.apache.kafka	connect-cloudera-security-policies	3.1.1.7.1.8.45-2
	org.apache.kafka	connect-file	3.1.1.7.1.8.45-2
	org.apache.kafka	connect-json	3.1.1.7.1.8.45-2
	org.apache.kafka	connect-mirror	3.1.1.7.1.8.45-2
	org.apache.kafka	connect-mirror-client	3.1.1.7.1.8.45-2
	org.apache.kafka	connect-runtime	3.1.1.7.1.8.45-2
	org.apache.kafka	connect-transforms	3.1.1.7.1.8.45-2
	org.apache.kafka	generator	3.1.1.7.1.8.45-2
	org.apache.kafka	kafka-clients	3.1.1.7.1.8.45-2
	org.apache.kafka	kafka-cloudera-metrics-reporter_2.12	3.1.1.7.1.8.45-2
	org.apache.kafka	kafka-cloudera-metrics-reporter_2.13	3.1.1.7.1.8.45-2
	org.apache.kafka	kafka-cloudera-plugins	3.1.1.7.1.8.45-2
	org.apache.kafka	kafka-examples	3.1.1.7.1.8.45-2
	org.apache.kafka	kafka-log4j-appender	3.1.1.7.1.8.45-2
	org.apache.kafka	kafka-metadata	3.1.1.7.1.8.45-2
	org.apache.kafka	kafka-raft	3.1.1.7.1.8.45-2
	org.apache.kafka	kafka-server-common	3.1.1.7.1.8.45-2

Project	groupId	artifactId	version
	org.apache.kafka	kafka-shell	3.1.1.7.1.8.45-2
	org.apache.kafka	kafka-storage	3.1.1.7.1.8.45-2
	org.apache.kafka	kafka-storage-api	3.1.1.7.1.8.45-2
	org.apache.kafka	kafka-streams	3.1.1.7.1.8.45-2
	org.apache.kafka	kafka-streams-examples	3.1.1.7.1.8.45-2
	org.apache.kafka	kafka-streams-scala_2.12	3.1.1.7.1.8.45-2
	org.apache.kafka	kafka-streams-scala_2.13	3.1.1.7.1.8.45-2
	org.apache.kafka	kafka-streams-test-utils	3.1.1.7.1.8.45-2
	org.apache.kafka	kafka-streams-upgrade-system-tests-0100	3.1.1.7.1.8.45-2
	org.apache.kafka	kafka-streams-upgrade-system-tests-0101	3.1.1.7.1.8.45-2
	org.apache.kafka	kafka-streams-upgrade-system-tests-0102	3.1.1.7.1.8.45-2
	org.apache.kafka	kafka-streams-upgrade-system-tests-0110	3.1.1.7.1.8.45-2
	org.apache.kafka	kafka-streams-upgrade-system-tests-10	3.1.1.7.1.8.45-2
	org.apache.kafka	kafka-streams-upgrade-system-tests-11	3.1.1.7.1.8.45-2
	org.apache.kafka	kafka-streams-upgrade-system-tests-20	3.1.1.7.1.8.45-2
	org.apache.kafka	kafka-streams-upgrade-system-tests-21	3.1.1.7.1.8.45-2
	org.apache.kafka	kafka-streams-upgrade-system-tests-22	3.1.1.7.1.8.45-2
	org.apache.kafka	kafka-streams-upgrade-system-tests-23	3.1.1.7.1.8.45-2
	org.apache.kafka	kafka-streams-upgrade-system-tests-24	3.1.1.7.1.8.45-2
	org.apache.kafka	kafka-streams-upgrade-system-tests-25	3.1.1.7.1.8.45-2
	org.apache.kafka	kafka-streams-upgrade-system-tests-26	3.1.1.7.1.8.45-2
	org.apache.kafka	kafka-streams-upgrade-system-tests-27	3.1.1.7.1.8.45-2
	org.apache.kafka	kafka-streams-upgrade-system-tests-28	3.1.1.7.1.8.45-2
	org.apache.kafka	kafka-tools	3.1.1.7.1.8.45-2
	org.apache.kafka	kafka_2.12	3.1.1.7.1.8.45-2
	org.apache.kafka	kafka_2.13	3.1.1.7.1.8.45-2
	org.apache.kafka	trogdor	3.1.1.7.1.8.45-2
Apache Knox	org.apache.knox	gateway-adapter	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-admin-ui	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-applications	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-cloud-bindings	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-demo-ldap	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-demo-ldap-launcher	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-discovery-ambari	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-discovery-cm	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-docker	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-i18n	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-i18n-logging-log4j	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-i18n-logging-sl4j	1.3.0.7.1.8.45-2

Project	groupId	artifactId	version
	org.apache.knox	gateway-provider-ha	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-provider-identity-assertion-common	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-provider-identity-assertion-concat	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-provider-identity-assertion-hadoop-groups	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-provider-identity-assertion-pseudo	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-provider-identity-assertion-regex	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-provider-identity-assertion-switchcase	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-provider-jersey	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-provider-rewrite	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-provider-rewrite-common	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-provider-rewrite-func-hostmap-static	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-provider-rewrite-func-inbound-query-param	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-provider-rewrite-func-service-registry	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-provider-rewrite-step-encrypt-uri	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-provider-rewrite-step-secure-query	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-provider-security-authc-anon	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-provider-security-authz-acls	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-provider-security-authz-composite	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-provider-security-clientcert	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-provider-security-hadoopauth	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-provider-security-jwt	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-provider-security-pac4j	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-provider-security-preauth	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-provider-security-shiro	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-provider-security-webappsec	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-release	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-server	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-server-launcher	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-server-xforwarded-filter	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-service-admin	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-service-as	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-service-definitions	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-service-hashicorp-vault	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-service-hbase	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-service-health	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-service-hive	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-service-idbroker	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-service-impala	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-service-jkg	1.3.0.7.1.8.45-2

Project	groupId	artifactId	version
	org.apache.knox	gateway-service-knoxsso	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-service-knoxssout	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-service-knoxtoken	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-service-livy	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-service-metadata	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-service-nifi	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-service-nifi-registry	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-service-remoteconfig	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-service-rm	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-service-session	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-service-storm	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-service-test	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-service-tgs	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-service-vault	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-service-webhdfs	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-shell	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-shell-launcher	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-shell-release	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-shell-samples	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-spi	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-test	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-test-idbroker	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-test-release-utils	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-test-utils	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-topology-hadoop-xml	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-topology-simple	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-util-common	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-util-configinjector	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-util-launcher	1.3.0.7.1.8.45-2
	org.apache.knox	gateway-util-urltemplate	1.3.0.7.1.8.45-2
	org.apache.knox	hadoop-examples	1.3.0.7.1.8.45-2
	org.apache.knox	knox-cli-launcher	1.3.0.7.1.8.45-2
	org.apache.knox	knox-homepage-ui	1.3.0.7.1.8.45-2
	org.apache.knox	webhdfs-kerb-test	1.3.0.7.1.8.45-2
	org.apache.knox	webhdfs-test	1.3.0.7.1.8.45-2
Apache Kudu	org.apache.kudu	kudu-backup-tools	1.15.0.7.1.8.45-2
	org.apache.kudu	kudu-backup2_2.11	1.15.0.7.1.8.45-2
	org.apache.kudu	kudu-backup3_2.12	1.15.0.7.1.8.45-2
	org.apache.kudu	kudu-client	1.15.0.7.1.8.45-2

Project	groupId	artifactId	version
	org.apache.kudu	kudu-hive	1.15.0.7.1.8.45-2
	org.apache.kudu	kudu-spark2-tools_2.11	1.15.0.7.1.8.45-2
	org.apache.kudu	kudu-spark2_2.11	1.15.0.7.1.8.45-2
	org.apache.kudu	kudu-spark3-tools_2.12	1.15.0.7.1.8.45-2
	org.apache.kudu	kudu-spark3_2.12	1.15.0.7.1.8.45-2
	org.apache.kudu	kudu-test-utils	1.15.0.7.1.8.45-2
Apache Livy	org.apache.livy	livy-api	0.6.0.7.1.8.45-2
	org.apache.livy	livy-client-common	0.6.0.7.1.8.45-2
	org.apache.livy	livy-client-http	0.6.0.7.1.8.45-2
	org.apache.livy	livy-core_2.11	0.6.0.7.1.8.45-2
	org.apache.livy	livy-examples	0.6.0.7.1.8.45-2
	org.apache.livy	livy-integration-test	0.6.0.7.1.8.45-2
	org.apache.livy	livy-repl_2.11	0.6.0.7.1.8.45-2
	org.apache.livy	livy-rsc	0.6.0.7.1.8.45-2
	org.apache.livy	livy-scala-api_2.11	0.6.0.7.1.8.45-2
	org.apache.livy	livy-server	0.6.0.7.1.8.45-2
	org.apache.livy	livy-test-lib	0.6.0.7.1.8.45-2
	org.apache.livy	livy-thriftserver	0.6.0.7.1.8.45-2
	org.apache.livy	livy-thriftserver-session	0.6.0.7.1.8.45-2
Apache Lucene	org.apache.lucene	lucene-analyzers-common	8.4.1.7.1.8.45-2
	org.apache.lucene	lucene-analyzers-icu	8.4.1.7.1.8.45-2
	org.apache.lucene	lucene-analyzers-kuromoji	8.4.1.7.1.8.45-2
	org.apache.lucene	lucene-analyzers-morfologik	8.4.1.7.1.8.45-2
	org.apache.lucene	lucene-analyzers-nori	8.4.1.7.1.8.45-2
	org.apache.lucene	lucene-analyzers-openslp	8.4.1.7.1.8.45-2
	org.apache.lucene	lucene-analyzers-phonetic	8.4.1.7.1.8.45-2
	org.apache.lucene	lucene-analyzers-smartcn	8.4.1.7.1.8.45-2
	org.apache.lucene	lucene-analyzers-stempel	8.4.1.7.1.8.45-2
	org.apache.lucene	lucene-backward-codecs	8.4.1.7.1.8.45-2
	org.apache.lucene	lucene-benchmark	8.4.1.7.1.8.45-2
	org.apache.lucene	lucene-classification	8.4.1.7.1.8.45-2
	org.apache.lucene	lucene-codecs	8.4.1.7.1.8.45-2
	org.apache.lucene	lucene-core	8.4.1.7.1.8.45-2
	org.apache.lucene	lucene-demo	8.4.1.7.1.8.45-2
	org.apache.lucene	lucene-expressions	8.4.1.7.1.8.45-2
	org.apache.lucene	lucene-facet	8.4.1.7.1.8.45-2
	org.apache.lucene	lucene-grouping	8.4.1.7.1.8.45-2
	org.apache.lucene	lucene-highlighter	8.4.1.7.1.8.45-2
	org.apache.lucene	lucene-join	8.4.1.7.1.8.45-2

Project	groupId	artifactId	version
	org.apache.lucene	lucene-memory	8.4.1.7.1.8.45-2
	org.apache.lucene	lucene-misc	8.4.1.7.1.8.45-2
	org.apache.lucene	lucene-monitor	8.4.1.7.1.8.45-2
	org.apache.lucene	lucene-queries	8.4.1.7.1.8.45-2
	org.apache.lucene	lucene-queryparser	8.4.1.7.1.8.45-2
	org.apache.lucene	lucene-replicator	8.4.1.7.1.8.45-2
	org.apache.lucene	lucene-sandbox	8.4.1.7.1.8.45-2
	org.apache.lucene	lucene-spatial	8.4.1.7.1.8.45-2
	org.apache.lucene	lucene-spatial-extras	8.4.1.7.1.8.45-2
	org.apache.lucene	lucene-spatial3d	8.4.1.7.1.8.45-2
	org.apache.lucene	lucene-suggest	8.4.1.7.1.8.45-2
	org.apache.lucene	lucene-test-framework	8.4.1.7.1.8.45-2
Apache Oozie	org.apache.oozie	oozie-client	5.1.0.7.1.8.45-2
	org.apache.oozie	oozie-core	5.1.0.7.1.8.45-2
	org.apache.oozie	oozie-distro	5.1.0.7.1.8.45-2
	org.apache.oozie	oozie-examples	5.1.0.7.1.8.45-2
	org.apache.oozie	oozie-fluent-job-api	5.1.0.7.1.8.45-2
	org.apache.oozie	oozie-fluent-job-client	5.1.0.7.1.8.45-2
	org.apache.oozie	oozie-server	5.1.0.7.1.8.45-2
	org.apache.oozie	oozie-sharelib-distcp	5.1.0.7.1.8.45-2
	org.apache.oozie	oozie-sharelib-git	5.1.0.7.1.8.45-2
	org.apache.oozie	oozie-sharelib-hcatalog	5.1.0.7.1.8.45-2
	org.apache.oozie	oozie-sharelib-hive	5.1.0.7.1.8.45-2
	org.apache.oozie	oozie-sharelib-hive2	5.1.0.7.1.8.45-2
	org.apache.oozie	oozie-sharelib-oozie	5.1.0.7.1.8.45-2
	org.apache.oozie	oozie-sharelib-spark	5.1.0.7.1.8.45-2
	org.apache.oozie	oozie-sharelib-sqoop	5.1.0.7.1.8.45-2
	org.apache.oozie	oozie-sharelib-streaming	5.1.0.7.1.8.45-2
	org.apache.oozie	oozie-tools	5.1.0.7.1.8.45-2
	org.apache.oozie	oozie-zookeeper-security-tests	5.1.0.7.1.8.45-2
	org.apache.oozie.test	oozie-mini	5.1.0.7.1.8.45-2
Apache ORC	org.apache.orc	orc-core	1.5.1.7.1.8.45-2
	org.apache.orc	orc-examples	1.5.1.7.1.8.45-2
	org.apache.orc	orc-mapreduce	1.5.1.7.1.8.45-2
	org.apache.orc	orc-shims	1.5.1.7.1.8.45-2
	org.apache.orc	orc-tools	1.5.1.7.1.8.45-2
Apache Parquet	org.apache.parquet	parquet-avro	1.10.99.7.1.8.45-2
	org.apache.parquet	parquet-cascading	1.10.99.7.1.8.45-2
	org.apache.parquet	parquet-cascading3	1.10.99.7.1.8.45-2

Project	groupId	artifactId	version
	org.apache.parquet	parquet-column	1.10.99.7.1.8.45-2
	org.apache.parquet	parquet-common	1.10.99.7.1.8.45-2
	org.apache.parquet	parquet-encoding	1.10.99.7.1.8.45-2
	org.apache.parquet	parquet-format-structures	1.10.99.7.1.8.45-2
	org.apache.parquet	parquet-generator	1.10.99.7.1.8.45-2
	org.apache.parquet	parquet-hadoop	1.10.99.7.1.8.45-2
	org.apache.parquet	parquet-hadoop-bundle	1.10.99.7.1.8.45-2
	org.apache.parquet	parquet-jackson	1.10.99.7.1.8.45-2
	org.apache.parquet	parquet-pig	1.10.99.7.1.8.45-2
	org.apache.parquet	parquet-pig-bundle	1.10.99.7.1.8.45-2
	org.apache.parquet	parquet-protobuf	1.10.99.7.1.8.45-2
	org.apache.parquet	parquet-scala_2.10	1.10.99.7.1.8.45-2
	org.apache.parquet	parquet-thrift	1.10.99.7.1.8.45-2
	org.apache.parquet	parquet-tools	1.10.99.7.1.8.45-2
Apache Phoenix	org.apache.phoenix	phoenix-client-embedded-hbase-2.4	5.1.1.7.1.8.45-2
	org.apache.phoenix	phoenix-client-hbase-2.4	5.1.1.7.1.8.45-2
	org.apache.phoenix	phoenix-connectors-phoenix5-compatible	6.0.0.7.1.8.45-2
	org.apache.phoenix	phoenix-core	5.1.1.7.1.8.45-2
	org.apache.phoenix	phoenix-hbase-compatible-2.1.6	5.1.1.7.1.8.45-2
	org.apache.phoenix	phoenix-hbase-compatible-2.2.5	5.1.1.7.1.8.45-2
	org.apache.phoenix	phoenix-hbase-compatible-2.3.0	5.1.1.7.1.8.45-2
	org.apache.phoenix	phoenix-hbase-compatible-2.4.0	5.1.1.7.1.8.45-2
	org.apache.phoenix	phoenix-hbase-compatible-2.4.1	5.1.1.7.1.8.45-2
	org.apache.phoenix	phoenix-pherf	5.1.1.7.1.8.45-2
	org.apache.phoenix	phoenix-queryserver	6.0.0.7.1.8.45-2
	org.apache.phoenix	phoenix-queryserver-client	6.0.0.7.1.8.45-2
	org.apache.phoenix	phoenix-queryserver-it	6.0.0.7.1.8.45-2
	org.apache.phoenix	phoenix-queryserver-load-balancer	6.0.0.7.1.8.45-2
	org.apache.phoenix	phoenix-queryserver-orchestrator	6.0.0.7.1.8.45-2
	org.apache.phoenix	phoenix-server-hbase-2.4	5.1.1.7.1.8.45-2
	org.apache.phoenix	phoenix-tracing-webapp	5.1.1.7.1.8.45-2
	org.apache.phoenix	phoenix5-hive	6.0.0.7.1.8.45-2
	org.apache.phoenix	phoenix5-hive-shaded	6.0.0.7.1.8.45-2
	org.apache.phoenix	phoenix5-spark	6.0.0.7.1.8.45-2
	org.apache.phoenix	phoenix5-spark-shaded	6.0.0.7.1.8.45-2
	org.apache.phoenix	phoenix5-shaded-commons-cli	1.1.0.7.1.8.45-2
	org.apache.phoenix	phoenix5-shaded-guava	1.1.0.7.1.8.45-2
Apache Ranger	org.apache.ranger	conditions-enrichers	2.3.0.7.1.8.45-2
	org.apache.ranger	credentialbuilder	2.3.0.7.1.8.45-2

Project	groupId	artifactId	version
	org.apache.ranger	embeddedwebserver	2.3.0.7.1.8.45-2
	org.apache.ranger	jisql	2.3.0.7.1.8.45-2
	org.apache.ranger	ldapconfigcheck	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-adls-plugin	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-atlas-plugin	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-atlas-plugin-shim	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-authn	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-distro	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-examples-distro	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-hbase-plugin	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-hbase-plugin-shim	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-hdfs-plugin	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-hdfs-plugin-shim	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-hive-plugin	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-hive-plugin-shim	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-intg	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-kafka-connect-plugin	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-kafka-plugin	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-kafka-plugin-shim	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-kms	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-kms-plugin	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-kms-plugin-shim	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-knox-plugin	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-knox-plugin-shim	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-kudu-plugin	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-kylin-plugin	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-kylin-plugin-shim	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-nifi-plugin	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-nifi-registry-plugin	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-ozone-plugin	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-ozone-plugin-shim	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-plugin-classloader	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-plugins-audit	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-plugins-common	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-plugins-cred	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-plugins-installer	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-policymigration	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-raz-adls	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-raz-chained-plugins	2.3.0.7.1.8.45-2

Project	groupId	artifactId	version
	org.apache.ranger	ranger-raz-hook-abfs	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-raz-intg	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-raz-processor	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-rms-common	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-rms-hive	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-rms-plugins-common	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-rms-webapp	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-sampleapp-plugin	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-schema-registry-plugin	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-solr-plugin	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-solr-plugin-shim	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-sqoop-plugin	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-sqoop-plugin-shim	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-storm-plugin	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-storm-plugin-shim	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-tagsync	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-tools	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-util	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-yarn-plugin	2.3.0.7.1.8.45-2
	org.apache.ranger	ranger-yarn-plugin-shim	2.3.0.7.1.8.45-2
	org.apache.ranger	sample-client	2.3.0.7.1.8.45-2
	org.apache.ranger	sampleapp	2.3.0.7.1.8.45-2
	org.apache.ranger	shaded-raz-hook-abfs	2.3.0.7.1.8.45-2
	org.apache.ranger	ugsync-util	2.3.0.7.1.8.45-2
	org.apache.ranger	unixauthclient	2.3.0.7.1.8.45-2
	org.apache.ranger	unixauthservice	2.3.0.7.1.8.45-2
	org.apache.ranger	unixusersync	2.3.0.7.1.8.45-2
Apache Solr	org.apache.solr	solr-analysis-extras	8.4.1.7.1.8.45-2
	org.apache.solr	solr-analytics	8.4.1.7.1.8.45-2
	org.apache.solr	solr-cell	8.4.1.7.1.8.45-2
	org.apache.solr	solr-clustering	8.4.1.7.1.8.45-2
	org.apache.solr	solr-core	8.4.1.7.1.8.45-2
	org.apache.solr	solr-dataimporthandler	8.4.1.7.1.8.45-2
	org.apache.solr	solr-dataimporthandler-extras	8.4.1.7.1.8.45-2
	org.apache.solr	solr-jaegertracer-configurator	8.4.1.7.1.8.45-2
	org.apache.solr	solr-langid	8.4.1.7.1.8.45-2
	org.apache.solr	solr-ltr	8.4.1.7.1.8.45-2
	org.apache.solr	solr-prometheus-exporter	8.4.1.7.1.8.45-2
	org.apache.solr	solr-security-util	8.4.1.7.1.8.45-2

Project	groupId	artifactId	version
	org.apache.solr	solr-solrj	8.4.1.7.1.8.45-2
	org.apache.solr	solr-test-framework	8.4.1.7.1.8.45-2
	org.apache.solr	solr-velocity	8.4.1.7.1.8.45-2
Apache Spark	org.apache.spark	spark-avro_2.11	2.4.8.7.1.8.45-2
	org.apache.spark	spark-catalyst_2.11	2.4.8.7.1.8.45-2
	org.apache.spark	spark-core_2.11	2.4.8.7.1.8.45-2
	org.apache.spark	spark-graphx_2.11	2.4.8.7.1.8.45-2
	org.apache.spark	spark-hadoop-cloud_2.11	2.4.8.7.1.8.45-2
	org.apache.spark	spark-hive_2.11	2.4.8.7.1.8.45-2
	org.apache.spark	spark-kubernetes_2.11	2.4.8.7.1.8.45-2
	org.apache.spark	spark-kvstore_2.11	2.4.8.7.1.8.45-2
	org.apache.spark	spark-launcher_2.11	2.4.8.7.1.8.45-2
	org.apache.spark	spark-mllib-local_2.11	2.4.8.7.1.8.45-2
	org.apache.spark	spark-mllib_2.11	2.4.8.7.1.8.45-2
	org.apache.spark	spark-network-common_2.11	2.4.8.7.1.8.45-2
	org.apache.spark	spark-network-shuffle_2.11	2.4.8.7.1.8.45-2
	org.apache.spark	spark-network-yarn_2.11	2.4.8.7.1.8.45-2
	org.apache.spark	spark-repl_2.11	2.4.8.7.1.8.45-2
	org.apache.spark	spark-sketch_2.11	2.4.8.7.1.8.45-2
	org.apache.spark	spark-sql-kafka-0-10_2.11	2.4.8.7.1.8.45-2
	org.apache.spark	spark-sql_2.11	2.4.8.7.1.8.45-2
	org.apache.spark	spark-streaming-kafka-0-10-assembly_2.11	2.4.8.7.1.8.45-2
	org.apache.spark	spark-streaming-kafka-0-10_2.11	2.4.8.7.1.8.45-2
	org.apache.spark	spark-streaming_2.11	2.4.8.7.1.8.45-2
	org.apache.spark	spark-tags_2.11	2.4.8.7.1.8.45-2
	org.apache.spark	spark-token-provider-kafka-0-10_2.11	2.4.8.7.1.8.45-2
	org.apache.spark	spark-unsafe_2.11	2.4.8.7.1.8.45-2
	org.apache.spark	spark-yarn_2.11	2.4.8.7.1.8.45-2
Apache Sqoop	org.apache.sqoop	sqoop	1.4.7.7.1.8.45-2
	org.apache.sqoop	sqoop-test	1.4.7.7.1.8.45-2
Apache Tez	org.apache.tez	hadoop-shim	0.9.1.7.1.8.45-2
	org.apache.tez	hadoop-shim-2.8	0.9.1.7.1.8.45-2
	org.apache.tez	tez-api	0.9.1.7.1.8.45-2
	org.apache.tez	tez-aux-services	0.9.1.7.1.8.45-2
	org.apache.tez	tez-common	0.9.1.7.1.8.45-2
	org.apache.tez	tez-dag	0.9.1.7.1.8.45-2
	org.apache.tez	tez-examples	0.9.1.7.1.8.45-2
	org.apache.tez	tez-ext-service-tests	0.9.1.7.1.8.45-2
	org.apache.tez	tez-history-parser	0.9.1.7.1.8.45-2

Project	groupId	artifactId	version
	org.apache.tez	tez-javadoc-tools	0.9.1.7.1.8.45-2
	org.apache.tez	tez-job-analyzer	0.9.1.7.1.8.45-2
	org.apache.tez	tez-mapreduce	0.9.1.7.1.8.45-2
	org.apache.tez	tez-protobuf-history-plugin	0.9.1.7.1.8.45-2
	org.apache.tez	tez-runtime-internals	0.9.1.7.1.8.45-2
	org.apache.tez	tez-runtime-library	0.9.1.7.1.8.45-2
	org.apache.tez	tez-tests	0.9.1.7.1.8.45-2
	org.apache.tez	tez-yarn-timeline-cache-plugin	0.9.1.7.1.8.45-2
	org.apache.tez	tez-yarn-timeline-history	0.9.1.7.1.8.45-2
	org.apache.tez	tez-yarn-timeline-history-with-acls	0.9.1.7.1.8.45-2
	org.apache.tez	tez-yarn-timeline-history-with-fs	0.9.1.7.1.8.45-2
Apache Zeppelin	org.apache.zeppelin	zeppelin-angular	0.8.2.7.1.8.45-2
	org.apache.zeppelin	zeppelin-display	0.8.2.7.1.8.45-2
	org.apache.zeppelin	zeppelin-interpreter	0.8.2.7.1.8.45-2
	org.apache.zeppelin	zeppelin-jdbc	0.8.2.7.1.8.45-2
	org.apache.zeppelin	zeppelin-jupyter	0.8.2.7.1.8.45-2
	org.apache.zeppelin	zeppelin-livy	0.8.2.7.1.8.45-2
	org.apache.zeppelin	zeppelin-markdown	0.8.2.7.1.8.45-2
	org.apache.zeppelin	zeppelin-server	0.8.2.7.1.8.45-2
	org.apache.zeppelin	zeppelin-shell	0.8.2.7.1.8.45-2
	org.apache.zeppelin	zeppelin-zengine	0.8.2.7.1.8.45-2
Apache ZooKeeper	org.apache.zookeeper	zookeeper	3.5.5.7.1.8.45-2
	org.apache.zookeeper	zookeeper-client-c	3.5.5.7.1.8.45-2
	org.apache.zookeeper	zookeeper-contrib-loggraph	3.5.5.7.1.8.45-2
	org.apache.zookeeper	zookeeper-contrib-rest	3.5.5.7.1.8.45-2
	org.apache.zookeeper	zookeeper-contrib-zooinspector	3.5.5.7.1.8.45-2
	org.apache.zookeeper	zookeeper-docs	3.5.5.7.1.8.45-2
	org.apache.zookeeper	zookeeper-jute	3.5.5.7.1.8.45-2
	org.apache.zookeeper	zookeeper-recipes-election	3.5.5.7.1.8.45-2
	org.apache.zookeeper	zookeeper-recipes-lock	3.5.5.7.1.8.45-2
	org.apache.zookeeper	zookeeper-recipes-queue	3.5.5.7.1.8.45-2

Runtime 7.1.8.46-1

The following table lists the project name, groupId, artifactId, and version required to access each Runtime artifact.

Project	groupId	artifactId	version
Apache Atlas	org.apache.atlas	atlas-authorization	2.1.0.7.1.8.46-1
	org.apache.atlas	atlas-aws-s3-bridge	2.1.0.7.1.8.46-1
	org.apache.atlas	atlas-azure-adls-bridge	2.1.0.7.1.8.46-1

Project	groupId	artifactId	version
	org.apache.atlas	atlas-classification-updater	2.1.0.7.1.8.46-1
	org.apache.atlas	atlas-client-common	2.1.0.7.1.8.46-1
	org.apache.atlas	atlas-client-v1	2.1.0.7.1.8.46-1
	org.apache.atlas	atlas-client-v2	2.1.0.7.1.8.46-1
	org.apache.atlas	atlas-common	2.1.0.7.1.8.46-1
	org.apache.atlas	atlas-distro	2.1.0.7.1.8.46-1
	org.apache.atlas	atlas-docs	2.1.0.7.1.8.46-1
	org.apache.atlas	atlas-graphdb-api	2.1.0.7.1.8.46-1
	org.apache.atlas	atlas-graphdb-common	2.1.0.7.1.8.46-1
	org.apache.atlas	atlas-graphdb-janus	2.1.0.7.1.8.46-1
	org.apache.atlas	atlas-hdfs-bridge	2.1.0.7.1.8.46-1
	org.apache.atlas	atlas-index-repair-tool	2.1.0.7.1.8.46-1
	org.apache.atlas	atlas-intg	2.1.0.7.1.8.46-1
	org.apache.atlas	atlas-janusgraph-hbase2	2.1.0.7.1.8.46-1
	org.apache.atlas	atlas-notification	2.1.0.7.1.8.46-1
	org.apache.atlas	atlas-plugin-classloader	2.1.0.7.1.8.46-1
	org.apache.atlas	atlas-repository	2.1.0.7.1.8.46-1
	org.apache.atlas	atlas-server-api	2.1.0.7.1.8.46-1
	org.apache.atlas	atlas-testtools	2.1.0.7.1.8.46-1
	org.apache.atlas	hbase-bridge	2.1.0.7.1.8.46-1
	org.apache.atlas	hbase-bridge-shim	2.1.0.7.1.8.46-1
	org.apache.atlas	hbase-testing-util	2.1.0.7.1.8.46-1
	org.apache.atlas	hdfs-model	2.1.0.7.1.8.46-1
	org.apache.atlas	hive-bridge	2.1.0.7.1.8.46-1
	org.apache.atlas	hive-bridge-shim	2.1.0.7.1.8.46-1
	org.apache.atlas	impala-bridge	2.1.0.7.1.8.46-1
	org.apache.atlas	impala-bridge-shim	2.1.0.7.1.8.46-1
	org.apache.atlas	impala-hook-api	2.1.0.7.1.8.46-1
	org.apache.atlas	kafka-bridge	2.1.0.7.1.8.46-1
	org.apache.atlas	kafka-bridge-shim	2.1.0.7.1.8.46-1
	org.apache.atlas	navigator-to-atlas	2.1.0.7.1.8.46-1
	org.apache.atlas	sample-app	2.1.0.7.1.8.46-1
	org.apache.atlas	sqoop-bridge	2.1.0.7.1.8.46-1
	org.apache.atlas	sqoop-bridge-shim	2.1.0.7.1.8.46-1
Apache Avro	org.apache.avro	avro	1.8.2.7.1.8.46-1
	org.apache.avro	avro-compiler	1.8.2.7.1.8.46-1
	org.apache.avro	avro-ipc	1.8.2.7.1.8.46-1
	org.apache.avro	avro-mapred	1.8.2.7.1.8.46-1
	org.apache.avro	avro-maven-plugin	1.8.2.7.1.8.46-1

Project	groupId	artifactId	version
	org.apache.avro	avro-protobuf	1.8.2.7.1.8.46-1
	org.apache.avro	avro-service-archetype	1.8.2.7.1.8.46-1
	org.apache.avro	avro-thrift	1.8.2.7.1.8.46-1
	org.apache.avro	avro-tools	1.8.2.7.1.8.46-1
	org.apache.avro	trevni-avro	1.8.2.7.1.8.46-1
	org.apache.avro	trevni-core	1.8.2.7.1.8.46-1
Apache Calcite	org.apache.calcite	calcite-babel	1.19.0.7.1.8.46-1
	org.apache.calcite	calcite-core	1.19.0.7.1.8.46-1
	org.apache.calcite	calcite-druid	1.19.0.7.1.8.46-1
	org.apache.calcite	calcite-linq4j	1.19.0.7.1.8.46-1
	org.apache.calcite	calcite-server	1.19.0.7.1.8.46-1
	org.apache.calcite.avatica	avatica	1.16.0.7.1.8.46-1
	org.apache.calcite.avatica	avatica-core	1.16.0.7.1.8.46-1
	org.apache.calcite.avatica	avatica-metrics	1.16.0.7.1.8.46-1
	org.apache.calcite.avatica	avatica-metrics-dropwizardmetrics	1.16.0.7.1.8.46-1
	org.apache.calcite.avatica	avatica-noop-driver	1.16.0.7.1.8.46-1
	org.apache.calcite.avatica	avatica-server	1.16.0.7.1.8.46-1
	org.apache.calcite.avatica	avatica-standalone-server	1.16.0.7.1.8.46-1
	org.apache.calcite.avatica	avatica-tck	1.16.0.7.1.8.46-1
GCS Connector	com.google.cloud.bigtable	bigtable-hbase-connector	2.1.2.7.1.8.46-1
	com.google.cloud.bigtable	bigtable-hbase-connector	2.1.2.7.1.8.46-1
	com.google.cloud.bigtable	bigtable-hbase	2.1.2.7.1.8.46-1
	com.google.cloud.bigtable	bigtable-hbase	2.1.2.7.1.8.46-1
	com.google.cloud.bigtable	bigtable-hbase	2.1.2.7.1.8.46-1
Apache Hadoop	org.apache.hadoop	hadoop-aliyun	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-annotations	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-archive-logs	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-archives	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-assemblies	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-auth	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-aws	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-azure	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-azure-datalake	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-build-tools	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-client	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-client-api	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-client-integration-tests	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-client-minicluster	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-client-runtime	3.1.1.7.1.8.46-1

Project	groupId	artifactId	version
	org.apache.hadoop	hadoop-cloud-storage	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-common	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-datajoin	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-distcp	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-extras	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-fs2img	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-gridmix	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-hdfs	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-hdfs-client	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-hdfs-httpfs	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-hdfs-native-client	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-hdfs-nfs	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-hdfs-rbf	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-kafka	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-kms	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-mapreduce-client-app	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-mapreduce-client-common	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-mapreduce-client-core	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-mapreduce-client-hs	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-mapreduce-client-hs-plugins	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-mapreduce-client-jobclient	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-mapreduce-client-nativetask	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-mapreduce-client-shuffle	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-mapreduce-client-uploader	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-mapreduce-examples	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-maven-plugins	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-minicluster	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-minikdc	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-nfs	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-openstack	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-resourceestimator	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-rumen	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-sls	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-streaming	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-tools-dist	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-yarn-api	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-yarn-applications-distributedshell	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-yarn-applications-unmanaged-am-launcher	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-yarn-client	3.1.1.7.1.8.46-1

Project	groupId	artifactId	version
	org.apache.hadoop	hadoop-yarn-common	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-yarn-registry	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-yarn-server-applicationhistoryservice	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-yarn-server-common	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-yarn-server-nodemanager	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-yarn-server-resourcemanager	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-yarn-server-router	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-yarn-server-sharedcachemanager	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-yarn-server-tests	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-yarn-server-timeline-pluginstorage	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-yarn-server-timelineservice	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-client	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-common	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-server-2	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-tests	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-yarn-server-web-proxy	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-yarn-services-api	3.1.1.7.1.8.46-1
	org.apache.hadoop	hadoop-yarn-services-core	3.1.1.7.1.8.46-1
Apache HBase	org.apache.hbase	filesystem	hadoop3-3-testutils
	org.apache.hbase	hbase-annotations	2.4.6.7.1.8.46-1
	org.apache.hbase	hbase-asyncfs	2.4.6.7.1.8.46-1
	org.apache.hbase	hbase-checkstyle	2.4.6.7.1.8.46-1
	org.apache.hbase	hbase-client	2.4.6.7.1.8.46-1
	org.apache.hbase	hbase-client-project	2.4.6.7.1.8.46-1
	org.apache.hbase	hbase-common	2.4.6.7.1.8.46-1
	org.apache.hbase	hbase-endpoint	2.4.6.7.1.8.46-1
	org.apache.hbase	hbase-examples	2.4.6.7.1.8.46-1
	org.apache.hbase	hbase-external-blockcache	2.4.6.7.1.8.46-1
	org.apache.hbase	hbase-hadoop-compat	2.4.6.7.1.8.46-1
	org.apache.hbase	hbase-hadoop2-compat	2.4.6.7.1.8.46-1
	org.apache.hbase	hbase-hbtop	2.4.6.7.1.8.46-1
	org.apache.hbase	hbase-http	2.4.6.7.1.8.46-1
	org.apache.hbase	hbase-it	2.4.6.7.1.8.46-1
	org.apache.hbase	hbase-logging	2.4.6.7.1.8.46-1
	org.apache.hbase	hbase-mapreduce	2.4.6.7.1.8.46-1
	org.apache.hbase	hbase-metrics	2.4.6.7.1.8.46-1
	org.apache.hbase	hbase-metrics-api	2.4.6.7.1.8.46-1
	org.apache.hbase	hbase-procedure	2.4.6.7.1.8.46-1
	org.apache.hbase	hbase-protocol	2.4.6.7.1.8.46-1

Project	groupId	artifactId	version
	org.apache.hbase	hbase-protocol-shaded	2.4.6.7.1.8.46-1
	org.apache.hbase	hbase-replication	2.4.6.7.1.8.46-1
	org.apache.hbase	hbase-resource-bundle	2.4.6.7.1.8.46-1
	org.apache.hbase	hbase-rest	2.4.6.7.1.8.46-1
	org.apache.hbase	hbase-rsgroup	2.4.6.7.1.8.46-1
	org.apache.hbase	hbase-server	2.4.6.7.1.8.46-1
	org.apache.hbase	hbase-shaded-client	2.4.6.7.1.8.46-1
	org.apache.hbase	hbase-shaded-client-byo-hadoop	2.4.6.7.1.8.46-1
	org.apache.hbase	hbase-shaded-client-project	2.4.6.7.1.8.46-1
	org.apache.hbase	hbase-shaded-mapreduce	2.4.6.7.1.8.46-1
	org.apache.hbase	hbase-shaded-testing-util	2.4.6.7.1.8.46-1
	org.apache.hbase	hbase-shaded-testing-util-tester	2.4.6.7.1.8.46-1
	org.apache.hbase	hbase-shell	2.4.6.7.1.8.46-1
	org.apache.hbase	hbase-testing-util	2.4.6.7.1.8.46-1
	org.apache.hbase	hbase-thrift	2.4.6.7.1.8.46-1
	org.apache.hbase	hbase-zookeeper	2.4.6.7.1.8.46-1
	org.apache.hbase.connector.kafka	hbase-connector-kafka-model	1.0.0.7.1.8.46-1
	org.apache.hbase.connector.kafka	hbase-connector-kafka-proxy	1.0.0.7.1.8.46-1
	org.apache.hbase.connector.spark	hbase-connector-spark	1.0.0.7.1.8.46-1
	org.apache.hbase.connector.spark	hbase-connector-spark-rt	1.0.0.7.1.8.46-1
	org.apache.hbase.connector.spark	hbase-connector-spark-protocol	1.0.0.7.1.8.46-1
	org.apache.hbase.connector.spark	hbase-connector-spark-protocol-shaded	1.0.0.7.1.8.46-1
	org.apache.hbase.filebase.hdfs	hbase-filebase-hdfs-testutils	1.0.0.7.1.8.46-1
	org.apache.hbase.filebase.hdfs	hbase-filebase-hdfs-impl	1.0.0.7.1.8.46-1
	org.apache.hbase.filebase.hdfs	hbase-filebase-hdfs-moss	1.0.0.7.1.8.46-1
	org.apache.hbase.thirdparty	hbase-thirdparty-noop-htrace	3.5.0.7.1.8.46-1
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-gson	3.5.0.7.1.8.46-1
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-jackson-jaxrs-json-provider	3.5.0.7.1.8.46-1
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-jersey	3.5.0.7.1.8.46-1
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-jetty	3.5.0.7.1.8.46-1
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-miscellaneous	3.5.0.7.1.8.46-1
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-netty	3.5.0.7.1.8.46-1
	org.apache.hbase.thirdparty	hbase-thirdparty-shaded-protobuf	3.5.0.7.1.8.46-1
Apache Hive	org.apache.hive	hive-beeline	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-blobstore	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-classification	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-cli	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-common	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-contrib	3.1.3000.7.1.8.46-1

Project	groupId	artifactId	version
	org.apache.hive	hive-exec	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-hbase-handler	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-hcatalog-it-unit	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-hplsql	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-it-custom-serde	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-it-minikdc	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-it-qfile	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-it-qfile-kudu	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-it-test-serde	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-it-unit	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-it-unit-hadoop2	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-it-util	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-jdbc	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-jdbc-handler	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-jmh	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-kryo-registrator	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-kudu-handler	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-llap-client	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-llap-common	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-llap-ext-client	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-llap-server	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-llap-tez	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-metastore	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-pre-upgrade	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-serde	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-service	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-service-rpc	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-shims	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-spark-client	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-standalone-metastore	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-storage-api	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-streaming	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-testutils	3.1.3000.7.1.8.46-1
	org.apache.hive	hive-vector-code-gen	3.1.3000.7.1.8.46-1
	org.apache.hive	kafka-handler	3.1.3000.7.1.8.46-1
	org.apache.hive.hcatalog	hive-hcatalog-core	3.1.3000.7.1.8.46-1
	org.apache.hive.hcatalog	hive-hcatalog-server-extensions	3.1.3000.7.1.8.46-1
	org.apache.hive.hcatalog	hive-hcatalog-streaming	3.1.3000.7.1.8.46-1
	org.apache.hive.hcatalog	hive-webhcat	3.1.3000.7.1.8.46-1

Project	groupId	artifactId	version
	org.apache.hive.hcatalog	hive-webhcat-java-client	3.1.3000.7.1.8.46-1
	org.apache.hive.hive-it-custom-udfs	hive-udf-classloader-udf1	3.1.3000.7.1.8.46-1
	org.apache.hive.hive-it-custom-udfs	hive-udf-classloader-udf2	3.1.3000.7.1.8.46-1
	org.apache.hive.hive-it-custom-udfs	hive-udf-classloader-util	3.1.3000.7.1.8.46-1
	org.apache.hive.hive-it-custom-udfs	hive-udf-vectorized-badexample	3.1.3000.7.1.8.46-1
	org.apache.hive.shims	hive-shims-0.23	3.1.3000.7.1.8.46-1
	org.apache.hive.shims	hive-shims-common	3.1.3000.7.1.8.46-1
	org.apache.hive.shims	hive-shims-scheduler	3.1.3000.7.1.8.46-1
Apache Hive Warehouse Connector	com.hortonworks.hive	hive-warehouse-connector_2.11	1.0.0.7.1.8.46-1
Apache Kafka	org.apache.kafka	connect	3.1.1.7.1.8.46-1
	org.apache.kafka	connect-api	3.1.1.7.1.8.46-1
	org.apache.kafka	connect-basic-auth-extension	3.1.1.7.1.8.46-1
	org.apache.kafka	connect-cloudera-authorization-extension	3.1.1.7.1.8.46-1
	org.apache.kafka	connect-cloudera-common	3.1.1.7.1.8.46-1
	org.apache.kafka	connect-cloudera-secret-storage	3.1.1.7.1.8.46-1
	org.apache.kafka	connect-cloudera-security-policies	3.1.1.7.1.8.46-1
	org.apache.kafka	connect-file	3.1.1.7.1.8.46-1
	org.apache.kafka	connect-json	3.1.1.7.1.8.46-1
	org.apache.kafka	connect-mirror	3.1.1.7.1.8.46-1
	org.apache.kafka	connect-mirror-client	3.1.1.7.1.8.46-1
	org.apache.kafka	connect-runtime	3.1.1.7.1.8.46-1
	org.apache.kafka	connect-transforms	3.1.1.7.1.8.46-1
	org.apache.kafka	generator	3.1.1.7.1.8.46-1
	org.apache.kafka	kafka-clients	3.1.1.7.1.8.46-1
	org.apache.kafka	kafka-cloudera-metrics-reporter_2.12	3.1.1.7.1.8.46-1
	org.apache.kafka	kafka-cloudera-metrics-reporter_2.13	3.1.1.7.1.8.46-1
	org.apache.kafka	kafka-cloudera-plugins	3.1.1.7.1.8.46-1
	org.apache.kafka	kafka-examples	3.1.1.7.1.8.46-1
	org.apache.kafka	kafka-log4j-appender	3.1.1.7.1.8.46-1
	org.apache.kafka	kafka-metadata	3.1.1.7.1.8.46-1
	org.apache.kafka	kafka-raft	3.1.1.7.1.8.46-1
	org.apache.kafka	kafka-server-common	3.1.1.7.1.8.46-1
	org.apache.kafka	kafka-shell	3.1.1.7.1.8.46-1
	org.apache.kafka	kafka-storage	3.1.1.7.1.8.46-1
	org.apache.kafka	kafka-storage-api	3.1.1.7.1.8.46-1
	org.apache.kafka	kafka-streams	3.1.1.7.1.8.46-1

Project	groupId	artifactId	version
	org.apache.kafka	kafka-streams-examples	3.1.1.7.1.8.46-1
	org.apache.kafka	kafka-streams-scala_2.12	3.1.1.7.1.8.46-1
	org.apache.kafka	kafka-streams-scala_2.13	3.1.1.7.1.8.46-1
	org.apache.kafka	kafka-streams-test-utils	3.1.1.7.1.8.46-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-0100	3.1.1.7.1.8.46-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-0101	3.1.1.7.1.8.46-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-0102	3.1.1.7.1.8.46-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-0110	3.1.1.7.1.8.46-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-10	3.1.1.7.1.8.46-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-11	3.1.1.7.1.8.46-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-20	3.1.1.7.1.8.46-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-21	3.1.1.7.1.8.46-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-22	3.1.1.7.1.8.46-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-23	3.1.1.7.1.8.46-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-24	3.1.1.7.1.8.46-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-25	3.1.1.7.1.8.46-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-26	3.1.1.7.1.8.46-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-27	3.1.1.7.1.8.46-1
	org.apache.kafka	kafka-streams-upgrade-system-tests-28	3.1.1.7.1.8.46-1
	org.apache.kafka	kafka-tools	3.1.1.7.1.8.46-1
	org.apache.kafka	kafka_2.12	3.1.1.7.1.8.46-1
	org.apache.kafka	kafka_2.13	3.1.1.7.1.8.46-1
	org.apache.kafka	trogdor	3.1.1.7.1.8.46-1
Apache Knox	org.apache.knox	gateway-adapter	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-admin-ui	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-applications	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-cloud-bindings	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-demo-ldap	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-demo-ldap-launcher	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-discovery-ambari	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-discovery-cm	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-docker	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-i18n	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-i18n-logging-log4j	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-i18n-logging-sl4j	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-provider-ha	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-provider-identity-assertion-common	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-provider-identity-assertion-concat	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-provider-identity-assertion-hadoop-groups	1.3.0.7.1.8.46-1

Project	groupId	artifactId	version
	org.apache.knox	gateway-provider-identity-assertion-pseudo	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-provider-identity-assertion-regex	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-provider-identity-assertion-switchcase	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-provider-jersey	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-provider-rewrite	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-provider-rewrite-common	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-provider-rewrite-func-hostmap-static	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-provider-rewrite-func-inbound-query-param	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-provider-rewrite-func-service-registry	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-provider-rewrite-step-encrypt-uri	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-provider-rewrite-step-secure-query	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-provider-security-authc-anon	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-provider-security-authz-acls	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-provider-security-authz-composite	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-provider-security-clientcert	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-provider-security-hadoopauth	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-provider-security-jwt	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-provider-security-pac4j	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-provider-security-preauth	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-provider-security-shiro	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-provider-security-webappsec	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-release	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-server	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-server-launcher	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-server-xforwarded-filter	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-service-admin	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-service-as	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-service-definitions	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-service-hashicorp-vault	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-service-hbase	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-service-health	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-service-hive	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-service-idbroker	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-service-impala	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-service-jkg	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-service-knoxsso	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-service-knoxssout	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-service-knoxtoken	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-service-livy	1.3.0.7.1.8.46-1

Project	groupId	artifactId	version
	org.apache.knox	gateway-service-metadata	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-service-nifi	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-service-nifi-registry	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-service-remoteconfig	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-service-rm	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-service-session	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-service-storm	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-service-test	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-service-tgs	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-service-vault	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-service-webhdfs	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-shell	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-shell-launcher	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-shell-release	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-shell-samples	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-spi	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-test	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-test-idbroker	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-test-release-utils	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-test-utils	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-topology-hadoop-xml	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-topology-simple	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-util-common	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-util-configinjector	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-util-launcher	1.3.0.7.1.8.46-1
	org.apache.knox	gateway-util-urlltemplate	1.3.0.7.1.8.46-1
	org.apache.knox	hadoop-examples	1.3.0.7.1.8.46-1
	org.apache.knox	knox-cli-launcher	1.3.0.7.1.8.46-1
	org.apache.knox	knox-homepage-ui	1.3.0.7.1.8.46-1
	org.apache.knox	webhdfs-kerb-test	1.3.0.7.1.8.46-1
	org.apache.knox	webhdfs-test	1.3.0.7.1.8.46-1
Apache Kudu	org.apache.kudu	kudu-backup-tools	1.15.0.7.1.8.46-1
	org.apache.kudu	kudu-backup2_2.11	1.15.0.7.1.8.46-1
	org.apache.kudu	kudu-backup3_2.12	1.15.0.7.1.8.46-1
	org.apache.kudu	kudu-client	1.15.0.7.1.8.46-1
	org.apache.kudu	kudu-hive	1.15.0.7.1.8.46-1
	org.apache.kudu	kudu-spark2-tools_2.11	1.15.0.7.1.8.46-1
	org.apache.kudu	kudu-spark2_2.11	1.15.0.7.1.8.46-1
	org.apache.kudu	kudu-spark3-tools_2.12	1.15.0.7.1.8.46-1

Project	groupId	artifactId	version
	org.apache.kudu	kudu-spark3_2.12	1.15.0.7.1.8.46-1
	org.apache.kudu	kudu-test-utils	1.15.0.7.1.8.46-1
Apache Livy	org.apache.livy	livy-api	0.6.0.7.1.8.46-1
	org.apache.livy	livy-client-common	0.6.0.7.1.8.46-1
	org.apache.livy	livy-client-http	0.6.0.7.1.8.46-1
	org.apache.livy	livy-core_2.11	0.6.0.7.1.8.46-1
	org.apache.livy	livy-examples	0.6.0.7.1.8.46-1
	org.apache.livy	livy-integration-test	0.6.0.7.1.8.46-1
	org.apache.livy	livy-repl_2.11	0.6.0.7.1.8.46-1
	org.apache.livy	livy-rsc	0.6.0.7.1.8.46-1
	org.apache.livy	livy-scala-api_2.11	0.6.0.7.1.8.46-1
	org.apache.livy	livy-server	0.6.0.7.1.8.46-1
	org.apache.livy	livy-test-lib	0.6.0.7.1.8.46-1
	org.apache.livy	livy-thriftserver	0.6.0.7.1.8.46-1
	org.apache.livy	livy-thriftserver-session	0.6.0.7.1.8.46-1
Apache Lucene	org.apache.lucene	lucene-analyzers-common	8.4.1.7.1.8.46-1
	org.apache.lucene	lucene-analyzers-icu	8.4.1.7.1.8.46-1
	org.apache.lucene	lucene-analyzers-kuromoji	8.4.1.7.1.8.46-1
	org.apache.lucene	lucene-analyzers-morfologik	8.4.1.7.1.8.46-1
	org.apache.lucene	lucene-analyzers-nori	8.4.1.7.1.8.46-1
	org.apache.lucene	lucene-analyzers-openslp	8.4.1.7.1.8.46-1
	org.apache.lucene	lucene-analyzers-phonetic	8.4.1.7.1.8.46-1
	org.apache.lucene	lucene-analyzers-smartcn	8.4.1.7.1.8.46-1
	org.apache.lucene	lucene-analyzers-stempel	8.4.1.7.1.8.46-1
	org.apache.lucene	lucene-backward-codecs	8.4.1.7.1.8.46-1
	org.apache.lucene	lucene-benchmark	8.4.1.7.1.8.46-1
	org.apache.lucene	lucene-classification	8.4.1.7.1.8.46-1
	org.apache.lucene	lucene-codecs	8.4.1.7.1.8.46-1
	org.apache.lucene	lucene-core	8.4.1.7.1.8.46-1
	org.apache.lucene	lucene-demo	8.4.1.7.1.8.46-1
	org.apache.lucene	lucene-expressions	8.4.1.7.1.8.46-1
	org.apache.lucene	lucene-facet	8.4.1.7.1.8.46-1
	org.apache.lucene	lucene-grouping	8.4.1.7.1.8.46-1
	org.apache.lucene	lucene-highlighter	8.4.1.7.1.8.46-1
	org.apache.lucene	lucene-join	8.4.1.7.1.8.46-1
	org.apache.lucene	lucene-memory	8.4.1.7.1.8.46-1
	org.apache.lucene	lucene-misc	8.4.1.7.1.8.46-1
	org.apache.lucene	lucene-monitor	8.4.1.7.1.8.46-1
	org.apache.lucene	lucene-queries	8.4.1.7.1.8.46-1

Project	groupId	artifactId	version
	org.apache.lucene	lucene-queryparser	8.4.1.7.1.8.46-1
	org.apache.lucene	lucene-replicator	8.4.1.7.1.8.46-1
	org.apache.lucene	lucene-sandbox	8.4.1.7.1.8.46-1
	org.apache.lucene	lucene-spatial	8.4.1.7.1.8.46-1
	org.apache.lucene	lucene-spatial-extras	8.4.1.7.1.8.46-1
	org.apache.lucene	lucene-spatial3d	8.4.1.7.1.8.46-1
	org.apache.lucene	lucene-suggest	8.4.1.7.1.8.46-1
	org.apache.lucene	lucene-test-framework	8.4.1.7.1.8.46-1
Apache Oozie	org.apache.oozie	oozie-client	5.1.0.7.1.8.46-1
	org.apache.oozie	oozie-core	5.1.0.7.1.8.46-1
	org.apache.oozie	oozie-distro	5.1.0.7.1.8.46-1
	org.apache.oozie	oozie-examples	5.1.0.7.1.8.46-1
	org.apache.oozie	oozie-fluent-job-api	5.1.0.7.1.8.46-1
	org.apache.oozie	oozie-fluent-job-client	5.1.0.7.1.8.46-1
	org.apache.oozie	oozie-server	5.1.0.7.1.8.46-1
	org.apache.oozie	oozie-sharelib-distcp	5.1.0.7.1.8.46-1
	org.apache.oozie	oozie-sharelib-git	5.1.0.7.1.8.46-1
	org.apache.oozie	oozie-sharelib-hcatalog	5.1.0.7.1.8.46-1
	org.apache.oozie	oozie-sharelib-hive	5.1.0.7.1.8.46-1
	org.apache.oozie	oozie-sharelib-hive2	5.1.0.7.1.8.46-1
	org.apache.oozie	oozie-sharelib-oozie	5.1.0.7.1.8.46-1
	org.apache.oozie	oozie-sharelib-spark	5.1.0.7.1.8.46-1
	org.apache.oozie	oozie-sharelib-sqoop	5.1.0.7.1.8.46-1
	org.apache.oozie	oozie-sharelib-streaming	5.1.0.7.1.8.46-1
	org.apache.oozie	oozie-tools	5.1.0.7.1.8.46-1
	org.apache.oozie	oozie-zookeeper-security-tests	5.1.0.7.1.8.46-1
	org.apache.oozie.test	oozie-mini	5.1.0.7.1.8.46-1
Apache ORC	org.apache.orc	orc-core	1.5.1.7.1.8.46-1
	org.apache.orc	orc-examples	1.5.1.7.1.8.46-1
	org.apache.orc	orc-mapreduce	1.5.1.7.1.8.46-1
	org.apache.orc	orc-shims	1.5.1.7.1.8.46-1
	org.apache.orc	orc-tools	1.5.1.7.1.8.46-1
Apache Parquet	org.apache.parquet	parquet-avro	1.10.99.7.1.8.46-1
	org.apache.parquet	parquet-cascading	1.10.99.7.1.8.46-1
	org.apache.parquet	parquet-cascading3	1.10.99.7.1.8.46-1
	org.apache.parquet	parquet-column	1.10.99.7.1.8.46-1
	org.apache.parquet	parquet-common	1.10.99.7.1.8.46-1
	org.apache.parquet	parquet-encoding	1.10.99.7.1.8.46-1
	org.apache.parquet	parquet-format-structures	1.10.99.7.1.8.46-1

Project	groupId	artifactId	version
	org.apache.parquet	parquet-generator	1.10.99.7.1.8.46-1
	org.apache.parquet	parquet-hadoop	1.10.99.7.1.8.46-1
	org.apache.parquet	parquet-hadoop-bundle	1.10.99.7.1.8.46-1
	org.apache.parquet	parquet-jackson	1.10.99.7.1.8.46-1
	org.apache.parquet	parquet-pig	1.10.99.7.1.8.46-1
	org.apache.parquet	parquet-pig-bundle	1.10.99.7.1.8.46-1
	org.apache.parquet	parquet-protobuf	1.10.99.7.1.8.46-1
	org.apache.parquet	parquet-scala_2.10	1.10.99.7.1.8.46-1
	org.apache.parquet	parquet-thrift	1.10.99.7.1.8.46-1
	org.apache.parquet	parquet-tools	1.10.99.7.1.8.46-1
Apache Phoenix	org.apache.phoenix	phoenix-client-embedded-hbase-2.4	5.1.1.7.1.8.46-1
	org.apache.phoenix	phoenix-client-hbase-2.4	5.1.1.7.1.8.46-1
	org.apache.phoenix	phoenix-connectors-phoenix5-compatible	6.0.0.7.1.8.46-1
	org.apache.phoenix	phoenix-core	5.1.1.7.1.8.46-1
	org.apache.phoenix	phoenix-hbase-compatible-2.1.6	5.1.1.7.1.8.46-1
	org.apache.phoenix	phoenix-hbase-compatible-2.2.5	5.1.1.7.1.8.46-1
	org.apache.phoenix	phoenix-hbase-compatible-2.3.0	5.1.1.7.1.8.46-1
	org.apache.phoenix	phoenix-hbase-compatible-2.4.0	5.1.1.7.1.8.46-1
	org.apache.phoenix	phoenix-hbase-compatible-2.4.1	5.1.1.7.1.8.46-1
	org.apache.phoenix	phoenix-pherf	5.1.1.7.1.8.46-1
	org.apache.phoenix	phoenix-queryserver	6.0.0.7.1.8.46-1
	org.apache.phoenix	phoenix-queryserver-client	6.0.0.7.1.8.46-1
	org.apache.phoenix	phoenix-queryserver-it	6.0.0.7.1.8.46-1
	org.apache.phoenix	phoenix-queryserver-load-balancer	6.0.0.7.1.8.46-1
	org.apache.phoenix	phoenix-queryserver-orchestrator	6.0.0.7.1.8.46-1
	org.apache.phoenix	phoenix-server-hbase-2.4	5.1.1.7.1.8.46-1
	org.apache.phoenix	phoenix-tracing-webapp	5.1.1.7.1.8.46-1
	org.apache.phoenix	phoenix5-hive	6.0.0.7.1.8.46-1
	org.apache.phoenix	phoenix5-hive-shaded	6.0.0.7.1.8.46-1
	org.apache.phoenix	phoenix5-spark	6.0.0.7.1.8.46-1
	org.apache.phoenix	phoenix5-spark-shaded	6.0.0.7.1.8.46-1
	org.apache.phoenix	phoenix5-shaded-commons-cli	1.1.0.7.1.8.46-1
	org.apache.phoenix	phoenix5-shaded-guava	1.1.0.7.1.8.46-1
Apache Ranger	org.apache.ranger	conditions-enrichers	2.3.0.7.1.8.46-1
	org.apache.ranger	credentialbuilder	2.3.0.7.1.8.46-1
	org.apache.ranger	embeddedwebserver	2.3.0.7.1.8.46-1
	org.apache.ranger	jisql	2.3.0.7.1.8.46-1
	org.apache.ranger	ldapconfigcheck	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-adls-plugin	2.3.0.7.1.8.46-1

Project	groupId	artifactId	version
	org.apache.ranger	ranger-atlas-plugin	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-atlas-plugin-shim	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-authn	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-distro	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-examples-distro	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-hbase-plugin	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-hbase-plugin-shim	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-hdfs-plugin	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-hdfs-plugin-shim	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-hive-plugin	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-hive-plugin-shim	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-intg	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-kafka-connect-plugin	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-kafka-plugin	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-kafka-plugin-shim	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-kms	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-kms-plugin	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-kms-plugin-shim	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-knox-plugin	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-knox-plugin-shim	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-kudu-plugin	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-kylin-plugin	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-kylin-plugin-shim	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-nifi-plugin	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-nifi-registry-plugin	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-ozone-plugin	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-ozone-plugin-shim	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-plugin-classloader	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-plugins-audit	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-plugins-common	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-plugins-cred	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-plugins-installer	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-policymigration	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-raz-adls	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-raz-chained-plugins	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-raz-hook-abfs	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-raz-intg	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-raz-processor	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-rms-common	2.3.0.7.1.8.46-1

Project	groupId	artifactId	version
	org.apache.ranger	ranger-rms-hive	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-rms-plugins-common	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-rms-webapp	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-sampleapp-plugin	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-schema-registry-plugin	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-solr-plugin	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-solr-plugin-shim	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-sqoop-plugin	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-sqoop-plugin-shim	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-storm-plugin	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-storm-plugin-shim	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-tagsync	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-tools	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-util	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-yarn-plugin	2.3.0.7.1.8.46-1
	org.apache.ranger	ranger-yarn-plugin-shim	2.3.0.7.1.8.46-1
	org.apache.ranger	sample-client	2.3.0.7.1.8.46-1
	org.apache.ranger	sampleapp	2.3.0.7.1.8.46-1
	org.apache.ranger	shaded-raz-hook-abfs	2.3.0.7.1.8.46-1
	org.apache.ranger	ugsync-util	2.3.0.7.1.8.46-1
	org.apache.ranger	unixauthclient	2.3.0.7.1.8.46-1
	org.apache.ranger	unixauthservice	2.3.0.7.1.8.46-1
	org.apache.ranger	unixusersync	2.3.0.7.1.8.46-1
Apache Solr	org.apache.solr	solr-analysis-extras	8.4.1.7.1.8.46-1
	org.apache.solr	solr-analytics	8.4.1.7.1.8.46-1
	org.apache.solr	solr-cell	8.4.1.7.1.8.46-1
	org.apache.solr	solr-clustering	8.4.1.7.1.8.46-1
	org.apache.solr	solr-core	8.4.1.7.1.8.46-1
	org.apache.solr	solr-dataimporthandler	8.4.1.7.1.8.46-1
	org.apache.solr	solr-dataimporthandler-extras	8.4.1.7.1.8.46-1
	org.apache.solr	solr-jaegertracer-configurator	8.4.1.7.1.8.46-1
	org.apache.solr	solr-langid	8.4.1.7.1.8.46-1
	org.apache.solr	solr-ltr	8.4.1.7.1.8.46-1
	org.apache.solr	solr-prometheus-exporter	8.4.1.7.1.8.46-1
	org.apache.solr	solr-security-util	8.4.1.7.1.8.46-1
	org.apache.solr	solr-solrj	8.4.1.7.1.8.46-1
	org.apache.solr	solr-test-framework	8.4.1.7.1.8.46-1
	org.apache.solr	solr-velocity	8.4.1.7.1.8.46-1
Apache Spark	org.apache.spark	spark-avro_2.11	2.4.8.7.1.8.46-1

Project	groupId	artifactId	version
	org.apache.spark	spark-catalyst_2.11	2.4.8.7.1.8.46-1
	org.apache.spark	spark-core_2.11	2.4.8.7.1.8.46-1
	org.apache.spark	spark-graphx_2.11	2.4.8.7.1.8.46-1
	org.apache.spark	spark-hadoop-cloud_2.11	2.4.8.7.1.8.46-1
	org.apache.spark	spark-hive_2.11	2.4.8.7.1.8.46-1
	org.apache.spark	spark-kubernetes_2.11	2.4.8.7.1.8.46-1
	org.apache.spark	spark-kvstore_2.11	2.4.8.7.1.8.46-1
	org.apache.spark	spark-launcher_2.11	2.4.8.7.1.8.46-1
	org.apache.spark	spark-mllib-local_2.11	2.4.8.7.1.8.46-1
	org.apache.spark	spark-mllib_2.11	2.4.8.7.1.8.46-1
	org.apache.spark	spark-network-common_2.11	2.4.8.7.1.8.46-1
	org.apache.spark	spark-network-shuffle_2.11	2.4.8.7.1.8.46-1
	org.apache.spark	spark-network-yarn_2.11	2.4.8.7.1.8.46-1
	org.apache.spark	spark-repl_2.11	2.4.8.7.1.8.46-1
	org.apache.spark	spark-sketch_2.11	2.4.8.7.1.8.46-1
	org.apache.spark	spark-sql-kafka-0-10_2.11	2.4.8.7.1.8.46-1
	org.apache.spark	spark-sql_2.11	2.4.8.7.1.8.46-1
	org.apache.spark	spark-streaming-kafka-0-10-assembly_2.11	2.4.8.7.1.8.46-1
	org.apache.spark	spark-streaming-kafka-0-10_2.11	2.4.8.7.1.8.46-1
	org.apache.spark	spark-streaming_2.11	2.4.8.7.1.8.46-1
	org.apache.spark	spark-tags_2.11	2.4.8.7.1.8.46-1
	org.apache.spark	spark-token-provider-kafka-0-10_2.11	2.4.8.7.1.8.46-1
	org.apache.spark	spark-unsafe_2.11	2.4.8.7.1.8.46-1
	org.apache.spark	spark-yarn_2.11	2.4.8.7.1.8.46-1
Apache Sqoop	org.apache.sqoop	sqoop	1.4.7.7.1.8.46-1
	org.apache.sqoop	sqoop-test	1.4.7.7.1.8.46-1
Apache Tez	org.apache.tez	hadoop-shim	0.9.1.7.1.8.46-1
	org.apache.tez	hadoop-shim-2.8	0.9.1.7.1.8.46-1
	org.apache.tez	tez-api	0.9.1.7.1.8.46-1
	org.apache.tez	tez-aux-services	0.9.1.7.1.8.46-1
	org.apache.tez	tez-common	0.9.1.7.1.8.46-1
	org.apache.tez	tez-dag	0.9.1.7.1.8.46-1
	org.apache.tez	tez-examples	0.9.1.7.1.8.46-1
	org.apache.tez	tez-ext-service-tests	0.9.1.7.1.8.46-1
	org.apache.tez	tez-history-parser	0.9.1.7.1.8.46-1
	org.apache.tez	tez-javadoc-tools	0.9.1.7.1.8.46-1
	org.apache.tez	tez-job-analyzer	0.9.1.7.1.8.46-1
	org.apache.tez	tez-mapreduce	0.9.1.7.1.8.46-1
	org.apache.tez	tez-protobuf-history-plugin	0.9.1.7.1.8.46-1

Project	groupId	artifactId	version
	org.apache.tez	tez-runtime-internals	0.9.1.7.1.8.46-1
	org.apache.tez	tez-runtime-library	0.9.1.7.1.8.46-1
	org.apache.tez	tez-tests	0.9.1.7.1.8.46-1
	org.apache.tez	tez-yarn-timeline-cache-plugin	0.9.1.7.1.8.46-1
	org.apache.tez	tez-yarn-timeline-history	0.9.1.7.1.8.46-1
	org.apache.tez	tez-yarn-timeline-history-with-acls	0.9.1.7.1.8.46-1
	org.apache.tez	tez-yarn-timeline-history-with-fs	0.9.1.7.1.8.46-1
Apache Zeppelin	org.apache.zeppelin	zeppelin-angular	0.8.2.7.1.8.46-1
	org.apache.zeppelin	zeppelin-display	0.8.2.7.1.8.46-1
	org.apache.zeppelin	zeppelin-interpreter	0.8.2.7.1.8.46-1
	org.apache.zeppelin	zeppelin-jdbc	0.8.2.7.1.8.46-1
	org.apache.zeppelin	zeppelin-jupyter	0.8.2.7.1.8.46-1
	org.apache.zeppelin	zeppelin-livy	0.8.2.7.1.8.46-1
	org.apache.zeppelin	zeppelin-markdown	0.8.2.7.1.8.46-1
	org.apache.zeppelin	zeppelin-server	0.8.2.7.1.8.46-1
	org.apache.zeppelin	zeppelin-shell	0.8.2.7.1.8.46-1
	org.apache.zeppelin	zeppelin-zengine	0.8.2.7.1.8.46-1
Apache ZooKeeper	org.apache.zookeeper	zookeeper	3.5.5.7.1.8.46-1
	org.apache.zookeeper	zookeeper-client-c	3.5.5.7.1.8.46-1
	org.apache.zookeeper	zookeeper-contrib-loggraph	3.5.5.7.1.8.46-1
	org.apache.zookeeper	zookeeper-contrib-rest	3.5.5.7.1.8.46-1
	org.apache.zookeeper	zookeeper-contrib-zooinspector	3.5.5.7.1.8.46-1
	org.apache.zookeeper	zookeeper-docs	3.5.5.7.1.8.46-1
	org.apache.zookeeper	zookeeper-jute	3.5.5.7.1.8.46-1
	org.apache.zookeeper	zookeeper-recipes-election	3.5.5.7.1.8.46-1
	org.apache.zookeeper	zookeeper-recipes-lock	3.5.5.7.1.8.46-1
	org.apache.zookeeper	zookeeper-recipes-queue	3.5.5.7.1.8.46-1

Runtime 7.1.8.48-2

The following table lists the project name, groupId, artifactId, and version required to access each Runtime artifact.

Project	groupId	artifactId	version
Apache Atlas	org.apache.atlas	atlas-authorization	2.1.0.7.1.8.48-2
	org.apache.atlas	atlas-aws-s3-bridge	2.1.0.7.1.8.48-2
	org.apache.atlas	atlas-azure-adls-bridge	2.1.0.7.1.8.48-2
	org.apache.atlas	atlas-classification-updater	2.1.0.7.1.8.48-2
	org.apache.atlas	atlas-client-common	2.1.0.7.1.8.48-2
	org.apache.atlas	atlas-client-v1	2.1.0.7.1.8.48-2
	org.apache.atlas	atlas-client-v2	2.1.0.7.1.8.48-2

Project	groupId	artifactId	version
	org.apache.atlas	atlas-common	2.1.0.7.1.8.48-2
	org.apache.atlas	atlas-distro	2.1.0.7.1.8.48-2
	org.apache.atlas	atlas-docs	2.1.0.7.1.8.48-2
	org.apache.atlas	atlas-graphdb-api	2.1.0.7.1.8.48-2
	org.apache.atlas	atlas-graphdb-common	2.1.0.7.1.8.48-2
	org.apache.atlas	atlas-graphdb-janus	2.1.0.7.1.8.48-2
	org.apache.atlas	atlas-hdfs-bridge	2.1.0.7.1.8.48-2
	org.apache.atlas	atlas-index-repair-tool	2.1.0.7.1.8.48-2
	org.apache.atlas	atlas-intg	2.1.0.7.1.8.48-2
	org.apache.atlas	atlas-janusgraph-hbase2	2.1.0.7.1.8.48-2
	org.apache.atlas	atlas-notification	2.1.0.7.1.8.48-2
	org.apache.atlas	atlas-plugin-classloader	2.1.0.7.1.8.48-2
	org.apache.atlas	atlas-repository	2.1.0.7.1.8.48-2
	org.apache.atlas	atlas-server-api	2.1.0.7.1.8.48-2
	org.apache.atlas	atlas-testtools	2.1.0.7.1.8.48-2
	org.apache.atlas	hbase-bridge	2.1.0.7.1.8.48-2
	org.apache.atlas	hbase-bridge-shim	2.1.0.7.1.8.48-2
	org.apache.atlas	hbase-testing-util	2.1.0.7.1.8.48-2
	org.apache.atlas	hdfs-model	2.1.0.7.1.8.48-2
	org.apache.atlas	hive-bridge	2.1.0.7.1.8.48-2
	org.apache.atlas	hive-bridge-shim	2.1.0.7.1.8.48-2
	org.apache.atlas	impala-bridge	2.1.0.7.1.8.48-2
	org.apache.atlas	impala-bridge-shim	2.1.0.7.1.8.48-2
	org.apache.atlas	impala-hook-api	2.1.0.7.1.8.48-2
	org.apache.atlas	kafka-bridge	2.1.0.7.1.8.48-2
	org.apache.atlas	kafka-bridge-shim	2.1.0.7.1.8.48-2
	org.apache.atlas	navigator-to-atlas	2.1.0.7.1.8.48-2
	org.apache.atlas	sample-app	2.1.0.7.1.8.48-2
	org.apache.atlas	sqoop-bridge	2.1.0.7.1.8.48-2
	org.apache.atlas	sqoop-bridge-shim	2.1.0.7.1.8.48-2
Apache Avro	org.apache.avro	avro	1.8.2.7.1.8.48-2
	org.apache.avro	avro-compiler	1.8.2.7.1.8.48-2
	org.apache.avro	avro-ipc	1.8.2.7.1.8.48-2
	org.apache.avro	avro-mapred	1.8.2.7.1.8.48-2
	org.apache.avro	avro-maven-plugin	1.8.2.7.1.8.48-2
	org.apache.avro	avro-protobuf	1.8.2.7.1.8.48-2
	org.apache.avro	avro-service-archetype	1.8.2.7.1.8.48-2
	org.apache.avro	avro-thrift	1.8.2.7.1.8.48-2
	org.apache.avro	avro-tools	1.8.2.7.1.8.48-2

Project	groupId	artifactId	version
	org.apache.avro	trevni-avro	1.8.2.7.1.8.48-2
	org.apache.avro	trevni-core	1.8.2.7.1.8.48-2
Apache Calcite	org.apache.calcite	calcite-babel	1.19.0.7.1.8.48-2
	org.apache.calcite	calcite-core	1.19.0.7.1.8.48-2
	org.apache.calcite	calcite-druid	1.19.0.7.1.8.48-2
	org.apache.calcite	calcite-linq4j	1.19.0.7.1.8.48-2
	org.apache.calcite	calcite-server	1.19.0.7.1.8.48-2
	org.apache.calcite.avatica	avatica	1.16.0.7.1.8.48-2
	org.apache.calcite.avatica	avatica-core	1.16.0.7.1.8.48-2
	org.apache.calcite.avatica	avatica-metrics	1.16.0.7.1.8.48-2
	org.apache.calcite.avatica	avatica-metrics-dropwizardmetrics	1.16.0.7.1.8.48-2
	org.apache.calcite.avatica	avatica-noop-driver	1.16.0.7.1.8.48-2
	org.apache.calcite.avatica	avatica-server	1.16.0.7.1.8.48-2
	org.apache.calcite.avatica	avatica-standalone-server	1.16.0.7.1.8.48-2
	org.apache.calcite.avatica	avatica-tck	1.16.0.7.1.8.48-2
GCS Connector	com.google.cloud.bigtable	bigtable-hbase-connector	2.1.2.7.1.8.48-2
	com.google.cloud.bigtable	bigtable-hbase-connector	2.1.2.7.1.8.48-2
	com.google.cloud.bigtable	bigtable-hbase	2.1.2.7.1.8.48-2
	com.google.cloud.bigtable	bigtable-hbase	2.1.2.7.1.8.48-2
	com.google.cloud.bigtable	bigtable-hbase	2.1.2.7.1.8.48-2
Apache Hadoop	org.apache.hadoop	hadoop-aliyun	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-annotations	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-archive-logs	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-archives	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-assemblies	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-auth	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-aws	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-azure	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-azure-datalake	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-build-tools	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-client	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-client-api	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-client-integration-tests	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-client-minicluster	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-client-runtime	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-cloud-storage	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-common	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-datajoin	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-distcp	3.1.1.7.1.8.48-2

Project	groupId	artifactId	version
	org.apache.hadoop	hadoop-extras	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-fs2img	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-gridmix	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-hdfs	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-hdfs-client	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-hdfs-httpfs	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-hdfs-native-client	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-hdfs-nfs	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-hdfs-rbf	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-kafka	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-kms	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-mapreduce-client-app	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-mapreduce-client-common	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-mapreduce-client-core	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-mapreduce-client-hs	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-mapreduce-client-hs-plugins	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-mapreduce-client-jobclient	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-mapreduce-client-nativetask	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-mapreduce-client-shuffle	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-mapreduce-client-uploader	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-mapreduce-examples	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-maven-plugins	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-minicluster	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-minikdc	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-nfs	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-openstack	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-resourceestimator	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-rumen	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-sls	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-streaming	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-tools-dist	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-yarn-api	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-yarn-applications-distributedshell	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-yarn-applications-unmanaged-am-launcher	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-yarn-client	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-yarn-common	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-yarn-registry	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-yarn-server-applicationhistoryservice	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-yarn-server-common	3.1.1.7.1.8.48-2

Project	groupId	artifactId	version
	org.apache.hadoop	hadoop-yarn-server-nodemanager	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-yarn-server-resourcemanager	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-yarn-server-router	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-yarn-server-sharedcachemanager	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-yarn-server-tests	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-yarn-server-timeline-pluginstorage	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-yarn-server-timelineservice	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-client	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-common	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-server-2	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-tests	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-yarn-server-web-proxy	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-yarn-services-api	3.1.1.7.1.8.48-2
	org.apache.hadoop	hadoop-yarn-services-core	3.1.1.7.1.8.48-2
Apache HBase	org.apache.hbase	filesystem	hadoop3-3-testutils
	org.apache.hbase	hbase-annotations	2.4.6.7.1.8.48-2
	org.apache.hbase	hbase-asyncfs	2.4.6.7.1.8.48-2
	org.apache.hbase	hbase-checkstyle	2.4.6.7.1.8.48-2
	org.apache.hbase	hbase-client	2.4.6.7.1.8.48-2
	org.apache.hbase	hbase-client-project	2.4.6.7.1.8.48-2
	org.apache.hbase	hbase-common	2.4.6.7.1.8.48-2
	org.apache.hbase	hbase-endpoint	2.4.6.7.1.8.48-2
	org.apache.hbase	hbase-examples	2.4.6.7.1.8.48-2
	org.apache.hbase	hbase-external-blockcache	2.4.6.7.1.8.48-2
	org.apache.hbase	hbase-hadoop-compat	2.4.6.7.1.8.48-2
	org.apache.hbase	hbase-hadoop2-compat	2.4.6.7.1.8.48-2
	org.apache.hbase	hbase-hbtop	2.4.6.7.1.8.48-2
	org.apache.hbase	hbase-http	2.4.6.7.1.8.48-2
	org.apache.hbase	hbase-it	2.4.6.7.1.8.48-2
	org.apache.hbase	hbase-logging	2.4.6.7.1.8.48-2
	org.apache.hbase	hbase-mapreduce	2.4.6.7.1.8.48-2
	org.apache.hbase	hbase-metrics	2.4.6.7.1.8.48-2
	org.apache.hbase	hbase-metrics-api	2.4.6.7.1.8.48-2
	org.apache.hbase	hbase-procedure	2.4.6.7.1.8.48-2
	org.apache.hbase	hbase-protocol	2.4.6.7.1.8.48-2
	org.apache.hbase	hbase-protocol-shaded	2.4.6.7.1.8.48-2
	org.apache.hbase	hbase-replication	2.4.6.7.1.8.48-2
	org.apache.hbase	hbase-resource-bundle	2.4.6.7.1.8.48-2
	org.apache.hbase	hbase-rest	2.4.6.7.1.8.48-2

Project	groupId	artifactId	version
	org.apache.hbase	hbase-rsgroup	2.4.6.7.1.8.48-2
	org.apache.hbase	hbase-server	2.4.6.7.1.8.48-2
	org.apache.hbase	hbase-shaded-client	2.4.6.7.1.8.48-2
	org.apache.hbase	hbase-shaded-client-byo-hadoop	2.4.6.7.1.8.48-2
	org.apache.hbase	hbase-shaded-client-project	2.4.6.7.1.8.48-2
	org.apache.hbase	hbase-shaded-mapreduce	2.4.6.7.1.8.48-2
	org.apache.hbase	hbase-shaded-testing-util	2.4.6.7.1.8.48-2
	org.apache.hbase	hbase-shaded-testing-util-tester	2.4.6.7.1.8.48-2
	org.apache.hbase	hbase-shell	2.4.6.7.1.8.48-2
	org.apache.hbase	hbase-testing-util	2.4.6.7.1.8.48-2
	org.apache.hbase	hbase-thrift	2.4.6.7.1.8.48-2
	org.apache.hbase	hbase-zookeeper	2.4.6.7.1.8.48-2
	org.apache.hbase.connector.kafka	hbase-connector-kafka-model	1.0.0.7.1.8.48-2
	org.apache.hbase.connector.kafka	hbase-connector-kafka-proxy	1.0.0.7.1.8.48-2
	org.apache.hbase.connector.spark	hbase-connector-spark	1.0.0.7.1.8.48-2
	org.apache.hbase.connector.spark	hbase-connector-spark-it	1.0.0.7.1.8.48-2
	org.apache.hbase.connector.spark	hbase-connector-spark-protocol	1.0.0.7.1.8.48-2
	org.apache.hbase.connector.spark	hbase-connector-spark-protocol-shaded	1.0.0.7.1.8.48-2
	org.apache.hbase.filesystem	hbase-filesystem-testutils	1.0.0.7.1.8.48-2
	org.apache.hbase.filesystem	hbase-filesystem-impl	1.0.0.7.1.8.48-2
	org.apache.hbase.filesystem	hbase-filesystem	1.0.0.7.1.8.48-2
	org.apache.hbase.thriftparty	hbase-thriftparty-noop-htrace	3.5.0.7.1.8.48-2
	org.apache.hbase.thriftparty	hbase-thriftparty-shaded-gson	3.5.0.7.1.8.48-2
	org.apache.hbase.thriftparty	hbase-thriftparty-shaded-jackson-jaxrs-json-provider	3.5.0.7.1.8.48-2
	org.apache.hbase.thriftparty	hbase-thriftparty-shaded-jersey	3.5.0.7.1.8.48-2
	org.apache.hbase.thriftparty	hbase-thriftparty-shaded-jetty	3.5.0.7.1.8.48-2
	org.apache.hbase.thriftparty	hbase-thriftparty-shaded-miscellaneous	3.5.0.7.1.8.48-2
	org.apache.hbase.thriftparty	hbase-thriftparty-shaded-netty	3.5.0.7.1.8.48-2
	org.apache.hbase.thriftparty	hbase-thriftparty-shaded-protobuf	3.5.0.7.1.8.48-2
Apache Hive	org.apache.hive	hive-beeline	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-blobstore	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-classification	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-cli	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-common	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-contrib	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-exec	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-hbase-handler	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-hcatalog-it-unit	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-hplsql	3.1.3000.7.1.8.48-2

Project	groupId	artifactId	version
	org.apache.hive	hive-it-custom-serde	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-it-minikdc	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-it-qfile	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-it-qfile-kudu	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-it-test-serde	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-it-unit	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-it-unit-hadoop2	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-it-util	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-jdbc	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-jdbc-handler	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-jmh	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-kryo-registrator	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-kudu-handler	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-llap-client	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-llap-common	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-llap-ext-client	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-llap-server	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-llap-tez	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-metastore	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-pre-upgrade	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-serde	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-service	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-service-rpc	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-shims	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-spark-client	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-standalone-metastore	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-storage-api	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-streaming	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-testutils	3.1.3000.7.1.8.48-2
	org.apache.hive	hive-vector-code-gen	3.1.3000.7.1.8.48-2
	org.apache.hive	kafka-handler	3.1.3000.7.1.8.48-2
	org.apache.hive.hcatalog	hive-hcatalog-core	3.1.3000.7.1.8.48-2
	org.apache.hive.hcatalog	hive-hcatalog-server-extensions	3.1.3000.7.1.8.48-2
	org.apache.hive.hcatalog	hive-hcatalog-streaming	3.1.3000.7.1.8.48-2
	org.apache.hive.hcatalog	hive-webhcat	3.1.3000.7.1.8.48-2
	org.apache.hive.hcatalog	hive-webhcat-java-client	3.1.3000.7.1.8.48-2
	org.apache.hive.hive-udf-classloader-udf1 it-custom-udfs		3.1.3000.7.1.8.48-2
	org.apache.hive.hive-udf-classloader-udf2 it-custom-udfs		3.1.3000.7.1.8.48-2

Project	groupId	artifactId	version
	org.apache.hive.hive-udf-classloader-util	it-custom-udfs	3.1.3000.7.1.8.48-2
	org.apache.hive.hive-udf-vectorized-badexample	it-custom-udfs	3.1.3000.7.1.8.48-2
	org.apache.hive.shims	hive-shims-0.23	3.1.3000.7.1.8.48-2
	org.apache.hive.shims	hive-shims-common	3.1.3000.7.1.8.48-2
	org.apache.hive.shims	hive-shims-scheduler	3.1.3000.7.1.8.48-2
Apache Hive Warehouse Connector	com.hortonworks.hive	hive-warehouse-connector_2.11	1.0.0.7.1.8.48-2
Apache Kafka	org.apache.kafka	connect	3.1.1.7.1.8.48-2
	org.apache.kafka	connect-api	3.1.1.7.1.8.48-2
	org.apache.kafka	connect-basic-auth-extension	3.1.1.7.1.8.48-2
	org.apache.kafka	connect-cloudera-authorization-extension	3.1.1.7.1.8.48-2
	org.apache.kafka	connect-cloudera-common	3.1.1.7.1.8.48-2
	org.apache.kafka	connect-cloudera-secret-storage	3.1.1.7.1.8.48-2
	org.apache.kafka	connect-cloudera-security-policies	3.1.1.7.1.8.48-2
	org.apache.kafka	connect-file	3.1.1.7.1.8.48-2
	org.apache.kafka	connect-json	3.1.1.7.1.8.48-2
	org.apache.kafka	connect-mirror	3.1.1.7.1.8.48-2
	org.apache.kafka	connect-mirror-client	3.1.1.7.1.8.48-2
	org.apache.kafka	connect-runtime	3.1.1.7.1.8.48-2
	org.apache.kafka	connect-transforms	3.1.1.7.1.8.48-2
	org.apache.kafka	generator	3.1.1.7.1.8.48-2
	org.apache.kafka	kafka-clients	3.1.1.7.1.8.48-2
	org.apache.kafka	kafka-cloudera-metrics-reporter_2.12	3.1.1.7.1.8.48-2
	org.apache.kafka	kafka-cloudera-metrics-reporter_2.13	3.1.1.7.1.8.48-2
	org.apache.kafka	kafka-cloudera-plugins	3.1.1.7.1.8.48-2
	org.apache.kafka	kafka-examples	3.1.1.7.1.8.48-2
	org.apache.kafka	kafka-log4j-appender	3.1.1.7.1.8.48-2
	org.apache.kafka	kafka-metadata	3.1.1.7.1.8.48-2
	org.apache.kafka	kafka-raft	3.1.1.7.1.8.48-2
	org.apache.kafka	kafka-server-common	3.1.1.7.1.8.48-2
	org.apache.kafka	kafka-shell	3.1.1.7.1.8.48-2
	org.apache.kafka	kafka-storage	3.1.1.7.1.8.48-2
	org.apache.kafka	kafka-storage-api	3.1.1.7.1.8.48-2
	org.apache.kafka	kafka-streams	3.1.1.7.1.8.48-2
	org.apache.kafka	kafka-streams-examples	3.1.1.7.1.8.48-2
	org.apache.kafka	kafka-streams-scala_2.12	3.1.1.7.1.8.48-2
	org.apache.kafka	kafka-streams-scala_2.13	3.1.1.7.1.8.48-2
	org.apache.kafka	kafka-streams-test-utils	3.1.1.7.1.8.48-2

Project	groupId	artifactId	version
	org.apache.kafka	kafka-streams-upgrade-system-tests-0100	3.1.1.7.1.8.48-2
	org.apache.kafka	kafka-streams-upgrade-system-tests-0101	3.1.1.7.1.8.48-2
	org.apache.kafka	kafka-streams-upgrade-system-tests-0102	3.1.1.7.1.8.48-2
	org.apache.kafka	kafka-streams-upgrade-system-tests-0110	3.1.1.7.1.8.48-2
	org.apache.kafka	kafka-streams-upgrade-system-tests-10	3.1.1.7.1.8.48-2
	org.apache.kafka	kafka-streams-upgrade-system-tests-11	3.1.1.7.1.8.48-2
	org.apache.kafka	kafka-streams-upgrade-system-tests-20	3.1.1.7.1.8.48-2
	org.apache.kafka	kafka-streams-upgrade-system-tests-21	3.1.1.7.1.8.48-2
	org.apache.kafka	kafka-streams-upgrade-system-tests-22	3.1.1.7.1.8.48-2
	org.apache.kafka	kafka-streams-upgrade-system-tests-23	3.1.1.7.1.8.48-2
	org.apache.kafka	kafka-streams-upgrade-system-tests-24	3.1.1.7.1.8.48-2
	org.apache.kafka	kafka-streams-upgrade-system-tests-25	3.1.1.7.1.8.48-2
	org.apache.kafka	kafka-streams-upgrade-system-tests-26	3.1.1.7.1.8.48-2
	org.apache.kafka	kafka-streams-upgrade-system-tests-27	3.1.1.7.1.8.48-2
	org.apache.kafka	kafka-streams-upgrade-system-tests-28	3.1.1.7.1.8.48-2
	org.apache.kafka	kafka-tools	3.1.1.7.1.8.48-2
	org.apache.kafka	kafka_2.12	3.1.1.7.1.8.48-2
	org.apache.kafka	kafka_2.13	3.1.1.7.1.8.48-2
	org.apache.kafka	trogdor	3.1.1.7.1.8.48-2
Apache Knox	org.apache.knox	gateway-adapter	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-admin-ui	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-applications	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-cloud-bindings	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-demo-ldap	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-demo-ldap-launcher	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-discovery-ambari	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-discovery-cm	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-docker	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-i18n	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-i18n-logging-log4j	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-i18n-logging-sl4j	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-provider-ha	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-provider-identity-assertion-common	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-provider-identity-assertion-concat	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-provider-identity-assertion-hadoop-groups	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-provider-identity-assertion-pseudo	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-provider-identity-assertion-regex	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-provider-identity-assertion-switchcase	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-provider-jersey	1.3.0.7.1.8.48-2

Project	groupId	artifactId	version
	org.apache.knox	gateway-provider-rewrite	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-provider-rewrite-common	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-provider-rewrite-func-hostmap-static	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-provider-rewrite-func-inbound-query-param	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-provider-rewrite-func-service-registry	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-provider-rewrite-step-encrypt-uri	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-provider-rewrite-step-secure-query	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-provider-security-authc-anon	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-provider-security-authz-acls	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-provider-security-authz-composite	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-provider-security-clientcert	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-provider-security-hadoopauth	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-provider-security-jwt	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-provider-security-pac4j	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-provider-security-preauth	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-provider-security-shiro	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-provider-security-webappsec	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-release	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-server	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-server-launcher	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-server-xforwarded-filter	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-service-admin	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-service-as	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-service-definitions	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-service-hashicorp-vault	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-service-hbase	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-service-health	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-service-hive	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-service-idbroker	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-service-impala	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-service-jkg	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-service-knoxsso	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-service-knoxssout	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-service-knoxtoken	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-service-livy	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-service-metadata	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-service-nifi	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-service-nifi-registry	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-service-remoteconfig	1.3.0.7.1.8.48-2

Project	groupId	artifactId	version
	org.apache.knox	gateway-service-rm	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-service-session	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-service-storm	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-service-test	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-service-tgs	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-service-vault	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-service-webhdfs	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-shell	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-shell-launcher	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-shell-release	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-shell-samples	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-spi	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-test	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-test-idbroker	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-test-release-utils	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-test-utils	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-topology-hadoop-xml	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-topology-simple	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-util-common	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-util-configinjector	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-util-launcher	1.3.0.7.1.8.48-2
	org.apache.knox	gateway-util-urltemplate	1.3.0.7.1.8.48-2
	org.apache.knox	hadoop-examples	1.3.0.7.1.8.48-2
	org.apache.knox	knox-cli-launcher	1.3.0.7.1.8.48-2
	org.apache.knox	knox-homepage-ui	1.3.0.7.1.8.48-2
	org.apache.knox	webhdfs-kerb-test	1.3.0.7.1.8.48-2
	org.apache.knox	webhdfs-test	1.3.0.7.1.8.48-2
Apache Kudu	org.apache.kudu	kudu-backup-tools	1.15.0.7.1.8.48-2
	org.apache.kudu	kudu-backup2_2.11	1.15.0.7.1.8.48-2
	org.apache.kudu	kudu-backup3_2.12	1.15.0.7.1.8.48-2
	org.apache.kudu	kudu-client	1.15.0.7.1.8.48-2
	org.apache.kudu	kudu-hive	1.15.0.7.1.8.48-2
	org.apache.kudu	kudu-spark2-tools_2.11	1.15.0.7.1.8.48-2
	org.apache.kudu	kudu-spark2_2.11	1.15.0.7.1.8.48-2
	org.apache.kudu	kudu-spark3-tools_2.12	1.15.0.7.1.8.48-2
	org.apache.kudu	kudu-spark3_2.12	1.15.0.7.1.8.48-2
	org.apache.kudu	kudu-test-utils	1.15.0.7.1.8.48-2
Apache Livy	org.apache.livy	livy-api	0.6.0.7.1.8.48-2
	org.apache.livy	livy-client-common	0.6.0.7.1.8.48-2

Project	groupId	artifactId	version
	org.apache.livy	livy-client-http	0.6.0.7.1.8.48-2
	org.apache.livy	livy-core_2.11	0.6.0.7.1.8.48-2
	org.apache.livy	livy-examples	0.6.0.7.1.8.48-2
	org.apache.livy	livy-integration-test	0.6.0.7.1.8.48-2
	org.apache.livy	livy-repl_2.11	0.6.0.7.1.8.48-2
	org.apache.livy	livy-rsc	0.6.0.7.1.8.48-2
	org.apache.livy	livy-scala-api_2.11	0.6.0.7.1.8.48-2
	org.apache.livy	livy-server	0.6.0.7.1.8.48-2
	org.apache.livy	livy-test-lib	0.6.0.7.1.8.48-2
	org.apache.livy	livy-thriftserver	0.6.0.7.1.8.48-2
	org.apache.livy	livy-thriftserver-session	0.6.0.7.1.8.48-2
Apache Lucene	org.apache.lucene	lucene-analyzers-common	8.4.1.7.1.8.48-2
	org.apache.lucene	lucene-analyzers-icu	8.4.1.7.1.8.48-2
	org.apache.lucene	lucene-analyzers-kuromoji	8.4.1.7.1.8.48-2
	org.apache.lucene	lucene-analyzers-morfologik	8.4.1.7.1.8.48-2
	org.apache.lucene	lucene-analyzers-nori	8.4.1.7.1.8.48-2
	org.apache.lucene	lucene-analyzers-openslp	8.4.1.7.1.8.48-2
	org.apache.lucene	lucene-analyzers-phonetic	8.4.1.7.1.8.48-2
	org.apache.lucene	lucene-analyzers-smartcn	8.4.1.7.1.8.48-2
	org.apache.lucene	lucene-analyzers-stempel	8.4.1.7.1.8.48-2
	org.apache.lucene	lucene-backward-codecs	8.4.1.7.1.8.48-2
	org.apache.lucene	lucene-benchmark	8.4.1.7.1.8.48-2
	org.apache.lucene	lucene-classification	8.4.1.7.1.8.48-2
	org.apache.lucene	lucene-codecs	8.4.1.7.1.8.48-2
	org.apache.lucene	lucene-core	8.4.1.7.1.8.48-2
	org.apache.lucene	lucene-demo	8.4.1.7.1.8.48-2
	org.apache.lucene	lucene-expressions	8.4.1.7.1.8.48-2
	org.apache.lucene	lucene-facet	8.4.1.7.1.8.48-2
	org.apache.lucene	lucene-grouping	8.4.1.7.1.8.48-2
	org.apache.lucene	lucene-highlighter	8.4.1.7.1.8.48-2
	org.apache.lucene	lucene-join	8.4.1.7.1.8.48-2
	org.apache.lucene	lucene-memory	8.4.1.7.1.8.48-2
	org.apache.lucene	lucene-misc	8.4.1.7.1.8.48-2
	org.apache.lucene	lucene-monitor	8.4.1.7.1.8.48-2
	org.apache.lucene	lucene-queries	8.4.1.7.1.8.48-2
	org.apache.lucene	lucene-queryparser	8.4.1.7.1.8.48-2
	org.apache.lucene	lucene-replicator	8.4.1.7.1.8.48-2
	org.apache.lucene	lucene-sandbox	8.4.1.7.1.8.48-2
	org.apache.lucene	lucene-spatial	8.4.1.7.1.8.48-2

Project	groupId	artifactId	version
	org.apache.lucene	lucene-spatial-extras	8.4.1.7.1.8.48-2
	org.apache.lucene	lucene-spatial3d	8.4.1.7.1.8.48-2
	org.apache.lucene	lucene-suggest	8.4.1.7.1.8.48-2
	org.apache.lucene	lucene-test-framework	8.4.1.7.1.8.48-2
Apache Oozie	org.apache.oozie	oozie-client	5.1.0.7.1.8.48-2
	org.apache.oozie	oozie-core	5.1.0.7.1.8.48-2
	org.apache.oozie	oozie-distro	5.1.0.7.1.8.48-2
	org.apache.oozie	oozie-examples	5.1.0.7.1.8.48-2
	org.apache.oozie	oozie-fluent-job-api	5.1.0.7.1.8.48-2
	org.apache.oozie	oozie-fluent-job-client	5.1.0.7.1.8.48-2
	org.apache.oozie	oozie-server	5.1.0.7.1.8.48-2
	org.apache.oozie	oozie-sharelib-distcp	5.1.0.7.1.8.48-2
	org.apache.oozie	oozie-sharelib-git	5.1.0.7.1.8.48-2
	org.apache.oozie	oozie-sharelib-hcatalog	5.1.0.7.1.8.48-2
	org.apache.oozie	oozie-sharelib-hive	5.1.0.7.1.8.48-2
	org.apache.oozie	oozie-sharelib-hive2	5.1.0.7.1.8.48-2
	org.apache.oozie	oozie-sharelib-oozie	5.1.0.7.1.8.48-2
	org.apache.oozie	oozie-sharelib-spark	5.1.0.7.1.8.48-2
	org.apache.oozie	oozie-sharelib-sqoop	5.1.0.7.1.8.48-2
	org.apache.oozie	oozie-sharelib-streaming	5.1.0.7.1.8.48-2
	org.apache.oozie	oozie-tools	5.1.0.7.1.8.48-2
	org.apache.oozie	oozie-zookeeper-security-tests	5.1.0.7.1.8.48-2
	org.apache.oozie.test	oozie-mini	5.1.0.7.1.8.48-2
Apache ORC	org.apache.orc	orc-core	1.5.1.7.1.8.48-2
	org.apache.orc	orc-examples	1.5.1.7.1.8.48-2
	org.apache.orc	orc-mapreduce	1.5.1.7.1.8.48-2
	org.apache.orc	orc-shims	1.5.1.7.1.8.48-2
	org.apache.orc	orc-tools	1.5.1.7.1.8.48-2
Apache Parquet	org.apache.parquet	parquet-avro	1.10.99.7.1.8.48-2
	org.apache.parquet	parquet-cascading	1.10.99.7.1.8.48-2
	org.apache.parquet	parquet-cascading3	1.10.99.7.1.8.48-2
	org.apache.parquet	parquet-column	1.10.99.7.1.8.48-2
	org.apache.parquet	parquet-common	1.10.99.7.1.8.48-2
	org.apache.parquet	parquet-encoding	1.10.99.7.1.8.48-2
	org.apache.parquet	parquet-format-structures	1.10.99.7.1.8.48-2
	org.apache.parquet	parquet-generator	1.10.99.7.1.8.48-2
	org.apache.parquet	parquet-hadoop	1.10.99.7.1.8.48-2
	org.apache.parquet	parquet-hadoop-bundle	1.10.99.7.1.8.48-2
	org.apache.parquet	parquet-jackson	1.10.99.7.1.8.48-2

Project	groupId	artifactId	version
	org.apache.parquet	parquet-pig	1.10.99.7.1.8.48-2
	org.apache.parquet	parquet-pig-bundle	1.10.99.7.1.8.48-2
	org.apache.parquet	parquet-protobuf	1.10.99.7.1.8.48-2
	org.apache.parquet	parquet-scala_2.10	1.10.99.7.1.8.48-2
	org.apache.parquet	parquet-thrift	1.10.99.7.1.8.48-2
	org.apache.parquet	parquet-tools	1.10.99.7.1.8.48-2
Apache Phoenix	org.apache.phoenix	phoenix-client-embedded-hbase-2.4	5.1.1.7.1.8.48-2
	org.apache.phoenix	phoenix-client-hbase-2.4	5.1.1.7.1.8.48-2
	org.apache.phoenix	phoenix-connectors-phoenix5-compat	6.0.0.7.1.8.48-2
	org.apache.phoenix	phoenix-core	5.1.1.7.1.8.48-2
	org.apache.phoenix	phoenix-hbase-compat-2.1.6	5.1.1.7.1.8.48-2
	org.apache.phoenix	phoenix-hbase-compat-2.2.5	5.1.1.7.1.8.48-2
	org.apache.phoenix	phoenix-hbase-compat-2.3.0	5.1.1.7.1.8.48-2
	org.apache.phoenix	phoenix-hbase-compat-2.4.0	5.1.1.7.1.8.48-2
	org.apache.phoenix	phoenix-hbase-compat-2.4.1	5.1.1.7.1.8.48-2
	org.apache.phoenix	phoenix-pherf	5.1.1.7.1.8.48-2
	org.apache.phoenix	phoenix-queryserver	6.0.0.7.1.8.48-2
	org.apache.phoenix	phoenix-queryserver-client	6.0.0.7.1.8.48-2
	org.apache.phoenix	phoenix-queryserver-it	6.0.0.7.1.8.48-2
	org.apache.phoenix	phoenix-queryserver-load-balancer	6.0.0.7.1.8.48-2
	org.apache.phoenix	phoenix-queryserver-orchestrator	6.0.0.7.1.8.48-2
	org.apache.phoenix	phoenix-server-hbase-2.4	5.1.1.7.1.8.48-2
	org.apache.phoenix	phoenix-tracing-webapp	5.1.1.7.1.8.48-2
	org.apache.phoenix	phoenix5-hive	6.0.0.7.1.8.48-2
	org.apache.phoenix	phoenix5-hive-shaded	6.0.0.7.1.8.48-2
	org.apache.phoenix	phoenix5-spark	6.0.0.7.1.8.48-2
	org.apache.phoenix	phoenix5-spark-shaded	6.0.0.7.1.8.48-2
	org.apache.phoenix	phoenix5-shaded-commons-cli	1.1.0.7.1.8.48-2
	org.apache.phoenix	phoenix5-shaded-guava	1.1.0.7.1.8.48-2
Apache Ranger	org.apache.ranger	conditions-enrichers	2.3.0.7.1.8.48-2
	org.apache.ranger	credentialbuilder	2.3.0.7.1.8.48-2
	org.apache.ranger	embeddedwebserver	2.3.0.7.1.8.48-2
	org.apache.ranger	jisql	2.3.0.7.1.8.48-2
	org.apache.ranger	ldapconfigcheck	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-adls-plugin	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-atlas-plugin	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-atlas-plugin-shim	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-authn	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-distro	2.3.0.7.1.8.48-2

Project	groupId	artifactId	version
	org.apache.ranger	ranger-examples-distro	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-hbase-plugin	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-hbase-plugin-shim	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-hdfs-plugin	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-hdfs-plugin-shim	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-hive-plugin	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-hive-plugin-shim	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-intg	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-kafka-connect-plugin	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-kafka-plugin	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-kafka-plugin-shim	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-kms	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-kms-plugin	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-kms-plugin-shim	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-knox-plugin	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-knox-plugin-shim	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-kudu-plugin	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-kylin-plugin	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-kylin-plugin-shim	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-nifi-plugin	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-nifi-registry-plugin	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-ozone-plugin	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-ozone-plugin-shim	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-plugin-classloader	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-plugins-audit	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-plugins-common	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-plugins-cred	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-plugins-installer	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-policymigration	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-raz-adls	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-raz-chained-plugins	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-raz-hook-abfs	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-raz-intg	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-raz-processor	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-rms-common	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-rms-hive	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-rms-plugins-common	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-rms-webapp	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-sampleapp-plugin	2.3.0.7.1.8.48-2

Project	groupId	artifactId	version
	org.apache.ranger	ranger-schema-registry-plugin	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-solr-plugin	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-solr-plugin-shim	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-sqoop-plugin	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-sqoop-plugin-shim	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-storm-plugin	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-storm-plugin-shim	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-tagsync	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-tools	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-util	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-yarn-plugin	2.3.0.7.1.8.48-2
	org.apache.ranger	ranger-yarn-plugin-shim	2.3.0.7.1.8.48-2
	org.apache.ranger	sample-client	2.3.0.7.1.8.48-2
	org.apache.ranger	sampleapp	2.3.0.7.1.8.48-2
	org.apache.ranger	shaded-raz-hook-abfs	2.3.0.7.1.8.48-2
	org.apache.ranger	ugsync-util	2.3.0.7.1.8.48-2
	org.apache.ranger	unixauthclient	2.3.0.7.1.8.48-2
	org.apache.ranger	unixauthservice	2.3.0.7.1.8.48-2
	org.apache.ranger	unixusersync	2.3.0.7.1.8.48-2
Apache Solr	org.apache.solr	solr-analysis-extras	8.4.1.7.1.8.48-2
	org.apache.solr	solr-analytics	8.4.1.7.1.8.48-2
	org.apache.solr	solr-cell	8.4.1.7.1.8.48-2
	org.apache.solr	solr-clustering	8.4.1.7.1.8.48-2
	org.apache.solr	solr-core	8.4.1.7.1.8.48-2
	org.apache.solr	solr-dataimporthandler	8.4.1.7.1.8.48-2
	org.apache.solr	solr-dataimporthandler-extras	8.4.1.7.1.8.48-2
	org.apache.solr	solr-jaegertracer-configurator	8.4.1.7.1.8.48-2
	org.apache.solr	solr-langid	8.4.1.7.1.8.48-2
	org.apache.solr	solr-ltr	8.4.1.7.1.8.48-2
	org.apache.solr	solr-prometheus-exporter	8.4.1.7.1.8.48-2
	org.apache.solr	solr-security-util	8.4.1.7.1.8.48-2
	org.apache.solr	solr-solrj	8.4.1.7.1.8.48-2
	org.apache.solr	solr-test-framework	8.4.1.7.1.8.48-2
	org.apache.solr	solr-velocity	8.4.1.7.1.8.48-2
Apache Spark	org.apache.spark	spark-avro_2.11	2.4.8.7.1.8.48-2
	org.apache.spark	spark-catalyst_2.11	2.4.8.7.1.8.48-2
	org.apache.spark	spark-core_2.11	2.4.8.7.1.8.48-2
	org.apache.spark	spark-graphx_2.11	2.4.8.7.1.8.48-2
	org.apache.spark	spark-hadoop-cloud_2.11	2.4.8.7.1.8.48-2

Project	groupId	artifactId	version
	org.apache.spark	spark-hive_2.11	2.4.8.7.1.8.48-2
	org.apache.spark	spark-kubernetes_2.11	2.4.8.7.1.8.48-2
	org.apache.spark	spark-kvstore_2.11	2.4.8.7.1.8.48-2
	org.apache.spark	spark-launcher_2.11	2.4.8.7.1.8.48-2
	org.apache.spark	spark-mllib-local_2.11	2.4.8.7.1.8.48-2
	org.apache.spark	spark-mllib_2.11	2.4.8.7.1.8.48-2
	org.apache.spark	spark-network-common_2.11	2.4.8.7.1.8.48-2
	org.apache.spark	spark-network-shuffle_2.11	2.4.8.7.1.8.48-2
	org.apache.spark	spark-network-yarn_2.11	2.4.8.7.1.8.48-2
	org.apache.spark	spark-repl_2.11	2.4.8.7.1.8.48-2
	org.apache.spark	spark-sketch_2.11	2.4.8.7.1.8.48-2
	org.apache.spark	spark-sql-kafka-0-10_2.11	2.4.8.7.1.8.48-2
	org.apache.spark	spark-sql_2.11	2.4.8.7.1.8.48-2
	org.apache.spark	spark-streaming-kafka-0-10-assembly_2.11	2.4.8.7.1.8.48-2
	org.apache.spark	spark-streaming-kafka-0-10_2.11	2.4.8.7.1.8.48-2
	org.apache.spark	spark-streaming_2.11	2.4.8.7.1.8.48-2
	org.apache.spark	spark-tags_2.11	2.4.8.7.1.8.48-2
	org.apache.spark	spark-token-provider-kafka-0-10_2.11	2.4.8.7.1.8.48-2
	org.apache.spark	spark-unsafe_2.11	2.4.8.7.1.8.48-2
	org.apache.spark	spark-yarn_2.11	2.4.8.7.1.8.48-2
Apache Sqoop	org.apache.sqoop	sqoop	1.4.7.7.1.8.48-2
	org.apache.sqoop	sqoop-test	1.4.7.7.1.8.48-2
Apache Tez	org.apache.tez	hadoop-shim	0.9.1.7.1.8.48-2
	org.apache.tez	hadoop-shim-2.8	0.9.1.7.1.8.48-2
	org.apache.tez	tez-api	0.9.1.7.1.8.48-2
	org.apache.tez	tez-aux-services	0.9.1.7.1.8.48-2
	org.apache.tez	tez-common	0.9.1.7.1.8.48-2
	org.apache.tez	tez-dag	0.9.1.7.1.8.48-2
	org.apache.tez	tez-examples	0.9.1.7.1.8.48-2
	org.apache.tez	tez-ext-service-tests	0.9.1.7.1.8.48-2
	org.apache.tez	tez-history-parser	0.9.1.7.1.8.48-2
	org.apache.tez	tez-javadoc-tools	0.9.1.7.1.8.48-2
	org.apache.tez	tez-job-analyzer	0.9.1.7.1.8.48-2
	org.apache.tez	tez-mapreduce	0.9.1.7.1.8.48-2
	org.apache.tez	tez-protobuf-history-plugin	0.9.1.7.1.8.48-2
	org.apache.tez	tez-runtime-internals	0.9.1.7.1.8.48-2
	org.apache.tez	tez-runtime-library	0.9.1.7.1.8.48-2
	org.apache.tez	tez-tests	0.9.1.7.1.8.48-2
	org.apache.tez	tez-yarn-timeline-cache-plugin	0.9.1.7.1.8.48-2

Project	groupId	artifactId	version
	org.apache.tez	tez-yarn-timeline-history	0.9.1.7.1.8.48-2
	org.apache.tez	tez-yarn-timeline-history-with-acls	0.9.1.7.1.8.48-2
	org.apache.tez	tez-yarn-timeline-history-with-fs	0.9.1.7.1.8.48-2
Apache Zeppelin	org.apache.zeppelin	zeppelin-angular	0.8.2.7.1.8.48-2
	org.apache.zeppelin	zeppelin-display	0.8.2.7.1.8.48-2
	org.apache.zeppelin	zeppelin-interpreter	0.8.2.7.1.8.48-2
	org.apache.zeppelin	zeppelin-jdbc	0.8.2.7.1.8.48-2
	org.apache.zeppelin	zeppelin-jupyter	0.8.2.7.1.8.48-2
	org.apache.zeppelin	zeppelin-livy	0.8.2.7.1.8.48-2
	org.apache.zeppelin	zeppelin-markdown	0.8.2.7.1.8.48-2
	org.apache.zeppelin	zeppelin-server	0.8.2.7.1.8.48-2
	org.apache.zeppelin	zeppelin-shell	0.8.2.7.1.8.48-2
	org.apache.zeppelin	zeppelin-zengine	0.8.2.7.1.8.48-2
Apache ZooKeeper	org.apache.zookeeper	zookeeper	3.5.5.7.1.8.48-2
	org.apache.zookeeper	zookeeper-client-c	3.5.5.7.1.8.48-2
	org.apache.zookeeper	zookeeper-contrib-loggraph	3.5.5.7.1.8.48-2
	org.apache.zookeeper	zookeeper-contrib-rest	3.5.5.7.1.8.48-2
	org.apache.zookeeper	zookeeper-contrib-zooinspector	3.5.5.7.1.8.48-2
	org.apache.zookeeper	zookeeper-docs	3.5.5.7.1.8.48-2
	org.apache.zookeeper	zookeeper-jute	3.5.5.7.1.8.48-2
	org.apache.zookeeper	zookeeper-recipes-election	3.5.5.7.1.8.48-2
	org.apache.zookeeper	zookeeper-recipes-lock	3.5.5.7.1.8.48-2
	org.apache.zookeeper	zookeeper-recipes-queue	3.5.5.7.1.8.48-2

Runtime 7.1.8.50-2

The following table lists the project name, groupId, artifactId, and version required to access each Runtime artifact.

Project	groupId	artifactId	version
Atlas	org.apache.atlas	atlas-authorization	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	atlas-aws-s3-bridge	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	atlas-azure-adls-bridge	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	atlas-classification-updater	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	atlas-client-common	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	atlas-client-v1	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	atlas-client-v2	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	atlas-common	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	atlas-distro	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	atlas-docs	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	atlas-graphdb-api	2.1.0.7.1.8.50-2

Project	groupId	artifactId	version
Atlas	org.apache.atlas	atlas-graphdb-common	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	atlas-graphdb-janus	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	atlas-hdfs-bridge	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	atlas-index-repair-tool	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	atlas-intg	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	atlas-janusgraph-hbase2	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	atlas-notification	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	atlas-plugin-classloader	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	atlas-repository	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	atlas-server-api	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	atlas-testtools	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	hbase-bridge	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	hbase-bridge-shim	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	hbase-testing-util	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	hdfs-model	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	hive-bridge	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	hive-bridge-shim	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	impala-bridge	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	impala-bridge-shim	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	impala-hook-api	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	kafka-bridge	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	kafka-bridge-shim	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	navigator-to-atlas	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	sample-app	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	sqoop-bridge	2.1.0.7.1.8.50-2
Atlas	org.apache.atlas	sqoop-bridge-shim	2.1.0.7.1.8.50-2
Avro	org.apache.avro	avro	1.8.2.7.1.8.50-2
Avro	org.apache.avro	avro-compiler	1.8.2.7.1.8.50-2
Avro	org.apache.avro	avro-ipc	1.8.2.7.1.8.50-2
Avro	org.apache.avro	avro-mapred	1.8.2.7.1.8.50-2
Avro	org.apache.avro	avro-maven-plugin	1.8.2.7.1.8.50-2
Avro	org.apache.avro	avro-protobuf	1.8.2.7.1.8.50-2
Avro	org.apache.avro	avro-service-archetype	1.8.2.7.1.8.50-2
Avro	org.apache.avro	avro-thrift	1.8.2.7.1.8.50-2
Avro	org.apache.avro	avro-tools	1.8.2.7.1.8.50-2
Avro	org.apache.avro	trevni-avro	1.8.2.7.1.8.50-2
Avro	org.apache.avro	trevni-core	1.8.2.7.1.8.50-2
Calcite	org.apache.calcite	calcite-babel	1.19.0.7.1.8.50-2
Calcite	org.apache.calcite	calcite-core	1.19.0.7.1.8.50-2

Project	groupId	artifactId	version
Calcite	org.apache.calcite	calcite-druid	1.19.0.7.1.8.50-2
Calcite	org.apache.calcite	calcite-linq4j	1.19.0.7.1.8.50-2
Calcite	org.apache.calcite	calcite-server	1.19.0.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-aliyun	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-annotations	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-archive-logs	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-archives	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-assemblies	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-auth	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-aws	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-azure	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-azure-datalake	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-build-tools	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-client	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-client-api	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-client-integration-tests	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-client-minicluster	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-client-runtime	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-cloud-storage	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-common	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-datajoin	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-distcp	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-extras	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-fs2img	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-gridmix	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-hdfs	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-hdfs-client	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-hdfs-httpfs	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-hdfs-native-client	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-hdfs-nfs	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-hdfs-rbf	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-kafka	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-kms	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-app	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-common	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-core	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-hs	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-hs-plugins	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-jobclient	3.1.1.7.1.8.50-2

Project	groupId	artifactId	version
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-nativetask	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-shuffle	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-uploader	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-mapreduce-examples	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-maven-plugins	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-minicluster	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-minikdc	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-nfs	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-openstack	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-resourceestimator	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-rumen	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-sls	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-streaming	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-tools-dist	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-yarn-api	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-yarn-applications-distributedshell	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-yarn-applications-unmanaged-am-launcher	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-yarn-client	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-yarn-common	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-yarn-registry	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-yarn-server-applicationhistoryservice	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-yarn-server-common	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-yarn-server-nodemanager	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-yarn-server-resourcemanager	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-yarn-server-router	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-yarn-server-sharedcachemanager	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-yarn-server-tests	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-yarn-server-timeline-pluginstorage	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-client	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-common	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-server-2	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-tests	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-yarn-server-web-proxy	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-yarn-services-api	3.1.1.7.1.8.50-2
Hadoop	org.apache.hadoop	hadoop-yarn-services-core	3.1.1.7.1.8.50-2
HBase	org.apache.hbase	hbase-annotations	2.4.6.7.1.8.50-2
HBase	org.apache.hbase	hbase-asyncfs	2.4.6.7.1.8.50-2
HBase	org.apache.hbase	hbase-checkstyle	2.4.6.7.1.8.50-2

Project	groupId	artifactId	version
HBase	org.apache.hbase	hbase-client	2.4.6.7.1.8.50-2
HBase	org.apache.hbase	hbase-client-project	2.4.6.7.1.8.50-2
HBase	org.apache.hbase	hbase-common	2.4.6.7.1.8.50-2
HBase	org.apache.hbase	hbase-endpoint	2.4.6.7.1.8.50-2
HBase	org.apache.hbase	hbase-examples	2.4.6.7.1.8.50-2
HBase	org.apache.hbase	hbase-external-blockcache	2.4.6.7.1.8.50-2
HBase	org.apache.hbase	hbase-hadoop-compat	2.4.6.7.1.8.50-2
HBase	org.apache.hbase	hbase-hadoop2-compat	2.4.6.7.1.8.50-2
HBase	org.apache.hbase	hbase-hbtop	2.4.6.7.1.8.50-2
HBase	org.apache.hbase	hbase-http	2.4.6.7.1.8.50-2
HBase	org.apache.hbase	hbase-it	2.4.6.7.1.8.50-2
HBase	org.apache.hbase	hbase-logging	2.4.6.7.1.8.50-2
HBase	org.apache.hbase	hbase-mapreduce	2.4.6.7.1.8.50-2
HBase	org.apache.hbase	hbase-metrics	2.4.6.7.1.8.50-2
HBase	org.apache.hbase	hbase-metrics-api	2.4.6.7.1.8.50-2
HBase	org.apache.hbase	hbase-procedure	2.4.6.7.1.8.50-2
HBase	org.apache.hbase	hbase-protocol	2.4.6.7.1.8.50-2
HBase	org.apache.hbase	hbase-protocol-shaded	2.4.6.7.1.8.50-2
HBase	org.apache.hbase	hbase-replication	2.4.6.7.1.8.50-2
HBase	org.apache.hbase	hbase-resource-bundle	2.4.6.7.1.8.50-2
HBase	org.apache.hbase	hbase-rest	2.4.6.7.1.8.50-2
HBase	org.apache.hbase	hbase-rsgroup	2.4.6.7.1.8.50-2
HBase	org.apache.hbase	hbase-server	2.4.6.7.1.8.50-2
HBase	org.apache.hbase	hbase-shaded-client	2.4.6.7.1.8.50-2
HBase	org.apache.hbase	hbase-shaded-client-byo-hadoop	2.4.6.7.1.8.50-2
HBase	org.apache.hbase	hbase-shaded-client-project	2.4.6.7.1.8.50-2
HBase	org.apache.hbase	hbase-shaded-mapreduce	2.4.6.7.1.8.50-2
HBase	org.apache.hbase	hbase-shaded-testing-util	2.4.6.7.1.8.50-2
HBase	org.apache.hbase	hbase-shaded-testing-util-tester	2.4.6.7.1.8.50-2
HBase	org.apache.hbase	hbase-shell	2.4.6.7.1.8.50-2
HBase	org.apache.hbase	hbase-testing-util	2.4.6.7.1.8.50-2
HBase	org.apache.hbase	hbase-thrift	2.4.6.7.1.8.50-2
HBase	org.apache.hbase	hbase-zookeeper	2.4.6.7.1.8.50-2
Hive	org.apache.hive	hive-beeline	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-blobstore	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-classification	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-cli	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-common	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-contrib	3.1.3000.7.1.8.50-2

Project	groupId	artifactId	version
Hive	org.apache.hive	hive-exec	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-hbase-handler	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-hcatalog-it-unit	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-hplsql	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-it-custom-serde	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-it-minikdc	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-it-qfile	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-it-qfile-kudu	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-it-test-serde	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-it-unit	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-it-unit-hadoop2	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-it-util	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-jdbc	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-jdbc-handler	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-jmh	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-kryo-registrator	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-kudu-handler	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-llap-client	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-llap-common	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-llap-ext-client	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-llap-server	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-llap-tez	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-metastore	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-pre-upgrade	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-serde	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-service	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-service-rpc	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-shims	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-spark-client	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-standalone-metastore	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-storage-api	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-streaming	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-testutils	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	hive-vector-code-gen	3.1.3000.7.1.8.50-2
Hive	org.apache.hive	kafka-handler	3.1.3000.7.1.8.50-2
Hive Warehouse Connector	com.hortonworks.hive	hive-warehouse-connector_2.11	1.0.0.7.1.8.50-2
Kafka	org.apache.kafka	connect	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	connect-api	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	connect-basic-auth-extension	3.1.1.7.1.8.50-2

Project	groupId	artifactId	version
Kafka	org.apache.kafka	connect-cloudera-authorization-extension	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	connect-cloudera-common	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	connect-cloudera-secret-storage	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	connect-cloudera-security-policies	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	connect-file	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	connect-json	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	connect-mirror	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	connect-mirror-client	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	connect-runtime	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	connect-transforms	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	generator	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	kafka-clients	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	kafka-cloudera-metrics-reporter_2.12	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	kafka-cloudera-metrics-reporter_2.13	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	kafka-cloudera-plugins	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	kafka-examples	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	kafka-log4j-appender	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	kafka-metadata	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	kafka-raft	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	kafka-server-common	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	kafka-shell	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	kafka-storage	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	kafka-storage-api	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	kafka-streams	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	kafka-streams-examples	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	kafka-streams-scala_2.12	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	kafka-streams-scala_2.13	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	kafka-streams-test-utils	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0100	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0101	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0102	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0110	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-10	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-11	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-20	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-21	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-22	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-23	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-24	3.1.1.7.1.8.50-2

Project	groupId	artifactId	version
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-25	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-26	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-27	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-28	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	kafka-tools	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	kafka_2.12	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	kafka_2.13	3.1.1.7.1.8.50-2
Kafka	org.apache.kafka	trogdor	3.1.1.7.1.8.50-2
Knox	org.apache.knox	gateway-adapter	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-admin-ui	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-applications	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-cloud-bindings	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-demo-ldap	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-demo-ldap-launcher	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-discovery-ambari	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-discovery-cm	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-docker	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-i18n	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-i18n-logging-log4j	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-i18n-logging-sl4j	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-provider-ha	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-provider-identity-assertion-common	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-provider-identity-assertion-concat	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-provider-identity-assertion-hadoop-groups	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-provider-identity-assertion-pseudo	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-provider-identity-assertion-regex	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-provider-identity-assertion-switchcase	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-provider-jersey	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-provider-rewrite	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-provider-rewrite-common	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-provider-rewrite-func-hostmap-static	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-provider-rewrite-func-inbound-query-param	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-provider-rewrite-func-service-registry	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-provider-rewrite-step-encrypt-uri	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-provider-rewrite-step-secure-query	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-provider-security-authc-anon	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-provider-security-authz-acls	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-provider-security-authz-composite	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-provider-security-clientcert	1.3.0.7.1.8.50-2

Project	groupId	artifactId	version
Knox	org.apache.knox	gateway-provider-security-hadoopauth	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-provider-security-jwt	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-provider-security-pac4j	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-provider-security-preauth	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-provider-security-shiro	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-provider-security-webappsec	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-release	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-server	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-server-launcher	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-server-xforwarded-filter	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-service-admin	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-service-as	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-service-definitions	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-service-hashicorp-vault	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-service-hbase	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-service-health	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-service-hive	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-service-idbroker	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-service-impala	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-service-jkg	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-service-knoxsso	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-service-knoxssout	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-service-knoxtoken	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-service-livy	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-service-metadata	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-service-nifi	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-service-nifi-registry	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-service-remoteconfig	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-service-rm	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-service-session	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-service-storm	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-service-test	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-service-tgs	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-service-vault	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-service-webhdfs	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-shell	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-shell-launcher	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-shell-release	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-shell-samples	1.3.0.7.1.8.50-2

Project	groupId	artifactId	version
Knox	org.apache.knox	gateway-spi	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-test	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-test-idbroker	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-test-release-utils	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-test-utils	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-topology-hadoop-xml	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-topology-simple	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-util-common	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-util-configinjector	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-util-launcher	1.3.0.7.1.8.50-2
Knox	org.apache.knox	gateway-util-urltemplate	1.3.0.7.1.8.50-2
Knox	org.apache.knox	hadoop-examples	1.3.0.7.1.8.50-2
Knox	org.apache.knox	knox-cli-launcher	1.3.0.7.1.8.50-2
Knox	org.apache.knox	knox-homepage-ui	1.3.0.7.1.8.50-2
Knox	org.apache.knox	webhdfs-kerb-test	1.3.0.7.1.8.50-2
Knox	org.apache.knox	webhdfs-test	1.3.0.7.1.8.50-2
Kudu	org.apache.kudu	kudu-backup-tools	1.15.0.7.1.8.50-2
Kudu	org.apache.kudu	kudu-backup2_2.11	1.15.0.7.1.8.50-2
Kudu	org.apache.kudu	kudu-backup3_2.12	1.15.0.7.1.8.50-2
Kudu	org.apache.kudu	kudu-client	1.15.0.7.1.8.50-2
Kudu	org.apache.kudu	kudu-hive	1.15.0.7.1.8.50-2
Kudu	org.apache.kudu	kudu-spark2-tools_2.11	1.15.0.7.1.8.50-2
Kudu	org.apache.kudu	kudu-spark2_2.11	1.15.0.7.1.8.50-2
Kudu	org.apache.kudu	kudu-spark3-tools_2.12	1.15.0.7.1.8.50-2
Kudu	org.apache.kudu	kudu-spark3_2.12	1.15.0.7.1.8.50-2
Kudu	org.apache.kudu	kudu-test-utils	1.15.0.7.1.8.50-2
Livy	org.apache.livy	livy-api	0.6.0.7.1.8.50-2
Livy	org.apache.livy	livy-client-common	0.6.0.7.1.8.50-2
Livy	org.apache.livy	livy-client-http	0.6.0.7.1.8.50-2
Livy	org.apache.livy	livy-core_2.11	0.6.0.7.1.8.50-2
Livy	org.apache.livy	livy-examples	0.6.0.7.1.8.50-2
Livy	org.apache.livy	livy-integration-test	0.6.0.7.1.8.50-2
Livy	org.apache.livy	livy-repl_2.11	0.6.0.7.1.8.50-2
Livy	org.apache.livy	livy-rsc	0.6.0.7.1.8.50-2
Livy	org.apache.livy	livy-scala-api_2.11	0.6.0.7.1.8.50-2
Livy	org.apache.livy	livy-server	0.6.0.7.1.8.50-2
Livy	org.apache.livy	livy-test-lib	0.6.0.7.1.8.50-2
Livy	org.apache.livy	livy-thriftserver	0.6.0.7.1.8.50-2
Livy	org.apache.livy	livy-thriftserver-session	0.6.0.7.1.8.50-2

Project	groupId	artifactId	version
Lucene	org.apache.lucene	lucene-analyzers-common	8.4.1.7.1.8.50-2
Lucene	org.apache.lucene	lucene-analyzers-icu	8.4.1.7.1.8.50-2
Lucene	org.apache.lucene	lucene-analyzers-kuromoji	8.4.1.7.1.8.50-2
Lucene	org.apache.lucene	lucene-analyzers-morfologik	8.4.1.7.1.8.50-2
Lucene	org.apache.lucene	lucene-analyzers-nori	8.4.1.7.1.8.50-2
Lucene	org.apache.lucene	lucene-analyzers-openslp	8.4.1.7.1.8.50-2
Lucene	org.apache.lucene	lucene-analyzers-phonetic	8.4.1.7.1.8.50-2
Lucene	org.apache.lucene	lucene-analyzers-smartcn	8.4.1.7.1.8.50-2
Lucene	org.apache.lucene	lucene-analyzers-stempel	8.4.1.7.1.8.50-2
Lucene	org.apache.lucene	lucene-backward-codecs	8.4.1.7.1.8.50-2
Lucene	org.apache.lucene	lucene-benchmark	8.4.1.7.1.8.50-2
Lucene	org.apache.lucene	lucene-classification	8.4.1.7.1.8.50-2
Lucene	org.apache.lucene	lucene-codecs	8.4.1.7.1.8.50-2
Lucene	org.apache.lucene	lucene-core	8.4.1.7.1.8.50-2
Lucene	org.apache.lucene	lucene-demo	8.4.1.7.1.8.50-2
Lucene	org.apache.lucene	lucene-expressions	8.4.1.7.1.8.50-2
Lucene	org.apache.lucene	lucene-facet	8.4.1.7.1.8.50-2
Lucene	org.apache.lucene	lucene-grouping	8.4.1.7.1.8.50-2
Lucene	org.apache.lucene	lucene-highlighter	8.4.1.7.1.8.50-2
Lucene	org.apache.lucene	lucene-join	8.4.1.7.1.8.50-2
Lucene	org.apache.lucene	lucene-memory	8.4.1.7.1.8.50-2
Lucene	org.apache.lucene	lucene-misc	8.4.1.7.1.8.50-2
Lucene	org.apache.lucene	lucene-monitor	8.4.1.7.1.8.50-2
Lucene	org.apache.lucene	lucene-queries	8.4.1.7.1.8.50-2
Lucene	org.apache.lucene	lucene-queryparser	8.4.1.7.1.8.50-2
Lucene	org.apache.lucene	lucene-replicator	8.4.1.7.1.8.50-2
Lucene	org.apache.lucene	lucene-sandbox	8.4.1.7.1.8.50-2
Lucene	org.apache.lucene	lucene-spatial	8.4.1.7.1.8.50-2
Lucene	org.apache.lucene	lucene-spatial-extras	8.4.1.7.1.8.50-2
Lucene	org.apache.lucene	lucene-spatial3d	8.4.1.7.1.8.50-2
Lucene	org.apache.lucene	lucene-suggest	8.4.1.7.1.8.50-2
Lucene	org.apache.lucene	lucene-test-framework	8.4.1.7.1.8.50-2
Oozie	org.apache.oozie	oozie-client	5.1.0.7.1.8.50-2
Oozie	org.apache.oozie	oozie-core	5.1.0.7.1.8.50-2
Oozie	org.apache.oozie	oozie-distro	5.1.0.7.1.8.50-2
Oozie	org.apache.oozie	oozie-examples	5.1.0.7.1.8.50-2
Oozie	org.apache.oozie	oozie-fluent-job-api	5.1.0.7.1.8.50-2
Oozie	org.apache.oozie	oozie-fluent-job-client	5.1.0.7.1.8.50-2
Oozie	org.apache.oozie	oozie-server	5.1.0.7.1.8.50-2

Project	groupId	artifactId	version
Oozie	org.apache.oozie	oozie-sharelib-distcp	5.1.0.7.1.8.50-2
Oozie	org.apache.oozie	oozie-sharelib-git	5.1.0.7.1.8.50-2
Oozie	org.apache.oozie	oozie-sharelib-hcatalog	5.1.0.7.1.8.50-2
Oozie	org.apache.oozie	oozie-sharelib-hive	5.1.0.7.1.8.50-2
Oozie	org.apache.oozie	oozie-sharelib-hive2	5.1.0.7.1.8.50-2
Oozie	org.apache.oozie	oozie-sharelib-oozie	5.1.0.7.1.8.50-2
Oozie	org.apache.oozie	oozie-sharelib-spark	5.1.0.7.1.8.50-2
Oozie	org.apache.oozie	oozie-sharelib-sqoop	5.1.0.7.1.8.50-2
Oozie	org.apache.oozie	oozie-sharelib-streaming	5.1.0.7.1.8.50-2
Oozie	org.apache.oozie	oozie-tools	5.1.0.7.1.8.50-2
Oozie	org.apache.oozie	oozie-zookeeper-security-tests	5.1.0.7.1.8.50-2
ORC	org.apache.orc	orc-core	1.5.1.7.1.8.50-2
ORC	org.apache.orc	orc-examples	1.5.1.7.1.8.50-2
ORC	org.apache.orc	orc-mapreduce	1.5.1.7.1.8.50-2
ORC	org.apache.orc	orc-shims	1.5.1.7.1.8.50-2
ORC	org.apache.orc	orc-tools	1.5.1.7.1.8.50-2
Parquet	org.apache.parquet	parquet-avro	1.10.99.7.1.8.50-2
Parquet	org.apache.parquet	parquet-cascading	1.10.99.7.1.8.50-2
Parquet	org.apache.parquet	parquet-cascading3	1.10.99.7.1.8.50-2
Parquet	org.apache.parquet	parquet-column	1.10.99.7.1.8.50-2
Parquet	org.apache.parquet	parquet-common	1.10.99.7.1.8.50-2
Parquet	org.apache.parquet	parquet-encoding	1.10.99.7.1.8.50-2
Parquet	org.apache.parquet	parquet-format-structures	1.10.99.7.1.8.50-2
Parquet	org.apache.parquet	parquet-generator	1.10.99.7.1.8.50-2
Parquet	org.apache.parquet	parquet-hadoop	1.10.99.7.1.8.50-2
Parquet	org.apache.parquet	parquet-hadoop-bundle	1.10.99.7.1.8.50-2
Parquet	org.apache.parquet	parquet-jackson	1.10.99.7.1.8.50-2
Parquet	org.apache.parquet	parquet-pig	1.10.99.7.1.8.50-2
Parquet	org.apache.parquet	parquet-pig-bundle	1.10.99.7.1.8.50-2
Parquet	org.apache.parquet	parquet-protobuf	1.10.99.7.1.8.50-2
Parquet	org.apache.parquet	parquet-scala_2.10	1.10.99.7.1.8.50-2
Parquet	org.apache.parquet	parquet-thrift	1.10.99.7.1.8.50-2
Parquet	org.apache.parquet	parquet-tools	1.10.99.7.1.8.50-2
Phoenix	org.apache.phoenix	phoenix-client-embedded-hbase-2.4	5.1.1.7.1.8.50-2
Phoenix	org.apache.phoenix	phoenix-client-hbase-2.4	5.1.1.7.1.8.50-2
Phoenix	org.apache.phoenix	phoenix-connectors-phoenix5-compatible	6.0.0.7.1.8.50-2
Phoenix	org.apache.phoenix	phoenix-core	5.1.1.7.1.8.50-2
Phoenix	org.apache.phoenix	phoenix-hbase-compatible-2.1.6	5.1.1.7.1.8.50-2
Phoenix	org.apache.phoenix	phoenix-hbase-compatible-2.2.5	5.1.1.7.1.8.50-2

Project	groupId	artifactId	version
Phoenix	org.apache.phoenix	phoenix-hbase-compat-2.3.0	5.1.1.7.1.8.50-2
Phoenix	org.apache.phoenix	phoenix-hbase-compat-2.4.0	5.1.1.7.1.8.50-2
Phoenix	org.apache.phoenix	phoenix-hbase-compat-2.4.1	5.1.1.7.1.8.50-2
Phoenix	org.apache.phoenix	phoenix-pherf	5.1.1.7.1.8.50-2
Phoenix	org.apache.phoenix	phoenix-queryserver	6.0.0.7.1.8.50-2
Phoenix	org.apache.phoenix	phoenix-queryserver-client	6.0.0.7.1.8.50-2
Phoenix	org.apache.phoenix	phoenix-queryserver-it	6.0.0.7.1.8.50-2
Phoenix	org.apache.phoenix	phoenix-queryserver-load-balancer	6.0.0.7.1.8.50-2
Phoenix	org.apache.phoenix	phoenix-queryserver-orchestrator	6.0.0.7.1.8.50-2
Phoenix	org.apache.phoenix	phoenix-server-hbase-2.4	5.1.1.7.1.8.50-2
Phoenix	org.apache.phoenix	phoenix-tracing-webapp	5.1.1.7.1.8.50-2
Phoenix	org.apache.phoenix	phoenix5-hive	6.0.0.7.1.8.50-2
Phoenix	org.apache.phoenix	phoenix5-hive-shaded	6.0.0.7.1.8.50-2
Phoenix	org.apache.phoenix	phoenix5-spark	6.0.0.7.1.8.50-2
Phoenix	org.apache.phoenix	phoenix5-spark-shaded	6.0.0.7.1.8.50-2
Ranger	org.apache.ranger	conditions-enrichers	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	credentialbuilder	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	embeddedwebserver	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	jisql	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ldapconfigcheck	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-adls-plugin	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-atlas-plugin	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-atlas-plugin-shim	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-authn	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-distro	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-examples-distro	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-hbase-plugin	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-hbase-plugin-shim	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-hdfs-plugin	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-hdfs-plugin-shim	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-hive-plugin	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-hive-plugin-shim	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-intg	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-kafka-connect-plugin	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-kafka-plugin	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-kafka-plugin-shim	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-kms	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-kms-plugin	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-kms-plugin-shim	2.3.0.7.1.8.50-2

Project	groupId	artifactId	version
Ranger	org.apache.ranger	ranger-knox-plugin	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-knox-plugin-shim	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-kudu-plugin	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-kylin-plugin	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-kylin-plugin-shim	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-nifi-plugin	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-nifi-registry-plugin	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-ozone-plugin	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-ozone-plugin-shim	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-plugin-classloader	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-plugins-audit	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-plugins-common	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-plugins-cred	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-plugins-installer	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-policymigration	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-raz-adls	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-raz-chained-plugins	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-raz-hook-abfs	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-raz-intg	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-raz-processor	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-rms-common	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-rms-hive	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-rms-plugins-common	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-rms-webapp	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-sampleapp-plugin	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-schema-registry-plugin	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-solr-plugin	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-solr-plugin-shim	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-sqoop-plugin	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-sqoop-plugin-shim	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-storm-plugin	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-storm-plugin-shim	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-tagsync	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-tools	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-util	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-yarn-plugin	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ranger-yarn-plugin-shim	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	sample-client	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	sampleapp	2.3.0.7.1.8.50-2

Project	groupId	artifactId	version
Ranger	org.apache.ranger	shaded-raz-hook-abfs	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	ugsync-util	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	unixauthclient	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	unixauthservice	2.3.0.7.1.8.50-2
Ranger	org.apache.ranger	unixusersync	2.3.0.7.1.8.50-2
Solr	org.apache.solr	solr-analysis-extras	8.4.1.7.1.8.50-2
Solr	org.apache.solr	solr-analytics	8.4.1.7.1.8.50-2
Solr	org.apache.solr	solr-cell	8.4.1.7.1.8.50-2
Solr	org.apache.solr	solr-clustering	8.4.1.7.1.8.50-2
Solr	org.apache.solr	solr-core	8.4.1.7.1.8.50-2
Solr	org.apache.solr	solr-dataimporthandler	8.4.1.7.1.8.50-2
Solr	org.apache.solr	solr-dataimporthandler-extras	8.4.1.7.1.8.50-2
Solr	org.apache.solr	solr-jaegertracer-configurator	8.4.1.7.1.8.50-2
Solr	org.apache.solr	solr-langid	8.4.1.7.1.8.50-2
Solr	org.apache.solr	solr-ltr	8.4.1.7.1.8.50-2
Solr	org.apache.solr	solr-prometheus-exporter	8.4.1.7.1.8.50-2
Solr	org.apache.solr	solr-security-util	8.4.1.7.1.8.50-2
Solr	org.apache.solr	solr-solrj	8.4.1.7.1.8.50-2
Solr	org.apache.solr	solr-test-framework	8.4.1.7.1.8.50-2
Solr	org.apache.solr	solr-velocity	8.4.1.7.1.8.50-2
Spark	org.apache.spark	spark-avro_2.11	2.4.8.7.1.8.50-2
Spark	org.apache.spark	spark-catalyst_2.11	2.4.8.7.1.8.50-2
Spark	org.apache.spark	spark-core_2.11	2.4.8.7.1.8.50-2
Spark	org.apache.spark	spark-graphx_2.11	2.4.8.7.1.8.50-2
Spark	org.apache.spark	spark-hadoop-cloud_2.11	2.4.8.7.1.8.50-2
Spark	org.apache.spark	spark-hive_2.11	2.4.8.7.1.8.50-2
Spark	org.apache.spark	spark-kubernetes_2.11	2.4.8.7.1.8.50-2
Spark	org.apache.spark	spark-kvstore_2.11	2.4.8.7.1.8.50-2
Spark	org.apache.spark	spark-launcher_2.11	2.4.8.7.1.8.50-2
Spark	org.apache.spark	spark-mllib-local_2.11	2.4.8.7.1.8.50-2
Spark	org.apache.spark	spark-mllib_2.11	2.4.8.7.1.8.50-2
Spark	org.apache.spark	spark-network-common_2.11	2.4.8.7.1.8.50-2
Spark	org.apache.spark	spark-network-shuffle_2.11	2.4.8.7.1.8.50-2
Spark	org.apache.spark	spark-network-yarn_2.11	2.4.8.7.1.8.50-2
Spark	org.apache.spark	spark-repl_2.11	2.4.8.7.1.8.50-2
Spark	org.apache.spark	spark-sketch_2.11	2.4.8.7.1.8.50-2
Spark	org.apache.spark	spark-sql-kafka-0-10_2.11	2.4.8.7.1.8.50-2
Spark	org.apache.spark	spark-sql_2.11	2.4.8.7.1.8.50-2
Spark	org.apache.spark	spark-streaming-kafka-0-10-assembly_2.11	2.4.8.7.1.8.50-2

Project	groupId	artifactId	version
Spark	org.apache.spark	spark-streaming-kafka-0-10_2.11	2.4.8.7.1.8.50-2
Spark	org.apache.spark	spark-streaming_2.11	2.4.8.7.1.8.50-2
Spark	org.apache.spark	spark-tags_2.11	2.4.8.7.1.8.50-2
Spark	org.apache.spark	spark-token-provider-kafka-0-10_2.11	2.4.8.7.1.8.50-2
Spark	org.apache.spark	spark-unsafe_2.11	2.4.8.7.1.8.50-2
Spark	org.apache.spark	spark-yarn_2.11	2.4.8.7.1.8.50-2
Sqoop	org.apache.sqoop	sqoop	1.4.7.7.1.8.50-2
Sqoop	org.apache.sqoop	sqoop-test	1.4.7.7.1.8.50-2
Tez	org.apache.tez	hadoop-shim	0.9.1.7.1.8.50-2
Tez	org.apache.tez	hadoop-shim-2.8	0.9.1.7.1.8.50-2
Tez	org.apache.tez	tez-api	0.9.1.7.1.8.50-2
Tez	org.apache.tez	tez-aux-services	0.9.1.7.1.8.50-2
Tez	org.apache.tez	tez-common	0.9.1.7.1.8.50-2
Tez	org.apache.tez	tez-dag	0.9.1.7.1.8.50-2
Tez	org.apache.tez	tez-examples	0.9.1.7.1.8.50-2
Tez	org.apache.tez	tez-ext-service-tests	0.9.1.7.1.8.50-2
Tez	org.apache.tez	tez-history-parser	0.9.1.7.1.8.50-2
Tez	org.apache.tez	tez-javadoc-tools	0.9.1.7.1.8.50-2
Tez	org.apache.tez	tez-job-analyzer	0.9.1.7.1.8.50-2
Tez	org.apache.tez	tez-mapreduce	0.9.1.7.1.8.50-2
Tez	org.apache.tez	tez-protobuf-history-plugin	0.9.1.7.1.8.50-2
Tez	org.apache.tez	tez-runtime-internals	0.9.1.7.1.8.50-2
Tez	org.apache.tez	tez-runtime-library	0.9.1.7.1.8.50-2
Tez	org.apache.tez	tez-tests	0.9.1.7.1.8.50-2
Tez	org.apache.tez	tez-yarn-timeline-cache-plugin	0.9.1.7.1.8.50-2
Tez	org.apache.tez	tez-yarn-timeline-history	0.9.1.7.1.8.50-2
Tez	org.apache.tez	tez-yarn-timeline-history-with-acls	0.9.1.7.1.8.50-2
Tez	org.apache.tez	tez-yarn-timeline-history-with-fs	0.9.1.7.1.8.50-2
Zeppelin	org.apache.zeppelin	zeppelin-angular	0.8.2.7.1.8.50-2
Zeppelin	org.apache.zeppelin	zeppelin-display	0.8.2.7.1.8.50-2
Zeppelin	org.apache.zeppelin	zeppelin-interpreter	0.8.2.7.1.8.50-2
Zeppelin	org.apache.zeppelin	zeppelin-jdbc	0.8.2.7.1.8.50-2
Zeppelin	org.apache.zeppelin	zeppelin-jupyter	0.8.2.7.1.8.50-2
Zeppelin	org.apache.zeppelin	zeppelin-livy	0.8.2.7.1.8.50-2
Zeppelin	org.apache.zeppelin	zeppelin-markdown	0.8.2.7.1.8.50-2
Zeppelin	org.apache.zeppelin	zeppelin-server	0.8.2.7.1.8.50-2
Zeppelin	org.apache.zeppelin	zeppelin-shell	0.8.2.7.1.8.50-2
Zeppelin	org.apache.zeppelin	zeppelin-zengine	0.8.2.7.1.8.50-2
ZooKeeper	org.apache.zookeeper	zookeeper	3.5.5.7.1.8.50-2

Project	groupId	artifactId	version
ZooKeeper	org.apache.zookeeper	zookeeper-client-c	3.5.5.7.1.8.50-2
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-loggraph	3.5.5.7.1.8.50-2
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-rest	3.5.5.7.1.8.50-2
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-zooinspector	3.5.5.7.1.8.50-2
ZooKeeper	org.apache.zookeeper	zookeeper-docs	3.5.5.7.1.8.50-2
ZooKeeper	org.apache.zookeeper	zookeeper-jute	3.5.5.7.1.8.50-2
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-election	3.5.5.7.1.8.50-2
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-lock	3.5.5.7.1.8.50-2
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-queue	3.5.5.7.1.8.50-2

Runtime 7.1.8.51-3

The following table lists the project name, groupId, artifactId, and version required to access each Runtime artifact.

Project	groupId	artifactId	version
Atlas	org.apache.atlas	atlas-authorization	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	atlas-aws-s3-bridge	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	atlas-azure-adls-bridge	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	atlas-classification-updater	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	atlas-client-common	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	atlas-client-v1	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	atlas-client-v2	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	atlas-common	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	atlas-distro	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	atlas-docs	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	atlas-graphdb-api	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	atlas-graphdb-common	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	atlas-graphdb-janus	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	atlas-hdfs-bridge	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	atlas-index-repair-tool	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	atlas-intg	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	atlas-janusgraph-hbase2	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	atlas-notification	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	atlas-plugin-classloader	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	atlas-repository	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	atlas-server-api	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	atlas-testtools	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	hbase-bridge	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	hbase-bridge-shim	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	hbase-testing-util	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	hdfs-model	2.1.0.7.1.8.51-3

Project	groupId	artifactId	version
Atlas	org.apache.atlas	hive-bridge	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	hive-bridge-shim	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	impala-bridge	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	impala-bridge-shim	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	impala-hook-api	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	kafka-bridge	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	kafka-bridge-shim	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	navigator-to-atlas	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	sample-app	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	sqoop-bridge	2.1.0.7.1.8.51-3
Atlas	org.apache.atlas	sqoop-bridge-shim	2.1.0.7.1.8.51-3
Avro	org.apache.avro	avro	1.8.2.7.1.8.51-3
Avro	org.apache.avro	avro-compiler	1.8.2.7.1.8.51-3
Avro	org.apache.avro	avro-ipc	1.8.2.7.1.8.51-3
Avro	org.apache.avro	avro-mapred	1.8.2.7.1.8.51-3
Avro	org.apache.avro	avro-maven-plugin	1.8.2.7.1.8.51-3
Avro	org.apache.avro	avro-protobuf	1.8.2.7.1.8.51-3
Avro	org.apache.avro	avro-service-archetype	1.8.2.7.1.8.51-3
Avro	org.apache.avro	avro-thrift	1.8.2.7.1.8.51-3
Avro	org.apache.avro	avro-tools	1.8.2.7.1.8.51-3
Avro	org.apache.avro	trevni-avro	1.8.2.7.1.8.51-3
Avro	org.apache.avro	trevni-core	1.8.2.7.1.8.51-3
Calcite	org.apache.calcite	calcite-babel	1.19.0.7.1.8.51-3
Calcite	org.apache.calcite	calcite-core	1.19.0.7.1.8.51-3
Calcite	org.apache.calcite	calcite-druid	1.19.0.7.1.8.51-3
Calcite	org.apache.calcite	calcite-linq4j	1.19.0.7.1.8.51-3
Calcite	org.apache.calcite	calcite-server	1.19.0.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-aliyun	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-annotations	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-archive-logs	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-archives	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-assemblies	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-auth	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-aws	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-azure	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-azure-datalake	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-build-tools	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-client	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-client-api	3.1.1.7.1.8.51-3

Project	groupId	artifactId	version
Hadoop	org.apache.hadoop	hadoop-client-integration-tests	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-client-minicluster	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-client-runtime	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-cloud-storage	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-common	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-datajoin	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-distcp	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-extras	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-fs2img	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-gridmix	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-hdfs	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-hdfs-client	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-hdfs-httpfs	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-hdfs-native-client	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-hdfs-nfs	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-hdfs-rbf	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-kafka	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-kms	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-app	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-common	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-core	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-hs	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-hs-plugins	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-jobclient	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-nativetask	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-shuffle	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-uploader	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-mapreduce-examples	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-maven-plugins	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-minicluster	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-minikdc	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-nfs	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-openstack	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-resourceestimator	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-rumen	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-sls	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-streaming	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-tools-dist	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-yarn-api	3.1.1.7.1.8.51-3

Project	groupId	artifactId	version
Hadoop	org.apache.hadoop	hadoop-yarn-applications-distributedshell	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-yarn-applications-unmanaged-am-launcher	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-yarn-client	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-yarn-common	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-yarn-registry	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-yarn-server-applicationhistoryservice	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-yarn-server-common	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-yarn-server-nodemanager	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-yarn-server-resourcemanager	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-yarn-server-router	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-yarn-server-sharedcachemanager	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-yarn-server-tests	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-yarn-server-timeline-pluginstorage	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-client	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-common	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-server-2	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-tests	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-yarn-server-web-proxy	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-yarn-services-api	3.1.1.7.1.8.51-3
Hadoop	org.apache.hadoop	hadoop-yarn-services-core	3.1.1.7.1.8.51-3
HBase	org.apache.hbase	hbase-annotations	2.4.6.7.1.8.51-3
HBase	org.apache.hbase	hbase-asyncfs	2.4.6.7.1.8.51-3
HBase	org.apache.hbase	hbase-checkstyle	2.4.6.7.1.8.51-3
HBase	org.apache.hbase	hbase-client	2.4.6.7.1.8.51-3
HBase	org.apache.hbase	hbase-client-project	2.4.6.7.1.8.51-3
HBase	org.apache.hbase	hbase-common	2.4.6.7.1.8.51-3
HBase	org.apache.hbase	hbase-endpoint	2.4.6.7.1.8.51-3
HBase	org.apache.hbase	hbase-examples	2.4.6.7.1.8.51-3
HBase	org.apache.hbase	hbase-external-blockcache	2.4.6.7.1.8.51-3
HBase	org.apache.hbase	hbase-hadoop-compat	2.4.6.7.1.8.51-3
HBase	org.apache.hbase	hbase-hadoop2-compat	2.4.6.7.1.8.51-3
HBase	org.apache.hbase	hbase-hbtop	2.4.6.7.1.8.51-3
HBase	org.apache.hbase	hbase-http	2.4.6.7.1.8.51-3
HBase	org.apache.hbase	hbase-it	2.4.6.7.1.8.51-3
HBase	org.apache.hbase	hbase-logging	2.4.6.7.1.8.51-3
HBase	org.apache.hbase	hbase-mapreduce	2.4.6.7.1.8.51-3
HBase	org.apache.hbase	hbase-metrics	2.4.6.7.1.8.51-3
HBase	org.apache.hbase	hbase-metrics-api	2.4.6.7.1.8.51-3

Project	groupId	artifactId	version
HBase	org.apache.hbase	hbase-procedure	2.4.6.7.1.8.51-3
HBase	org.apache.hbase	hbase-protocol	2.4.6.7.1.8.51-3
HBase	org.apache.hbase	hbase-protocol-shaded	2.4.6.7.1.8.51-3
HBase	org.apache.hbase	hbase-replication	2.4.6.7.1.8.51-3
HBase	org.apache.hbase	hbase-resource-bundle	2.4.6.7.1.8.51-3
HBase	org.apache.hbase	hbase-rest	2.4.6.7.1.8.51-3
HBase	org.apache.hbase	hbase-rsgroup	2.4.6.7.1.8.51-3
HBase	org.apache.hbase	hbase-server	2.4.6.7.1.8.51-3
HBase	org.apache.hbase	hbase-shaded-client	2.4.6.7.1.8.51-3
HBase	org.apache.hbase	hbase-shaded-client-byo-hadoop	2.4.6.7.1.8.51-3
HBase	org.apache.hbase	hbase-shaded-client-project	2.4.6.7.1.8.51-3
HBase	org.apache.hbase	hbase-shaded-mapreduce	2.4.6.7.1.8.51-3
HBase	org.apache.hbase	hbase-shaded-testing-util	2.4.6.7.1.8.51-3
HBase	org.apache.hbase	hbase-shaded-testing-util-tester	2.4.6.7.1.8.51-3
HBase	org.apache.hbase	hbase-shell	2.4.6.7.1.8.51-3
HBase	org.apache.hbase	hbase-testing-util	2.4.6.7.1.8.51-3
HBase	org.apache.hbase	hbase-thrift	2.4.6.7.1.8.51-3
HBase	org.apache.hbase	hbase-zookeeper	2.4.6.7.1.8.51-3
Hive	org.apache.hive	hive-beeline	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-blobstore	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-classification	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-cli	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-common	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-contrib	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-exec	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-hbase-handler	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-hcatalog-it-unit	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-hplsql	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-it-custom-serde	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-it-minikdc	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-it-qfile	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-it-qfile-kudu	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-it-test-serde	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-it-unit	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-it-unit-hadoop2	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-it-util	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-jdbc	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-jdbc-handler	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-jmh	3.1.3000.7.1.8.51-3

Project	groupId	artifactId	version
Hive	org.apache.hive	hive-kryo-registrator	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-kudu-handler	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-llap-client	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-llap-common	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-llap-ext-client	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-llap-server	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-llap-tez	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-metastore	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-pre-upgrade	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-serde	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-service	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-service-rpc	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-shims	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-spark-client	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-standalone-metastore	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-storage-api	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-streaming	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-testutils	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	hive-vector-code-gen	3.1.3000.7.1.8.51-3
Hive	org.apache.hive	kafka-handler	3.1.3000.7.1.8.51-3
Hive Warehouse Connector	com.hortonworks.hive	hive-warehouse-connector_2.11	1.0.0.7.1.8.51-3
Kafka	org.apache.kafka	connect	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	connect-api	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	connect-basic-auth-extension	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	connect-cloudera-authorization-extension	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	connect-cloudera-common	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	connect-cloudera-secret-storage	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	connect-cloudera-security-policies	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	connect-file	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	connect-json	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	connect-mirror	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	connect-mirror-client	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	connect-runtime	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	connect-transforms	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	generator	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	kafka-clients	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	kafka-cloudera-metrics-reporter_2.12	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	kafka-cloudera-metrics-reporter_2.13	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	kafka-cloudera-plugins	3.1.1.7.1.8.51-3

Project	groupId	artifactId	version
Kafka	org.apache.kafka	kafka-examples	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	kafka-log4j-appender	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	kafka-metadata	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	kafka-raft	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	kafka-server-common	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	kafka-shell	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	kafka-storage	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	kafka-storage-api	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	kafka-streams	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	kafka-streams-examples	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	kafka-streams-scala_2.12	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	kafka-streams-scala_2.13	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	kafka-streams-test-utils	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0100	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0101	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0102	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0110	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-10	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-11	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-20	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-21	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-22	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-23	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-24	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-25	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-26	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-27	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-28	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	kafka-tools	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	kafka_2.12	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	kafka_2.13	3.1.1.7.1.8.51-3
Kafka	org.apache.kafka	trogdor	3.1.1.7.1.8.51-3
Knox	org.apache.knox	gateway-adapter	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-admin-ui	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-applications	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-cloud-bindings	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-demo-ldap	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-demo-ldap-launcher	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-discovery-ambari	1.3.0.7.1.8.51-3

Project	groupId	artifactId	version
Knox	org.apache.knox	gateway-discovery-cm	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-docker	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-i18n	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-i18n-logging-log4j	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-i18n-logging-sl4j	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-provider-ha	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-provider-identity-assertion-common	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-provider-identity-assertion-concat	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-provider-identity-assertion-hadoop-groups	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-provider-identity-assertion-pseudo	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-provider-identity-assertion-regex	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-provider-identity-assertion-switchcase	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-provider-jersey	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-provider-rewrite	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-provider-rewrite-common	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-provider-rewrite-func-hostmap-static	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-provider-rewrite-func-inbound-query-param	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-provider-rewrite-func-service-registry	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-provider-rewrite-step-encrypt-uri	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-provider-rewrite-step-secure-query	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-provider-security-authc-anon	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-provider-security-authz-acls	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-provider-security-authz-composite	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-provider-security-clientcert	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-provider-security-hadoopauth	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-provider-security-jwt	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-provider-security-pac4j	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-provider-security-preauth	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-provider-security-shiro	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-provider-security-webappsec	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-release	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-server	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-server-launcher	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-server-xforwarded-filter	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-service-admin	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-service-as	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-service-definitions	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-service-hashicorp-vault	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-service-hbase	1.3.0.7.1.8.51-3

Project	groupId	artifactId	version
Knox	org.apache.knox	gateway-service-health	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-service-hive	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-service-idbroker	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-service-impala	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-service-jkg	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-service-knoxsso	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-service-knoxssout	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-service-knoxtoken	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-service-livy	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-service-metadata	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-service-nifi	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-service-nifi-registry	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-service-remoteconfig	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-service-rm	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-service-session	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-service-storm	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-service-test	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-service-tgs	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-service-vault	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-service-webhdfs	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-shell	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-shell-launcher	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-shell-release	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-shell-samples	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-spi	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-test	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-test-idbroker	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-test-release-utils	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-test-utils	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-topology-hadoop-xml	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-topology-simple	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-util-common	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-util-configinjector	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-util-launcher	1.3.0.7.1.8.51-3
Knox	org.apache.knox	gateway-util-urltemplate	1.3.0.7.1.8.51-3
Knox	org.apache.knox	hadoop-examples	1.3.0.7.1.8.51-3
Knox	org.apache.knox	knox-cli-launcher	1.3.0.7.1.8.51-3
Knox	org.apache.knox	knox-homepage-ui	1.3.0.7.1.8.51-3
Knox	org.apache.knox	webhdfs-kerb-test	1.3.0.7.1.8.51-3

Project	groupId	artifactId	version
Knox	org.apache.knox	webhdfs-test	1.3.0.7.1.8.51-3
Kudu	org.apache.kudu	kudu-backup-tools	1.15.0.7.1.8.51-3
Kudu	org.apache.kudu	kudu-backup2_2.11	1.15.0.7.1.8.51-3
Kudu	org.apache.kudu	kudu-backup3_2.12	1.15.0.7.1.8.51-3
Kudu	org.apache.kudu	kudu-client	1.15.0.7.1.8.51-3
Kudu	org.apache.kudu	kudu-hive	1.15.0.7.1.8.51-3
Kudu	org.apache.kudu	kudu-spark2-tools_2.11	1.15.0.7.1.8.51-3
Kudu	org.apache.kudu	kudu-spark2_2.11	1.15.0.7.1.8.51-3
Kudu	org.apache.kudu	kudu-spark3-tools_2.12	1.15.0.7.1.8.51-3
Kudu	org.apache.kudu	kudu-spark3_2.12	1.15.0.7.1.8.51-3
Kudu	org.apache.kudu	kudu-test-utils	1.15.0.7.1.8.51-3
Livy	org.apache.livy	livy-api	0.6.0.7.1.8.51-3
Livy	org.apache.livy	livy-client-common	0.6.0.7.1.8.51-3
Livy	org.apache.livy	livy-client-http	0.6.0.7.1.8.51-3
Livy	org.apache.livy	livy-core_2.11	0.6.0.7.1.8.51-3
Livy	org.apache.livy	livy-examples	0.6.0.7.1.8.51-3
Livy	org.apache.livy	livy-integration-test	0.6.0.7.1.8.51-3
Livy	org.apache.livy	livy-repl_2.11	0.6.0.7.1.8.51-3
Livy	org.apache.livy	livy-rsc	0.6.0.7.1.8.51-3
Livy	org.apache.livy	livy-scala-api_2.11	0.6.0.7.1.8.51-3
Livy	org.apache.livy	livy-server	0.6.0.7.1.8.51-3
Livy	org.apache.livy	livy-test-lib	0.6.0.7.1.8.51-3
Livy	org.apache.livy	livy-thriftserver	0.6.0.7.1.8.51-3
Livy	org.apache.livy	livy-thriftserver-session	0.6.0.7.1.8.51-3
Lucene	org.apache.lucene	lucene-analyzers-common	8.4.1.7.1.8.51-3
Lucene	org.apache.lucene	lucene-analyzers-icu	8.4.1.7.1.8.51-3
Lucene	org.apache.lucene	lucene-analyzers-kuromoji	8.4.1.7.1.8.51-3
Lucene	org.apache.lucene	lucene-analyzers-morfologik	8.4.1.7.1.8.51-3
Lucene	org.apache.lucene	lucene-analyzers-nori	8.4.1.7.1.8.51-3
Lucene	org.apache.lucene	lucene-analyzers-openssl	8.4.1.7.1.8.51-3
Lucene	org.apache.lucene	lucene-analyzers-phonetic	8.4.1.7.1.8.51-3
Lucene	org.apache.lucene	lucene-analyzers-smartcn	8.4.1.7.1.8.51-3
Lucene	org.apache.lucene	lucene-analyzers-stempel	8.4.1.7.1.8.51-3
Lucene	org.apache.lucene	lucene-backward-codecs	8.4.1.7.1.8.51-3
Lucene	org.apache.lucene	lucene-benchmark	8.4.1.7.1.8.51-3
Lucene	org.apache.lucene	lucene-classification	8.4.1.7.1.8.51-3
Lucene	org.apache.lucene	lucene-codecs	8.4.1.7.1.8.51-3
Lucene	org.apache.lucene	lucene-core	8.4.1.7.1.8.51-3
Lucene	org.apache.lucene	lucene-demo	8.4.1.7.1.8.51-3

Project	groupId	artifactId	version
Lucene	org.apache.lucene	lucene-expressions	8.4.1.7.1.8.51-3
Lucene	org.apache.lucene	lucene-facet	8.4.1.7.1.8.51-3
Lucene	org.apache.lucene	lucene-grouping	8.4.1.7.1.8.51-3
Lucene	org.apache.lucene	lucene-highlighter	8.4.1.7.1.8.51-3
Lucene	org.apache.lucene	lucene-join	8.4.1.7.1.8.51-3
Lucene	org.apache.lucene	lucene-memory	8.4.1.7.1.8.51-3
Lucene	org.apache.lucene	lucene-misc	8.4.1.7.1.8.51-3
Lucene	org.apache.lucene	lucene-monitor	8.4.1.7.1.8.51-3
Lucene	org.apache.lucene	lucene-queries	8.4.1.7.1.8.51-3
Lucene	org.apache.lucene	lucene-queryparser	8.4.1.7.1.8.51-3
Lucene	org.apache.lucene	lucene-replicator	8.4.1.7.1.8.51-3
Lucene	org.apache.lucene	lucene-sandbox	8.4.1.7.1.8.51-3
Lucene	org.apache.lucene	lucene-spatial	8.4.1.7.1.8.51-3
Lucene	org.apache.lucene	lucene-spatial-extras	8.4.1.7.1.8.51-3
Lucene	org.apache.lucene	lucene-spatial3d	8.4.1.7.1.8.51-3
Lucene	org.apache.lucene	lucene-suggest	8.4.1.7.1.8.51-3
Lucene	org.apache.lucene	lucene-test-framework	8.4.1.7.1.8.51-3
Oozie	org.apache.oozie	oozie-client	5.1.0.7.1.8.51-3
Oozie	org.apache.oozie	oozie-core	5.1.0.7.1.8.51-3
Oozie	org.apache.oozie	oozie-distro	5.1.0.7.1.8.51-3
Oozie	org.apache.oozie	oozie-examples	5.1.0.7.1.8.51-3
Oozie	org.apache.oozie	oozie-fluent-job-api	5.1.0.7.1.8.51-3
Oozie	org.apache.oozie	oozie-fluent-job-client	5.1.0.7.1.8.51-3
Oozie	org.apache.oozie	oozie-server	5.1.0.7.1.8.51-3
Oozie	org.apache.oozie	oozie-sharelib-distcp	5.1.0.7.1.8.51-3
Oozie	org.apache.oozie	oozie-sharelib-git	5.1.0.7.1.8.51-3
Oozie	org.apache.oozie	oozie-sharelib-hcatalog	5.1.0.7.1.8.51-3
Oozie	org.apache.oozie	oozie-sharelib-hive	5.1.0.7.1.8.51-3
Oozie	org.apache.oozie	oozie-sharelib-hive2	5.1.0.7.1.8.51-3
Oozie	org.apache.oozie	oozie-sharelib-oozie	5.1.0.7.1.8.51-3
Oozie	org.apache.oozie	oozie-sharelib-spark	5.1.0.7.1.8.51-3
Oozie	org.apache.oozie	oozie-sharelib-sqoop	5.1.0.7.1.8.51-3
Oozie	org.apache.oozie	oozie-sharelib-streaming	5.1.0.7.1.8.51-3
Oozie	org.apache.oozie	oozie-tools	5.1.0.7.1.8.51-3
Oozie	org.apache.oozie	oozie-zookeeper-security-tests	5.1.0.7.1.8.51-3
ORC	org.apache.orc	orc-core	1.5.1.7.1.8.51-3
ORC	org.apache.orc	orc-examples	1.5.1.7.1.8.51-3
ORC	org.apache.orc	orc-mapreduce	1.5.1.7.1.8.51-3
ORC	org.apache.orc	orc-shims	1.5.1.7.1.8.51-3

Project	groupId	artifactId	version
ORC	org.apache.orc	orc-tools	1.5.1.7.1.8.51-3
Parquet	org.apache.parquet	parquet-avro	1.10.99.7.1.8.51-3
Parquet	org.apache.parquet	parquet-cascading	1.10.99.7.1.8.51-3
Parquet	org.apache.parquet	parquet-cascading3	1.10.99.7.1.8.51-3
Parquet	org.apache.parquet	parquet-column	1.10.99.7.1.8.51-3
Parquet	org.apache.parquet	parquet-common	1.10.99.7.1.8.51-3
Parquet	org.apache.parquet	parquet-encoding	1.10.99.7.1.8.51-3
Parquet	org.apache.parquet	parquet-format-structures	1.10.99.7.1.8.51-3
Parquet	org.apache.parquet	parquet-generator	1.10.99.7.1.8.51-3
Parquet	org.apache.parquet	parquet-hadoop	1.10.99.7.1.8.51-3
Parquet	org.apache.parquet	parquet-hadoop-bundle	1.10.99.7.1.8.51-3
Parquet	org.apache.parquet	parquet-jackson	1.10.99.7.1.8.51-3
Parquet	org.apache.parquet	parquet-pig	1.10.99.7.1.8.51-3
Parquet	org.apache.parquet	parquet-pig-bundle	1.10.99.7.1.8.51-3
Parquet	org.apache.parquet	parquet-protobuf	1.10.99.7.1.8.51-3
Parquet	org.apache.parquet	parquet-scala_2.10	1.10.99.7.1.8.51-3
Parquet	org.apache.parquet	parquet-thrift	1.10.99.7.1.8.51-3
Parquet	org.apache.parquet	parquet-tools	1.10.99.7.1.8.51-3
Phoenix	org.apache.phoenix	phoenix-client-embedded-hbase-2.4	5.1.1.7.1.8.51-3
Phoenix	org.apache.phoenix	phoenix-client-hbase-2.4	5.1.1.7.1.8.51-3
Phoenix	org.apache.phoenix	phoenix-connectors-phoenix5-compatible	6.0.0.7.1.8.51-3
Phoenix	org.apache.phoenix	phoenix-core	5.1.1.7.1.8.51-3
Phoenix	org.apache.phoenix	phoenix-hbase-compatible-2.1.6	5.1.1.7.1.8.51-3
Phoenix	org.apache.phoenix	phoenix-hbase-compatible-2.2.5	5.1.1.7.1.8.51-3
Phoenix	org.apache.phoenix	phoenix-hbase-compatible-2.3.0	5.1.1.7.1.8.51-3
Phoenix	org.apache.phoenix	phoenix-hbase-compatible-2.4.0	5.1.1.7.1.8.51-3
Phoenix	org.apache.phoenix	phoenix-hbase-compatible-2.4.1	5.1.1.7.1.8.51-3
Phoenix	org.apache.phoenix	phoenix-pherf	5.1.1.7.1.8.51-3
Phoenix	org.apache.phoenix	phoenix-queryserver	6.0.0.7.1.8.51-3
Phoenix	org.apache.phoenix	phoenix-queryserver-client	6.0.0.7.1.8.51-3
Phoenix	org.apache.phoenix	phoenix-queryserver-it	6.0.0.7.1.8.51-3
Phoenix	org.apache.phoenix	phoenix-queryserver-load-balancer	6.0.0.7.1.8.51-3
Phoenix	org.apache.phoenix	phoenix-queryserver-orchestrator	6.0.0.7.1.8.51-3
Phoenix	org.apache.phoenix	phoenix-server-hbase-2.4	5.1.1.7.1.8.51-3
Phoenix	org.apache.phoenix	phoenix-tracing-webapp	5.1.1.7.1.8.51-3
Phoenix	org.apache.phoenix	phoenix5-hive	6.0.0.7.1.8.51-3
Phoenix	org.apache.phoenix	phoenix5-hive-shaded	6.0.0.7.1.8.51-3
Phoenix	org.apache.phoenix	phoenix5-spark	6.0.0.7.1.8.51-3
Phoenix	org.apache.phoenix	phoenix5-spark-shaded	6.0.0.7.1.8.51-3

Project	groupId	artifactId	version
Ranger	org.apache.ranger	conditions-enrichers	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	credentialbuilder	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	embeddedwebserver	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	jisql	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ldapconfigcheck	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-adls-plugin	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-atlas-plugin	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-atlas-plugin-shim	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-authn	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-distro	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-examples-distro	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-hbase-plugin	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-hbase-plugin-shim	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-hdfs-plugin	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-hdfs-plugin-shim	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-hive-plugin	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-hive-plugin-shim	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-intg	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-kafka-connect-plugin	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-kafka-plugin	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-kafka-plugin-shim	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-kms	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-kms-plugin	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-kms-plugin-shim	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-knox-plugin	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-knox-plugin-shim	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-kudu-plugin	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-kylin-plugin	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-kylin-plugin-shim	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-nifi-plugin	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-nifi-registry-plugin	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-ozone-plugin	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-ozone-plugin-shim	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-plugin-classloader	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-plugins-audit	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-plugins-common	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-plugins-cred	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-plugins-installer	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-policymigration	2.3.0.7.1.8.51-3

Project	groupId	artifactId	version
Ranger	org.apache.ranger	ranger-raz-adls	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-raz-chained-plugins	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-raz-hook-abfs	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-raz-intg	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-raz-processor	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-rms-common	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-rms-hive	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-rms-plugins-common	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-rms-webapp	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-sampleapp-plugin	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-schema-registry-plugin	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-solr-plugin	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-solr-plugin-shim	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-sqoop-plugin	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-sqoop-plugin-shim	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-storm-plugin	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-storm-plugin-shim	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-tagsync	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-tools	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-util	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-yarn-plugin	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ranger-yarn-plugin-shim	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	sample-client	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	sampleapp	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	shaded-raz-hook-abfs	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	ugsync-util	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	unixauthclient	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	unixauthservice	2.3.0.7.1.8.51-3
Ranger	org.apache.ranger	unixusersync	2.3.0.7.1.8.51-3
Solr	org.apache.solr	solr-analysis-extras	8.4.1.7.1.8.51-3
Solr	org.apache.solr	solr-analytics	8.4.1.7.1.8.51-3
Solr	org.apache.solr	solr-cell	8.4.1.7.1.8.51-3
Solr	org.apache.solr	solr-clustering	8.4.1.7.1.8.51-3
Solr	org.apache.solr	solr-core	8.4.1.7.1.8.51-3
Solr	org.apache.solr	solr-dataimporthandler	8.4.1.7.1.8.51-3
Solr	org.apache.solr	solr-dataimporthandler-extras	8.4.1.7.1.8.51-3
Solr	org.apache.solr	solr-jaegertracer-configurator	8.4.1.7.1.8.51-3
Solr	org.apache.solr	solr-langid	8.4.1.7.1.8.51-3
Solr	org.apache.solr	solr-ltr	8.4.1.7.1.8.51-3

Project	groupId	artifactId	version
Solr	org.apache.solr	solr-prometheus-exporter	8.4.1.7.1.8.51-3
Solr	org.apache.solr	solr-security-util	8.4.1.7.1.8.51-3
Solr	org.apache.solr	solr-solrj	8.4.1.7.1.8.51-3
Solr	org.apache.solr	solr-test-framework	8.4.1.7.1.8.51-3
Solr	org.apache.solr	solr-velocity	8.4.1.7.1.8.51-3
Spark	org.apache.spark	spark-avro_2.11	2.4.8.7.1.8.51-3
Spark	org.apache.spark	spark-catalyst_2.11	2.4.8.7.1.8.51-3
Spark	org.apache.spark	spark-core_2.11	2.4.8.7.1.8.51-3
Spark	org.apache.spark	spark-graphx_2.11	2.4.8.7.1.8.51-3
Spark	org.apache.spark	spark-hadoop-cloud_2.11	2.4.8.7.1.8.51-3
Spark	org.apache.spark	spark-hive_2.11	2.4.8.7.1.8.51-3
Spark	org.apache.spark	spark-kubernetes_2.11	2.4.8.7.1.8.51-3
Spark	org.apache.spark	spark-kvstore_2.11	2.4.8.7.1.8.51-3
Spark	org.apache.spark	spark-launcher_2.11	2.4.8.7.1.8.51-3
Spark	org.apache.spark	spark-mllib-local_2.11	2.4.8.7.1.8.51-3
Spark	org.apache.spark	spark-mllib_2.11	2.4.8.7.1.8.51-3
Spark	org.apache.spark	spark-network-common_2.11	2.4.8.7.1.8.51-3
Spark	org.apache.spark	spark-network-shuffle_2.11	2.4.8.7.1.8.51-3
Spark	org.apache.spark	spark-network-yarn_2.11	2.4.8.7.1.8.51-3
Spark	org.apache.spark	spark-repl_2.11	2.4.8.7.1.8.51-3
Spark	org.apache.spark	spark-sketch_2.11	2.4.8.7.1.8.51-3
Spark	org.apache.spark	spark-sql-kafka-0-10_2.11	2.4.8.7.1.8.51-3
Spark	org.apache.spark	spark-sql_2.11	2.4.8.7.1.8.51-3
Spark	org.apache.spark	spark-streaming-kafka-0-10-assembly_2.11	2.4.8.7.1.8.51-3
Spark	org.apache.spark	spark-streaming-kafka-0-10_2.11	2.4.8.7.1.8.51-3
Spark	org.apache.spark	spark-streaming_2.11	2.4.8.7.1.8.51-3
Spark	org.apache.spark	spark-tags_2.11	2.4.8.7.1.8.51-3
Spark	org.apache.spark	spark-token-provider-kafka-0-10_2.11	2.4.8.7.1.8.51-3
Spark	org.apache.spark	spark-unsafe_2.11	2.4.8.7.1.8.51-3
Spark	org.apache.spark	spark-yarn_2.11	2.4.8.7.1.8.51-3
Sqoop	org.apache.sqoop	sqoop	1.4.7.7.1.8.51-3
Sqoop	org.apache.sqoop	sqoop-test	1.4.7.7.1.8.51-3
Tez	org.apache.tez	hadoop-shim	0.9.1.7.1.8.51-3
Tez	org.apache.tez	hadoop-shim-2.8	0.9.1.7.1.8.51-3
Tez	org.apache.tez	tez-api	0.9.1.7.1.8.51-3
Tez	org.apache.tez	tez-aux-services	0.9.1.7.1.8.51-3
Tez	org.apache.tez	tez-common	0.9.1.7.1.8.51-3
Tez	org.apache.tez	tez-dag	0.9.1.7.1.8.51-3
Tez	org.apache.tez	tez-examples	0.9.1.7.1.8.51-3

Project	groupId	artifactId	version
Tez	org.apache.tez	tez-ext-service-tests	0.9.1.7.1.8.51-3
Tez	org.apache.tez	tez-history-parser	0.9.1.7.1.8.51-3
Tez	org.apache.tez	tez-javadoc-tools	0.9.1.7.1.8.51-3
Tez	org.apache.tez	tez-job-analyzer	0.9.1.7.1.8.51-3
Tez	org.apache.tez	tez-mapreduce	0.9.1.7.1.8.51-3
Tez	org.apache.tez	tez-protobuf-history-plugin	0.9.1.7.1.8.51-3
Tez	org.apache.tez	tez-runtime-internals	0.9.1.7.1.8.51-3
Tez	org.apache.tez	tez-runtime-library	0.9.1.7.1.8.51-3
Tez	org.apache.tez	tez-tests	0.9.1.7.1.8.51-3
Tez	org.apache.tez	tez-yarn-timeline-cache-plugin	0.9.1.7.1.8.51-3
Tez	org.apache.tez	tez-yarn-timeline-history	0.9.1.7.1.8.51-3
Tez	org.apache.tez	tez-yarn-timeline-history-with-acls	0.9.1.7.1.8.51-3
Tez	org.apache.tez	tez-yarn-timeline-history-with-fs	0.9.1.7.1.8.51-3
Zeppelin	org.apache.zeppelin	zeppelin-angular	0.8.2.7.1.8.51-3
Zeppelin	org.apache.zeppelin	zeppelin-display	0.8.2.7.1.8.51-3
Zeppelin	org.apache.zeppelin	zeppelin-interpreter	0.8.2.7.1.8.51-3
Zeppelin	org.apache.zeppelin	zeppelin-jdbc	0.8.2.7.1.8.51-3
Zeppelin	org.apache.zeppelin	zeppelin-jupyter	0.8.2.7.1.8.51-3
Zeppelin	org.apache.zeppelin	zeppelin-livy	0.8.2.7.1.8.51-3
Zeppelin	org.apache.zeppelin	zeppelin-markdown	0.8.2.7.1.8.51-3
Zeppelin	org.apache.zeppelin	zeppelin-server	0.8.2.7.1.8.51-3
Zeppelin	org.apache.zeppelin	zeppelin-shell	0.8.2.7.1.8.51-3
Zeppelin	org.apache.zeppelin	zeppelin-zengine	0.8.2.7.1.8.51-3
ZooKeeper	org.apache.zookeeper	zookeeper	3.5.5.7.1.8.51-3
ZooKeeper	org.apache.zookeeper	zookeeper-client-c	3.5.5.7.1.8.51-3
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-loggraph	3.5.5.7.1.8.51-3
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-rest	3.5.5.7.1.8.51-3
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-zooinspector	3.5.5.7.1.8.51-3
ZooKeeper	org.apache.zookeeper	zookeeper-docs	3.5.5.7.1.8.51-3
ZooKeeper	org.apache.zookeeper	zookeeper-jute	3.5.5.7.1.8.51-3
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-election	3.5.5.7.1.8.51-3
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-lock	3.5.5.7.1.8.51-3
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-queue	3.5.5.7.1.8.51-3

Runtime 7.1.8.55-1

The following table lists the project name, groupId, artifactId, and version required to access each Runtime artifact.

Project	groupId	artifactId	version
Atlas	org.apache.atlas	atlas-authorization	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	atlas-aws-s3-bridge	2.1.0.7.1.8.55-1

Project	groupId	artifactId	version
Atlas	org.apache.atlas	atlas-azure-adls-bridge	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	atlas-classification-updater	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	atlas-client-common	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	atlas-client-v1	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	atlas-client-v2	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	atlas-common	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	atlas-distro	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	atlas-docs	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	atlas-graphdb-api	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	atlas-graphdb-common	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	atlas-graphdb-janus	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	atlas-hdfs-bridge	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	atlas-index-repair-tool	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	atlas-intg	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	atlas-janusgraph-hbase2	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	atlas-notification	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	atlas-plugin-classloader	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	atlas-repository	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	atlas-server-api	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	atlas-testtools	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	hbase-bridge	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	hbase-bridge-shim	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	hbase-testing-util	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	hdfs-model	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	hive-bridge	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	hive-bridge-shim	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	impala-bridge	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	impala-bridge-shim	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	impala-hook-api	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	kafka-bridge	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	kafka-bridge-shim	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	navigator-to-atlas	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	sample-app	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	sqoop-bridge	2.1.0.7.1.8.55-1
Atlas	org.apache.atlas	sqoop-bridge-shim	2.1.0.7.1.8.55-1
Avro	org.apache.avro	avro	1.8.2.7.1.8.55-1
Avro	org.apache.avro	avro-compiler	1.8.2.7.1.8.55-1
Avro	org.apache.avro	avro-ipc	1.8.2.7.1.8.55-1
Avro	org.apache.avro	avro-mapred	1.8.2.7.1.8.55-1

Project	groupId	artifactId	version
Avro	org.apache.avro	avro-maven-plugin	1.8.2.7.1.8.55-1
Avro	org.apache.avro	avro-protobuf	1.8.2.7.1.8.55-1
Avro	org.apache.avro	avro-service-archetype	1.8.2.7.1.8.55-1
Avro	org.apache.avro	avro-thrift	1.8.2.7.1.8.55-1
Avro	org.apache.avro	avro-tools	1.8.2.7.1.8.55-1
Avro	org.apache.avro	trevni-avro	1.8.2.7.1.8.55-1
Avro	org.apache.avro	trevni-core	1.8.2.7.1.8.55-1
Calcite	org.apache.calcite	calcite-babel	1.19.0.7.1.8.55-1
Calcite	org.apache.calcite	calcite-core	1.19.0.7.1.8.55-1
Calcite	org.apache.calcite	calcite-druid	1.19.0.7.1.8.55-1
Calcite	org.apache.calcite	calcite-linq4j	1.19.0.7.1.8.55-1
Calcite	org.apache.calcite	calcite-server	1.19.0.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-aliyun	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-annotations	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-archive-logs	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-archives	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-assemblies	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-auth	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-aws	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-azure	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-azure-datalake	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-build-tools	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-client	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-client-api	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-client-integration-tests	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-client-minicluster	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-client-runtime	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-cloud-storage	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-common	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-datajoin	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-distcp	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-extras	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-fs2img	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-gridmix	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-hdfs	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-hdfs-client	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-hdfs-httpfs	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-hdfs-native-client	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-hdfs-nfs	3.1.1.7.1.8.55-1

Project	groupId	artifactId	version
Hadoop	org.apache.hadoop	hadoop-hdfs-rbf	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-kafka	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-kms	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-app	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-common	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-core	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-hs	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-hs-plugins	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-jobclient	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-nativetask	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-shuffle	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-uploader	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-examples	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-maven-plugins	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-minicluster	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-minikdc	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-nfs	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-openstack	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-resourceestimator	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-rumen	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-sls	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-streaming	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-tools-dist	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-yarn-applications-unmanaged-am-launcher	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-yarn-client	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-yarn-common	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-yarn-registry	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-applicationhistoryservice	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-common	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-nodemanager	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-resourcemanager	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-router	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-sharedcachemanager	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-tests	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timeline-pluginstorage	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-client	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-common	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-server-2	3.1.1.7.1.8.55-1

Project	groupId	artifactId	version
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-tests	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-web-proxy	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-yarn-services-api	3.1.1.7.1.8.55-1
Hadoop	org.apache.hadoop	hadoop-yarn-services-core	3.1.1.7.1.8.55-1
HBase	org.apache.hbase	hbase-annotations	2.4.6.7.1.8.55-1
HBase	org.apache.hbase	hbase-asyncfs	2.4.6.7.1.8.55-1
HBase	org.apache.hbase	hbase-checkstyle	2.4.6.7.1.8.55-1
HBase	org.apache.hbase	hbase-client	2.4.6.7.1.8.55-1
HBase	org.apache.hbase	hbase-client-project	2.4.6.7.1.8.55-1
HBase	org.apache.hbase	hbase-common	2.4.6.7.1.8.55-1
HBase	org.apache.hbase	hbase-endpoint	2.4.6.7.1.8.55-1
HBase	org.apache.hbase	hbase-examples	2.4.6.7.1.8.55-1
HBase	org.apache.hbase	hbase-external-blockcache	2.4.6.7.1.8.55-1
HBase	org.apache.hbase	hbase-hadoop-compat	2.4.6.7.1.8.55-1
HBase	org.apache.hbase	hbase-hadoop2-compat	2.4.6.7.1.8.55-1
HBase	org.apache.hbase	hbase-hbtop	2.4.6.7.1.8.55-1
HBase	org.apache.hbase	hbase-http	2.4.6.7.1.8.55-1
HBase	org.apache.hbase	hbase-it	2.4.6.7.1.8.55-1
HBase	org.apache.hbase	hbase-logging	2.4.6.7.1.8.55-1
HBase	org.apache.hbase	hbase-mapreduce	2.4.6.7.1.8.55-1
HBase	org.apache.hbase	hbase-metrics	2.4.6.7.1.8.55-1
HBase	org.apache.hbase	hbase-metrics-api	2.4.6.7.1.8.55-1
HBase	org.apache.hbase	hbase-procedure	2.4.6.7.1.8.55-1
HBase	org.apache.hbase	hbase-protocol	2.4.6.7.1.8.55-1
HBase	org.apache.hbase	hbase-protocol-shaded	2.4.6.7.1.8.55-1
HBase	org.apache.hbase	hbase-replication	2.4.6.7.1.8.55-1
HBase	org.apache.hbase	hbase-resource-bundle	2.4.6.7.1.8.55-1
HBase	org.apache.hbase	hbase-rest	2.4.6.7.1.8.55-1
HBase	org.apache.hbase	hbase-rsgroup	2.4.6.7.1.8.55-1
HBase	org.apache.hbase	hbase-server	2.4.6.7.1.8.55-1
HBase	org.apache.hbase	hbase-shaded-client	2.4.6.7.1.8.55-1
HBase	org.apache.hbase	hbase-shaded-client-byo-hadoop	2.4.6.7.1.8.55-1
HBase	org.apache.hbase	hbase-shaded-client-project	2.4.6.7.1.8.55-1
HBase	org.apache.hbase	hbase-shaded-mapreduce	2.4.6.7.1.8.55-1
HBase	org.apache.hbase	hbase-shaded-testing-util	2.4.6.7.1.8.55-1
HBase	org.apache.hbase	hbase-shaded-testing-util-tester	2.4.6.7.1.8.55-1
HBase	org.apache.hbase	hbase-shell	2.4.6.7.1.8.55-1
HBase	org.apache.hbase	hbase-testing-util	2.4.6.7.1.8.55-1
HBase	org.apache.hbase	hbase-thrift	2.4.6.7.1.8.55-1

Project	groupId	artifactId	version
HBase	org.apache.hbase	hbase-zookeeper	2.4.6.7.1.8.55-1
Hive	org.apache.hive	hive-beeline	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-blobstore	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-classification	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-cli	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-common	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-contrib	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-exec	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-hbase-handler	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-hcatalog-it-unit	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-hplsql	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-it-custom-serde	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-it-minikdc	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-it-qfile	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-it-qfile-kudu	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-it-test-serde	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-it-unit	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-it-unit-hadoop2	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-it-util	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-jdbc	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-jdbc-handler	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-jmh	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-kryo-registrator	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-kudu-handler	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-llap-client	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-llap-common	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-llap-ext-client	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-llap-server	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-llap-tez	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-metastore	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-pre-upgrade	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-serde	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-service	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-service-rpc	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-shims	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-spark-client	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-standalone-metastore	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-storage-api	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-streaming	3.1.3000.7.1.8.55-1

Project	groupId	artifactId	version
Hive	org.apache.hive	hive-testutils	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	hive-vector-code-gen	3.1.3000.7.1.8.55-1
Hive	org.apache.hive	kafka-handler	3.1.3000.7.1.8.55-1
Hive Warehouse Connector	com.hortonworks.hive	hive-warehouse-connector_2.11	1.0.0.7.1.8.55-1
Kafka	org.apache.kafka	connect	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	connect-api	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	connect-basic-auth-extension	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	connect-cloudera-authorization-extension	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	connect-cloudera-common	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	connect-cloudera-secret-storage	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	connect-cloudera-security-policies	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	connect-file	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	connect-json	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	connect-mirror	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	connect-mirror-client	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	connect-runtime	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	connect-transforms	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	generator	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	kafka-clients	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	kafka-cloudera-metrics-reporter_2.12	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	kafka-cloudera-metrics-reporter_2.13	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	kafka-cloudera-plugins	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	kafka-examples	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	kafka-log4j-appender	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	kafka-metadata	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	kafka-raft	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	kafka-server-common	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	kafka-shell	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	kafka-storage	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	kafka-storage-api	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	kafka-streams	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	kafka-streams-examples	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	kafka-streams-scala_2.12	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	kafka-streams-scala_2.13	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	kafka-streams-test-utils	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0100	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0101	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0102	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0110	3.1.1.7.1.8.55-1

Project	groupId	artifactId	version
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-10	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-11	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-20	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-21	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-22	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-23	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-24	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-25	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-26	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-27	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-28	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	kafka-tools	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	kafka_2.12	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	kafka_2.13	3.1.1.7.1.8.55-1
Kafka	org.apache.kafka	trogdor	3.1.1.7.1.8.55-1
Knox	org.apache.knox	gateway-adapter	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-admin-ui	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-applications	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-cloud-bindings	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-demo-ldap	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-demo-ldap-launcher	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-discovery-ambari	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-discovery-cm	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-docker	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-i18n	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-i18n-logging-log4j	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-i18n-logging-sl4j	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-provider-ha	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-provider-identity-assertion-common	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-provider-identity-assertion-concat	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-provider-identity-assertion-hadoop-groups	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-provider-identity-assertion-pseudo	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-provider-identity-assertion-regex	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-provider-identity-assertion-switchcase	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-provider-jersey	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-provider-rewrite	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-provider-rewrite-common	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-provider-rewrite-func-hostmap-static	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-provider-rewrite-func-inbound-query-param	1.3.0.7.1.8.55-1

Project	groupId	artifactId	version
Knox	org.apache.knox	gateway-provider-rewrite-func-service-registry	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-provider-rewrite-step-encrypt-uri	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-provider-rewrite-step-secure-query	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-provider-security-authc-anon	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-provider-security-authz-acls	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-provider-security-authz-composite	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-provider-security-clientcert	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-provider-security-hadoopauth	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-provider-security-jwt	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-provider-security-pac4j	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-provider-security-preauth	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-provider-security-shiro	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-provider-security-webappsec	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-release	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-server	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-server-launcher	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-server-xforwarded-filter	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-service-admin	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-service-as	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-service-definitions	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-service-hashicorp-vault	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-service-hbase	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-service-health	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-service-hive	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-service-idbroker	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-service-impala	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-service-jkg	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-service-knoxsso	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-service-knoxssout	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-service-knoxtoken	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-service-livy	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-service-metadata	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-service-nifi	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-service-nifi-registry	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-service-remoteconfig	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-service-rm	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-service-session	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-service-storm	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-service-test	1.3.0.7.1.8.55-1

Project	groupId	artifactId	version
Knox	org.apache.knox	gateway-service-tgs	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-service-vault	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-service-webhdfs	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-shell	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-shell-launcher	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-shell-release	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-shell-samples	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-spi	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-test	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-test-idbroker	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-test-release-utils	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-test-utils	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-topology-hadoop-xml	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-topology-simple	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-util-common	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-util-configinjector	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-util-launcher	1.3.0.7.1.8.55-1
Knox	org.apache.knox	gateway-util-urltemplate	1.3.0.7.1.8.55-1
Knox	org.apache.knox	hadoop-examples	1.3.0.7.1.8.55-1
Knox	org.apache.knox	knox-cli-launcher	1.3.0.7.1.8.55-1
Knox	org.apache.knox	knox-homepage-ui	1.3.0.7.1.8.55-1
Knox	org.apache.knox	webhdfs-kerb-test	1.3.0.7.1.8.55-1
Knox	org.apache.knox	webhdfs-test	1.3.0.7.1.8.55-1
Kudu	org.apache.kudu	kudu-backup-tools	1.15.0.7.1.8.55-1
Kudu	org.apache.kudu	kudu-backup2_2.11	1.15.0.7.1.8.55-1
Kudu	org.apache.kudu	kudu-backup3_2.12	1.15.0.7.1.8.55-1
Kudu	org.apache.kudu	kudu-client	1.15.0.7.1.8.55-1
Kudu	org.apache.kudu	kudu-hive	1.15.0.7.1.8.55-1
Kudu	org.apache.kudu	kudu-spark2-tools_2.11	1.15.0.7.1.8.55-1
Kudu	org.apache.kudu	kudu-spark2_2.11	1.15.0.7.1.8.55-1
Kudu	org.apache.kudu	kudu-spark3-tools_2.12	1.15.0.7.1.8.55-1
Kudu	org.apache.kudu	kudu-spark3_2.12	1.15.0.7.1.8.55-1
Kudu	org.apache.kudu	kudu-test-utils	1.15.0.7.1.8.55-1
Livy	org.apache.livy	livy-api	0.6.0.7.1.8.55-1
Livy	org.apache.livy	livy-client-common	0.6.0.7.1.8.55-1
Livy	org.apache.livy	livy-client-http	0.6.0.7.1.8.55-1
Livy	org.apache.livy	livy-core_2.11	0.6.0.7.1.8.55-1
Livy	org.apache.livy	livy-examples	0.6.0.7.1.8.55-1
Livy	org.apache.livy	livy-integration-test	0.6.0.7.1.8.55-1

Project	groupId	artifactId	version
Livy	org.apache.livy	livy-repl_2.11	0.6.0.7.1.8.55-1
Livy	org.apache.livy	livy-rsc	0.6.0.7.1.8.55-1
Livy	org.apache.livy	livy-scala-api_2.11	0.6.0.7.1.8.55-1
Livy	org.apache.livy	livy-server	0.6.0.7.1.8.55-1
Livy	org.apache.livy	livy-test-lib	0.6.0.7.1.8.55-1
Livy	org.apache.livy	livy-thriftserver	0.6.0.7.1.8.55-1
Livy	org.apache.livy	livy-thriftserver-session	0.6.0.7.1.8.55-1
Lucene	org.apache.lucene	lucene-analyzers-common	8.4.1.7.1.8.55-1
Lucene	org.apache.lucene	lucene-analyzers-icu	8.4.1.7.1.8.55-1
Lucene	org.apache.lucene	lucene-analyzers-kuromoji	8.4.1.7.1.8.55-1
Lucene	org.apache.lucene	lucene-analyzers-morfologik	8.4.1.7.1.8.55-1
Lucene	org.apache.lucene	lucene-analyzers-nori	8.4.1.7.1.8.55-1
Lucene	org.apache.lucene	lucene-analyzers-openslp	8.4.1.7.1.8.55-1
Lucene	org.apache.lucene	lucene-analyzers-phonetic	8.4.1.7.1.8.55-1
Lucene	org.apache.lucene	lucene-analyzers-smartcn	8.4.1.7.1.8.55-1
Lucene	org.apache.lucene	lucene-analyzers-stempel	8.4.1.7.1.8.55-1
Lucene	org.apache.lucene	lucene-backward-codecs	8.4.1.7.1.8.55-1
Lucene	org.apache.lucene	lucene-benchmark	8.4.1.7.1.8.55-1
Lucene	org.apache.lucene	lucene-classification	8.4.1.7.1.8.55-1
Lucene	org.apache.lucene	lucene-codecs	8.4.1.7.1.8.55-1
Lucene	org.apache.lucene	lucene-core	8.4.1.7.1.8.55-1
Lucene	org.apache.lucene	lucene-demo	8.4.1.7.1.8.55-1
Lucene	org.apache.lucene	lucene-expressions	8.4.1.7.1.8.55-1
Lucene	org.apache.lucene	lucene-facet	8.4.1.7.1.8.55-1
Lucene	org.apache.lucene	lucene-grouping	8.4.1.7.1.8.55-1
Lucene	org.apache.lucene	lucene-highlighter	8.4.1.7.1.8.55-1
Lucene	org.apache.lucene	lucene-join	8.4.1.7.1.8.55-1
Lucene	org.apache.lucene	lucene-memory	8.4.1.7.1.8.55-1
Lucene	org.apache.lucene	lucene-misc	8.4.1.7.1.8.55-1
Lucene	org.apache.lucene	lucene-monitor	8.4.1.7.1.8.55-1
Lucene	org.apache.lucene	lucene-queries	8.4.1.7.1.8.55-1
Lucene	org.apache.lucene	lucene-queryparser	8.4.1.7.1.8.55-1
Lucene	org.apache.lucene	lucene-replicator	8.4.1.7.1.8.55-1
Lucene	org.apache.lucene	lucene-sandbox	8.4.1.7.1.8.55-1
Lucene	org.apache.lucene	lucene-spatial	8.4.1.7.1.8.55-1
Lucene	org.apache.lucene	lucene-spatial-extras	8.4.1.7.1.8.55-1
Lucene	org.apache.lucene	lucene-spatial3d	8.4.1.7.1.8.55-1
Lucene	org.apache.lucene	lucene-suggest	8.4.1.7.1.8.55-1
Lucene	org.apache.lucene	lucene-test-framework	8.4.1.7.1.8.55-1

Project	groupId	artifactId	version
Oozie	org.apache.oozie	oozie-client	5.1.0.7.1.8.55-1
Oozie	org.apache.oozie	oozie-core	5.1.0.7.1.8.55-1
Oozie	org.apache.oozie	oozie-distro	5.1.0.7.1.8.55-1
Oozie	org.apache.oozie	oozie-examples	5.1.0.7.1.8.55-1
Oozie	org.apache.oozie	oozie-fluent-job-api	5.1.0.7.1.8.55-1
Oozie	org.apache.oozie	oozie-fluent-job-client	5.1.0.7.1.8.55-1
Oozie	org.apache.oozie	oozie-server	5.1.0.7.1.8.55-1
Oozie	org.apache.oozie	oozie-sharelib-distcp	5.1.0.7.1.8.55-1
Oozie	org.apache.oozie	oozie-sharelib-git	5.1.0.7.1.8.55-1
Oozie	org.apache.oozie	oozie-sharelib-hcatalog	5.1.0.7.1.8.55-1
Oozie	org.apache.oozie	oozie-sharelib-hive	5.1.0.7.1.8.55-1
Oozie	org.apache.oozie	oozie-sharelib-hive2	5.1.0.7.1.8.55-1
Oozie	org.apache.oozie	oozie-sharelib-oozie	5.1.0.7.1.8.55-1
Oozie	org.apache.oozie	oozie-sharelib-spark	5.1.0.7.1.8.55-1
Oozie	org.apache.oozie	oozie-sharelib-sqoop	5.1.0.7.1.8.55-1
Oozie	org.apache.oozie	oozie-sharelib-streaming	5.1.0.7.1.8.55-1
Oozie	org.apache.oozie	oozie-tools	5.1.0.7.1.8.55-1
Oozie	org.apache.oozie	oozie-zookeeper-security-tests	5.1.0.7.1.8.55-1
ORC	org.apache.orc	orc-core	1.5.1.7.1.8.55-1
ORC	org.apache.orc	orc-examples	1.5.1.7.1.8.55-1
ORC	org.apache.orc	orc-mapreduce	1.5.1.7.1.8.55-1
ORC	org.apache.orc	orc-shims	1.5.1.7.1.8.55-1
ORC	org.apache.orc	orc-tools	1.5.1.7.1.8.55-1
Parquet	org.apache.parquet	parquet-avro	1.10.99.7.1.8.55-1
Parquet	org.apache.parquet	parquet-cascading	1.10.99.7.1.8.55-1
Parquet	org.apache.parquet	parquet-cascading3	1.10.99.7.1.8.55-1
Parquet	org.apache.parquet	parquet-column	1.10.99.7.1.8.55-1
Parquet	org.apache.parquet	parquet-common	1.10.99.7.1.8.55-1
Parquet	org.apache.parquet	parquet-encoding	1.10.99.7.1.8.55-1
Parquet	org.apache.parquet	parquet-format-structures	1.10.99.7.1.8.55-1
Parquet	org.apache.parquet	parquet-generator	1.10.99.7.1.8.55-1
Parquet	org.apache.parquet	parquet-hadoop	1.10.99.7.1.8.55-1
Parquet	org.apache.parquet	parquet-hadoop-bundle	1.10.99.7.1.8.55-1
Parquet	org.apache.parquet	parquet-jackson	1.10.99.7.1.8.55-1
Parquet	org.apache.parquet	parquet-pig	1.10.99.7.1.8.55-1
Parquet	org.apache.parquet	parquet-pig-bundle	1.10.99.7.1.8.55-1
Parquet	org.apache.parquet	parquet-protobuf	1.10.99.7.1.8.55-1
Parquet	org.apache.parquet	parquet-scala_2.10	1.10.99.7.1.8.55-1
Parquet	org.apache.parquet	parquet-thrift	1.10.99.7.1.8.55-1

Project	groupId	artifactId	version
Parquet	org.apache.parquet	parquet-tools	1.10.99.7.1.8.55-1
Phoenix	org.apache.phoenix	phoenix-client-embedded-hbase-2.4	5.1.1.7.1.8.55-1
Phoenix	org.apache.phoenix	phoenix-client-hbase-2.4	5.1.1.7.1.8.55-1
Phoenix	org.apache.phoenix	phoenix-connectors-phoenix5-compat	6.0.0.7.1.8.55-1
Phoenix	org.apache.phoenix	phoenix-core	5.1.1.7.1.8.55-1
Phoenix	org.apache.phoenix	phoenix-hbase-compat-2.1.6	5.1.1.7.1.8.55-1
Phoenix	org.apache.phoenix	phoenix-hbase-compat-2.2.5	5.1.1.7.1.8.55-1
Phoenix	org.apache.phoenix	phoenix-hbase-compat-2.3.0	5.1.1.7.1.8.55-1
Phoenix	org.apache.phoenix	phoenix-hbase-compat-2.4.0	5.1.1.7.1.8.55-1
Phoenix	org.apache.phoenix	phoenix-hbase-compat-2.4.1	5.1.1.7.1.8.55-1
Phoenix	org.apache.phoenix	phoenix-pherf	5.1.1.7.1.8.55-1
Phoenix	org.apache.phoenix	phoenix-queryserver	6.0.0.7.1.8.55-1
Phoenix	org.apache.phoenix	phoenix-queryserver-client	6.0.0.7.1.8.55-1
Phoenix	org.apache.phoenix	phoenix-queryserver-it	6.0.0.7.1.8.55-1
Phoenix	org.apache.phoenix	phoenix-queryserver-load-balancer	6.0.0.7.1.8.55-1
Phoenix	org.apache.phoenix	phoenix-queryserver-orchestrator	6.0.0.7.1.8.55-1
Phoenix	org.apache.phoenix	phoenix-server-hbase-2.4	5.1.1.7.1.8.55-1
Phoenix	org.apache.phoenix	phoenix-tracing-webapp	5.1.1.7.1.8.55-1
Phoenix	org.apache.phoenix	phoenix5-hive	6.0.0.7.1.8.55-1
Phoenix	org.apache.phoenix	phoenix5-hive-shaded	6.0.0.7.1.8.55-1
Phoenix	org.apache.phoenix	phoenix5-spark	6.0.0.7.1.8.55-1
Phoenix	org.apache.phoenix	phoenix5-spark-shaded	6.0.0.7.1.8.55-1
Ranger	org.apache.ranger	conditions-enrichers	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	credentialbuilder	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	embeddedwebserver	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	jisql	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ldapconfigcheck	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-adls-plugin	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-atlas-plugin	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-atlas-plugin-shim	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-authn	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-distro	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-examples-distro	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-hbase-plugin	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-hbase-plugin-shim	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-hdfs-plugin	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-hdfs-plugin-shim	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-hive-plugin	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-hive-plugin-shim	2.3.0.7.1.8.55-1

Project	groupId	artifactId	version
Ranger	org.apache.ranger	ranger-intg	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-kafka-connect-plugin	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-kafka-plugin	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-kafka-plugin-shim	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-kms	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-kms-plugin	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-kms-plugin-shim	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-knox-plugin	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-knox-plugin-shim	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-kudu-plugin	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-kylin-plugin	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-kylin-plugin-shim	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-nifi-plugin	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-nifi-registry-plugin	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-ozone-plugin	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-ozone-plugin-shim	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-plugin-classloader	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-plugins-audit	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-plugins-common	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-plugins-cred	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-plugins-installer	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-policymigration	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-raz-adls	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-raz-chained-plugins	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-raz-hook-abfs	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-raz-intg	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-raz-processor	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-rms-common	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-rms-hive	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-rms-plugins-common	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-rms-webapp	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-sampleapp-plugin	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-schema-registry-plugin	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-solr-plugin	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-solr-plugin-shim	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-sqoop-plugin	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-sqoop-plugin-shim	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-storm-plugin	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-storm-plugin-shim	2.3.0.7.1.8.55-1

Project	groupId	artifactId	version
Ranger	org.apache.ranger	ranger-tagsync	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-tools	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-util	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-yarn-plugin	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ranger-yarn-plugin-shim	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	sample-client	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	sampleapp	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	shaded-raz-hook-abfs	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	ugsync-util	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	unixauthclient	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	unixauthservice	2.3.0.7.1.8.55-1
Ranger	org.apache.ranger	unixusersync	2.3.0.7.1.8.55-1
Solr	org.apache.solr	solr-analysis-extras	8.4.1.7.1.8.55-1
Solr	org.apache.solr	solr-analytics	8.4.1.7.1.8.55-1
Solr	org.apache.solr	solr-cell	8.4.1.7.1.8.55-1
Solr	org.apache.solr	solr-clustering	8.4.1.7.1.8.55-1
Solr	org.apache.solr	solr-core	8.4.1.7.1.8.55-1
Solr	org.apache.solr	solr-dataimporthandler	8.4.1.7.1.8.55-1
Solr	org.apache.solr	solr-dataimporthandler-extras	8.4.1.7.1.8.55-1
Solr	org.apache.solr	solr-jaegertracer-configurator	8.4.1.7.1.8.55-1
Solr	org.apache.solr	solr-langid	8.4.1.7.1.8.55-1
Solr	org.apache.solr	solr-ltr	8.4.1.7.1.8.55-1
Solr	org.apache.solr	solr-prometheus-exporter	8.4.1.7.1.8.55-1
Solr	org.apache.solr	solr-security-util	8.4.1.7.1.8.55-1
Solr	org.apache.solr	solr-solrj	8.4.1.7.1.8.55-1
Solr	org.apache.solr	solr-test-framework	8.4.1.7.1.8.55-1
Solr	org.apache.solr	solr-velocity	8.4.1.7.1.8.55-1
Spark	org.apache.spark	spark-avro_2.11	2.4.8.7.1.8.55-1
Spark	org.apache.spark	spark-catalyst_2.11	2.4.8.7.1.8.55-1
Spark	org.apache.spark	spark-core_2.11	2.4.8.7.1.8.55-1
Spark	org.apache.spark	spark-graphx_2.11	2.4.8.7.1.8.55-1
Spark	org.apache.spark	spark-hadoop-cloud_2.11	2.4.8.7.1.8.55-1
Spark	org.apache.spark	spark-hive_2.11	2.4.8.7.1.8.55-1
Spark	org.apache.spark	spark-kubernetes_2.11	2.4.8.7.1.8.55-1
Spark	org.apache.spark	spark-kvstore_2.11	2.4.8.7.1.8.55-1
Spark	org.apache.spark	spark-launcher_2.11	2.4.8.7.1.8.55-1
Spark	org.apache.spark	spark-mllib-local_2.11	2.4.8.7.1.8.55-1
Spark	org.apache.spark	spark-mllib_2.11	2.4.8.7.1.8.55-1
Spark	org.apache.spark	spark-network-common_2.11	2.4.8.7.1.8.55-1

Project	groupId	artifactId	version
Spark	org.apache.spark	spark-network-shuffle_2.11	2.4.8.7.1.8.55-1
Spark	org.apache.spark	spark-network-yarn_2.11	2.4.8.7.1.8.55-1
Spark	org.apache.spark	spark-repl_2.11	2.4.8.7.1.8.55-1
Spark	org.apache.spark	spark-sketch_2.11	2.4.8.7.1.8.55-1
Spark	org.apache.spark	spark-sql-kafka-0-10_2.11	2.4.8.7.1.8.55-1
Spark	org.apache.spark	spark-sql_2.11	2.4.8.7.1.8.55-1
Spark	org.apache.spark	spark-streaming-kafka-0-10-assembly_2.11	2.4.8.7.1.8.55-1
Spark	org.apache.spark	spark-streaming-kafka-0-10_2.11	2.4.8.7.1.8.55-1
Spark	org.apache.spark	spark-streaming_2.11	2.4.8.7.1.8.55-1
Spark	org.apache.spark	spark-tags_2.11	2.4.8.7.1.8.55-1
Spark	org.apache.spark	spark-token-provider-kafka-0-10_2.11	2.4.8.7.1.8.55-1
Spark	org.apache.spark	spark-unsafe_2.11	2.4.8.7.1.8.55-1
Spark	org.apache.spark	spark-yarn_2.11	2.4.8.7.1.8.55-1
Sqoop	org.apache.sqoop	sqoop	1.4.7.7.1.8.55-1
Sqoop	org.apache.sqoop	sqoop-test	1.4.7.7.1.8.55-1
Tez	org.apache.tez	hadoop-shim	0.9.1.7.1.8.55-1
Tez	org.apache.tez	hadoop-shim-2.8	0.9.1.7.1.8.55-1
Tez	org.apache.tez	tez-api	0.9.1.7.1.8.55-1
Tez	org.apache.tez	tez-aux-services	0.9.1.7.1.8.55-1
Tez	org.apache.tez	tez-common	0.9.1.7.1.8.55-1
Tez	org.apache.tez	tez-dag	0.9.1.7.1.8.55-1
Tez	org.apache.tez	tez-examples	0.9.1.7.1.8.55-1
Tez	org.apache.tez	tez-ext-service-tests	0.9.1.7.1.8.55-1
Tez	org.apache.tez	tez-history-parser	0.9.1.7.1.8.55-1
Tez	org.apache.tez	tez-javadoc-tools	0.9.1.7.1.8.55-1
Tez	org.apache.tez	tez-job-analyzer	0.9.1.7.1.8.55-1
Tez	org.apache.tez	tez-mapreduce	0.9.1.7.1.8.55-1
Tez	org.apache.tez	tez-protobuf-history-plugin	0.9.1.7.1.8.55-1
Tez	org.apache.tez	tez-runtime-internals	0.9.1.7.1.8.55-1
Tez	org.apache.tez	tez-runtime-library	0.9.1.7.1.8.55-1
Tez	org.apache.tez	tez-tests	0.9.1.7.1.8.55-1
Tez	org.apache.tez	tez-yarn-timeline-cache-plugin	0.9.1.7.1.8.55-1
Tez	org.apache.tez	tez-yarn-timeline-history	0.9.1.7.1.8.55-1
Tez	org.apache.tez	tez-yarn-timeline-history-with-acls	0.9.1.7.1.8.55-1
Tez	org.apache.tez	tez-yarn-timeline-history-with-fs	0.9.1.7.1.8.55-1
Zeppelin	org.apache.zeppelin	zeppelin-angular	0.8.2.7.1.8.55-1
Zeppelin	org.apache.zeppelin	zeppelin-display	0.8.2.7.1.8.55-1
Zeppelin	org.apache.zeppelin	zeppelin-interpreter	0.8.2.7.1.8.55-1
Zeppelin	org.apache.zeppelin	zeppelin-jdbc	0.8.2.7.1.8.55-1

Project	groupId	artifactId	version
Zeppelin	org.apache.zeppelin	zeppelin-jupyter	0.8.2.7.1.8.55-1
Zeppelin	org.apache.zeppelin	zeppelin-livy	0.8.2.7.1.8.55-1
Zeppelin	org.apache.zeppelin	zeppelin-markdown	0.8.2.7.1.8.55-1
Zeppelin	org.apache.zeppelin	zeppelin-server	0.8.2.7.1.8.55-1
Zeppelin	org.apache.zeppelin	zeppelin-shell	0.8.2.7.1.8.55-1
Zeppelin	org.apache.zeppelin	zeppelin-zengine	0.8.2.7.1.8.55-1
ZooKeeper	org.apache.zookeeper	zookeeper	3.5.5.7.1.8.55-1
ZooKeeper	org.apache.zookeeper	zookeeper-client-c	3.5.5.7.1.8.55-1
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-loggraph	3.5.5.7.1.8.55-1
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-rest	3.5.5.7.1.8.55-1
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-zooinspector	3.5.5.7.1.8.55-1
ZooKeeper	org.apache.zookeeper	zookeeper-docs	3.5.5.7.1.8.55-1
ZooKeeper	org.apache.zookeeper	zookeeper-jute	3.5.5.7.1.8.55-1
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-election	3.5.5.7.1.8.55-1
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-lock	3.5.5.7.1.8.55-1
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-queue	3.5.5.7.1.8.55-1

Runtime 7.1.8.56-1

The following table lists the project name, groupId, artifactId, and version required to access each Runtime artifact.

Project	groupId	artifactId	version
Atlas	org.apache.atlas	atlas-authorization	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	atlas-aws-s3-bridge	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	atlas-azure-adls-bridge	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	atlas-classification-updater	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	atlas-client-common	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	atlas-client-v1	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	atlas-client-v2	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	atlas-common	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	atlas-distro	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	atlas-docs	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	atlas-graphdb-api	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	atlas-graphdb-common	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	atlas-graphdb-janus	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	atlas-hdfs-bridge	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	atlas-index-repair-tool	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	atlas-intg	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	atlas-janusgraph-hbase2	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	atlas-notification	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	atlas-plugin-classloader	2.1.0.7.1.8.56-1

Project	groupId	artifactId	version
Atlas	org.apache.atlas	atlas-repository	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	atlas-server-api	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	atlas-testtools	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	hbase-bridge	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	hbase-bridge-shim	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	hbase-testing-util	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	hdfs-model	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	hive-bridge	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	hive-bridge-shim	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	impala-bridge	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	impala-bridge-shim	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	impala-hook-api	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	kafka-bridge	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	kafka-bridge-shim	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	navigator-to-atlas	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	sample-app	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	sqoop-bridge	2.1.0.7.1.8.56-1
Atlas	org.apache.atlas	sqoop-bridge-shim	2.1.0.7.1.8.56-1
Avro	org.apache.avro	avro	1.8.2.7.1.8.56-1
Avro	org.apache.avro	avro-compiler	1.8.2.7.1.8.56-1
Avro	org.apache.avro	avro-ipc	1.8.2.7.1.8.56-1
Avro	org.apache.avro	avro-mapred	1.8.2.7.1.8.56-1
Avro	org.apache.avro	avro-maven-plugin	1.8.2.7.1.8.56-1
Avro	org.apache.avro	avro-protobuf	1.8.2.7.1.8.56-1
Avro	org.apache.avro	avro-service-archetype	1.8.2.7.1.8.56-1
Avro	org.apache.avro	avro-thrift	1.8.2.7.1.8.56-1
Avro	org.apache.avro	avro-tools	1.8.2.7.1.8.56-1
Avro	org.apache.avro	trevni-avro	1.8.2.7.1.8.56-1
Avro	org.apache.avro	trevni-core	1.8.2.7.1.8.56-1
Calcite	org.apache.calcite	calcite-babel	1.19.0.7.1.8.56-1
Calcite	org.apache.calcite	calcite-core	1.19.0.7.1.8.56-1
Calcite	org.apache.calcite	calcite-druid	1.19.0.7.1.8.56-1
Calcite	org.apache.calcite	calcite-linq4j	1.19.0.7.1.8.56-1
Calcite	org.apache.calcite	calcite-server	1.19.0.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-aliyun	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-annotations	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-archive-logs	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-archives	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-assemblies	3.1.1.7.1.8.56-1

Project	groupId	artifactId	version
Hadoop	org.apache.hadoop	hadoop-auth	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-aws	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-azure	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-azure-datalake	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-build-tools	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-client	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-client-api	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-client-integration-tests	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-client-minicluster	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-client-runtime	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-cloud-storage	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-common	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-datajoin	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-distcp	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-extras	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-fs2img	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-gridmix	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-hdfs	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-hdfs-client	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-hdfs-httpfs	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-hdfs-native-client	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-hdfs-nfs	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-hdfs-rbf	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-kafka	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-kms	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-app	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-common	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-core	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-hs	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-hs-plugins	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-jobclient	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-nativetask	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-shuffle	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-uploader	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-examples	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-maven-plugins	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-minicluster	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-minikdc	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-nfs	3.1.1.7.1.8.56-1

Project	groupId	artifactId	version
Hadoop	org.apache.hadoop	hadoop-openstack	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-resourceestimator	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-rumen	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-sls	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-streaming	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-tools-dist	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-yarn-api	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-yarn-applications-distributedshell	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-yarn-applications-unmanaged-am-launcher	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-yarn-client	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-yarn-common	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-yarn-registry	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-applicationhistoryservice	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-common	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-nodemanager	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-resourcemanager	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-router	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-sharedcachemanager	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-tests	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timeline-pluginstorage	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-client	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-common	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-server-2	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-tests	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-web-proxy	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-yarn-services-api	3.1.1.7.1.8.56-1
Hadoop	org.apache.hadoop	hadoop-yarn-services-core	3.1.1.7.1.8.56-1
HBase	org.apache.hbase	hbase-annotations	2.4.6.7.1.8.56-1
HBase	org.apache.hbase	hbase-asyncfs	2.4.6.7.1.8.56-1
HBase	org.apache.hbase	hbase-checkstyle	2.4.6.7.1.8.56-1
HBase	org.apache.hbase	hbase-client	2.4.6.7.1.8.56-1
HBase	org.apache.hbase	hbase-client-project	2.4.6.7.1.8.56-1
HBase	org.apache.hbase	hbase-common	2.4.6.7.1.8.56-1
HBase	org.apache.hbase	hbase-endpoint	2.4.6.7.1.8.56-1
HBase	org.apache.hbase	hbase-examples	2.4.6.7.1.8.56-1
HBase	org.apache.hbase	hbase-external-blockcache	2.4.6.7.1.8.56-1
HBase	org.apache.hbase	hbase-hadoop-compat	2.4.6.7.1.8.56-1
HBase	org.apache.hbase	hbase-hadoop2-compat	2.4.6.7.1.8.56-1

Project	groupId	artifactId	version
HBase	org.apache.hbase	hbase-hbtop	2.4.6.7.1.8.56-1
HBase	org.apache.hbase	hbase-http	2.4.6.7.1.8.56-1
HBase	org.apache.hbase	hbase-it	2.4.6.7.1.8.56-1
HBase	org.apache.hbase	hbase-logging	2.4.6.7.1.8.56-1
HBase	org.apache.hbase	hbase-mapreduce	2.4.6.7.1.8.56-1
HBase	org.apache.hbase	hbase-metrics	2.4.6.7.1.8.56-1
HBase	org.apache.hbase	hbase-metrics-api	2.4.6.7.1.8.56-1
HBase	org.apache.hbase	hbase-procedure	2.4.6.7.1.8.56-1
HBase	org.apache.hbase	hbase-protocol	2.4.6.7.1.8.56-1
HBase	org.apache.hbase	hbase-protocol-shaded	2.4.6.7.1.8.56-1
HBase	org.apache.hbase	hbase-replication	2.4.6.7.1.8.56-1
HBase	org.apache.hbase	hbase-resource-bundle	2.4.6.7.1.8.56-1
HBase	org.apache.hbase	hbase-rest	2.4.6.7.1.8.56-1
HBase	org.apache.hbase	hbase-rsgroup	2.4.6.7.1.8.56-1
HBase	org.apache.hbase	hbase-server	2.4.6.7.1.8.56-1
HBase	org.apache.hbase	hbase-shaded-client	2.4.6.7.1.8.56-1
HBase	org.apache.hbase	hbase-shaded-client-byo-hadoop	2.4.6.7.1.8.56-1
HBase	org.apache.hbase	hbase-shaded-client-project	2.4.6.7.1.8.56-1
HBase	org.apache.hbase	hbase-shaded-mapreduce	2.4.6.7.1.8.56-1
HBase	org.apache.hbase	hbase-shaded-testing-util	2.4.6.7.1.8.56-1
HBase	org.apache.hbase	hbase-shaded-testing-util-tester	2.4.6.7.1.8.56-1
HBase	org.apache.hbase	hbase-shell	2.4.6.7.1.8.56-1
HBase	org.apache.hbase	hbase-testing-util	2.4.6.7.1.8.56-1
HBase	org.apache.hbase	hbase-thrift	2.4.6.7.1.8.56-1
HBase	org.apache.hbase	hbase-zookeeper	2.4.6.7.1.8.56-1
Hive	org.apache.hive	hive-beeline	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-blobstore	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-classification	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-cli	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-common	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-contrib	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-exec	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-hbase-handler	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-hcatalog-it-unit	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-hplsql	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-it-custom-serde	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-it-minikdc	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-it-qfile	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-it-qfile-kudu	3.1.3000.7.1.8.56-1

Project	groupId	artifactId	version
Hive	org.apache.hive	hive-it-test-serde	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-it-unit	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-it-unit-hadoop2	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-it-util	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-jdbc	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-jdbc-handler	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-jmh	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-kryo-registrator	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-kudu-handler	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-llap-client	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-llap-common	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-llap-ext-client	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-llap-server	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-llap-tez	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-metastore	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-pre-upgrade	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-serde	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-service	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-service-rpc	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-shims	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-spark-client	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-standalone-metastore	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-storage-api	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-streaming	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-testutils	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	hive-vector-code-gen	3.1.3000.7.1.8.56-1
Hive	org.apache.hive	kafka-handler	3.1.3000.7.1.8.56-1
Hive Warehouse Connector	com.hortonworks.hive	hive-warehouse-connector_2.11	1.0.0.7.1.8.56-1
Kafka	org.apache.kafka	connect	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	connect-api	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	connect-basic-auth-extension	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	connect-cloudera-authorization-extension	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	connect-cloudera-common	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	connect-cloudera-secret-storage	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	connect-cloudera-security-policies	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	connect-file	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	connect-json	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	connect-mirror	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	connect-mirror-client	3.1.1.7.1.8.56-1

Project	groupId	artifactId	version
Kafka	org.apache.kafka	connect-runtime	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	connect-transforms	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	generator	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka-clients	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka-cloudera-metrics-reporter_2.12	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka-cloudera-metrics-reporter_2.13	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka-cloudera-plugins	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka-examples	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka-log4j-appender	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka-metadata	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka-raft	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka-server-common	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka-shell	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka-storage	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka-storage-api	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka-streams	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka-streams-examples	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka-streams-scala_2.12	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka-streams-scala_2.13	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka-streams-test-utils	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0100	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0101	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0102	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0110	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-10	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-11	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-20	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-21	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-22	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-23	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-24	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-25	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-26	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-27	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-28	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka-tools	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka_2.12	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	kafka_2.13	3.1.1.7.1.8.56-1
Kafka	org.apache.kafka	trogdor	3.1.1.7.1.8.56-1

Project	groupId	artifactId	version
Knox	org.apache.knox	gateway-adapter	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-admin-ui	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-applications	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-cloud-bindings	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-demo-ldap	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-demo-ldap-launcher	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-discovery-ambari	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-discovery-cm	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-docker	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-i18n	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-i18n-logging-log4j	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-i18n-logging-sl4j	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-provider-ha	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-provider-identity-assertion-common	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-provider-identity-assertion-concat	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-provider-identity-assertion-hadoop-groups	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-provider-identity-assertion-pseudo	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-provider-identity-assertion-regex	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-provider-identity-assertion-switchcase	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-provider-jersey	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-provider-rewrite	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-provider-rewrite-common	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-provider-rewrite-func-hostmap-static	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-provider-rewrite-func-inbound-query-param	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-provider-rewrite-func-service-registry	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-provider-rewrite-step-encrypt-uri	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-provider-rewrite-step-secure-query	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-provider-security-authc-anon	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-provider-security-authz-acls	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-provider-security-authz-composite	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-provider-security-clientcert	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-provider-security-hadoopauth	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-provider-security-jwt	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-provider-security-pac4j	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-provider-security-preauth	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-provider-security-shiro	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-provider-security-webappsec	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-release	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-server	1.3.0.7.1.8.56-1

Project	groupId	artifactId	version
Knox	org.apache.knox	gateway-server-launcher	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-server-xforwarded-filter	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-service-admin	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-service-as	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-service-definitions	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-service-hashicorp-vault	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-service-hbase	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-service-health	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-service-hive	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-service-idbroker	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-service-impala	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-service-jkg	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-service-knoxsso	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-service-knoxssout	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-service-knoxtoken	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-service-livy	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-service-metadata	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-service-nifi	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-service-nifi-registry	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-service-remoteconfig	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-service-rm	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-service-session	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-service-storm	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-service-test	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-service-tgs	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-service-vault	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-service-webhdfs	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-shell	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-shell-launcher	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-shell-release	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-shell-samples	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-spi	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-test	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-test-idbroker	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-test-release-utils	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-test-utils	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-topology-hadoop-xml	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-topology-simple	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-util-common	1.3.0.7.1.8.56-1

Project	groupId	artifactId	version
Knox	org.apache.knox	gateway-util-configinjector	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-util-launcher	1.3.0.7.1.8.56-1
Knox	org.apache.knox	gateway-util-urltemplate	1.3.0.7.1.8.56-1
Knox	org.apache.knox	hadoop-examples	1.3.0.7.1.8.56-1
Knox	org.apache.knox	knox-cli-launcher	1.3.0.7.1.8.56-1
Knox	org.apache.knox	knox-homepage-ui	1.3.0.7.1.8.56-1
Knox	org.apache.knox	webhdfs-kerb-test	1.3.0.7.1.8.56-1
Knox	org.apache.knox	webhdfs-test	1.3.0.7.1.8.56-1
Kudu	org.apache.kudu	kudu-backup-tools	1.15.0.7.1.8.56-1
Kudu	org.apache.kudu	kudu-backup2_2.11	1.15.0.7.1.8.56-1
Kudu	org.apache.kudu	kudu-backup3_2.12	1.15.0.7.1.8.56-1
Kudu	org.apache.kudu	kudu-client	1.15.0.7.1.8.56-1
Kudu	org.apache.kudu	kudu-hive	1.15.0.7.1.8.56-1
Kudu	org.apache.kudu	kudu-spark2-tools_2.11	1.15.0.7.1.8.56-1
Kudu	org.apache.kudu	kudu-spark2_2.11	1.15.0.7.1.8.56-1
Kudu	org.apache.kudu	kudu-spark3-tools_2.12	1.15.0.7.1.8.56-1
Kudu	org.apache.kudu	kudu-spark3_2.12	1.15.0.7.1.8.56-1
Kudu	org.apache.kudu	kudu-test-utils	1.15.0.7.1.8.56-1
Livy	org.apache.livy	livy-api	0.6.0.7.1.8.56-1
Livy	org.apache.livy	livy-client-common	0.6.0.7.1.8.56-1
Livy	org.apache.livy	livy-client-http	0.6.0.7.1.8.56-1
Livy	org.apache.livy	livy-core_2.11	0.6.0.7.1.8.56-1
Livy	org.apache.livy	livy-examples	0.6.0.7.1.8.56-1
Livy	org.apache.livy	livy-integration-test	0.6.0.7.1.8.56-1
Livy	org.apache.livy	livy-repl_2.11	0.6.0.7.1.8.56-1
Livy	org.apache.livy	livy-rsc	0.6.0.7.1.8.56-1
Livy	org.apache.livy	livy-scala-api_2.11	0.6.0.7.1.8.56-1
Livy	org.apache.livy	livy-server	0.6.0.7.1.8.56-1
Livy	org.apache.livy	livy-test-lib	0.6.0.7.1.8.56-1
Livy	org.apache.livy	livy-thriftserver	0.6.0.7.1.8.56-1
Livy	org.apache.livy	livy-thriftserver-session	0.6.0.7.1.8.56-1
Lucene	org.apache.lucene	lucene-analyzers-common	8.4.1.7.1.8.56-1
Lucene	org.apache.lucene	lucene-analyzers-icu	8.4.1.7.1.8.56-1
Lucene	org.apache.lucene	lucene-analyzers-kuromoji	8.4.1.7.1.8.56-1
Lucene	org.apache.lucene	lucene-analyzers-morfologik	8.4.1.7.1.8.56-1
Lucene	org.apache.lucene	lucene-analyzers-nori	8.4.1.7.1.8.56-1
Lucene	org.apache.lucene	lucene-analyzers-opennlp	8.4.1.7.1.8.56-1
Lucene	org.apache.lucene	lucene-analyzers-phonetic	8.4.1.7.1.8.56-1
Lucene	org.apache.lucene	lucene-analyzers-smartcnn	8.4.1.7.1.8.56-1

Project	groupId	artifactId	version
Lucene	org.apache.lucene	lucene-analyzers-stempel	8.4.1.7.1.8.56-1
Lucene	org.apache.lucene	lucene-backward-codecs	8.4.1.7.1.8.56-1
Lucene	org.apache.lucene	lucene-benchmark	8.4.1.7.1.8.56-1
Lucene	org.apache.lucene	lucene-classification	8.4.1.7.1.8.56-1
Lucene	org.apache.lucene	lucene-codecs	8.4.1.7.1.8.56-1
Lucene	org.apache.lucene	lucene-core	8.4.1.7.1.8.56-1
Lucene	org.apache.lucene	lucene-demo	8.4.1.7.1.8.56-1
Lucene	org.apache.lucene	lucene-expressions	8.4.1.7.1.8.56-1
Lucene	org.apache.lucene	lucene-facet	8.4.1.7.1.8.56-1
Lucene	org.apache.lucene	lucene-grouping	8.4.1.7.1.8.56-1
Lucene	org.apache.lucene	lucene-highlighter	8.4.1.7.1.8.56-1
Lucene	org.apache.lucene	lucene-join	8.4.1.7.1.8.56-1
Lucene	org.apache.lucene	lucene-memory	8.4.1.7.1.8.56-1
Lucene	org.apache.lucene	lucene-misc	8.4.1.7.1.8.56-1
Lucene	org.apache.lucene	lucene-monitor	8.4.1.7.1.8.56-1
Lucene	org.apache.lucene	lucene-queries	8.4.1.7.1.8.56-1
Lucene	org.apache.lucene	lucene-queryparser	8.4.1.7.1.8.56-1
Lucene	org.apache.lucene	lucene-replicator	8.4.1.7.1.8.56-1
Lucene	org.apache.lucene	lucene-sandbox	8.4.1.7.1.8.56-1
Lucene	org.apache.lucene	lucene-spatial	8.4.1.7.1.8.56-1
Lucene	org.apache.lucene	lucene-spatial-extras	8.4.1.7.1.8.56-1
Lucene	org.apache.lucene	lucene-spatial3d	8.4.1.7.1.8.56-1
Lucene	org.apache.lucene	lucene-suggest	8.4.1.7.1.8.56-1
Lucene	org.apache.lucene	lucene-test-framework	8.4.1.7.1.8.56-1
Oozie	org.apache.oozie	oozie-client	5.1.0.7.1.8.56-1
Oozie	org.apache.oozie	oozie-core	5.1.0.7.1.8.56-1
Oozie	org.apache.oozie	oozie-distro	5.1.0.7.1.8.56-1
Oozie	org.apache.oozie	oozie-examples	5.1.0.7.1.8.56-1
Oozie	org.apache.oozie	oozie-fluent-job-api	5.1.0.7.1.8.56-1
Oozie	org.apache.oozie	oozie-fluent-job-client	5.1.0.7.1.8.56-1
Oozie	org.apache.oozie	oozie-server	5.1.0.7.1.8.56-1
Oozie	org.apache.oozie	oozie-sharelib-distcp	5.1.0.7.1.8.56-1
Oozie	org.apache.oozie	oozie-sharelib-git	5.1.0.7.1.8.56-1
Oozie	org.apache.oozie	oozie-sharelib-hcatalog	5.1.0.7.1.8.56-1
Oozie	org.apache.oozie	oozie-sharelib-hive	5.1.0.7.1.8.56-1
Oozie	org.apache.oozie	oozie-sharelib-hive2	5.1.0.7.1.8.56-1
Oozie	org.apache.oozie	oozie-sharelib-oozie	5.1.0.7.1.8.56-1
Oozie	org.apache.oozie	oozie-sharelib-spark	5.1.0.7.1.8.56-1
Oozie	org.apache.oozie	oozie-sharelib-sqoop	5.1.0.7.1.8.56-1

Project	groupId	artifactId	version
Oozie	org.apache.oozie	oozie-sharelib-streaming	5.1.0.7.1.8.56-1
Oozie	org.apache.oozie	oozie-tools	5.1.0.7.1.8.56-1
Oozie	org.apache.oozie	oozie-zookeeper-security-tests	5.1.0.7.1.8.56-1
ORC	org.apache.orc	orc-core	1.5.1.7.1.8.56-1
ORC	org.apache.orc	orc-examples	1.5.1.7.1.8.56-1
ORC	org.apache.orc	orc-mapreduce	1.5.1.7.1.8.56-1
ORC	org.apache.orc	orc-shims	1.5.1.7.1.8.56-1
ORC	org.apache.orc	orc-tools	1.5.1.7.1.8.56-1
Parquet	org.apache.parquet	parquet-avro	1.10.99.7.1.8.56-1
Parquet	org.apache.parquet	parquet-cascading	1.10.99.7.1.8.56-1
Parquet	org.apache.parquet	parquet-cascading3	1.10.99.7.1.8.56-1
Parquet	org.apache.parquet	parquet-column	1.10.99.7.1.8.56-1
Parquet	org.apache.parquet	parquet-common	1.10.99.7.1.8.56-1
Parquet	org.apache.parquet	parquet-encoding	1.10.99.7.1.8.56-1
Parquet	org.apache.parquet	parquet-format-structures	1.10.99.7.1.8.56-1
Parquet	org.apache.parquet	parquet-generator	1.10.99.7.1.8.56-1
Parquet	org.apache.parquet	parquet-hadoop	1.10.99.7.1.8.56-1
Parquet	org.apache.parquet	parquet-hadoop-bundle	1.10.99.7.1.8.56-1
Parquet	org.apache.parquet	parquet-jackson	1.10.99.7.1.8.56-1
Parquet	org.apache.parquet	parquet-pig	1.10.99.7.1.8.56-1
Parquet	org.apache.parquet	parquet-pig-bundle	1.10.99.7.1.8.56-1
Parquet	org.apache.parquet	parquet-protobuf	1.10.99.7.1.8.56-1
Parquet	org.apache.parquet	parquet-scala_2.10	1.10.99.7.1.8.56-1
Parquet	org.apache.parquet	parquet-thrift	1.10.99.7.1.8.56-1
Parquet	org.apache.parquet	parquet-tools	1.10.99.7.1.8.56-1
Phoenix	org.apache.phoenix	phoenix-client-embedded-hbase-2.4	5.1.1.7.1.8.56-1
Phoenix	org.apache.phoenix	phoenix-client-hbase-2.4	5.1.1.7.1.8.56-1
Phoenix	org.apache.phoenix	phoenix-connectors-phoenix5-compatible	6.0.0.7.1.8.56-1
Phoenix	org.apache.phoenix	phoenix-core	5.1.1.7.1.8.56-1
Phoenix	org.apache.phoenix	phoenix-hbase-compatible-2.1.6	5.1.1.7.1.8.56-1
Phoenix	org.apache.phoenix	phoenix-hbase-compatible-2.2.5	5.1.1.7.1.8.56-1
Phoenix	org.apache.phoenix	phoenix-hbase-compatible-2.3.0	5.1.1.7.1.8.56-1
Phoenix	org.apache.phoenix	phoenix-hbase-compatible-2.4.0	5.1.1.7.1.8.56-1
Phoenix	org.apache.phoenix	phoenix-hbase-compatible-2.4.1	5.1.1.7.1.8.56-1
Phoenix	org.apache.phoenix	phoenix-pherf	5.1.1.7.1.8.56-1
Phoenix	org.apache.phoenix	phoenix-queryserver	6.0.0.7.1.8.56-1
Phoenix	org.apache.phoenix	phoenix-queryserver-client	6.0.0.7.1.8.56-1
Phoenix	org.apache.phoenix	phoenix-queryserver-it	6.0.0.7.1.8.56-1
Phoenix	org.apache.phoenix	phoenix-queryserver-load-balancer	6.0.0.7.1.8.56-1

Project	groupId	artifactId	version
Phoenix	org.apache.phoenix	phoenix-queryserver-orchestrator	6.0.0.7.1.8.56-1
Phoenix	org.apache.phoenix	phoenix-server-hbase-2.4	5.1.1.7.1.8.56-1
Phoenix	org.apache.phoenix	phoenix-tracing-webapp	5.1.1.7.1.8.56-1
Phoenix	org.apache.phoenix	phoenix5-hive	6.0.0.7.1.8.56-1
Phoenix	org.apache.phoenix	phoenix5-hive-shaded	6.0.0.7.1.8.56-1
Phoenix	org.apache.phoenix	phoenix5-spark	6.0.0.7.1.8.56-1
Phoenix	org.apache.phoenix	phoenix5-spark-shaded	6.0.0.7.1.8.56-1
Ranger	org.apache.ranger	conditions-enrichers	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	credentialbuilder	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	embeddedwebserver	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	jisql	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ldapconfigcheck	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-adls-plugin	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-atlas-plugin	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-atlas-plugin-shim	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-authn	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-distro	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-examples-distro	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-hbase-plugin	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-hbase-plugin-shim	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-hdfs-plugin	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-hdfs-plugin-shim	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-hive-plugin	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-hive-plugin-shim	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-intg	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-kafka-connect-plugin	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-kafka-plugin	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-kafka-plugin-shim	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-kms	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-kms-plugin	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-kms-plugin-shim	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-knox-plugin	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-knox-plugin-shim	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-kudu-plugin	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-kylin-plugin	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-kylin-plugin-shim	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-nifi-plugin	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-nifi-registry-plugin	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-ozone-plugin	2.3.0.7.1.8.56-1

Project	groupId	artifactId	version
Ranger	org.apache.ranger	ranger-ozone-plugin-shim	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-plugin-classloader	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-plugins-audit	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-plugins-common	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-plugins-cred	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-plugins-installer	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-policymigration	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-raz-adls	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-raz-chained-plugins	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-raz-hook-abfs	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-raz-intg	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-raz-processor	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-rms-common	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-rms-hive	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-rms-plugins-common	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-rms-webapp	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-sampleapp-plugin	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-schema-registry-plugin	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-solr-plugin	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-solr-plugin-shim	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-sqoop-plugin	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-sqoop-plugin-shim	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-storm-plugin	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-storm-plugin-shim	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-tagsync	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-tools	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-util	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-yarn-plugin	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ranger-yarn-plugin-shim	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	sample-client	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	sampleapp	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	shaded-raz-hook-abfs	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	ugsync-util	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	unixauthclient	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	unixauthservice	2.3.0.7.1.8.56-1
Ranger	org.apache.ranger	unixusersync	2.3.0.7.1.8.56-1
Solr	org.apache.solr	solr-analysis-extras	8.4.1.7.1.8.56-1
Solr	org.apache.solr	solr-analytics	8.4.1.7.1.8.56-1
Solr	org.apache.solr	solr-cell	8.4.1.7.1.8.56-1

Project	groupId	artifactId	version
Solr	org.apache.solr	solr-clustering	8.4.1.7.1.8.56-1
Solr	org.apache.solr	solr-core	8.4.1.7.1.8.56-1
Solr	org.apache.solr	solr-dataimporthandler	8.4.1.7.1.8.56-1
Solr	org.apache.solr	solr-dataimporthandler-extras	8.4.1.7.1.8.56-1
Solr	org.apache.solr	solr-jaegertracer-configurator	8.4.1.7.1.8.56-1
Solr	org.apache.solr	solr-langid	8.4.1.7.1.8.56-1
Solr	org.apache.solr	solr-ltr	8.4.1.7.1.8.56-1
Solr	org.apache.solr	solr-prometheus-exporter	8.4.1.7.1.8.56-1
Solr	org.apache.solr	solr-security-util	8.4.1.7.1.8.56-1
Solr	org.apache.solr	solr-solrj	8.4.1.7.1.8.56-1
Solr	org.apache.solr	solr-test-framework	8.4.1.7.1.8.56-1
Solr	org.apache.solr	solr-velocity	8.4.1.7.1.8.56-1
Spark	org.apache.spark	spark-avro_2.11	2.4.8.7.1.8.56-1
Spark	org.apache.spark	spark-catalyst_2.11	2.4.8.7.1.8.56-1
Spark	org.apache.spark	spark-core_2.11	2.4.8.7.1.8.56-1
Spark	org.apache.spark	spark-graphx_2.11	2.4.8.7.1.8.56-1
Spark	org.apache.spark	spark-hadoop-cloud_2.11	2.4.8.7.1.8.56-1
Spark	org.apache.spark	spark-hive_2.11	2.4.8.7.1.8.56-1
Spark	org.apache.spark	spark-kubernetes_2.11	2.4.8.7.1.8.56-1
Spark	org.apache.spark	spark-kvstore_2.11	2.4.8.7.1.8.56-1
Spark	org.apache.spark	spark-launcher_2.11	2.4.8.7.1.8.56-1
Spark	org.apache.spark	spark-mllib-local_2.11	2.4.8.7.1.8.56-1
Spark	org.apache.spark	spark-mllib_2.11	2.4.8.7.1.8.56-1
Spark	org.apache.spark	spark-network-common_2.11	2.4.8.7.1.8.56-1
Spark	org.apache.spark	spark-network-shuffle_2.11	2.4.8.7.1.8.56-1
Spark	org.apache.spark	spark-network-yarn_2.11	2.4.8.7.1.8.56-1
Spark	org.apache.spark	spark-repl_2.11	2.4.8.7.1.8.56-1
Spark	org.apache.spark	spark-sketch_2.11	2.4.8.7.1.8.56-1
Spark	org.apache.spark	spark-sql-kafka-0-10_2.11	2.4.8.7.1.8.56-1
Spark	org.apache.spark	spark-sql_2.11	2.4.8.7.1.8.56-1
Spark	org.apache.spark	spark-streaming-kafka-0-10-assembly_2.11	2.4.8.7.1.8.56-1
Spark	org.apache.spark	spark-streaming-kafka-0-10_2.11	2.4.8.7.1.8.56-1
Spark	org.apache.spark	spark-streaming_2.11	2.4.8.7.1.8.56-1
Spark	org.apache.spark	spark-tags_2.11	2.4.8.7.1.8.56-1
Spark	org.apache.spark	spark-token-provider-kafka-0-10_2.11	2.4.8.7.1.8.56-1
Spark	org.apache.spark	spark-unsafe_2.11	2.4.8.7.1.8.56-1
Spark	org.apache.spark	spark-yarn_2.11	2.4.8.7.1.8.56-1
Sqoop	org.apache.sqoop	sqoop	1.4.7.7.1.8.56-1
Sqoop	org.apache.sqoop	sqoop-test	1.4.7.7.1.8.56-1

Project	groupId	artifactId	version
Tez	org.apache.tez	hadoop-shim	0.9.1.7.1.8.56-1
Tez	org.apache.tez	hadoop-shim-2.8	0.9.1.7.1.8.56-1
Tez	org.apache.tez	tez-api	0.9.1.7.1.8.56-1
Tez	org.apache.tez	tez-aux-services	0.9.1.7.1.8.56-1
Tez	org.apache.tez	tez-common	0.9.1.7.1.8.56-1
Tez	org.apache.tez	tez-dag	0.9.1.7.1.8.56-1
Tez	org.apache.tez	tez-examples	0.9.1.7.1.8.56-1
Tez	org.apache.tez	tez-ext-service-tests	0.9.1.7.1.8.56-1
Tez	org.apache.tez	tez-history-parser	0.9.1.7.1.8.56-1
Tez	org.apache.tez	tez-javadoc-tools	0.9.1.7.1.8.56-1
Tez	org.apache.tez	tez-job-analyzer	0.9.1.7.1.8.56-1
Tez	org.apache.tez	tez-mapreduce	0.9.1.7.1.8.56-1
Tez	org.apache.tez	tez-protobuf-history-plugin	0.9.1.7.1.8.56-1
Tez	org.apache.tez	tez-runtime-internals	0.9.1.7.1.8.56-1
Tez	org.apache.tez	tez-runtime-library	0.9.1.7.1.8.56-1
Tez	org.apache.tez	tez-tests	0.9.1.7.1.8.56-1
Tez	org.apache.tez	tez-yarn-timeline-cache-plugin	0.9.1.7.1.8.56-1
Tez	org.apache.tez	tez-yarn-timeline-history	0.9.1.7.1.8.56-1
Tez	org.apache.tez	tez-yarn-timeline-history-with-acls	0.9.1.7.1.8.56-1
Tez	org.apache.tez	tez-yarn-timeline-history-with-fs	0.9.1.7.1.8.56-1
Zeppelin	org.apache.zeppelin	zeppelin-angular	0.8.2.7.1.8.56-1
Zeppelin	org.apache.zeppelin	zeppelin-display	0.8.2.7.1.8.56-1
Zeppelin	org.apache.zeppelin	zeppelin-interpreter	0.8.2.7.1.8.56-1
Zeppelin	org.apache.zeppelin	zeppelin-jdbc	0.8.2.7.1.8.56-1
Zeppelin	org.apache.zeppelin	zeppelin-jupyter	0.8.2.7.1.8.56-1
Zeppelin	org.apache.zeppelin	zeppelin-livy	0.8.2.7.1.8.56-1
Zeppelin	org.apache.zeppelin	zeppelin-markdown	0.8.2.7.1.8.56-1
Zeppelin	org.apache.zeppelin	zeppelin-server	0.8.2.7.1.8.56-1
Zeppelin	org.apache.zeppelin	zeppelin-shell	0.8.2.7.1.8.56-1
Zeppelin	org.apache.zeppelin	zeppelin-zengine	0.8.2.7.1.8.56-1
ZooKeeper	org.apache.zookeeper	zookeeper	3.5.5.7.1.8.56-1
ZooKeeper	org.apache.zookeeper	zookeeper-client-c	3.5.5.7.1.8.56-1
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-loggraph	3.5.5.7.1.8.56-1
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-rest	3.5.5.7.1.8.56-1
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-zooinspector	3.5.5.7.1.8.56-1
ZooKeeper	org.apache.zookeeper	zookeeper-docs	3.5.5.7.1.8.56-1
ZooKeeper	org.apache.zookeeper	zookeeper-jute	3.5.5.7.1.8.56-1
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-election	3.5.5.7.1.8.56-1
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-lock	3.5.5.7.1.8.56-1

Project	groupId	artifactId	version
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-queue	3.5.5.7.1.8.56-1

Runtime 7.1.8.57-1

The following table lists the project name, groupId, artifactId, and version required to access each Runtime artifact.

Project	groupId	artifactId	version
Atlas	org.apache.atlas	atlas-authorization	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	atlas-aws-s3-bridge	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	atlas-azure-adls-bridge	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	atlas-classification-updater	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	atlas-client-common	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	atlas-client-v1	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	atlas-client-v2	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	atlas-common	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	atlas-distro	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	atlas-docs	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	atlas-graphdb-api	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	atlas-graphdb-common	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	atlas-graphdb-janus	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	atlas-hdfs-bridge	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	atlas-index-repair-tool	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	atlas-intg	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	atlas-janusgraph-hbase2	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	atlas-notification	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	atlas-plugin-classloader	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	atlas-repository	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	atlas-server-api	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	atlas-testtools	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	hbase-bridge	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	hbase-bridge-shim	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	hbase-testing-util	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	hdfs-model	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	hive-bridge	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	hive-bridge-shim	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	impala-bridge	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	impala-bridge-shim	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	impala-hook-api	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	kafka-bridge	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	kafka-bridge-shim	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	navigator-to-atlas	2.1.0.7.1.8.57-1

Project	groupId	artifactId	version
Atlas	org.apache.atlas	sample-app	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	sqoop-bridge	2.1.0.7.1.8.57-1
Atlas	org.apache.atlas	sqoop-bridge-shim	2.1.0.7.1.8.57-1
Avro	org.apache.avro	avro	1.8.2.7.1.8.57-1
Avro	org.apache.avro	avro-compiler	1.8.2.7.1.8.57-1
Avro	org.apache.avro	avro-ipc	1.8.2.7.1.8.57-1
Avro	org.apache.avro	avro-mapred	1.8.2.7.1.8.57-1
Avro	org.apache.avro	avro-maven-plugin	1.8.2.7.1.8.57-1
Avro	org.apache.avro	avro-protobuf	1.8.2.7.1.8.57-1
Avro	org.apache.avro	avro-service-archetype	1.8.2.7.1.8.57-1
Avro	org.apache.avro	avro-thrift	1.8.2.7.1.8.57-1
Avro	org.apache.avro	avro-tools	1.8.2.7.1.8.57-1
Avro	org.apache.avro	trevni-avro	1.8.2.7.1.8.57-1
Avro	org.apache.avro	trevni-core	1.8.2.7.1.8.57-1
Calcite	org.apache.calcite	calcite-babel	1.19.0.7.1.8.57-1
Calcite	org.apache.calcite	calcite-core	1.19.0.7.1.8.57-1
Calcite	org.apache.calcite	calcite-druid	1.19.0.7.1.8.57-1
Calcite	org.apache.calcite	calcite-linq4j	1.19.0.7.1.8.57-1
Calcite	org.apache.calcite	calcite-server	1.19.0.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-aliyun	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-annotations	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-archive-logs	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-archives	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-assemblies	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-auth	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-aws	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-azure	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-azure-datalake	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-build-tools	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-client	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-client-api	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-client-integration-tests	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-client-minicluster	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-client-runtime	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-cloud-storage	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-common	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-datajoin	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-distcp	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-extras	3.1.1.7.1.8.57-1

Project	groupId	artifactId	version
Hadoop	org.apache.hadoop	hadoop-fs2img	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-gridmix	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-hdfs	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-hdfs-client	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-hdfs-httpfs	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-hdfs-native-client	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-hdfs-nfs	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-hdfs-rbf	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-kafka	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-kms	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-app	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-common	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-core	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-hs	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-hs-plugins	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-jobclient	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-nativetask	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-shuffle	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-uploader	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-examples	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-maven-plugins	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-minicluster	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-minikdc	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-nfs	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-openstack	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-resourceestimator	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-rumen	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-sls	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-streaming	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-tools-dist	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-yarn-api	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-yarn-applications-distributedshell	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-yarn-applications-unmanaged-am-launcher	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-yarn-client	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-yarn-common	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-yarn-registry	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-applicationhistoryservice	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-common	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-nodemanager	3.1.1.7.1.8.57-1

Project	groupId	artifactId	version
Hadoop	org.apache.hadoop	hadoop-yarn-server-resourcemanager	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-router	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-sharedcachemanager	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-tests	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timeline-pluginstorage	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-client	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-common	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-server-2	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-tests	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-web-proxy	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-yarn-services-api	3.1.1.7.1.8.57-1
Hadoop	org.apache.hadoop	hadoop-yarn-services-core	3.1.1.7.1.8.57-1
HBase	org.apache.hbase	hbase-annotations	2.4.6.7.1.8.57-1
HBase	org.apache.hbase	hbase-asyncfs	2.4.6.7.1.8.57-1
HBase	org.apache.hbase	hbase-checkstyle	2.4.6.7.1.8.57-1
HBase	org.apache.hbase	hbase-client	2.4.6.7.1.8.57-1
HBase	org.apache.hbase	hbase-client-project	2.4.6.7.1.8.57-1
HBase	org.apache.hbase	hbase-common	2.4.6.7.1.8.57-1
HBase	org.apache.hbase	hbase-endpoint	2.4.6.7.1.8.57-1
HBase	org.apache.hbase	hbase-examples	2.4.6.7.1.8.57-1
HBase	org.apache.hbase	hbase-external-blockcache	2.4.6.7.1.8.57-1
HBase	org.apache.hbase	hbase-hadoop-compat	2.4.6.7.1.8.57-1
HBase	org.apache.hbase	hbase-hadoop2-compat	2.4.6.7.1.8.57-1
HBase	org.apache.hbase	hbase-hbtop	2.4.6.7.1.8.57-1
HBase	org.apache.hbase	hbase-http	2.4.6.7.1.8.57-1
HBase	org.apache.hbase	hbase-it	2.4.6.7.1.8.57-1
HBase	org.apache.hbase	hbase-logging	2.4.6.7.1.8.57-1
HBase	org.apache.hbase	hbase-mapreduce	2.4.6.7.1.8.57-1
HBase	org.apache.hbase	hbase-metrics	2.4.6.7.1.8.57-1
HBase	org.apache.hbase	hbase-metrics-api	2.4.6.7.1.8.57-1
HBase	org.apache.hbase	hbase-procedure	2.4.6.7.1.8.57-1
HBase	org.apache.hbase	hbase-protocol	2.4.6.7.1.8.57-1
HBase	org.apache.hbase	hbase-protocol-shaded	2.4.6.7.1.8.57-1
HBase	org.apache.hbase	hbase-replication	2.4.6.7.1.8.57-1
HBase	org.apache.hbase	hbase-resource-bundle	2.4.6.7.1.8.57-1
HBase	org.apache.hbase	hbase-rest	2.4.6.7.1.8.57-1
HBase	org.apache.hbase	hbase-rsgroup	2.4.6.7.1.8.57-1
HBase	org.apache.hbase	hbase-server	2.4.6.7.1.8.57-1

Project	groupId	artifactId	version
HBase	org.apache.hbase	hbase-shaded-client	2.4.6.7.1.8.57-1
HBase	org.apache.hbase	hbase-shaded-client-byo-hadoop	2.4.6.7.1.8.57-1
HBase	org.apache.hbase	hbase-shaded-client-project	2.4.6.7.1.8.57-1
HBase	org.apache.hbase	hbase-shaded-mapreduce	2.4.6.7.1.8.57-1
HBase	org.apache.hbase	hbase-shaded-testing-util	2.4.6.7.1.8.57-1
HBase	org.apache.hbase	hbase-shaded-testing-util-tester	2.4.6.7.1.8.57-1
HBase	org.apache.hbase	hbase-shell	2.4.6.7.1.8.57-1
HBase	org.apache.hbase	hbase-testing-util	2.4.6.7.1.8.57-1
HBase	org.apache.hbase	hbase-thrift	2.4.6.7.1.8.57-1
HBase	org.apache.hbase	hbase-zookeeper	2.4.6.7.1.8.57-1
Hive	org.apache.hive	hive-beeline	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-blobstore	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-classification	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-cli	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-common	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-contrib	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-exec	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-hbase-handler	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-hcatalog-it-unit	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-hplsql	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-it-custom-serde	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-it-minikdc	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-it-qfile	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-it-qfile-kudu	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-it-test-serde	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-it-unit	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-it-unit-hadoop2	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-it-util	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-jdbc	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-jdbc-handler	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-jmh	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-kryo-registrator	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-kudu-handler	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-llap-client	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-llap-common	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-llap-ext-client	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-llap-server	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-llap-tez	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-metastore	3.1.3000.7.1.8.57-1

Project	groupId	artifactId	version
Hive	org.apache.hive	hive-pre-upgrade	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-serde	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-service	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-service-rpc	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-shims	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-spark-client	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-standalone-metastore	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-storage-api	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-streaming	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-testutils	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	hive-vector-code-gen	3.1.3000.7.1.8.57-1
Hive	org.apache.hive	kafka-handler	3.1.3000.7.1.8.57-1
Hive Warehouse Connector	com.hortonworks.hive	hive-warehouse-connector_2.11	1.0.0.7.1.8.57-1
Kafka	org.apache.kafka	connect	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	connect-api	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	connect-basic-auth-extension	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	connect-cloudera-authorization-extension	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	connect-cloudera-common	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	connect-cloudera-secret-storage	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	connect-cloudera-security-policies	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	connect-file	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	connect-json	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	connect-mirror	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	connect-mirror-client	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	connect-runtime	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	connect-transforms	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	generator	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	kafka-clients	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	kafka-cloudera-metrics-reporter_2.12	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	kafka-cloudera-metrics-reporter_2.13	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	kafka-cloudera-plugins	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	kafka-examples	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	kafka-log4j-appender	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	kafka-metadata	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	kafka-raft	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	kafka-server-common	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	kafka-shell	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	kafka-storage	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	kafka-storage-api	3.1.1.7.1.8.57-1

Project	groupId	artifactId	version
Kafka	org.apache.kafka	kafka-streams	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	kafka-streams-examples	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	kafka-streams-scala_2.12	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	kafka-streams-scala_2.13	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	kafka-streams-test-utils	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0100	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0101	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0102	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0110	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-10	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-11	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-20	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-21	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-22	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-23	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-24	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-25	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-26	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-27	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-28	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	kafka-tools	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	kafka_2.12	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	kafka_2.13	3.1.1.7.1.8.57-1
Kafka	org.apache.kafka	trogdor	3.1.1.7.1.8.57-1
Knox	org.apache.knox	gateway-adapter	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-admin-ui	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-applications	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-cloud-bindings	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-demo-ldap	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-demo-ldap-launcher	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-discovery-ambari	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-discovery-cm	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-docker	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-i18n	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-i18n-logging-log4j	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-i18n-logging-sl4j	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-provider-ha	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-provider-identity-assertion-common	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-provider-identity-assertion-concat	1.3.0.7.1.8.57-1

Project	groupId	artifactId	version
Knox	org.apache.knox	gateway-provider-identity-assertion-hadoop-groups	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-provider-identity-assertion-pseudo	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-provider-identity-assertion-regex	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-provider-identity-assertion-switchcase	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-provider-jersey	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-provider-rewrite	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-provider-rewrite-common	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-provider-rewrite-func-hostmap-static	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-provider-rewrite-func-inbound-query-param	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-provider-rewrite-func-service-registry	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-provider-rewrite-step-encrypt-uri	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-provider-rewrite-step-secure-query	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-provider-security-authc-anon	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-provider-security-authz-acls	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-provider-security-authz-composite	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-provider-security-clientcert	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-provider-security-hadoopauth	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-provider-security-jwt	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-provider-security-pac4j	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-provider-security-preauth	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-provider-security-shiro	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-provider-security-webappsec	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-release	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-server	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-server-launcher	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-server-xforwarded-filter	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-service-admin	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-service-as	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-service-definitions	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-service-hashicorp-vault	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-service-hbase	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-service-health	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-service-hive	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-service-idbroker	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-service-impala	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-service-jkg	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-service-knoxsso	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-service-knoxssout	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-service-knoxtoken	1.3.0.7.1.8.57-1

Project	groupId	artifactId	version
Knox	org.apache.knox	gateway-service-livy	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-service-metadata	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-service-nifi	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-service-nifi-registry	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-service-remoteconfig	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-service-rm	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-service-session	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-service-storm	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-service-test	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-service-tgs	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-service-vault	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-service-webhdfs	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-shell	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-shell-launcher	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-shell-release	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-shell-samples	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-spi	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-test	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-test-idbroker	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-test-release-utils	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-test-utils	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-topology-hadoop-xml	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-topology-simple	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-util-common	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-util-configinjector	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-util-launcher	1.3.0.7.1.8.57-1
Knox	org.apache.knox	gateway-util-urltemplate	1.3.0.7.1.8.57-1
Knox	org.apache.knox	hadoop-examples	1.3.0.7.1.8.57-1
Knox	org.apache.knox	knox-cli-launcher	1.3.0.7.1.8.57-1
Knox	org.apache.knox	knox-homepage-ui	1.3.0.7.1.8.57-1
Knox	org.apache.knox	webhdfs-kerb-test	1.3.0.7.1.8.57-1
Knox	org.apache.knox	webhdfs-test	1.3.0.7.1.8.57-1
Kudu	org.apache.kudu	kudu-backup-tools	1.15.0.7.1.8.57-1
Kudu	org.apache.kudu	kudu-backup2_2.11	1.15.0.7.1.8.57-1
Kudu	org.apache.kudu	kudu-backup3_2.12	1.15.0.7.1.8.57-1
Kudu	org.apache.kudu	kudu-client	1.15.0.7.1.8.57-1
Kudu	org.apache.kudu	kudu-hive	1.15.0.7.1.8.57-1
Kudu	org.apache.kudu	kudu-spark2-tools_2.11	1.15.0.7.1.8.57-1
Kudu	org.apache.kudu	kudu-spark2_2.11	1.15.0.7.1.8.57-1

Project	groupId	artifactId	version
Kudu	org.apache.kudu	kudu-spark3-tools_2.12	1.15.0.7.1.8.57-1
Kudu	org.apache.kudu	kudu-spark3_2.12	1.15.0.7.1.8.57-1
Kudu	org.apache.kudu	kudu-test-utils	1.15.0.7.1.8.57-1
Livy	org.apache.livy	livy-api	0.6.0.7.1.8.57-1
Livy	org.apache.livy	livy-client-common	0.6.0.7.1.8.57-1
Livy	org.apache.livy	livy-client-http	0.6.0.7.1.8.57-1
Livy	org.apache.livy	livy-core_2.11	0.6.0.7.1.8.57-1
Livy	org.apache.livy	livy-examples	0.6.0.7.1.8.57-1
Livy	org.apache.livy	livy-integration-test	0.6.0.7.1.8.57-1
Livy	org.apache.livy	livy-repl_2.11	0.6.0.7.1.8.57-1
Livy	org.apache.livy	livy-rsc	0.6.0.7.1.8.57-1
Livy	org.apache.livy	livy-scala-api_2.11	0.6.0.7.1.8.57-1
Livy	org.apache.livy	livy-server	0.6.0.7.1.8.57-1
Livy	org.apache.livy	livy-test-lib	0.6.0.7.1.8.57-1
Livy	org.apache.livy	livy-thriftserver	0.6.0.7.1.8.57-1
Livy	org.apache.livy	livy-thriftserver-session	0.6.0.7.1.8.57-1
Lucene	org.apache.lucene	lucene-analyzers-common	8.4.1.7.1.8.57-1
Lucene	org.apache.lucene	lucene-analyzers-icu	8.4.1.7.1.8.57-1
Lucene	org.apache.lucene	lucene-analyzers-kuromoji	8.4.1.7.1.8.57-1
Lucene	org.apache.lucene	lucene-analyzers-morfologik	8.4.1.7.1.8.57-1
Lucene	org.apache.lucene	lucene-analyzers-nori	8.4.1.7.1.8.57-1
Lucene	org.apache.lucene	lucene-analyzers-openslp	8.4.1.7.1.8.57-1
Lucene	org.apache.lucene	lucene-analyzers-phonetic	8.4.1.7.1.8.57-1
Lucene	org.apache.lucene	lucene-analyzers-smartcn	8.4.1.7.1.8.57-1
Lucene	org.apache.lucene	lucene-analyzers-stempel	8.4.1.7.1.8.57-1
Lucene	org.apache.lucene	lucene-backward-codecs	8.4.1.7.1.8.57-1
Lucene	org.apache.lucene	lucene-benchmark	8.4.1.7.1.8.57-1
Lucene	org.apache.lucene	lucene-classification	8.4.1.7.1.8.57-1
Lucene	org.apache.lucene	lucene-codecs	8.4.1.7.1.8.57-1
Lucene	org.apache.lucene	lucene-core	8.4.1.7.1.8.57-1
Lucene	org.apache.lucene	lucene-demo	8.4.1.7.1.8.57-1
Lucene	org.apache.lucene	lucene-expressions	8.4.1.7.1.8.57-1
Lucene	org.apache.lucene	lucene-facet	8.4.1.7.1.8.57-1
Lucene	org.apache.lucene	lucene-grouping	8.4.1.7.1.8.57-1
Lucene	org.apache.lucene	lucene-highlighter	8.4.1.7.1.8.57-1
Lucene	org.apache.lucene	lucene-join	8.4.1.7.1.8.57-1
Lucene	org.apache.lucene	lucene-memory	8.4.1.7.1.8.57-1
Lucene	org.apache.lucene	lucene-misc	8.4.1.7.1.8.57-1
Lucene	org.apache.lucene	lucene-monitor	8.4.1.7.1.8.57-1

Project	groupId	artifactId	version
Lucene	org.apache.lucene	lucene-queries	8.4.1.7.1.8.57-1
Lucene	org.apache.lucene	lucene-queryparser	8.4.1.7.1.8.57-1
Lucene	org.apache.lucene	lucene-replicator	8.4.1.7.1.8.57-1
Lucene	org.apache.lucene	lucene-sandbox	8.4.1.7.1.8.57-1
Lucene	org.apache.lucene	lucene-spatial	8.4.1.7.1.8.57-1
Lucene	org.apache.lucene	lucene-spatial-extras	8.4.1.7.1.8.57-1
Lucene	org.apache.lucene	lucene-spatial3d	8.4.1.7.1.8.57-1
Lucene	org.apache.lucene	lucene-suggest	8.4.1.7.1.8.57-1
Lucene	org.apache.lucene	lucene-test-framework	8.4.1.7.1.8.57-1
Oozie	org.apache.oozie	oozie-client	5.1.0.7.1.8.57-1
Oozie	org.apache.oozie	oozie-core	5.1.0.7.1.8.57-1
Oozie	org.apache.oozie	oozie-distro	5.1.0.7.1.8.57-1
Oozie	org.apache.oozie	oozie-examples	5.1.0.7.1.8.57-1
Oozie	org.apache.oozie	oozie-fluent-job-api	5.1.0.7.1.8.57-1
Oozie	org.apache.oozie	oozie-fluent-job-client	5.1.0.7.1.8.57-1
Oozie	org.apache.oozie	oozie-server	5.1.0.7.1.8.57-1
Oozie	org.apache.oozie	oozie-sharelib-distcp	5.1.0.7.1.8.57-1
Oozie	org.apache.oozie	oozie-sharelib-git	5.1.0.7.1.8.57-1
Oozie	org.apache.oozie	oozie-sharelib-hcatalog	5.1.0.7.1.8.57-1
Oozie	org.apache.oozie	oozie-sharelib-hive	5.1.0.7.1.8.57-1
Oozie	org.apache.oozie	oozie-sharelib-hive2	5.1.0.7.1.8.57-1
Oozie	org.apache.oozie	oozie-sharelib-oozie	5.1.0.7.1.8.57-1
Oozie	org.apache.oozie	oozie-sharelib-spark	5.1.0.7.1.8.57-1
Oozie	org.apache.oozie	oozie-sharelib-sqoop	5.1.0.7.1.8.57-1
Oozie	org.apache.oozie	oozie-sharelib-streaming	5.1.0.7.1.8.57-1
Oozie	org.apache.oozie	oozie-tools	5.1.0.7.1.8.57-1
Oozie	org.apache.oozie	oozie-zookeeper-security-tests	5.1.0.7.1.8.57-1
ORC	org.apache.orc	orc-core	1.5.1.7.1.8.57-1
ORC	org.apache.orc	orc-examples	1.5.1.7.1.8.57-1
ORC	org.apache.orc	orc-mapreduce	1.5.1.7.1.8.57-1
ORC	org.apache.orc	orc-shims	1.5.1.7.1.8.57-1
ORC	org.apache.orc	orc-tools	1.5.1.7.1.8.57-1
Parquet	org.apache.parquet	parquet-avro	1.10.99.7.1.8.57-1
Parquet	org.apache.parquet	parquet-cascading	1.10.99.7.1.8.57-1
Parquet	org.apache.parquet	parquet-cascading3	1.10.99.7.1.8.57-1
Parquet	org.apache.parquet	parquet-column	1.10.99.7.1.8.57-1
Parquet	org.apache.parquet	parquet-common	1.10.99.7.1.8.57-1
Parquet	org.apache.parquet	parquet-encoding	1.10.99.7.1.8.57-1
Parquet	org.apache.parquet	parquet-format-structures	1.10.99.7.1.8.57-1

Project	groupId	artifactId	version
Parquet	org.apache.parquet	parquet-generator	1.10.99.7.1.8.57-1
Parquet	org.apache.parquet	parquet-hadoop	1.10.99.7.1.8.57-1
Parquet	org.apache.parquet	parquet-hadoop-bundle	1.10.99.7.1.8.57-1
Parquet	org.apache.parquet	parquet-jackson	1.10.99.7.1.8.57-1
Parquet	org.apache.parquet	parquet-pig	1.10.99.7.1.8.57-1
Parquet	org.apache.parquet	parquet-pig-bundle	1.10.99.7.1.8.57-1
Parquet	org.apache.parquet	parquet-protobuf	1.10.99.7.1.8.57-1
Parquet	org.apache.parquet	parquet-scala_2.10	1.10.99.7.1.8.57-1
Parquet	org.apache.parquet	parquet-thrift	1.10.99.7.1.8.57-1
Parquet	org.apache.parquet	parquet-tools	1.10.99.7.1.8.57-1
Phoenix	org.apache.phoenix	phoenix-client-embedded-hbase-2.4	5.1.1.7.1.8.57-1
Phoenix	org.apache.phoenix	phoenix-client-hbase-2.4	5.1.1.7.1.8.57-1
Phoenix	org.apache.phoenix	phoenix-connectors-phoenix5-compatible	6.0.0.7.1.8.57-1
Phoenix	org.apache.phoenix	phoenix-core	5.1.1.7.1.8.57-1
Phoenix	org.apache.phoenix	phoenix-hbase-compatible-2.1.6	5.1.1.7.1.8.57-1
Phoenix	org.apache.phoenix	phoenix-hbase-compatible-2.2.5	5.1.1.7.1.8.57-1
Phoenix	org.apache.phoenix	phoenix-hbase-compatible-2.3.0	5.1.1.7.1.8.57-1
Phoenix	org.apache.phoenix	phoenix-hbase-compatible-2.4.0	5.1.1.7.1.8.57-1
Phoenix	org.apache.phoenix	phoenix-hbase-compatible-2.4.1	5.1.1.7.1.8.57-1
Phoenix	org.apache.phoenix	phoenix-pherf	5.1.1.7.1.8.57-1
Phoenix	org.apache.phoenix	phoenix-queryserver	6.0.0.7.1.8.57-1
Phoenix	org.apache.phoenix	phoenix-queryserver-client	6.0.0.7.1.8.57-1
Phoenix	org.apache.phoenix	phoenix-queryserver-it	6.0.0.7.1.8.57-1
Phoenix	org.apache.phoenix	phoenix-queryserver-load-balancer	6.0.0.7.1.8.57-1
Phoenix	org.apache.phoenix	phoenix-queryserver-orchestrator	6.0.0.7.1.8.57-1
Phoenix	org.apache.phoenix	phoenix-server-hbase-2.4	5.1.1.7.1.8.57-1
Phoenix	org.apache.phoenix	phoenix-tracing-webapp	5.1.1.7.1.8.57-1
Phoenix	org.apache.phoenix	phoenix5-hive	6.0.0.7.1.8.57-1
Phoenix	org.apache.phoenix	phoenix5-hive-shaded	6.0.0.7.1.8.57-1
Phoenix	org.apache.phoenix	phoenix5-spark	6.0.0.7.1.8.57-1
Phoenix	org.apache.phoenix	phoenix5-spark-shaded	6.0.0.7.1.8.57-1
Ranger	org.apache.ranger	conditions-enrichers	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	credentialbuilder	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	embeddedwebserver	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	jisql	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ldapconfigcheck	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-adls-plugin	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-atlas-plugin	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-atlas-plugin-shim	2.3.0.7.1.8.57-1

Project	groupId	artifactId	version
Ranger	org.apache.ranger	ranger-authn	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-distro	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-examples-distro	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-hbase-plugin	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-hbase-plugin-shim	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-hdfs-plugin	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-hdfs-plugin-shim	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-hive-plugin	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-hive-plugin-shim	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-intg	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-kafka-connect-plugin	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-kafka-plugin	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-kafka-plugin-shim	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-kms	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-kms-plugin	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-kms-plugin-shim	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-knox-plugin	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-knox-plugin-shim	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-kudu-plugin	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-kylin-plugin	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-kylin-plugin-shim	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-nifi-plugin	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-nifi-registry-plugin	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-ozone-plugin	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-ozone-plugin-shim	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-plugin-classloader	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-plugins-audit	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-plugins-common	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-plugins-cred	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-plugins-installer	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-policymigration	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-raz-adls	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-raz-chained-plugins	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-raz-hook-abfs	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-raz-intg	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-raz-processor	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-rms-common	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-rms-hive	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-rms-plugins-common	2.3.0.7.1.8.57-1

Project	groupId	artifactId	version
Ranger	org.apache.ranger	ranger-rms-webapp	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-sampleapp-plugin	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-schema-registry-plugin	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-solr-plugin	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-solr-plugin-shim	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-sqoop-plugin	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-sqoop-plugin-shim	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-storm-plugin	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-storm-plugin-shim	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-tagsync	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-tools	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-util	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-yarn-plugin	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ranger-yarn-plugin-shim	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	sample-client	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	sampleapp	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	shaded-raz-hook-abfs	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	ugsync-util	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	unixauthclient	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	unixauthservice	2.3.0.7.1.8.57-1
Ranger	org.apache.ranger	unixusersync	2.3.0.7.1.8.57-1
Solr	org.apache.solr	solr-analysis-extras	8.4.1.7.1.8.57-1
Solr	org.apache.solr	solr-analytics	8.4.1.7.1.8.57-1
Solr	org.apache.solr	solr-cell	8.4.1.7.1.8.57-1
Solr	org.apache.solr	solr-clustering	8.4.1.7.1.8.57-1
Solr	org.apache.solr	solr-core	8.4.1.7.1.8.57-1
Solr	org.apache.solr	solr-dataimporthandler	8.4.1.7.1.8.57-1
Solr	org.apache.solr	solr-dataimporthandler-extras	8.4.1.7.1.8.57-1
Solr	org.apache.solr	solr-jaegertracer-configurator	8.4.1.7.1.8.57-1
Solr	org.apache.solr	solr-langid	8.4.1.7.1.8.57-1
Solr	org.apache.solr	solr-ltr	8.4.1.7.1.8.57-1
Solr	org.apache.solr	solr-prometheus-exporter	8.4.1.7.1.8.57-1
Solr	org.apache.solr	solr-security-util	8.4.1.7.1.8.57-1
Solr	org.apache.solr	solr-solrj	8.4.1.7.1.8.57-1
Solr	org.apache.solr	solr-test-framework	8.4.1.7.1.8.57-1
Solr	org.apache.solr	solr-velocity	8.4.1.7.1.8.57-1
Spark	org.apache.spark	spark-avro_2.11	2.4.8.7.1.8.57-1
Spark	org.apache.spark	spark-catalyst_2.11	2.4.8.7.1.8.57-1
Spark	org.apache.spark	spark-core_2.11	2.4.8.7.1.8.57-1

Project	groupId	artifactId	version
Spark	org.apache.spark	spark-graphx_2.11	2.4.8.7.1.8.57-1
Spark	org.apache.spark	spark-hadoop-cloud_2.11	2.4.8.7.1.8.57-1
Spark	org.apache.spark	spark-hive_2.11	2.4.8.7.1.8.57-1
Spark	org.apache.spark	spark-kubernetes_2.11	2.4.8.7.1.8.57-1
Spark	org.apache.spark	spark-kvstore_2.11	2.4.8.7.1.8.57-1
Spark	org.apache.spark	spark-launcher_2.11	2.4.8.7.1.8.57-1
Spark	org.apache.spark	spark-mllib-local_2.11	2.4.8.7.1.8.57-1
Spark	org.apache.spark	spark-mllib_2.11	2.4.8.7.1.8.57-1
Spark	org.apache.spark	spark-network-common_2.11	2.4.8.7.1.8.57-1
Spark	org.apache.spark	spark-network-shuffle_2.11	2.4.8.7.1.8.57-1
Spark	org.apache.spark	spark-network-yarn_2.11	2.4.8.7.1.8.57-1
Spark	org.apache.spark	spark-repl_2.11	2.4.8.7.1.8.57-1
Spark	org.apache.spark	spark-sketch_2.11	2.4.8.7.1.8.57-1
Spark	org.apache.spark	spark-sql-kafka-0-10_2.11	2.4.8.7.1.8.57-1
Spark	org.apache.spark	spark-sql_2.11	2.4.8.7.1.8.57-1
Spark	org.apache.spark	spark-streaming-kafka-0-10-assembly_2.11	2.4.8.7.1.8.57-1
Spark	org.apache.spark	spark-streaming-kafka-0-10_2.11	2.4.8.7.1.8.57-1
Spark	org.apache.spark	spark-streaming_2.11	2.4.8.7.1.8.57-1
Spark	org.apache.spark	spark-tags_2.11	2.4.8.7.1.8.57-1
Spark	org.apache.spark	spark-token-provider-kafka-0-10_2.11	2.4.8.7.1.8.57-1
Spark	org.apache.spark	spark-unsafe_2.11	2.4.8.7.1.8.57-1
Spark	org.apache.spark	spark-yarn_2.11	2.4.8.7.1.8.57-1
Sqoop	org.apache.sqoop	sqoop	1.4.7.7.1.8.57-1
Sqoop	org.apache.sqoop	sqoop-test	1.4.7.7.1.8.57-1
Tez	org.apache.tez	hadoop-shim	0.9.1.7.1.8.57-1
Tez	org.apache.tez	hadoop-shim-2.8	0.9.1.7.1.8.57-1
Tez	org.apache.tez	tez-api	0.9.1.7.1.8.57-1
Tez	org.apache.tez	tez-aux-services	0.9.1.7.1.8.57-1
Tez	org.apache.tez	tez-common	0.9.1.7.1.8.57-1
Tez	org.apache.tez	tez-dag	0.9.1.7.1.8.57-1
Tez	org.apache.tez	tez-examples	0.9.1.7.1.8.57-1
Tez	org.apache.tez	tez-ext-service-tests	0.9.1.7.1.8.57-1
Tez	org.apache.tez	tez-history-parser	0.9.1.7.1.8.57-1
Tez	org.apache.tez	tez-javadoc-tools	0.9.1.7.1.8.57-1
Tez	org.apache.tez	tez-job-analyzer	0.9.1.7.1.8.57-1
Tez	org.apache.tez	tez-mapreduce	0.9.1.7.1.8.57-1
Tez	org.apache.tez	tez-protobuf-history-plugin	0.9.1.7.1.8.57-1
Tez	org.apache.tez	tez-runtime-internals	0.9.1.7.1.8.57-1
Tez	org.apache.tez	tez-runtime-library	0.9.1.7.1.8.57-1

Project	groupId	artifactId	version
Tez	org.apache.tez	tez-tests	0.9.1.7.1.8.57-1
Tez	org.apache.tez	tez-yarn-timeline-cache-plugin	0.9.1.7.1.8.57-1
Tez	org.apache.tez	tez-yarn-timeline-history	0.9.1.7.1.8.57-1
Tez	org.apache.tez	tez-yarn-timeline-history-with-acls	0.9.1.7.1.8.57-1
Tez	org.apache.tez	tez-yarn-timeline-history-with-fs	0.9.1.7.1.8.57-1
Zeppelin	org.apache.zeppelin	zeppelin-angular	0.8.2.7.1.8.57-1
Zeppelin	org.apache.zeppelin	zeppelin-display	0.8.2.7.1.8.57-1
Zeppelin	org.apache.zeppelin	zeppelin-interpreter	0.8.2.7.1.8.57-1
Zeppelin	org.apache.zeppelin	zeppelin-jdbc	0.8.2.7.1.8.57-1
Zeppelin	org.apache.zeppelin	zeppelin-jupyter	0.8.2.7.1.8.57-1
Zeppelin	org.apache.zeppelin	zeppelin-livy	0.8.2.7.1.8.57-1
Zeppelin	org.apache.zeppelin	zeppelin-markdown	0.8.2.7.1.8.57-1
Zeppelin	org.apache.zeppelin	zeppelin-server	0.8.2.7.1.8.57-1
Zeppelin	org.apache.zeppelin	zeppelin-shell	0.8.2.7.1.8.57-1
Zeppelin	org.apache.zeppelin	zeppelin-zengine	0.8.2.7.1.8.57-1
ZooKeeper	org.apache.zookeeper	zookeeper	3.5.5.7.1.8.57-1
ZooKeeper	org.apache.zookeeper	zookeeper-client-c	3.5.5.7.1.8.57-1
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-loggraph	3.5.5.7.1.8.57-1
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-rest	3.5.5.7.1.8.57-1
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-zooinspector	3.5.5.7.1.8.57-1
ZooKeeper	org.apache.zookeeper	zookeeper-docs	3.5.5.7.1.8.57-1
ZooKeeper	org.apache.zookeeper	zookeeper-jute	3.5.5.7.1.8.57-1
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-election	3.5.5.7.1.8.57-1
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-lock	3.5.5.7.1.8.57-1
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-queue	3.5.5.7.1.8.57-1

Runtime 7.1.8.58-1

The following table lists the project name, groupId, artifactId, and version required to access each Runtime artifact.

Project	groupId	artifactId	version
Atlas	org.apache.atlas	atlas-authorization	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	atlas-aws-s3-bridge	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	atlas-azure-adls-bridge	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	atlas-classification-updater	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	atlas-client-common	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	atlas-client-v1	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	atlas-client-v2	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	atlas-common	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	atlas-distro	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	atlas-docs	2.1.0.7.1.8.58-1

Project	groupId	artifactId	version
Atlas	org.apache.atlas	atlas-graphdb-api	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	atlas-graphdb-common	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	atlas-graphdb-janus	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	atlas-hdfs-bridge	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	atlas-index-repair-tool	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	atlas-intg	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	atlas-janusgraph-hbase2	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	atlas-notification	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	atlas-plugin-classloader	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	atlas-repository	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	atlas-server-api	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	atlas-testtools	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	hbase-bridge	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	hbase-bridge-shim	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	hbase-testing-util	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	hdfs-model	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	hive-bridge	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	hive-bridge-shim	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	impala-bridge	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	impala-bridge-shim	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	impala-hook-api	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	kafka-bridge	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	kafka-bridge-shim	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	navigator-to-atlas	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	sample-app	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	sqoop-bridge	2.1.0.7.1.8.58-1
Atlas	org.apache.atlas	sqoop-bridge-shim	2.1.0.7.1.8.58-1
Avro	org.apache.avro	avro	1.8.2.7.1.8.58-1
Avro	org.apache.avro	avro-compiler	1.8.2.7.1.8.58-1
Avro	org.apache.avro	avro-ipc	1.8.2.7.1.8.58-1
Avro	org.apache.avro	avro-mapred	1.8.2.7.1.8.58-1
Avro	org.apache.avro	avro-maven-plugin	1.8.2.7.1.8.58-1
Avro	org.apache.avro	avro-protobuf	1.8.2.7.1.8.58-1
Avro	org.apache.avro	avro-service-archetype	1.8.2.7.1.8.58-1
Avro	org.apache.avro	avro-thrift	1.8.2.7.1.8.58-1
Avro	org.apache.avro	avro-tools	1.8.2.7.1.8.58-1
Avro	org.apache.avro	trevni-avro	1.8.2.7.1.8.58-1
Avro	org.apache.avro	trevni-core	1.8.2.7.1.8.58-1
Calcite	org.apache.calcite	calcite-babel	1.19.0.7.1.8.58-1

Project	groupId	artifactId	version
Calcite	org.apache.calcite	calcite-core	1.19.0.7.1.8.58-1
Calcite	org.apache.calcite	calcite-druid	1.19.0.7.1.8.58-1
Calcite	org.apache.calcite	calcite-linq4j	1.19.0.7.1.8.58-1
Calcite	org.apache.calcite	calcite-server	1.19.0.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-aliyun	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-annotations	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-archive-logs	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-archives	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-assemblies	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-auth	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-aws	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-azure	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-azure-datalake	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-build-tools	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-client	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-client-api	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-client-integration-tests	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-client-minicluster	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-client-runtime	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-cloud-storage	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-common	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-datajoin	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-distcp	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-extras	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-fs2img	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-gridmix	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-hdfs	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-hdfs-client	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-hdfs-httpfs	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-hdfs-native-client	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-hdfs-nfs	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-hdfs-rbf	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-kafka	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-kms	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-app	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-common	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-core	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-hs	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-hs-plugins	3.1.1.7.1.8.58-1

Project	groupId	artifactId	version
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-jobclient	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-nativetask	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-shuffle	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-uploader	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-examples	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-maven-plugins	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-minicluster	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-minikdc	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-nfs	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-openstack	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-resourceestimator	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-rumen	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-sls	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-streaming	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-tools-dist	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-yarn-api	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-yarn-applications-distributedshell	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-yarn-applications-unmanaged-am-launcher	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-yarn-client	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-yarn-common	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-yarn-registry	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-applicationhistoryservice	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-common	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-nodemanager	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-resourcemanager	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-router	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-sharedcachemanager	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-tests	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timeline-pluginstorage	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-client	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-common	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-server-2	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-tests	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-web-proxy	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-yarn-services-api	3.1.1.7.1.8.58-1
Hadoop	org.apache.hadoop	hadoop-yarn-services-core	3.1.1.7.1.8.58-1
HBase	org.apache.hbase	hbase-annotations	2.4.6.7.1.8.58-1
HBase	org.apache.hbase	hbase-asyncfs	2.4.6.7.1.8.58-1

Project	groupId	artifactId	version
HBase	org.apache.hbase	hbase-checkstyle	2.4.6.7.1.8.58-1
HBase	org.apache.hbase	hbase-client	2.4.6.7.1.8.58-1
HBase	org.apache.hbase	hbase-client-project	2.4.6.7.1.8.58-1
HBase	org.apache.hbase	hbase-common	2.4.6.7.1.8.58-1
HBase	org.apache.hbase	hbase-endpoint	2.4.6.7.1.8.58-1
HBase	org.apache.hbase	hbase-examples	2.4.6.7.1.8.58-1
HBase	org.apache.hbase	hbase-external-blockcache	2.4.6.7.1.8.58-1
HBase	org.apache.hbase	hbase-hadoop-compat	2.4.6.7.1.8.58-1
HBase	org.apache.hbase	hbase-hadoop2-compat	2.4.6.7.1.8.58-1
HBase	org.apache.hbase	hbase-hbtop	2.4.6.7.1.8.58-1
HBase	org.apache.hbase	hbase-http	2.4.6.7.1.8.58-1
HBase	org.apache.hbase	hbase-it	2.4.6.7.1.8.58-1
HBase	org.apache.hbase	hbase-logging	2.4.6.7.1.8.58-1
HBase	org.apache.hbase	hbase-mapreduce	2.4.6.7.1.8.58-1
HBase	org.apache.hbase	hbase-metrics	2.4.6.7.1.8.58-1
HBase	org.apache.hbase	hbase-metrics-api	2.4.6.7.1.8.58-1
HBase	org.apache.hbase	hbase-procedure	2.4.6.7.1.8.58-1
HBase	org.apache.hbase	hbase-protocol	2.4.6.7.1.8.58-1
HBase	org.apache.hbase	hbase-protocol-shaded	2.4.6.7.1.8.58-1
HBase	org.apache.hbase	hbase-replication	2.4.6.7.1.8.58-1
HBase	org.apache.hbase	hbase-resource-bundle	2.4.6.7.1.8.58-1
HBase	org.apache.hbase	hbase-rest	2.4.6.7.1.8.58-1
HBase	org.apache.hbase	hbase-rsgroup	2.4.6.7.1.8.58-1
HBase	org.apache.hbase	hbase-server	2.4.6.7.1.8.58-1
HBase	org.apache.hbase	hbase-shaded-client	2.4.6.7.1.8.58-1
HBase	org.apache.hbase	hbase-shaded-client-byo-hadoop	2.4.6.7.1.8.58-1
HBase	org.apache.hbase	hbase-shaded-client-project	2.4.6.7.1.8.58-1
HBase	org.apache.hbase	hbase-shaded-mapreduce	2.4.6.7.1.8.58-1
HBase	org.apache.hbase	hbase-shaded-testing-util	2.4.6.7.1.8.58-1
HBase	org.apache.hbase	hbase-shaded-testing-util-tester	2.4.6.7.1.8.58-1
HBase	org.apache.hbase	hbase-shell	2.4.6.7.1.8.58-1
HBase	org.apache.hbase	hbase-testing-util	2.4.6.7.1.8.58-1
HBase	org.apache.hbase	hbase-thrift	2.4.6.7.1.8.58-1
HBase	org.apache.hbase	hbase-zookeeper	2.4.6.7.1.8.58-1
Hive	org.apache.hive	hive-beeline	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-blobstore	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-classification	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-cli	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-common	3.1.3000.7.1.8.58-1

Project	groupId	artifactId	version
Hive	org.apache.hive	hive-contrib	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-exec	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-hbase-handler	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-hcatalog-it-unit	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-hplsql	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-it-custom-serde	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-it-minikdc	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-it-qfile	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-it-qfile-kudu	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-it-test-serde	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-it-unit	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-it-unit-hadoop2	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-it-util	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-jdbc	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-jdbc-handler	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-jmh	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-kryo-registrator	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-kudu-handler	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-llap-client	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-llap-common	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-llap-ext-client	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-llap-server	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-llap-tez	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-metastore	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-pre-upgrade	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-serde	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-service	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-service-rpc	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-shims	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-spark-client	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-standalone-metastore	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-storage-api	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-streaming	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-testutils	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	hive-vector-code-gen	3.1.3000.7.1.8.58-1
Hive	org.apache.hive	kafka-handler	3.1.3000.7.1.8.58-1
Hive Warehouse Connector	com.hortonworks.hive	hive-warehouse-connector_2.11	1.0.0.7.1.8.58-1
Kafka	org.apache.kafka	connect	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	connect-api	3.1.1.7.1.8.58-1

Project	groupId	artifactId	version
Kafka	org.apache.kafka	connect-basic-auth-extension	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	connect-cloudera-authorization-extension	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	connect-cloudera-common	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	connect-cloudera-secret-storage	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	connect-cloudera-security-policies	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	connect-file	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	connect-json	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	connect-mirror	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	connect-mirror-client	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	connect-runtime	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	connect-transforms	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	generator	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	kafka-clients	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	kafka-cloudera-metrics-reporter_2.12	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	kafka-cloudera-metrics-reporter_2.13	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	kafka-cloudera-plugins	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	kafka-examples	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	kafka-log4j-appender	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	kafka-metadata	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	kafka-raft	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	kafka-server-common	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	kafka-shell	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	kafka-storage	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	kafka-storage-api	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	kafka-streams	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	kafka-streams-examples	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	kafka-streams-scala_2.12	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	kafka-streams-scala_2.13	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	kafka-streams-test-utils	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0100	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0101	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0102	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0110	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-10	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-11	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-20	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-21	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-22	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-23	3.1.1.7.1.8.58-1

Project	groupId	artifactId	version
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-24	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-25	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-26	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-27	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-28	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	kafka-tools	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	kafka_2.12	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	kafka_2.13	3.1.1.7.1.8.58-1
Kafka	org.apache.kafka	trogdor	3.1.1.7.1.8.58-1
Knox	org.apache.knox	gateway-adapter	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-admin-ui	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-applications	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-cloud-bindings	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-demo-ldap	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-demo-ldap-launcher	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-discovery-ambari	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-discovery-cm	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-docker	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-i18n	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-i18n-logging-log4j	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-i18n-logging-sl4j	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-provider-ha	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-provider-identity-assertion-common	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-provider-identity-assertion-concat	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-provider-identity-assertion-hadoop-groups	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-provider-identity-assertion-pseudo	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-provider-identity-assertion-regex	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-provider-identity-assertion-switchcase	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-provider-jersey	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-provider-rewrite	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-provider-rewrite-common	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-provider-rewrite-func-hostmap-static	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-provider-rewrite-func-inbound-query-param	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-provider-rewrite-func-service-registry	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-provider-rewrite-step-encrypt-uri	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-provider-rewrite-step-secure-query	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-provider-security-authc-anon	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-provider-security-authz-acls	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-provider-security-authz-composite	1.3.0.7.1.8.58-1

Project	groupId	artifactId	version
Knox	org.apache.knox	gateway-provider-security-clientcert	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-provider-security-hadoopauth	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-provider-security-jwt	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-provider-security-pac4j	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-provider-security-preauth	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-provider-security-shiro	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-provider-security-webappsec	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-release	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-server	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-server-launcher	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-server-xforwarded-filter	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-service-admin	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-service-as	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-service-definitions	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-service-hashicorp-vault	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-service-hbase	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-service-health	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-service-hive	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-service-idbroker	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-service-impala	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-service-jkg	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-service-knoxsso	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-service-knoxssout	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-service-knoxtoken	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-service-livy	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-service-metadata	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-service-nifi	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-service-nifi-registry	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-service-remoteconfig	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-service-rm	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-service-session	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-service-storm	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-service-test	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-service-tgs	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-service-vault	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-service-webhdfs	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-shell	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-shell-launcher	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-shell-release	1.3.0.7.1.8.58-1

Project	groupId	artifactId	version
Knox	org.apache.knox	gateway-shell-samples	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-spi	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-test	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-test-idbroker	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-test-release-utils	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-test-utils	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-topology-hadoop-xml	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-topology-simple	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-util-common	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-util-configinjector	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-util-launcher	1.3.0.7.1.8.58-1
Knox	org.apache.knox	gateway-util-urltemplate	1.3.0.7.1.8.58-1
Knox	org.apache.knox	hadoop-examples	1.3.0.7.1.8.58-1
Knox	org.apache.knox	knox-cli-launcher	1.3.0.7.1.8.58-1
Knox	org.apache.knox	knox-homepage-ui	1.3.0.7.1.8.58-1
Knox	org.apache.knox	webhdfs-kerb-test	1.3.0.7.1.8.58-1
Knox	org.apache.knox	webhdfs-test	1.3.0.7.1.8.58-1
Kudu	org.apache.kudu	kudu-backup-tools	1.15.0.7.1.8.58-1
Kudu	org.apache.kudu	kudu-backup2_2.11	1.15.0.7.1.8.58-1
Kudu	org.apache.kudu	kudu-backup3_2.12	1.15.0.7.1.8.58-1
Kudu	org.apache.kudu	kudu-client	1.15.0.7.1.8.58-1
Kudu	org.apache.kudu	kudu-hive	1.15.0.7.1.8.58-1
Kudu	org.apache.kudu	kudu-spark2-tools_2.11	1.15.0.7.1.8.58-1
Kudu	org.apache.kudu	kudu-spark2_2.11	1.15.0.7.1.8.58-1
Kudu	org.apache.kudu	kudu-spark3-tools_2.12	1.15.0.7.1.8.58-1
Kudu	org.apache.kudu	kudu-spark3_2.12	1.15.0.7.1.8.58-1
Kudu	org.apache.kudu	kudu-test-utils	1.15.0.7.1.8.58-1
Livy	org.apache.livy	livy-api	0.6.0.7.1.8.58-1
Livy	org.apache.livy	livy-client-common	0.6.0.7.1.8.58-1
Livy	org.apache.livy	livy-client-http	0.6.0.7.1.8.58-1
Livy	org.apache.livy	livy-core_2.11	0.6.0.7.1.8.58-1
Livy	org.apache.livy	livy-examples	0.6.0.7.1.8.58-1
Livy	org.apache.livy	livy-integration-test	0.6.0.7.1.8.58-1
Livy	org.apache.livy	livy-repl_2.11	0.6.0.7.1.8.58-1
Livy	org.apache.livy	livy-rsc	0.6.0.7.1.8.58-1
Livy	org.apache.livy	livy-scala-api_2.11	0.6.0.7.1.8.58-1
Livy	org.apache.livy	livy-server	0.6.0.7.1.8.58-1
Livy	org.apache.livy	livy-test-lib	0.6.0.7.1.8.58-1
Livy	org.apache.livy	livy-thriftserver	0.6.0.7.1.8.58-1

Project	groupId	artifactId	version
Livy	org.apache.livy	livy-thriftserver-session	0.6.0.7.1.8.58-1
Lucene	org.apache.lucene	lucene-analyzers-common	8.4.1.7.1.8.58-1
Lucene	org.apache.lucene	lucene-analyzers-icu	8.4.1.7.1.8.58-1
Lucene	org.apache.lucene	lucene-analyzers-kuromoji	8.4.1.7.1.8.58-1
Lucene	org.apache.lucene	lucene-analyzers-morfologik	8.4.1.7.1.8.58-1
Lucene	org.apache.lucene	lucene-analyzers-nori	8.4.1.7.1.8.58-1
Lucene	org.apache.lucene	lucene-analyzers-openslp	8.4.1.7.1.8.58-1
Lucene	org.apache.lucene	lucene-analyzers-phonetic	8.4.1.7.1.8.58-1
Lucene	org.apache.lucene	lucene-analyzers-smartcn	8.4.1.7.1.8.58-1
Lucene	org.apache.lucene	lucene-analyzers-stempel	8.4.1.7.1.8.58-1
Lucene	org.apache.lucene	lucene-backward-codecs	8.4.1.7.1.8.58-1
Lucene	org.apache.lucene	lucene-benchmark	8.4.1.7.1.8.58-1
Lucene	org.apache.lucene	lucene-classification	8.4.1.7.1.8.58-1
Lucene	org.apache.lucene	lucene-codecs	8.4.1.7.1.8.58-1
Lucene	org.apache.lucene	lucene-core	8.4.1.7.1.8.58-1
Lucene	org.apache.lucene	lucene-demo	8.4.1.7.1.8.58-1
Lucene	org.apache.lucene	lucene-expressions	8.4.1.7.1.8.58-1
Lucene	org.apache.lucene	lucene-facet	8.4.1.7.1.8.58-1
Lucene	org.apache.lucene	lucene-grouping	8.4.1.7.1.8.58-1
Lucene	org.apache.lucene	lucene-highlighter	8.4.1.7.1.8.58-1
Lucene	org.apache.lucene	lucene-join	8.4.1.7.1.8.58-1
Lucene	org.apache.lucene	lucene-memory	8.4.1.7.1.8.58-1
Lucene	org.apache.lucene	lucene-misc	8.4.1.7.1.8.58-1
Lucene	org.apache.lucene	lucene-monitor	8.4.1.7.1.8.58-1
Lucene	org.apache.lucene	lucene-queries	8.4.1.7.1.8.58-1
Lucene	org.apache.lucene	lucene-queryparser	8.4.1.7.1.8.58-1
Lucene	org.apache.lucene	lucene-replicator	8.4.1.7.1.8.58-1
Lucene	org.apache.lucene	lucene-sandbox	8.4.1.7.1.8.58-1
Lucene	org.apache.lucene	lucene-spatial	8.4.1.7.1.8.58-1
Lucene	org.apache.lucene	lucene-spatial-extras	8.4.1.7.1.8.58-1
Lucene	org.apache.lucene	lucene-spatial3d	8.4.1.7.1.8.58-1
Lucene	org.apache.lucene	lucene-suggest	8.4.1.7.1.8.58-1
Lucene	org.apache.lucene	lucene-test-framework	8.4.1.7.1.8.58-1
Oozie	org.apache.oozie	oozie-client	5.1.0.7.1.8.58-1
Oozie	org.apache.oozie	oozie-core	5.1.0.7.1.8.58-1
Oozie	org.apache.oozie	oozie-distro	5.1.0.7.1.8.58-1
Oozie	org.apache.oozie	oozie-examples	5.1.0.7.1.8.58-1
Oozie	org.apache.oozie	oozie-fluent-job-api	5.1.0.7.1.8.58-1
Oozie	org.apache.oozie	oozie-fluent-job-client	5.1.0.7.1.8.58-1

Project	groupId	artifactId	version
Oozie	org.apache.oozie	oozie-server	5.1.0.7.1.8.58-1
Oozie	org.apache.oozie	oozie-sharelib-distcp	5.1.0.7.1.8.58-1
Oozie	org.apache.oozie	oozie-sharelib-git	5.1.0.7.1.8.58-1
Oozie	org.apache.oozie	oozie-sharelib-hcatalog	5.1.0.7.1.8.58-1
Oozie	org.apache.oozie	oozie-sharelib-hive	5.1.0.7.1.8.58-1
Oozie	org.apache.oozie	oozie-sharelib-hive2	5.1.0.7.1.8.58-1
Oozie	org.apache.oozie	oozie-sharelib-oozie	5.1.0.7.1.8.58-1
Oozie	org.apache.oozie	oozie-sharelib-spark	5.1.0.7.1.8.58-1
Oozie	org.apache.oozie	oozie-sharelib-sqoop	5.1.0.7.1.8.58-1
Oozie	org.apache.oozie	oozie-sharelib-streaming	5.1.0.7.1.8.58-1
Oozie	org.apache.oozie	oozie-tools	5.1.0.7.1.8.58-1
Oozie	org.apache.oozie	oozie-zookeeper-security-tests	5.1.0.7.1.8.58-1
ORC	org.apache.orc	orc-core	1.5.1.7.1.8.58-1
ORC	org.apache.orc	orc-examples	1.5.1.7.1.8.58-1
ORC	org.apache.orc	orc-mapreduce	1.5.1.7.1.8.58-1
ORC	org.apache.orc	orc-shims	1.5.1.7.1.8.58-1
ORC	org.apache.orc	orc-tools	1.5.1.7.1.8.58-1
Parquet	org.apache.parquet	parquet-avro	1.10.99.7.1.8.58-1
Parquet	org.apache.parquet	parquet-cascading	1.10.99.7.1.8.58-1
Parquet	org.apache.parquet	parquet-cascading3	1.10.99.7.1.8.58-1
Parquet	org.apache.parquet	parquet-column	1.10.99.7.1.8.58-1
Parquet	org.apache.parquet	parquet-common	1.10.99.7.1.8.58-1
Parquet	org.apache.parquet	parquet-encoding	1.10.99.7.1.8.58-1
Parquet	org.apache.parquet	parquet-format-structures	1.10.99.7.1.8.58-1
Parquet	org.apache.parquet	parquet-generator	1.10.99.7.1.8.58-1
Parquet	org.apache.parquet	parquet-hadoop	1.10.99.7.1.8.58-1
Parquet	org.apache.parquet	parquet-hadoop-bundle	1.10.99.7.1.8.58-1
Parquet	org.apache.parquet	parquet-jackson	1.10.99.7.1.8.58-1
Parquet	org.apache.parquet	parquet-pig	1.10.99.7.1.8.58-1
Parquet	org.apache.parquet	parquet-pig-bundle	1.10.99.7.1.8.58-1
Parquet	org.apache.parquet	parquet-protobuf	1.10.99.7.1.8.58-1
Parquet	org.apache.parquet	parquet-scala_2.10	1.10.99.7.1.8.58-1
Parquet	org.apache.parquet	parquet-thrift	1.10.99.7.1.8.58-1
Parquet	org.apache.parquet	parquet-tools	1.10.99.7.1.8.58-1
Phoenix	org.apache.phoenix	phoenix-client-embedded-hbase-2.4	5.1.1.7.1.8.58-1
Phoenix	org.apache.phoenix	phoenix-client-hbase-2.4	5.1.1.7.1.8.58-1
Phoenix	org.apache.phoenix	phoenix-connectors-phoenix5-compatible	6.0.0.7.1.8.58-1
Phoenix	org.apache.phoenix	phoenix-core	5.1.1.7.1.8.58-1
Phoenix	org.apache.phoenix	phoenix-hbase-compatible-2.1.6	5.1.1.7.1.8.58-1

Project	groupId	artifactId	version
Phoenix	org.apache.phoenix	phoenix-hbase-compat-2.2.5	5.1.1.7.1.8.58-1
Phoenix	org.apache.phoenix	phoenix-hbase-compat-2.3.0	5.1.1.7.1.8.58-1
Phoenix	org.apache.phoenix	phoenix-hbase-compat-2.4.0	5.1.1.7.1.8.58-1
Phoenix	org.apache.phoenix	phoenix-hbase-compat-2.4.1	5.1.1.7.1.8.58-1
Phoenix	org.apache.phoenix	phoenix-pherf	5.1.1.7.1.8.58-1
Phoenix	org.apache.phoenix	phoenix-queryserver	6.0.0.7.1.8.58-1
Phoenix	org.apache.phoenix	phoenix-queryserver-client	6.0.0.7.1.8.58-1
Phoenix	org.apache.phoenix	phoenix-queryserver-it	6.0.0.7.1.8.58-1
Phoenix	org.apache.phoenix	phoenix-queryserver-load-balancer	6.0.0.7.1.8.58-1
Phoenix	org.apache.phoenix	phoenix-queryserver-orchestrator	6.0.0.7.1.8.58-1
Phoenix	org.apache.phoenix	phoenix-server-hbase-2.4	5.1.1.7.1.8.58-1
Phoenix	org.apache.phoenix	phoenix-tracing-webapp	5.1.1.7.1.8.58-1
Phoenix	org.apache.phoenix	phoenix5-hive	6.0.0.7.1.8.58-1
Phoenix	org.apache.phoenix	phoenix5-hive-shaded	6.0.0.7.1.8.58-1
Phoenix	org.apache.phoenix	phoenix5-spark	6.0.0.7.1.8.58-1
Phoenix	org.apache.phoenix	phoenix5-spark-shaded	6.0.0.7.1.8.58-1
Ranger	org.apache.ranger	conditions-enrichers	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	credentialbuilder	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	embeddedwebserver	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	jisql	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ldapconfigcheck	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-adls-plugin	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-atlas-plugin	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-atlas-plugin-shim	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-authn	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-distro	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-examples-distro	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-hbase-plugin	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-hbase-plugin-shim	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-hdfs-plugin	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-hdfs-plugin-shim	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-hive-plugin	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-hive-plugin-shim	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-intg	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-kafka-connect-plugin	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-kafka-plugin	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-kafka-plugin-shim	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-kms	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-kms-plugin	2.3.0.7.1.8.58-1

Project	groupId	artifactId	version
Ranger	org.apache.ranger	ranger-kms-plugin-shim	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-knox-plugin	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-knox-plugin-shim	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-kudu-plugin	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-kylin-plugin	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-kylin-plugin-shim	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-nifi-plugin	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-nifi-registry-plugin	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-ozone-plugin	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-ozone-plugin-shim	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-plugin-classloader	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-plugins-audit	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-plugins-common	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-plugins-cred	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-plugins-installer	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-policymigration	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-raz-adls	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-raz-chained-plugins	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-raz-hook-abfs	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-raz-intg	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-raz-processor	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-rms-common	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-rms-hive	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-rms-plugins-common	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-rms-webapp	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-sampleapp-plugin	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-schema-registry-plugin	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-solr-plugin	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-solr-plugin-shim	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-sqoop-plugin	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-sqoop-plugin-shim	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-storm-plugin	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-storm-plugin-shim	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-tagsync	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-tools	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-util	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-yarn-plugin	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ranger-yarn-plugin-shim	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	sample-client	2.3.0.7.1.8.58-1

Project	groupId	artifactId	version
Ranger	org.apache.ranger	sampleapp	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	shaded-raz-hook-abfs	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	ugsync-util	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	unixauthclient	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	unixauthservice	2.3.0.7.1.8.58-1
Ranger	org.apache.ranger	unixusersync	2.3.0.7.1.8.58-1
Solr	org.apache.solr	solr-analysis-extras	8.4.1.7.1.8.58-1
Solr	org.apache.solr	solr-analytics	8.4.1.7.1.8.58-1
Solr	org.apache.solr	solr-cell	8.4.1.7.1.8.58-1
Solr	org.apache.solr	solr-clustering	8.4.1.7.1.8.58-1
Solr	org.apache.solr	solr-core	8.4.1.7.1.8.58-1
Solr	org.apache.solr	solr-dataimporthandler	8.4.1.7.1.8.58-1
Solr	org.apache.solr	solr-dataimporthandler-extras	8.4.1.7.1.8.58-1
Solr	org.apache.solr	solr-jaegertracer-configurator	8.4.1.7.1.8.58-1
Solr	org.apache.solr	solr-langid	8.4.1.7.1.8.58-1
Solr	org.apache.solr	solr-ltr	8.4.1.7.1.8.58-1
Solr	org.apache.solr	solr-prometheus-exporter	8.4.1.7.1.8.58-1
Solr	org.apache.solr	solr-security-util	8.4.1.7.1.8.58-1
Solr	org.apache.solr	solr-solrj	8.4.1.7.1.8.58-1
Solr	org.apache.solr	solr-test-framework	8.4.1.7.1.8.58-1
Solr	org.apache.solr	solr-velocity	8.4.1.7.1.8.58-1
Spark	org.apache.spark	spark-avro_2.11	2.4.8.7.1.8.58-1
Spark	org.apache.spark	spark-catalyst_2.11	2.4.8.7.1.8.58-1
Spark	org.apache.spark	spark-core_2.11	2.4.8.7.1.8.58-1
Spark	org.apache.spark	spark-graphx_2.11	2.4.8.7.1.8.58-1
Spark	org.apache.spark	spark-hadoop-cloud_2.11	2.4.8.7.1.8.58-1
Spark	org.apache.spark	spark-hive_2.11	2.4.8.7.1.8.58-1
Spark	org.apache.spark	spark-kubernetes_2.11	2.4.8.7.1.8.58-1
Spark	org.apache.spark	spark-kvstore_2.11	2.4.8.7.1.8.58-1
Spark	org.apache.spark	spark-launcher_2.11	2.4.8.7.1.8.58-1
Spark	org.apache.spark	spark-mllib-local_2.11	2.4.8.7.1.8.58-1
Spark	org.apache.spark	spark-mllib_2.11	2.4.8.7.1.8.58-1
Spark	org.apache.spark	spark-network-common_2.11	2.4.8.7.1.8.58-1
Spark	org.apache.spark	spark-network-shuffle_2.11	2.4.8.7.1.8.58-1
Spark	org.apache.spark	spark-network-yarn_2.11	2.4.8.7.1.8.58-1
Spark	org.apache.spark	spark-repl_2.11	2.4.8.7.1.8.58-1
Spark	org.apache.spark	spark-sketch_2.11	2.4.8.7.1.8.58-1
Spark	org.apache.spark	spark-sql-kafka-0-10_2.11	2.4.8.7.1.8.58-1
Spark	org.apache.spark	spark-sql_2.11	2.4.8.7.1.8.58-1

Project	groupId	artifactId	version
Spark	org.apache.spark	spark-streaming-kafka-0-10-assembly_2.11	2.4.8.7.1.8.58-1
Spark	org.apache.spark	spark-streaming-kafka-0-10_2.11	2.4.8.7.1.8.58-1
Spark	org.apache.spark	spark-streaming_2.11	2.4.8.7.1.8.58-1
Spark	org.apache.spark	spark-tags_2.11	2.4.8.7.1.8.58-1
Spark	org.apache.spark	spark-token-provider-kafka-0-10_2.11	2.4.8.7.1.8.58-1
Spark	org.apache.spark	spark-unsafe_2.11	2.4.8.7.1.8.58-1
Spark	org.apache.spark	spark-yarn_2.11	2.4.8.7.1.8.58-1
Sqoop	org.apache.sqoop	sqoop	1.4.7.7.1.8.58-1
Sqoop	org.apache.sqoop	sqoop-test	1.4.7.7.1.8.58-1
Tez	org.apache.tez	hadoop-shim	0.9.1.7.1.8.58-1
Tez	org.apache.tez	hadoop-shim-2.8	0.9.1.7.1.8.58-1
Tez	org.apache.tez	tez-api	0.9.1.7.1.8.58-1
Tez	org.apache.tez	tez-aux-services	0.9.1.7.1.8.58-1
Tez	org.apache.tez	tez-common	0.9.1.7.1.8.58-1
Tez	org.apache.tez	tez-dag	0.9.1.7.1.8.58-1
Tez	org.apache.tez	tez-examples	0.9.1.7.1.8.58-1
Tez	org.apache.tez	tez-ext-service-tests	0.9.1.7.1.8.58-1
Tez	org.apache.tez	tez-history-parser	0.9.1.7.1.8.58-1
Tez	org.apache.tez	tez-javadoc-tools	0.9.1.7.1.8.58-1
Tez	org.apache.tez	tez-job-analyzer	0.9.1.7.1.8.58-1
Tez	org.apache.tez	tez-mapreduce	0.9.1.7.1.8.58-1
Tez	org.apache.tez	tez-protobuf-history-plugin	0.9.1.7.1.8.58-1
Tez	org.apache.tez	tez-runtime-internals	0.9.1.7.1.8.58-1
Tez	org.apache.tez	tez-runtime-library	0.9.1.7.1.8.58-1
Tez	org.apache.tez	tez-tests	0.9.1.7.1.8.58-1
Tez	org.apache.tez	tez-yarn-timeline-cache-plugin	0.9.1.7.1.8.58-1
Tez	org.apache.tez	tez-yarn-timeline-history	0.9.1.7.1.8.58-1
Tez	org.apache.tez	tez-yarn-timeline-history-with-acls	0.9.1.7.1.8.58-1
Tez	org.apache.tez	tez-yarn-timeline-history-with-fs	0.9.1.7.1.8.58-1
Zeppelin	org.apache.zeppelin	zeppelin-angular	0.8.2.7.1.8.58-1
Zeppelin	org.apache.zeppelin	zeppelin-display	0.8.2.7.1.8.58-1
Zeppelin	org.apache.zeppelin	zeppelin-interpreter	0.8.2.7.1.8.58-1
Zeppelin	org.apache.zeppelin	zeppelin-jdbc	0.8.2.7.1.8.58-1
Zeppelin	org.apache.zeppelin	zeppelin-jupyter	0.8.2.7.1.8.58-1
Zeppelin	org.apache.zeppelin	zeppelin-livy	0.8.2.7.1.8.58-1
Zeppelin	org.apache.zeppelin	zeppelin-markdown	0.8.2.7.1.8.58-1
Zeppelin	org.apache.zeppelin	zeppelin-server	0.8.2.7.1.8.58-1
Zeppelin	org.apache.zeppelin	zeppelin-shell	0.8.2.7.1.8.58-1
Zeppelin	org.apache.zeppelin	zeppelin-zengine	0.8.2.7.1.8.58-1

Project	groupId	artifactId	version
ZooKeeper	org.apache.zookeeper	zookeeper	3.5.5.7.1.8.58-1
ZooKeeper	org.apache.zookeeper	zookeeper-client-c	3.5.5.7.1.8.58-1
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-loggraph	3.5.5.7.1.8.58-1
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-rest	3.5.5.7.1.8.58-1
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-zooinspector	3.5.5.7.1.8.58-1
ZooKeeper	org.apache.zookeeper	zookeeper-docs	3.5.5.7.1.8.58-1
ZooKeeper	org.apache.zookeeper	zookeeper-jute	3.5.5.7.1.8.58-1
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-election	3.5.5.7.1.8.58-1
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-lock	3.5.5.7.1.8.58-1
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-queue	3.5.5.7.1.8.58-1

Runtime 7.1.8.59-4

The following table lists the project name, groupId, artifactId, and version required to access each Runtime artifact.

Project	groupId	artifactId	version
Atlas	org.apache.atlas	atlas-authorization	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	atlas-aws-s3-bridge	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	atlas-azure-adls-bridge	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	atlas-classification-updater	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	atlas-client-common	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	atlas-client-v1	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	atlas-client-v2	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	atlas-common	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	atlas-distro	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	atlas-docs	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	atlas-graphdb-api	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	atlas-graphdb-common	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	atlas-graphdb-janus	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	atlas-hdfs-bridge	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	atlas-index-repair-tool	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	atlas-intg	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	atlas-janusgraph-hbase2	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	atlas-notification	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	atlas-plugin-classloader	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	atlas-repository	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	atlas-server-api	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	atlas-testtools	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	hbase-bridge	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	hbase-bridge-shim	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	hbase-testing-util	2.1.0.7.1.8.59-4

Project	groupId	artifactId	version
Atlas	org.apache.atlas	hdfs-model	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	hive-bridge	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	hive-bridge-shim	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	impala-bridge	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	impala-bridge-shim	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	impala-hook-api	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	kafka-bridge	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	kafka-bridge-shim	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	navigator-to-atlas	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	sample-app	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	sqoop-bridge	2.1.0.7.1.8.59-4
Atlas	org.apache.atlas	sqoop-bridge-shim	2.1.0.7.1.8.59-4
Avro	org.apache.avro	avro	1.8.2.7.1.8.59-4
Avro	org.apache.avro	avro-compiler	1.8.2.7.1.8.59-4
Avro	org.apache.avro	avro-ipc	1.8.2.7.1.8.59-4
Avro	org.apache.avro	avro-mapred	1.8.2.7.1.8.59-4
Avro	org.apache.avro	avro-maven-plugin	1.8.2.7.1.8.59-4
Avro	org.apache.avro	avro-protobuf	1.8.2.7.1.8.59-4
Avro	org.apache.avro	avro-service-archetype	1.8.2.7.1.8.59-4
Avro	org.apache.avro	avro-thrift	1.8.2.7.1.8.59-4
Avro	org.apache.avro	avro-tools	1.8.2.7.1.8.59-4
Avro	org.apache.avro	trevni-avro	1.8.2.7.1.8.59-4
Avro	org.apache.avro	trevni-core	1.8.2.7.1.8.59-4
Calcite	org.apache.calcite	calcite-babel	1.19.0.7.1.8.59-4
Calcite	org.apache.calcite	calcite-core	1.19.0.7.1.8.59-4
Calcite	org.apache.calcite	calcite-druid	1.19.0.7.1.8.59-4
Calcite	org.apache.calcite	calcite-linq4j	1.19.0.7.1.8.59-4
Calcite	org.apache.calcite	calcite-server	1.19.0.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-aliyun	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-annotations	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-archive-logs	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-archives	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-assemblies	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-auth	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-aws	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-azure	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-azure-datalake	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-build-tools	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-client	3.1.1.7.1.8.59-4

Project	groupId	artifactId	version
Hadoop	org.apache.hadoop	hadoop-client-api	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-client-integration-tests	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-client-minicluster	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-client-runtime	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-cloud-storage	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-common	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-datajoin	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-distcp	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-extras	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-fs2img	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-gridmix	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-hdfs	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-hdfs-client	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-hdfs-httpfs	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-hdfs-native-client	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-hdfs-nfs	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-hdfs-rbf	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-kafka	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-kms	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-app	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-common	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-core	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-hs	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-hs-plugins	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-jobclient	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-nativetask	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-shuffle	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-uploader	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-mapreduce-examples	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-maven-plugins	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-minicluster	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-minikdc	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-nfs	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-openstack	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-resourceestimator	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-rumen	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-sls	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-streaming	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-tools-dist	3.1.1.7.1.8.59-4

Project	groupId	artifactId	version
Hadoop	org.apache.hadoop	hadoop-yarn-api	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-yarn-applications-distributedshell	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-yarn-applications-unmanaged-am-launcher	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-yarn-client	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-yarn-common	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-yarn-registry	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-yarn-server-applicationhistoryservice	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-yarn-server-common	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-yarn-server-nodemanager	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-yarn-server-resourcemanager	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-yarn-server-router	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-yarn-server-sharedcachemanager	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-yarn-server-tests	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-yarn-server-timeline-pluginstorage	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-client	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-common	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-server-2	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-tests	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-yarn-server-web-proxy	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-yarn-services-api	3.1.1.7.1.8.59-4
Hadoop	org.apache.hadoop	hadoop-yarn-services-core	3.1.1.7.1.8.59-4
HBase	org.apache.hbase	hbase-annotations	2.4.6.7.1.8.59-4
HBase	org.apache.hbase	hbase-asyncfs	2.4.6.7.1.8.59-4
HBase	org.apache.hbase	hbase-checkstyle	2.4.6.7.1.8.59-4
HBase	org.apache.hbase	hbase-client	2.4.6.7.1.8.59-4
HBase	org.apache.hbase	hbase-client-project	2.4.6.7.1.8.59-4
HBase	org.apache.hbase	hbase-common	2.4.6.7.1.8.59-4
HBase	org.apache.hbase	hbase-endpoint	2.4.6.7.1.8.59-4
HBase	org.apache.hbase	hbase-examples	2.4.6.7.1.8.59-4
HBase	org.apache.hbase	hbase-external-blockcache	2.4.6.7.1.8.59-4
HBase	org.apache.hbase	hbase-hadoop-compat	2.4.6.7.1.8.59-4
HBase	org.apache.hbase	hbase-hadoop2-compat	2.4.6.7.1.8.59-4
HBase	org.apache.hbase	hbase-hbtop	2.4.6.7.1.8.59-4
HBase	org.apache.hbase	hbase-http	2.4.6.7.1.8.59-4
HBase	org.apache.hbase	hbase-it	2.4.6.7.1.8.59-4
HBase	org.apache.hbase	hbase-logging	2.4.6.7.1.8.59-4
HBase	org.apache.hbase	hbase-mapreduce	2.4.6.7.1.8.59-4
HBase	org.apache.hbase	hbase-metrics	2.4.6.7.1.8.59-4

Project	groupId	artifactId	version
HBase	org.apache.hbase	hbase-metrics-api	2.4.6.7.1.8.59-4
HBase	org.apache.hbase	hbase-procedure	2.4.6.7.1.8.59-4
HBase	org.apache.hbase	hbase-protocol	2.4.6.7.1.8.59-4
HBase	org.apache.hbase	hbase-protocol-shaded	2.4.6.7.1.8.59-4
HBase	org.apache.hbase	hbase-replication	2.4.6.7.1.8.59-4
HBase	org.apache.hbase	hbase-resource-bundle	2.4.6.7.1.8.59-4
HBase	org.apache.hbase	hbase-rest	2.4.6.7.1.8.59-4
HBase	org.apache.hbase	hbase-rsgroup	2.4.6.7.1.8.59-4
HBase	org.apache.hbase	hbase-server	2.4.6.7.1.8.59-4
HBase	org.apache.hbase	hbase-shaded-client	2.4.6.7.1.8.59-4
HBase	org.apache.hbase	hbase-shaded-client-byo-hadoop	2.4.6.7.1.8.59-4
HBase	org.apache.hbase	hbase-shaded-client-project	2.4.6.7.1.8.59-4
HBase	org.apache.hbase	hbase-shaded-mapreduce	2.4.6.7.1.8.59-4
HBase	org.apache.hbase	hbase-shaded-testing-util	2.4.6.7.1.8.59-4
HBase	org.apache.hbase	hbase-shaded-testing-util-tester	2.4.6.7.1.8.59-4
HBase	org.apache.hbase	hbase-shell	2.4.6.7.1.8.59-4
HBase	org.apache.hbase	hbase-testing-util	2.4.6.7.1.8.59-4
HBase	org.apache.hbase	hbase-thrift	2.4.6.7.1.8.59-4
HBase	org.apache.hbase	hbase-zookeeper	2.4.6.7.1.8.59-4
Hive	org.apache.hive	hive-beeline	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-blobstore	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-classification	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-cli	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-common	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-contrib	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-exec	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-hbase-handler	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-hcatalog-it-unit	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-hplsql	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-it-custom-serde	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-it-minikdc	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-it-qfile	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-it-qfile-kudu	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-it-test-serde	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-it-unit	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-it-unit-hadoop2	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-it-util	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-jdbc	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-jdbc-handler	3.1.3000.7.1.8.59-4

Project	groupId	artifactId	version
Hive	org.apache.hive	hive-jmh	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-kryo-registrator	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-kudu-handler	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-llap-client	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-llap-common	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-llap-ext-client	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-llap-server	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-llap-tez	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-metastore	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-pre-upgrade	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-serde	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-service	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-service-rpc	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-shims	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-spark-client	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-standalone-metastore	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-storage-api	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-streaming	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-testutils	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	hive-vector-code-gen	3.1.3000.7.1.8.59-4
Hive	org.apache.hive	kafka-handler	3.1.3000.7.1.8.59-4
Hive Warehouse Connector	com.hortonworks.hive	hive-warehouse-connector_2.11	1.0.0.7.1.8.59-4
Kafka	org.apache.kafka	connect	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	connect-api	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	connect-basic-auth-extension	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	connect-cloudera-authorization-extension	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	connect-cloudera-common	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	connect-cloudera-secret-storage	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	connect-cloudera-security-policies	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	connect-file	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	connect-json	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	connect-mirror	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	connect-mirror-client	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	connect-runtime	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	connect-transforms	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	generator	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	kafka-clients	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	kafka-cloudera-metrics-reporter_2.12	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	kafka-cloudera-metrics-reporter_2.13	3.1.1.7.1.8.59-4

Project	groupId	artifactId	version
Kafka	org.apache.kafka	kafka-cloudera-plugins	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	kafka-examples	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	kafka-log4j-appender	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	kafka-metadata	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	kafka-raft	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	kafka-server-common	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	kafka-shell	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	kafka-storage	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	kafka-storage-api	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	kafka-streams	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	kafka-streams-examples	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	kafka-streams-scala_2.12	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	kafka-streams-scala_2.13	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	kafka-streams-test-utils	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0100	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0101	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0102	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0110	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-10	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-11	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-20	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-21	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-22	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-23	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-24	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-25	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-26	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-27	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-28	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	kafka-tools	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	kafka_2.12	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	kafka_2.13	3.1.1.7.1.8.59-4
Kafka	org.apache.kafka	trogdor	3.1.1.7.1.8.59-4
Knox	org.apache.knox	gateway-adapter	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-admin-ui	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-applications	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-cloud-bindings	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-demo-ldap	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-demo-ldap-launcher	1.3.0.7.1.8.59-4

Project	groupId	artifactId	version
Knox	org.apache.knox	gateway-discovery-ambari	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-discovery-cm	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-docker	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-i18n	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-i18n-logging-log4j	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-i18n-logging-sl4j	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-provider-ha	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-provider-identity-assertion-common	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-provider-identity-assertion-concat	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-provider-identity-assertion-hadoop-groups	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-provider-identity-assertion-pseudo	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-provider-identity-assertion-regex	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-provider-identity-assertion-switchcase	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-provider-jersey	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-provider-rewrite	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-provider-rewrite-common	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-provider-rewrite-func-hostmap-static	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-provider-rewrite-func-inbound-query-param	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-provider-rewrite-func-service-registry	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-provider-rewrite-step-encrypt-uri	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-provider-rewrite-step-secure-query	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-provider-security-authc-anon	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-provider-security-authz-acls	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-provider-security-authz-composite	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-provider-security-clientcert	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-provider-security-hadoopauth	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-provider-security-jwt	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-provider-security-pac4j	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-provider-security-preauth	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-provider-security-shiro	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-provider-security-webappsec	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-release	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-server	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-server-launcher	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-server-xforwarded-filter	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-service-admin	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-service-as	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-service-definitions	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-service-hashicorp-vault	1.3.0.7.1.8.59-4

Project	groupId	artifactId	version
Knox	org.apache.knox	gateway-service-hbase	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-service-health	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-service-hive	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-service-idbroker	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-service-impala	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-service-jkg	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-service-knoxsso	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-service-knoxsout	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-service-knoxtoken	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-service-livy	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-service-metadata	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-service-nifi	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-service-nifi-registry	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-service-remoteconfig	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-service-rm	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-service-session	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-service-storm	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-service-test	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-service-tgs	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-service-vault	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-service-webhdfs	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-shell	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-shell-launcher	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-shell-release	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-shell-samples	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-spi	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-test	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-test-idbroker	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-test-release-utils	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-test-utils	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-topology-hadoop-xml	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-topology-simple	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-util-common	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-util-configinjector	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-util-launcher	1.3.0.7.1.8.59-4
Knox	org.apache.knox	gateway-util-urltemplate	1.3.0.7.1.8.59-4
Knox	org.apache.knox	hadoop-examples	1.3.0.7.1.8.59-4
Knox	org.apache.knox	knox-cli-launcher	1.3.0.7.1.8.59-4
Knox	org.apache.knox	knox-homepage-ui	1.3.0.7.1.8.59-4

Project	groupId	artifactId	version
Knox	org.apache.knox	webhdfs-kerb-test	1.3.0.7.1.8.59-4
Knox	org.apache.knox	webhdfs-test	1.3.0.7.1.8.59-4
Kudu	org.apache.kudu	kudu-backup-tools	1.15.0.7.1.8.59-4
Kudu	org.apache.kudu	kudu-backup2_2.11	1.15.0.7.1.8.59-4
Kudu	org.apache.kudu	kudu-backup3_2.12	1.15.0.7.1.8.59-4
Kudu	org.apache.kudu	kudu-client	1.15.0.7.1.8.59-4
Kudu	org.apache.kudu	kudu-hive	1.15.0.7.1.8.59-4
Kudu	org.apache.kudu	kudu-spark2-tools_2.11	1.15.0.7.1.8.59-4
Kudu	org.apache.kudu	kudu-spark2_2.11	1.15.0.7.1.8.59-4
Kudu	org.apache.kudu	kudu-spark3-tools_2.12	1.15.0.7.1.8.59-4
Kudu	org.apache.kudu	kudu-spark3_2.12	1.15.0.7.1.8.59-4
Kudu	org.apache.kudu	kudu-test-utils	1.15.0.7.1.8.59-4
Livy	org.apache.livy	livy-api	0.6.0.7.1.8.59-4
Livy	org.apache.livy	livy-client-common	0.6.0.7.1.8.59-4
Livy	org.apache.livy	livy-client-http	0.6.0.7.1.8.59-4
Livy	org.apache.livy	livy-core_2.11	0.6.0.7.1.8.59-4
Livy	org.apache.livy	livy-examples	0.6.0.7.1.8.59-4
Livy	org.apache.livy	livy-integration-test	0.6.0.7.1.8.59-4
Livy	org.apache.livy	livy-repl_2.11	0.6.0.7.1.8.59-4
Livy	org.apache.livy	livy-rsc	0.6.0.7.1.8.59-4
Livy	org.apache.livy	livy-scala-api_2.11	0.6.0.7.1.8.59-4
Livy	org.apache.livy	livy-server	0.6.0.7.1.8.59-4
Livy	org.apache.livy	livy-test-lib	0.6.0.7.1.8.59-4
Livy	org.apache.livy	livy-thriftserver	0.6.0.7.1.8.59-4
Livy	org.apache.livy	livy-thriftserver-session	0.6.0.7.1.8.59-4
Lucene	org.apache.lucene	lucene-analyzers-common	8.4.1.7.1.8.59-4
Lucene	org.apache.lucene	lucene-analyzers-icu	8.4.1.7.1.8.59-4
Lucene	org.apache.lucene	lucene-analyzers-kuromoji	8.4.1.7.1.8.59-4
Lucene	org.apache.lucene	lucene-analyzers-morfologik	8.4.1.7.1.8.59-4
Lucene	org.apache.lucene	lucene-analyzers-nori	8.4.1.7.1.8.59-4
Lucene	org.apache.lucene	lucene-analyzers-openssl	8.4.1.7.1.8.59-4
Lucene	org.apache.lucene	lucene-analyzers-phonetic	8.4.1.7.1.8.59-4
Lucene	org.apache.lucene	lucene-analyzers-smartcn	8.4.1.7.1.8.59-4
Lucene	org.apache.lucene	lucene-analyzers-stempel	8.4.1.7.1.8.59-4
Lucene	org.apache.lucene	lucene-backward-codecs	8.4.1.7.1.8.59-4
Lucene	org.apache.lucene	lucene-benchmark	8.4.1.7.1.8.59-4
Lucene	org.apache.lucene	lucene-classification	8.4.1.7.1.8.59-4
Lucene	org.apache.lucene	lucene-codecs	8.4.1.7.1.8.59-4
Lucene	org.apache.lucene	lucene-core	8.4.1.7.1.8.59-4

Project	groupId	artifactId	version
Lucene	org.apache.lucene	lucene-demo	8.4.1.7.1.8.59-4
Lucene	org.apache.lucene	lucene-expressions	8.4.1.7.1.8.59-4
Lucene	org.apache.lucene	lucene-facet	8.4.1.7.1.8.59-4
Lucene	org.apache.lucene	lucene-grouping	8.4.1.7.1.8.59-4
Lucene	org.apache.lucene	lucene-highlighter	8.4.1.7.1.8.59-4
Lucene	org.apache.lucene	lucene-join	8.4.1.7.1.8.59-4
Lucene	org.apache.lucene	lucene-memory	8.4.1.7.1.8.59-4
Lucene	org.apache.lucene	lucene-misc	8.4.1.7.1.8.59-4
Lucene	org.apache.lucene	lucene-monitor	8.4.1.7.1.8.59-4
Lucene	org.apache.lucene	lucene-queries	8.4.1.7.1.8.59-4
Lucene	org.apache.lucene	lucene-queryparser	8.4.1.7.1.8.59-4
Lucene	org.apache.lucene	lucene-replicator	8.4.1.7.1.8.59-4
Lucene	org.apache.lucene	lucene-sandbox	8.4.1.7.1.8.59-4
Lucene	org.apache.lucene	lucene-spatial	8.4.1.7.1.8.59-4
Lucene	org.apache.lucene	lucene-spatial-extras	8.4.1.7.1.8.59-4
Lucene	org.apache.lucene	lucene-spatial3d	8.4.1.7.1.8.59-4
Lucene	org.apache.lucene	lucene-suggest	8.4.1.7.1.8.59-4
Lucene	org.apache.lucene	lucene-test-framework	8.4.1.7.1.8.59-4
Oozie	org.apache.oozie	oozie-client	5.1.0.7.1.8.59-4
Oozie	org.apache.oozie	oozie-core	5.1.0.7.1.8.59-4
Oozie	org.apache.oozie	oozie-distro	5.1.0.7.1.8.59-4
Oozie	org.apache.oozie	oozie-examples	5.1.0.7.1.8.59-4
Oozie	org.apache.oozie	oozie-fluent-job-api	5.1.0.7.1.8.59-4
Oozie	org.apache.oozie	oozie-fluent-job-client	5.1.0.7.1.8.59-4
Oozie	org.apache.oozie	oozie-server	5.1.0.7.1.8.59-4
Oozie	org.apache.oozie	oozie-sharelib-distcp	5.1.0.7.1.8.59-4
Oozie	org.apache.oozie	oozie-sharelib-git	5.1.0.7.1.8.59-4
Oozie	org.apache.oozie	oozie-sharelib-hcatalog	5.1.0.7.1.8.59-4
Oozie	org.apache.oozie	oozie-sharelib-hive	5.1.0.7.1.8.59-4
Oozie	org.apache.oozie	oozie-sharelib-hive2	5.1.0.7.1.8.59-4
Oozie	org.apache.oozie	oozie-sharelib-oozie	5.1.0.7.1.8.59-4
Oozie	org.apache.oozie	oozie-sharelib-spark	5.1.0.7.1.8.59-4
Oozie	org.apache.oozie	oozie-sharelib-sqoop	5.1.0.7.1.8.59-4
Oozie	org.apache.oozie	oozie-sharelib-streaming	5.1.0.7.1.8.59-4
Oozie	org.apache.oozie	oozie-tools	5.1.0.7.1.8.59-4
Oozie	org.apache.oozie	oozie-zookeeper-security-tests	5.1.0.7.1.8.59-4
ORC	org.apache.orc	orc-core	1.5.1.7.1.8.59-4
ORC	org.apache.orc	orc-examples	1.5.1.7.1.8.59-4
ORC	org.apache.orc	orc-mapreduce	1.5.1.7.1.8.59-4

Project	groupId	artifactId	version
ORC	org.apache.orc	orc-shims	1.5.1.7.1.8.59-4
ORC	org.apache.orc	orc-tools	1.5.1.7.1.8.59-4
Parquet	org.apache.parquet	parquet-avro	1.10.99.7.1.8.59-4
Parquet	org.apache.parquet	parquet-cascading	1.10.99.7.1.8.59-4
Parquet	org.apache.parquet	parquet-cascading3	1.10.99.7.1.8.59-4
Parquet	org.apache.parquet	parquet-column	1.10.99.7.1.8.59-4
Parquet	org.apache.parquet	parquet-common	1.10.99.7.1.8.59-4
Parquet	org.apache.parquet	parquet-encoding	1.10.99.7.1.8.59-4
Parquet	org.apache.parquet	parquet-format-structures	1.10.99.7.1.8.59-4
Parquet	org.apache.parquet	parquet-generator	1.10.99.7.1.8.59-4
Parquet	org.apache.parquet	parquet-hadoop	1.10.99.7.1.8.59-4
Parquet	org.apache.parquet	parquet-hadoop-bundle	1.10.99.7.1.8.59-4
Parquet	org.apache.parquet	parquet-jackson	1.10.99.7.1.8.59-4
Parquet	org.apache.parquet	parquet-pig	1.10.99.7.1.8.59-4
Parquet	org.apache.parquet	parquet-pig-bundle	1.10.99.7.1.8.59-4
Parquet	org.apache.parquet	parquet-protobuf	1.10.99.7.1.8.59-4
Parquet	org.apache.parquet	parquet-scala_2.10	1.10.99.7.1.8.59-4
Parquet	org.apache.parquet	parquet-thrift	1.10.99.7.1.8.59-4
Parquet	org.apache.parquet	parquet-tools	1.10.99.7.1.8.59-4
Phoenix	org.apache.phoenix	phoenix-client-embedded-hbase-2.4	5.1.1.7.1.8.59-4
Phoenix	org.apache.phoenix	phoenix-client-hbase-2.4	5.1.1.7.1.8.59-4
Phoenix	org.apache.phoenix	phoenix-connectors-phoenix5-compat	6.0.0.7.1.8.59-4
Phoenix	org.apache.phoenix	phoenix-core	5.1.1.7.1.8.59-4
Phoenix	org.apache.phoenix	phoenix-hbase-compat-2.1.6	5.1.1.7.1.8.59-4
Phoenix	org.apache.phoenix	phoenix-hbase-compat-2.2.5	5.1.1.7.1.8.59-4
Phoenix	org.apache.phoenix	phoenix-hbase-compat-2.3.0	5.1.1.7.1.8.59-4
Phoenix	org.apache.phoenix	phoenix-hbase-compat-2.4.0	5.1.1.7.1.8.59-4
Phoenix	org.apache.phoenix	phoenix-hbase-compat-2.4.1	5.1.1.7.1.8.59-4
Phoenix	org.apache.phoenix	phoenix-pherf	5.1.1.7.1.8.59-4
Phoenix	org.apache.phoenix	phoenix-queryserver	6.0.0.7.1.8.59-4
Phoenix	org.apache.phoenix	phoenix-queryserver-client	6.0.0.7.1.8.59-4
Phoenix	org.apache.phoenix	phoenix-queryserver-it	6.0.0.7.1.8.59-4
Phoenix	org.apache.phoenix	phoenix-queryserver-load-balancer	6.0.0.7.1.8.59-4
Phoenix	org.apache.phoenix	phoenix-queryserver-orchestrator	6.0.0.7.1.8.59-4
Phoenix	org.apache.phoenix	phoenix-server-hbase-2.4	5.1.1.7.1.8.59-4
Phoenix	org.apache.phoenix	phoenix-tracing-webapp	5.1.1.7.1.8.59-4
Phoenix	org.apache.phoenix	phoenix5-hive	6.0.0.7.1.8.59-4
Phoenix	org.apache.phoenix	phoenix5-hive-shaded	6.0.0.7.1.8.59-4
Phoenix	org.apache.phoenix	phoenix5-spark	6.0.0.7.1.8.59-4

Project	groupId	artifactId	version
Phoenix	org.apache.phoenix	phoenix5-spark-shaded	6.0.0.7.1.8.59-4
Ranger	org.apache.ranger	conditions-enrichers	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	credentialbuilder	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	embeddedwebserver	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	jisql	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ldapconfigcheck	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-adls-plugin	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-atlas-plugin	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-atlas-plugin-shim	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-authn	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-distro	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-examples-distro	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-hbase-plugin	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-hbase-plugin-shim	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-hdfs-plugin	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-hdfs-plugin-shim	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-hive-plugin	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-hive-plugin-shim	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-intg	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-kafka-connect-plugin	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-kafka-plugin	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-kafka-plugin-shim	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-kms	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-kms-plugin	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-kms-plugin-shim	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-knox-plugin	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-knox-plugin-shim	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-kudu-plugin	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-kylin-plugin	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-kylin-plugin-shim	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-nifi-plugin	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-nifi-registry-plugin	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-ozone-plugin	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-ozone-plugin-shim	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-plugin-classloader	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-plugins-audit	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-plugins-common	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-plugins-cred	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-plugins-installer	2.3.0.7.1.8.59-4

Project	groupId	artifactId	version
Ranger	org.apache.ranger	ranger-policymigration	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-raz-adls	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-raz-chained-plugins	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-raz-hook-abfs	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-raz-intg	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-raz-processor	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-rms-common	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-rms-hive	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-rms-plugins-common	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-rms-webapp	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-sampleapp-plugin	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-schema-registry-plugin	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-solr-plugin	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-solr-plugin-shim	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-sqoop-plugin	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-sqoop-plugin-shim	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-storm-plugin	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-storm-plugin-shim	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-tagsync	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-tools	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-util	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-yarn-plugin	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ranger-yarn-plugin-shim	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	sample-client	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	sampleapp	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	shaded-raz-hook-abfs	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	ugsync-util	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	unixauthclient	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	unixauthservice	2.3.0.7.1.8.59-4
Ranger	org.apache.ranger	unixusersync	2.3.0.7.1.8.59-4
Solr	org.apache.solr	solr-analysis-extras	8.4.1.7.1.8.59-4
Solr	org.apache.solr	solr-analytics	8.4.1.7.1.8.59-4
Solr	org.apache.solr	solr-cell	8.4.1.7.1.8.59-4
Solr	org.apache.solr	solr-clustering	8.4.1.7.1.8.59-4
Solr	org.apache.solr	solr-core	8.4.1.7.1.8.59-4
Solr	org.apache.solr	solr-dataimporthandler	8.4.1.7.1.8.59-4
Solr	org.apache.solr	solr-dataimporthandler-extras	8.4.1.7.1.8.59-4
Solr	org.apache.solr	solr-jaegertracer-configurator	8.4.1.7.1.8.59-4
Solr	org.apache.solr	solr-langid	8.4.1.7.1.8.59-4

Project	groupId	artifactId	version
Solr	org.apache.solr	solr-ltr	8.4.1.7.1.8.59-4
Solr	org.apache.solr	solr-prometheus-exporter	8.4.1.7.1.8.59-4
Solr	org.apache.solr	solr-security-util	8.4.1.7.1.8.59-4
Solr	org.apache.solr	solr-solrj	8.4.1.7.1.8.59-4
Solr	org.apache.solr	solr-test-framework	8.4.1.7.1.8.59-4
Solr	org.apache.solr	solr-velocity	8.4.1.7.1.8.59-4
Spark	org.apache.spark	spark-avro_2.11	2.4.8.7.1.8.59-4
Spark	org.apache.spark	spark-catalyst_2.11	2.4.8.7.1.8.59-4
Spark	org.apache.spark	spark-core_2.11	2.4.8.7.1.8.59-4
Spark	org.apache.spark	spark-graphx_2.11	2.4.8.7.1.8.59-4
Spark	org.apache.spark	spark-hadoop-cloud_2.11	2.4.8.7.1.8.59-4
Spark	org.apache.spark	spark-hive_2.11	2.4.8.7.1.8.59-4
Spark	org.apache.spark	spark-kubernetes_2.11	2.4.8.7.1.8.59-4
Spark	org.apache.spark	spark-kvstore_2.11	2.4.8.7.1.8.59-4
Spark	org.apache.spark	spark-launcher_2.11	2.4.8.7.1.8.59-4
Spark	org.apache.spark	spark-mllib-local_2.11	2.4.8.7.1.8.59-4
Spark	org.apache.spark	spark-mllib_2.11	2.4.8.7.1.8.59-4
Spark	org.apache.spark	spark-network-common_2.11	2.4.8.7.1.8.59-4
Spark	org.apache.spark	spark-network-shuffle_2.11	2.4.8.7.1.8.59-4
Spark	org.apache.spark	spark-network-yarn_2.11	2.4.8.7.1.8.59-4
Spark	org.apache.spark	spark-repl_2.11	2.4.8.7.1.8.59-4
Spark	org.apache.spark	spark-sketch_2.11	2.4.8.7.1.8.59-4
Spark	org.apache.spark	spark-sql-kafka-0-10_2.11	2.4.8.7.1.8.59-4
Spark	org.apache.spark	spark-sql_2.11	2.4.8.7.1.8.59-4
Spark	org.apache.spark	spark-streaming-kafka-0-10-assembly_2.11	2.4.8.7.1.8.59-4
Spark	org.apache.spark	spark-streaming-kafka-0-10_2.11	2.4.8.7.1.8.59-4
Spark	org.apache.spark	spark-streaming_2.11	2.4.8.7.1.8.59-4
Spark	org.apache.spark	spark-tags_2.11	2.4.8.7.1.8.59-4
Spark	org.apache.spark	spark-token-provider-kafka-0-10_2.11	2.4.8.7.1.8.59-4
Spark	org.apache.spark	spark-unsafe_2.11	2.4.8.7.1.8.59-4
Spark	org.apache.spark	spark-yarn_2.11	2.4.8.7.1.8.59-4
Sqoop	org.apache.sqoop	sqoop	1.4.7.7.1.8.59-4
Sqoop	org.apache.sqoop	sqoop-test	1.4.7.7.1.8.59-4
Tez	org.apache.tez	hadoop-shim	0.9.1.7.1.8.59-4
Tez	org.apache.tez	hadoop-shim-2.8	0.9.1.7.1.8.59-4
Tez	org.apache.tez	tez-api	0.9.1.7.1.8.59-4
Tez	org.apache.tez	tez-aux-services	0.9.1.7.1.8.59-4
Tez	org.apache.tez	tez-common	0.9.1.7.1.8.59-4
Tez	org.apache.tez	tez-dag	0.9.1.7.1.8.59-4

Project	groupId	artifactId	version
Tez	org.apache.tez	tez-examples	0.9.1.7.1.8.59-4
Tez	org.apache.tez	tez-ext-service-tests	0.9.1.7.1.8.59-4
Tez	org.apache.tez	tez-history-parser	0.9.1.7.1.8.59-4
Tez	org.apache.tez	tez-javadoc-tools	0.9.1.7.1.8.59-4
Tez	org.apache.tez	tez-job-analyzer	0.9.1.7.1.8.59-4
Tez	org.apache.tez	tez-mapreduce	0.9.1.7.1.8.59-4
Tez	org.apache.tez	tez-protobuf-history-plugin	0.9.1.7.1.8.59-4
Tez	org.apache.tez	tez-runtime-internals	0.9.1.7.1.8.59-4
Tez	org.apache.tez	tez-runtime-library	0.9.1.7.1.8.59-4
Tez	org.apache.tez	tez-tests	0.9.1.7.1.8.59-4
Tez	org.apache.tez	tez-yarn-timeline-cache-plugin	0.9.1.7.1.8.59-4
Tez	org.apache.tez	tez-yarn-timeline-history	0.9.1.7.1.8.59-4
Tez	org.apache.tez	tez-yarn-timeline-history-with-acls	0.9.1.7.1.8.59-4
Tez	org.apache.tez	tez-yarn-timeline-history-with-fs	0.9.1.7.1.8.59-4
Zeppelin	org.apache.zeppelin	zeppelin-angular	0.8.2.7.1.8.59-4
Zeppelin	org.apache.zeppelin	zeppelin-display	0.8.2.7.1.8.59-4
Zeppelin	org.apache.zeppelin	zeppelin-interpreter	0.8.2.7.1.8.59-4
Zeppelin	org.apache.zeppelin	zeppelin-jdbc	0.8.2.7.1.8.59-4
Zeppelin	org.apache.zeppelin	zeppelin-jupyter	0.8.2.7.1.8.59-4
Zeppelin	org.apache.zeppelin	zeppelin-livy	0.8.2.7.1.8.59-4
Zeppelin	org.apache.zeppelin	zeppelin-markdown	0.8.2.7.1.8.59-4
Zeppelin	org.apache.zeppelin	zeppelin-server	0.8.2.7.1.8.59-4
Zeppelin	org.apache.zeppelin	zeppelin-shell	0.8.2.7.1.8.59-4
Zeppelin	org.apache.zeppelin	zeppelin-zengine	0.8.2.7.1.8.59-4
ZooKeeper	org.apache.zookeeper	zookeeper	3.5.5.7.1.8.59-4
ZooKeeper	org.apache.zookeeper	zookeeper-client-c	3.5.5.7.1.8.59-4
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-loggraph	3.5.5.7.1.8.59-4
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-rest	3.5.5.7.1.8.59-4
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-zooinspector	3.5.5.7.1.8.59-4
ZooKeeper	org.apache.zookeeper	zookeeper-docs	3.5.5.7.1.8.59-4
ZooKeeper	org.apache.zookeeper	zookeeper-jute	3.5.5.7.1.8.59-4
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-election	3.5.5.7.1.8.59-4
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-lock	3.5.5.7.1.8.59-4
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-queue	3.5.5.7.1.8.59-4

Runtime 7.1.8.60-2

The following table lists the project name, groupId, artifactId, and version required to access each Runtime artifact.

Project	groupId	artifactId	version
Atlas	org.apache.atlas	atlas-authorization	2.1.0.7.1.8.60-2

Project	groupId	artifactId	version
Atlas	org.apache.atlas	atlas-aws-s3-bridge	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	atlas-azure-adls-bridge	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	atlas-classification-updater	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	atlas-client-common	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	atlas-client-v1	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	atlas-client-v2	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	atlas-common	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	atlas-distro	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	atlas-docs	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	atlas-graphdb-api	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	atlas-graphdb-common	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	atlas-graphdb-janus	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	atlas-hdfs-bridge	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	atlas-index-repair-tool	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	atlas-intg	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	atlas-janusgraph-hbase2	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	atlas-notification	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	atlas-plugin-classloader	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	atlas-repository	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	atlas-server-api	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	atlas-testtools	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	hbase-bridge	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	hbase-bridge-shim	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	hbase-testing-util	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	hdfs-model	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	hive-bridge	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	hive-bridge-shim	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	impala-bridge	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	impala-bridge-shim	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	impala-hook-api	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	kafka-bridge	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	kafka-bridge-shim	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	navigator-to-atlas	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	sample-app	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	sqoop-bridge	2.1.0.7.1.8.60-2
Atlas	org.apache.atlas	sqoop-bridge-shim	2.1.0.7.1.8.60-2
Avro	org.apache.avro	avro	1.8.2.7.1.8.60-2
Avro	org.apache.avro	avro-compiler	1.8.2.7.1.8.60-2
Avro	org.apache.avro	avro-ipc	1.8.2.7.1.8.60-2

Project	groupId	artifactId	version
Avro	org.apache.avro	avro-mapred	1.8.2.7.1.8.60-2
Avro	org.apache.avro	avro-maven-plugin	1.8.2.7.1.8.60-2
Avro	org.apache.avro	avro-protobuf	1.8.2.7.1.8.60-2
Avro	org.apache.avro	avro-service-archetype	1.8.2.7.1.8.60-2
Avro	org.apache.avro	avro-thrift	1.8.2.7.1.8.60-2
Avro	org.apache.avro	avro-tools	1.8.2.7.1.8.60-2
Avro	org.apache.avro	trevni-avro	1.8.2.7.1.8.60-2
Avro	org.apache.avro	trevni-core	1.8.2.7.1.8.60-2
Calcite	org.apache.calcite	calcite-babel	1.19.0.7.1.8.60-2
Calcite	org.apache.calcite	calcite-core	1.19.0.7.1.8.60-2
Calcite	org.apache.calcite	calcite-druid	1.19.0.7.1.8.60-2
Calcite	org.apache.calcite	calcite-linq4j	1.19.0.7.1.8.60-2
Calcite	org.apache.calcite	calcite-server	1.19.0.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-aliyun	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-annotations	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-archive-logs	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-archives	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-assemblies	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-auth	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-aws	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-azure	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-azure-datalake	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-build-tools	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-client	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-client-api	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-client-integration-tests	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-client-minicluster	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-client-runtime	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-cloud-storage	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-common	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-datajoin	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-distcp	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-extras	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-fs2img	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-gridmix	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-hdfs	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-hdfs-client	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-hdfs-httpfs	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-hdfs-native-client	3.1.1.7.1.8.60-2

Project	groupId	artifactId	version
Hadoop	org.apache.hadoop	hadoop-hdfs-nfs	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-hdfs-rbf	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-kafka	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-kms	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-app	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-common	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-core	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-hs	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-hs-plugins	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-jobclient	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-nativetask	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-shuffle	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-uploader	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-mapreduce-examples	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-maven-plugins	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-minicluster	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-minikdc	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-nfs	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-openstack	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-resourceestimator	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-rumen	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-sls	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-streaming	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-tools-dist	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-yarn-api	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-yarn-applications-distributedshell	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-yarn-applications-unmanaged-am-launcher	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-yarn-client	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-yarn-common	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-yarn-registry	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-yarn-server-applicationhistoryservice	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-yarn-server-common	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-yarn-server-nodemanager	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-yarn-server-resourcemanager	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-yarn-server-router	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-yarn-server-sharedcachemanager	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-yarn-server-tests	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-yarn-server-timeline-pluginstorage	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice	3.1.1.7.1.8.60-2

Project	groupId	artifactId	version
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-client	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-common	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-server-2	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-tests	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-yarn-server-web-proxy	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-yarn-services-api	3.1.1.7.1.8.60-2
Hadoop	org.apache.hadoop	hadoop-yarn-services-core	3.1.1.7.1.8.60-2
HBase	org.apache.hbase	hbase-annotations	2.4.6.7.1.8.60-2
HBase	org.apache.hbase	hbase-asyncfs	2.4.6.7.1.8.60-2
HBase	org.apache.hbase	hbase-checkstyle	2.4.6.7.1.8.60-2
HBase	org.apache.hbase	hbase-client	2.4.6.7.1.8.60-2
HBase	org.apache.hbase	hbase-client-project	2.4.6.7.1.8.60-2
HBase	org.apache.hbase	hbase-common	2.4.6.7.1.8.60-2
HBase	org.apache.hbase	hbase-endpoint	2.4.6.7.1.8.60-2
HBase	org.apache.hbase	hbase-examples	2.4.6.7.1.8.60-2
HBase	org.apache.hbase	hbase-external-blockcache	2.4.6.7.1.8.60-2
HBase	org.apache.hbase	hbase-hadoop-compat	2.4.6.7.1.8.60-2
HBase	org.apache.hbase	hbase-hadoop2-compat	2.4.6.7.1.8.60-2
HBase	org.apache.hbase	hbase-hbtop	2.4.6.7.1.8.60-2
HBase	org.apache.hbase	hbase-http	2.4.6.7.1.8.60-2
HBase	org.apache.hbase	hbase-it	2.4.6.7.1.8.60-2
HBase	org.apache.hbase	hbase-logging	2.4.6.7.1.8.60-2
HBase	org.apache.hbase	hbase-mapreduce	2.4.6.7.1.8.60-2
HBase	org.apache.hbase	hbase-metrics	2.4.6.7.1.8.60-2
HBase	org.apache.hbase	hbase-metrics-api	2.4.6.7.1.8.60-2
HBase	org.apache.hbase	hbase-procedure	2.4.6.7.1.8.60-2
HBase	org.apache.hbase	hbase-protocol	2.4.6.7.1.8.60-2
HBase	org.apache.hbase	hbase-protocol-shaded	2.4.6.7.1.8.60-2
HBase	org.apache.hbase	hbase-replication	2.4.6.7.1.8.60-2
HBase	org.apache.hbase	hbase-resource-bundle	2.4.6.7.1.8.60-2
HBase	org.apache.hbase	hbase-rest	2.4.6.7.1.8.60-2
HBase	org.apache.hbase	hbase-rsgroup	2.4.6.7.1.8.60-2
HBase	org.apache.hbase	hbase-server	2.4.6.7.1.8.60-2
HBase	org.apache.hbase	hbase-shaded-client	2.4.6.7.1.8.60-2
HBase	org.apache.hbase	hbase-shaded-client-byo-hadoop	2.4.6.7.1.8.60-2
HBase	org.apache.hbase	hbase-shaded-client-project	2.4.6.7.1.8.60-2
HBase	org.apache.hbase	hbase-shaded-mapreduce	2.4.6.7.1.8.60-2
HBase	org.apache.hbase	hbase-shaded-testing-util	2.4.6.7.1.8.60-2
HBase	org.apache.hbase	hbase-shaded-testing-util-tester	2.4.6.7.1.8.60-2

Project	groupId	artifactId	version
HBase	org.apache.hbase	hbase-shell	2.4.6.7.1.8.60-2
HBase	org.apache.hbase	hbase-testing-util	2.4.6.7.1.8.60-2
HBase	org.apache.hbase	hbase-thrift	2.4.6.7.1.8.60-2
HBase	org.apache.hbase	hbase-zookeeper	2.4.6.7.1.8.60-2
Hive	org.apache.hive	hive-beeline	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-blobstore	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-classification	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-cli	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-common	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-contrib	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-exec	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-hbase-handler	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-hcatalog-it-unit	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-hplsql	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-it-custom-serde	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-it-minikdc	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-it-qfile	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-it-qfile-kudu	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-it-test-serde	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-it-unit	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-it-unit-hadoop2	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-it-util	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-jdbc	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-jdbc-handler	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-jmh	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-kryo-registrator	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-kudu-handler	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-llap-client	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-llap-common	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-llap-ext-client	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-llap-server	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-llap-tez	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-metastore	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-pre-upgrade	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-serde	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-service	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-service-rpc	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-shims	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-spark-client	3.1.3000.7.1.8.60-2

Project	groupId	artifactId	version
Hive	org.apache.hive	hive-standalone-metastore	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-storage-api	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-streaming	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-testutils	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	hive-vector-code-gen	3.1.3000.7.1.8.60-2
Hive	org.apache.hive	kafka-handler	3.1.3000.7.1.8.60-2
Hive Warehouse Connector	com.hortonworks.hive	hive-warehouse-connector_2.11	1.0.0.7.1.8.60-2
Kafka	org.apache.kafka	connect	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	connect-api	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	connect-basic-auth-extension	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	connect-cloudera-authorization-extension	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	connect-cloudera-common	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	connect-cloudera-secret-storage	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	connect-cloudera-security-policies	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	connect-file	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	connect-json	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	connect-mirror	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	connect-mirror-client	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	connect-runtime	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	connect-transforms	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	generator	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	kafka-clients	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	kafka-cloudera-metrics-reporter_2.12	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	kafka-cloudera-metrics-reporter_2.13	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	kafka-cloudera-plugins	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	kafka-examples	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	kafka-log4j-appender	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	kafka-metadata	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	kafka-raft	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	kafka-server-common	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	kafka-shell	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	kafka-storage	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	kafka-storage-api	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	kafka-streams	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	kafka-streams-examples	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	kafka-streams-scala_2.12	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	kafka-streams-scala_2.13	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	kafka-streams-test-utils	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0100	3.1.1.7.1.8.60-2

Project	groupId	artifactId	version
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0101	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0102	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0110	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-10	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-11	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-20	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-21	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-22	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-23	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-24	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-25	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-26	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-27	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-28	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	kafka-tools	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	kafka_2.12	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	kafka_2.13	3.1.1.7.1.8.60-2
Kafka	org.apache.kafka	trogdor	3.1.1.7.1.8.60-2
Knox	org.apache.knox	gateway-adapter	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-admin-ui	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-applications	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-cloud-bindings	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-demo-ldap	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-demo-ldap-launcher	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-discovery-ambari	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-discovery-cm	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-docker	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-i18n	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-i18n-logging-log4j	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-i18n-logging-sl4j	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-provider-ha	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-provider-identity-assertion-common	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-provider-identity-assertion-concat	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-provider-identity-assertion-hadoop-groups	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-provider-identity-assertion-pseudo	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-provider-identity-assertion-regex	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-provider-identity-assertion-switchcase	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-provider-jersey	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-provider-rewrite	1.3.0.7.1.8.60-2

Project	groupId	artifactId	version
Knox	org.apache.knox	gateway-provider-rewrite-common	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-provider-rewrite-func-hostmap-static	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-provider-rewrite-func-inbound-query-param	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-provider-rewrite-func-service-registry	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-provider-rewrite-step-encrypt-uri	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-provider-rewrite-step-secure-query	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-provider-security-authc-anon	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-provider-security-authz-acls	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-provider-security-authz-composite	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-provider-security-clientcert	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-provider-security-hadoopauth	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-provider-security-jwt	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-provider-security-pac4j	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-provider-security-preauth	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-provider-security-shiro	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-provider-security-webappsec	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-release	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-server	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-server-launcher	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-server-xforwarded-filter	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-service-admin	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-service-as	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-service-definitions	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-service-hashicorp-vault	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-service-hbase	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-service-health	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-service-hive	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-service-idbroker	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-service-impala	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-service-jkg	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-service-knoxsso	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-service-knoxssout	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-service-knoxtoken	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-service-livy	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-service-metadata	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-service-nifi	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-service-nifi-registry	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-service-remoteconfig	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-service-rm	1.3.0.7.1.8.60-2

Project	groupId	artifactId	version
Knox	org.apache.knox	gateway-service-session	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-service-storm	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-service-test	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-service-tgs	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-service-vault	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-service-webhdfs	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-shell	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-shell-launcher	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-shell-release	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-shell-samples	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-spi	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-test	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-test-idbroker	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-test-release-utils	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-test-utils	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-topology-hadoop-xml	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-topology-simple	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-util-common	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-util-configinjector	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-util-launcher	1.3.0.7.1.8.60-2
Knox	org.apache.knox	gateway-util-urltemplate	1.3.0.7.1.8.60-2
Knox	org.apache.knox	hadoop-examples	1.3.0.7.1.8.60-2
Knox	org.apache.knox	knox-cli-launcher	1.3.0.7.1.8.60-2
Knox	org.apache.knox	knox-homepage-ui	1.3.0.7.1.8.60-2
Knox	org.apache.knox	webhdfs-kerb-test	1.3.0.7.1.8.60-2
Knox	org.apache.knox	webhdfs-test	1.3.0.7.1.8.60-2
Kudu	org.apache.kudu	kudu-backup-tools	1.15.0.7.1.8.60-2
Kudu	org.apache.kudu	kudu-backup2_2.11	1.15.0.7.1.8.60-2
Kudu	org.apache.kudu	kudu-backup3_2.12	1.15.0.7.1.8.60-2
Kudu	org.apache.kudu	kudu-client	1.15.0.7.1.8.60-2
Kudu	org.apache.kudu	kudu-hive	1.15.0.7.1.8.60-2
Kudu	org.apache.kudu	kudu-spark2-tools_2.11	1.15.0.7.1.8.60-2
Kudu	org.apache.kudu	kudu-spark2_2.11	1.15.0.7.1.8.60-2
Kudu	org.apache.kudu	kudu-spark3-tools_2.12	1.15.0.7.1.8.60-2
Kudu	org.apache.kudu	kudu-spark3_2.12	1.15.0.7.1.8.60-2
Kudu	org.apache.kudu	kudu-test-utils	1.15.0.7.1.8.60-2
Livy	org.apache.livy	livy-api	0.6.0.7.1.8.60-2
Livy	org.apache.livy	livy-client-common	0.6.0.7.1.8.60-2
Livy	org.apache.livy	livy-client-http	0.6.0.7.1.8.60-2

Project	groupId	artifactId	version
Livy	org.apache.livy	livy-core_2.11	0.6.0.7.1.8.60-2
Livy	org.apache.livy	livy-examples	0.6.0.7.1.8.60-2
Livy	org.apache.livy	livy-integration-test	0.6.0.7.1.8.60-2
Livy	org.apache.livy	livy-repl_2.11	0.6.0.7.1.8.60-2
Livy	org.apache.livy	livy-rsc	0.6.0.7.1.8.60-2
Livy	org.apache.livy	livy-scala-api_2.11	0.6.0.7.1.8.60-2
Livy	org.apache.livy	livy-server	0.6.0.7.1.8.60-2
Livy	org.apache.livy	livy-test-lib	0.6.0.7.1.8.60-2
Livy	org.apache.livy	livy-thriftserver	0.6.0.7.1.8.60-2
Livy	org.apache.livy	livy-thriftserver-session	0.6.0.7.1.8.60-2
Lucene	org.apache.lucene	lucene-analyzers-common	8.4.1.7.1.8.60-2
Lucene	org.apache.lucene	lucene-analyzers-icu	8.4.1.7.1.8.60-2
Lucene	org.apache.lucene	lucene-analyzers-kuromoji	8.4.1.7.1.8.60-2
Lucene	org.apache.lucene	lucene-analyzers-morfologik	8.4.1.7.1.8.60-2
Lucene	org.apache.lucene	lucene-analyzers-nori	8.4.1.7.1.8.60-2
Lucene	org.apache.lucene	lucene-analyzers-opennlp	8.4.1.7.1.8.60-2
Lucene	org.apache.lucene	lucene-analyzers-phonetic	8.4.1.7.1.8.60-2
Lucene	org.apache.lucene	lucene-analyzers-smartcn	8.4.1.7.1.8.60-2
Lucene	org.apache.lucene	lucene-analyzers-stempel	8.4.1.7.1.8.60-2
Lucene	org.apache.lucene	lucene-backward-codecs	8.4.1.7.1.8.60-2
Lucene	org.apache.lucene	lucene-benchmark	8.4.1.7.1.8.60-2
Lucene	org.apache.lucene	lucene-classification	8.4.1.7.1.8.60-2
Lucene	org.apache.lucene	lucene-codecs	8.4.1.7.1.8.60-2
Lucene	org.apache.lucene	lucene-core	8.4.1.7.1.8.60-2
Lucene	org.apache.lucene	lucene-demo	8.4.1.7.1.8.60-2
Lucene	org.apache.lucene	lucene-expressions	8.4.1.7.1.8.60-2
Lucene	org.apache.lucene	lucene-facet	8.4.1.7.1.8.60-2
Lucene	org.apache.lucene	lucene-grouping	8.4.1.7.1.8.60-2
Lucene	org.apache.lucene	lucene-highlighter	8.4.1.7.1.8.60-2
Lucene	org.apache.lucene	lucene-join	8.4.1.7.1.8.60-2
Lucene	org.apache.lucene	lucene-memory	8.4.1.7.1.8.60-2
Lucene	org.apache.lucene	lucene-misc	8.4.1.7.1.8.60-2
Lucene	org.apache.lucene	lucene-monitor	8.4.1.7.1.8.60-2
Lucene	org.apache.lucene	lucene-queries	8.4.1.7.1.8.60-2
Lucene	org.apache.lucene	lucene-queryparser	8.4.1.7.1.8.60-2
Lucene	org.apache.lucene	lucene-replicator	8.4.1.7.1.8.60-2
Lucene	org.apache.lucene	lucene-sandbox	8.4.1.7.1.8.60-2
Lucene	org.apache.lucene	lucene-spatial	8.4.1.7.1.8.60-2
Lucene	org.apache.lucene	lucene-spatial-extras	8.4.1.7.1.8.60-2

Project	groupId	artifactId	version
Lucene	org.apache.lucene	lucene-spatial3d	8.4.1.7.1.8.60-2
Lucene	org.apache.lucene	lucene-suggest	8.4.1.7.1.8.60-2
Lucene	org.apache.lucene	lucene-test-framework	8.4.1.7.1.8.60-2
Oozie	org.apache.oozie	oozie-client	5.1.0.7.1.8.60-2
Oozie	org.apache.oozie	oozie-core	5.1.0.7.1.8.60-2
Oozie	org.apache.oozie	oozie-distro	5.1.0.7.1.8.60-2
Oozie	org.apache.oozie	oozie-examples	5.1.0.7.1.8.60-2
Oozie	org.apache.oozie	oozie-fluent-job-api	5.1.0.7.1.8.60-2
Oozie	org.apache.oozie	oozie-fluent-job-client	5.1.0.7.1.8.60-2
Oozie	org.apache.oozie	oozie-server	5.1.0.7.1.8.60-2
Oozie	org.apache.oozie	oozie-sharelib-distcp	5.1.0.7.1.8.60-2
Oozie	org.apache.oozie	oozie-sharelib-git	5.1.0.7.1.8.60-2
Oozie	org.apache.oozie	oozie-sharelib-hcatalog	5.1.0.7.1.8.60-2
Oozie	org.apache.oozie	oozie-sharelib-hive	5.1.0.7.1.8.60-2
Oozie	org.apache.oozie	oozie-sharelib-hive2	5.1.0.7.1.8.60-2
Oozie	org.apache.oozie	oozie-sharelib-oozie	5.1.0.7.1.8.60-2
Oozie	org.apache.oozie	oozie-sharelib-spark	5.1.0.7.1.8.60-2
Oozie	org.apache.oozie	oozie-sharelib-sqoop	5.1.0.7.1.8.60-2
Oozie	org.apache.oozie	oozie-sharelib-streaming	5.1.0.7.1.8.60-2
Oozie	org.apache.oozie	oozie-tools	5.1.0.7.1.8.60-2
Oozie	org.apache.oozie	oozie-zookeeper-security-tests	5.1.0.7.1.8.60-2
ORC	org.apache.orc	orc-core	1.5.1.7.1.8.60-2
ORC	org.apache.orc	orc-examples	1.5.1.7.1.8.60-2
ORC	org.apache.orc	orc-mapreduce	1.5.1.7.1.8.60-2
ORC	org.apache.orc	orc-shims	1.5.1.7.1.8.60-2
ORC	org.apache.orc	orc-tools	1.5.1.7.1.8.60-2
Parquet	org.apache.parquet	parquet-avro	1.10.99.7.1.8.60-2
Parquet	org.apache.parquet	parquet-cascading	1.10.99.7.1.8.60-2
Parquet	org.apache.parquet	parquet-cascading3	1.10.99.7.1.8.60-2
Parquet	org.apache.parquet	parquet-column	1.10.99.7.1.8.60-2
Parquet	org.apache.parquet	parquet-common	1.10.99.7.1.8.60-2
Parquet	org.apache.parquet	parquet-encoding	1.10.99.7.1.8.60-2
Parquet	org.apache.parquet	parquet-format-structures	1.10.99.7.1.8.60-2
Parquet	org.apache.parquet	parquet-generator	1.10.99.7.1.8.60-2
Parquet	org.apache.parquet	parquet-hadoop	1.10.99.7.1.8.60-2
Parquet	org.apache.parquet	parquet-hadoop-bundle	1.10.99.7.1.8.60-2
Parquet	org.apache.parquet	parquet-jackson	1.10.99.7.1.8.60-2
Parquet	org.apache.parquet	parquet-pig	1.10.99.7.1.8.60-2
Parquet	org.apache.parquet	parquet-pig-bundle	1.10.99.7.1.8.60-2

Project	groupId	artifactId	version
Parquet	org.apache.parquet	parquet-protobuf	1.10.99.7.1.8.60-2
Parquet	org.apache.parquet	parquet-scala_2.10	1.10.99.7.1.8.60-2
Parquet	org.apache.parquet	parquet-thrift	1.10.99.7.1.8.60-2
Parquet	org.apache.parquet	parquet-tools	1.10.99.7.1.8.60-2
Phoenix	org.apache.phoenix	phoenix-client-embedded-hbase-2.4	5.1.1.7.1.8.60-2
Phoenix	org.apache.phoenix	phoenix-client-hbase-2.4	5.1.1.7.1.8.60-2
Phoenix	org.apache.phoenix	phoenix-connectors-phoenix5-compatible	6.0.0.7.1.8.60-2
Phoenix	org.apache.phoenix	phoenix-core	5.1.1.7.1.8.60-2
Phoenix	org.apache.phoenix	phoenix-hbase-compatible-2.1.6	5.1.1.7.1.8.60-2
Phoenix	org.apache.phoenix	phoenix-hbase-compatible-2.2.5	5.1.1.7.1.8.60-2
Phoenix	org.apache.phoenix	phoenix-hbase-compatible-2.3.0	5.1.1.7.1.8.60-2
Phoenix	org.apache.phoenix	phoenix-hbase-compatible-2.4.0	5.1.1.7.1.8.60-2
Phoenix	org.apache.phoenix	phoenix-hbase-compatible-2.4.1	5.1.1.7.1.8.60-2
Phoenix	org.apache.phoenix	phoenix-pherf	5.1.1.7.1.8.60-2
Phoenix	org.apache.phoenix	phoenix-queryserver	6.0.0.7.1.8.60-2
Phoenix	org.apache.phoenix	phoenix-queryserver-client	6.0.0.7.1.8.60-2
Phoenix	org.apache.phoenix	phoenix-queryserver-it	6.0.0.7.1.8.60-2
Phoenix	org.apache.phoenix	phoenix-queryserver-load-balancer	6.0.0.7.1.8.60-2
Phoenix	org.apache.phoenix	phoenix-queryserver-orchestrator	6.0.0.7.1.8.60-2
Phoenix	org.apache.phoenix	phoenix-server-hbase-2.4	5.1.1.7.1.8.60-2
Phoenix	org.apache.phoenix	phoenix-tracing-webapp	5.1.1.7.1.8.60-2
Phoenix	org.apache.phoenix	phoenix5-hive	6.0.0.7.1.8.60-2
Phoenix	org.apache.phoenix	phoenix5-hive-shaded	6.0.0.7.1.8.60-2
Phoenix	org.apache.phoenix	phoenix5-spark	6.0.0.7.1.8.60-2
Phoenix	org.apache.phoenix	phoenix5-spark-shaded	6.0.0.7.1.8.60-2
Ranger	org.apache.ranger	conditions-enrichers	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	credentialbuilder	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	embeddedwebserver	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	jisql	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ldapconfigcheck	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-adls-plugin	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-atlas-plugin	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-atlas-plugin-shim	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-authn	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-distro	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-examples-distro	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-hbase-plugin	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-hbase-plugin-shim	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-hdfs-plugin	2.3.0.7.1.8.60-2

Project	groupId	artifactId	version
Ranger	org.apache.ranger	ranger-hdfs-plugin-shim	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-hive-plugin	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-hive-plugin-shim	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-intg	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-kafka-connect-plugin	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-kafka-plugin	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-kafka-plugin-shim	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-kms	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-kms-plugin	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-kms-plugin-shim	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-knox-plugin	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-knox-plugin-shim	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-kudu-plugin	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-kylin-plugin	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-kylin-plugin-shim	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-nifi-plugin	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-nifi-registry-plugin	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-ozone-plugin	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-ozone-plugin-shim	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-plugin-classloader	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-plugins-audit	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-plugins-common	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-plugins-cred	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-plugins-installer	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-policymigration	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-raz-adls	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-raz-chained-plugins	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-raz-hook-abfs	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-raz-intg	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-raz-processor	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-rms-common	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-rms-hive	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-rms-plugins-common	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-rms-webapp	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-sampleapp-plugin	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-schema-registry-plugin	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-solr-plugin	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-solr-plugin-shim	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-sqoop-plugin	2.3.0.7.1.8.60-2

Project	groupId	artifactId	version
Ranger	org.apache.ranger	ranger-sqoop-plugin-shim	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-storm-plugin	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-storm-plugin-shim	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-tagsync	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-tools	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-util	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-yarn-plugin	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ranger-yarn-plugin-shim	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	sample-client	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	sampleapp	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	shaded-raz-hook-abfs	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	ugsync-util	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	unixauthclient	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	unixauthservice	2.3.0.7.1.8.60-2
Ranger	org.apache.ranger	unixusersync	2.3.0.7.1.8.60-2
Solr	org.apache.solr	solr-analysis-extras	8.4.1.7.1.8.60-2
Solr	org.apache.solr	solr-analytics	8.4.1.7.1.8.60-2
Solr	org.apache.solr	solr-cell	8.4.1.7.1.8.60-2
Solr	org.apache.solr	solr-clustering	8.4.1.7.1.8.60-2
Solr	org.apache.solr	solr-core	8.4.1.7.1.8.60-2
Solr	org.apache.solr	solr-dataimporthandler	8.4.1.7.1.8.60-2
Solr	org.apache.solr	solr-dataimporthandler-extras	8.4.1.7.1.8.60-2
Solr	org.apache.solr	solr-jaegertracer-configurator	8.4.1.7.1.8.60-2
Solr	org.apache.solr	solr-langid	8.4.1.7.1.8.60-2
Solr	org.apache.solr	solr-ltr	8.4.1.7.1.8.60-2
Solr	org.apache.solr	solr-prometheus-exporter	8.4.1.7.1.8.60-2
Solr	org.apache.solr	solr-security-util	8.4.1.7.1.8.60-2
Solr	org.apache.solr	solr-solrj	8.4.1.7.1.8.60-2
Solr	org.apache.solr	solr-test-framework	8.4.1.7.1.8.60-2
Solr	org.apache.solr	solr-velocity	8.4.1.7.1.8.60-2
Spark	org.apache.spark	spark-avro_2.11	2.4.8.7.1.8.60-2
Spark	org.apache.spark	spark-catalyst_2.11	2.4.8.7.1.8.60-2
Spark	org.apache.spark	spark-core_2.11	2.4.8.7.1.8.60-2
Spark	org.apache.spark	spark-graphx_2.11	2.4.8.7.1.8.60-2
Spark	org.apache.spark	spark-hadoop-cloud_2.11	2.4.8.7.1.8.60-2
Spark	org.apache.spark	spark-hive_2.11	2.4.8.7.1.8.60-2
Spark	org.apache.spark	spark-kubernetes_2.11	2.4.8.7.1.8.60-2
Spark	org.apache.spark	spark-kvstore_2.11	2.4.8.7.1.8.60-2
Spark	org.apache.spark	spark-launcher_2.11	2.4.8.7.1.8.60-2

Project	groupId	artifactId	version
Spark	org.apache.spark	spark-mllib-local_2.11	2.4.8.7.1.8.60-2
Spark	org.apache.spark	spark-mllib_2.11	2.4.8.7.1.8.60-2
Spark	org.apache.spark	spark-network-common_2.11	2.4.8.7.1.8.60-2
Spark	org.apache.spark	spark-network-shuffle_2.11	2.4.8.7.1.8.60-2
Spark	org.apache.spark	spark-network-yarn_2.11	2.4.8.7.1.8.60-2
Spark	org.apache.spark	spark-repl_2.11	2.4.8.7.1.8.60-2
Spark	org.apache.spark	spark-sketch_2.11	2.4.8.7.1.8.60-2
Spark	org.apache.spark	spark-sql-kafka-0-10_2.11	2.4.8.7.1.8.60-2
Spark	org.apache.spark	spark-sql_2.11	2.4.8.7.1.8.60-2
Spark	org.apache.spark	spark-streaming-kafka-0-10-assembly_2.11	2.4.8.7.1.8.60-2
Spark	org.apache.spark	spark-streaming-kafka-0-10_2.11	2.4.8.7.1.8.60-2
Spark	org.apache.spark	spark-streaming_2.11	2.4.8.7.1.8.60-2
Spark	org.apache.spark	spark-tags_2.11	2.4.8.7.1.8.60-2
Spark	org.apache.spark	spark-token-provider-kafka-0-10_2.11	2.4.8.7.1.8.60-2
Spark	org.apache.spark	spark-unsafe_2.11	2.4.8.7.1.8.60-2
Spark	org.apache.spark	spark-yarn_2.11	2.4.8.7.1.8.60-2
Sqoop	org.apache.sqoop	sqoop	1.4.7.7.1.8.60-2
Sqoop	org.apache.sqoop	sqoop-test	1.4.7.7.1.8.60-2
Tez	org.apache.tez	hadoop-shim	0.9.1.7.1.8.60-2
Tez	org.apache.tez	hadoop-shim-2.8	0.9.1.7.1.8.60-2
Tez	org.apache.tez	tez-api	0.9.1.7.1.8.60-2
Tez	org.apache.tez	tez-aux-services	0.9.1.7.1.8.60-2
Tez	org.apache.tez	tez-common	0.9.1.7.1.8.60-2
Tez	org.apache.tez	tez-dag	0.9.1.7.1.8.60-2
Tez	org.apache.tez	tez-examples	0.9.1.7.1.8.60-2
Tez	org.apache.tez	tez-ext-service-tests	0.9.1.7.1.8.60-2
Tez	org.apache.tez	tez-history-parser	0.9.1.7.1.8.60-2
Tez	org.apache.tez	tez-javadoc-tools	0.9.1.7.1.8.60-2
Tez	org.apache.tez	tez-job-analyzer	0.9.1.7.1.8.60-2
Tez	org.apache.tez	tez-mapreduce	0.9.1.7.1.8.60-2
Tez	org.apache.tez	tez-protobuf-history-plugin	0.9.1.7.1.8.60-2
Tez	org.apache.tez	tez-runtime-internals	0.9.1.7.1.8.60-2
Tez	org.apache.tez	tez-runtime-library	0.9.1.7.1.8.60-2
Tez	org.apache.tez	tez-tests	0.9.1.7.1.8.60-2
Tez	org.apache.tez	tez-yarn-timeline-cache-plugin	0.9.1.7.1.8.60-2
Tez	org.apache.tez	tez-yarn-timeline-history	0.9.1.7.1.8.60-2
Tez	org.apache.tez	tez-yarn-timeline-history-with-acls	0.9.1.7.1.8.60-2
Tez	org.apache.tez	tez-yarn-timeline-history-with-fs	0.9.1.7.1.8.60-2
Zeppelin	org.apache.zeppelin	zeppelin-angular	0.8.2.7.1.8.60-2

Project	groupId	artifactId	version
Zeppelin	org.apache.zeppelin	zeppelin-display	0.8.2.7.1.8.60-2
Zeppelin	org.apache.zeppelin	zeppelin-interpreter	0.8.2.7.1.8.60-2
Zeppelin	org.apache.zeppelin	zeppelin-jdbc	0.8.2.7.1.8.60-2
Zeppelin	org.apache.zeppelin	zeppelin-jupyter	0.8.2.7.1.8.60-2
Zeppelin	org.apache.zeppelin	zeppelin-livy	0.8.2.7.1.8.60-2
Zeppelin	org.apache.zeppelin	zeppelin-markdown	0.8.2.7.1.8.60-2
Zeppelin	org.apache.zeppelin	zeppelin-server	0.8.2.7.1.8.60-2
Zeppelin	org.apache.zeppelin	zeppelin-shell	0.8.2.7.1.8.60-2
Zeppelin	org.apache.zeppelin	zeppelin-zengine	0.8.2.7.1.8.60-2
ZooKeeper	org.apache.zookeeper	zookeeper	3.5.5.7.1.8.60-2
ZooKeeper	org.apache.zookeeper	zookeeper-client-c	3.5.5.7.1.8.60-2
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-loggraph	3.5.5.7.1.8.60-2
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-rest	3.5.5.7.1.8.60-2
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-zooinspector	3.5.5.7.1.8.60-2
ZooKeeper	org.apache.zookeeper	zookeeper-docs	3.5.5.7.1.8.60-2
ZooKeeper	org.apache.zookeeper	zookeeper-jute	3.5.5.7.1.8.60-2
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-election	3.5.5.7.1.8.60-2
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-lock	3.5.5.7.1.8.60-2
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-queue	3.5.5.7.1.8.60-2

Runtime 7.1.8.61-1

The following table lists the project name, groupId, artifactId, and version required to access each Runtime artifact.

Project	groupId	artifactId	version
Atlas	org.apache.atlas	atlas-authorization	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	atlas-aws-s3-bridge	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	atlas-azure-adls-bridge	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	atlas-classification-updater	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	atlas-client-common	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	atlas-client-v1	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	atlas-client-v2	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	atlas-common	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	atlas-distro	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	atlas-docs	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	atlas-graphdb-api	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	atlas-graphdb-common	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	atlas-graphdb-janus	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	atlas-hdfs-bridge	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	atlas-index-repair-tool	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	atlas-intg	2.1.0.7.1.8.61-1

Project	groupId	artifactId	version
Atlas	org.apache.atlas	atlas-janusgraph-hbase2	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	atlas-notification	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	atlas-plugin-classloader	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	atlas-repository	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	atlas-server-api	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	atlas-testtools	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	hbase-bridge	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	hbase-bridge-shim	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	hbase-testing-util	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	hdfs-model	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	hive-bridge	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	hive-bridge-shim	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	impala-bridge	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	impala-bridge-shim	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	impala-hook-api	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	kafka-bridge	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	kafka-bridge-shim	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	navigator-to-atlas	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	sample-app	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	sqoop-bridge	2.1.0.7.1.8.61-1
Atlas	org.apache.atlas	sqoop-bridge-shim	2.1.0.7.1.8.61-1
Avro	org.apache.avro	avro	1.8.2.7.1.8.61-1
Avro	org.apache.avro	avro-compiler	1.8.2.7.1.8.61-1
Avro	org.apache.avro	avro-ipc	1.8.2.7.1.8.61-1
Avro	org.apache.avro	avro-mapred	1.8.2.7.1.8.61-1
Avro	org.apache.avro	avro-maven-plugin	1.8.2.7.1.8.61-1
Avro	org.apache.avro	avro-protobuf	1.8.2.7.1.8.61-1
Avro	org.apache.avro	avro-service-archetype	1.8.2.7.1.8.61-1
Avro	org.apache.avro	avro-thrift	1.8.2.7.1.8.61-1
Avro	org.apache.avro	avro-tools	1.8.2.7.1.8.61-1
Avro	org.apache.avro	trevni-avro	1.8.2.7.1.8.61-1
Avro	org.apache.avro	trevni-core	1.8.2.7.1.8.61-1
Calcite	org.apache.calcite	calcite-babel	1.19.0.7.1.8.61-1
Calcite	org.apache.calcite	calcite-core	1.19.0.7.1.8.61-1
Calcite	org.apache.calcite	calcite-druid	1.19.0.7.1.8.61-1
Calcite	org.apache.calcite	calcite-linq4j	1.19.0.7.1.8.61-1
Calcite	org.apache.calcite	calcite-server	1.19.0.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-aliyun	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-annotations	3.1.1.7.1.8.61-1

Project	groupId	artifactId	version
Hadoop	org.apache.hadoop	hadoop-archive-logs	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-archives	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-assemblies	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-auth	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-aws	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-azure	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-azure-datalake	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-build-tools	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-client	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-client-api	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-client-integration-tests	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-client-minicluster	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-client-runtime	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-cloud-storage	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-common	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-datajoin	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-distcp	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-extras	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-fs2img	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-gridmix	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-hdfs	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-hdfs-client	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-hdfs-httpfs	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-hdfs-native-client	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-hdfs-nfs	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-hdfs-rbf	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-kafka	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-kms	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-app	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-common	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-core	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-hs	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-hs-plugins	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-jobclient	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-nativetask	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-shuffle	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-uploader	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-examples	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-maven-plugins	3.1.1.7.1.8.61-1

Project	groupId	artifactId	version
Hadoop	org.apache.hadoop	hadoop-minicluster	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-minikdc	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-nfs	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-openstack	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-resourceestimator	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-rumen	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-sls	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-streaming	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-tools-dist	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-yarn-api	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-yarn-applications-distributedshell	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-yarn-applications-unmanaged-am-launcher	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-yarn-client	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-yarn-common	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-yarn-registry	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-applicationhistoryservice	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-common	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-nodemanager	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-resourcemanager	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-router	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-sharedcachemanager	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-tests	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timeline-pluginstorage	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-client	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-common	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-server-2	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-tests	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-web-proxy	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-yarn-services-api	3.1.1.7.1.8.61-1
Hadoop	org.apache.hadoop	hadoop-yarn-services-core	3.1.1.7.1.8.61-1
HBase	org.apache.hbase	hbase-annotations	2.4.6.7.1.8.61-1
HBase	org.apache.hbase	hbase-asyncfs	2.4.6.7.1.8.61-1
HBase	org.apache.hbase	hbase-checkstyle	2.4.6.7.1.8.61-1
HBase	org.apache.hbase	hbase-client	2.4.6.7.1.8.61-1
HBase	org.apache.hbase	hbase-client-project	2.4.6.7.1.8.61-1
HBase	org.apache.hbase	hbase-common	2.4.6.7.1.8.61-1
HBase	org.apache.hbase	hbase-endpoint	2.4.6.7.1.8.61-1
HBase	org.apache.hbase	hbase-examples	2.4.6.7.1.8.61-1

Project	groupId	artifactId	version
HBase	org.apache.hbase	hbase-external-blockcache	2.4.6.7.1.8.61-1
HBase	org.apache.hbase	hbase-hadoop-compat	2.4.6.7.1.8.61-1
HBase	org.apache.hbase	hbase-hadoop2-compat	2.4.6.7.1.8.61-1
HBase	org.apache.hbase	hbase-hbtop	2.4.6.7.1.8.61-1
HBase	org.apache.hbase	hbase-http	2.4.6.7.1.8.61-1
HBase	org.apache.hbase	hbase-it	2.4.6.7.1.8.61-1
HBase	org.apache.hbase	hbase-logging	2.4.6.7.1.8.61-1
HBase	org.apache.hbase	hbase-mapreduce	2.4.6.7.1.8.61-1
HBase	org.apache.hbase	hbase-metrics	2.4.6.7.1.8.61-1
HBase	org.apache.hbase	hbase-metrics-api	2.4.6.7.1.8.61-1
HBase	org.apache.hbase	hbase-procedure	2.4.6.7.1.8.61-1
HBase	org.apache.hbase	hbase-protocol	2.4.6.7.1.8.61-1
HBase	org.apache.hbase	hbase-protocol-shaded	2.4.6.7.1.8.61-1
HBase	org.apache.hbase	hbase-replication	2.4.6.7.1.8.61-1
HBase	org.apache.hbase	hbase-resource-bundle	2.4.6.7.1.8.61-1
HBase	org.apache.hbase	hbase-rest	2.4.6.7.1.8.61-1
HBase	org.apache.hbase	hbase-rsgroup	2.4.6.7.1.8.61-1
HBase	org.apache.hbase	hbase-server	2.4.6.7.1.8.61-1
HBase	org.apache.hbase	hbase-shaded-client	2.4.6.7.1.8.61-1
HBase	org.apache.hbase	hbase-shaded-client-byo-hadoop	2.4.6.7.1.8.61-1
HBase	org.apache.hbase	hbase-shaded-client-project	2.4.6.7.1.8.61-1
HBase	org.apache.hbase	hbase-shaded-mapreduce	2.4.6.7.1.8.61-1
HBase	org.apache.hbase	hbase-shaded-testing-util	2.4.6.7.1.8.61-1
HBase	org.apache.hbase	hbase-shaded-testing-util-tester	2.4.6.7.1.8.61-1
HBase	org.apache.hbase	hbase-shell	2.4.6.7.1.8.61-1
HBase	org.apache.hbase	hbase-testing-util	2.4.6.7.1.8.61-1
HBase	org.apache.hbase	hbase-thrift	2.4.6.7.1.8.61-1
HBase	org.apache.hbase	hbase-zookeeper	2.4.6.7.1.8.61-1
Hive	org.apache.hive	hive-beeline	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-blobstore	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-classification	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-cli	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-common	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-contrib	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-exec	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-hbase-handler	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-hcatalog-it-unit	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-hplsql	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-it-custom-serde	3.1.3000.7.1.8.61-1

Project	groupId	artifactId	version
Hive	org.apache.hive	hive-it-minikdc	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-it-qfile	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-it-qfile-kudu	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-it-test-serde	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-it-unit	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-it-unit-hadoop2	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-it-util	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-jdbc	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-jdbc-handler	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-jmh	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-kryo-registrator	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-kudu-handler	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-llap-client	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-llap-common	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-llap-ext-client	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-llap-server	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-llap-tez	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-metastore	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-pre-upgrade	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-serde	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-service	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-service-rpc	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-shims	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-spark-client	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-standalone-metastore	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-storage-api	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-streaming	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-testutils	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	hive-vector-code-gen	3.1.3000.7.1.8.61-1
Hive	org.apache.hive	kafka-handler	3.1.3000.7.1.8.61-1
Hive Warehouse Connector	com.hortonworks.hive	hive-warehouse-connector_2.11	1.0.0.7.1.8.61-1
Kafka	org.apache.kafka	connect	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	connect-api	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	connect-basic-auth-extension	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	connect-cloudera-authorization-extension	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	connect-cloudera-common	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	connect-cloudera-secret-storage	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	connect-cloudera-security-policies	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	connect-file	3.1.1.7.1.8.61-1

Project	groupId	artifactId	version
Kafka	org.apache.kafka	connect-json	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	connect-mirror	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	connect-mirror-client	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	connect-runtime	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	connect-transforms	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	generator	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	kafka-clients	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	kafka-cloudera-metrics-reporter_2.12	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	kafka-cloudera-metrics-reporter_2.13	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	kafka-cloudera-plugins	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	kafka-examples	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	kafka-log4j-appender	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	kafka-metadata	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	kafka-raft	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	kafka-server-common	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	kafka-shell	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	kafka-storage	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	kafka-storage-api	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	kafka-streams	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	kafka-streams-examples	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	kafka-streams-scala_2.12	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	kafka-streams-scala_2.13	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	kafka-streams-test-utils	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0100	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0101	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0102	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0110	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-10	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-11	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-20	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-21	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-22	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-23	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-24	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-25	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-26	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-27	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-28	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	kafka-tools	3.1.1.7.1.8.61-1

Project	groupId	artifactId	version
Kafka	org.apache.kafka	kafka_2.12	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	kafka_2.13	3.1.1.7.1.8.61-1
Kafka	org.apache.kafka	trogdor	3.1.1.7.1.8.61-1
Knox	org.apache.knox	gateway-adapter	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-admin-ui	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-applications	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-cloud-bindings	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-demo-ldap	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-demo-ldap-launcher	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-discovery-ambari	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-discovery-cm	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-docker	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-i18n	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-i18n-logging-log4j	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-i18n-logging-sl4j	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-provider-ha	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-provider-identity-assertion-common	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-provider-identity-assertion-concat	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-provider-identity-assertion-hadoop-groups	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-provider-identity-assertion-pseudo	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-provider-identity-assertion-regex	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-provider-identity-assertion-switchcase	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-provider-jersey	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-provider-rewrite	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-provider-rewrite-common	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-provider-rewrite-func-hostmap-static	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-provider-rewrite-func-inbound-query-param	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-provider-rewrite-func-service-registry	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-provider-rewrite-step-encrypt-uri	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-provider-rewrite-step-secure-query	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-provider-security-authc-anon	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-provider-security-authz-acls	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-provider-security-authz-composite	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-provider-security-clientcert	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-provider-security-hadoopauth	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-provider-security-jwt	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-provider-security-pac4j	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-provider-security-preauth	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-provider-security-shiro	1.3.0.7.1.8.61-1

Project	groupId	artifactId	version
Knox	org.apache.knox	gateway-provider-security-webappsec	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-release	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-server	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-server-launcher	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-server-xforwarded-filter	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-service-admin	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-service-as	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-service-definitions	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-service-hashicorp-vault	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-service-hbase	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-service-health	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-service-hive	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-service-idbroker	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-service-impala	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-service-jkg	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-service-knoxsso	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-service-knoxssout	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-service-knoxtoken	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-service-livy	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-service-metadata	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-service-nifi	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-service-nifi-registry	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-service-remoteconfig	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-service-rm	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-service-session	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-service-storm	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-service-test	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-service-tgs	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-service-vault	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-service-webhdfs	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-shell	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-shell-launcher	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-shell-release	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-shell-samples	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-spi	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-test	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-test-idbroker	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-test-release-utils	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-test-utils	1.3.0.7.1.8.61-1

Project	groupId	artifactId	version
Knox	org.apache.knox	gateway-topology-hadoop-xml	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-topology-simple	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-util-common	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-util-configinjector	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-util-launcher	1.3.0.7.1.8.61-1
Knox	org.apache.knox	gateway-util-urlltemplate	1.3.0.7.1.8.61-1
Knox	org.apache.knox	hadoop-examples	1.3.0.7.1.8.61-1
Knox	org.apache.knox	knox-cli-launcher	1.3.0.7.1.8.61-1
Knox	org.apache.knox	knox-homepage-ui	1.3.0.7.1.8.61-1
Knox	org.apache.knox	webhdfs-kerb-test	1.3.0.7.1.8.61-1
Knox	org.apache.knox	webhdfs-test	1.3.0.7.1.8.61-1
Kudu	org.apache.kudu	kudu-backup-tools	1.15.0.7.1.8.61-1
Kudu	org.apache.kudu	kudu-backup2_2.11	1.15.0.7.1.8.61-1
Kudu	org.apache.kudu	kudu-backup3_2.12	1.15.0.7.1.8.61-1
Kudu	org.apache.kudu	kudu-client	1.15.0.7.1.8.61-1
Kudu	org.apache.kudu	kudu-hive	1.15.0.7.1.8.61-1
Kudu	org.apache.kudu	kudu-spark2-tools_2.11	1.15.0.7.1.8.61-1
Kudu	org.apache.kudu	kudu-spark2_2.11	1.15.0.7.1.8.61-1
Kudu	org.apache.kudu	kudu-spark3-tools_2.12	1.15.0.7.1.8.61-1
Kudu	org.apache.kudu	kudu-spark3_2.12	1.15.0.7.1.8.61-1
Kudu	org.apache.kudu	kudu-test-utils	1.15.0.7.1.8.61-1
Livy	org.apache.livy	livy-api	0.6.0.7.1.8.61-1
Livy	org.apache.livy	livy-client-common	0.6.0.7.1.8.61-1
Livy	org.apache.livy	livy-client-http	0.6.0.7.1.8.61-1
Livy	org.apache.livy	livy-core_2.11	0.6.0.7.1.8.61-1
Livy	org.apache.livy	livy-examples	0.6.0.7.1.8.61-1
Livy	org.apache.livy	livy-integration-test	0.6.0.7.1.8.61-1
Livy	org.apache.livy	livy-repl_2.11	0.6.0.7.1.8.61-1
Livy	org.apache.livy	livy-rsc	0.6.0.7.1.8.61-1
Livy	org.apache.livy	livy-scala-api_2.11	0.6.0.7.1.8.61-1
Livy	org.apache.livy	livy-server	0.6.0.7.1.8.61-1
Livy	org.apache.livy	livy-test-lib	0.6.0.7.1.8.61-1
Livy	org.apache.livy	livy-thriftserver	0.6.0.7.1.8.61-1
Livy	org.apache.livy	livy-thriftserver-session	0.6.0.7.1.8.61-1
Lucene	org.apache.lucene	lucene-analyzers-common	8.4.1.7.1.8.61-1
Lucene	org.apache.lucene	lucene-analyzers-icu	8.4.1.7.1.8.61-1
Lucene	org.apache.lucene	lucene-analyzers-kuromoji	8.4.1.7.1.8.61-1
Lucene	org.apache.lucene	lucene-analyzers-morfologik	8.4.1.7.1.8.61-1
Lucene	org.apache.lucene	lucene-analyzers-nori	8.4.1.7.1.8.61-1

Project	groupId	artifactId	version
Lucene	org.apache.lucene	lucene-analyzers-openssl	8.4.1.7.1.8.61-1
Lucene	org.apache.lucene	lucene-analyzers-phonetic	8.4.1.7.1.8.61-1
Lucene	org.apache.lucene	lucene-analyzers-smartcn	8.4.1.7.1.8.61-1
Lucene	org.apache.lucene	lucene-analyzers-stempel	8.4.1.7.1.8.61-1
Lucene	org.apache.lucene	lucene-backward-codecs	8.4.1.7.1.8.61-1
Lucene	org.apache.lucene	lucene-benchmark	8.4.1.7.1.8.61-1
Lucene	org.apache.lucene	lucene-classification	8.4.1.7.1.8.61-1
Lucene	org.apache.lucene	lucene-codecs	8.4.1.7.1.8.61-1
Lucene	org.apache.lucene	lucene-core	8.4.1.7.1.8.61-1
Lucene	org.apache.lucene	lucene-demo	8.4.1.7.1.8.61-1
Lucene	org.apache.lucene	lucene-expressions	8.4.1.7.1.8.61-1
Lucene	org.apache.lucene	lucene-facet	8.4.1.7.1.8.61-1
Lucene	org.apache.lucene	lucene-grouping	8.4.1.7.1.8.61-1
Lucene	org.apache.lucene	lucene-highlighter	8.4.1.7.1.8.61-1
Lucene	org.apache.lucene	lucene-join	8.4.1.7.1.8.61-1
Lucene	org.apache.lucene	lucene-memory	8.4.1.7.1.8.61-1
Lucene	org.apache.lucene	lucene-misc	8.4.1.7.1.8.61-1
Lucene	org.apache.lucene	lucene-monitor	8.4.1.7.1.8.61-1
Lucene	org.apache.lucene	lucene-queries	8.4.1.7.1.8.61-1
Lucene	org.apache.lucene	lucene-queryparser	8.4.1.7.1.8.61-1
Lucene	org.apache.lucene	lucene-replicator	8.4.1.7.1.8.61-1
Lucene	org.apache.lucene	lucene-sandbox	8.4.1.7.1.8.61-1
Lucene	org.apache.lucene	lucene-spatial	8.4.1.7.1.8.61-1
Lucene	org.apache.lucene	lucene-spatial-extras	8.4.1.7.1.8.61-1
Lucene	org.apache.lucene	lucene-spatial3d	8.4.1.7.1.8.61-1
Lucene	org.apache.lucene	lucene-suggest	8.4.1.7.1.8.61-1
Lucene	org.apache.lucene	lucene-test-framework	8.4.1.7.1.8.61-1
Oozie	org.apache.oozie	oozie-client	5.1.0.7.1.8.61-1
Oozie	org.apache.oozie	oozie-core	5.1.0.7.1.8.61-1
Oozie	org.apache.oozie	oozie-distro	5.1.0.7.1.8.61-1
Oozie	org.apache.oozie	oozie-examples	5.1.0.7.1.8.61-1
Oozie	org.apache.oozie	oozie-fluent-job-api	5.1.0.7.1.8.61-1
Oozie	org.apache.oozie	oozie-fluent-job-client	5.1.0.7.1.8.61-1
Oozie	org.apache.oozie	oozie-server	5.1.0.7.1.8.61-1
Oozie	org.apache.oozie	oozie-sharelib-distcp	5.1.0.7.1.8.61-1
Oozie	org.apache.oozie	oozie-sharelib-git	5.1.0.7.1.8.61-1
Oozie	org.apache.oozie	oozie-sharelib-hcatalog	5.1.0.7.1.8.61-1
Oozie	org.apache.oozie	oozie-sharelib-hive	5.1.0.7.1.8.61-1
Oozie	org.apache.oozie	oozie-sharelib-hive2	5.1.0.7.1.8.61-1

Project	groupId	artifactId	version
Oozie	org.apache.oozie	oozie-sharelib-oozie	5.1.0.7.1.8.61-1
Oozie	org.apache.oozie	oozie-sharelib-spark	5.1.0.7.1.8.61-1
Oozie	org.apache.oozie	oozie-sharelib-sqoop	5.1.0.7.1.8.61-1
Oozie	org.apache.oozie	oozie-sharelib-streaming	5.1.0.7.1.8.61-1
Oozie	org.apache.oozie	oozie-tools	5.1.0.7.1.8.61-1
Oozie	org.apache.oozie	oozie-zookeeper-security-tests	5.1.0.7.1.8.61-1
ORC	org.apache.orc	orc-core	1.5.1.7.1.8.61-1
ORC	org.apache.orc	orc-examples	1.5.1.7.1.8.61-1
ORC	org.apache.orc	orc-mapreduce	1.5.1.7.1.8.61-1
ORC	org.apache.orc	orc-shims	1.5.1.7.1.8.61-1
ORC	org.apache.orc	orc-tools	1.5.1.7.1.8.61-1
Parquet	org.apache.parquet	parquet-avro	1.10.99.7.1.8.61-1
Parquet	org.apache.parquet	parquet-cascading	1.10.99.7.1.8.61-1
Parquet	org.apache.parquet	parquet-cascading3	1.10.99.7.1.8.61-1
Parquet	org.apache.parquet	parquet-column	1.10.99.7.1.8.61-1
Parquet	org.apache.parquet	parquet-common	1.10.99.7.1.8.61-1
Parquet	org.apache.parquet	parquet-encoding	1.10.99.7.1.8.61-1
Parquet	org.apache.parquet	parquet-format-structures	1.10.99.7.1.8.61-1
Parquet	org.apache.parquet	parquet-generator	1.10.99.7.1.8.61-1
Parquet	org.apache.parquet	parquet-hadoop	1.10.99.7.1.8.61-1
Parquet	org.apache.parquet	parquet-hadoop-bundle	1.10.99.7.1.8.61-1
Parquet	org.apache.parquet	parquet-jackson	1.10.99.7.1.8.61-1
Parquet	org.apache.parquet	parquet-pig	1.10.99.7.1.8.61-1
Parquet	org.apache.parquet	parquet-pig-bundle	1.10.99.7.1.8.61-1
Parquet	org.apache.parquet	parquet-protobuf	1.10.99.7.1.8.61-1
Parquet	org.apache.parquet	parquet-scala_2.10	1.10.99.7.1.8.61-1
Parquet	org.apache.parquet	parquet-thrift	1.10.99.7.1.8.61-1
Parquet	org.apache.parquet	parquet-tools	1.10.99.7.1.8.61-1
Phoenix	org.apache.phoenix	phoenix-client-embedded-hbase-2.4	5.1.1.7.1.8.61-1
Phoenix	org.apache.phoenix	phoenix-client-hbase-2.4	5.1.1.7.1.8.61-1
Phoenix	org.apache.phoenix	phoenix-connectors-phoenix5-compatible	6.0.0.7.1.8.61-1
Phoenix	org.apache.phoenix	phoenix-core	5.1.1.7.1.8.61-1
Phoenix	org.apache.phoenix	phoenix-hbase-compatible-2.1.6	5.1.1.7.1.8.61-1
Phoenix	org.apache.phoenix	phoenix-hbase-compatible-2.2.5	5.1.1.7.1.8.61-1
Phoenix	org.apache.phoenix	phoenix-hbase-compatible-2.3.0	5.1.1.7.1.8.61-1
Phoenix	org.apache.phoenix	phoenix-hbase-compatible-2.4.0	5.1.1.7.1.8.61-1
Phoenix	org.apache.phoenix	phoenix-hbase-compatible-2.4.1	5.1.1.7.1.8.61-1
Phoenix	org.apache.phoenix	phoenix-pherf	5.1.1.7.1.8.61-1
Phoenix	org.apache.phoenix	phoenix-queryserver	6.0.0.7.1.8.61-1

Project	groupId	artifactId	version
Phoenix	org.apache.phoenix	phoenix-queryserver-client	6.0.0.7.1.8.61-1
Phoenix	org.apache.phoenix	phoenix-queryserver-it	6.0.0.7.1.8.61-1
Phoenix	org.apache.phoenix	phoenix-queryserver-load-balancer	6.0.0.7.1.8.61-1
Phoenix	org.apache.phoenix	phoenix-queryserver-orchestrator	6.0.0.7.1.8.61-1
Phoenix	org.apache.phoenix	phoenix-server-hbase-2.4	5.1.1.7.1.8.61-1
Phoenix	org.apache.phoenix	phoenix-tracing-webapp	5.1.1.7.1.8.61-1
Phoenix	org.apache.phoenix	phoenix5-hive	6.0.0.7.1.8.61-1
Phoenix	org.apache.phoenix	phoenix5-hive-shaded	6.0.0.7.1.8.61-1
Phoenix	org.apache.phoenix	phoenix5-spark	6.0.0.7.1.8.61-1
Phoenix	org.apache.phoenix	phoenix5-spark-shaded	6.0.0.7.1.8.61-1
Ranger	org.apache.ranger	conditions-enrichers	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	credentialbuilder	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	embeddedwebserver	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	jisql	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ldapconfigcheck	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-adls-plugin	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-atlas-plugin	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-atlas-plugin-shim	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-authn	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-distro	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-examples-distro	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-hbase-plugin	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-hbase-plugin-shim	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-hdfs-plugin	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-hdfs-plugin-shim	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-hive-plugin	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-hive-plugin-shim	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-intg	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-kafka-connect-plugin	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-kafka-plugin	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-kafka-plugin-shim	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-kms	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-kms-plugin	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-kms-plugin-shim	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-knox-plugin	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-knox-plugin-shim	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-kudu-plugin	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-kylin-plugin	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-kylin-plugin-shim	2.3.0.7.1.8.61-1

Project	groupId	artifactId	version
Ranger	org.apache.ranger	ranger-nifi-plugin	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-nifi-registry-plugin	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-ozone-plugin	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-ozone-plugin-shim	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-plugin-classloader	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-plugins-audit	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-plugins-common	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-plugins-cred	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-plugins-installer	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-policymigration	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-raz-adls	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-raz-chained-plugins	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-raz-hook-abfs	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-raz-intg	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-raz-processor	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-rms-common	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-rms-hive	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-rms-plugins-common	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-rms-webapp	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-sampleapp-plugin	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-schema-registry-plugin	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-solr-plugin	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-solr-plugin-shim	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-sqoop-plugin	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-sqoop-plugin-shim	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-storm-plugin	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-storm-plugin-shim	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-tagsync	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-tools	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-util	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-yarn-plugin	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ranger-yarn-plugin-shim	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	sample-client	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	sampleapp	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	shaded-raz-hook-abfs	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	ugsync-util	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	unixauthclient	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	unixauthservice	2.3.0.7.1.8.61-1
Ranger	org.apache.ranger	unixusersync	2.3.0.7.1.8.61-1

Project	groupId	artifactId	version
Solr	org.apache.solr	solr-analysis-extras	8.4.1.7.1.8.61-1
Solr	org.apache.solr	solr-analytics	8.4.1.7.1.8.61-1
Solr	org.apache.solr	solr-cell	8.4.1.7.1.8.61-1
Solr	org.apache.solr	solr-clustering	8.4.1.7.1.8.61-1
Solr	org.apache.solr	solr-core	8.4.1.7.1.8.61-1
Solr	org.apache.solr	solr-dataimporthandler	8.4.1.7.1.8.61-1
Solr	org.apache.solr	solr-dataimporthandler-extras	8.4.1.7.1.8.61-1
Solr	org.apache.solr	solr-jaegertracer-configurator	8.4.1.7.1.8.61-1
Solr	org.apache.solr	solr-langid	8.4.1.7.1.8.61-1
Solr	org.apache.solr	solr-ltr	8.4.1.7.1.8.61-1
Solr	org.apache.solr	solr-prometheus-exporter	8.4.1.7.1.8.61-1
Solr	org.apache.solr	solr-security-util	8.4.1.7.1.8.61-1
Solr	org.apache.solr	solr-solrj	8.4.1.7.1.8.61-1
Solr	org.apache.solr	solr-test-framework	8.4.1.7.1.8.61-1
Solr	org.apache.solr	solr-velocity	8.4.1.7.1.8.61-1
Spark	org.apache.spark	spark-avro_2.11	2.4.8.7.1.8.61-1
Spark	org.apache.spark	spark-catalyst_2.11	2.4.8.7.1.8.61-1
Spark	org.apache.spark	spark-core_2.11	2.4.8.7.1.8.61-1
Spark	org.apache.spark	spark-graphx_2.11	2.4.8.7.1.8.61-1
Spark	org.apache.spark	spark-hadoop-cloud_2.11	2.4.8.7.1.8.61-1
Spark	org.apache.spark	spark-hive_2.11	2.4.8.7.1.8.61-1
Spark	org.apache.spark	spark-kubernetes_2.11	2.4.8.7.1.8.61-1
Spark	org.apache.spark	spark-kvstore_2.11	2.4.8.7.1.8.61-1
Spark	org.apache.spark	spark-launcher_2.11	2.4.8.7.1.8.61-1
Spark	org.apache.spark	spark-mllib-local_2.11	2.4.8.7.1.8.61-1
Spark	org.apache.spark	spark-mllib_2.11	2.4.8.7.1.8.61-1
Spark	org.apache.spark	spark-network-common_2.11	2.4.8.7.1.8.61-1
Spark	org.apache.spark	spark-network-shuffle_2.11	2.4.8.7.1.8.61-1
Spark	org.apache.spark	spark-network-yarn_2.11	2.4.8.7.1.8.61-1
Spark	org.apache.spark	spark-repl_2.11	2.4.8.7.1.8.61-1
Spark	org.apache.spark	spark-sketch_2.11	2.4.8.7.1.8.61-1
Spark	org.apache.spark	spark-sql-kafka-0-10_2.11	2.4.8.7.1.8.61-1
Spark	org.apache.spark	spark-sql_2.11	2.4.8.7.1.8.61-1
Spark	org.apache.spark	spark-streaming-kafka-0-10-assembly_2.11	2.4.8.7.1.8.61-1
Spark	org.apache.spark	spark-streaming-kafka-0-10_2.11	2.4.8.7.1.8.61-1
Spark	org.apache.spark	spark-streaming_2.11	2.4.8.7.1.8.61-1
Spark	org.apache.spark	spark-tags_2.11	2.4.8.7.1.8.61-1
Spark	org.apache.spark	spark-token-provider-kafka-0-10_2.11	2.4.8.7.1.8.61-1
Spark	org.apache.spark	spark-unsafe_2.11	2.4.8.7.1.8.61-1

Project	groupId	artifactId	version
Spark	org.apache.spark	spark-yarn_2.11	2.4.8.7.1.8.61-1
Sqoop	org.apache.sqoop	sqoop	1.4.7.7.1.8.61-1
Sqoop	org.apache.sqoop	sqoop-test	1.4.7.7.1.8.61-1
Tez	org.apache.tez	hadoop-shim	0.9.1.7.1.8.61-1
Tez	org.apache.tez	hadoop-shim-2.8	0.9.1.7.1.8.61-1
Tez	org.apache.tez	tez-api	0.9.1.7.1.8.61-1
Tez	org.apache.tez	tez-aux-services	0.9.1.7.1.8.61-1
Tez	org.apache.tez	tez-common	0.9.1.7.1.8.61-1
Tez	org.apache.tez	tez-dag	0.9.1.7.1.8.61-1
Tez	org.apache.tez	tez-examples	0.9.1.7.1.8.61-1
Tez	org.apache.tez	tez-ext-service-tests	0.9.1.7.1.8.61-1
Tez	org.apache.tez	tez-history-parser	0.9.1.7.1.8.61-1
Tez	org.apache.tez	tez-javadoc-tools	0.9.1.7.1.8.61-1
Tez	org.apache.tez	tez-job-analyzer	0.9.1.7.1.8.61-1
Tez	org.apache.tez	tez-mapreduce	0.9.1.7.1.8.61-1
Tez	org.apache.tez	tez-protobuf-history-plugin	0.9.1.7.1.8.61-1
Tez	org.apache.tez	tez-runtime-internals	0.9.1.7.1.8.61-1
Tez	org.apache.tez	tez-runtime-library	0.9.1.7.1.8.61-1
Tez	org.apache.tez	tez-tests	0.9.1.7.1.8.61-1
Tez	org.apache.tez	tez-yarn-timeline-cache-plugin	0.9.1.7.1.8.61-1
Tez	org.apache.tez	tez-yarn-timeline-history	0.9.1.7.1.8.61-1
Tez	org.apache.tez	tez-yarn-timeline-history-with-acls	0.9.1.7.1.8.61-1
Tez	org.apache.tez	tez-yarn-timeline-history-with-fs	0.9.1.7.1.8.61-1
Zeppelin	org.apache.zeppelin	zeppelin-angular	0.8.2.7.1.8.61-1
Zeppelin	org.apache.zeppelin	zeppelin-display	0.8.2.7.1.8.61-1
Zeppelin	org.apache.zeppelin	zeppelin-interpreter	0.8.2.7.1.8.61-1
Zeppelin	org.apache.zeppelin	zeppelin-jdbc	0.8.2.7.1.8.61-1
Zeppelin	org.apache.zeppelin	zeppelin-jupyter	0.8.2.7.1.8.61-1
Zeppelin	org.apache.zeppelin	zeppelin-livy	0.8.2.7.1.8.61-1
Zeppelin	org.apache.zeppelin	zeppelin-markdown	0.8.2.7.1.8.61-1
Zeppelin	org.apache.zeppelin	zeppelin-server	0.8.2.7.1.8.61-1
Zeppelin	org.apache.zeppelin	zeppelin-shell	0.8.2.7.1.8.61-1
Zeppelin	org.apache.zeppelin	zeppelin-zengine	0.8.2.7.1.8.61-1
ZooKeeper	org.apache.zookeeper	zookeeper	3.5.5.7.1.8.61-1
ZooKeeper	org.apache.zookeeper	zookeeper-client-c	3.5.5.7.1.8.61-1
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-loggraph	3.5.5.7.1.8.61-1
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-rest	3.5.5.7.1.8.61-1
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-zooinspector	3.5.5.7.1.8.61-1
ZooKeeper	org.apache.zookeeper	zookeeper-docs	3.5.5.7.1.8.61-1

Project	groupId	artifactId	version
ZooKeeper	org.apache.zookeeper	zookeeper-jute	3.5.5.7.1.8.61-1
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-election	3.5.5.7.1.8.61-1
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-lock	3.5.5.7.1.8.61-1
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-queue	3.5.5.7.1.8.61-1

Runtime 7.1.8.64-1

The following table lists the project name, groupId, artifactId, and version required to access each Runtime artifact.

Project	groupId	artifactId	version
Atlas	org.apache.atlas	atlas-authorization	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	atlas-aws-s3-bridge	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	atlas-azure-adls-bridge	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	atlas-classification-updater	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	atlas-client-common	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	atlas-client-v1	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	atlas-client-v2	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	atlas-common	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	atlas-distro	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	atlas-docs	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	atlas-graphdb-api	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	atlas-graphdb-common	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	atlas-graphdb-janus	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	atlas-hdfs-bridge	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	atlas-index-repair-tool	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	atlas-intg	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	atlas-janusgraph-hbase2	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	atlas-notification	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	atlas-plugin-classloader	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	atlas-repository	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	atlas-server-api	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	atlas-testtools	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	hbase-bridge	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	hbase-bridge-shim	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	hbase-testing-util	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	hdfs-model	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	hive-bridge	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	hive-bridge-shim	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	impala-bridge	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	impala-bridge-shim	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	impala-hook-api	2.1.0.7.1.8.64-1

Project	groupId	artifactId	version
Atlas	org.apache.atlas	kafka-bridge	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	kafka-bridge-shim	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	navigator-to-atlas	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	sample-app	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	sqoop-bridge	2.1.0.7.1.8.64-1
Atlas	org.apache.atlas	sqoop-bridge-shim	2.1.0.7.1.8.64-1
Avro	org.apache.avro	avro	1.8.2.7.1.8.64-1
Avro	org.apache.avro	avro-compiler	1.8.2.7.1.8.64-1
Avro	org.apache.avro	avro-ipc	1.8.2.7.1.8.64-1
Avro	org.apache.avro	avro-mapred	1.8.2.7.1.8.64-1
Avro	org.apache.avro	avro-maven-plugin	1.8.2.7.1.8.64-1
Avro	org.apache.avro	avro-protobuf	1.8.2.7.1.8.64-1
Avro	org.apache.avro	avro-service-archetype	1.8.2.7.1.8.64-1
Avro	org.apache.avro	avro-thrift	1.8.2.7.1.8.64-1
Avro	org.apache.avro	avro-tools	1.8.2.7.1.8.64-1
Avro	org.apache.avro	trevni-avro	1.8.2.7.1.8.64-1
Avro	org.apache.avro	trevni-core	1.8.2.7.1.8.64-1
Calcite	org.apache.calcite	calcite-babel	1.19.0.7.1.8.64-1
Calcite	org.apache.calcite	calcite-core	1.19.0.7.1.8.64-1
Calcite	org.apache.calcite	calcite-druid	1.19.0.7.1.8.64-1
Calcite	org.apache.calcite	calcite-linq4j	1.19.0.7.1.8.64-1
Calcite	org.apache.calcite	calcite-server	1.19.0.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-aliyun	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-annotations	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-archive-logs	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-archives	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-assemblies	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-auth	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-aws	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-azure	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-azure-datalake	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-build-tools	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-client	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-client-api	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-client-integration-tests	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-client-minicluster	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-client-runtime	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-cloud-storage	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-common	3.1.1.7.1.8.64-1

Project	groupId	artifactId	version
Hadoop	org.apache.hadoop	hadoop-datajoin	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-distcp	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-extras	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-fs2img	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-gridmix	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-hdfs	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-hdfs-client	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-hdfs-httpfs	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-hdfs-native-client	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-hdfs-nfs	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-hdfs-rbf	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-kafka	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-kms	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-app	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-common	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-core	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-hs	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-hs-plugins	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-jobclient	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-nativetask	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-shuffle	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-uploader	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-examples	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-maven-plugins	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-minicluster	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-minikdc	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-nfs	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-openstack	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-resourceestimator	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-rumen	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-sls	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-streaming	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-tools-dist	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-yarn-api	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-yarn-applications-distributedshell	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-yarn-applications-unmanaged-am-launcher	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-yarn-client	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-yarn-common	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-yarn-registry	3.1.1.7.1.8.64-1

Project	groupId	artifactId	version
Hadoop	org.apache.hadoop	hadoop-yarn-server-applicationhistoryservice	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-common	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-nodemanager	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-resourcemanager	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-router	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-sharedcachemanager	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-tests	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timeline-pluginstorage	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-client	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-common	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-server-2	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-tests	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-web-proxy	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-yarn-services-api	3.1.1.7.1.8.64-1
Hadoop	org.apache.hadoop	hadoop-yarn-services-core	3.1.1.7.1.8.64-1
HBase	org.apache.hbase	hbase-annotations	2.4.6.7.1.8.64-1
HBase	org.apache.hbase	hbase-asyncfs	2.4.6.7.1.8.64-1
HBase	org.apache.hbase	hbase-checkstyle	2.4.6.7.1.8.64-1
HBase	org.apache.hbase	hbase-client	2.4.6.7.1.8.64-1
HBase	org.apache.hbase	hbase-client-project	2.4.6.7.1.8.64-1
HBase	org.apache.hbase	hbase-common	2.4.6.7.1.8.64-1
HBase	org.apache.hbase	hbase-endpoint	2.4.6.7.1.8.64-1
HBase	org.apache.hbase	hbase-examples	2.4.6.7.1.8.64-1
HBase	org.apache.hbase	hbase-external-blockcache	2.4.6.7.1.8.64-1
HBase	org.apache.hbase	hbase-hadoop-compat	2.4.6.7.1.8.64-1
HBase	org.apache.hbase	hbase-hadoop2-compat	2.4.6.7.1.8.64-1
HBase	org.apache.hbase	hbase-hbtop	2.4.6.7.1.8.64-1
HBase	org.apache.hbase	hbase-http	2.4.6.7.1.8.64-1
HBase	org.apache.hbase	hbase-it	2.4.6.7.1.8.64-1
HBase	org.apache.hbase	hbase-logging	2.4.6.7.1.8.64-1
HBase	org.apache.hbase	hbase-mapreduce	2.4.6.7.1.8.64-1
HBase	org.apache.hbase	hbase-metrics	2.4.6.7.1.8.64-1
HBase	org.apache.hbase	hbase-metrics-api	2.4.6.7.1.8.64-1
HBase	org.apache.hbase	hbase-procedure	2.4.6.7.1.8.64-1
HBase	org.apache.hbase	hbase-protocol	2.4.6.7.1.8.64-1
HBase	org.apache.hbase	hbase-protocol-shaded	2.4.6.7.1.8.64-1
HBase	org.apache.hbase	hbase-replication	2.4.6.7.1.8.64-1
HBase	org.apache.hbase	hbase-resource-bundle	2.4.6.7.1.8.64-1

Project	groupId	artifactId	version
HBase	org.apache.hbase	hbase-rest	2.4.6.7.1.8.64-1
HBase	org.apache.hbase	hbase-rsgroup	2.4.6.7.1.8.64-1
HBase	org.apache.hbase	hbase-server	2.4.6.7.1.8.64-1
HBase	org.apache.hbase	hbase-shaded-client	2.4.6.7.1.8.64-1
HBase	org.apache.hbase	hbase-shaded-client-byo-hadoop	2.4.6.7.1.8.64-1
HBase	org.apache.hbase	hbase-shaded-client-project	2.4.6.7.1.8.64-1
HBase	org.apache.hbase	hbase-shaded-mapreduce	2.4.6.7.1.8.64-1
HBase	org.apache.hbase	hbase-shaded-testing-util	2.4.6.7.1.8.64-1
HBase	org.apache.hbase	hbase-shaded-testing-util-tester	2.4.6.7.1.8.64-1
HBase	org.apache.hbase	hbase-shell	2.4.6.7.1.8.64-1
HBase	org.apache.hbase	hbase-testing-util	2.4.6.7.1.8.64-1
HBase	org.apache.hbase	hbase-thrift	2.4.6.7.1.8.64-1
HBase	org.apache.hbase	hbase-zookeeper	2.4.6.7.1.8.64-1
Hive	org.apache.hive	hive-beeline	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-blobstore	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-classification	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-cli	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-common	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-contrib	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-exec	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-hbase-handler	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-hcatalog-it-unit	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-hplsql	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-it-custom-serde	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-it-minikdc	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-it-qfile	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-it-qfile-kudu	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-it-test-serde	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-it-unit	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-it-unit-hadoop2	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-it-util	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-jdbc	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-jdbc-handler	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-jmh	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-kryo-registrator	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-kudu-handler	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-llap-client	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-llap-common	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-llap-ext-client	3.1.3000.7.1.8.64-1

Project	groupId	artifactId	version
Hive	org.apache.hive	hive-llap-server	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-llap-tez	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-metastore	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-pre-upgrade	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-serde	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-service	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-service-rpc	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-shims	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-spark-client	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-standalone-metastore	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-storage-api	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-streaming	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-testutils	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	hive-vector-code-gen	3.1.3000.7.1.8.64-1
Hive	org.apache.hive	kafka-handler	3.1.3000.7.1.8.64-1
Hive Warehouse Connector	com.hortonworks.hive	hive-warehouse-connector_2.11	1.0.0.7.1.8.64-1
Kafka	org.apache.kafka	connect	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	connect-api	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	connect-basic-auth-extension	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	connect-cloudera-authorization-extension	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	connect-cloudera-common	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	connect-cloudera-secret-storage	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	connect-cloudera-security-policies	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	connect-file	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	connect-json	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	connect-mirror	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	connect-mirror-client	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	connect-runtime	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	connect-transforms	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	generator	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	kafka-clients	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	kafka-cloudera-metrics-reporter_2.12	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	kafka-cloudera-metrics-reporter_2.13	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	kafka-cloudera-plugins	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	kafka-examples	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	kafka-log4j-appender	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	kafka-metadata	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	kafka-raft	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	kafka-server-common	3.1.1.7.1.8.64-1

Project	groupId	artifactId	version
Kafka	org.apache.kafka	kafka-shell	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	kafka-storage	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	kafka-storage-api	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	kafka-streams	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	kafka-streams-examples	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	kafka-streams-scala_2.12	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	kafka-streams-scala_2.13	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	kafka-streams-test-utils	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0100	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0101	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0102	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0110	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-10	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-11	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-20	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-21	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-22	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-23	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-24	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-25	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-26	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-27	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-28	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	kafka-tools	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	kafka_2.12	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	kafka_2.13	3.1.1.7.1.8.64-1
Kafka	org.apache.kafka	trogdor	3.1.1.7.1.8.64-1
Knox	org.apache.knox	gateway-adapter	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-admin-ui	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-applications	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-cloud-bindings	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-demo-ldap	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-demo-ldap-launcher	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-discovery-ambari	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-discovery-cm	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-docker	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-i18n	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-i18n-logging-log4j	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-i18n-logging-sl4j	1.3.0.7.1.8.64-1

Project	groupId	artifactId	version
Knox	org.apache.knox	gateway-provider-ha	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-provider-identity-assertion-common	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-provider-identity-assertion-concat	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-provider-identity-assertion-hadoop-groups	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-provider-identity-assertion-pseudo	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-provider-identity-assertion-regex	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-provider-identity-assertion-switchcase	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-provider-jersey	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-provider-rewrite	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-provider-rewrite-common	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-provider-rewrite-func-hostmap-static	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-provider-rewrite-func-inbound-query-param	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-provider-rewrite-func-service-registry	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-provider-rewrite-step-encrypt-uri	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-provider-rewrite-step-secure-query	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-provider-security-authc-anon	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-provider-security-authz-acls	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-provider-security-authz-composite	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-provider-security-clientcert	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-provider-security-hadoopauth	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-provider-security-jwt	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-provider-security-pac4j	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-provider-security-preauth	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-provider-security-shiro	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-provider-security-webappsec	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-release	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-server	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-server-launcher	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-server-xforwarded-filter	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-service-admin	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-service-as	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-service-definitions	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-service-hashicorp-vault	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-service-hbase	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-service-health	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-service-hive	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-service-idbroker	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-service-impala	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-service-jkg	1.3.0.7.1.8.64-1

Project	groupId	artifactId	version
Knox	org.apache.knox	gateway-service-knoxsso	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-service-knoxssout	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-service-knoxtoken	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-service-livy	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-service-metadata	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-service-nifi	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-service-nifi-registry	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-service-remoteconfig	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-service-rm	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-service-session	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-service-storm	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-service-test	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-service-tgs	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-service-vault	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-service-webhdfs	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-shell	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-shell-launcher	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-shell-release	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-shell-samples	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-spi	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-test	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-test-idbroker	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-test-release-utils	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-test-utils	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-topology-hadoop-xml	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-topology-simple	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-util-common	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-util-configinjector	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-util-launcher	1.3.0.7.1.8.64-1
Knox	org.apache.knox	gateway-util-urltemplate	1.3.0.7.1.8.64-1
Knox	org.apache.knox	hadoop-examples	1.3.0.7.1.8.64-1
Knox	org.apache.knox	knox-cli-launcher	1.3.0.7.1.8.64-1
Knox	org.apache.knox	knox-homepage-ui	1.3.0.7.1.8.64-1
Knox	org.apache.knox	webhdfs-kerb-test	1.3.0.7.1.8.64-1
Knox	org.apache.knox	webhdfs-test	1.3.0.7.1.8.64-1
Kudu	org.apache.kudu	kudu-backup-tools	1.15.0.7.1.8.64-1
Kudu	org.apache.kudu	kudu-backup2_2.11	1.15.0.7.1.8.64-1
Kudu	org.apache.kudu	kudu-backup3_2.12	1.15.0.7.1.8.64-1
Kudu	org.apache.kudu	kudu-client	1.15.0.7.1.8.64-1

Project	groupId	artifactId	version
Kudu	org.apache.kudu	kudu-hive	1.15.0.7.1.8.64-1
Kudu	org.apache.kudu	kudu-spark2-tools_2.11	1.15.0.7.1.8.64-1
Kudu	org.apache.kudu	kudu-spark2_2.11	1.15.0.7.1.8.64-1
Kudu	org.apache.kudu	kudu-spark3-tools_2.12	1.15.0.7.1.8.64-1
Kudu	org.apache.kudu	kudu-spark3_2.12	1.15.0.7.1.8.64-1
Kudu	org.apache.kudu	kudu-test-utils	1.15.0.7.1.8.64-1
Livy	org.apache.livy	livy-api	0.6.0.7.1.8.64-1
Livy	org.apache.livy	livy-client-common	0.6.0.7.1.8.64-1
Livy	org.apache.livy	livy-client-http	0.6.0.7.1.8.64-1
Livy	org.apache.livy	livy-core_2.11	0.6.0.7.1.8.64-1
Livy	org.apache.livy	livy-examples	0.6.0.7.1.8.64-1
Livy	org.apache.livy	livy-integration-test	0.6.0.7.1.8.64-1
Livy	org.apache.livy	livy-repl_2.11	0.6.0.7.1.8.64-1
Livy	org.apache.livy	livy-rsc	0.6.0.7.1.8.64-1
Livy	org.apache.livy	livy-scala-api_2.11	0.6.0.7.1.8.64-1
Livy	org.apache.livy	livy-server	0.6.0.7.1.8.64-1
Livy	org.apache.livy	livy-test-lib	0.6.0.7.1.8.64-1
Livy	org.apache.livy	livy-thriftserver	0.6.0.7.1.8.64-1
Livy	org.apache.livy	livy-thriftserver-session	0.6.0.7.1.8.64-1
Lucene	org.apache.lucene	lucene-analyzers-common	8.4.1.7.1.8.64-1
Lucene	org.apache.lucene	lucene-analyzers-icu	8.4.1.7.1.8.64-1
Lucene	org.apache.lucene	lucene-analyzers-kuromoji	8.4.1.7.1.8.64-1
Lucene	org.apache.lucene	lucene-analyzers-morfologik	8.4.1.7.1.8.64-1
Lucene	org.apache.lucene	lucene-analyzers-nori	8.4.1.7.1.8.64-1
Lucene	org.apache.lucene	lucene-analyzers-openslp	8.4.1.7.1.8.64-1
Lucene	org.apache.lucene	lucene-analyzers-phonetic	8.4.1.7.1.8.64-1
Lucene	org.apache.lucene	lucene-analyzers-smartcn	8.4.1.7.1.8.64-1
Lucene	org.apache.lucene	lucene-analyzers-stempel	8.4.1.7.1.8.64-1
Lucene	org.apache.lucene	lucene-backward-codecs	8.4.1.7.1.8.64-1
Lucene	org.apache.lucene	lucene-benchmark	8.4.1.7.1.8.64-1
Lucene	org.apache.lucene	lucene-classification	8.4.1.7.1.8.64-1
Lucene	org.apache.lucene	lucene-codecs	8.4.1.7.1.8.64-1
Lucene	org.apache.lucene	lucene-core	8.4.1.7.1.8.64-1
Lucene	org.apache.lucene	lucene-demo	8.4.1.7.1.8.64-1
Lucene	org.apache.lucene	lucene-expressions	8.4.1.7.1.8.64-1
Lucene	org.apache.lucene	lucene-facet	8.4.1.7.1.8.64-1
Lucene	org.apache.lucene	lucene-grouping	8.4.1.7.1.8.64-1
Lucene	org.apache.lucene	lucene-highlighter	8.4.1.7.1.8.64-1
Lucene	org.apache.lucene	lucene-join	8.4.1.7.1.8.64-1

Project	groupId	artifactId	version
Lucene	org.apache.lucene	lucene-memory	8.4.1.7.1.8.64-1
Lucene	org.apache.lucene	lucene-misc	8.4.1.7.1.8.64-1
Lucene	org.apache.lucene	lucene-monitor	8.4.1.7.1.8.64-1
Lucene	org.apache.lucene	lucene-queries	8.4.1.7.1.8.64-1
Lucene	org.apache.lucene	lucene-queryparser	8.4.1.7.1.8.64-1
Lucene	org.apache.lucene	lucene-replicator	8.4.1.7.1.8.64-1
Lucene	org.apache.lucene	lucene-sandbox	8.4.1.7.1.8.64-1
Lucene	org.apache.lucene	lucene-spatial	8.4.1.7.1.8.64-1
Lucene	org.apache.lucene	lucene-spatial-extras	8.4.1.7.1.8.64-1
Lucene	org.apache.lucene	lucene-spatial3d	8.4.1.7.1.8.64-1
Lucene	org.apache.lucene	lucene-suggest	8.4.1.7.1.8.64-1
Lucene	org.apache.lucene	lucene-test-framework	8.4.1.7.1.8.64-1
Oozie	org.apache.oozie	oozie-client	5.1.0.7.1.8.64-1
Oozie	org.apache.oozie	oozie-core	5.1.0.7.1.8.64-1
Oozie	org.apache.oozie	oozie-distro	5.1.0.7.1.8.64-1
Oozie	org.apache.oozie	oozie-examples	5.1.0.7.1.8.64-1
Oozie	org.apache.oozie	oozie-fluent-job-api	5.1.0.7.1.8.64-1
Oozie	org.apache.oozie	oozie-fluent-job-client	5.1.0.7.1.8.64-1
Oozie	org.apache.oozie	oozie-server	5.1.0.7.1.8.64-1
Oozie	org.apache.oozie	oozie-sharelib-distcp	5.1.0.7.1.8.64-1
Oozie	org.apache.oozie	oozie-sharelib-git	5.1.0.7.1.8.64-1
Oozie	org.apache.oozie	oozie-sharelib-hcatalog	5.1.0.7.1.8.64-1
Oozie	org.apache.oozie	oozie-sharelib-hive	5.1.0.7.1.8.64-1
Oozie	org.apache.oozie	oozie-sharelib-hive2	5.1.0.7.1.8.64-1
Oozie	org.apache.oozie	oozie-sharelib-oozie	5.1.0.7.1.8.64-1
Oozie	org.apache.oozie	oozie-sharelib-spark	5.1.0.7.1.8.64-1
Oozie	org.apache.oozie	oozie-sharelib-sqoop	5.1.0.7.1.8.64-1
Oozie	org.apache.oozie	oozie-sharelib-streaming	5.1.0.7.1.8.64-1
Oozie	org.apache.oozie	oozie-tools	5.1.0.7.1.8.64-1
Oozie	org.apache.oozie	oozie-zookeeper-security-tests	5.1.0.7.1.8.64-1
ORC	org.apache.orc	orc-core	1.5.1.7.1.8.64-1
ORC	org.apache.orc	orc-examples	1.5.1.7.1.8.64-1
ORC	org.apache.orc	orc-mapreduce	1.5.1.7.1.8.64-1
ORC	org.apache.orc	orc-shims	1.5.1.7.1.8.64-1
ORC	org.apache.orc	orc-tools	1.5.1.7.1.8.64-1
Parquet	org.apache.parquet	parquet-avro	1.10.99.7.1.8.64-1
Parquet	org.apache.parquet	parquet-cascading	1.10.99.7.1.8.64-1
Parquet	org.apache.parquet	parquet-cascading3	1.10.99.7.1.8.64-1
Parquet	org.apache.parquet	parquet-column	1.10.99.7.1.8.64-1

Project	groupId	artifactId	version
Parquet	org.apache.parquet	parquet-common	1.10.99.7.1.8.64-1
Parquet	org.apache.parquet	parquet-encoding	1.10.99.7.1.8.64-1
Parquet	org.apache.parquet	parquet-format-structures	1.10.99.7.1.8.64-1
Parquet	org.apache.parquet	parquet-generator	1.10.99.7.1.8.64-1
Parquet	org.apache.parquet	parquet-hadoop	1.10.99.7.1.8.64-1
Parquet	org.apache.parquet	parquet-hadoop-bundle	1.10.99.7.1.8.64-1
Parquet	org.apache.parquet	parquet-jackson	1.10.99.7.1.8.64-1
Parquet	org.apache.parquet	parquet-pig	1.10.99.7.1.8.64-1
Parquet	org.apache.parquet	parquet-pig-bundle	1.10.99.7.1.8.64-1
Parquet	org.apache.parquet	parquet-protobuf	1.10.99.7.1.8.64-1
Parquet	org.apache.parquet	parquet-scala_2.10	1.10.99.7.1.8.64-1
Parquet	org.apache.parquet	parquet-thrift	1.10.99.7.1.8.64-1
Parquet	org.apache.parquet	parquet-tools	1.10.99.7.1.8.64-1
Phoenix	org.apache.phoenix	phoenix-client-embedded-hbase-2.4	5.1.1.7.1.8.64-1
Phoenix	org.apache.phoenix	phoenix-client-hbase-2.4	5.1.1.7.1.8.64-1
Phoenix	org.apache.phoenix	phoenix-connectors-phoenix5-compatible	6.0.0.7.1.8.64-1
Phoenix	org.apache.phoenix	phoenix-core	5.1.1.7.1.8.64-1
Phoenix	org.apache.phoenix	phoenix-hbase-compatible-2.1.6	5.1.1.7.1.8.64-1
Phoenix	org.apache.phoenix	phoenix-hbase-compatible-2.2.5	5.1.1.7.1.8.64-1
Phoenix	org.apache.phoenix	phoenix-hbase-compatible-2.3.0	5.1.1.7.1.8.64-1
Phoenix	org.apache.phoenix	phoenix-hbase-compatible-2.4.0	5.1.1.7.1.8.64-1
Phoenix	org.apache.phoenix	phoenix-hbase-compatible-2.4.1	5.1.1.7.1.8.64-1
Phoenix	org.apache.phoenix	phoenix-pherf	5.1.1.7.1.8.64-1
Phoenix	org.apache.phoenix	phoenix-queryserver	6.0.0.7.1.8.64-1
Phoenix	org.apache.phoenix	phoenix-queryserver-client	6.0.0.7.1.8.64-1
Phoenix	org.apache.phoenix	phoenix-queryserver-it	6.0.0.7.1.8.64-1
Phoenix	org.apache.phoenix	phoenix-queryserver-load-balancer	6.0.0.7.1.8.64-1
Phoenix	org.apache.phoenix	phoenix-queryserver-orchestrator	6.0.0.7.1.8.64-1
Phoenix	org.apache.phoenix	phoenix-server-hbase-2.4	5.1.1.7.1.8.64-1
Phoenix	org.apache.phoenix	phoenix-tracing-webapp	5.1.1.7.1.8.64-1
Phoenix	org.apache.phoenix	phoenix5-hive	6.0.0.7.1.8.64-1
Phoenix	org.apache.phoenix	phoenix5-hive-shaded	6.0.0.7.1.8.64-1
Phoenix	org.apache.phoenix	phoenix5-spark	6.0.0.7.1.8.64-1
Phoenix	org.apache.phoenix	phoenix5-spark-shaded	6.0.0.7.1.8.64-1
Ranger	org.apache.ranger	conditions-enrichers	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	credentialbuilder	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	embeddedwebserver	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	jisql	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ldapconfigcheck	2.3.0.7.1.8.64-1

Project	groupId	artifactId	version
Ranger	org.apache.ranger	ranger-adls-plugin	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-atlas-plugin	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-atlas-plugin-shim	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-authn	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-distro	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-examples-distro	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-hbase-plugin	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-hbase-plugin-shim	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-hdfs-plugin	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-hdfs-plugin-shim	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-hive-plugin	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-hive-plugin-shim	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-intg	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-kafka-connect-plugin	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-kafka-plugin	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-kafka-plugin-shim	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-kms	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-kms-plugin	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-kms-plugin-shim	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-knox-plugin	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-knox-plugin-shim	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-kudu-plugin	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-kylin-plugin	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-kylin-plugin-shim	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-nifi-plugin	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-nifi-registry-plugin	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-ozone-plugin	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-ozone-plugin-shim	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-plugin-classloader	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-plugins-audit	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-plugins-common	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-plugins-cred	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-plugins-installer	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-policymigration	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-raz-adls	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-raz-chained-plugins	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-raz-hook-abfs	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-raz-intg	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-raz-processor	2.3.0.7.1.8.64-1

Project	groupId	artifactId	version
Ranger	org.apache.ranger	ranger-rms-common	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-rms-hive	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-rms-plugins-common	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-rms-webapp	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-sampleapp-plugin	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-schema-registry-plugin	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-solr-plugin	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-solr-plugin-shim	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-sqoop-plugin	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-sqoop-plugin-shim	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-storm-plugin	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-storm-plugin-shim	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-tagsync	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-tools	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-util	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-yarn-plugin	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ranger-yarn-plugin-shim	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	sample-client	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	sampleapp	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	shaded-raz-hook-abfs	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	ugsync-util	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	unixauthclient	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	unixauthservice	2.3.0.7.1.8.64-1
Ranger	org.apache.ranger	unixusersync	2.3.0.7.1.8.64-1
Solr	org.apache.solr	solr-analysis-extras	8.4.1.7.1.8.64-1
Solr	org.apache.solr	solr-analytics	8.4.1.7.1.8.64-1
Solr	org.apache.solr	solr-cell	8.4.1.7.1.8.64-1
Solr	org.apache.solr	solr-clustering	8.4.1.7.1.8.64-1
Solr	org.apache.solr	solr-core	8.4.1.7.1.8.64-1
Solr	org.apache.solr	solr-dataimporthandler	8.4.1.7.1.8.64-1
Solr	org.apache.solr	solr-dataimporthandler-extras	8.4.1.7.1.8.64-1
Solr	org.apache.solr	solr-jaegertracer-configurator	8.4.1.7.1.8.64-1
Solr	org.apache.solr	solr-langid	8.4.1.7.1.8.64-1
Solr	org.apache.solr	solr-ltr	8.4.1.7.1.8.64-1
Solr	org.apache.solr	solr-prometheus-exporter	8.4.1.7.1.8.64-1
Solr	org.apache.solr	solr-security-util	8.4.1.7.1.8.64-1
Solr	org.apache.solr	solr-solrj	8.4.1.7.1.8.64-1
Solr	org.apache.solr	solr-test-framework	8.4.1.7.1.8.64-1
Solr	org.apache.solr	solr-velocity	8.4.1.7.1.8.64-1

Project	groupId	artifactId	version
Spark	org.apache.spark	spark-avro_2.11	2.4.8.7.1.8.64-1
Spark	org.apache.spark	spark-catalyst_2.11	2.4.8.7.1.8.64-1
Spark	org.apache.spark	spark-core_2.11	2.4.8.7.1.8.64-1
Spark	org.apache.spark	spark-graphx_2.11	2.4.8.7.1.8.64-1
Spark	org.apache.spark	spark-hadoop-cloud_2.11	2.4.8.7.1.8.64-1
Spark	org.apache.spark	spark-hive_2.11	2.4.8.7.1.8.64-1
Spark	org.apache.spark	spark-kubernetes_2.11	2.4.8.7.1.8.64-1
Spark	org.apache.spark	spark-kvstore_2.11	2.4.8.7.1.8.64-1
Spark	org.apache.spark	spark-launcher_2.11	2.4.8.7.1.8.64-1
Spark	org.apache.spark	spark-mllib-local_2.11	2.4.8.7.1.8.64-1
Spark	org.apache.spark	spark-mllib_2.11	2.4.8.7.1.8.64-1
Spark	org.apache.spark	spark-network-common_2.11	2.4.8.7.1.8.64-1
Spark	org.apache.spark	spark-network-shuffle_2.11	2.4.8.7.1.8.64-1
Spark	org.apache.spark	spark-network-yarn_2.11	2.4.8.7.1.8.64-1
Spark	org.apache.spark	spark-repl_2.11	2.4.8.7.1.8.64-1
Spark	org.apache.spark	spark-sketch_2.11	2.4.8.7.1.8.64-1
Spark	org.apache.spark	spark-sql-kafka-0-10_2.11	2.4.8.7.1.8.64-1
Spark	org.apache.spark	spark-sql_2.11	2.4.8.7.1.8.64-1
Spark	org.apache.spark	spark-streaming-kafka-0-10-assembly_2.11	2.4.8.7.1.8.64-1
Spark	org.apache.spark	spark-streaming-kafka-0-10_2.11	2.4.8.7.1.8.64-1
Spark	org.apache.spark	spark-streaming_2.11	2.4.8.7.1.8.64-1
Spark	org.apache.spark	spark-tags_2.11	2.4.8.7.1.8.64-1
Spark	org.apache.spark	spark-token-provider-kafka-0-10_2.11	2.4.8.7.1.8.64-1
Spark	org.apache.spark	spark-unsafe_2.11	2.4.8.7.1.8.64-1
Spark	org.apache.spark	spark-yarn_2.11	2.4.8.7.1.8.64-1
Sqoop	org.apache.sqoop	sqoop	1.4.7.7.1.8.64-1
Sqoop	org.apache.sqoop	sqoop-test	1.4.7.7.1.8.64-1
Tez	org.apache.tez	hadoop-shim	0.9.1.7.1.8.64-1
Tez	org.apache.tez	hadoop-shim-2.8	0.9.1.7.1.8.64-1
Tez	org.apache.tez	tez-api	0.9.1.7.1.8.64-1
Tez	org.apache.tez	tez-aux-services	0.9.1.7.1.8.64-1
Tez	org.apache.tez	tez-common	0.9.1.7.1.8.64-1
Tez	org.apache.tez	tez-dag	0.9.1.7.1.8.64-1
Tez	org.apache.tez	tez-examples	0.9.1.7.1.8.64-1
Tez	org.apache.tez	tez-ext-service-tests	0.9.1.7.1.8.64-1
Tez	org.apache.tez	tez-history-parser	0.9.1.7.1.8.64-1
Tez	org.apache.tez	tez-javadoc-tools	0.9.1.7.1.8.64-1
Tez	org.apache.tez	tez-job-analyzer	0.9.1.7.1.8.64-1
Tez	org.apache.tez	tez-mapreduce	0.9.1.7.1.8.64-1

Project	groupId	artifactId	version
Tez	org.apache.tez	tez-protobuf-history-plugin	0.9.1.7.1.8.64-1
Tez	org.apache.tez	tez-runtime-internals	0.9.1.7.1.8.64-1
Tez	org.apache.tez	tez-runtime-library	0.9.1.7.1.8.64-1
Tez	org.apache.tez	tez-tests	0.9.1.7.1.8.64-1
Tez	org.apache.tez	tez-yarn-timeline-cache-plugin	0.9.1.7.1.8.64-1
Tez	org.apache.tez	tez-yarn-timeline-history	0.9.1.7.1.8.64-1
Tez	org.apache.tez	tez-yarn-timeline-history-with-acls	0.9.1.7.1.8.64-1
Tez	org.apache.tez	tez-yarn-timeline-history-with-fs	0.9.1.7.1.8.64-1
Zeppelin	org.apache.zeppelin	zeppelin-angular	0.8.2.7.1.8.64-1
Zeppelin	org.apache.zeppelin	zeppelin-display	0.8.2.7.1.8.64-1
Zeppelin	org.apache.zeppelin	zeppelin-interpreter	0.8.2.7.1.8.64-1
Zeppelin	org.apache.zeppelin	zeppelin-jdbc	0.8.2.7.1.8.64-1
Zeppelin	org.apache.zeppelin	zeppelin-jupyter	0.8.2.7.1.8.64-1
Zeppelin	org.apache.zeppelin	zeppelin-livy	0.8.2.7.1.8.64-1
Zeppelin	org.apache.zeppelin	zeppelin-markdown	0.8.2.7.1.8.64-1
Zeppelin	org.apache.zeppelin	zeppelin-server	0.8.2.7.1.8.64-1
Zeppelin	org.apache.zeppelin	zeppelin-shell	0.8.2.7.1.8.64-1
Zeppelin	org.apache.zeppelin	zeppelin-zengine	0.8.2.7.1.8.64-1
ZooKeeper	org.apache.zookeeper	zookeeper	3.5.5.7.1.8.64-1
ZooKeeper	org.apache.zookeeper	zookeeper-client-c	3.5.5.7.1.8.64-1
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-loggraph	3.5.5.7.1.8.64-1
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-rest	3.5.5.7.1.8.64-1
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-zooinspector	3.5.5.7.1.8.64-1
ZooKeeper	org.apache.zookeeper	zookeeper-docs	3.5.5.7.1.8.64-1
ZooKeeper	org.apache.zookeeper	zookeeper-jute	3.5.5.7.1.8.64-1
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-election	3.5.5.7.1.8.64-1
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-lock	3.5.5.7.1.8.64-1

Runtime 7.1.8.65-1

The following table lists the project name, groupId, artifactId, and version required to access each Runtime artifact.

Project	groupId	artifactId	version
Atlas	org.apache.atlas	atlas-authorization	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	atlas-aws-s3-bridge	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	atlas-azure-adls-bridge	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	atlas-classification-updater	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	atlas-client-common	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	atlas-client-v1	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	atlas-client-v2	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	atlas-common	2.1.0.7.1.8.65-1

Project	groupId	artifactId	version
Atlas	org.apache.atlas	atlas-distro	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	atlas-docs	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	atlas-graphdb-api	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	atlas-graphdb-common	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	atlas-graphdb-janus	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	atlas-hdfs-bridge	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	atlas-index-repair-tool	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	atlas-intg	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	atlas-janusgraph-hbase2	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	atlas-notification	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	atlas-plugin-classloader	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	atlas-repository	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	atlas-server-api	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	atlas-testtools	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	hbase-bridge	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	hbase-bridge-shim	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	hbase-testing-util	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	hdfs-model	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	hive-bridge	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	hive-bridge-shim	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	impala-bridge	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	impala-bridge-shim	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	impala-hook-api	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	kafka-bridge	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	kafka-bridge-shim	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	navigator-to-atlas	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	sample-app	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	sqoop-bridge	2.1.0.7.1.8.65-1
Atlas	org.apache.atlas	sqoop-bridge-shim	2.1.0.7.1.8.65-1
Avro	org.apache.avro	avro	1.8.2.7.1.8.65-1
Avro	org.apache.avro	avro-compiler	1.8.2.7.1.8.65-1
Avro	org.apache.avro	avro-ipc	1.8.2.7.1.8.65-1
Avro	org.apache.avro	avro-mapred	1.8.2.7.1.8.65-1
Avro	org.apache.avro	avro-maven-plugin	1.8.2.7.1.8.65-1
Avro	org.apache.avro	avro-protobuf	1.8.2.7.1.8.65-1
Avro	org.apache.avro	avro-service-archetype	1.8.2.7.1.8.65-1
Avro	org.apache.avro	avro-thrift	1.8.2.7.1.8.65-1
Avro	org.apache.avro	avro-tools	1.8.2.7.1.8.65-1
Avro	org.apache.avro	trevni-avro	1.8.2.7.1.8.65-1

Project	groupId	artifactId	version
Avro	org.apache.avro	trevni-core	1.8.2.7.1.8.65-1
Calcite	org.apache.calcite	calcite-babel	1.19.0.7.1.8.65-1
Calcite	org.apache.calcite	calcite-core	1.19.0.7.1.8.65-1
Calcite	org.apache.calcite	calcite-druid	1.19.0.7.1.8.65-1
Calcite	org.apache.calcite	calcite-linq4j	1.19.0.7.1.8.65-1
Calcite	org.apache.calcite	calcite-server	1.19.0.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-aliyun	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-annotations	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-archive-logs	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-archives	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-assemblies	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-auth	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-aws	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-azure	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-azure-datalake	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-build-tools	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-client	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-client-api	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-client-integration-tests	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-client-minicluster	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-client-runtime	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-cloud-storage	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-common	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-datajoin	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-distcp	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-extras	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-fs2img	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-gridmix	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-hdfs	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-hdfs-client	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-hdfs-httpfs	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-hdfs-native-client	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-hdfs-nfs	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-hdfs-rbf	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-kafka	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-kms	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-app	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-common	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-core	3.1.1.7.1.8.65-1

Project	groupId	artifactId	version
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-hs	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-hs-plugins	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-jobclient	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-nativetask	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-shuffle	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-client-uploader	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-mapreduce-examples	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-maven-plugins	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-minicluster	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-minikdc	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-nfs	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-openstack	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-resourceestimator	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-rumen	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-sls	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-streaming	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-tools-dist	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-yarn-api	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-yarn-applications-distributedshell	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-yarn-applications-unmanaged-am-launcher	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-yarn-client	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-yarn-common	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-yarn-registry	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-applicationhistoryservice	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-common	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-nodemanager	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-resourcemanager	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-router	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-sharedcachemanager	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-tests	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timeline-pluginstorage	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-client	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-common	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-server-2	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-timelineservice-hbase-tests	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-yarn-server-web-proxy	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-yarn-services-api	3.1.1.7.1.8.65-1
Hadoop	org.apache.hadoop	hadoop-yarn-services-core	3.1.1.7.1.8.65-1

Project	groupId	artifactId	version
HBase	org.apache.hbase	hbase-annotations	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-asyncfs	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-checkstyle	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-client	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-client-project	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-common	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-endpoint	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-examples	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-external-blockcache	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-hadoop-compat	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-hadoop2-compat	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-hbtop	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-http	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-it	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-logging	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-mapreduce	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-metrics	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-metrics-api	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-procedure	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-protocol	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-protocol-shaded	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-replication	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-resource-bundle	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-rest	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-rsgroup	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-server	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-shaded-client	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-shaded-client-byo-hadoop	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-shaded-client-project	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-shaded-mapreduce	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-shaded-testing-util	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-shaded-testing-util-tester	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-shell	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-testing-util	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-thrift	2.4.6.7.1.8.65-1
HBase	org.apache.hbase	hbase-zookeeper	2.4.6.7.1.8.65-1
Hive	org.apache.hive	hive-beeline	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-blobstore	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-classification	3.1.3000.7.1.8.65-1

Project	groupId	artifactId	version
Hive	org.apache.hive	hive-cli	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-common	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-contrib	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-exec	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-hbase-handler	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-hcatalog-it-unit	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-hplsql	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-it-custom-serde	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-it-minikdc	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-it-qfile	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-it-qfile-kudu	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-it-test-serde	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-it-unit	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-it-unit-hadoop2	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-it-util	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-jdbc	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-jdbc-handler	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-jmh	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-kryo-registrator	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-kudu-handler	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-llap-client	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-llap-common	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-llap-ext-client	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-llap-server	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-llap-tez	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-metastore	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-pre-upgrade	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-serde	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-service	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-service-rpc	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-shims	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-spark-client	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-standalone-metastore	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-storage-api	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-streaming	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-testutils	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	hive-vector-code-gen	3.1.3000.7.1.8.65-1
Hive	org.apache.hive	kafka-handler	3.1.3000.7.1.8.65-1
Hive Warehouse Connector	com.hortonworks.hive	hive-warehouse-connector_2.11	1.0.0.7.1.8.65-1

Project	groupId	artifactId	version
Kafka	org.apache.kafka	connect	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	connect-api	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	connect-basic-auth-extension	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	connect-cloudera-authorization-extension	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	connect-cloudera-common	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	connect-cloudera-secret-storage	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	connect-cloudera-security-policies	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	connect-file	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	connect-json	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	connect-mirror	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	connect-mirror-client	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	connect-runtime	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	connect-transforms	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	generator	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	kafka-clients	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	kafka-cloudera-metrics-reporter_2.12	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	kafka-cloudera-metrics-reporter_2.13	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	kafka-cloudera-plugins	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	kafka-examples	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	kafka-log4j-appender	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	kafka-metadata	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	kafka-raft	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	kafka-server-common	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	kafka-shell	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	kafka-storage	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	kafka-storage-api	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	kafka-streams	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	kafka-streams-examples	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	kafka-streams-scala_2.12	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	kafka-streams-scala_2.13	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	kafka-streams-test-utils	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0100	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0101	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0102	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0110	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-10	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-11	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-20	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-21	3.1.1.7.1.8.65-1

Project	groupId	artifactId	version
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-22	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-23	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-24	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-25	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-26	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-27	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-28	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	kafka-tools	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	kafka_2.12	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	kafka_2.13	3.1.1.7.1.8.65-1
Kafka	org.apache.kafka	trogdor	3.1.1.7.1.8.65-1
Knox	org.apache.knox	gateway-adapter	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-admin-ui	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-applications	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-cloud-bindings	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-demo-ldap	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-demo-ldap-launcher	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-discovery-ambari	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-discovery-cm	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-docker	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-i18n	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-i18n-logging-log4j	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-i18n-logging-sl4j	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-provider-ha	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-provider-identity-assertion-common	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-provider-identity-assertion-concat	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-provider-identity-assertion-hadoop-groups	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-provider-identity-assertion-pseudo	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-provider-identity-assertion-regex	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-provider-identity-assertion-switchcase	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-provider-jersey	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-provider-rewrite	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-provider-rewrite-common	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-provider-rewrite-func-hostmap-static	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-provider-rewrite-func-inbound-query-param	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-provider-rewrite-func-service-registry	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-provider-rewrite-step-encrypt-uri	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-provider-rewrite-step-secure-query	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-provider-security-authc-anon	1.3.0.7.1.8.65-1

Project	groupId	artifactId	version
Knox	org.apache.knox	gateway-provider-security-authz-acls	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-provider-security-authz-composite	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-provider-security-clientcert	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-provider-security-hadoopauth	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-provider-security-jwt	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-provider-security-pac4j	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-provider-security-preauth	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-provider-security-shiro	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-provider-security-webappsec	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-release	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-server	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-server-launcher	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-server-xforwarded-filter	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-service-admin	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-service-as	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-service-definitions	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-service-hashicorp-vault	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-service-hbase	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-service-health	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-service-hive	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-service-idbroker	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-service-impala	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-service-jkg	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-service-knoxsso	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-service-knoxssout	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-service-knoxtoken	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-service-livy	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-service-metadata	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-service-nifi	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-service-nifi-registry	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-service-remoteconfig	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-service-rm	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-service-session	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-service-storm	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-service-test	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-service-tgs	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-service-vault	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-service-webhdfs	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-shell	1.3.0.7.1.8.65-1

Project	groupId	artifactId	version
Knox	org.apache.knox	gateway-shell-launcher	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-shell-release	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-shell-samples	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-spi	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-test	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-test-idbroker	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-test-release-utils	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-test-utils	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-topology-hadoop-xml	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-topology-simple	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-util-common	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-util-configinjector	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-util-launcher	1.3.0.7.1.8.65-1
Knox	org.apache.knox	gateway-util-urltemplate	1.3.0.7.1.8.65-1
Knox	org.apache.knox	hadoop-examples	1.3.0.7.1.8.65-1
Knox	org.apache.knox	knox-cli-launcher	1.3.0.7.1.8.65-1
Knox	org.apache.knox	knox-homepage-ui	1.3.0.7.1.8.65-1
Knox	org.apache.knox	webhdfs-kerb-test	1.3.0.7.1.8.65-1
Knox	org.apache.knox	webhdfs-test	1.3.0.7.1.8.65-1
Kudu	org.apache.kudu	kudu-backup-tools	1.15.0.7.1.8.65-1
Kudu	org.apache.kudu	kudu-backup2_2.11	1.15.0.7.1.8.65-1
Kudu	org.apache.kudu	kudu-backup3_2.12	1.15.0.7.1.8.65-1
Kudu	org.apache.kudu	kudu-client	1.15.0.7.1.8.65-1
Kudu	org.apache.kudu	kudu-hive	1.15.0.7.1.8.65-1
Kudu	org.apache.kudu	kudu-spark2-tools_2.11	1.15.0.7.1.8.65-1
Kudu	org.apache.kudu	kudu-spark2_2.11	1.15.0.7.1.8.65-1
Kudu	org.apache.kudu	kudu-spark3-tools_2.12	1.15.0.7.1.8.65-1
Kudu	org.apache.kudu	kudu-spark3_2.12	1.15.0.7.1.8.65-1
Kudu	org.apache.kudu	kudu-test-utils	1.15.0.7.1.8.65-1
Livy	org.apache.livy	livy-api	0.6.0.7.1.8.65-1
Livy	org.apache.livy	livy-client-common	0.6.0.7.1.8.65-1
Livy	org.apache.livy	livy-client-http	0.6.0.7.1.8.65-1
Livy	org.apache.livy	livy-core_2.11	0.6.0.7.1.8.65-1
Livy	org.apache.livy	livy-examples	0.6.0.7.1.8.65-1
Livy	org.apache.livy	livy-integration-test	0.6.0.7.1.8.65-1
Livy	org.apache.livy	livy-repl_2.11	0.6.0.7.1.8.65-1
Livy	org.apache.livy	livy-rsc	0.6.0.7.1.8.65-1
Livy	org.apache.livy	livy-scala-api_2.11	0.6.0.7.1.8.65-1
Livy	org.apache.livy	livy-server	0.6.0.7.1.8.65-1

Project	groupId	artifactId	version
Livy	org.apache.livy	livy-test-lib	0.6.0.7.1.8.65-1
Livy	org.apache.livy	livy-thriftserver	0.6.0.7.1.8.65-1
Livy	org.apache.livy	livy-thriftserver-session	0.6.0.7.1.8.65-1
Lucene	org.apache.lucene	lucene-analyzers-common	8.4.1.7.1.8.65-1
Lucene	org.apache.lucene	lucene-analyzers-icu	8.4.1.7.1.8.65-1
Lucene	org.apache.lucene	lucene-analyzers-kuromoji	8.4.1.7.1.8.65-1
Lucene	org.apache.lucene	lucene-analyzers-morfologik	8.4.1.7.1.8.65-1
Lucene	org.apache.lucene	lucene-analyzers-nori	8.4.1.7.1.8.65-1
Lucene	org.apache.lucene	lucene-analyzers-openslp	8.4.1.7.1.8.65-1
Lucene	org.apache.lucene	lucene-analyzers-phonetic	8.4.1.7.1.8.65-1
Lucene	org.apache.lucene	lucene-analyzers-smarten	8.4.1.7.1.8.65-1
Lucene	org.apache.lucene	lucene-analyzers-stempel	8.4.1.7.1.8.65-1
Lucene	org.apache.lucene	lucene-backward-codecs	8.4.1.7.1.8.65-1
Lucene	org.apache.lucene	lucene-benchmark	8.4.1.7.1.8.65-1
Lucene	org.apache.lucene	lucene-classification	8.4.1.7.1.8.65-1
Lucene	org.apache.lucene	lucene-codecs	8.4.1.7.1.8.65-1
Lucene	org.apache.lucene	lucene-core	8.4.1.7.1.8.65-1
Lucene	org.apache.lucene	lucene-demo	8.4.1.7.1.8.65-1
Lucene	org.apache.lucene	lucene-expressions	8.4.1.7.1.8.65-1
Lucene	org.apache.lucene	lucene-facet	8.4.1.7.1.8.65-1
Lucene	org.apache.lucene	lucene-grouping	8.4.1.7.1.8.65-1
Lucene	org.apache.lucene	lucene-highlighter	8.4.1.7.1.8.65-1
Lucene	org.apache.lucene	lucene-join	8.4.1.7.1.8.65-1
Lucene	org.apache.lucene	lucene-memory	8.4.1.7.1.8.65-1
Lucene	org.apache.lucene	lucene-misc	8.4.1.7.1.8.65-1
Lucene	org.apache.lucene	lucene-monitor	8.4.1.7.1.8.65-1
Lucene	org.apache.lucene	lucene-queries	8.4.1.7.1.8.65-1
Lucene	org.apache.lucene	lucene-queryparser	8.4.1.7.1.8.65-1
Lucene	org.apache.lucene	lucene-replicator	8.4.1.7.1.8.65-1
Lucene	org.apache.lucene	lucene-sandbox	8.4.1.7.1.8.65-1
Lucene	org.apache.lucene	lucene-spatial	8.4.1.7.1.8.65-1
Lucene	org.apache.lucene	lucene-spatial-extras	8.4.1.7.1.8.65-1
Lucene	org.apache.lucene	lucene-spatial3d	8.4.1.7.1.8.65-1
Lucene	org.apache.lucene	lucene-suggest	8.4.1.7.1.8.65-1
Lucene	org.apache.lucene	lucene-test-framework	8.4.1.7.1.8.65-1
Oozie	org.apache.oozie	oozie-client	5.1.0.7.1.8.65-1
Oozie	org.apache.oozie	oozie-core	5.1.0.7.1.8.65-1
Oozie	org.apache.oozie	oozie-distro	5.1.0.7.1.8.65-1
Oozie	org.apache.oozie	oozie-examples	5.1.0.7.1.8.65-1

Project	groupId	artifactId	version
Oozie	org.apache.oozie	oozie-fluent-job-api	5.1.0.7.1.8.65-1
Oozie	org.apache.oozie	oozie-fluent-job-client	5.1.0.7.1.8.65-1
Oozie	org.apache.oozie	oozie-server	5.1.0.7.1.8.65-1
Oozie	org.apache.oozie	oozie-sharelib-distcp	5.1.0.7.1.8.65-1
Oozie	org.apache.oozie	oozie-sharelib-git	5.1.0.7.1.8.65-1
Oozie	org.apache.oozie	oozie-sharelib-hcatalog	5.1.0.7.1.8.65-1
Oozie	org.apache.oozie	oozie-sharelib-hive	5.1.0.7.1.8.65-1
Oozie	org.apache.oozie	oozie-sharelib-hive2	5.1.0.7.1.8.65-1
Oozie	org.apache.oozie	oozie-sharelib-oozie	5.1.0.7.1.8.65-1
Oozie	org.apache.oozie	oozie-sharelib-spark	5.1.0.7.1.8.65-1
Oozie	org.apache.oozie	oozie-sharelib-sqoop	5.1.0.7.1.8.65-1
Oozie	org.apache.oozie	oozie-sharelib-streaming	5.1.0.7.1.8.65-1
Oozie	org.apache.oozie	oozie-tools	5.1.0.7.1.8.65-1
Oozie	org.apache.oozie	oozie-zookeeper-security-tests	5.1.0.7.1.8.65-1
ORC	org.apache.orc	orc-core	1.5.1.7.1.8.65-1
ORC	org.apache.orc	orc-examples	1.5.1.7.1.8.65-1
ORC	org.apache.orc	orc-mapreduce	1.5.1.7.1.8.65-1
ORC	org.apache.orc	orc-shims	1.5.1.7.1.8.65-1
ORC	org.apache.orc	orc-tools	1.5.1.7.1.8.65-1
Parquet	org.apache.parquet	parquet-avro	1.10.99.7.1.8.65-1
Parquet	org.apache.parquet	parquet-cascading	1.10.99.7.1.8.65-1
Parquet	org.apache.parquet	parquet-cascading3	1.10.99.7.1.8.65-1
Parquet	org.apache.parquet	parquet-column	1.10.99.7.1.8.65-1
Parquet	org.apache.parquet	parquet-common	1.10.99.7.1.8.65-1
Parquet	org.apache.parquet	parquet-encoding	1.10.99.7.1.8.65-1
Parquet	org.apache.parquet	parquet-format-structures	1.10.99.7.1.8.65-1
Parquet	org.apache.parquet	parquet-generator	1.10.99.7.1.8.65-1
Parquet	org.apache.parquet	parquet-hadoop	1.10.99.7.1.8.65-1
Parquet	org.apache.parquet	parquet-hadoop-bundle	1.10.99.7.1.8.65-1
Parquet	org.apache.parquet	parquet-jackson	1.10.99.7.1.8.65-1
Parquet	org.apache.parquet	parquet-pig	1.10.99.7.1.8.65-1
Parquet	org.apache.parquet	parquet-pig-bundle	1.10.99.7.1.8.65-1
Parquet	org.apache.parquet	parquet-protobuf	1.10.99.7.1.8.65-1
Parquet	org.apache.parquet	parquet-scala_2.10	1.10.99.7.1.8.65-1
Parquet	org.apache.parquet	parquet-thrift	1.10.99.7.1.8.65-1
Parquet	org.apache.parquet	parquet-tools	1.10.99.7.1.8.65-1
Phoenix	org.apache.phoenix	phoenix-client-embedded-hbase-2.4	5.1.1.7.1.8.65-1
Phoenix	org.apache.phoenix	phoenix-client-hbase-2.4	5.1.1.7.1.8.65-1
Phoenix	org.apache.phoenix	phoenix-connectors-phoenix5-compatible	6.0.0.7.1.8.65-1

Project	groupId	artifactId	version
Phoenix	org.apache.phoenix	phoenix-core	5.1.1.7.1.8.65-1
Phoenix	org.apache.phoenix	phoenix-hbase-compat-2.1.6	5.1.1.7.1.8.65-1
Phoenix	org.apache.phoenix	phoenix-hbase-compat-2.2.5	5.1.1.7.1.8.65-1
Phoenix	org.apache.phoenix	phoenix-hbase-compat-2.3.0	5.1.1.7.1.8.65-1
Phoenix	org.apache.phoenix	phoenix-hbase-compat-2.4.0	5.1.1.7.1.8.65-1
Phoenix	org.apache.phoenix	phoenix-hbase-compat-2.4.1	5.1.1.7.1.8.65-1
Phoenix	org.apache.phoenix	phoenix-pherf	5.1.1.7.1.8.65-1
Phoenix	org.apache.phoenix	phoenix-queryserver	6.0.0.7.1.8.65-1
Phoenix	org.apache.phoenix	phoenix-queryserver-client	6.0.0.7.1.8.65-1
Phoenix	org.apache.phoenix	phoenix-queryserver-it	6.0.0.7.1.8.65-1
Phoenix	org.apache.phoenix	phoenix-queryserver-load-balancer	6.0.0.7.1.8.65-1
Phoenix	org.apache.phoenix	phoenix-queryserver-orchestrator	6.0.0.7.1.8.65-1
Phoenix	org.apache.phoenix	phoenix-server-hbase-2.4	5.1.1.7.1.8.65-1
Phoenix	org.apache.phoenix	phoenix-tracing-webapp	5.1.1.7.1.8.65-1
Phoenix	org.apache.phoenix	phoenix5-hive	6.0.0.7.1.8.65-1
Phoenix	org.apache.phoenix	phoenix5-hive-shaded	6.0.0.7.1.8.65-1
Phoenix	org.apache.phoenix	phoenix5-spark	6.0.0.7.1.8.65-1
Phoenix	org.apache.phoenix	phoenix5-spark-shaded	6.0.0.7.1.8.65-1
Ranger	org.apache.ranger	conditions-enrichers	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	credentialbuilder	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	embeddedwebserver	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	jisql	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ldapconfigcheck	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-adls-plugin	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-atlas-plugin	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-atlas-plugin-shim	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-authn	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-distro	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-examples-distro	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-hbase-plugin	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-hbase-plugin-shim	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-hdfs-plugin	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-hdfs-plugin-shim	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-hive-plugin	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-hive-plugin-shim	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-intg	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-kafka-connect-plugin	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-kafka-plugin	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-kafka-plugin-shim	2.3.0.7.1.8.65-1

Project	groupId	artifactId	version
Ranger	org.apache.ranger	ranger-kms	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-kms-plugin	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-kms-plugin-shim	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-knox-plugin	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-knox-plugin-shim	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-kudu-plugin	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-kylin-plugin	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-kylin-plugin-shim	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-nifi-plugin	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-nifi-registry-plugin	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-ozone-plugin	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-ozone-plugin-shim	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-plugin-classloader	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-plugins-audit	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-plugins-common	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-plugins-cred	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-plugins-installer	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-policymigration	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-raz-adls	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-raz-chained-plugins	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-raz-hook-abfs	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-raz-intg	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-raz-processor	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-rms-common	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-rms-hive	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-rms-plugins-common	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-rms-webapp	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-sampleapp-plugin	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-schema-registry-plugin	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-solr-plugin	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-solr-plugin-shim	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-sqoop-plugin	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-sqoop-plugin-shim	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-storm-plugin	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-storm-plugin-shim	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-tagsync	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-tools	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-util	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ranger-yarn-plugin	2.3.0.7.1.8.65-1

Project	groupId	artifactId	version
Ranger	org.apache.ranger	ranger-yarn-plugin-shim	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	sample-client	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	sampleapp	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	shaded-raz-hook-abfs	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	ugsync-util	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	unixauthclient	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	unixauthservice	2.3.0.7.1.8.65-1
Ranger	org.apache.ranger	unixusersync	2.3.0.7.1.8.65-1
Solr	org.apache.solr	solr-analysis-extras	8.4.1.7.1.8.65-1
Solr	org.apache.solr	solr-analytics	8.4.1.7.1.8.65-1
Solr	org.apache.solr	solr-cell	8.4.1.7.1.8.65-1
Solr	org.apache.solr	solr-clustering	8.4.1.7.1.8.65-1
Solr	org.apache.solr	solr-core	8.4.1.7.1.8.65-1
Solr	org.apache.solr	solr-dataimporthandler	8.4.1.7.1.8.65-1
Solr	org.apache.solr	solr-dataimporthandler-extras	8.4.1.7.1.8.65-1
Solr	org.apache.solr	solr-jaegertracer-configurator	8.4.1.7.1.8.65-1
Solr	org.apache.solr	solr-langid	8.4.1.7.1.8.65-1
Solr	org.apache.solr	solr-ltr	8.4.1.7.1.8.65-1
Solr	org.apache.solr	solr-prometheus-exporter	8.4.1.7.1.8.65-1
Solr	org.apache.solr	solr-security-util	8.4.1.7.1.8.65-1
Solr	org.apache.solr	solr-solrj	8.4.1.7.1.8.65-1
Solr	org.apache.solr	solr-test-framework	8.4.1.7.1.8.65-1
Solr	org.apache.solr	solr-velocity	8.4.1.7.1.8.65-1
Spark	org.apache.spark	spark-avro_2.11	2.4.8.7.1.8.65-1
Spark	org.apache.spark	spark-catalyst_2.11	2.4.8.7.1.8.65-1
Spark	org.apache.spark	spark-core_2.11	2.4.8.7.1.8.65-1
Spark	org.apache.spark	spark-graphx_2.11	2.4.8.7.1.8.65-1
Spark	org.apache.spark	spark-hadoop-cloud_2.11	2.4.8.7.1.8.65-1
Spark	org.apache.spark	spark-hive_2.11	2.4.8.7.1.8.65-1
Spark	org.apache.spark	spark-kubernetes_2.11	2.4.8.7.1.8.65-1
Spark	org.apache.spark	spark-kvstore_2.11	2.4.8.7.1.8.65-1
Spark	org.apache.spark	spark-launcher_2.11	2.4.8.7.1.8.65-1
Spark	org.apache.spark	spark-mllib-local_2.11	2.4.8.7.1.8.65-1
Spark	org.apache.spark	spark-mllib_2.11	2.4.8.7.1.8.65-1
Spark	org.apache.spark	spark-network-common_2.11	2.4.8.7.1.8.65-1
Spark	org.apache.spark	spark-network-shuffle_2.11	2.4.8.7.1.8.65-1
Spark	org.apache.spark	spark-network-yarn_2.11	2.4.8.7.1.8.65-1
Spark	org.apache.spark	spark-repl_2.11	2.4.8.7.1.8.65-1
Spark	org.apache.spark	spark-sketch_2.11	2.4.8.7.1.8.65-1

Project	groupId	artifactId	version
Spark	org.apache.spark	spark-sql-kafka-0-10_2.11	2.4.8.7.1.8.65-1
Spark	org.apache.spark	spark-sql_2.11	2.4.8.7.1.8.65-1
Spark	org.apache.spark	spark-streaming-kafka-0-10-assembly_2.11	2.4.8.7.1.8.65-1
Spark	org.apache.spark	spark-streaming-kafka-0-10_2.11	2.4.8.7.1.8.65-1
Spark	org.apache.spark	spark-streaming_2.11	2.4.8.7.1.8.65-1
Spark	org.apache.spark	spark-tags_2.11	2.4.8.7.1.8.65-1
Spark	org.apache.spark	spark-token-provider-kafka-0-10_2.11	2.4.8.7.1.8.65-1
Spark	org.apache.spark	spark-unsafe_2.11	2.4.8.7.1.8.65-1
Spark	org.apache.spark	spark-yarn_2.11	2.4.8.7.1.8.65-1
Sqoop	org.apache.sqoop	sqoop	1.4.7.7.1.8.65-1
Sqoop	org.apache.sqoop	sqoop-test	1.4.7.7.1.8.65-1
Tez	org.apache.tez	hadoop-shim	0.9.1.7.1.8.65-1
Tez	org.apache.tez	hadoop-shim-2.8	0.9.1.7.1.8.65-1
Tez	org.apache.tez	tez-api	0.9.1.7.1.8.65-1
Tez	org.apache.tez	tez-aux-services	0.9.1.7.1.8.65-1
Tez	org.apache.tez	tez-common	0.9.1.7.1.8.65-1
Tez	org.apache.tez	tez-dag	0.9.1.7.1.8.65-1
Tez	org.apache.tez	tez-examples	0.9.1.7.1.8.65-1
Tez	org.apache.tez	tez-ext-service-tests	0.9.1.7.1.8.65-1
Tez	org.apache.tez	tez-history-parser	0.9.1.7.1.8.65-1
Tez	org.apache.tez	tez-javadoc-tools	0.9.1.7.1.8.65-1
Tez	org.apache.tez	tez-job-analyzer	0.9.1.7.1.8.65-1
Tez	org.apache.tez	tez-mapreduce	0.9.1.7.1.8.65-1
Tez	org.apache.tez	tez-protobuf-history-plugin	0.9.1.7.1.8.65-1
Tez	org.apache.tez	tez-runtime-internals	0.9.1.7.1.8.65-1
Tez	org.apache.tez	tez-runtime-library	0.9.1.7.1.8.65-1
Tez	org.apache.tez	tez-tests	0.9.1.7.1.8.65-1
Tez	org.apache.tez	tez-yarn-timeline-cache-plugin	0.9.1.7.1.8.65-1
Tez	org.apache.tez	tez-yarn-timeline-history	0.9.1.7.1.8.65-1
Tez	org.apache.tez	tez-yarn-timeline-history-with-acls	0.9.1.7.1.8.65-1
Tez	org.apache.tez	tez-yarn-timeline-history-with-fs	0.9.1.7.1.8.65-1
Zeppelin	org.apache.zeppelin	zeppelin-angular	0.8.2.7.1.8.65-1
Zeppelin	org.apache.zeppelin	zeppelin-display	0.8.2.7.1.8.65-1
Zeppelin	org.apache.zeppelin	zeppelin-interpreter	0.8.2.7.1.8.65-1
Zeppelin	org.apache.zeppelin	zeppelin-jdbc	0.8.2.7.1.8.65-1
Zeppelin	org.apache.zeppelin	zeppelin-jupyter	0.8.2.7.1.8.65-1
Zeppelin	org.apache.zeppelin	zeppelin-livy	0.8.2.7.1.8.65-1
Zeppelin	org.apache.zeppelin	zeppelin-markdown	0.8.2.7.1.8.65-1
Zeppelin	org.apache.zeppelin	zeppelin-server	0.8.2.7.1.8.65-1

Project	groupId	artifactId	version
Zeppelin	org.apache.zeppelin	zeppelin-shell	0.8.2.7.1.8.65-1
Zeppelin	org.apache.zeppelin	zeppelin-zengine	0.8.2.7.1.8.65-1
ZooKeeper	org.apache.zookeeper	zookeeper	3.5.5.7.1.8.65-1
ZooKeeper	org.apache.zookeeper	zookeeper-client-c	3.5.5.7.1.8.65-1
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-loggraph	3.5.5.7.1.8.65-1
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-rest	3.5.5.7.1.8.65-1
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-zooinspector	3.5.5.7.1.8.65-1
ZooKeeper	org.apache.zookeeper	zookeeper-docs	3.5.5.7.1.8.65-1
ZooKeeper	org.apache.zookeeper	zookeeper-jute	3.5.5.7.1.8.65-1
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-election	3.5.5.7.1.8.65-1
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-lock	3.5.5.7.1.8.65-1
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-queue	3.5.5.7.1.8.65-1

Runtime 7.1.8.68-1

The following table lists the project name, groupId, artifactId, and version required to access each Runtime artifact.

Project	groupId	artifactId	version
Atlas	org.apache.atlas	atlas-authorization	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	atlas-aws-s3-bridge	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	atlas-azure-adls-bridge	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	atlas-classification-updater	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	atlas-client-common	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	atlas-client-v1	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	atlas-client-v2	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	atlas-common	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	atlas-distro	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	atlas-docs	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	atlas-graphdb-api	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	atlas-graphdb-common	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	atlas-graphdb-janus	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	atlas-hdfs-bridge	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	atlas-index-repair-tool	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	atlas-intg	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	atlas-janusgraph-hbase2	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	atlas-notification	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	atlas-plugin-classloader	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	atlas-repository	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	atlas-server-api	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	atlas-testtools	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	hbase-bridge	2.1.0.7.1.8.68-1

Project	groupId	artifactId	version
Atlas	org.apache.atlas	hbase-bridge-shim	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	hbase-testing-util	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	hdfs-model	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	hive-bridge	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	hive-bridge-shim	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	impala-bridge	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	impala-bridge-shim	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	impala-hook-api	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	kafka-bridge	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	kafka-bridge-shim	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	navigator-to-atlas	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	sample-app	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	sqoop-bridge	2.1.0.7.1.8.68-1
Atlas	org.apache.atlas	sqoop-bridge-shim	2.1.0.7.1.8.68-1
Hive	org.apache.hive	hive-beeline	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-blobstore	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-classification	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-cli	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-common	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-contrib	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-exec	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-hbase-handler	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-hcatalog-it-unit	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-hplsql	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-it-custom-serde	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-it-minikdc	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-it-qfile	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-it-qfile-kudu	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-it-test-serde	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-it-unit	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-it-unit-hadoop2	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-it-util	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-jdbc	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-jdbc-handler	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-jmh	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-kryo-registrator	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-kudu-handler	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-llap-client	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-llap-common	3.1.3000.7.1.8.68-1

Project	groupId	artifactId	version
Hive	org.apache.hive	hive-llap-ext-client	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-llap-server	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-llap-tez	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-metastore	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-pre-upgrade	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-serde	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-service	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-service-rpc	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-shims	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-spark-client	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-standalone-metastore	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-storage-api	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-streaming	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-testutils	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	hive-vector-code-gen	3.1.3000.7.1.8.68-1
Hive	org.apache.hive	kafka-handler	3.1.3000.7.1.8.68-1
Kafka	org.apache.kafka	connect	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	connect-api	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	connect-basic-auth-extension	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	connect-cloudera-authorization-extension	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	connect-cloudera-common	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	connect-cloudera-secret-storage	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	connect-cloudera-security-policies	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	connect-file	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	connect-json	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	connect-mirror	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	connect-mirror-client	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	connect-runtime	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	connect-transforms	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	generator	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	kafka-clients	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	kafka-cloudera-metrics-reporter_2.12	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	kafka-cloudera-metrics-reporter_2.13	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	kafka-cloudera-plugins	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	kafka-examples	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	kafka-log4j-appender	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	kafka-metadata	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	kafka-raft	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	kafka-server-common	3.1.1.7.1.8.68-1

Project	groupId	artifactId	version
Kafka	org.apache.kafka	kafka-shell	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	kafka-storage	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	kafka-storage-api	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	kafka-streams	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	kafka-streams-examples	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	kafka-streams-scala_2.12	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	kafka-streams-scala_2.13	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	kafka-streams-test-utils	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0100	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0101	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0102	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-0110	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-10	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-11	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-20	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-21	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-22	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-23	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-24	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-25	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-26	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-27	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	kafka-streams-upgrade-system-tests-28	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	kafka-tools	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	kafka_2.12	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	kafka_2.13	3.1.1.7.1.8.68-1
Kafka	org.apache.kafka	trogdor	3.1.1.7.1.8.68-1
Oozie	org.apache.oozie	oozie-client	5.1.0.7.1.8.68-1
Oozie	org.apache.oozie	oozie-core	5.1.0.7.1.8.68-1
Oozie	org.apache.oozie	oozie-distro	5.1.0.7.1.8.68-1
Oozie	org.apache.oozie	oozie-examples	5.1.0.7.1.8.68-1
Oozie	org.apache.oozie	oozie-fluent-job-api	5.1.0.7.1.8.68-1
Oozie	org.apache.oozie	oozie-fluent-job-client	5.1.0.7.1.8.68-1
Oozie	org.apache.oozie	oozie-server	5.1.0.7.1.8.68-1
Oozie	org.apache.oozie	oozie-sharelib-distcp	5.1.0.7.1.8.68-1
Oozie	org.apache.oozie	oozie-sharelib-git	5.1.0.7.1.8.68-1
Oozie	org.apache.oozie	oozie-sharelib-hcatalog	5.1.0.7.1.8.68-1
Oozie	org.apache.oozie	oozie-sharelib-hive	5.1.0.7.1.8.68-1
Oozie	org.apache.oozie	oozie-sharelib-hive2	5.1.0.7.1.8.68-1

Project	groupId	artifactId	version
Oozie	org.apache.oozie	oozie-sharelib-oozie	5.1.0.7.1.8.68-1
Oozie	org.apache.oozie	oozie-sharelib-spark	5.1.0.7.1.8.68-1
Oozie	org.apache.oozie	oozie-sharelib-sqoop	5.1.0.7.1.8.68-1
Oozie	org.apache.oozie	oozie-sharelib-streaming	5.1.0.7.1.8.68-1
Oozie	org.apache.oozie	oozie-tools	5.1.0.7.1.8.68-1
Oozie	org.apache.oozie	oozie-zookeeper-security-tests	5.1.0.7.1.8.68-1
Phoenix	org.apache.phoenix	phoenix-client-embedded-hbase-2.4	5.1.1.7.1.8.68-1
Phoenix	org.apache.phoenix	phoenix-client-hbase-2.4	5.1.1.7.1.8.68-1
Phoenix	org.apache.phoenix	phoenix-connectors-phoenix5-compat	6.0.0.7.1.8.68-1
Phoenix	org.apache.phoenix	phoenix-core	5.1.1.7.1.8.68-1
Phoenix	org.apache.phoenix	phoenix-hbase-compat-2.1.6	5.1.1.7.1.8.68-1
Phoenix	org.apache.phoenix	phoenix-hbase-compat-2.2.5	5.1.1.7.1.8.68-1
Phoenix	org.apache.phoenix	phoenix-hbase-compat-2.3.0	5.1.1.7.1.8.68-1
Phoenix	org.apache.phoenix	phoenix-hbase-compat-2.4.0	5.1.1.7.1.8.68-1
Phoenix	org.apache.phoenix	phoenix-hbase-compat-2.4.1	5.1.1.7.1.8.68-1
Phoenix	org.apache.phoenix	phoenix-pherf	5.1.1.7.1.8.68-1
Phoenix	org.apache.phoenix	phoenix-queryserver	6.0.0.7.1.8.68-1
Phoenix	org.apache.phoenix	phoenix-queryserver-client	6.0.0.7.1.8.68-1
Phoenix	org.apache.phoenix	phoenix-queryserver-it	6.0.0.7.1.8.68-1
Phoenix	org.apache.phoenix	phoenix-queryserver-load-balancer	6.0.0.7.1.8.68-1
Phoenix	org.apache.phoenix	phoenix-queryserver-orchestrator	6.0.0.7.1.8.68-1
Phoenix	org.apache.phoenix	phoenix-server-hbase-2.4	5.1.1.7.1.8.68-1
Phoenix	org.apache.phoenix	phoenix-tracing-webapp	5.1.1.7.1.8.68-1
Phoenix	org.apache.phoenix	phoenix5-hive	6.0.0.7.1.8.68-1
Phoenix	org.apache.phoenix	phoenix5-hive-shaded	6.0.0.7.1.8.68-1
Phoenix	org.apache.phoenix	phoenix5-spark	6.0.0.7.1.8.68-1
Phoenix	org.apache.phoenix	phoenix5-spark-shaded	6.0.0.7.1.8.68-1
Ranger	org.apache.ranger	embeddedwebserver	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-adls-plugin	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-atlas-plugin-shim	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-examples-distiro	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-hbase-plugin	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-hdfs-plugin	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-hdfs-plugin-shim	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-hive-plugin	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-hive-plugin-shim	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-intg	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-kafka-connect-plugin	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-kafka-plugin	2.3.0.7.1.8.68-1

Project	groupId	artifactId	version
Ranger	org.apache.ranger	ranger-kms	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-kms-plugin	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-kms-plugin-shim	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-knox-plugin	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-knox-plugin-shim	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-kylin-plugin	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-kylin-plugin-shim	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-nifi-plugin	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-nifi-registry-plugin	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-ozone-plugin	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-ozone-plugin-shim	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-plugin-classloader	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-plugins-audit	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-plugins-installer	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-policymigration	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-raz-chained-plugins	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-raz-hook-abfs	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-raz-processor	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-rms-common	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-rms-plugins-common	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-rms-webapp	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-schema-registry-plugin	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-solr-plugin	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-sqoop-plugin	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-storm-plugin	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-storm-plugin-shim	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-tagsync	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-tools	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-util	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ranger-yarn-plugin-shim	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	sample-client	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	sampleapp	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	ugsync-util	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	unixauthclient	2.3.0.7.1.8.68-1
Ranger	org.apache.ranger	unixusersync	2.3.0.7.1.8.68-1
Spark	org.apache.spark	spark-avro_2.11	2.4.8.7.1.8.68-1
Spark	org.apache.spark	spark-catalyst_2.11	2.4.8.7.1.8.68-1
Spark	org.apache.spark	spark-core_2.11	2.4.8.7.1.8.68-1
Spark	org.apache.spark	spark-graphx_2.11	2.4.8.7.1.8.68-1

Project	groupId	artifactId	version
Spark	org.apache.spark	spark-hadoop-cloud_2.11	2.4.8.7.1.8.68-1
Spark	org.apache.spark	spark-hive_2.11	2.4.8.7.1.8.68-1
Spark	org.apache.spark	spark-kubernetes_2.11	2.4.8.7.1.8.68-1
Spark	org.apache.spark	spark-kvstore_2.11	2.4.8.7.1.8.68-1
Spark	org.apache.spark	spark-launcher_2.11	2.4.8.7.1.8.68-1
Spark	org.apache.spark	spark-mllib-local_2.11	2.4.8.7.1.8.68-1
Spark	org.apache.spark	spark-mllib_2.11	2.4.8.7.1.8.68-1
Spark	org.apache.spark	spark-network-common_2.11	2.4.8.7.1.8.68-1
Spark	org.apache.spark	spark-network-shuffle_2.11	2.4.8.7.1.8.68-1
Spark	org.apache.spark	spark-network-yarn_2.11	2.4.8.7.1.8.68-1
Spark	org.apache.spark	spark-repl_2.11	2.4.8.7.1.8.68-1
Spark	org.apache.spark	spark-sketch_2.11	2.4.8.7.1.8.68-1
Spark	org.apache.spark	spark-sql-kafka-0-10_2.11	2.4.8.7.1.8.68-1
Spark	org.apache.spark	spark-sql_2.11	2.4.8.7.1.8.68-1
Spark	org.apache.spark	spark-streaming-kafka-0-10-assembly_2.11	2.4.8.7.1.8.68-1
Spark	org.apache.spark	spark-streaming-kafka-0-10_2.11	2.4.8.7.1.8.68-1
Spark	org.apache.spark	spark-streaming_2.11	2.4.8.7.1.8.68-1
Spark	org.apache.spark	spark-tags_2.11	2.4.8.7.1.8.68-1
Spark	org.apache.spark	spark-token-provider-kafka-0-10_2.11	2.4.8.7.1.8.68-1
Spark	org.apache.spark	spark-unsafe_2.11	2.4.8.7.1.8.68-1
Spark	org.apache.spark	spark-yarn_2.11	2.4.8.7.1.8.68-1
Tez	org.apache.tez	hadoop-shim	0.9.1.7.1.8.68-1
Tez	org.apache.tez	hadoop-shim-2.8	0.9.1.7.1.8.68-1
Tez	org.apache.tez	tez-api	0.9.1.7.1.8.68-1
Tez	org.apache.tez	tez-aux-services	0.9.1.7.1.8.68-1
Tez	org.apache.tez	tez-common	0.9.1.7.1.8.68-1
Tez	org.apache.tez	tez-dag	0.9.1.7.1.8.68-1
Tez	org.apache.tez	tez-examples	0.9.1.7.1.8.68-1
Tez	org.apache.tez	tez-ext-service-tests	0.9.1.7.1.8.68-1
Tez	org.apache.tez	tez-history-parser	0.9.1.7.1.8.68-1
Tez	org.apache.tez	tez-javadoc-tools	0.9.1.7.1.8.68-1
Tez	org.apache.tez	tez-job-analyzer	0.9.1.7.1.8.68-1
Tez	org.apache.tez	tez-mapreduce	0.9.1.7.1.8.68-1
Tez	org.apache.tez	tez-protobuf-history-plugin	0.9.1.7.1.8.68-1
Tez	org.apache.tez	tez-runtime-internals	0.9.1.7.1.8.68-1
Tez	org.apache.tez	tez-runtime-library	0.9.1.7.1.8.68-1
Tez	org.apache.tez	tez-tests	0.9.1.7.1.8.68-1
Tez	org.apache.tez	tez-yarn-timeline-cache-plugin	0.9.1.7.1.8.68-1
Tez	org.apache.tez	tez-yarn-timeline-history	0.9.1.7.1.8.68-1

Project	groupId	artifactId	version
Tez	org.apache.tez	tez-yarn-timeline-history-with-acls	0.9.1.7.1.8.68-1
Tez	org.apache.tez	tez-yarn-timeline-history-with-fs	0.9.1.7.1.8.68-1
Zeppelin	org.apache.zeppelin	zeppelin-angular	0.8.2.7.1.8.68-1
Zeppelin	org.apache.zeppelin	zeppelin-display	0.8.2.7.1.8.68-1
Zeppelin	org.apache.zeppelin	zeppelin-interpreter	0.8.2.7.1.8.68-1
Zeppelin	org.apache.zeppelin	zeppelin-jdbc	0.8.2.7.1.8.68-1
Zeppelin	org.apache.zeppelin	zeppelin-jupyter	0.8.2.7.1.8.68-1
Zeppelin	org.apache.zeppelin	zeppelin-livy	0.8.2.7.1.8.68-1
Zeppelin	org.apache.zeppelin	zeppelin-markdown	0.8.2.7.1.8.68-1
Zeppelin	org.apache.zeppelin	zeppelin-server	0.8.2.7.1.8.68-1
Zeppelin	org.apache.zeppelin	zeppelin-shell	0.8.2.7.1.8.68-1
Zeppelin	org.apache.zeppelin	zeppelin-zengine	0.8.2.7.1.8.68-1
ZooKeeper	org.apache.zookeeper	zookeeper	3.5.5.7.1.8.68-1
ZooKeeper	org.apache.zookeeper	zookeeper-client-c	3.5.5.7.1.8.68-1
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-loggraph	3.5.5.7.1.8.68-1
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-rest	3.5.5.7.1.8.68-1
ZooKeeper	org.apache.zookeeper	zookeeper-contrib-zooinpector	3.5.5.7.1.8.68-1
ZooKeeper	org.apache.zookeeper	zookeeper-docs	3.5.5.7.1.8.68-1
ZooKeeper	org.apache.zookeeper	zookeeper-jute	3.5.5.7.1.8.68-1
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-election	3.5.5.7.1.8.68-1
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-lock	3.5.5.7.1.8.68-1
ZooKeeper	org.apache.zookeeper	zookeeper-recipes-queue	3.5.5.7.1.8.68-1

Fixed issues in Cloudera Runtime 7.1.8

You can review the list of reported issues and their fixes in Cloudera Runtime 7.1.8. Fixed issues represent selected issues that were previously logged through Cloudera Support, but are now addressed in the current Runtime release. These issues may have been reported in previous versions of Runtime as a known issue; meaning they were reported by customers or identified by Cloudera Quality Engineering teams.

Fixed Issues in Apache Atlas

Review the list of Atlas issues that are resolved in Cloudera Runtime 7.1.8.

CDPD-32226: Atlas is upgraded to use Log4j2 version 2.17.1 to avoid CVE-2021-44228.

CDPD-32432: Atlas is upgraded to use Logredactor version 2.0.13 to avoid CVE-2021-44228.

CDPD-34903: Log4j-core dependency is removed from Atlas to avoid CVE.

CDPD-35212: If Kerberos is enabled:

1. `kinit -kt /cdp/keytabs/atlas.keytab atlas@ROOT.HWX.SITE`
2. Add below to `DEFAULT_JVM_OPTS` in `repair_index.py`

3. `Djavax.security.auth.useSubjectCredsOnly=false -Djava.security.auth.login.config=<path to atlas_jaas.conf>`

If SSL is enabled, we need to make sure Solr cert or RootCA certificate is added which make use of below atlas-application properties

1. `keystore.file <path to keystore jks file>`
 2. `truststore.file <path to truststore jks file>`
 3. `cert.stores.credential.provider.path <path to jceks file>`
- `export HADOOP_CREDSTORE_PASSWORD=<password>`

OPSAPS-64201: Default value set false for Atlas Server / Gateway Roles and Hook configurations for both 7.2.16 and 7.1.8 CSD.'s

OPSAPS-62184: HDFS Lineage configurations are available and user can configure the Blacklist and Whitelist paths from Atlas configurations.

OPSAPS-61342: When Atlas Solr collections are created through CM, the number of shards for the collection is now configured to the number of live infra-solr nodes if default shards is 1 and no of live solr nodes are more than one.

OPSAPS-61195: Added error handling for this scenario, this will avoid throwing NPE exception.

OPSAPS-57415: Required Kafka topics for Atlas will be pre-created for fresh install on clusters for kerberos enabled environments.

CDPD-43761: This is expected behaviour since upgrade scenario doesn't create the newly added default policies.

CDPD-42633: ElasticSearch dependency is removed from Atlas.

CDPD-35792: Updated the jquery-ui library from 1.12.1 to 1.13.1.

CDPD-35609: Jersey version upgrade to 1.19.4

CDPD-30950: Instead of loading entire lineage, fetch lineage on demand to improve performance.

CDPD-30163: Atlas is upgraded to use commons-io version 2.11.0.

CDPD-29335: Handle null pointer exception when retrieving tasks using the admin/tasks endpoint.

CDPD-29307: The Kafka-Atlas plugin now fully creates Producer and Consumer entities and won't generate incomplete ones.

CDPD-28919: Atlas is upgraded to use junit version 4.13.1 to avoid CVE-2020-15250.

CDPD-28865: Allow AWS and ADLS path entities through Hive DDL filter.

CDPD-28151: Atlas is upgraded to use nimbus-jose-jwt version 9.8.1 to avoid CVE-2021-27568.

CDPD-26509: Create FS entity successfully for load data inpath.

CDPD-14241: Dynamically handle indexing(secondary persistence) failures.

Apache patch information

- ATLAS-4370
- ATLAS-4375
- ATLAS-4368
- ATLAS-3985
- ATLAS-4408
- ATLAS-4324

- ATLAS-4350
- ATLAS-4316
- ATLAS-4646
- ATLAS-4340
- ATLAS-4401
- ATLAS-4372
- ATLAS-4402
- ATLAS-4431
- ATLAS-4440
- ATLAS-4431
- ATLAS-4444
- ATLAS-4493
- ATLAS-4454
- ATLAS-4570
- ATLAS-4641
- ATLAS-4569
- ATLAS-4580
- ATLAS-4558
- ATLAS-4528
- ATLAS-4398
- ATLAS-4339

Fixed Issues in Apache Avro

Review the list of Avro issues that are resolved in Cloudera Runtime 7.1.8.

Apache patch information

None

Fixed issues in Cruise Control

Review the list of Cruise Control issues that are resolved in Cloudera Runtime 7.1.8.

CDPD-34377: Migrating Cruise Control to Log4j2

Cruise Control has been migrated to Log4j2, which removes all dependencies for Log4j1 and replaces the logging framework with Log4j2.

CDPD-33535: Upgrading Logredactor version

The Logredactor version is upgraded to 2.0.13 version to fix CVE-2021-44228 issues.

CDPD-40780: Upgrading netty version

The netty version is upgraded to 4.1.77 version to fix CVE-2022-24823 issues.

Fixed issues in Data Analytics Studio

There are no fixed issues for Data Analytics Studio in Cloudera Runtime 7.1.8.

Fixed Issues in Apache Hadoop

Review the list of Hadoop issues that are resolved in Cloudera Runtime 7.1.8.

CDPD-28520: Better token validation with no leakage of timing information.

Apache Patch Information

- HADOOP-18120
- HADOOP-17454
- HADOOP-17811
- HADOOP-17576
- HADOOP-17548
- HADOOP-17793
- HADOOP-17631
- HADOOP-17338
- HADOOP-17771
- HADOOP-17705
- HADOOP-17735
- HADOOP-17301
- HADOOP-17166
- HADOOP-16966
- HADOOP-16852
- HADOOP-17015
- HADOOP-17058
- HADOOP-17483
- HADOOP-13551
- HADOOP-17318
- HADOOP-17311
- HADOOP-17313
- HADOOP-17195

Fixed Issues in Apache HDFS

Review the list of HDFS issues that are resolved in Cloudera Runtime 7.1.8.

OPSAPS-62062: From releases 7.1.8 onwards, increased the value of property `dfs.client.block.write.locateFollowingBlock.retries` from 7 to 10.

OPSAPS-61810: When an HDFS incremental replication fails the last successfully replicated snapshot is deleted to make the next run of the replication policy start a new full bootstrap replication. This can be now disabled with the new flag of `deleteLatestSourceSnapshotOnJobFailure`, by setting it to false.

CDPD-33801: Fixed bug where in rare cases Erasure Coded blocks may be removed permanently.

CDPD-27239: This commit reverts HDFS-13671, which was meant to reduce NameNode heap consumption, but it occasionally causes severe performance problems for some users, and that it does not go away without restarting the process. The revert will stabilize the NameNode performance for these users.

Technical Service Bulletin

TSB 2022-604: GetContentSummary call performance issues with Apache Ranger HDFS plugin

For the latest update on this issue see the corresponding Knowledge article: [TSB 2022-604: GetContentSummary call performance issues with Apache Ranger HDFS plugin](#)

Apache Patch Information

- HDFS-16479
- HDFS-16420
- HDFS-16676

Fixed Issues in Apache HBase

Review the list of HBase issues that are resolved in Cloudera Runtime 7.1.8.

CDPD-34687: HBase multi-cluster client that relies on the existing HBase Replication functionality to provide an eventual consistent solution in cases of primary cluster down time, has been added to 7.1.8.

CDPD-22120: Added the possibility to load custom cost functions. Optional for StochasticLoadBalancer.

HBASE-24408: Introduced a general *local region* at master side to store the procedure data.

The hfile of this region is stored on the root fs while the wal is stored on the wal fs. This issue supersedes part of the code for [HBASE-23326](#), because the data is stored in MasterData directory now instead of MasterProcs.

The old hfiles are moved to the global hfile archived directory with the suffix `-$masterlocalhfile-$`. The wal files are moved to the global old wal directory with the suffix `$masterlocalwal$`. The `TimeToLiveMasterLocalStoreHFileCleaner` and `TimeToLiveMasterLocalStoreWALCleaner` are configured by default for cleaning the old hfiles and wal files. The default TTLs are both 7 days.

For more information on Apache HBase 2.4.6 release notes, see [Release notes](#).

Apache Patch Information

- HBASE-24230
- HBASE-24276
- HBASE-26315
- HBASE-26789
- HBASE-25006

Fixed Issues in Apache Hive

Review the list of Hive issues that are resolved in Cloudera Runtime 7.1.8.

OPSAPS-58664: Hive LDAP properties pushed to hive-site.xml

After setting LDAP properties in Hive on Tez service, the configurations are not pushed into the hive-site.xml for Hive on Tez service even after a restart.

This issue is now fixed.

OPSAPS-64585: For a FIPS-enabled cluster, the Beeline client connection fails with an "Invalid keystore format" error

The default Hive JDBC URL in beeline-site.xml does not include the `trustStoreType` parameter that is required for FIPS-enabled clusters. This makes the URL invalid and connection fails with an "Invalid keystore format" error.

This issue is now fixed by adding `"trustStoreType=bcfks"` to the JDBC URL in beeline-site.xml for a FIPS-enabled cluster.

CDPD-40476: Fix case-insensitivity of window functions in vectorized execution.

CDPD-42669: Fix converting join to mapjoin when join column referenced more than once.

CDPD-35251: Create table statement based on HbaseStorage handler will not drop underlying HBase table if the create table statement fails.

OPSAPS-63823: Removes the state constraint for HMS to upgrade schema.

OPSAPS-63377: cdh7.thrift.version was upgraded to 0.16.0.

OPSAPS-63030: The Hive replication metrics getter fails for some Hive ACID replications. This happens due to bad JDBC url that has been constructed incorrectly as the TLS parameters are repeated. This has been fixed/corrected.

CDPD-40818: Fixes the schema upgrade issue during the upgrade testing.

CDPD-40730 PARQUET-1682: Forward compatibility for TIME/TIMESTAMP

[PARQUET-1682](#) was backported to maintain forward compatibility for TIME/TIMESTAMP. This resolves the incompatibility between Hive's direct Parquet dependency and the transitive Parquet versions brought in by Iceberg.

CDPD-39771: Spark writes to Iceberg (StorageHandler) table fail due to authorization failure

This issue has been fixed.

CDPD-39708: This patch uses guava dependency version from cdpd repro.

CDPD-39520: `unix_timestamp()` is ignoring the time zone value and gives wrong result when the input is of type string.

CDPD-39103: This is a CVE fix which addresses "Alter Table Rename command" which can create a table in a database without write permission.

CDPD-35381: This fixes the security issue where restricted user is able to create external table on specified location.

CDPD-33815: Change Date/Timestamp parser from LENIENT to STRICT.

CDPD-31811: cron-utils dependency is upgraded to 9.1.6 version.

CDPD-31048: This patch provides a way to create only external tables in a database using a hive config.

CDPD-30880: Added support to decide on the default table type at the database level.

CDPD-30231: MetastoreTransformer is disabled during unit/qfile testing.

CDPD-29773: Add/Drop constraints statements are now authorized in HS2.

CDPD-29405: Provide a configurable filter for removing useless properties from PartitionDesc objects before MapWork serialization.

CDPD-29295: `date_format()` always returns output in UTC (ignores local timezone).

CDPD-28808: Fix `from_unixtime()` to consider leap seconds.

CDPD-23454: Thrift version upgraded to 0.14.1 after this patch to avoid CVE.

CDPD-21365: Drop catalog failing with deadlock error for Oracle backend dbms.

CDPD-24708, BUG-125154: Getting SparkSession None when calling `executeQuery()` from pyspark

Apache Patch Information

- HIVE-10362
- HIVE-25989
- HIVE-25137
- HIVE-25380
- HIVE-25217
- HIVE-22967
- HIVE-25242
- HIVE-25137
- HIVE-20833

- HIVE-24589
- HIVE-24596
- HIVE-26109
- HIVE-26270
- HIVE-22957
- HIVE-25726
- HIVE-24433
- HIVE-21498
- HIVE-24978
- HIVE-25224
- HIVE-25278
- HIVE-24951
- HIVE-25338
- HIVE-25458
- HIVE-25403
- HIVE-25306
- HIVE-25093
- HIVE-24501
- HIVE-25150
- HIVE-23756
- HIVE-24378
- HIVE-24209
- HIVE-25061
- HIVE-25058
- HIVE-24746
- HIVE-24710
- HIVE-23870
- HIVE-24550
- HIVE-22054
- HIVE-21489
- HIVE-25159
- HIVE-25263
- HIVE-25219
- HIVE-25104
- HIVE-24249
- HIVE-23779
- HIVE-22247
- HIVE-24590
- HIVE-25501
- HIVE-25441
- HIVE-24670
- HIVE-24337
- HIVE-25085
- HIVE-25549
- HIVE-25303
- HIVE-24954
- HIVE-24920
- HIVE-25142
- HIVE-25545
- HIVE-25686

- HIVE-25498
- HIVE-25724
- HIVE-25826
- HIVE-25570
- HIVE-24781
- HIVE-25503
- HIVE-25449
- HIVE-24808
- HIVE-23688
- HIVE-22412
- HIVE-16587
- HIVE-25331
- HIVE-25329
- HIVE-25630
- HIVE-25579
- HIVE-25517
- HIVE-26396
- HIVE-25782
- HIVE-25521
- HIVE-26055
- HIVE-25988
- HIVE-26258
- HIVE-25864
- HIVE-26416
- HIVE-26373
- HIVE-26452
- HIVE-26269
- HIVE-25475
- HIVE-25528
- HIVE-23556
- HIVE-26340
- HIVE-26235
- HIVE-26233
- HIVE-22670
- HIVE-26096
- HIVE-26274
- HIVE-25534
- HIVE-26219
- HIVE-26199
- HIVE-25963
- HIVE-25659
- HIVE-25728
- HIVE-25756
- HIVE-25742
- HIVE-25609
- HIVE-25602
- HIVE-25596
- HIVE-25550
- HIVE-25538
- HIVE-25433

- HIVE-25387
- HIVE-25374
- HIVE-25367
- HIVE-25350
- HIVE-25330
- HIVE-25246
- HIVE-25207
- HIVE-25165
- HIVE-26350
- HIVE-26029
- HIVE-25154
- HIVE-25133
- HIVE-25092
- HIVE-25086
- HIVE-25059
- HIVE-25035
- HIVE-25002
- HIVE-25000
- HIVE-24961
- HIVE-24956
- HIVE-24953
- HIVE-24946
- HIVE-24924
- HIVE-24919
- HIVE-24918
- HIVE-25632
- HIVE-24912
- HIVE-24852
- HIVE-23801
- HIVE-23316
- HIVE-22626
- HIVE-26139
- HIVE-26105
- HIVE-26098
- HIVE-25414
- HIVE-25874
- HIVE-25754
- HIVE-26015

Technical Service Bulletins

TSB 2022-600: Renaming translated external partition table shows empty records in Apache Hive

For the latest update on this issue see the corresponding Knowledge article: [TSB 2022-600: Renaming translated external partition table shows](#)

TSB 2023-627: IN/OR predicate on binary column returns wrong result

For the latest update on this issue see the corresponding Knowledge article: [TSB 2023-627: IN/OR predicate on binary column returns wrong result](#)

Fixed Issues in Hue

Review the list of Hue issues that are resolved in Cloudera Runtime 7.1.8.

CDPD-20376: New users are not added to the "default" group with OIDCBackend

Earlier, new Hue users authenticating using OpenID Connect (OIDCBackend) were not added to the "default" Hue group. This issue has been fixed.

CDPD-34241: Line chart visualization not working in Hue

Earlier, Hue displayed a bar chart instead of a line chart on the **Results** tab when you click on the chart icon and try to visualize the result in the linear format. This issue has been fixed.

CDPD-18426: "Location" link on the Table Browser page does not work

When you click the location link on the **Table Browser** page, Hue now opens the File Browser in a new browser tab which displays table details.

CDPD-14904: Hue audit logs are no longer being collected

Cloudera Navigator service was decommissioned in CDP, and you could no longer obtain Hue audit logs. This issue has been fixed. You can now collect the Hue audit logs from the `/var/log/hue/audit.log` file.

CDPD-40785: Export All feature in Hue needs a location to be passed but fails to export as the managed table does not accept location

Earlier, exporting query results using the "Export ALL" feature used to fail because the managed tables did not accept a location other than the one set in Hive. This issue has been fixed.

CDPD-40194: Hue gets AccessDeniedException when creating Phoenix SYSTEM tables

When creating Phoenix SYSTEM tables in Hue, you would get an "AccessDeniedException" error in Hue. This issue has been fixed by switching to a supported impersonation method for the Phoenix driver.

CDPD-29285: Enable LDAP TLS in Hue configs does not work as expected

This issue has been fixed by enforcing Cloudera Manager to set the `use_start_tls` property irrespective of the value in the `ldap_cert` property.

CDPD-25423: Downloaded query logs contain the error.json file, but does not fetch container logs

The debug bundles zip file no longer contains the logs. You can customize, generate, and view the logs by going to Cloudera Manager Diagnostics Logs .

CDPD-18959: Downloading Impala query results containing special characters in CSV format fails with ASCII codec error

This issue has been fixed.

Apache Patch Information

- HUE-9517
- HUE-9496

Fixed Issues in Apache Impala

Review the list of Impala issues that are resolved in Cloudera Runtime 7.1.8.

OPSAPS-64115: Add extra add-opens JVM options when running Impala on Java 11.

IMPALA-11445: Fix insertion failure which happens when inserting data to a table with partitions located on different file systems.

IMPALA-11152: Impala logs too much error message when the log file symlink is not found.

IMPALA-3343: `impala-shell` can be used with Python 3 by installing the latest release from PyPI at <https://pypi.org/project/impala-shell>.

IMPALA-10492: Impala query planning went too long due to heavy CNF expression rewrite.

IMPALA-10212: Impala did not work correctly with Ozone paths using the ofs file system scheme in CDP 7.1.7.

IMPALA-10745: Support Kerberos over HTTP for `impala-shell`.

IMPALA-10652: Compute incremental stats issue.

IMPALA-9484: Backport the recent catalogd fixes from upstream to CDH-7.1-maint branch.

IMPALA-10811: RPC to submit query getting stuck for AWS NLB forever..

IMPALA-10923: Catalogd fine grained refresh with events.

IMPALA-10652: Impala False positives when calculating incremental statistics.

Apache Patch Information

- IMPALA-11444
- IMPALA-10492
- IMPALA-10801
- IMPALA-11391

Technical Service Bulletins

TSB 2023-632: Apache Impala reads minor compacted tables incorrectly on CDP Private Cloud Base

For the latest update on this issue see the corresponding Knowledge article: [TSB 2022-632 Impala reads minor compacted tables incorrectly on CDP Private Cloud Base](#)

Fixed Issues in Apache Kafka

Review the list of Kafka issues that are resolved in Cloudera Runtime 7.1.8.

CDPD-29058: Migrate to `log4j2` due to `log4j1` end of life

Kafka is migrated and uses `log4j2` as a logging library. Additionally, `log4j1` dependencies are removed with the exception of the `Log4jAppender`. Although the appender remains available, Cloudera recommends that you use the `log4j2` implementation of the appender that is available in the `log4j2` project.

Topics created with the `kafka-topics` tool are only accessible by the user who created them when the deprecated `--zookeeper` option is used

The `--zookeeper` option has been removed from the `kafka-topics` tool. As a result, encountering this issue is no longer possible. Use the `--bootstrap-server` option instead.

Certain Kafka command line tools require direct access to Zookeeper

There are no longer any Cloudera supported Kafka command line tools that require direct Zookeeper access or require the usage of the `--zookeeper` option. Use the `--bootstrap-server` option instead.

CDPD-71228: Kafka has degraded performance for processing compressed produced messages

Compressed messages no longer degrade Kafka performance.

Apache Patch Information

- KAFKA-13457
- KAFKA-13476
- KAFKA-9279

Kerberos

Learn about the fixed issues in Kerberos, and the impact or changes to the functionality.

OPSAPS-60331: If Cloudera Manager is configured to use Active Directory as a Kerberos KDC, and is also configured to use /etc/cloudera-scm-server/cmf.keytab as the KDC admin credentials, you should no longer encounter errors when generating Kerberos credentials.

In the Cloudera Manager Admin Console, when running Administration Security Kerberos Credentials Import KDC Account Manager Credentials wizard, it is no longer necessary to remove /etc/cloudera-scm-server/cmf.keytab on the Cloudera Manager server host.

Fixed Issues in Apache Kudu

Review the list of Kudu issues that are resolved in Cloudera Runtime 7.1.8.

CDPD-40027: Ranger plugin unable to start up

Removed logredactor jar from plugins-common as ranger-kudu subprocess fails to initialize. Added logredactor dependency in ranger-rms-hive plugin so that it can package into ews/lib folder while building ranger-rms tar file.

KUDU-1959: Fix the counter in StartupProgressStepsRemainingMetric()

Before this fix the counter in StartupProgressStepsRemainingMetric() was incremented twice if tablets are not processed during the startup of a tablet server.

KUDU-3346: Fix rebalancer tool fails to run with '--ignored_tservers'

Prior to this patch the validity of 'ignored_tservers' was checked when 'BuildClusterInfo', which leads to a failure when the 'raw_info' only contains information of tservers on a specific location. This patch fixes it by moving the parameter validity check into 'KsckResultsToClusterRawInfo', because ksck results contain original cluster information.

Apache Patch Information

- KUDU-75
- KUDU-1260
- KUDU-1620
- KUDU-1885
- KUDU-1921
- KUDU-3297
- KUDU-3308
- KUDU-3344

Fixed Issues in Apache Knox

Review the list of Knox issues that are resolved in Cloudera Runtime 7.1.8.

CDPD-19654: The Console URL for Yarn on the Oozie UI will be a Knox URL when the Oozie UI is accessed through Knox.

OPSAPS-58179: HIVE endpoint url is updated on only one kxox host topologies. While on other kxox host, the Cloudera Manager configuration monitoring change is not identified and topologies are not updated with the Hive URL.

This issue is now fixed.

Apache patch information

- KNOX-2733
- KNOX-2696
- KNOX-2675

Fixed Issues in Apache Livy

Review the list of Livy issues that are resolved in Cloudera Runtime 7.1.8.

CDPD-19276: The HTTP headers Strict-Transport-Security (HSTS) and Content-Security-Policy (CSP) are populated in Livy and Livy for Spark 3 by default and their values can be customized via a configuration setting.

Apache patch information

None

Fixed Issues in Navigator Encrypt

There are no fixed issues for Navigator Encrypt in Cloudera Runtime 7.1.8.

Fixed Issues in Apache Oozie

Review the list of Oozie issues that are resolved in Cloudera Runtime 7.1.8.

OPSAPS-61115: A new checkbox was implemented on the Oozie configuration page which can be used to turn off the Oozie UI completely. Meaning none of the Oozie UI resources will be served and thus if you are worried about JQuery vulnerabilities, etc. which cannot be fixed short term, you can use this feature to get rid of these by not exposing these at all.

CDPD-34475: OOZIE-3646: Fixed a possible dead-lock in SignalXCommand.

CDPD-33993: Oozie will not turn to HDFS NameNode to "resolve" the share lib's file entries one by one before starts the Yarn application. If somehow this causes fault then this functionality can be turned off via a Cloudera Manager Safety Valve: oozie.classpathutils.resolve=true.

CDPD-30426: The oozie-default.xml had a default value for controlling the JPA retry wait time. The name of the property in the oozie-default.xml was: "oozie.service.JPIService.retry.maximum-wait-time.ms" however the Oozie server was looking for a property named "oozie.service.JPIService.maximum-wait-time.ms". This is now fixed and the oozie-default.xml and the Oozie server are now in sync. In case somebody already put an override as a safety-valve with a name "oozie.service.JPIService.maximum-wait-time.ms", then Oozie will prefer that.

CDPD-28768: Fork node splits one path of execution into multiple concurrent paths of execution and the join node waits until every concurrent execution path of a previous fork node arrives to it. Given a scenario, when one of the paths [action] fails for some exotic reason - for example with an EL Error - then the workflow job itself will fail as well, however the other actions running parallelly under the same workflow job will stuck in RUNNING state until they are purged, which can lead to Oozie slow-down in extreme cases.

CDPD-28593: When the Callback authentication was enabled Oozie failed to start up.

CDPD-28080: Oozie web UI should not serve image from http://extjs.com/s.gif.

CDPD-26335: Oozie did not accept a JDBC url if it contained special characters (e.g.: comma or curly brackets). This is fixed now so Oozie should accept special urls, for example a MySQL HA JDBC url where you typically use comma(s).

OPSAPS-62127: Oozie namenode whitelist does not include ns1.

This issue is resolved.

OPSAPS-62019: [All form factors] Enabled thread level logging for Oozie server by adding "%t" in log4j properties in Oozie configs.

OPSAPS-61768: The Console URL on the web UI is not a Knox URL (CM part).

This issue is resolved.

OPSAPS-57546: All form factors. When the Knox gateway is available on the cluster and it's discovery is enabled for Oozie then the Web UI link of Oozie through Knox will appear among the direct links.

OPSAPS-63537: Set the default log level of Jetty (org.eclipse.jetty) to INFO for Oozie.

OPSAPS-62780: There are two Oozie UI disabling checkboxes among Oozie configuration.

This issue is resolved.

CDPD-19654: The Console URL for Yarn on the Oozie UI will be a Knox URL when the Oozie UI is accessed through Knox.

CDPD-24942: The Oozie client now has a --insecure option which behaves like the curl command's --insecure parameter. With this there's no need to specify the -Djavax.net.ssl.trustStore and -Djavax.net.ssl.trustStorePassword parameters when SSL is enabled in Oozie. The connection will still be encrypted, but the Oozie client will not validate the certification of the Oozie server.

CDPD-14956: OOZIE-3602: When having a log4j.properties file under sharelib, Oozie set a invalid environment variable which failed the container

CDPD-39134: OOZIE-3661: Oozie cannot handle environment variables with key=value content.

CDPD-21874: Adding file system credentials to an Oozie workflow.

CDPD-34649: OOZIE-3524: The following issue was fixed: fs:fileSize returned zero when the path was not normalized even if the file size was not zero.

CDPD-30487: The Yarn application launched by Oozie creates a file for storing action related information which will be read by the Oozie server. In case the Yarn application is able to create this file, but won't be able to put the necessary data into it and so the file remains empty, the Oozie server will fail to parse this file. This error is now fixed.

CDPD-30045: Oozie's ZooKeeper related codebase now has extra trace level logging entries so in case of any ZooKeeper related issues these can be enabled. Affected classes:

- org.apache.oozie.command.XCommand
- org.apache.oozie.service.ZKLocksService

CDPD-27661: There is a new property named "oozie.ui.enabled" users can set for Oozie with a value true or false. By default it's set to true. When set to false, the Oozie UI will be completely disabled, the Oozie server will not even expose the UI resources, hence this can be a workaround for the JQuery vulnerabilities.

CDPD-25864: Oozie's notification mechanism now supports the https://user:password@host:port/... format so it's capable of handling basic authentication.

CDPD-30584: OOZIE-3422: The Oozie client will display the full stacktrace in case it fails to connect to the Oozie server.

CDPD-16552: Users are now able to configure the Action directory path. For more information please see the Action Configuration section in the Oozie documentation.

CDPD-30246: There were Jars missing from Oozie's Sqoop sharelib when a user wanted to import from RDBMS to HDFS/Hive into ORC file format or into HBase. The missing Jars are added now.

CDPD-34593: Oozie's Spark action was unable to send lineage information to Atlas. We've added a new authentication / credential type called `KafkaCredentials` which will obtain a delegation token from Kafka. For more information please see the "Action Authentication" documentation in the official Oozie documentation which is accessible from the Oozie UI.

CDPD-40326: `mapreduce.job.acl-view-job` property in Oozie workflow.xml not taking full effect.

This issue is resolved.

Apache patch information

- OOOIE-3535
- OOOIE-3646
- OOOIE-3431
- OOOIE-2136

Fixed issues in Apache Ozone

Review the list of Ozone issues that are resolved in Cloudera Runtime 7.1.8.

OPSAPS-64467: This issue is fixed by following config changes made to source and Target cluster after the upgrade of clusters from 7.1.7 to 7.1.8:

Step 1 is to Kinit into cluster with `om.keytab`, step 2 is to run `ozone admin scm finalizeupgrade`, and step3 is to run `ozone admin om finalizeupgrade -id=ozone1`.

OPSAPS-64425: 'Transfer Listing File from Peer Cluster' failing on target in OBS mode.

OPSAPS-64016: Ozone service status will now reflect Ozone Manager, Storage Container Manager and Ozone DataNode health status correctly.

OPSAPS-63998: An Ozone Manager config has been added in Cloudera Manager to enable Ozone S3 Multi-Tenancy. To enable Ozone S3 Multi-Tenancy, Kerberos Authentication must be enabled.

OPSAPS-61841: Fixed ozone code to fix the upgrade issue which is causing to fail SCM when container token is enabled.

OPSAPS-57827: If an Ozone Manager or Storage Container Manager has not been finalized after upgrade, the canary indicator will turn yellow.

CDPD-41416: Reject property change requests on link buckets. Setting Bucket Property and not corrupting bucket layout.

CDPD-39982: Leader SCM in SCM HA may fail to start completely. This in turn causes OM and other Ozone components to be stuck during startup.

CDPD-35571: Upgraded Ozone's netty to 4.1.77 due to CVE-2022-24823, CVE-2021-37136, CVE-2021-37137, CVE-2021-43797.

CDPD-27130: Added two new confs

`hdds.scm.replication.container.inflight.replication.limit`

`hdds.scm.replication.container.inflight.deletion.limit` to limit the maximum number of inflight replication and the maximum number of inflight deletion, respectively.

CDPD-26510: Fixed an issue in `ofs://` where `mkdir -p` could not create the volume in the path if the volume does not exist. (HDDS-5279).

OPSAPS-63227: CM now has Ozone SCM safemode monitoring to detect Ozone liveliness.

CDPD-41171: 0G data moved by container balancer after successful iteration.

OPSAPS-63080: Ozone prometheus does not work in HTTPS enabled cluster when SCM HA is enabled.

Apache Patch Information

- HDDS-6749
- HDDS-5298
- HDDS-7081
- HDDS-7056
- HDDS-6992
- HDDS-7015
- HDDS-6941
- HDDS-6934
- HDDS-6924
- HDDS-6907
- HDDS-6882
- HDDS-6813
- HDDS-6811
- HDDS-3816
- HDDS-6899
- HDDS-5964
- HDDS-6976
- HDDS-7453

Fixed Issues in Apache Parquet

There are no fixed issues for Parquet in Cloudera Runtime 7.1.8.

Apache patch information

- None

Fixed Issues in Phoenix

Review the list of Phoenix issues that are resolved in Cloudera Runtime 7.1.8.

CDPD-39117: If there are mix of AND and OR filters in the query while converting the to phoenix filter from spark filters no parentheses got added to OR filters which was leading to wrong filter and finally a wrong data. PHOENIX-6683 fixes this issue by surrounding the OR filters with parentheses while converting spark filters to phoenix expressions.

This issue is resolved.

CDPD-35717: CALCITE-903 has introduced a transparent reconnection feature, which will open a new server-side connection in case it is expired from the server side connection cache. While this is convinient for most read-only analytical workloads, this can cause a number a problems, including data loss for transactional connections.

This patch disables the transparent reconnect feature by default, and adds the `transparent_reconnection` property, which re-enables it when set to true.

Apache Patch Information

- PHOENIX-6679
- PHOENIX-5894

- PHOENIX-6579
- PHOENIX-6661
- PHOENIX-6665
- PHOENIX-6645
- PHOENIX-6528
- PHOENIX-6601
- PHOENIX-6592
- PHOENIX-6574
- PHOENIX-5072
- PHOENIX-6486
- PHOENIX-6519
- PHOENIX-6518
- PHOENIX-6509
- PHOENIX-6427
- PHOENIX-6493
- PHOENIX-6497
- PHOENIX-6271
- PHOENIX-6485
- PHOENIX-6453
- PHOENIX-6430
- PHOENIX-6429
- PHOENIX-6444
- PHOENIX-6475
- PHOENIX-6447
- PHOENIX-6420
- PHOENIX-6351
- PHOENIX-6456
- PHOENIX-6434
- PHOENIX-6436
- PHOENIX-6427
- PHOENIX-6424
- PHOENIX-6421
- PHOENIX-6423
- PHOENIX-6683
- PHOENIX-6590
- PHOENIX-6524
- PHOENIX-6566
- OMID-208
- PHOENIX-6654
- PHOENIX-6661
- PHOENIX-6508
- PHOENIX-6407
- PHOENIX-6461
- PHOENIX-6473
- PHOENIX-6484
- PHOENIX-6410
- PHOENIX-6465
- PHOENIX-6459
- PHOENIX-6414
- PHOENIX-6398

- PHOENIX-6177
- PHOENIX-6325
- PHOENIX-6294
- CALCITE-5009

Fixed Issues in Apache Ranger

Review the list of Ranger issues that are resolved in Cloudera Runtime 7.1.8.

CDPD-35657: Improved create, update, or delete group user mappings API call to reduce memory usage in ranger admin (and avoid OOM). These APIs are called by usersync for updating group memberships from sync source to ranger admin. Also added code to use common DB transaction framework.

This issue is resolved.

CDPD-21274: Support recursive delete operations for Ranger Ozone plugin including upgrade patch for service def changes. Also added plugin side change to retrieve owner information from the request context.

CDPD-29766: When SSO with Knox is enabled, logout should land in Knox logout page.

CDPD-30778: Updated Ozone servicedef to make hadoop.security.authorization config an optional property. Also added corresponding upgrade patch.

CDPD-29402: Introduced new usersync configuration to treat service users like "rangerusersync", "admin", "rangertagsync" that require "ROLE_SYS_ADMIN" privileges.

Fixed issue where removing a role assignment rule from usersync configuration is not updating the role of the affected users.

Also fixed an issue where the role (other than "ROLE_USER") assigned to an external user manually from Ranger UI, is not reset automatically when usersync is restarted.

CDPD-29265: Modified code to ignore case while validating a user for update (for DBs like MySQL)

CDPD-25879: Introduced new usersync configuration "ranger.usersync.ldap.groupnames" that accepts ";" separated list of group names with wildcards, shortname, or DN format. During startup of usersync added logic to read this configuration to compute the user search filter. Also added new unit tests to cover some functional and error cases.

CDPD-33198: RangerSolrAuthorizer is a common implementation call for both SearchComponent (for Document level Authorization) and AuthorizationPlugin (for collection level Authorization). RangerSolrAuthorizer implementation close() shutdowns the plugin and should be avoided when the call is for SearchComponent. Added check to get the authorizer class name to determine if the call is for SearchComponent or for the authorization plugin.

CDPD-28887: Made changes to use the Logger to log the messages by removing System.out.println(...).

CDPD-28932: 1. Created new API /permissionlist to reduce response object size of the permission listing page.

2. Code optimization for GET API /permission/{id}

This improved response time of the 'permission listing page' & 'edit module permission page' in Ranger permission tab GUI.

OPSAPS-63953: Export script is updated.

OPSAPS-62954: After the fix the default policies created in Ranger Admin should contain the actual configured service users and principal.

OPSAPS-62307: Ranger configurations now expose a safety-valve for authorization-migration-site.xml to allow users to configure required properties for custom configuration of properties which user can configure during migration of policies from Sentry to Ranger.

- CDPD-43771:** Improves the running time of java patch 55.
- CDPD-43675:** Improves vastly the running time of java patch 56 under heavy load(users/groups).
- CDPD-43647:** Improves vastly the running time of java patch 54 under heavy load(users/groups).
- CDPD-43148:** Remove duplicate resource-signature's policies during ranger upgrade.
- CDPD-42963:** RangerClient renews Kerberos ticket after a lifetime with the fix.
- CDPD-42607:** Incremental Sync config parameter is read from config with the fix.
- CDPD-41379:** Fixed the client IP and blank resource name for KMS audit logs.
- CDPD-41280:** Fix Java patch J10033 and J10046 failure during ranger upgrade.
- CDPD-41200:** Show the alert only once if the resource lookup fails.
- CDPD-41153:** Updating the service config during upgrade which has unsupported access types e.g - others, solr_admin.
- CDPD-41148:** Test ozone connection for ozone service works with the fix.
- CDPD-41126:** Code fixed for Ranger API Resource Metrics REST to update "Up time of JVM".
- CDPD-40961:** Opensearch Support on Ranger Admin.
- CDPD-40792:** Upgrade google-oauth-client to 1.33.3 due to CVE-2021-22573.
- CDPD-40778:** Upgrade netty to 4.1.77 due to CVE-2022-24823.
- CDPD-40519:** Upgrade tomcat to 8.5.79 due to CVE-2022-29885.
- CDPD-40440:** Upgraded the spring security version as part of CVE fix.
- CDPD-40268:** 1. Fixed infinite loop in filtering out Ancestor resources 2. Filter out default-db from the mapped Hive resource if any other resource is also mapped. 3. Checking all mapped hive resources for access permissions 4. Added a config flag - ranger-rms.enable.database.sync (default true). If true, database level sync is enabled 5. Fixed ALTER_TABLE notification event processing 6. Added more debug messages to ChainedPlugin
- CDPD-40121:** Upgraded the guava_version as part of CVE fix.
- CDPD-39931:** Remove duplicate access types entries during the ranger policy creation.
- CDPD-39899:** Fixed Upgrade Failure issue when we have sole policy like: 1. policy1 -> resource -> * 2. policy2 -> resource -> *,xyz Then during upgrade solr Java patch was failing fixed the same.
- CDPD-39780:** 1. Fixed infinite loop in filtering out Ancestor resources 2. Filter out default-db from the mapped Hive resource if any other resource is also mapped. 3. Checking all mapped hive resources for access permissions 4. Added a config flag - ranger-rms.enable.database.sync (default true). If true, database level sync is enabled 5. Fixed ALTER_TABLE notification event processing 6. Added more debug messages to ChainedPlugin
- CDPD-39690:** There is a change in external user 'status' (i.e x_portal_user tables column) which are getting synced into ranger admin, default 'status' value of synced users are getting set as 0(disabled) which was not the case in 7.1.4 This is the behaviour change between 7.1.4 and later versions: 1. Added change to mark external users status as enable(1). 2. written a java patch to update the status of existing external users during upgrade.
- CDPD-39359:** Replace ElasticSearch to OpenSearch 1.3.2 in Ranger due to CVE. ElasticSearch cannot be upgraded due to Licensing issue hence it is replaced with OpenSearch 1.3.2.
- CDPD-39328:** Add python3 support in ranger install scripts.

CDPD-39319: Fix NullPointerException in get service REST call.

CDPD-39317: Updated atlas default audit filter to avoid auditing for atlas read-entity by nifi service user.

CDPD-39234: As part of this change we have introduced new password policy in ranger admin i.e - Password should be minimum 8 characters, at least one uppercase letter, one lowercase letter and one numeric.

CDPD-39182: Remove semicolon from c3p0 preferredTestQuery.

CDPD-38586: Upgrade Spring Framework to 5.3.18 due to CVE-2022-22963, CVE-2022-22965.

CDPD-37019: Fixes null pointer exception in Java Patch 54.

CDPD-36320: Current Password policies(validation) is not strong enough as it expect the "minimum 8 characters with minimum one alphabet and one numeric".

In this improvement Jira will enhance the password policies to "minimum 8 characters, at least one uppercase letter, one lowercase letter and one numeric".

CDPD-35870: This provides a feature to skip the {OWNER} policy in authzmigration tool.

CDPD-35865: There is a change in external user 'status' (i.e x_portal_user tables column) which are getting synced into ranger admin, default 'status' value of synced users are getting set as 0(disabled) which was not the case in 7.1.4 This is the behaviour change between 7.1.4 and later versions.

Added change to mark external users status as enable(1) and written a java patch to update the status of existing external users.

CDPD-35631: Fixed role update operation issue for role admin user. (A non admin user should be able to update the role if he/she is role admin).

CDPD-35628: If RangerRMS cannot renew it's ticket cache due to a KDC communication problem then it will not retry it and we'll see periodic "No ticket found in the cache" error messages.

If that happens, then it won't have a valid Kerberos ticket it will not be able to communicate with other services, like HMS.

CDPD-34449: Added support for JWT authentication to access Ranger RMS API.

CDPD-35463: Ranger RMS download mapping API was an open API. After changes of CDPD-34449 it will add JWT authentication for the RMS API. This JIRA adds support for Kerberos authentication to access Ranger RMS API.

If JWT authentication is not provided it will fall back on kerberos authentication for backward compatibility.

CDPD-40344: Enable authentication for Ranger RMS download mapping API. was an open API.

Prior to 7.1.8 Ranger RMS download mapping API was an open API. Now it is made secured and it requires JWT/Kerberos authentication to access this API.

CDPD-35455: Added jackson-core libs for kafka plugin.

CDPD-35453: Set ranger service name in RangerServiceResource object to avoid tag import failure.

CDPD-35073: Upgrade jquery-ui 1.12 to 1.13.0+ due to CVEs.

CDPD-35048: Hive service users (specified by configuration parameter "ranger.plugin.hdfs.privileged.user.names" with a default value of "admin,dpprofiler,hue,beacon,hive,impala") do not need to be authorized by hive-hdfs chained plugin using Hive policies for access to the storage locations that map to hive entities. Such locations are already allowed access through HDFS default policies.

CDPD-34762: User/group/tags/resource attributes should be easily accessible in condition expressions, with expressions like:

```
USER.state == 'CA'    UG['test'].dept == 'MKTG'    REQ.accessType == 'SELECT'    RES.data
base == 'hr'    RES.table == 'employee'    TAG._type == 'PII'    TAG.attr1 == 'value1'    TA
GS.PII.attr1 == 'value1'    T NAMES.length == 2    T NAMES.indexOf('PCI') != -1
```

CDPD-34750: This change is to add the support for retry for policies download, ugsync, tagsync.

CDPD-34723: Policy engine evaluates policies in the following order: priority, has-deny, has-no-deny. When multiple policies have same priority/has-deny/has-no-deny, the ordering is not deterministic. This doesn't impact the result for access policies - as all denials will be evaluated before allows. However, the result for masking/row-filter can vary when multiple policies exists for a given resource, and these policies define different mask/filter for a given user/group/role.

Given name of a policy is unique within a service, using policy name as the secondary sorting key will result in deterministic evaluation order.

CDPD-34517: Made the required changes for initialising the Key store in case LUNA HSM with Ranger KMS DB.

CDPD-34023: Chmod and Chown will honor the ranger policy in both with fallback enabled as well as disabled.

Workaround is to have the parent directory RX permission in HDFS for the failing folders/files.

CDPD-33933: Corrected the JSON format.

CDPD-33856: Upgrade protobuf-java to 3.19.3 due to CVE-2021-22569.

CDPD-33729: This is to fix the bug in authorizing StorageBased Handler in Hive commands.

CDPD-33697: Code fixed for Auditor role in Ranger, not to edit policy's name and description.

CDPD-33606: Upgraded the Kylin version.

CDPD-33196: HDFS audit files rollover improvement to trigger rollover in monitoring thread and this enables the audit files to be closed exactly at the specified time.

CDPD-32975: Storm library version in Ranger upgraded to fix the CVE.

CDPD-32974: kylin library version in Ranger upgraded to fix the CVE.

CDPD-32900: Metric details for kms are not getting collected. Fixed issue of metric info to be provided API.

CDPD-32879: Added a config "ranger-rms.max.requested.notifications" to limit the size of requested notifications during the delta-sync. If we set the config value < 1 or > 50000; the default value will be treated as maxRequestedNotifications=50000. The default value for MAX_REQUESTED_NOTIFICATIONS is 50000.

It also fix the bug found during testing.

1. handleDeltaSync loop runs infinite when it tries to fetch notifications in batch.
2. Full-sync does not reset last_known_version=-1 in x_rms_mapping_provider table.

CDPD-31886: Oracle JDBC Storage Handler based Hive operation gets authorized correctly now.

Work around is to have "*" policy for the storage handler.

CDPD-31780: This change is to integrate/certify the Ranger DB KMS with GCP.

CDPD-31574: Provide an option to optimize space needed by Trie objects.

CDPD-31546: A delegate admin user should be able to add another user with all or subset of permissions they have.

CDPD-31508: This fix will make policy resource signature unique in a service.

CDPD-31466: Code fixed to update policy guid to unique value.

CDPD-31361: Fixed the performance issue of J10045 patch is taking more time to apply when we upgrade from CDH-7.1.5 to CDH-7.1.8.

CDPD-31357: Click on the policy resource field that time all available resource options are listed down.

CDPD-31225: Fixed the memory issue for Ranger KMS.

CDPD-31159: Coarse URI check on the URL will be done to fix the performance issue when URI location contains lot of files / folders. This feature can be enabled by the param. `xasecure.hive.uri.permission.coarse.check=true` in `ranger-hive-security.xml`.

CDPD-31076: Created framework to execute DB patch dependent on Java patch.

CDPD-30888: Show Role Grant command failure fixed in this JIRA.

CDPD-30653: Fix for the issue of incremental policy updates do not work correctly for multiple security zones.

CDPD-30472: Added a config "`xasecure.audit.solr.limit.query.req.size`" (defaults to `Integer.MAX_VALUE`). This config will limit the query size stored in Audit logs. Recommended value is 1024, however default value is set to `Integer.MAX_VALUE`.

Setting appropriate (small) value of this config will help optimize large size audit events and avoid load on solr/hdfs.

CDPD-30419: Improvement done in the logging of Ranger by remove unnecessary details and making the log pollution free.

CDPD-30408: Ranger-tagsync supports a new configuration parameter ("`ranger.tagsync.dest.ranger.max.batch.size`" - default value: 1) that controls the size of the batch of Atlas notifications that are uploaded in one go to Ranger admin.

CDPD-30032: Kafka library in Apache ranger upgraded to 2.8 version.

CDPD-29866: This issue was caused because a feature build in <https://jira.cloudera.com/browse/CDPD-27138> was ported to 7.2.12.0 and this JIRA took care of it.

CDPD-29748: Problem: Policy version in access audit is not matching with the policy version seen in policy view. `x_policy` table has version column which contains the latest policy version. this is updated during policy update.

Solution: `x_policy` table has version column which contains the latest policy version. this is updated during policy update. `RangerPolicy` object version field should be updated from the existing `x_policy` table version field value during the delta calculation. updated policy object shall be retrieved by plugins and passed to solr along with access audit logs.

CDPD-29489: Authorization of URL in Hive command will now handle with and without trailing "/" and treat both the urls the same way like how POSIX behave.

CDPD-29334: This code fix closes all the connection to RMS after fetching the notification.

CDPD-29322: Fixed usersync code to update other attributes properly for users or groups that have empty values.

CDPD-29211: This fix upgrade Spring Security to 5.5.1+ due to CVE-2021-22119.

CDPD-29186: Added `_csrf` token header validation to prevent CSRF attack.

CDPD-28836: Made changes to fetch all the public group and current user(`{USER}`) assigned policies when user search for policies on report page with username.

CDPD-28758: Users who need to rotate Access logs need to add property `ranger.accesslog.rotate.max.days` and configure numeric value for same in the safety valve for `ranger-admin-site.xml`.

CDPD-28752: Provided sorting on specific columns on policy and on audit listing page.

CDPD-28669: Update algorithm to build Ranger policy-database object from Ranger policy-view object.

CDPD-28619: After spring upgrade, spring-jcl-5.3.7.jar is loaded into ranger classpath which causes this issue. To fix this issue we have removed spring-jcl-5.3.7.jar from Ranger-admin, Ranger-RMS, Ranger-RAZ pom.xml. Now ranger does not add spring-jcl-5.3.7.jar in it's packaging.

CDPD-28535: This patch has changes to improve error message while deleting users and groups which are associated with role(s).

CDPD-28453: deleteSnapshot command authorization in Ranger HDFS authorizer.

CDPD-28217: This fix is a part of the implementation of Database level ACL Synchronization feature for RMS.

CDPD-28141: Upgraded Logredactor version as part of CVE fix.

CDPD-28057: Added X-Permitted-Cross-Domain-Policies Response header.

CDPD-28050: Overridden searchModuleDef function in XModuleDefService which will fetch users and groups only once instead of performing same operation for every ModuleDef. Creating a Map object by traversing through all users & groups was costly operation. Therefore defined two new functions getXXGroupIdNameMap() and getXXPortalUserIdXXUserNameMap() which will use sql query to return map of id & name instead of the actual objects. This code reduces database calls as well as memory consumption and improves response time.

CDPD-28049: Improved response time dramatically for GET API /service/xusers/lookup/users. API response returns instantaneously for 50,000 users lookup.

CDPD-27740: json-smart library version in Ranger upgraded to fix the CVE.

CDPD-27335: Ranger Admin / KMS / KMS-KTS server work directory can now be configured through the parameter {{ranger.tomcat.work.dir}}.

Ranger RMS server work directory can now be configured through the parameter {{ranger-rms.tomcat.work.dir}}.

Ranger Raz server work directory can now be configured through the parameter {{ranger.raz.tomcat.work.dir}}.

CDPD-27138: Apache Ranger REST Client to download policies, tags and roles from Ranger admin will use cookie session. Earlier each of the plugin has to do kerberos login to get a TGT to download policy, tags and roles. With this feature Session Cookie is enabled by default in RangerAdminClient and it will be used instead of hitting KDC for TGT for validating the user. This improve performance as well and reduce the load on KDC.

CDPD-26774: CVE fixed by removing htrace-core4.jar from Ranger repo.

CDPD-26575: Spring framework version in Ranger upgraded to fix the CVE.

CDPD-26069: This is bug for the issue around ALTER Operations on StorageBase Location in the hive commands.

CDPD-25938: As part of this change we have removed one policy item from storage policy with rangerlookup user which has unused access type.

CDPD-25594: When there are large no. of group mappings, all the DB updates are cached in memory and causes OOM issue in ranger. In order to fix this, added code to create individual DB transaction for add/update of user group mapping from Ranger Usersync.

CDPD-24787: Exposes two new attributes from the users/groups page in Ranger UI.

CDPD-24277: Code fixed for Ranger role to be not deleted if the role is used in ranger audit filters in service plugin.

CDPD-23560: Convert existing custom mysql UDFs to procedure.

CDPD-23446: Create ranger users in a separate transaction to avoid service creation failure.

CDPD-21398: After the fix Ranger Admin now allows user to customise the private keystore instead of using the default value.

CDPD-17304: Made changes to use the custom config set zip file to create the config-set which is used by Ranger Admin start script to create the collection, Previously config-set location was fixed.

CDPD-13144: The description of the fix is in the jira name.

CDPD-5963: Implement SHOW ROLE GRANT in Hive ranger plugin which gets the grant details from Ranger Policy.

CDPD-7143: Users can now configure Ranger Admin to allow browser based kerberos authenticated login. If enabled without any ticket on the browsers Users may land on a blank page and may need users to refresh the page which can redirect them to the login page.

CDPD-7813: This fixes the auditing for INSERT, UPDATE, DELETE, TRUNCATE statement of hive table. Prior to this fix all these commands are identified as UPDATE only and auditing was ambiguous.

Apache patch information

-
- Revert "RANGER-3768: updated RangerBasePlugin with configurations to optionally disable dynamic refreshing of user-store"
- RANGER-3779: conditions enhancement to support macros IS_IN_ANY_GROUP, IS_IN_ANY_ROLE, HAS_TAGS
- RANGER-3768: updated RangerBasePlugin with configurations to optionally disable dynamic refreshing of user-store
- RANGER-3765: tag-based policy masking to override resource-based masking
- RANGER-3763: added tagsync configuration for entities batch size in AtlasREST
- RANGER-3764: conditions enhancement to support macros IS_IN_GROUP, IS_IN_ROLE, HAS_TAG, HAS_USER_ATTR, HAS_UG_ATTR, HAS_TAG_ATTR
- RANGER-3758: Demote the log level to trace about not having an HBase remote client address
- RANGER-3619: REST API returns 403 when authed user has no
- RANGER-3754: Chained plugins access evaluation result is not considered in some cases
- RANGER-2815: Ranger HDFS Audit Destination flush call should be privileged one
- RANGER-3747: Fix failing sql patches
- RANGER-3744: updated Produces annotation in REST APIs to use consistent ordering
- RANGER-3736: updated RangerChainedPlugin to support masking and row-filtering
- RANGER-3475: added public REST API endpoint to import tags
- RANGER-3705: Improve logging messages to help debug potential issues
- RANGER-3687: Password Policy Best Practices for Strong Security
- RANGER-3692: Ranger cannot connect to the DB when the DB is outaged for a long time
- RANGER-3688: resource-based masking policy doesn't override tag-based policy
- RANGER-3681: Ranger Database deadlock when createPolicy is running parallel
- RANGER-3676: support {OWNER} macro in tag-based policies
- RANGER-3652: updated resource-matcher unit tests to include tests for wildcard=false
- RANGER-3646 LOG.debug print content error
- RANGER-3644: updated FileTagSource to retry when Ranger is not reachable
- RANGER-3634: Remove duplicate entries from usersync distribution file

- RANGER-3625: fixed incorrect LOG.isDebugEnabled() condition in RangerHiveAuthorizer
- RANGER-3621: optimise resource usage while loading tags and policies from database
- RANGER-3611: fix NullPointerException in download API
- RANGER-3578: Simplify code for policy label creation
- RANGER-3571: Fixed a bug in GrantRevokeRoleRequest.toString()
- RANGER-3563: fixed plugin installation failure in docker due to recent changes in RANGER-3540
- RANGER-3398: Duplicate JAVA patch suffix should not be allowed
- RANGER-3385: Duplicate SQL prefix should not be allowed
- RANGER-3366: Cluster type is missed in copy constructor of RangerAccessRequestImpl
- RANGER-2907: adding default trust manager from JVM if no trust manager is specified
- RANGER-2856: A policy should be deleted if it has no policyItems
- RANGER-2885: Add missing PermType Java codes for new versions of Kafka
- RANGER-2893: fix show grant on database fail in Ranger Hive plugin
- RANGER-2779: updated ADLS-Gen2 resource mapper to set isRecursive=true for adls_gen2_directory entities
- RANGER-2853: fix NPE error in ranger admin when enable ranger kms
- RANGER-3270: updated RangerBasePlugin with configurations to optionally disable dynamic refreshing of policies/tags/roles
- RANGER-3663: RangerBizUtil.checkAdminAccess() should return false if user-session is not available
- RANGER-2426: Using kafka-clients artifact only instead of kafka core in ranger-plugins-audit, ranger-schema-registry-plugin and ranger-tagsync modules
- RANGER-3542: Fix invalid HTTPS check
- RANGER-3562: Redesign post commit tasks for updating ref-tables when policy/role is updated - Parts 1 and 2
- RANGER-3545: Remove Logger Checks for Info Enabled
- RANGER-3548: Update performance engine test scripts
- RANGER-3538: Reduce the granularity of locking when building/retrieving a policy-engine within Ranger admin service
- RANGER-3397: Update ACL computation to (optionally) expand Ranger Roles to users and groups and include chained-plugins in ACL computation - Part 2
- RANGER-3360: Best Practice - Use updated policy object after pruning - Part 2
- RANGER-3454: Facing HiveAccessControlException while running hive command RELOAD FUNCTION
- RANGER-3419: compressDeltas method returns two ranger policy entries for policy create+update case when provided lastKnownVersion is previous to create call
- RANGER-3397: Update ACL computation to (optionally) expand Ranger Roles to users and groups and include chained-plugins in ACL computation - Part 3
- RANGER-3397: Update ACL computation to (optionally) expand Ranger Roles to users and groups and include chained-plugins in ACL computation - Part 2
- RANGER-3396: fixed incorrect class name in RangerPolicyItemRowFilterInfo.toString()
- RANGER-3377: HDFS plugin performance improvement - conditionally ignore deny and exception conditions
- RANGER-3378: HDFS plugin performance improvement - RangerHdfsResource.getAsString()
- RANGER-3348: Add user and group delete functionality in Apache Ranger Python APIs
- RANGER-3348: Add user and group delete functionality in Apache Ranger Python APIs
- RANGER-3370: updated Python client to handle 404 HTTPStatus code
- RANGER-3289: updated Python client to support optional query-params
- RANGER-3397: Update ACL computation to (optionally) expand Ranger Roles to users and groups and include chained-plugins in ACL computation
- RANGER-3296: updated getResourceACLs() to include row-filter and column-masking details as well
- RANGER-3371
- RANGER-3339
- RANGER-2846
- RANGER-3342
- RANGER-3695

- RANGER-3657
- RANGER-3614
- RANGER-2704
- RANGER-2640
- RANGER-3576
- RANGER-3211
- RANGER-3299
- RANGER-3628
- RANGER-3594
- RANGER-3259
- RANGER-2950
- RANGER-3334
- RANGER-3285
- RANGER-3356
- RANGER-3359
- RANGER-3361
- RANGER-3533
- RANGER-3455
- RANGER-3367
- RANGER-3418
- RANGER-3480
- RANGER-3403
- RANGER-3591
- RANGER-3478
- RANGER-3459
- RANGER-3630
- RANGER-3374
- RANGER-3462
- RANGER-3309
- RANGER-3481
- RANGER-3518
- RANGER-3505
- RANGER-3465
- RANGER-3442
- RANGER-3649
- RANGER-3298
- RANGER-3503
- RANGER-3504
- RANGER-3516
- RANGER-3535
- RANGER-3490
- RANGER-3512
- RANGER-3569
- RANGER-3519
- RANGER-3698
- RANGER-3638
- RANGER-3603
- RANGER-3590
- RANGER-3613
- RANGER-3615

- RANGER-3526
- RANGER-3508
- RANGER-3857
- RANGER-3642
- RANGER-3677
- RANGER-3600
- RANGER-3387
- RANGER-3735
- RANGER-3698
- RANGER-3659
- RANGER-3509
- RANGER-3485
- RANGER-3691
- RANGER-3624
- RANGER-2759
- RANGER-3752
- RANGER-3750
- RANGER-3735
- RANGER-2728
- RANGER-3767
- RANGER-3782
- RANGER-3606
- RANGER-3780
- RANGER-3661
- RANGER-3784
- RANGER-3829
- RANGER-3798
- RANGER-3725
- RANGER-3793
- RANGER-3463
- RANGER-3795
- RANGER-3846
- RANGER-3854
- RANGER-3853
- RANGER-3797
- RANGER-3507
- RANGER-3443
- RANGER-3023
- RANGER-3024
- RANGER-3372

Fixed Issues in Schema Registry

Review the list of Schema Registry issues that are resolved in Cloudera Runtime 7.1.8.

CDPD-41592: Confluent import should handle input without an actual version

Lines ignored in Confluent import format where only the first part corresponding to a Cloudera SR "meta" is present and schema version data is missing (or only a "null" string is there).

CDPD-40758: Improve upon how SchemaRegistryClient is used in connectors

Fixed the issue when setting the "value.converter.serdes.protocol.version" in connectors caused the connector to fail on startup because the configuration property wasn't properly converted to a byte value.

CDPD-39885: SchemaRegistryResource.uploadFiles fails w/ Timeout waiting for connection from pool

When downloading a file from Schema Registry, the stream was not properly closed which occasionally caused issues. This has been fixed by always closing the stream.

CDPD-35983: Unique constraint violation on load balanced SR cluster startup

A concurrency issue in a multi node SR setup was fixed where more nodes tried to initialize database state at the same time causing some of them to fail.

CDPD-35469: SR responds with Internal Server Error when adding more schemas than defined in offset range

Schema Registry responds with HTTP 409 response instead of HTTP 500 response when trying to add more schemas than defined in offset range.

OPSAPS-61017: Ranger SchemaRegistry Plugin Audit Directory is not created when upgrading to 7.4.2+

When upgrading from earlier versions to 7.1.7/7.2.9 with existing Schema Registry service, hdfsDirs will automatically be created; affects CM \geq 7.5.1.

Fixed Issues in Cloudera Search

There are no fixed issues for Cloudera Search in Cloudera Runtime 7.1.8.



Note: From Cloudera Runtime 7.1.8 and higher, Cloudera Search fixed issues are listed under [Apache Solr](#).

Fixed Issues in Apache Solr

Review the list of Apache Solr issues that are resolved in Cloudera Runtime 7.1.8.

CDPD-29853: Solr 8 now works in secure environments without sending OPTIONS requests during internal communication

This fix eliminates unnecessary OPTIONS requests in internal Solr communication, improving performance.

CDPD-26082: MapreduceIndexerTool performance problem in CDP

The handling of HDFS caching in MRIT has changed to mitigate this known issue. Before the fix, the solr.hdfs.blockcache.enabled setting was always forced to be false and could not be overridden. After the fix, it becomes possible to control this setting using the solr.hdfs.blockcache.enabled property and its default value has also been changed to true.

This has a few consequences that may affect existing systems:

- MRIT starts to use HDFS caching by default, which may slightly increase memory usage.
- It is possible now to control HDFS caching. For more information, see [Solr and HDFS - the block cache](#) in *Tuning Cloudera Search*.

CDPD-24704: Checksum failed during MRIT MERGEINDEXES

In certain rare cases, the reuse of the results directory before MERGEINDEXES calls caused checksum failure in MRIT, with the following error message:

```
Caused by: org.apache.lucene.index.CorruptIndexException: checksum failed (hardware problem?)
```

After the fix, the index is moved to a unique directory before calling MERGEINDEXES. After the call finishes, the index directory is renamed back to its original name.

CDPD-23110: Hiveserver2/HMS hung because of the LeaseRenewer thread is waiting to get the kerberos ticket via System.in

Solr client does not overwrite 'null' value of `javax.security.auth.useSubjectCredsOnly` parameter, it only throws a warning during connection setup:

```
System Property: javax.security.auth.useSubjectCredsOnly set to:
[true|null] not false.
SPNEgo authentication may not be successful.
```

This may cause issues when connecting Solr to custom applications. To prevent this, you need to set

`-D javax.security.auth.useSubjectCredsOnly=false`

in the JVM configuration of those applications. Cloudera has implemented this change in MapReduceIndexer, CrunchIndexer, Spark-Solr, Hive-Solr connector, and Atlas.

CDPD-28879: Solr sets the Strict Transport Security policy in the web server responses when TLS is enabled.

Apache Patch Information

- SOLR-15578

Fixed Issues in Apache Spark

Review the list of Spark issues that are resolved in Cloudera Runtime 7.1.8.

CDPD-2650: Spark can't write ZSTD and LZ4 compressed Parquet to dynamically partitioned table.

CDPD-3783: Unable to create database in spark.

CDPD-30201: Fixed "Event Timeline" expansion in SparkUI.

clicking "Event Timeline" in SparkUI works as expected.

CDPD-28196: Spark 3 History Server link Resource Manager UI works again.

CDPD-27961: Insert overwrite no longer fails due to partition directory double delete.

CDPD-27528: Apache Spark version has been updated to 2.4.8 version.

Apache patch information

- SPARK-38992 (fix for CVE-2022-33891, see [Fixed Common Vulnerabilities and Exposures 7.1.8](#))

Fixed Issues in Apache Sqoop

Review the list of Atlas issues that are resolved in Cloudera Runtime 7.1.8.

CDPD-30696: When Sqoop runs the Hive import in a new process it will preserve some of the environment variables of the parent process. From now on Sqoop will also automatically preserve the KRB5CCNAME environment variable, so in case of a customer Kerberos ticket file is used, the underlying beeline process will also be aware of it.

CDPD-31522: Change log messages in Sqoop not to encourage users use --direct option.

Fixed Issues in Streams Replication Manager

Review the list of Streams Replication Manager issues that are resolved in Cloudera Runtime 7.1.8.

OPSAPS-61278: The SRM Client's secure storage fails to generate correctly in FIPS-enabled clusters

In a FIPS enabled cluster, the SRM Client's secure storage is now correctly generated. The automatically generated configuration used by the srm-control tool no longer contains unresolvable references. SRM secure storage can be used in FIPS enabled clusters without additional configuration.

CDPD-31745: SRM Control fails to configure internal topic when target is earlier than Kafka 2.3

SRM now creates all internal topics explicitly. SRM also verifies the essential configurations of internal topics at startup, and fails if the topic does not meet the required configurations.

OPSAPS-60823: Configuring the SRM Client's secure storage is mandatory for unsecured environments

The srm-control tool no longer fails to run in an unsecured cluster. Unnecessary additional configs have been removed from the srm-control tool's configuration when it is used in an unsecured cluster.

OPSAPS-61001: Saving configuration changes for SRM is not possible

The SRM Client's Secure Storage Password property is no longer a mandatory property.

CDPD-14019: SRM may automatically re-create deleted topics on source clusters

Deleted topics are no longer automatically re-created on source clusters.

OPSAPS-61814: Using the service dependency method to define Kerberos enabled co-located clusters is not supported

When the Streams Replication Manager Co-located Kafka Cluster Alias configuration is used to auto-configure the connection to the co-located Kafka cluster, and Kerberos is enabled, the JAAS configuration is dynamically generated on each host. As a result, you can now use the service dependency method to define a Kerberos enabled co-located cluster.

OPSAPS-63992: Rolling restart unavailable for SRM

Streams Replication Manager rolling restart support is added to Cloudera Manager. Streams Replication Manager can be restarted and upgraded without losing service availability.

OPSAPS-62546: Kafka External Account SSL keypassword configuration is used incorrectly by SRM

SRM uses the correct ssl.keystore.key configuration when a Kafka External Account specifies the keystore.

Fixed Issues in Streams Messaging Manager

Review the list of Streams Messaging Manager (SMM) issues that are resolved in Cloudera Runtime 7.1.8.

CDPD-42979: SMM UI crashes when the TopicDetails page is opened for a topic where there are Latency metrics

Consumer details page does not load for the consumers that have the latency metrics turned on.

CDPD-41420: Schema version is not displayed in SMM when Avro value serializer is chosen

In the Data Explorer now it's possible to see all the schema versions associated with the given topic.

CDPD-41069: Topic can be edited after selecting REPLICATION_STATUS as the alert attribute

Fixed the topic selection dropdown status in the alert editor after various UI events.

CDPD-40758: Improve upon how SchemaRegistryClient is used in connectors

Fixed the issue when setting the "value.converter.serdes.protocol.version" in connectors caused the connector to fail on startup because the configuration property wasn't properly converted to a byte value.

CDPD-40286: When using Oracle we can have a NPE during configuration

When using the Oracle database, the customer has the option to provide custom connection properties. Due to a bug, these connection properties were mandatory, which caused an error in case they were not provided.

CDPD-39980: /api/v1/admin/auth/access throws NPE on unsecure environments

Fixed issue "/api/v1/admin/auth/access" throwing InternalServerError (Http code 500) when accessing the endpoint in a non-kerberized environment.

CDPD-39826: The Restart button for the ConnectorTasks is permanently disabled

Fixed issue where, on the ConnectorDetails page, the "Restart" button for the tasks within the connector is permanently disabled.

CDPD-30370: When TLS is enabled, SMM should connect to SR

When TLS is enabled, SMM by default cannot properly connect to Schema Registry.

OPSAPS-63564: SMM API request log file is created in the wrong folder

SMM's api request log file is created in /var/log/streams-messaging-manager/ folder; affects CM >= 7.7.0.

OPSAPS-62430: Auto-configure Kafka Connect's Rest configs for SMM

When Kafka Connect Host is left empty then it will configure Kafka Connect Protocol/Host/Port automatically based on selected Kafka Service dependency's Kafka Connect role. Old entries are kept to be able to override these settings.

OPSAPS-62384: Add cache size and max size for kafkaMetricsApiClientConfig properties

The following configurations are not present in the SMM configs, these have to be added through the "streams-messaging-manager.yaml_role_safety_valve" safety valve. For example:

- kafkaMetricsApiClientConfig_cache_expiration_millis: 30000
Expiration of ProducerLineages' cache returned by /admin/lineages/ endpoint.
- kafkaMetricsApiClientConfig_cache_maximum_size: 1000
Maximum size of ProducerLineages' cache returned by /admin/lineages/ endpoint.

CDPD-61115: Requests made to /api/v1/admin/metrics/aggregated/* endpoints fail with error 500 if a custom time interval is specified

The /api/v1/admin/metrics/aggregated/* endpoints no longer fail with error 500 if a custom time interval is specified.

Fixed Issues in Apache Tez

Review the list of Tez issues that are resolved in Cloudera Runtime 7.1.8.

Apache Patch Information

- TEZ-4309
- TEZ-4103

Fixed Issues in Apache Hadoop YARN and YARN Queue Manager

Review the list of Apache Hadoop YARN and YARN Queue Manager issues that are resolved in Cloudera Runtime 7.1.8.

OPSAPS-50291: "HADOOP_HOME,PATH,LANG,TZ" are now added by default to the yarn.nodemanager.env-whitelist Yarn configuration option.

This issue is fixed.

COMPX-4871: All YARN Queue Manager Operations validation request fails after reaching 260 levels

Once having 260 or more queue levels, the YARN Queue Manager validation request for any operations (Add, Delete, Stop, Edit) failed. In other words, queues up to 260 levels is the threshold up to which YARN Queue Manager worked fine and after that it started to fail in performing the operation. This fix removes this limitation.

COMPX-4920: Node Labels are not sorted by created time in the Node Labels grid/base page

With this fix all Node Labels in the grid are sorted by the time they were created, so that the lastly created label is at the bottom.

COMPX-5252: YARN Queue Manager does not support direct migration between weight and absolute resource allocation mode

YARN Queue Manager UI did not support direct migration neither from weight resource allocation mode to absolute resource allocation mode, nor from absolute resource allocation mode to weight resource allocation mode. This issue is resolved.

COMPX-5255: Cannot enable "auto queue creation" for "root" in weight mode

Enabling the dynamic child queue creation feature for root queue is now possible.

COMPX-5755: YARN Queue Manager UI allows to create partition named "default"

YARN Queue Manager UI supported the creation of a partition named "default". This could cause issues in the UI since the system has a default partition named "default". This fix prevents the user from creating such a partition, and also adds duplicate partition name validation when creating a new partition.

COMPX-6207: Disabling queue auto deletion does not work in YARN

Before this fix when auto queue deletion was disabled for a specific parent queue, the auto-created queues under that parent queue were deleted once the job was done and after the expiration timeout. With this fix the auto-created queues are not deleted if auto queue deletion is disabled for that queue.

COMPX-6628: Unable to delete single leaf queue assigned to a partition

It was not supported to delete a single leaf queue using the YARN Queue Manager UI if the queue was assigned to a partition.

COMPX-6665: Could not change allocation mode to relative (from absolute) when there is a partition with no hosts and no queues assigned

With this fix users can change the resource allocation mode to relative if there are no hosts and queues assigned to the partition.

COMPX-6779: Not able to add new queue to leaf queue with partition capacity in absolute mode

This issue is fixed.

COMPX-6949, COMPX-7818: Wrong default version message when reordering placement rules

After reordering placement rules and clicking Save, the common box displayed an incorrect message: Added a new placement rule. This message is fixed, and the box displays: *Reordered placement rules.*

COMPX-7292: Add option to disable auto creation of a queue in weight mode

Previously if you enabled the dynamic child creation feature for a queue you could not disable it; you had to remove the parent queue and then recreate it. This fix enables you to disable the auto child creation feature for a queue.

COMPX-7522, COMPX-7828: Could not start dynamically created child queue

Dynamically created child queues could not be started or stopped under legacy managed parent queues in percentage and absolute modes. This issue is fixed now.

COMPX-7594: Minimum User Limit field fractional percentages inconsistency

The Minimum User Limit field previously accepted fractional percentages. This issue has been fixed and the field does not accept fractional percentages anymore.

COMPX-7619: Placement Rules "View" button should be available in read-only mode

This fix adds the View options for placement rules for non-admin users when read-only mode is configured in YARN Queue Manager UI.

COMPX-7822: User Limit Factor property should accept -1

The User Limit Factor property now accepts -1 as a value.

COMPX-8162: Maximum AM resource percentage value is not updated for dynamically created queues

This issue is resolved.

COMPX-8360: Yarn Queue Manager UI wipes out all Placement Rules when an invalid rule is added

When an invalid placement rule is created, the previously created valid placement rules were removed by the YARN Queue Manager UI, while the configuration file did not remove them. With this fix, the YARN Queue Manager UI does not remove the previously created valid placement rules anymore.

COMPX-8598: Fix commissioning/recommissioning NodeManager failure in YARN

When the `yarn.scheduler.configuration.store.class` property is set to `zk` and YARN Queue Manager is not installed and enabled in a cluster every YARN node decommission causes an exception. With this fix, no `refreshQueues` command is called when ZooKeeper configuration store is used, but YARN Queue Manager is not.

COMPX-10674: Not able to edit children capacities with decimal values after weight to relative mode conversion

User was not be able to update Child queue capacity with decimal values after weight to relative mode conversion

COMPX-10771, COMPX-11178: Cannot add node label if active/standby ResourceManagers have flipped

Users was not be able to access YARN Queue Manager UI while ResourceManager failover happens and the standby RM is down

COMPX-10973: Fix -ve calculation in Fairness Based intra queue preemption.

This issue is fixed.

OPSAPS-61245: Banned users should be the same as custom users

CM 7.5.3 and CM 7.7.1 automatically fills the banned users values based on the customized process users.

OPSAPS-63181: The value of `mapreduce.cluster.acls.enabled` is not generated into YARN RM's `mapred-site.xml`

Enable Job ACL configuration is now generated for all the necessary roles.

Apache patch information

Apache patches in this release. These patches do not have an associated Cloudera bug ID.

- MAPREDUCE-7307
- YARN-2710
- YARN-6221
- YARN-6492
- YARN-6272
- YARN-8148
- YARN-8659
- YARN-8732
- YARN-8864
- YARN-8984
- YARN-9011
- YARN-9290

- YARN-9431
- YARN-9551
- YARN-9569
- YARN-9584
- YARN-9601
- YARN-9640
- YARN-9642
- YARN-9714
- YARN-9728
- YARN-9773
- YARN-9810
- YARN-9956
- YARN-10012
- YARN-10393
- YARN-10355
- YARN-10364
- YARN-10393
- YARN-10438
- YARN-10467
- YARN-10501
- YARN-10503
- YARN-10522
- YARN-10555
- YARN-10576
- YARN-10590
- YARN-10632
- YARN-10646
- YARN-10651
- YARN-10657
- YARN-10701
- YARN-10720
- YARN-10727
- YARN-10790
- YARN-10802
- YARN-10814
- YARN-10838
- YARN-10850
- YARN-10856
- YARN-10869
- YARN-10870
- YARN-10872
- YARN-10874
- YARN-10897
- YARN-10901
- YARN-10904
- YARN-10907
- YARN-10909
- YARN-10910
- YARN-10913
- YARN-10915

- YARN-10916
- YARN-10919
- YARN-10924
- YARN-10929
- YARN-10935
- YARN-10942
- YARN-10944
- YARN-10947
- YARN-10948
- YARN-10949
- YARN-10950
- YARN-10951
- YARN-10954
- YARN-10958
- YARN-10974
- YARN-10980
- YARN-10983
- YARN-10985
- YARN-10995
- YARN-10997
- YARN-11006
- YARN-11014
- YARN-11023
- YARN-11024
- YARN-11043
- YARN-11067
- YARN-11152
- YARN-11185

Fixed Issues in Zeppelin

There are no fixed issues for Zeppelin in Cloudera Runtime 7.1.8.

Apache patch information

None

Fixed Issues in Zookeeper

Review the list of Zookeeper issues that are resolved in Cloudera Runtime 7.1.8.

Apache patch information

- ZOOKEEPER-3263
- ZOOKEEPER-4477
- ZOOKEEPER-3652
- ZOOKEEPER-3817
- ZOOKEEPER-4385
- ZOOKEEPER-4367
- ZOOKEEPER-4259
- CURATOR-525

- CURATOR-630

Hotfixes in Cloudera Runtime 7.1.8

You can review the list of hotfixes in Cloudera Runtime 7.1.8. This will help you to verify if the hotfixes provided to you were included in a specific release and enable you to upgrade to a CDP Private Cloud Base release.

- 7.1.4-1.cdh7.1.4.p76.33923641

Known issues in Cloudera Runtime 7.1.8

You must be aware of the known issues and limitations, the areas of impact, and workaround in Cloudera Runtime 7.1.8.

Log4j-1x remediation

CDP Private Cloud Base 7.1.7 SP1 and CDP Private Cloud Base 7.1.8 uses Reload4j and does not contain those CVEs but the files were renamed to log4j-1.2.17-cloudera6.jar. This still sets off scanners, but retained the log4j prefix that made for an easy transition for dependencies. In CDP Private Cloud Base 7.1.7 SP2, the log4j-1.2.17-cloudera6.jar files were renamed to reload4j-1.2.22.jar in the CDP parcel and should not set off scanners.

These remaining JARs are related to Cloudera Manager and are in 7.7.1 but 7.6.7 has them removed:

/opt/cloudera/parcels/CDH-7.1.8-1.cdh7.1.8.p0.30990532/jars/log4j-1.2.17-cloudera6.jar

/opt/cloudera/cm/cloudera-navigator-audit-server/log4j-1.2.17-cloudera6.jar

/opt/cloudera/cm/cloudera-navigator-server/jars/log4j-1.2.17-cloudera6.jar

/opt/cloudera/cm/cloudera-scm-telepub/jars/log4j-1.2.17-cloudera6.jar

/opt/cloudera/cm/common_jars/log4j-1.2.17-cloudera6.5e6c49dac2e98e54fc9a8438826fa763.jar

/opt/cloudera/cm/lib/log4j-1.2.17-cloudera6.jar

Workaround: To get every log4j-1x version replaced with ones named reload4j, you must be on CDP Private Cloud Base 7.1.8 latest Cumulative hotfixes or CDP Private Cloud Base 7.1.9 and associated Cloudera Manager versions. (CDP Private Cloud Base 7.1.7 SP1 uses reload4j but the name still says log4j).



Note: The presence of log4j-1.2-api-2.17.1.jar and log4j-1.2-api-2.18.0.jar does not mean log4j1 is present. log4j-1.2-api does not contain any vulnerable code which can be seen from the [Maven page](#) where no CVEs are listed, either directly or through indirect dependencies.

CDSW



Note: CDSW does not support RPM-based installation on CDP Private Base. (RPM installation is deprecated and only supported on HDP and CDH 5. For CDH6 and onward, Cloudera recommends you to use CSD-based installations.)

Known Issues in Apache Atlas

Learn about the known issues in Atlas, the impact or changes to the functionality, and the workaround.

CDPD-43058: Entities created through Hook do not get consumed by Atlas and are specifically observed while running the HDFS Lineage script.

Once the process to run the hdfs-lineage.sh script is completed, it is seen that in a few instances the entity is not created in Atlas. This scenario is observed on an intermittent basis and few entities are

not viewed in Atlas. In the case where this issue is observed, the publishing of messages to Kafka topics consumes more than three seconds.

This additional time consumption could be because of:

- Logging into Kerberos took more time to complete
- Connecting to Kafka topic took more than three seconds

The Async message processing (atlas.notification.hook.asynchronous) must be disabled.

You must manually set this flag in /etc/atlas/conf/atlas-application.properties to false.

CDPD-50239: The 'ATLAS_ENTITY_AUDIT_EVENTS' table increases its size considerably causing the disk space to shrink to a larger extent.

There are certain columns of the tables that are not configured to remove the old data that can cause disk to run out of space. For more information, see the section [Audit enhancements](#) in the mainline Atlas documentation for Cloudera Runtime 7.1.8 version.

CDPD-29307: Atlas creates incomplete Kafka client entities that are postfixed with the metadata namespace.

None.

CDPD-19358: "IsIndexable" and "isOptional" value of a typedef's attribute is modified post migration.

None.

CDPD-22799: Apache Atlas displays 503 service unavailable on transparent proxy setup.

In the following file /opt/cloudera/parcels/CDH-<%version%>/lib/atlas/server/webapp/atlas/WEB-INF/web.xml delete DOCTYPE tag, and replace web-app tag with following: <web-app xmlns="http://java.sun.com/xml/ns/javaee" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xsi:schemaLocation="http://java.sun.com/xml/ns/javaee http://java.sun.com/xml/ns/javaee/web-app_2_5.xsd" version="2.5">

OPSAPS-58348: The user name HTTP is not found in Atlas logs

You must disable the Atlas metrics configuration from Cloudera Manager UI.

CDPD-19996: Atlas AWS S3 metadata extractor fails when High Availability is configured for IDBroker.

If you have the HA configured for IDBroker, ensure that your cluster has only one IDBroker address in core-site.xml. If your cluster has two IDBroker addresses in core-site.xml, remove one of them, and the extractor must be able to retrieve the token from IDBroker.

CDPD-5542: AWS S3 Bulk and Incremental Extraction is currently not supported on 7.1.5.

None.

ENGESC-17926: HBase goes down due to huge payload from Atlas

HBase region servers are going out of heap space due to huge payload from Atlas.

CDPD-17355: Atlas AWS extraction issue due to KeyError: 'entities'.

AWS S3 extraction does not happen as the extractor.sh is missing from the host.

None.

CDPD-14877:

In the Ozone Atlas integration, only the Spark-Atlas connector is failing.

Running the Spark query through the Ozone path, an incomplete entity is created.

CDPD-12668: Navigator Spark lineage can fail to render in Atlas

As part of content conversion from Navigator to Atlas, the conversion of some spark applications created a cyclic lineage reference in Atlas, which the Atlas UI fails to render. The cases occur when a Spark application uses data from a table and updates the same table.

None.

CDPD-11941: Table creation events missed when multiple tables are created in the same Hive command

When multiple Hive tables are created in the same database in a single command, the Atlas audit log for the database may not capture all the table creation events. When there is a delay between creation commands, audits are created as expected.

None.

CDPD-11940: Database audit record misses table delete

When a hive_table entity is created, the Atlas audit list for the parent database includes an update audit. However, at this time, the database does not show an audit when the table is deleted.

None.

CDPD-11790: Simultaneous events on the Kafka topic queue can produce duplicate Atlas entities

In normal operation, Atlas receives metadata to create entities from multiple services on the same or separate Kafka topics. In some instances, such as for Spark jobs, metadata to create a table entity in Atlas is triggered from two separate messages: one for the Spark operation and a second for the table metadata from HMS. If the process metadata arrives before the table metadata, Atlas creates a temporary entity for any tables that are not already in Atlas and reconciles the temporary entity with the HMS metadata when the table metadata arrives.

However, in some cases such as when Spark SQL queries with the write.saveAsTable function, Atlas does not reconcile the temporary and final table metadata, resulting in two entities with the same qualified name and no lineage linking the table to the process entity.

This issue is not seen for other lineage queries from spark:

```
create table default.xx3 as select * from default.xx2
insert into yy2 select * from yy
insert overwrite table ww2 select * from ww1
```

Another case where this behavior may occur is when many REST API requests are sent at the same time.

None.

CDPD-11692: Navigator table creation time not converted to Atlas

In converting content from Navigator to Atlas, the create time for Hive tables is not moved to Atlas.

None.

CDPD-11338: Cluster names with upper case letters may appear in lower case in some process names

Atlas records the cluster name as lower case in qualifiedNames for some process names. The result is that the cluster name may appear in lower case for some processes (insert overwrite table) while it appears in upper case for other queries (ctas) performed on the same cluster.

None.

CDPD-10576: Deleted Business Metadata attributes appear in Search Suggestions

Atlas search suggestions continue to show Business Metadata attributes even if the attributes have been deleted.

None.

CDPD-10574: Suggestion order doesn't match search weights

At this time, the order of search suggestions does not honor the search weight for attributes.

None.

CDPD-9095: Duplicate audits for renaming Hive tables

Renaming a Hive table results in duplicate ENTITY_UPDATE events in the corresponding Atlas entity audits, both for the table and for its columns.

None.

CDPD-7982: HBase bridge stops at HBase table with deleted column family

Bridge importing metadata from HBase fails when it encounters an HBase table for which a column family was previously dropped. The error indicates:

```
Metadata service API org.apache.atlas.AtlasClientV2$API_V2@58112bc4 failed with status 404 (Not Found) Response Body
({ "errorCode": "ATLAS-404-00-007", "errorMessage": "Invalid instance creation/updation parameters passed : hbase_column_family.table: mandatory attribute value missing in type hbase_column_family" })
```

None.

CDPD-7781: TLS certificates not validated on Firefox

Atlas is not checking for valid TLS certificates when the UI is opened in FireFox browsers.

None.

CDPD-6675: Irregular qualifiedName format for Azure storage

The qualifiedName for hdfs_path entities created from Azure blob locations (ABFS) doesn't have the clusterName appended to it as do hdfs_path entities in other location types.

None.

CDPD-5933, CDPD-5931: Unexpected Search Results When Using Regular Expressions in Basic Searches on Classifications

When you include a regular expression or wildcard in the search criteria for a classification in the Basic Search, the results may differ unexpectedly from when full classification names are included. For example, the Exclude sub-classifications option is respected when using a full classification name as the search criteria; when using part of the classification name and the wildcard (*) with Exclude sub-classifications turned off, entities marked with sub-classifications are not included in the results. Other instances of unexpected results include case-sensitivity.

None.

CDPD-4762: Spark metadata order may affect lineage

Atlas may record unexpected lineage relationships when metadata collection from the Spark Atlas Connector occurs out of sequence from metadata collection from HMS. For example, if an ALTER TABLE operation in Spark changing a table name and is reported to Atlas before HMS has processed the change, Atlas may not show the correct lineage relationships to the altered table.

None.

CDPD-4545: Searches for Qualified Names with "@" doesn't fetch the correct results

When searching Atlas qualifiedName values that include an "@" character, Atlas does not return the expected results or generate appropriate search suggestions.

Consider leaving out the portion of the search string that includes the @ sign, using the wildcard character * instead.

CDPD-3208: Table alias values are not found in search

When table names are changed, Atlas keeps the old name of the table in a list of aliases. These values are not included in the search index in this release, so after a table name is changed, searching on the old table name will not return the entity for the table.

None.

CDPD-3160: Hive lineage missing for INSERT OVERWRITE queries

Lineage is not generated for Hive INSERT OVERWRITE queries on partitioned tables. Lineage is generated as expected for CTAS queries from partitioned tables.

None.

CDPD-3125: Logging out of Atlas does not manage the external authentication

At this time, Atlas does not communicate a log-out event with the external authentication management, Apache Knox. When you log out of Atlas, you can still open the instance of Atlas from the same web browser without re-authentication.

To prevent access to Atlas after logging out, close all browser windows and exit the browser.

CDPD-1892: Ranking of top results in free-text search not intuitive

The Free-text search feature ranks results based on which attributes match the search criteria. The attribute ranking is evolving and therefore the choice of top results may not be intuitive in this release.

If you don't find what you need in the top 5 results, use the full results or refine the search.

CDPD-1884: Free text search in Atlas is case sensitive

The free text search bar in the top of the screen allows you to search across entity types and through all text attributes for all entities. The search shows the top 5 results that match the search terms at any place in the text (*term* logic). It also shows suggestions that match the search terms that begin with the term (term* logic). However, in this release, the search results are case-sensitive.

If you don't see the results you expect, repeat the search changing the case of the search terms.

CDPD-1823: Queries with ? wildcard return unexpected results

DSL queries in Advanced Search return incorrect results when the query text includes a question mark (?) wildcard character. This problem occurs in environments where trusted proxy for Knox is enabled, which is always the case for CDP.

None.

CDPD-1664: Guest users are redirected incorrectly

Authenticated users logging in to Atlas are redirected to the CDP Knox-based login page. However, if a guest user (without Atlas privileges) attempts to log in to Atlas, the user is redirected instead to the Atlas login page.

To avoid this problem, open the Atlas Dashboard in a private or incognito browser window.

CDPD-922: IsUnique relationship attribute not honored

The Atlas model includes the ability to ensure that an attribute can be set to a specific value in only one relationship entity across the cluster metadata. For example, if you wanted to add metadata tags to relationships that you wanted to make sure were unique in the system, you could design the relationship attribute with the property "IsUnique" equal true. However, in this release, the IsUnique attribute is not enforced.

None.

OPSAPS-58720: Atlas HBase hook not enabled post migration to CDH

Using the AM2CM tool for HDP-2 to CDP-7, post-migration, you must manually enable the Atlas HBase hook.

OPSAPS-58784: HMS hook is not enabled by default

Using the AM2CM tool for HDP-2 to CDP-7, post-migration, you must manually enable the Atlas HMS hook.

CDPD-23776: When a HBase table is dropped, the relationship between the table and namespace is displayed as ACTIVE

When the HBase table is disabled and dropped, the table status is marked DELETED but the relationship status between table and namespace is still ACTIVE.

CDPD-23587: hbase_namespace owner is updated to user who creates the HBase table

Owner of the HBase namespace must not be modified based on users' who create the table under it.

CDPD-22484: DML statements like "insert" and "delete" are captured by Atlas

Extra audits are generated by Atlas for DML statements on tables like insert and delete values on the table.

CDPD-27390: [Entity Audits] 'Propagated Classification Added' timestamp is < 'Entity Created' timestamp

The 'Propagated Classification Added' timestamp is < 'Entity Created' timestamp. This is invalid since the classification is propagated once the entity is created.

CDPD-28026: [Atlas: Debug Metrics] Debug metrics is empty on cluster with Custom Principal

Debug metrics is fetched 30 seconds after an operation is performed. Later, there are no debug metrics available.

CDPD-39427: [HDFS Lineage]: When the input is a directory in case of put/copyfromLocal/cp/mv commands, lineage is not created even though the script succeeds.

When Source is a directory and target is a directory which is already present in Atlas, the command succeeds and inserts the data in the desired location, but lineage is not created.

DOCS-13759: Tag Propagation stops after a certain depth while the lineage is being extended

When a tag is added to an entity at timestamp T1, the entities along the lineage to which the tag must be propagated is calculated at T1. Before tag propagation completes, if the lineage is extended, tag does not propagate to the entities in the extended lineage.

DOCS-13760: System Attributes search, __classificationNames: Search with parent tag does not return entities associated to its children tags

System attribute search with __classificationNames = parent_tag returns entities associated to parent_tag only not not entities associated to its children tag.

Workaround: Instead of using system attribute, employ the basic search attribute "classification" which lists entities associated with inherited classifications.

CDPD-39576: [Hive import version 2] While importing with Hive import V2, exceptions are seen in the logs for successful imports

1. Disabled Hive hook
2. Created a database
3. Called the import v2 API by passing -o to import-hive.sh
4. The above step will create the ZIP file and also import the data

Though the import is successful, errors are seen in the logs.

CDPD-39599: [Hive import v2] When importing table with large columns using the version V2, java.net.SocketTimeoutException is thrown and import fails

The import Hive version 2 faces the timeout issue. The import data takes more time at Atlas server and the configuration timeout at client is lesser than the total time taken by server import (Although the import operation at server is successful).

CDPD-41142: When a Kafka console consumer group is run, more than one update audits are seen

After running the console consumer with a consumer group, verify the consumer group entity created, along with the metrics and notifications for the consumer group and topic. The expected result would be: one ENTITY_CREATE audit and one ENTITY_UPDATE audit. But more than one ENTITY_UPDATE audits are seen.

CDPD-40165: Two audits are created for SPARK CTAS table

When following Spark queries are fired:

```
spark.sql("create table table1(id int)")
```

```
spark.sql("create table table2 as select * from table1")
```

HMS sends "ENTITY_CREATE" and "ENTITY_FULL_UPDATE_V2".

The extra ENTITY_FULL_UPDATE_V2 message received from HMS is sent as part of ALTER_TABLE_ADDCOLS event from the HMS Hook side. This behaviour is observed only when the queries are run from Spark SQL and not when run from the same queries from Beeline.

CDPD-39197: Debug metrics returns empty data

When debug metrics is enabled and some operations are performed, the response is empty.

CDPD-36495: Updating legacyAttribute from False to True resets the initially created relationshipAttributes values

Creating types, entities, and to start set the relationship with is_legacy_attribute value as **False**.

Later, update the value relationshipDef is_legacy_attribute to True

For the entities that were created before updating the is_legacy_attribute to True, relationshipAttributes value is reset.

CDPD-35818: Basic search with tag filter provides approximateCount as -1 when there is no match and is 0 otherwise

When the following search operations are performed:

- Faceted search with both tag filter and entity filter

The observed approximateCount is -1.

Here both entity filter and tag filter are present and when there is no match the response received is -1.

- Faceted search with only entity filter

Performing a basic search provides an approximate value of 0 when there is no match.

- Faceted search with only tag filter

Whenever there is tag filter in the query and there is no entity match, the approximateCount is -1 and if the tag filter is not available, the response approximateCount is 0

CDPD-13466: Bulk create/update entity POST API does not create / update authorised entities

The bulk API fails with 403 error if some belong to entities on which user is unauthorized and other GUIDs belong to entities on which user is authorized.

CDPD-22744: Bulk entity DELETE API does not delete authorised entities

Bulk entity DELETE API does not delete authorised entities when the list of authorised and unauthorised entities list is passed.

CDPD-31728: For database creation, there are two update audits instead of one create and one update

The behavior is inconsistent. The order of the published messages is as such that first HMS message (Entity Create Event) is created and later HS2 message (Entity Update Event). Atlas received messages from Hive hook in reverse order which is first the HS2 message and later HMS.

CDPD-29409: Hive import: Suggestion suggests entity which is deleted

Suggestions suggests tables of database, which is a deleted entity.

CDPD-25152: Tag propagation through deferred actions consumes additional time as compared to default flow

The additional time might be due to the small overhead added to create / update task vertex and which is run in the background. This also depends on number of tasks queued to be executed in tasks.

CDPD-42954: Zeppelin notebook fails after enabling Atlas-HDFS hook

The zeppelin notebooks are failing with errors after enabling Atlas-HDFS hook in the CDP cluster.

When the below properties are set for atlas-client.properties in Cloudera Manager:

atlas.jaas.KafkaClient.option.keyTab

atlas.jaas.KafkaClient.option.principal

Along with adding the properties in /etc/atlas/conf/atlas-application.properties, Cloudera Manager also adds these properties to atlas-application.properties for other services (like Spark).

Adding these properties interferes with the normal flow of the services (like Spark)

Workaround: To enable HDFS lineage feature, instead of setting these properties through CM, user can manually add the properties directly in /etc/atlas/conf/atlas-application.properties

CDPD-59565: Whole lineage becomes hidden when filters are enabled with deleted entity

When a larger lineage structure contains a circular lineage and this circular lineage contains at least one deleted entity, the whole lineage structure becomes hidden if both of the following filters are used:

- Hide Processes
- Hide Deleted Entities

CDPD-43772: Performance issues with Atlas service

If there are lot of update operations and the compression type of column families of atlas_janus table is SNAPPY, then the Kafka message processing might become slower.

- Consider setting compression type of column families of atlas_janus table as GZ.

CDPD-72979: Ranger TagSync does not support ofs path parsing for Ozone-Atlas

When trying to create Hive table on top of Ozone ofs path with the command ofs://ozone1/volume1/bucket1/table_oz_demo1, Ranger TagSync fails with an error.

Upgrade to Cloudera Private Cloud Base 7.1.9 SP1 CHF3.

Known Issues in Apache Avro

Learn about the known issues in Avro, the impact or changes to the functionality, and the workaround.

CDPD-23451: Avro library depends on the already EOL jackson-mapper-asl 1.9.13-cloudera.1 that also contains a couple of CVEs. The jackson library is part of the Avro API so cannot be changed without a complete rebase.

None.

Known issues in Cruise Control

Learn about the known issues in Cruise Control, the impact or changes to the functionality, and the workaround.

CDPD-47616: Unable to initiate rebalance, number of valid windows (NumValidWindows) is zero

If a Cruise Control rebalance is initiated with the rebalance_disk parameter and Cruise Control is configured to fetch metrics from Cloudera Manager (Metric Reporter is set to CM metrics reporter), Cruise Control stops collecting metrics from the partitions that are moved. This is because Cloudera Manager does not collect metrics from moved partitions due to an issue in Kafka (KAFKA-10320).

If the metrics are not available, the partition is considered invalid by Cruise Control. This results in Cruise Control blocking rebalance operations and proposal generation.

Configure Cruise Control to use the Cruise Control metrics reporter (default). This issue is not present if this metric reporter is used.

1. In Cloudera Manager, select the Cruise Control service.
2. Go to Configuration.
3. Find the Metric Reporter property.
4. Select the Cruise Control metrics reporter option.

5. Restart the Cruise Control service.

OPSAPS-68148: Cruise Control rack aware goal upgrade handler

The goal sets in Cruise Control, which include the default, supported, hard, self-healing and anomaly detection goals, might be overridden to their default value after a cluster upgrade if the goals have been customized.

Create a copy from the values of the goal lists before upgrading your cluster, and add the copied values to the goal lists after upgrading the cluster. Furthermore, you must rename any mentioning of `com.linkedin.kafka.cruisecontrol.analyzer.goals.RackAwareGoal` to `com.linkedin.kafka.cruisecontrol.analyzer.goals.RackAwareDistributionGoal` as Cruise Control will not be able to start otherwise.

OPSAPS-66432: Cruise Control does not start with Python 3

When installing Cruise Control with Python 3 as the default Python version, Cruise Control will fail to start with the following error due to Python 2 compatibility in the CSD script of Cruise Control:

```
File "/var/run/cloudera-scm-agent/process/1546350171-cruise_control-CRUISE_CONTROL_SERVER/scripts/capacity.py", line 185, in create_capacities_json
```

Change the `/user/bin/python` symbolic link to point to `python2`.

OPSAPS-69978: Cruise Control capacity.py script fails on Python 3

Cruise Control might fail to start on Python 3 when capacity information is queried during the startup process. This is caused by a breaking change between Python 2 and 3.

None

Known Issues in Data Analytics Studio

Learn about the known issues in Data Analytics Studio (DAS), the impact or changes to the functionality, and the workaround.

- CDPD-49281: DAS WebApp logs are not captured in the `var/logs/das/` directory, as expected.

Workaround: To obtain the DAS WebApp logs, check the `stderr.log` file in the runtime process directory for the DAS WebApp.

- CDPD-40579: DAS does not display database or table information during a repl dump on a High Availability cluster.

DAS may display "No Tables Available" on the **Database** page or "No tables found" on running a "show tables" query and you may see the following error in the `das-event-processor` logs: "Error while compiling statement: FAILED: Execution Error, return code 40000 from org.apache.hadoop.hive.ql.exec.repl.ReplDumpTask."

Operation category READ is not supported in state standby.” This happens when an active NameNode moves to standby state while DAS is processing the repl dump operation.

Workaround: Clear the db_replication_info table as follows:

1. Stop the DAS service from Cloudera Manager.
2. SSH into the database host and run the following command:

```
delete from db_replication_info;
```

3. Start the DAS service from Cloudera Manager.

If you see the “Notification events are missing in the meta store” error after starting DAS, then reset the PostgreSQL database by running the following command:

```
curl -H 'X-Requested-By: das' -H 'Cookie: JSESSIONID=[***SESSION-ID-COOKIE***]' http(s)://[***HOSTNAME***]:[***PORT***]/api/replicationDump/reset
```

Where:

- [***SESSION-ID-COOKIE***] is the cookie value which you have to get for an admin user on the DAS UI from the browser
- [***HOSTNAME***] is the DAS Webapp hostname
- [***PORT***] is the DAS Webapp port
- You may not be able to add or delete columns or change the table schema after creating a new table using the upload table feature.
- For clusters secured using Knox, you see the HTTP 401: Forbidden error message when you click the DAS quick link from Cloudera Manager and are unable to log into DAS.

Workaround: The admin user will need to provide the DAS URL from the Knox proxy topology to the users needing access to DAS.

- The download logs feature may not return the YARN application logs on a Kerberized cluster. When you download the logs, the logs contain an error-reports.json file which states that no valid Kerberos tokens are available.

Workaround: An admin user with access to the machine can use the kinit command as a hive user with hive service user keytabs and trigger the download.

- The task logs for a particular task may not be available in the task swimlane. And the zip file generated by download logs artifact may not have task logs, but instead contain an error-reports.json file with the error log of the download failures.
- You may not see any data for a report for any new queries that you run. This can happen especially for the last one day's report.

Workaround:

1. Shut down the DAS Event Processor.
2. Run the following command from the Postgres server:

```
update das.report_scheduler_run_audit set status = 'FAILED' where status = 'READING';
```

3. Start the DAS Event Processor.
- On clusters secured with Knox proxy only: You might not be able to save the changes to the JDBC URL in the DAS UI to change the server interface (HS2 or LLAP) on which you are running your queries.
 - You may be unable to upload tables or get an error while browsing files to upload tables in DAS on a cluster secured using Knox proxy.

- DAS does not parse semicolons (;) and double hyphens (--) in strings and comments.

For example, if you have a semicolon in query such as the following, the query might fail: `select * from properties where prop_value = "name1;name2";`

If a semicolon is present in a comment, then run the query after removing the semicolon from the comment, or removing the comment altogether. For example:

```
select * from test; -- select * from test;
select * from test; /* comment; comment */
```

Queries with double hyphens (--) might also fail. For example:

```
select * from test where option = '--name';
```

- You might face UI issues on Google Chrome while using faceted search. We recommend you to use the latest version of Google Chrome (version 71.x or higher).
- Visual Explain for the same query shows different graphs on the **Compose** page and the **Query Details** page.
- While running some queries, if you restart HSI, the query execution is stopped. However, DAS does not reflect this change and the queries appear to be in the same state forever.
- After a fresh installation, when there is no data and you try to access the Reports tab, DAS displays an "HTTP 404 Not Found" error.
- Join count does not get updated for tables with partitioned columns.

Technical Service Bulletins

TSB 2022-581: Issues with “DAG ID” and “APP ID” visibility when exploring jobs in Data Analytics Studio

When using Data Analytics Studio (DAS) with Cloudera Data Platform (CDP) Private Cloud Base, sometimes the DAG ID and APP ID will not be visible to DAS.

Knowledge article:

For the latest update on this issue see the corresponding Knowledge article: [TSB 2022-581: Issues with “DAG ID” and “APP ID” visibility when exploring jobs in Data Analytics Studio](#)

Known Issues in Apache Hadoop

There are no known issues for Hadoop in Cloudera Runtime 7.1.8.

Known Issues in Apache HBase

This topic describes known issues and workarounds for using HBase in this release of Cloudera Runtime.

In the affected CDP releases (7.1.7.1056+, 7.1.7 SP2+, 7.1.8 CHF1+, 7.2.16.0+, 7.2.15.2+, 7.2.14.3+), Hbase Regionserver performance is degraded by aggressive GC pause and memory contention from the ColumnFamilyCache.

Disable ColumnFamilyCache Cloudera Manager -> HBase -> HBase Service Advanced Configuration Snippet (Safety Valve) for `ranger-hbase-security.xml` `xasecure.hbase.columnfamilies.cache.maxsize=0`

CDPD-44402: If you are running CDP 7.1.8 and >7.1.7.1056 SP1 releases, there is an increased heap usage and GC pressure in the HBase regionserver due to the Ranger ColumnFamily Cache feature. This problem is particularly evident when HBase tables that contain numerous columns, leading to high heap utilization and potentially causing the Regionserver to fail.

Workaround: Disable the Ranger ColumnFamily Cache in Cloudera Manager by setting `xasecure.hbase.columnfamilies.cache.maxsize` to 0 in `ranger-hbase-security.xml`. This cache can be safely turned off, as it reverts to the behavior seen in version 7.1.7 without any impact.

IntegrationTestReplication fails if replication does not finish before the verify phase begins

During IntegrationTestReplication, if the verify phase starts before the replication phase finishes, the test will fail because the target cluster does not contain all of the data. If the HBase services in the target cluster does not have enough memory, long garbage-collection pauses might occur.

Workaround: Use the `-t` flag to set the timeout value before starting verification.

HDFS encryption with HBase

Cloudera has tested the performance impact of using HDFS encryption with HBase. The overall overhead of HDFS encryption on HBase performance is in the range of 3 to 4% for both read and update workloads. Scan performance has not been thoroughly tested.

Workaround: N/A

AccessController postOperation problems in asynchronous operations

When security and Access Control are enabled, the following problems occur:

- If a Delete Table fails for a reason other than missing permissions, the access rights are removed but the table may still exist and may be used again.
- If `hbaseAdmin.modifyTable()` is used to delete column families, the rights are not removed from the Access Control List (ACL) table. The `portOperation` is implemented only for `postDeleteColumn()`.
- If Create Table fails, full rights for that table persist for the user who attempted to create it. If another user later succeeds in creating the table, the user who made the failed attempt still has the full rights.

Workaround: N/A

Apache Issue: [HBASE-6992](#)

Snappy compression with /tmp directory mounted with noexec option

Using the HBase client applications such as `hbase hfile` on the cluster with Snappy compression could result in `UnsatisfiedLinkError`.

Workaround: Add `-Dorg.xerial.snappy.tmpdir=/var/hbase/snappy-tmpdir` to Client Java Configuration Options in Cloudera Manager that points to a directory where `exec` option is allowed.

HBase shutdown can lead to inconsistencies in META

Cloudera Manager uses an incorrect shutdown command. This prevents graceful shutdown of the HBase service and forces Cloudera Manager to kill the processes instead. It can lead to inconsistencies in Meta.

Workaround: Run the following command instead of shutting down the HBase service using Cloudera Manager.

```
hbase master stop --shutDownCluster
```

The command output must end with Closing master protocol: MasterService phrase. You can verify the command execution by checking the master logs. The log must contain Cluster shutdown requested of master=xxx and the closing of regions. Upon successful execution, the RegionServers start shutting down.



Note: The command does not stop the *REST Server* and the *Thrift Server* role instances. You can safely shut down them from Cloudera Manager later.

If you find any inconsistencies, please contact Cloudera Support.

Known Issues in HDFS

Learn about the known issues in HDFS, the impact or changes to the functionality, and the workaround.

OPSAPS-60958: The `dfs.access.time.precision` and `dfs.namenode.access.time.precision` parameters are available in Cloudera Manager > HDFS > Configuration.

You must configure both the `dfs.access.time.precision` and `dfs.namenode.access.time.precision` parameters with the same value as Cloudera Manager still sends both the parameters to HDFS service configuration.

ENGESC-19334: After configuring multiple NameNodes, with heavy read and write workloads in the cluster, there are chances of performance impact in terms of slowness on the client side.

This is because of the additional NN retry or probe introduced by the extra NN.

There are two solutions to mitigate the performance impact:

- By reducing the value of the property: `dfs.client.failover.sleep.base.millis` // default is 500ms.
- By increasing the value of the property `dfs.client.failover.max.attempts` // default is 15.

or

- Using `org.apache.hadoop.hdfs.server.namenode.ha.RequestHedgingProxyProvider` instead of `org.apache.hadoop.hdfs.server.namenode.ha.ConfiguredFailoverProxyProvider` in HDFS client failover proxy provider (defined in `dfs.client.failover.proxy.provider`).

OPSAPS-64307: In the case when on a cluster the JournalNodes were restarted recently, the "Add new NameNode" wizard for HDFS service might fail to bootstrap the new NameNode, if there wasn't a new fsImage created since the restart of the JournalNodes, but during restarting them the edit logs were rolled in the system.

If the bootstrap fails during the "Add new NameNode" wizard, then do the following steps:

1. Delete the newly added NameNode and FailoverController
2. Move the active HDFS NameNode to safe mode
3. Do a Save Namespace operation on the active HDFS NameNode
4. Leave safe mode on the active HDFS NameNode
5. Try to add the new NameNode again



Note: Note that entering safe mode will disable writes to HDFS with that it causes a service disruption. If you can not afford to enter safe mode, just delete the newly added NameNode and FailoverController in the HDFS service, and wait until HDFS automatically creates a new fsImage, and try adding the new NameNode again with the wizard.

OPSAPS-64363: Deleting of additional Standby Namenode does not delete the ZKFC role and this has to be done manually.

None

OPSAPS-63558: Snapshot diff based HDFS replications do not provide correct file delete and rename counters through the API.

The number of files deleted and renamed by DistCp for snapshot based replications can be checked in the logs provided by DistCp on the standard error output.

CDPD-28459: After performing an upgrade rollback from CDP 7.1.7 to CDH6, you may see the following error when restarting the DataNodes: ERROR datanode.DataNode: Exception in secureMain java.io.IOException: The path component: '/var/run/hdfs-sockets' in '/var/run/hdfs-sockets/dn' has permissions 0755 uid 39998 and gid 1006. It is not protected because it is owned by a user who is not root and not the effective user: '0'.

You must run the command described in the error message "chown root /var/run/hdfs-sockets". After this, the DataNode will restart successfully.

CDPD-28390: Rolling restart of the HDFS JournalNodes may time out on Ubuntu20.

If the restart operation times out, you can manually stop and restart the Name Node and Journal Node services one by one.

OPSAPS-60832: When decommission of DN runs for a longer time and when decommission monitor's kerberos ticket expires, it is not auto-renewed. Decommission of DN is not completed in CM as decommission monitor fails to fetch the state of DN after kerberos ticket expiry.

Decommission state of DN can be fetched using CLI command, i.e, `hdfs dfsadmin -report`.

OPSAPS-55788: WebHDFS is always enabled. The Enable WebHDFS checkbox does not take effect.

None.

OPSAPS-63299: Disable HA command for a nameservice does not work if the nameservice has more than 2 NNs defined.

None

OPSAPS-63301: Deleting nameservice command does not delete all the NNs belonging to the nameservice, if there are more than two NNs that are assigned to the nameservice.

None

CDPD-50044: Data node tab loading issue in the name node UI

When clicking on the data node tab, the message NameNode is still loading. Redirecting to the Startup Progress page appears.

None

Unsupported Features

The following HDFS features are currently not supported in Cloudera Data Platform:

- ACLs for the NFS gateway ([HADOOP-11004](#))
- Aliyun Cloud Connector ([HADOOP-12756](#))
- Allow HDFS block replicas to be provided by an external storage system ([HDFS-9806](#))
- Consistent standby Serving reads ([HDFS-12943](#))
- Cost-Based RPC FairCallQueue ([HDFS-14403](#))
- HDFS Router Based Federation ([HDFS-10467](#))
- NameNode Federation ([HDFS-1052](#))
- NameNode Port-based Selective Encryption ([HDFS-13541](#))
- Non-Volatile Storage Class Memory (SCM) in HDFS Cache Directives ([HDFS-13762](#))
- OpenStack Swift ([HADOOP-8545](#))
- SFTP FileSystem ([HADOOP-5732](#))
- Storage policy satisfier ([HDFS-10285](#))

Technical Service Bulletins

TSB 2023-666: Out of order HDFS snapshot deletion may delete renamed/moved files, which may result in data loss

Cloudera has discovered a bug in the Apache Hadoop Distributed File System (HDFS) snapshot implementation. Deleting an HDFS snapshot may incorrectly remove files in the `.Trash` directories or remove renamed files from the current file system state. This is an unexpected behavior because deleting an HDFS snapshot should only delete the files stored in the specified snapshot, but not data in the current state.

In the particular HDFS installation in which the bug was discovered, deleting one of the snapshots caused certain files to be moved to trash and deletion of some of the files in a `.Trash` directory. Although it is clear that the conditions of the bug are (1) out-of-order snapshot deletion and (2) files moved to trash or other directories, we were unable to replicate the bug in other HDFS installations after executing similar test operations with a variety of different sequences. We also did not observe any actual data loss in our tests. However, there is a remote possibility that this bug may lead to data loss.

Knowledge article

For the latest update on this issue see the corresponding Knowledge article: [TSB 2023-666: Out of order HDFS snapshot deletion may delete renamed/moved files, which may result in data loss](#)

TSB 2022-549: Possible HDFS Erasure Coded (EC) data loss when EC blocks are over-replicated

Cloudera has detected a bug that can cause loss of data that is stored in HDFS Erasure Coded (EC) files in an unlikely scenario.

Some EC blocks may be inadvertently deleted due to a bug in how the NameNode chooses excess or over-replicated block replicas for deletion. One possible cause of over-replication is running the HDFS balancer soon after a NameNode goes into failover mode.

In a rare situation, the redundant blocks could be placed in such a way that one replica is in one rack, and few redundant replicas are in the same rack. Such placement causes a counting bug ([HDFS-16420](#)) to be triggered. Instead of deleting just the redundant replicas, the original replica may also be deleted.

Usually this is not an issue, because the lost replica can be detected and reconstructed from the remaining data and parity blocks. However, if multiple blocks in an EC Block Group are affected by this counting bug within a short time, the block cannot be reconstructed anymore. For example, 4 blocks are affected out of 9 for the RS(6,3) policy.

Another situation is recommissioning multiple nodes back into the same rack of the cluster where the current live replica exists.

Upstream JIRA

[HDFS-16420](#)

Knowledge article

For the latest update on this issue see the corresponding Knowledge article: [TSB 2022-549: Possible HDFS Erasure Coded \(EC\) data loss when EC blocks are over-replicated](#)

Known Issues in Apache Hive

Learn about the known issues in Hive, the impact or changes to the functionality, and the workaround.

CDPD-45134: Disabling the cache configuration for HWC secure access mode is not enforced at query-level

While enabling or disabling cache for HWC secure access mode, setting the `spark.hadoop.secure.access.cache.disable` property at a runtime or query-level does not work.



Note: This issue is fixed in the CDP Private Cloud Base version 7.1.8 Cumulative hotfix 2.

Specify the property at a global level or at a session-level.

CDPD-43107: SemanticException for INSERT INTO statement when Hive Cost-based Optimizer (CBO) is disabled

If you are running the INSERT INTO query and `hive.cbo.enable` is set to "false", the query fails with a `SemanticException`. For example,

```
set hive.cbo.enable=false;

CREATE TABLE mytable (
  id INT,
  str STRING
);
```

```
INSERT INTO mytable (id, str) VALUES (1, 'a');
```

```
Output:
org.apache.hadoop.hive.ql.parse.SemanticException: 0:0 Expected
2 columns for insclause-0/default@mytable; select produces 1 col
umns. Error encountered near token 'a'
```

This issue occurs only when columns are specified for the target table in the query. INSERT INTO mytable values (1, 'a'); does not result in an exception.

Enable CBO and run the query.

CDPD-43957: HiveServer2 shuts down during replication due to high resource usage

During Hive replication (both bootstrap and incremental), you may notice that the HiveServer2 (HS2) shuts down periodically with the following error:

```
java.sql.SQLException: org.apache.hive.jdbc.ZooKeeperHiveClientE
xception: Unable to read HiveServer2 configs from ZooKeeper
  at org.apache.hive.jdbc.HiveConnection.<init>(HiveConnection.ja
va:265)
  at org.apache.hive.jdbc.HiveDriver.connect(HiveDriver.java:107)
  at java.sql.DriverManager.getConnection(DriverManager.java:664)
  at java.sql.DriverManager.getConnection(DriverManager.java:247)
  at com.cloudera.enterprise.hive3qt.Hive3QueryTool$HiveOperation.
execute(Hive3QueryTool.java:682)
  at com.cloudera.enterprise.hive3qt.Hive3QueryTool.main(Hive3Qu
eryTool.java:935)
Caused by: org.apache.hive.jdbc.ZooKeeperHiveClientException:
Unable to read HiveServer2 configs from ZooKeeper
  at org.apache.hive.jdbc.ZooKeeperHiveClientHelper.configureCo
nnParams(ZooKeeperHiveClientHelper.java:177)
  at org.apache.hive.jdbc.Utills.configureConnParamsFromZooKeeper
(Utills.java:580)
  at org.apache.hive.jdbc.Utills.parseURL(Utills.java:391)
  at org.apache.hive.jdbc.HiveConnection.<init>(HiveConnection.j
ava:263)
  ... 5 more
Caused by: org.apache.hive.jdbc.ZooKeeperHiveClientException: T
ried all existing HiveServer2 uris from ZooKeeper.
  at org.apache.hive.jdbc.ZooKeeperHiveClientHelper.getServerHosts
(ZooKeeperHiveClientHelper.java:132)
  at org.apache.hive.jdbc.ZooKeeperHiveClientHelper.configureCon
nParams(ZooKeeperHiveClientHelper.java:172)
  ... 8 mor
```

This issue occurs when you replicate at scale with an unbalanced cluster setup that has all the roles running on the Cloudera Manager host. As a result, Cloudera Manager ends up in a bottleneck situation because HS2 crashes, preventing further replication. The logs (/var/log/messages) indicate that there were a large number of Java processes running on the host, which exhausted the host's memory and triggered an Out Of Memory Killer process to stop HS2.

You can restart HS2 and reinitiate replication. However, the replication process may take a longer time to complete.

- Follow these recommendations when setting up your source and target clusters:
 - Ensure that no HS2, Hive metastore (HMS), DataNode, or NameNode roles are running on the Cloudera Manager host.
 - Ensure that you have multiple instances of HS2 and HMS roles on different nodes.
 - It is recommended that you have the HS2 and HMS roles on different nodes than the DataNodes or NameNodes.

These practices increase the possibility of Hive replication at scale completing successfully.

- Limit the scale of Hive replication by temporarily disabling replication policies.

CDPD-40730: Parquet change can cause incompatibility

Parquet files written by the parquet-mr library in CDP 7.1.8, where the schema contains a timestamp with no UTC conversion will not be compatible with older versions of Parquet readers. The effect is that the older versions will still consider these timestamps as they would require UTC conversions and will thus end up with a wrong result. You can encounter this problem only when you write Parquet-based tables using Hive, and tables have the non-default configuration `hive.parquet.write.int64.timestamp=true`.

None.

CDPD-26975: Using the ABFS / S3A connectors in an Oozie workflow where the operations are "secured" may trigger an IllegalArgumentException with the error message java.net.URISyntaxException: Relative path in absolute URI.

Set the following XML configuration in the Datahub cluster's Cloudera Manager:

1. In the Cloudera Manager Admin Console, go to the Oozie service.
2. Click the Configuration tab.
3. In the Oozie Server Advanced Configuration Snippet (Safety Valve) for `oozie-site.xml` set the following:
 - Set the following if you are using Amazon S3:


```
<property>
  <name>oozie.service.HadoopAccessorService.fs.s3a</name>
  <value>fs.s3a.buffer.dir=/tmp/s3a</value> </property>
```
 - Set the following if you are using ABFS:


```
<property>
  <name>oozie.service.HadoopAccessorService.fs.abfs</name>
  <value>fs.azure.buffer.dir=/tmp/abfs</value> </property>
  <property>
  <name>oozie.service.HadoopAccessorService.fs.abfss</name>
  <value>fs.azure.buffer.dir=/tmp/abfss</value> </property>
```
4. Enter a Reason for change, and then click Save Change to commit the changes.
5. Restart the Oozie service.

CDPD-41274: HWC + Oozie issue: Could not open client transport with JDBC Uri

Currently only Spark cluster mode is supported in the Oozie Spark Action with Hive Warehouse Connector (HWC).

Use Spark action in cluster mode.

```
<spark xmlns="uri:oozie:spark-action:1.0">
  ...
  <mode>cluster</mode>
  ...
</spark>
```

CDPD-26556: After an upgrade, querying a CTAS table under certain conditions might throw an exception

If you upgrade your Hive cluster from CDH 6 to CDP 7, create a CTAS table in the CDP cluster from a table you upgraded from CDH, you might see the following exception when you query the new table:

```
class org.apache.hadoop.io.IntWritable cannot be cast to class org.apache.hadoop.hive.serde2.objectinspector.StandardUnionObjectInspector$StandardUnion
```

This issue involves CDH-based tables having columns of complex types ARRAY, MAP, and STRUCT.

CDPD-23506: OutOfMemoryError in LLAP

Long running spark-shell applications can leave sessions in interactive Hiveserver2 until the Spark application finishes (user exists from spark-shell), causing memory pressure in case of a high number of queries in the same shell (1000+).

You must close spark-shell so that sessions are closed. Add the owner of the database or the tables as a user with read or read/write access to the tables directly.

CDPD-23041: DROP TABLE on a table having an index does not work

If you migrate a Hive table to CDP having an index, DROP TABLE does not drop the table. Hive no longer supports indexes ([HIVE-18448](#)). A foreign key constraint on the indexed table prevents dropping the table. Attempting to drop such a table results in the following error:

```
java.sql.BatchUpdateException: Cannot delete or update a parent row: a foreign key constraint fails ("hive"."IDXS", CONSTRAINT "IDXS_FK1" FOREIGN KEY ("ORIG_TBL_ID") REFERENCES "TBLS" ("TBL_ID"))
```

There are two workarounds:

- Drop the foreign key "IDXS_FK1" on the "IDXS" table within the metastore. You can also manually drop indexes, but do not cascade any drops because the IDXS table includes references to "TBLS".
- Launch an older version of Hive, such as Hive 2.3 that includes IDXS in the DDL, and then drop the indexes as described in [Language Manual Indexing](#).

Apache Issue: [Hive-24815](#)

CDPD-17766: Queries fail when using spark.sql.hive.hiveserver2.jdbc.url.principal in the JDBC URL to invoke Hive.

Do not specify spark.sql.hive.hiveserver2.jdbc.url.principal in the JDBC URL to invoke Hive remotely.

Workaround: specify principal=hive.server2.authentication.kerberos.principal as shown in the following syntax:

```
jdbc:hive://<host>:<port>/<dbName>;principal=hive.server2.authentication.kerberos.principal;<otherSessionConfs>?<hiveConfs>#<hiveVars>
```

CDPD-13636: Hive job fails with OutOfMemory exception in the Azure DE cluster

Set the parameter hive.optimize.sort.dynamic.partition.threshold=0. Add this parameter in Cloudera Manager (Hive Service Advanced Configuration Snippet (Safety Valve) for hive-site.xml)

CDPD-10848: HiveServer Web UI displays incorrect data

If you enabled auto-TLS for TLS encryption, the HiveServer2 Web UI does not display the correct data in the following tables: Active Sessions, Open Queries, Last Max n Closed Queries

Technical Service Bulletins

TSB 2021-501: JOIN queries return wrong result for join keys with large size in Hive

JOIN queries return wrong results when performing joins on large size keys (larger than 255 bytes). This happens when the fast hash table join algorithm is enabled, which is enabled by default.

Knowledge article

For the latest update on this issue, see the corresponding Knowledge article: [TSB 2021-501: JOIN queries return wrong result for join keys with large size in Hive](#)

TSB 2022-640: Apache Hive job fails with large partitioned tables

Queries against large partitioned tables may encounter a “TTransportException: MaxMessageSize reached” exception from the Apache Thrift library during the query compilation phase. This is likely to happen if the table has thousands of partitions and the query either does not contain partition pruning filter conditions or has such filters, but a large number of partitions are selected by the filters.

Upstream JIRA

[HIVE-26633](#)

Knowledge article

For the latest update on this issue see the corresponding Knowledge article: [TSB 2022-640: Apache Hive job fails with large partitioned tables](#)

Known Issues in Hue

Learn about the known issues in Hue, the impact or changes to the functionality, and the workaround.

CDPD-40354: Uploading large files to WebHDFS from Hue secured using Knox fails

When you upload files larger than 300 MB to WebHDFS using Hue File Browser from a Hue instance that is secured using Knox, the upload fails and you see the following error on the Hue web interface: 502 bad gateway nginx error. This error occurs only when you access the Hue instance from the Knox Gateway. Also, you may not find any exceptions in Hue or Knox service logs.

This issue is caused because the value of the “addExpect100Continue” is set to “true”. Therefore streaming large files causes out of memory error in Knox.

To resolve the issue, you must set the value of the “addExpect100Continue” to “false”.

1. SSH in to the Knox host as an Administrator.
2. Back up the following files:
 - /opt/cloudera/parcels/CDH-**[***VERSION***]**/lib/knox/data/services/hue/1.0.0/service.xml
 - /var/lib/knox/gateway/data/services/hue/1.0.0/service.xml
3. Open the /opt/cloudera/parcels/CDH-**[***VERSION***]**/lib/knox/data/services/hue/1.0.0/service.xml file for editing, search for the addExpect100Continue property, and set the value of this property to “false” as follows:

```
<param>
  <name>addExpect100Continue</name>
  <value>>false</value>
</param>
```

4. Save the file and exit.
5. Open the /var/lib/knox/gateway/data/services/hue/1.0.0/service.xml file for editing, search for the addExpect100Continue property, and set the value of this property to “false” as follows:

```
<param>
  <name>addExpect100Continue</name>
  <value>>false</value>
```



```
</param>
```

6. Save the file and exit.
7. Delete the deployment directory as follows:

```
rm -rf /var/lib/knox/gateway/data/deployments/
```

8. Restart the Knox service.

CDPD-58978: Batch query execution using Hue fails with Kerberos error

When you run Impala queries in a batch mode, you encounter failures with a Kerberos error even if the keytab is configured correctly. This is because submitting Impala, Sqoop, Pig, or pyspark queries in a batch mode launches a shell script Oozie job from Hue and this is not supported on a secure cluster.

There is no workaround. You can submit the queries individually.

CDPD-54376: Clicking the home button on the File Browser page redirects to HDFS user directory

When you are previewing a file on any supported filesystem, such as S3 or ABFS, and you click on the Home button, you are redirected to the HDFS user home directory instead of the user home directory on the said filesystem.

None.

CDPD-41306: pip3.8 freeze command does not work and results into an error

You see the `/usr/lib/hue/build/env/bin/python: No such file or directory` error when you run the following command:

```
build/env/bin/pip3.8 freeze
```

Run the freeze command as follows by specifying the paths of python3.8 and pip3.8:

```
/opt/cloudera/parcels/CDH/lib/hue/build/env/bin/python3.8 /opt/cloudera/parcels/CDH/lib/hue/build/env/bin/pip3.8 freeze
```

CDPD-46312: cx_Oracle 6.4.1 is missing from the CDP stack on 7.1.8 release

`cx_Oracle` and Oracle Instant Client parcels are not bundled in the CDP 7.1.8 distribution.

You must download the Oracle Instant Client library 19.16 (both basic and SDK clients) from the [Oracle website](#). You can download the `cx_Oracle` Python extension module from <https://pypi.org/project/cx-Oracle/>. The documentation has also been updated to provide you these instructions. See [Using Oracle database with Hue](#).

OPSAPS-64655: Performance issues in loading and using Hue

You may experience delay in loading the Hue application, running queries, or see a blank page when you try to open Hue. This could happen because of slower responses from the Hue server due to a limited number of Gunicorn worker processes.

To improve performance, increase the number of Gunicorn worker processes. Go to Cloudera Manager Clusters Hue Configuration and add the following lines in the Hue Service Advanced Configuration Snippet (Safety Valve) for `hue_safety_valve.ini` field:

```
[desktop]
gunicorn_number_of_workers=32
cherryypy_server_threads=2
```

Click Save Changes and restart the Hue service.

CDPD-43293: Unable to import Impala table using Importer

Creating Impala tables using the Hue Importer may fail.

If you have both Hive and Impala services installed on your cluster, then you can import the table using by selecting the Hive dialect from Tables Sources .

If only Impala service is installed on your cluster, then go to Cloudera Manager Clusters Hue Configurations and add the following line in the Hue Service Advanced Configuration Snippet (Safety Valve) for hue_safety_valve.ini field:

```
[beeswax]
max_number_of_sessions=1
```

CDPD-41136: Importing files from the local workstation is disabled by default

Cloudera has disabled the functionality to import files from your local workstation into Hue because it may cause errors. You may not see the Local File option in the Type drop-down menu on the **Importer** page by default.

You can enable the functionality to import files from your local workstation by specifying the following parameter in the Hue Service Advanced Configuration Snippet (Safety Valve) for hue_safety_valve.ini field in Hue configurations in Cloudera Manager:

```
[indexer]
enable_direct_upload=true
```

DWX-8602: Unable to import a large CSV file from the local workstation

You may see an error message while importing a CSV file into Hue from your workstation, stating that you cannot import files of size more than 200 KB.

Upload the file to S3 or ABFS and then import them into Hue using the Importer.

CDPD-17465: LDAPTest fails with whoami_s

LDAPTest can potentially fail when the extended operation “whoami_s” is not available.

None.

CDPD-39330: Unable to use the pip command in CDP

You may not be able to use the pip command in CDP 7.1.7 and may see the following error when using pip in a command: “ImportError: cannot import name chardet”.

Follow the steps listed on [Unable to use pip command in CDP](#).

CDPD-24294: Hue uses the unsafe-inline directive in its Content Security Policy (CSP) header

Hue 4 web interface uses the unsafe-inline directive in its CSP header. As a result, the application server does not set the CSP header in its HTTP responses, and therefore does not benefit from the additional protection against potential cross-site scripting issues and other modern application vulnerabilities which a properly configured CSP may provide. This could lead to application vulnerability.

This issue will be fixed in Hue 5. Until then, Cloudera recommends deploying additional security measures such as a firewall within the Hue server to control allowed connections, and SSO-based authentications mechanisms such as LDAP or SAML.

OPSAPS-61244: Cloudera Manager displays stale Hue configuration after upgrading to CDP 7.1.x from CDH 6.

After upgrading from CDH 6 to CDP 7.1.x, you may see stale configurations in Cloudera manager for the Hue service.

Manually restart the Hue service from Cloudera Manager.

ENGESC-9091: Setting idle session timeout for Hue does not work when the cluster is secured using Knox SSO

If Hue is configured with desktop.auth.backend.KnoxSpnegoDjangoBackend as the Authentication Backend, then the automatic idle session logout that is set by configuring the idle_session_timeout

property does not take effect. You may also see 404 error while accessing Hue from the Knox UI when the `idle_session_timeout` property is not set to -1.

None

DOCS-10377: Hue UI is blank upon login after upgrading to CDP 7.1.7 from CDH 6

If your cluster was secured using Knox, and if you have upgraded from CDH 6 to CDP 7.1.7, then you may see a blank Hue screen. This could happen because the `knox_proxyhosts` parameter is newly introduced in CDP, and it is possible that this parameter is not configured in Cloudera Manager under Hue configuration.

Specify the host on which you have installed Knox in the Hue Knox Proxy Hosts configuration as follows:

1. Log in to Cloudera Manager as an Administrator.
2. Obtain the host name of the Knox Gateway by going to Clusters Knox service Instances .
3. Go to Clusters Hue service Configuration and search for the Knox Proxy Hosts field.



Note: Cloudera Manager displays the following warning if the Knox Proxy Hosts field is empty when Knox Gateway is enabled on the CDP cluster: The parameter `knox_proxyhosts` cannot be empty. This can happen if there are no Knox Gateways. Please set the `knox_proxyhosts` to the list of hosts that have Knox Gateways.

4. Specify the Knox Gateway hostname in the Knox Proxy Hosts field.
5. Click Save Changes and restart the Hue service.

OPSAPS-58927: Connection failed error when accessing the Search app (Solr) from Hue

If you are using Solr with Hue to generate interactive dashboards and for indexing data, and if you have deployed two Solr services on your cluster and selected the second one as a dependency for Hue, then Cloudera Manager assigns the hostname of the first Solr service and the port number of the second Solr service generating an incorrect Solr URL in the search section of the `hue.ini` file. As a result, you may see a “Connection failed” error when you try to access the Search app from the Hue web UI.

1. Log into Cloudera Manager as an Administrator.
2. Go to Clusters Hue service Configuration and add the following lines in the Hue Service Advanced Configuration Snippet (Safety Valve) for `hue_safety_valve.ini` field:

```
[search]
# URL of the Solr Server
solr_url=http://[**HOSTNAME**]:[**PORT**]/solr/
```

For example:

```
solr_url=http://solr2:4567/solr/
```

3. Click Save Changes.
4. Restart the Hue service.

CLR-72251: Invalid S3 URI error while accessing S3 bucket

The Hue Load Balancer merges the double slashes (//) in the S3 URI into a single slash (/) so that the URI prefix `"/filebrowser/view=S3A:/"` is changed to `"/filebrowser/view=S3A:"`. This results in an error when you try to access the S3 buckets from the Hue File Browser through the port 8889.

The Hue web UI displays the following error: “Unknown error occurred”.

The Hue server logs record the “ValueError: Invalid S3 URI: S3A” error.

To resolve this issue, add the following property in the Hue Load Balancer Advanced Configuration Snippet:

1. Sign in to Cloudera Manager as an administrator.
2. Go to Clusters Hue service Configurations Load Balancer and search for the Load Balancer Advanced Configuration Snippet (Safety Valve) for httpd.conf field.
3. Specify MergeSlashes OFF in the Load Balancer Advanced Configuration Snippet (Safety Valve) for httpd.conf field.
4. Click Save Changes.
5. Restart the Hue Load Balancer.

You should be able to load the S3 browser from both 8888 and 8889 ports.

Alternatively, you can use the Hue server port 8888 instead of the load balancer port 8889 to resolve this issue.

CLR-72255: Error while rerunning Oozie workflow

You may see an error such as the following while rerunning an already executed and finished Oozie workflow through the Hue web interface: E0504: App directory [hdfs://cdh/user/hue/oozie/workspaces/hue-oozie-1571929263.84] does not exist.

To resolve this issue, add the following property in the Hue Load Balancer Advanced Configuration Snippet:

1. Sign in to Cloudera Manager as an administrator.
2. Go to Clusters Hue service Configurations Load Balancer and search for the Load Balancer Advanced Configuration Snippet (Safety Valve) for httpd.conf field.
3. Specify MergeSlashes OFF in the Load Balancer Advanced Configuration Snippet (Safety Valve) for httpd.conf field.
4. Click Save Changes.
5. Restart the Hue Load Balancer.

CDPD-16407: Python-psycopg2 package version 2.8.4 not compatible with Hue

Ubuntu 18.04 provides python-psycopg2 package version 2.8.4 but it is not compatible with Hue because of a bug in the Django framework.

Downgrade the package at the OS level by running the following command:

```
sudo apt install python-psycopg2==2.7.5
```

or install python-psycopg2 package using pip by running the following command:

```
sudo pip install psycopg2==2.7.5
```

DOCS-6344: Hue limitation after upgrading from CDH to CDP Private Cloud Base

The hive.server2.parallel.ops.in.session configuration property changes from TRUE to FALSE after upgrading from CDH to CDP Private Cloud Base. Current versions of Hue are compatible with this property change; however, if you still would like to use an earlier version of Hue that was not compatible with this property being FALSE and shared a single JDBC connection to issue queries concurrently, the connection will no longer work after upgrading.

CDPD-43956: Manually replace UUID when importing Oozie workflows containing sub-workflows

When importing Oozie workflows that contain sub-workflows, you must replace all the UUID entries with unique new entries. If you change the UUID of a sub-workflow, you must update that reference in the parent workflow to avoid circular dependencies.

INSIGHT-3707: Query history displays "Result Expired" message

You see the "Result Expired" message under the Query History column on the **Queries** tab for queries which were run back to back. This is a known behaviour.

None.

Unsupported features

CDPD-59595: Spark SQL does not work with all Livy servers that are configured for High Availability

SparkSQL support in Hue with Livy servers in HA mode is not supported. Hue does not automatically connect to one of the Livy servers. You must specify the Livy server in the Hue Advanced Configuration Snippet as follows:

```
[desktop]
[spark]
livy_server_url=http(s)://[***LIVY-FOR-SPARK3-SERVER-HOST***]:
[***LIVY-FOR-SPARK3-SERVER-PORT***]
```

Moreover, you may see the following error in Hue when you submit a SparkSQL query: Expecting value: line 2 column 1 (char 1). This happens when the Livy server does not respond to the request from Hue.

Specify all different Livy servers in the `livy_server_url` property one at a time and use the one which does not cause the issue.

CDPD-18491: PySpark and SparkSQL are not supported with Livy in Hue

Hue does not support configuring and using PySpark and SparkSQL with Livy in CDP Private Cloud Base.

Importing and exporting Oozie workflows across clusters and between different CDH versions is not supported

You can export Oozie workflows, schedules, and bundles from Hue and import them only within the same cluster if the cluster is unchanged. You can migrate bundle and coordinator jobs with their workflows only if their arguments have not changed between the old and the new cluster. For example, hostnames, NameNode, Resource Manager names, YARN queue names, and all the other parameters defined in the `workflow.xml` and `job.properties` files.

Using the import-export feature to migrate data between clusters is not recommended. To migrate data between different versions of CDH, for example, from CDH 5 to CDP 7, you must take the dump of the Hue database on the old cluster, restore it on the new cluster, and set up the database in the new environment. Also, the authentication method on the old and the new cluster should be the same because the Oozie workflows are tied to a user ID, and the exact user ID needs to be present in the new environment so that when a user logs into Hue, they can access their respective workflows.



Note: Migrating Oozie workflows from HDP clusters is not supported.

Known Issues in Apache Impala

Learn about the known issues in Impala, the impact or changes to the functionality, and the workaround.

CDPD-42958: After upgrading the CDH 7.1.8 from CDH 6.x, under certain conditions you cannot insert data into a table

Under the following conditions, after upgrading from CDH 6.x to CDH 7.1.8 you cannot insert data into a table from Impala:

- On CDH 6.x, you created a database with Impala in a user specified HDFS location.
- Using Hive, you then created a table in the database.

Under these conditions, the database and table are stored in the user-specified HDFS directory. After upgrading, the HDFS directory of the table is read-only for Impala. Consequently, from Impala you cannot insert new data into the table because Impala does not have write permission on the HDFS directory.

Workaround: To resolve this issue, use either one of the following workarounds:

- Using the Ranger Web UI, in the policy repository cm_hdfs, grant the user 'impala' write permission on the directory where the table resides.
- Enter the following command to grant write permission to user 'impala' on the HDFS directory where the table resides.

```
hdfs dfs -setfacl -m default:user:impala:rwX <HDFS directory>
```

Impala known limitation when querying compacted tables

When the compaction process deletes the files for a table from the underlying HDFS location, the Impala service does not detect the changes as the compactions does not allocate new write ids. When the same table is queried from Impala it throws a 'File does not exist' exception that looks something like this:

```
Query Status: Disk I/O error on <node>:22000: Failed to open HDFS file hdfs://nameservice1/warehouse/tablespace/managed/hive/<database>/<table>/xxxxxx
Error(2): No such file or directory Root cause: RemoteException: File does not exist: /warehouse/tablespace/managed/hive/<data base>/<table>/xxxx
```

Use the [REFRESH/INVALIDATE](#) statements on the affected table to overcome the 'File does not exist' exception.

CDPD-28431: Intermittent errors could be potentially encountered when Impala UI is accessed from multiple Knox nodes.

You must use a single Knox node to access Impala UI.

Impala api calls via kinox require configuration if the kinox customized kerberos principal name is a default service user name

To access impala api calls via kinox, if the kinox customized kerberos principal name is a default service user name, then configure "authorized_proxy_user_config" by clicking Clusters->impala->configuration. Include the kinox customized kerberos principal name in the comma separated list of values <knox_custom_kerberos_principal_name>="*" where <knox_custom_kerberos_principal_name> is the value of the Kerberos Principal in the Knox service. Select Clusters>Knox>Configuration and search for Kerberos Principal to display this value.

CDPD-21828: Multiple permission assignment through grant is not working

None

Problem configuring masking on tables using Ranger

The following Knowledge Base article describes the behavior when we configure masking on tables using Ranger. This configuration works for Hive, but breaks queries in some scenarios for Impala.

For a workaround, see the following Knowledge Base article: [ERROR: "AnalysisException: No matching function with signature: mask\(FLOAT\)" when Impala jobs fail with the following error with signature: mask\(FLOAT\)](#)

IMPALA-532: Impala should tolerate bad locale settings

If the LC_* environment variables specify an unsupported locale, Impala does not start.

Add LC_ALL="C" to the environment settings for both the Impala daemon and the Statestore daemon.

IMPALA-5605: Configuration to prevent crashes caused by thread resource limits

Impala could encounter a serious error due to resource usage under very high concurrency. The error message is similar to:

```
F0629 08:20:02.956413 29088 llvm-codegen.cc:111] LLVM hit fatal
error: Unable to allocate section memory!
terminate called after throwing an instance of 'boost::exception_
detail::clone_impl<boost::exception_detail::error_info_injector<
boost::thread_resource_error> >'
```

To prevent such errors, configure each host running an `impalad` daemon with the following settings:

```
echo 2000000 > /proc/sys/kernel/threads-max
echo 2000000 > /proc/sys/kernel/pid_max
echo 8000000 > /proc/sys/vm/max_map_count
```

Add the following lines in `/etc/security/limits.conf`:

```
impala soft nproc 262144
impala hard nproc 262144
```

Avro Scanner fails to parse some schemas

The default value in Avro schema must match type of first union type, e.g. if the default value is null, then the first type in the UNION must be "null".

Swap the order of the fields in the schema specification. For example, use ["null", "string"] instead of ["string", "null"]. Note that the files written with the problematic schema must be rewritten with the new schema because Avro files have embedded schemas.

IMPALA-691: Process mem limit does not account for the JVM's memory usage

Some memory allocated by the JVM used internally by Impala is not counted against the memory limit for the `impalad` daemon.

To monitor overall memory usage, use the `top` command, or add the memory figures in the Impala web UI `/memz` tab to JVM memory usage shown on the `/metrics` tab.

IMPALA-9350: Ranger audit logs for applying column masking policies missing

Impala is not producing these logs.

None

IMPALA-1024: Impala BE cannot parse Avro schema that contains a trailing semi-colon

If an Avro table has a schema definition with a trailing semicolon, Impala encounters an error when the table is queried.

Remove trailing semicolon from the Avro schema.

IMPALA-1652: Incorrect results with basic predicate on CHAR typed column

When comparing a CHAR column value to a string literal, the literal value is not blank-padded and so the comparison might fail when it should match.

Use the `RPAD()` function to blank-pad literals compared with CHAR columns to the expected length.

IMPALA-1821: Casting scenarios with invalid/inconsistent results

Using a `CAST()` function to convert large literal values to smaller types, or to convert special values such as NaN or Inf, produces values not consistent with other database systems. This could lead to unexpected results from queries.

None

IMPALA-2005: A failed CTAS does not drop the table if the insert fails

If a CREATE TABLE AS SELECT operation successfully creates the target table but an error occurs while querying the source table or copying the data, the new table is left behind rather than being dropped.

Drop the new table manually after a failed CREATE TABLE AS SELECT

IMPALA-2422: % escaping does not work correctly when occurs at the end in a LIKE clause

If the final character in the RHS argument of a LIKE operator is an escaped \% character, it does not match a % final character of the LHS argument.

None

IMPALA-2603: Crash: impala::Coordinator::ValidateCollectionSlots

A query could encounter a serious error if includes multiple nested levels of INNER JOIN clauses involving subqueries.

None

IMPALA-3094: Incorrect result due to constant evaluation in query with outer join

An OUTER JOIN query could omit some expected result rows due to a constant such as FALSE in another join clause. For example:

```
explain SELECT 1 FROM alltypestiny a1
  INNER JOIN alltypesagg a2 ON a1.smallint_col = a2.year AND fals
e
  RIGHT JOIN alltypes a3 ON a1.year = a1.bigint_col;
+---+
| Explain String                                     |
+---+
| Estimated Per-Host Requirements: Memory=1.00KB VCores=1 |
| 00:EMPTYSET                                         |
+---+
```

IMPALA-3509: Breakpad minidumps can be very large when the thread count is high

The size of the breakpoint minidump files grows linearly with the number of threads. By default, each thread adds 8 KB to the minidump size. Minidump files could consume significant disk space when the daemons have a high number of threads.

Add `-minidump_size_limit_hint_kb=size` to set a soft upper limit on the size of each minidump file. If the minidump file would exceed that limit, Impala reduces the amount of information for each thread from 8 KB to 2 KB. (Full thread information is captured for the first 20 threads, then 2 KB per thread after that.) The minidump file can still grow larger than the "hinted" size. For example, if you have 10,000 threads, the minidump file can be more than 20 MB.

IMPALA-4978: Impala requires FQDN from hostname command on Kerberized clusters

The method Impala uses to retrieve the host name while constructing the Kerberos principal is the `gethostname()` system call. This function might not always return the fully qualified domain name, depending on the network configuration. If the daemons cannot determine the FQDN, Impala does not start on a Kerberized cluster.

Test if a host is affected by checking whether the output of the `hostname` command includes the FQDN. On hosts where `hostname` only returns the short name, pass the command-line flag `##hostname=fully_qualified_domain_name` in the startup options of all Impala-related daemons.

IMPALA-7072: Impala does not support Heimdal Kerberos

None

OPSAPS-46641: A single parameter exists in Cloudera Manager for specifying the Impala Daemon Load Balancer. Because BDR and Hue need to use different ports when connecting to the load balancer, it is not possible to configure the load balancer value so that BDR and Hue will work correctly in the same cluster.

The workaround is to use the load balancer configuration either without a port specification, or with the Beeswax port: this will configure BDR. To configure Hue use the "Hue Server Advanced Configuration Snippet (Safety Valve) for impalad_flags" to specify the the load balancer address with the HiveServer2 port.

CDPD-28139: Set spark.hadoop.hive.stats.autogather to false by default

As an Impala user, if you submit a query against a table containing data ingested using Spark and you are concerned about the quality of the query plan, you must run COMPUTE STATS against such a table in any case after an ETL operation because numRows created by Spark could be incorrect. Also, use other stats computed by COMPUTE STATS, e.g., Number of Distinct Values (NDV) and NULL count for good selectivity estimates.

For example, when a user ingests data from a file into a partition of an existing table using Spark, if spark.hadoop.hive.stats.autogather is not set to false explicitly, numRows associated with this partition would be 0 even though there is at least one row in the file. To avoid this, the workaround is to set "spark.hadoop.hive.stats.autogather=false" in the "Spark Client Advanced Configuration Snippet (Safety Valve) for spark-conf/spark-defaults.conf" in Spark's CM Configuration section.

Some of the unresolved issues include:

- IMPALA-6841
- IMPALA-635

Known Issues in Apache Kafka

Learn about the known issues in Kafka, the impact or changes to the functionality, and the workaround.

OPSAPS-59553: SMM's bootstrap server config should be updated based on Kafka's listeners

SMM does not show any metrics for Kafka or Kafka Connect when multiple listeners are set in Kafka.

SMM cannot identify multiple listeners and still points to bootstrap server using the default broker port (9093 for SASL_SSL). You would have to override bootstrap server URL (hostname:port as set in the listeners for broker) in the following path:

Cloudera Manager > SMM > Configuration > Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for streams-messaging-manager.yaml > Save Changes > Restart SMM.

The offsets.topic.replication.factor property must be less than or equal to the number of live brokers

The offsets.topic.replication.factor broker configuration is now enforced upon auto topic creation. Internal auto topic creation will fail with a GROUP_COORDINATOR_NOT_AVAILABLE error until the cluster size meets this replication factor requirement.

None

Requests fail when sending to a nonexistent topic with auto.create.topics.enable set to true

The first few produce requests fail when sending to a nonexistent topic with auto.create.topics.enable set to true.

Increase the number of retries in the producer configuration setting retries.

Performance degradation when SSL Is enabled

In some configuration scenarios, significant performance degradation can occur when SSL is enabled. The impact varies depending on your CPU, JVM version, Kafka configuration, and message size. Consumers are typically more affected than producers.

Configure brokers and clients with `ssl.secure.random.implementation = SHA1PRNG`. It often reduces this degradation drastically, but its effect is CPU and JVM dependent.

OPSAPS-43236: Kafka garbage collection logs are written to the process directory

By default Kafka garbage collection logs are written to the agent process directory. Changing the default path for these log files is currently unsupported.

None

RANGER-3809: Idempotent Kafka producer fails to initialize due to an authorization failure

Kafka producers that have idempotence enabled require the Idempotent Write permission to be set on the cluster resource in Ranger. If permission is not given, the client fails to initialize and an error similar to the following is thrown:

```
org.apache.kafka.common.KafkaException: Cannot execute transactional method because we are in an error state
    at org.apache.kafka.clients.producer.internals.TransactionManager.maybeFailWithError(TransactionManager.java:1125)
    at org.apache.kafka.clients.producer.internals.TransactionManager.maybeAddPartition(TransactionManager.java:442)
    at org.apache.kafka.clients.producer.KafkaProducer.doSend(KafkaProducer.java:1000)
    at org.apache.kafka.clients.producer.KafkaProducer.send(KafkaProducer.java:914)
    at org.apache.kafka.clients.producer.KafkaProducer.send(KafkaProducer.java:800)
    .
    .
    .
Caused by: org.apache.kafka.common.errors.ClusterAuthorizationException: Cluster authorization failed.
```

Idempotence is enabled by default for clients in Kafka 3.0.1, 3.1.1, and any version after 3.1.1. This means that any client updated to 3.0.1, 3.1.1, or any version after 3.1.1 is affected by this issue.

This issue has two workarounds, do either of the following:

- Explicitly disable idempotence for the producers. This can be done by setting `enable.idempotence` to `false`.
- Update your policies in Ranger and ensure that producers have Idempotent Write permission on the cluster resource.

CDPD-45183: Kafka Connect active topics might be visible to unauthorised users

The Kafka Connect active topics endpoint (`/connectors/[***CONNECTOR NAME***/topics)` and the Connect Cluster page on the SMM UI disregard the user permissions configured for the Kafka service in Ranger. As a result, all active topics of connectors might become visible to users who do not have permissions to view them. Note that user permission configured for Kafka Connect in Ranger are not affected by this issue and are correctly applied.

None.

CFM-2966: Stateless NiFi connectors do not work with Java Runtime Environment 9 or later

Stateless NiFi connectors cannot be deployed if you are using Java Runtime Environment (JRE) 9 or later. This issue affects the Stateless NiFi Source (`StatelessNiFiSinkConnector`) and Stateless NiFi Sink (`StatelessNiFiSourceConnector`) connectors as well as all Cloudera developed connectors

based on Stateless NiFi Source and Sink connectors. Click Show to view the full list of affected connectors.

- HTTP Source
- JDBC Source
- JMS Source
- MQTT Source
- SFTP Source
- Stateless NiFi Source
- Syslog TCP Source
- Syslog UDP Source
- ADLS Sink
- HDFS Stateless Sink
- HTTP Sink
- InfluxDB Sink
- JDBC Sink
- Kudu Sink
- S3 Sink
- Stateless NiFi Sink

This issue does not affect clusters that have a supported version of Java Development Kit (JDK) installed. For more information on supported versions, see [Java Requirements](#) or the [Cloudera Support Matrix](#).

Cloudera recommends that you use a supported version of JDK instead of JRE. Alternatively, you can also install Java 8 (JDK or JRE) in addition to the JRE version you are using and configure Kafka Connect to use Java 8. This can be done by completing the following steps:

1. Create a new directory for the Java installation. The directory must be in a different location than the default Java directory on your cluster hosts, and it must be readable and executable by everyone. For example:

```
mkdir -m 755 /usr/java8
```

Do this on all cluster hosts.

2. Download Java 8 and extract it to the directory you created. Assume you downloaded and extracted jdk8u345-b01: /usr/java8/jdk8u345-b01. Make sure it is readable and executable by everyone:

```
chmod 755 /usr/java8/jdk8u345-b01
```

Do this on all cluster hosts.

3. In Cloudera Manager, go to KafkaConfiguration.
4. Find the Java Home Path Override property and add the location of the Java installation. For example:

```
/usr/java8/jdk8u345-b01
```

5. Click Save Changes.
6. Restart the Kafka service.

CDPD-29307: Kafka producer entity stays in incomplete state in Atlas

Atlas creates incomplete Kafka client entities that are postfixed with the metadata namespace.

None

CDPD-49304: AvroConverter does not support composite default values

AvroConverter cannot handle schemas containing a STRUCT type default value.

None.

CDPD-53179: Amazon S3 sink connector fails when buffer size is reached

If there is more than 5 MB (buffer size) of data available in a Kafka source topic and the connector receives more than 5 MB of data in a single poll, the connector tries to upload all the data as a multipart upload to S3. The upload, however, fails.

Decrease the Offset Flush Interval Kafka service property. Decreasing the value of this property increases how frequently connectors commit data. If the connectors commit more frequently, each commit will contain less data. Cloudera advises caution if you decide to change the value of this property because:

- The interval you configure is applied to all Kafka Connect connectors.
- Decreasing the interval might result in an increased number of files created in S3.

OPSAPS-64606: Authorization issues if Kafka Connect is not installed

A Ranger policy (connect internal - topic) is generated by default on fresh installations. If a Kafka Connect role is not present on the cluster, a the policy is created with an empty topic include list. This policy could cause problems with Kafka topics.

Delete the policy or add the following names to the topic include list:

- connect-configs
- connect-offsets
- connecto-status
- connect-secrets

CDPD-45958: Kafka client JAAS override policy validation is incorrect

The JAAS override filter policy refuses configurations if the configuration contains an unknown field instead of only refusing based on known fields with invalid values.

None

CDPD-48822: AvroConverter ignores default values when converting from Avro to Connect schema

AvroConverter does not propagate field default values when converting Avro schemas to Connect schemas.

None

OPSAPS-68138: Schema Registry and Kafka cannot download policies from Ranger when using custom Kerberos principals

Ranger repositories created by the scripts that start Kafka, Kafka Connect and Schema Registry only add the principal name of related services to the repository users and the policies. In deployments where custom Kerberos principals are used, this can cause repository and policy download issues for Kafka, Kafka Connect and Schema Registry. Additionally, this can result in permission issues for related services.

Manually set the repository users and the policy users to refer to the correct service user names.

Unsupported Features

The following Kafka features are not supported in Cloudera Data Platform:

- Only Java and .Net based clients are supported. Clients developed with C, C++, Python, and other languages are currently not supported.
- The Kafka default authorizer is not supported. This includes setting ACLs and all related APIs, broker functionality, and command-line tools.
- SASL/SCRAM is only supported for delegation token based authentication. It is not supported as a standalone authentication mechanism.

- The Cloudera AvroConverter (`com.cloudera.dim.kafka.connect.converts.AvroConverter`) is not supported with the Debezium Kafka Connect connectors shipped in Cloudera Runtime.

Limitations

Collection of Partition Level Metrics May Cause Cloudera Manager's Performance to Degrade

If the Kafka service operates with a large number of partitions, collection of partition level metrics may cause Cloudera Manager's performance to degrade.

If you are observing performance degradation and your cluster is operating with a high number of partitions, you can choose to disable the collection of partition level metrics.



Important: If you are using SMM to monitor Kafka or Cruise Control for rebalancing Kafka partitions, be aware that both SMM and Cruise Control rely on partition level metrics. If partition level metric collection is disabled, SMM will not be able to display information about partitions. In addition, Cruise Control will not operate properly.

Complete the following steps to turn off the collection of partition level metrics:

1. Obtain the Kafka service name:
 - a. In Cloudera Manager, Select the Kafka service.
 - b. Select any available chart, and select Open in Chart Builder from the configuration icon drop-down.
 - c. Find `$$SERVICENAME=` near the top of the display.

The Kafka service name is the value of `$$SERVICENAME`.

2. Turn off the collection of partition level metrics:
 - a. Go to HostsHosts Configuration.
 - b. Find and configure the Cloudera Manager Agent Monitoring Advanced Configuration Snippet (Safety Valve) configuration property.

Enter the following to turn off the collection of partition level metrics:

```
[KAFKA_SERVICE_NAME]_feature_send_broker_topic_partition_entity_update_enabled=false
```

Replace `[KAFKA_SERVICE_NAME]` with the service name of Kafka obtained in step 1. The service name should always be in lower case.

- c. Click Save Changes.

Key Trustee Server

Learn about the known issues in Key Trustee Server, the impact or changes to the functionality, and the workaround.

KTS setup on FIPS cluster gets stuck if KTS is in HA

Key Trustee Server setup gets stuck if KTS is in HA for Centos 7.9 in FIPS mode.

Known Issues in Apache Knox

Learn about the known issues in Knox, the impact or changes to the functionality, and the workaround.

CDPD-43897: In CDP 7.1.8, even if auto discovery is enabled for Livy for Spark 3, in the Knox gateway homepage, Livy for Spark 3 Web UI is missing.

This works when the URL is entered directly, as it is a display issue. Livy for Spark 3 service.xml file does not contain a metadata section. This section is needed so that Knox can display the appropriate section in its web UI.

CDPD-28431: Intermittent errors could be potentially encountered when Impala UI is accessed from multiple Knox nodes.

You must use a single Knox node to access Impala UI.

CDPD-3125: Logging out of Atlas does not manage the external authentication

At this time, Atlas does not communicate a log-out event with the external authentication management, Apache Knox. When you log out of Atlas, you can still open the instance of Atlas from the same web browser without re-authentication.

To prevent additional access to Atlas, close all browser windows and exit the browser.

CDPD-22785: Improvements and issues needs to be addressed in convert-topology kinox cli command

None

CDPD-43069: For HA HDFS deployments, WebHDFS failover isn't configured in the Knox topology, so requests directed to stand-by HDFS nodes will fail instead of failing-over to an active node.

Add the fail-over configuration for WebHDFS to the HaProvider in the affected Knox topology.
`<param> <name>WEBHDFS</name> <value>enabled=true;maxFailoverAttempts=3;failoverSleep=1000</value> </param>`

Known Issues in Apache Kudu

Learn about the known issues in Kudu, the impact or changes to the functionality, and the workaround.

- Kudu HMS Sync is disabled and is not yet supported

You get "The user 'kudu' is not part of group 'hive' on the following hosts: " warning by the Host Inspector

If you are using fine grained authorization for Kudu, and you are also using Kudu-HMS integration with HDFS-Sentry sync, then you may get the "The user 'kudu' is not part of group 'hive' on the following hosts: " warning while upgrading.

Workaround: Run the following command on all the HMS servers:

```
usermod -aG hive kudu
```

Known Issues in Navigator Encrypt

Learn about the known issues in Navigator Encrypt, the impact or changes to the functionality, and the workaround.

GNU Privacy Guard (GPG) is not enabled for the repositories in the packages. You cannot use the packages without disabling GPG checking.

To use the packages, disable GPG checking when you are creating a local repository:

- On RedHat: Add `gpgcheck=0` to the repo file
- On Ubuntu: Add `[trusted=yes]` to the entry added to `/etc/apt/sources.list`. For example, `deb [trusted=yes] file:///etc/navencrypt-repo.`

If you are using Ubuntu 20.04, hosts must be running Linux kernel 5.8 and higher.

None

A host reboot might be required before NavEncrypt is started.

If while installing NavEncrypt, the cryptsetup package is also installed, a host reboot might be required before NavEncrypt is started.

Failed to start navencrypt-mount.service

If the command "systemctl status navencrypt-mount" fails with the error: "Failed to start navencrypt-mount.service: Unit navencrypt-mount.service failed to load: No such file or directory", the kernel's kdbus component might be misconfigured.

Workaround: To completely disable kdbus: The boot grub file must be modified to add "--set kdbus=0" to the kernel boot options.

Do this using the proper kernel tool. This seems to happen on SLES12SP5. Care must be taken when doing this as the grub configuration is integral to the host booting.

Known Issues in Apache Oozie

Learn about the known issues in Oozie, the impact or changes to the functionality, and the workaround.

CDPD-46049: SSH action fails when oozie.action.ssh.http.command.post.options property contains double quotes.

You must disable capture-output in the SSH action.

CDPD-41274: HWC + Oozie issue: Could not open client transport with JDBC Uri

Currently only Spark cluster mode is supported in the Oozie Spark Action with Hive Warehouse Connector (HWC).

Use Spark action in cluster mode.

```
Use Spark action in cluster mode.
<spark xmlns="uri:oozie:spark-action:1.0">
    ...
    <mode>cluster</mode>
    ...
</spark>
```

CDPD-26975: Using the ABFS / S3A connectors in an Oozie workflow where the operations are "secured" may trigger an IllegalArgumentException with the error message java.net.URISyntaxException: Relative path in absolute URI.

Set the following XML configuration in the Datahub cluster's Cloudera Manager:

1. In the Cloudera Manager Admin Console, go to the Oozie service.
2. Click the Configuration tab.
3. In the Oozie Server Advanced Configuration Snippet (Safety Valve) for oozie-site.xml field, set the following:

Set the following if you are using Amazon S3:

```
<property>
<name>oozie.service.HadoopAccessorService.fs.s3a</name>
<value>fs.s3a.buffer.dir=/tmp/s3a</value>
</property>
```

Set the following if you are using ABFS:

```
<property>
<name>oozie.service.HadoopAccessorService.fs.abfs</name>
<value>fs.azure.buffer.dir=/tmp/abfs</value>
```

```
</property>

<property><name>
oozie.service.HadoopAccessorService.fs.abfss</name>
<value>fs.azure.buffer.dir=/tmp/abfss</value>
</property>
```

4. Enter a Reason for change, and then click Save Change to commit the changes.
5. Restart the Oozie service.

OOZIE-3549: Oozie fails to start when Cloudera Manager 7.x is used with Cloudera Runtime 6.x and Java 11 because Oozie does not set the trust-store password.

The issue is fixed in OOZIE-3549 and is already included in CDP 7.x but not in CDH 6.x. If you are on CDH 6.x and want to upgrade to Java 11 or your Cloudera Manager to 7.x then you must request for a patch.

Oozie jobs fail (gracefully) on secure YARN clusters when JobHistory server is down

If the JobHistory server is down on a YARN (MRv2) cluster, Oozie attempts to submit a job, by default, three times. If the job fails, Oozie automatically puts the workflow in a SUSPEND state.

When the JobHistory server is running again, use the resume command to inform Oozie to continue the workflow from the point at which it left off.

Unsupported Feature

The following Oozie features are currently not supported in Cloudera Data Platform:

- Non-support for Pig action (CDPD-1070)
- Conditional coordinator input logic

Cloudera does not support using Derby database with Oozie. You can use it for testing or debugging purposes, but Cloudera does not recommend using it in production environments. This could cause failures while upgrading from CDH to CDP.

Known Issues in Apache Ozone

Learn about the known issues in Ozone, the impact or changes to the functionality, and the workaround.

The Prometheus binary is not available in CDP Private Cloud Base 7.1.8 for the Ubuntu operating system.

You can install Prometheus separately and specify the path to the parent directory, for example /usr/bin, in the prometheus.location parameter in Ozone.

Ozone snapshot feature is not supported in releases before CDP 7.1.9. You must not run any commands or perform any operations related to the Snapshot feature.

When ozone.filesystem.snapshot.enabled is enabled and the snapshot delete operation is performed, OM crashes. Snapshot delete is a two step operation.

1. When you run a delete snapshot command, the snapshot is marked deleted and returns success.
2. When SnapshotDeletingService (a background service) picks up the snapshot and does the garbage collection by deleting the keys specific to the deleted snapshots and moving keys to the next snapshot that belongs to the previous snapshot. In this case, step two will fail because RocksDB for the snapshot is opened in read mode while it needs to write the keys to the next snapshot.
1. Skip the SnapshotMoveDeletedKeys transaction by updating the transactionInfoTable so that the state machine can proceed and ignore this transaction. You must disable SnapshotDeletingService to ensure no further similar transaction are created.
2. You must disable ozone.filesystem.snapshot.enabled to disable the snapshot feature.

CDPD-44777: Ozone List Volume CLI does not look up Ranger ACLs when Ranger is enabled. It shows native Ozone ACL which is not supported by Cloudera and is actually not used in other operations when Ranger is enabled.

None. This is only a display issue and does not affect actual permissions.

CDPD-50447: When SCM High Availability is enabled, each of the SCM web UIs report the host of the web ui as the leader of HA, and the other two as followers. This gives wrong information

Correct output is available by running the `ozone admin scm roles --service-id=<ID>` command.

OPSAPS-66501: Currently it is not possible to configure High Availability for SCM roles in Ozone post deployment. We should be able to change the HA configuration through CM, bringing it in line with other services.

At present it requires deleting Ozone and then adding it back with the SCM HA configuration in place and manually cleanup the Ozone data in between. For more information, read the [KB article](#).

OPSAPS-66500: Currently, it is not possible to enable Kerberos in Ozone after it has been deployed, despite all the required configuration changes being created when the box is checked in the Ozone configurations in Cloudera Manager.

Ozone must be deleted and redeployed with Kerberos enabled. Due to OPSAPS-66499, this requires manual data cleanup in between. For more information, read the [KB article](#).

OPSAPS-66499: When you delete Ozone from a cluster using Cloudera Manager, Ozone data is not cleaned up. This may cause issues when Ozone is redeployed.

You must clean up the data manually. For more information, read the [KB article](#).

OPSAPS-62327: In an Ozone cluster without any gateway roles, Ozone is unable to deploy client configurations and displays the ConfigGenException error.

You must add the Ozone gateway roles to the cluster.

HDDS-7132: NullPointerException if Hive/Impala tries to create database on an Ozone path without permission.

If Hive or Impala attempts to access an Ozone path that does not exist or if you do not have necessary permission to access, the `NullPointerException` is displayed instead of showing the full stack trace.

Check the `HiveMetaStore` log file to see the full stack trace. Make sure the Impala or Hive user has the necessary permission. For example, if Impala tries to create a database `abc` and the Hive Warehouse Directory is at `ofs://ozone/vol1/bucket1/managed/hive`, grant All permissions to the `impala` user at path `ofs://ozone/vol1/bucket1/managed/hive/abc.db`

CDPD-46877: Ozone Internal SSL certificate expiration for versions 7.1.8 CHF3 and higher

To force renew internal certificates, you can restart the Ozone service.

If the cluster is restarted within 28 days before the internal certificates expire, then the internal certificates are renewed during the restart. The 28 days period is configurable with the help of the `hdds.x509.renew.grace.duration` Ozone configuration property. The expiration date of the certificates in the system can be checked with the help of `ozone admin cert list` command by administrators through the Ozone command line interface.

Ozone Internal SSL certificate expiration for versions 7.1.8 CHF2 and lower

Internally the Ozone services use a separate Public Key Infrastructure (PKI), which creates individual SSL certificates under an internal root CA certificate that is trusted amongst the Ozone service roles. These certificates are created during the security bootstrap (first startup of the services). The setup uses 2048-bit long RSA key pairs that are used for signing tokens and mutual TLS authentication for internal communications.

The Primordial SCM (Storage Container Manager) service acts as the root CA, which generates subordinate CA certificates for all the SCM nodes, and for other service roles their certificates are

signed by one of these subordinate CA certificates. The CA certificates has a lifetime of 5 years and the service role certificates have a validity of 1 year.

The service currently does not support certificate revocation and certificate renewal. Both the features are currently under development. Until then, there is a manual workaround available when the certificates expire.

The workaround is to remove the existing key material and certificates from the services metadata directory and allow the system to regenerate the certificates at startup. Procedure to force renew internal certificates:

1. Stop all the Ozone roles except the Storage Container Managers (SCM)
2. For every host with an Ozone role added, locate the directories that are storing Ozone internal certificates (Since SCM certificates expire in 5 years, they can be untouched): `find / -name ozone-metadata 2>/dev/null | grep -v "scm" | while read line; do find $line -name certs; done`



Note: The S3G Gateway role does not have SCM-generated certificates. You can ignore the steps on the S3 gateway role.

3. Move these certs directories to a backup location
4. For every host with an Ozone role added, locate the directories that are storing key material for Ozone internal certificates (do not touch SCMs): `find / -name ozone-metadata 2>/dev/null | grep -v "scm" | while read line; do find $line -name keys; done`



Note: The S3G Gateway role does not have SCM-generated certificates. You can ignore the steps on the S3 gateway role.

5. Move these keys directories to a backup location
6. For every host with an Ozone Manager role, locate the VERSION file of the Ozone Manager: `find / -name om 2>/dev/null | while read line; do find $line -name VERSION; done | sort | uniq`
7. Backup the version file (just in case you need to restore for any reason)
8. In the version file, remove the line starting with omCertSerialId in the file
9. Start the stopped Ozone roles and certificates will be regenerated during startup

Certificate revocation

To revoke a certificate, remove the full trust chain to stop trusting a compromised certificate. For this, remove the SCM certificates or any other certificates from the system. During the startup of the system, new certificates are created and distributed. The old certificates are not trusted anymore as the root CA certificate changes as well.

Procedure to force revoke internal certificates:

1. Stop Ozone service and all of its roles including SCMs
2. Include SCM's certs folders. Note that the Primordial SCM node will have two certs folder, one for the root CA and other for the intermediate CA that the node holds. Rest of the SCMs will have just one folder for the intermediate CA role that the node serves. The modified command is: `find / -name ozone-metadata 2>/dev/null | while read line; do find $line -name certs; done`
3. Move these certs directories to a backup location
4. Locate the key material and move it to a backup folder. The modified command is: `find / -name ozone-metadata 2>/dev/null | while read line; do find $line -name keys; done`
5. Move these keys directories to a backup location
6. The VERSION file of SCM has to be updated similarly to Ozone Manager's VERSION file. To locate both the SCM and OM VERSION files on the hosts, execute the following command:

```
find / -name om -o -name scm 2>/dev/null | while read line; do
find $line -name VERSION; done | sort | uniq
```

7. Backup the version file (just in case you need to restore for any reason)
8. In OM's VERSION file remove the line starting with omCertSerialId, in SCM's VERSION file remove the line starting with scmCertSerialId.
9. Start the stopped Ozone roles and certificates will be regenerated during startup.

CDPD-35632: The default block level checksum doesn't work when running distcp from HDFS to Ozone or the other way around, because the two file systems could well manage underlying blocks very differently.

Use a file level checksum instead. For example, append ``-Ddfs.checksum.combine.mode=COMPOSITE_CRC`` to the distcp command.

CDPD-43348: The following warnings and errors that are not necessary appear on the console output:

Error messages: SCM realises late that one of the datanode is damaged and displays the Failed to execute command ReadChunk on the pipeline error. However, SCM reconstructs the datanode from the parity block after realising the datanode is offline.

INFO/WARNING messages: The info/warning messages flood the console output with unhelpful messages that you must remove.

You must scrap the shell log file and suppress the info/warning messages. Logs are suppressed until you specify the logs using the following environment variables: `OZONE_LOGLEVEL` and `OZONE_ROOT_LOGGER`. For example, by setting the environment variables, you can display only the info messages into the console output. `OZONE_ROOT_LOGGER=INFO,console` and `OZONE_LOGLEVEL=info`. For more information on the fix, see [HDDS-7421](#)

CDPD-36539: Container move operations timeout. As a result, container does not move in current iteration. If there are source and target candidates for this container move in subsequent iteration, the container will be moved. This issue does not cause any failure in actual data path.

None

CDPD-43942: Requests to modify an Ozone S3 tenant may fail with the error "Timed out acquiring authorizer write lock. Another multi-tenancy request is in-progress." even if another request is not in progress.

Retry the request.

CDPD-36389: The configurations "datanodes.involved.max.percentage.per.iteration" and "size.moved.max.per.iteration" are meant to limit the max number of datanodes that'll be involved and max size that can move in an iteration. This bug will cause balancer to stop an iteration when it's 2 DN's or 1 Container size (5GB) away from hitting these limits. However, these datanodes can again be considered for balancing in the next iteration. This means the cluster will end up balanced after enough iterations, albeit a bit slowly. This bug is apparent in small clusters of around 4 DN's where the DN could be either the source or target for a lot of moves but the iteration gets stopped when 3 DN's have been involved. It'll take a higher number of iterations to eventually balance this cluster. While this is a performance issue, it doesn't prevent balancer from ultimately balancing the cluster. To find out if this bug is being hit, search for "Hit max datanodes to involve limit" and "Hit max size to move limit" in Debug logs.

Increase the speed for balancing by decreasing the interval between each iteration using the configuration "balancing.iteration.interval". Note that the value of this configuration must be greater than "hdds.datanode.du.refresh.period". "size.moved.max.per.iteration" can be increased to allow more data to move in one iteration.

CDPD-22519: HDFS user is unable to ozone scm client CLI. As workaround, SCM client CLIs are run using scm user.

None

CDPD-30451: Files lying at same level moves to different trash directory structure. o3fs -> /<vol>/<buck>/Trash/<user>/Current/..<dir if any>.. ofs -> /<vol>/<buck>/Trash/<user>/Current/<vol>/<buck>/..<dir if any>.

None

CDPD-34187: This is a usability issue where warnings are displayed on the console while running ozone fs/CLI commands, which are of no use and restricts user experience. We should suppress these messages from the user console but at the same time make sure they still get printed out in the SCM Logs so that we could use them for debugging purposes.

Instead of logging into the user console, you redirect these log messages to a file called ozone-shell-log4j.properties which should avoid warnings to the user. Ozone-shell commands used earlier a similar method of directing messages to the LogFile. I have filed an apache Jira for it and have also fixed the issue.

CDPD-35141: Error: Error while compiling statement: FAILED: Execution Error, return code 40000 from org.apache.hadoop.hive.ql.exec.MoveTask. Unable to move source <bucket1> to destination <bucket2> (state=08S01,code=40000) java.sql.SQLException: Error while compiling statement: FAILED: Execution Error, return code 40000 from org.apache.hadoop.hive.ql.exec.MoveTask. Unable to move source <bucket1> to destination <bucket2>. We may see the above issue if the source and target buckets are different in Hive queries. For now, copying across the same bucket is only supported.

Avoid different buckets in source and target path.

CDPD-40594: Ozone admin container create command doesn't work. The command fails at getCAList for the SCM Client to create a container.

Avoid using create container command

CDPD-40966: df command on ozone returns incorrect result.

None

CDPD-41184: With LEGACY buckets, FileSystem op is not interoperating with the Ozone shell command. Cause:- The directory key entry in the DB KeyTable stored as "dir1/" with trailing slash. But while performing the described operation, Ozone shell (o3://) is normalizing the given path and removed the trailing slash "/" from it. That resulted in KEY_NOT_FOUND exception.

There are three workarounds:

- Use FileSystem API to Delete the Directories rather than Shell-Command API.
- Use FSO buckets instead of Legacy Buckets. As in FSO, you can create Intermediate Directories and Delete Directories using the Ozone shell commands.
- Disable and set the configuration ozone.om.enable.filesystem.pathsflag to false in order to delete the directories. This is generally not a preferred workaround because the cluster must be restarted again to pick up the new changes.

CDPD-34867: Container Balancer might not balance if only Over-Utilized or only Under-Utilized datanodes are reported. The log line will look like this: "Container Balancer has identified x Over-Utilized and y Under-Utilized Datanodes that need to be balanced" where one of x or y will be 0.

Decrease the threshold using "utilization.threshold". This will allow balancer to find non zero number of both over and under utilized nodes.

CDPD-12966: Ozone du -s -h should report correct values with replication information.

None

CDPD-12542: Mount of Ozone filesystem with the help of FUSE fails.

None

CDPD-21530: Ozone Web Application Security issues.

None

CDPD-34817: This is an usability issue. Irrelevant warnings are displayed on console while running ozone fs/CLI commands.

None

CDPD-31910: If its a non ranger deployment, the owner/group are shown based on kerberos user or sudo user.

For correct owner/group, user would need a Ranger deployment.

CDPD-42691: During the upgrade - all pipelines will be closed when the upgrade is finalized on SCM, temporarily bringing the cluster to a read-only state.

When you execute the finalize command, the cluster will temporarily go into a read-only state.

CDPD-42945: When many EC buckets are created with different EC chunk sizes, it creates pipeline for each chunk size. As a result, large number of pipelines are created in the system.

None

OPSAPS-60721: Ozone SCM Primordial Node ID is a required field which needs to be specified with one of the SCM hostnames during Ozone HA installation. In Cloudera Manager this field is not mandatory during Ozone deployment, this can cause end users continue further with installation which causes startup to fail in Ozone services.

Make sure during ozone HA installation Ozone SCM Primordial Node ID is specified with one of the SCM hostname.

CDPD-15602: Creating or deleting keys with a trailing forward slash (/) in the name is not supported via the Ozone shell or the S3 REST API. Such keys are internally treated as directories by the Ozone service for compatibility with the Hadoop filesystem interface. This will be supported in a later release of CDP.

You can create or delete keys via the Hadoop Filesystem interface, either programmatically or via the filesystem Hadoop shell. For example, `ozone fs -rmdir <dir>`.

CDPD-21837:

Adding new Ozone Manager (OM) role instances to an existing cluster will cause the cluster to behave erratically. It can possibly cause split-brain between the Ozone Managers or crash them.

Adding new OM roles to an existing cluster is currently not supported and there is no workaround.

OPSAPS-59647:

Ozone has an optional role where it can deploy a pre-configured Prometheus instance. This prometheus instance's default port '9090' conflicts with HBase Thrift Server's port. Hence, one of the components will fail to start if they are on the same host.

The prometheus port is a directly editable field on the CM UI, with the name 'ozone.prometheus.http-port'. This can be changed to a non conflicting port.

CDPD-24321:

On a secure cluster with Kerberos enabled, the Recon dashboard shows a value of zero for volumes, buckets, and keys.

- Enable kerberos authentication for HTTP web consoles, if not already enabled, by configuring the `ozone.security.http.kerberos.enabled` property on Cloudera Manager.
- Add `om/_HOST@REALM,recon/_HOST@REALM` to `ozone.administrators` as an advanced configuration snippet by configuring the Ozone Service Advanced Configuration Snippet (Safety Valve) for `ozone-conf/ozone-site.xml` property on Cloudera Manager.

HHDS-4209: S3A Filesystem does not work with Ozone S3 in file system compat mode.

When you create a directory, the S3A filesystem creates an empty file. When the `ozone.om.enable.filesystem.paths` parameter is enabled, the `hdfs dfs -mkdir -p s3a://b12345/d11/d12` command runs successfully. However, running the `hdfs dfs -put /tmp/file1 s3a://b12345/d11/d12/file1` command fails with an error: `ERROR org.apache.hadoop.ozone.om.request.key.OMKeyCreateRequest: Key creation failed.`

The HHDS-4209 Jira fixes the file system semantics and management in Ozone. On top of the flat name structure, which is Pure Object store, as a workaround the Hierarchical namespace structure is added. This ensures S3A compatibility with Ozone.

CDPD-42897: EC writes are failing with "No enough datanodes to choose" after EC replication config set globally.

EC writes starts failing when large number of pipelines are created as a result of multiple EC configs with different chunk sizes used to write keys.

If standard EC configs (i.e, rs-3-2-1024k) are used to write keys, number of pipelines created per datanode will be limited to 5 and this issue is not seen with standard EC configs.

The recommendation is not to create too many random chunk sizes. It is configurable because, users can decide based on their workload. But not to have separate chunk sizes for each file.

CDPD-41539: "No such file or directory" returned when EC file is read using older ofs client.

You must upgrade the client before trying to read the key: vol1/ecbuck1/1GB_ec".

CDPD-43347: When the blocks in one of the container replica is corrupted, SCM is unable to re-replicate the corrupted container replica.

None

CDPD-43327: Auto reload is disabled when the user wishes to freeze the current state of the Recon UI, if revisiting or switching to another tab turn auto reload back on. Disabling it does not work.

None

CDPD-43288: Partial offline reconstruction does not happen in ozone erasure coding. If number of available target datanodes is less than the number of failed datanodes in ozone EC container group, container is not constructed again.

There should be enough number of datanodes present for re-replication

CDPD-43366: Containers went into unhealthy state when container scanner ran. If the container replicas are unhealthy, these replicas would be ignored while performing re-replication in case of any failure.

None

CDPD-40560: Filesystem Operations via hadoop s3a connector on a FILE_SYSTEM_OPTIMIZED bucket is supposed to fail. org.apache.hadoop.ozone.om.exceptions.OMException: Unable to get file status: volume: s3v bucket: fso key: test/

Don't run hadoop s3a commands on an FILE_SYSTEM_OPTIMIZED bucket. Use OBJECT_STORE bucket layouts.

CDPD-42832: With this issue, any long running setup or a prod server will result in data corruption resulting due to inconsistency issues. This may result in major issues with the existing LEGACY layout type.

The same test suites OzoneLongRunningTest ran with FILE_SYSTEM_OPTIMIZED("FSO") bucket layout type more than 65hrs without any issues. FSO provides atomicity and consistency guarantees for the path(dir or file) rename/delete operations irrespective of the large sub-dirs/files contained in it. This capabilities helps to make the long running test more consistent without any failures so far. Recommendation is to run bigdata HCFS workloads using the FSO bucket layout types.

CDPD-43432: Ozone Service in fault state in DataNode - Long Running setup.

Upgraded RocksDB to the latest version.

OPSAPS-63999: In the newly installed cluster, the Finish upgrade option is clickable.

None

OPSAPS-64648: Failed to start ozone node via CM if default log path /var/log/hadoop-ozone does not exist. If this path does not exists, any Ozone nodes(for example SCM or data node) restart will fail.

Run the following command `sudo -u hdfs mkdir -p /var/log/hadoop-ozone` or replace hdfs with the user Ozone roles that are running.

Known Issues in Apache Parquet

There are no known issues for Parquet in Cloudera Runtime 7.1.8.

Known Issues in Apache Phoenix

Learn about the known issues in Phoenix, the impact or changes to the functionality, and the workaround.

CDPD-35925: Omid service fails to start rarely. Restarting it solves the problem most of the times.

None

Known Issues in Apache Ranger

Learn about the known issues in Ranger, the impact or changes to the functionality, and the workaround.

In the affected CDP releases (7.1.7.1056+, 7.1.7 SP2+, 7.1.8 CHF1+, 7.2.16.0+, 7.2.15.2+, 7.2.14.3+), Hbase Regionserver performance is degraded by aggressive GC pause and memory contention from the ColumnFamilyCache.

Disable ColumnFamilyCache Cloudera Manager -> HBase -> HBase Service Advanced Configuration Snippet (Safety Valve) for ranger-hbase-security.xml xasecure.hbase.columnfamilies.cache.maxsize=0

CDPD-40734: User allowed to insert data into a hive table when there is a deny policy on a table column.

A user is allowed to enter data into a table even if there is a deny policy present on one of the table columns.

Test scenario details:

```
Policy setup :-
policy 1 :- all access policy for hrt_qa, hive and i
mpala users
resources - database - * , table - *, column - *
users : hrt_qa, hive, impala
access - all access allowed
policy 2 :- policy on test_1.table_1 for hrt_5
users : hrt_5
resources : database - test_1, table - table_1, colum
n - *
access :- all access allowed
policy 3 :- deny policy on test_1.table_1.c0 for hrt_
5
users : hrt_5
resources : database - test_1, table - table_1, colu
mn - c0
access - all access denied
data setup :-
database - test_1
table - table_1(c0 int, c1 int)
```

The user is able to insert data into the table.

None.

CDPD-41582: Atlas Resource Lookup : Classification for "entity-type" lists only classification for the following payload:

```
{"resourceName": "classification", "userInput": "", "resources": {"classification": []}}
```

expectation is to return all the classifications . But the response has only "classification" Happens similarly for entity-label , entity-business-metadata.

None.

CDPD-42598: Kafka policy creation allowed with incorrect permissions.

When creating a Kafka policy from the UI, the permissions "Idempotent write" and "Cluster action" are not displayed as they are not applicable for the "topic" resource, but when creating a policy for the "topic" resource with the permissions "Idempotent write" and "Cluster Action", the policy is created successfully when the expected behaviour is that the policy creation must fail as the permission is not applicable for the Kafka topic resource

None.

CDPD-44694: ErrorCode: 1118. Unable to upgrade Ranger database and apply patches during CDP 7.1.8 upgrade.

This known issue is caused by DB being configured to use utf8mb4 character encoding.

Error occurs when upgrading Ranger database and applying patches.

```
SQLException : SQL state: 42000 java.sql.SQLException:
Row size too large.
    The maximum row size for the used table type, not
    counting BLOBs, is 65535.
    This includes storage overhead, check the manual.
    «You have to change some columns to TEXT or BLOBs
ErrorCode: 1118
```

Workaround

1. Log in to Ranger Admin host on the command line .
2. Copy 055-add-syncSource-col-in-x_user-x_portal_user-x_group.sql from /opt/cloudera/parcels/CDH-7.1.8-1.cdh7.1.8.p0.30990532/lib/ranger-admin/db/mysql/patches/055-add-syncSource-col-in-x_user-x_portal_user-x_group.sql to a backup location.
3. Open 055-add-syncSource-col-in-x_user-x_portal_user-x_group.sql for editing.
4. Replace all occurrences of varchar(4000) with text.
5. Save the file and resume the upgrade.

Technical Service Bulletins

2023-673: Ranger RMS Field issues causing HDFS high RPC queue time and processing time issue

When Apache Ranger (Ranger) Resource Mapping Server (RMS) is enabled, customers may intermittently encounter high Remote Procedure Call (RPC) queue time in the Hadoop Distributed File System (HDFS) NameNode, which results in jobs requiring more time than usual to finish. This is caused by the process of the Ranger HDFS plugin that needs to evaluate applicable Apache Hive (Hive) policies in addition to a set of HDFS policies for each HDFS location authorization. The evaluation process may cause access authorization latency of an additional 10-20 ms under heavy load, which in turn causes high NameNode RPC time.

For the latest update on this issue see the corresponding Knowledge article: [TSB 2023-673: Ranger RMS Field issues causing HDFS high RPC queue time and processing time issue](#)

Known Issues in Schema Registry

Learn about the known issues in Schema Registry, the impact or changes to the functionality, and the workaround.

CDPD-40380: Authorization checking issue when Kerberos is disabled

Due to an issue in Ranger, when Kerberos is disabled then it is not possible to check authorization.

1. Open SR config in Cloudera Manager.
2. Find the "ranger.plugin.schema-registry.service.name" field.
3. Replace GENERATED_RANGER_SERVICE_NAME with the actual name of the service.

- Restart Schema Registry.

CDPD-49304: AvroConverter does not support composite default values

AvroConverter cannot handle schemas containing a STRUCT type default value.

None.

OPSAPS-66356: Schema Registry's integration with Atlas does not work in secure clusters where Ranger authorization is enabled

Due to an error in the default Ranger policies for Atlas, the integration between Schema Registry and Atlas does not work. As a result, Schema Registry related entities (metadata) are not created in Atlas. Viewing or monitoring schema entity relationships is not possible. If this issue is present in your cluster, the following exceptions will be present in the Schema Registry and Atlas server's log:

- Schema Registry server log

```
ERROR com.cloudera.dim.atlas.bootstrap.AtlasModelBootstrap:
Error while setting up the Schema Registry model in Atlas.
```

- Atlas Server log

```
org.apache.atlas.exception.AtlasBaseException: schemaregistr
y is not authorized to perform create entity-def schema_meta
data_info
```

- Access the Ranger Console (Ranger Admin web UI).
- Click the cm_atlas resource-based service.
- Add the schemaregistry user to the default policies.

All policies that require an update will at minimum already contain the beacon, dpprofiler, atlas, admin, and nifi users. Adding the schemaregistry user to the Allow users to manage favorite searches default policy is not required.

- Restart the Schema Registry service.

Restarting the services triggers the creation of the missing entities in Atlas.

CDPD-54379: KafkaJsonSerializer and KafkaJsonDeserializer do not allow null values

KafkaJsonSerializer and KafkaJsonDeserializer do not allow the data to be null, resulting in a NullPointerException (NPE).

None.

CDPD-49217 and CDPD-50309: Schema Registry caches user group membership indefinitely

Schema Registry caches the Kerberos user and group information indefinitely and does not catch up on group membership changes.

Restart Schema Registry after group membership changes.

CDPD-56890: New schemas cannot be created following an upgrade

If you delete the latest version of a schema (the one with the highest ID) from the Schema Registry database before an upgrade, you might not be able to create new schemas after you upgrade the cluster to a newer version.



Important: In CDP Private Cloud Base, this issue only manifests when upgrading from Cloudera Runtime 7.1.7 or lower to 7.1.8 or higher.

- Access the Schema Registry database. Go to Cloudera Manager Schema Registry Configuration and search for "database" if you don't know the name, host, or port of the Schema Registry database.
- Cross reference the ID's in the schemaVersionId column of the schemema_version_state table with the ID's found in the schema_version_info table.

3. Delete all records from the `schema_version_state` table that contains a `schemaVersionId` not present in the `schema_version_info` table.

CDPD-58265: Schema Registry Client incorrectly applies SSL configuration

The Cloudera distributed Schema Registry Java client might fail to apply the SSL configurations correctly with concurrent access in Jersey clients due to a [Jersey](#) issue related to JDK.

Before using `HttpsURLConnection` in any form concurrently, call `javax.net.ssl.HttpsURLConnection.getDefaultSSLContextFactory()` once in the custom client application.

OPSAPS-68139: Schema Registry does not apply cluster wide Kerberos principal mapping by default

Schema Registry does not apply the cluster-wide Kerberos auth-to-local (ATL) rules from the Core Setting service.

Manually set the Schema Registry Kerberos Name Rules property to match the configuration of the Core Setting service.

OPSAPS-68171: Schema Registry does not set Knox principal and service user as trusted proxies when using custom Kerberos principals

Schema Registry automatically sets the Knox principal name as a trusted proxy. If the Schema Registry Kerberos Name Rules property is set in deployments where custom Kerberos principals are used, Knox might not be allowed to work as a trusted proxy.

Manually configure the Knox user name by adding the following to Schema Registry Server Advanced Configuration Snippet (Safety Valve) for `registry.yaml`:

```
knox_principal_name=[***KNOX USER NAME***]
```

CDPD-48822: AvroConverter ignores default values when converting from Avro to Connect schema

`AvroConverter` does not propagate field default values when converting Avro schemas to Connect schemas.

None

CDPD-55381: Schema Registry issues authentication cookie for the authorized user, not for the authenticated one

When the authenticated user is different from the authorized user, which can happen when Schema Registry is used behind Knox, authorization issues can occur for subsequent requests as the authentication cookie in Schema Registry stores the authorized user.

Access Schema Registry directly, without using Knox, if possible. If not, ensure that the name of the end user that tries to connect does not begin with `knox`.

OPSAPS-68138: Schema Registry and Kafka cannot download policies from Ranger when using custom Kerberos principals

Ranger repositories created by the scripts that start Kafka, Kafka Connect and Schema Registry only add the principal name of related services to the repository users and the policies. In deployments where custom Kerberos principals are used, this can cause repository and policy download issues for Kafka, Kafka Connect and Schema Registry. Additionally, this can result in permission issues for related services.

Manually set the repository users and the policy users to refer to the correct service user names.

CDPD-60160: Schema Registry Atlas integration does not work with Oracle databases

Schema Registry is unable to create entities in Atlas if Schema Registry uses an Oracle database. The following will be present in the Schema Registry log if you are affected by this issue:

```
ERROR com.cloudera.dim.atlas.events.AtlasEventsProcessor: An error occurred while processing Atlas events.
java.lang.IllegalArgumentException: Cannot invoke com.hortonworks.registries.schemaregistry.AtlasEventStorable.setType on bean class 'class com.hortonworks.registries.schemaregistry.AtlasEventS
```

```
torable' - argument type mismatch - had objects of type "java.lang.Long" but expected signature "java.lang.Integer"
```

This issue causes the loss of audit data on Oracle environments.

None.

CDPD-48853: Schemas created with the Confluent Schema Registry API cannot be viewed in the UI

Schemas created in Cloudera Schema Registry using the Confluent Schema Registry API are not visible in the Cloudera Schema Registry UI.

In addition, the `/api/v1/schemaregistry/search/schemas/aggregated` endpoint of the Cloudera Schema Registry API does not return schemas created with the Confluent Schema Registry API.

A typical case where this issue can manifest is when you are using the Confluent Avro converter for SerDes in a Kafka Connect connector and the connector connects to Cloudera Schema Registry. That is, the `key.converter` and/or `value.converter` properties of the connector are set to `io.confluent.connect.avro.AvroConverter`, and `key.converter.schema.registry.url` and/or `value.converter.schema.registry.url` are set to a Cloudera Schema Registry server URL.

None.

CDPD-58949: Schemas are de-duplicated on import

On import, Schema Registry de-duplicates schema versions based on their fingerprints. This means that schemas which are considered functionally equivalent in SR get de-duplicated. As a result, some schema versions are not created, and their IDs do not become valid IDs in SR.

None.

CDPD-58990: getSortedSchemaVersions method orders by schemaVersionId instead of version number

On validation, Schema Registry orders schema versions based on ID instead of version number. In some situations, this can cause validation with the LATEST level to compare the new schema version to a non-latest version.

This situation can occur when an older version of a schema has a higher ID than the newer version of a schema, for example, when the older version is imported with an explicit ID.

None.

Known Issues in Cloudera Search

Learn about the known issues in Cloudera Search, the impact or changes to the functionality, and the workaround.



Note:

From Cloudera Runtime 7.1.8 and higher, Cloudera Search known issues are listed under [Apache Solr](#).

Known Issues in Apache Solr

Learn about the known issues in Apache Solr, the impact or changes to the functionality, and the workaround.

Changing the default value of Client Connection Registry HBase configuration parameter causes HBase MRIT job to fail

If the value of the HBase configuration property `Client Connection Registry` is changed from the default `ZooKeeper Quorum` to `Master Registry` then the Yarn job started by HBase MRIT fails with a similar error message:

```
Caused by: org.apache.hadoop.hbase.exceptions.MasterRegistryFetchException: Exception making rpc to masters [quasar-bmyccr-2.quasar-bmyccr.root.hwx.site,22001,-1]
```

```

        at org.apache.hadoop.hbase.client.MasterRegistry.lambda$groupCall$1(MasterRegistry.java:244)
        at org.apache.hadoop.hbase.util.FutureUtils.lambda$addListener$0(FutureUtils.java:68)
        at java.util.concurrent.CompletableFuture.uniWhenComplete(CompletableFuture.java:774)
        at java.util.concurrent.CompletableFuture.uniWhenCompleteStage(CompletableFuture.java:792)
        at java.util.concurrent.CompletableFuture.whenComplete(CompletableFuture.java:2153)
        at org.apache.hadoop.hbase.util.FutureUtils.addListener(FutureUtils.java:61)
        at org.apache.hadoop.hbase.client.MasterRegistry.groupCall(MasterRegistry.java:228)
        at org.apache.hadoop.hbase.client.MasterRegistry.call(MasterRegistry.java:265)
        at org.apache.hadoop.hbase.client.MasterRegistry.getMetaRegionLocations(MasterRegistry.java:282)
        at org.apache.hadoop.hbase.client.ConnectionImplementation.locateMeta(ConnectionImplementation.java:900)
        at org.apache.hadoop.hbase.client.ConnectionImplementation.locateRegion(ConnectionImplementation.java:867)
        at org.apache.hadoop.hbase.client.ConnectionImplementation.relocateRegion(ConnectionImplementation.java:850)
        at org.apache.hadoop.hbase.client.ConnectionImplementation.locateRegionInMeta(ConnectionImplementation.java:981)
        at org.apache.hadoop.hbase.client.ConnectionImplementation.locateRegion(ConnectionImplementation.java:870)
        at org.apache.hadoop.hbase.client.RpcRetryingCallerWithReadReplicas.getRegionLocations(RpcRetryingCallerWithReadReplicas.java:319)
        ... 21 more
Caused by: org.apache.hadoop.hbase.client.RetriesExhaustedException: Failed contacting masters after 1 attempts.
Exceptions:
java.io.IOException: Call to address=quasar-bmyccr-2.quasar-bmyccr.root.hwx.site/172.27.19.4:22001 failed on local exception: java.io.IOException: java.lang.RuntimeException: Found no valid authentication method from options
    at org.apache.hadoop.hbase.client.MasterRegistry.lambda$groupCall$1(MasterRegistry.java:243)
    ... 35 more

```

Add the following line to the MRIT command line:

```
-D 'hbase.client.registry.impl=org.apache.hadoop.hbase.client.ZKConnectionRegistry'
```

Unable to see single valued and multivalued empty string values when querying collections after upgrade to CDP

After upgrading from CDH or HDP to CDP, you are not able to see single valued and multi Valued empty string values in CDP.

This behavior in CDP is due to the remove-blank processor present in solrconfig.xml in Solr 8.

Remove the remove-blank processor from solr-config.xml.

Cannot create multiple heap dump files because of file name error

Heap dump generation fails with a similar error message:

```

java.lang.OutOfMemoryError: Java heap space
Dumping heap to /data/tmp/solr_solr-SOLR_SERVER-fc9dacc265fabfc500b92112712505e3_pid{{{PID}}}.hprof ...

```

```
Unable to create /data/tmp/solr_solr-SOLR_SERVER-fc9dacc265fab
fc500b92112712505e3_pid{{PID}}.hprof: File exists
```

The cause of the problem is that {{PID}} does not get substituted during dump file creation with an actual process ID and because of that, a generic file name is generated. This causes the next dump file creation to fail, as the existing file with the same name cannot be overwritten.

You need to manually delete the existing dump file.

Solr coreAdmin status throws Null Pointer Exception

You get a Null Pointer Exception with a similar stacktrace:

```
Caused by: java.lang.NullPointerException
    at org.apache.solr.core.SolrCore.getInstancePath(SolrCore.
java:333)
    at org.apache.solr.handler.admin.CoreAdminOperation.getCor
eStatus(CoreAdminOperation.java:324)
    at org.apache.solr.handler.admin.StatusOp.execute(StatusOp.
java:46)
    at org.apache.solr.handler.admin.CoreAdminOperation.execute
(CoreAdminOperation.java:362)
```

This is caused by an error in handling solr admin core STATUS after collections are rebuilt.

Restart the Solr server.

Applications fail because of mixed authentication methods within dependency chain of services

Using different types of authentication methods within a dependency chain, for example, configuring your indexer tool to authenticate using Kerberos and configuring your Solr Server to use LDAP for authentication may cause your application to time out and eventually fail.

Make sure that all services in a dependency chain use the same type of authentication.

API calls fail with error when used with alias, but work with collection name

API calls fail with a similar error message when used with an alias, but they work when made using the collection name:

```
[    ] o.a.h.s.t.d.w.DelegationTokenAuthenticationFilter Authenti
cation exception: User: xyz@something.example.com is not allowed
to impersonate xyz@something.example.com
[c:RTOTagMetaOdd s:shard3 r:core_node11 x:RTOTagMetaOdd_shar
d3_replica_n8] o.a.h.s.t.d.w.DelegationTokenAuthenticationFilter
Authentication exception: User: xyz@something.example.com is not
allowed to impersonate xyz@something.example.com
```

Make sure there is a replica of the collection on every host.

Mergeindex operation with --go-live fails after CDH 6 to CDP upgrade

During an upgrade from CDH6 to CDP, collections are not reindexed because Lucene 8 (CDP) can read Lucene 7 (CDH6) indexes.

If you try to execute MapReduceIndexerTool (MRIT) or HBase Indexer MRIT with --go-live against such a collection, you get a similar error message:

```
Caused by: java.lang.IllegalArgumentException: Cannot merge a se
gment that has been created with major version 8 into this index
which has been created by major version 7
    at org.apache.lucene.index.IndexWriter.validateMergeReade
r(IndexWriter.java:2894)
    at org.apache.lucene.index.IndexWriter.addIndexes(Index
Writer.java:2960)
```

```

        at org.apache.solr.update.DirectUpdateHandler2.mergeIn
dexes(DirectUpdateHandler2.java:570)
        at org.apache.solr.update.processor.RunUpdateProcessor.
processMergeIndexes(RunUpdateProcessorFactory.java:95)
        at org.apache.solr.update.processor.UpdateRequestProcesso
r.processMergeIndexes(UpdateRequestProcessor.java:63)

```

This happens because CDP MRIT and HBase indexer use Solr 8 as embedded Solr, which creates a Lucene 8 index. It cannot be merged (using MERGEINDEXES) into an older Lucene 7 index.

In the case of MRIT the only way to move past this issue is to drop the entire collection, delete the data in HDFS and recreate the collection with Solr 8 configs.

For HBase Indexer MRIT an alternative workaround is setting the number of reducers to 0 (--reducers 0) because in this case documents are sent directly from the mapper tasks to live Solr servers instead of using MERGEINDEXES.

Apache Tika upgrade may break morphlines indexing

The upgrade of Apache Tika from 1.27 to 2.3.0 brought potentially breaking changes for morphlines indexing. Duplicate/triplicate keys names were removed and certain parser class names were changed (For example, org.apache.tika.parser.jpeg.JpegParser changed to org.apache.tika.parser.image.JpegParser).

To avoid morphline commands failing after the upgrade, do the following:

- Check if key name changes affect your morphlines. For more information, see *Removed duplicate/triplicate keys* in [Migrating to Tika 2.0.0](#).
- Check if the name of any parser you use has changed. For more information, see the Apache Tika [API documentation](#).

Update your morphlines if necessary.

CDPD-28006: Solr access via Knox fails with impersonation error though auth_to_local and proxy user configs are set

Currently the names of system users which are impersonating users with Solr should match with the names of their respective Kerberos principals.

If, for some reason, this is not feasible, you must add the user name you want to associate with the custom Kerberos principal to Solr configuration via the Solr Service Environment Advanced Configuration Snippet (Safety Valve) environment variable in Cloudera Manager.

For more information, see [Configuring custom Kerberos principals and custom system users](#).

CDH-77598: Indexing fails with socketTimeout

Starting from CDH 6.0, the HTTP client library used by Solr has a default socket timeout of 10 minutes. Because of this, if a single request sent from an indexer executor to Solr takes more than 10 minutes to be serviced, the indexing process fails with a timeout error.

This timeout has been raised to 24 hours. Nevertheless, there still may be use cases where even this extended timeout period proves insufficient.

If your MapreduceIndexerTool or HBaseMapreduceIndexerTool batch indexing jobs fail with a timeout error during the go-live (Live merge, MERGEINDEXES) phase (This means the merge takes longer than 24 hours).

Use the --go-live-timeout option where the timeout can be specified in milliseconds.

CDPD-12450: CrunchIndexerTool Indexing fails with socketTimeout

The http client library uses a socket timeout of 10 minutes. The Spark Crunch Indexer does not override this value, and in case a single batch takes more than 10 minutes, the entire indexing job fails. This can happen especially if the morphlines contain DeleteByQuery requests.

Try the following workarounds:

- Check the batch size of your indexing job. Sending too large batches to Solr might increase the time needed on the Solr server to process the incoming batch.
- If your indexing job uses deleteByQuery requests, consider using deleteById wherever possible as deleteByQuery involves a complex locking mechanism on the Solr side which makes processing the requests slower.
- Check the number of executors for your Spark Crunch Indexer job. Too many executors can overload the Solr service. You can configure the number of executors by using the `--mappers` parameter
- Check that your Solr installation is correctly sized to accommodate the indexing load, making sure that the number of Solr servers and the number of shards in your target collection are adequate.
- The socket timeout for the connection can be configured in the morphline file. Add the `solrClientSocketTimeout` parameter to the `solrLocator` command

Example

```
SOLR_LOCATOR :
{
  collection : test_collection
  zkHost : "zookeeper1.example.corp:2181/solr"
# 10 minutes in milliseconds
  solrClientSocketTimeout: 600000
  # Max number of documents to pass per RPC from morphline to
  Solr Server
  # batchSize : 10000
}
```

CDPD-29289: HBaseMapReduceIndexerTool fails with socketTimeout

The http client library uses a socket timeout of 10 minutes. The HBase Indexer does not override this value, and in case a single batch takes more than 10 minutes, the entire indexing job fails.

You can overwrite the default 600000 millisecond (10 minute) socket timeout in HBase indexer using the `--solr-client-socket-timeout` optional argument for the direct writing mode (when the value of the `--reducers` optional argument is set to 0 and mappers directly send the data to the live Solr).

CDPD-20577: Splitshard operation on HDFS index checks local filesystem and fails

When performing a shard split on an index that is stored on HDFS, `SplitShardCmd` still evaluates free disk space on the local file system of the server where Solr is installed. This may cause the command to fail, perceiving that there is no adequate disk space to perform the shard split.

Run the following command to skip the check for sufficient disk space altogether:

- On nonsecure clusters:

```
curl 'http://[***SOLR_SERVER_HOSTNAME***]:8983/solr/admin/collections?action=SPLITSHARD&collection=[***COLLECTION_NAME***]&shard=[***SHARD_TO_SPLIT***]&skipFreeSpaceCheck=true'
```

- On secure clusters:

```
curl -k -u : --negotiate 'http://[***SOLR_SERVER_HOSTNAME***]:8985/solr/admin/collections?action=SPLITSHARD&collection=[***COLLECTION_NAME***]&shard=[***SHARD_TO_SPLIT***]&skipFreeSpaceCheck=true'
```

Replace `[***SOLR_SERVER_HOSTNAME***]` with a valid Solr server hostname, `[***COLLECTION_NAME***]` with the collection name, and `[***SHARD_TO_SPLIT***]` with the ID of the to split.

To verify that the command executed successfully, check overseer logs for a similar entry:

```
2021-02-02 12:43:23.743 INFO (OverseerThreadFactory-9-thread-5-
processing-n:myhost.example.com:8983_solr) [c:example s:shard1
] o.a.s.c.a.c.SplitShardCmd Skipping check for sufficient disk
space
```

DOCS-5717: Lucene index handling limitation

The Lucene index can only be upgraded by one major version. Solr 8 will not open an index that was created with Solr 6 or earlier.

None, you need to reindex collections.

CDH-22190: CrunchIndexerTool which includes Spark indexer requires specific input file format specifications

If the `--input-file-format` option is specified with `CrunchIndexerTool`, then its argument must be text, avro, or avroParquet, rather than a fully qualified class name.

None

CDH-26856: Field value class guessing and Automatic schema field addition are not supported with the MapReduceIndexerTool nor with the HBaseMapReduceIndexerTool

The `MapReduceIndexerTool` and the `HBaseMapReduceIndexerTool` can be used with a Managed Schema created via NRT indexing of documents or via the Solr Schema API. However, neither tool supports adding fields automatically to the schema during ingest.

Define the schema before running the `MapReduceIndexerTool` or `HBaseMapReduceIndexerTool`. In non-schemaless mode, define in the schema using the `schema.xml` file. In schemaless mode, either define the schema using the Solr Schema API or index sample documents using NRT indexing before invoking the tools. In either case, Cloudera recommends that you verify that the schema is what you expect, using the List Fields API command.

CDH-19407: The Browse and Spell Request Handlers are not enabled in schemaless mode

The Browse and Spell Request Handlers require certain fields to be present in the schema. Since those fields cannot be guaranteed to exist in a Schemaless setup, the Browse and Spell Request Handlers are not enabled by default.

If you require the Browse and Spell Request Handlers, add them to the `solrconfig.xml` configuration file. Generate a non-schemaless configuration to see the usual settings and modify the required fields to fit your schema.

CDH-17978: Enabling blockcache writing may result in unusable indexes

It is possible to create indexes with `solr.hdfs.blockcache.write.enabled` set to true. Such indexes may appear corrupt to readers, and reading these indexes may irrecoverably corrupt indexes. Blockcache writing is disabled by default.

None

CDH-58276: Users with insufficient Solr permissions may receive a "Page Loading" message from the Solr Web Admin UI

Users who are not authorized to use the Solr Admin UI are not given a page explaining that access is denied to them, instead receive a web page that never finishes loading.

None

CDH-15441: Using MapReduceIndexerTool or HBaseMapReduceIndexerTool multiple times may produce duplicate entries in a collection

Repeatedly running the `MapReduceIndexerTool` on the same set of input files can result in duplicate entries in the Solr collection. This occurs because the tool can only insert documents and cannot update or delete existing Solr documents. This issue does not apply to the `HBaseMapReduceIndexerTool` unless it is run with more than zero reducers.

To avoid this issue, use HBaseMapReduceIndexerTool with zero reducers.



Note: This workaround is only valid for HBaseMapReduceIndexerTool. There is no workaround for MapReduceIndexerTool

CDH-58694: Deleting collections might fail if hosts are unavailable

It is possible to delete a collection when hosts that host some of the collection are unavailable. After such a deletion, if the previously unavailable hosts are brought back online, the deleted collection may be restored.

Ensure all hosts are online before deleting collections.

CDPD-13923: Every Configset is Untrusted Without Kerberos

Solr 8 introduces the concept of ‘[untrusted configset](#)’, denoting configsets that were uploaded without authentication. Collections created with an untrusted configset will not initialize if <lib> directives are used in the configset.

Select one of the following options if you would like to use untrusted configsets with <lib> directives:

- If the configset contains external libraries, but you do not want to use them, simply upload the configsets after deleting the <lib> directives.
- If the configset contains external libraries, and you want to use them, choose one from the following options:
 - Secure your cluster before reuploading the configset.
 - Add the libraries to Solr’s classpath, then reupload the configset without the <lib> directives.

Unsupported features

The following Solr features are currently not supported in Cloudera Data Platform:

- [Package Management System](#)
- [HTTP/2](#)
- [Solr SQL/JDBC](#)
- [Graph Traversal](#)
- [Cross Data Center Replication \(CDCR\)](#)
- [SolrCloud Autoscaling](#)
- HDFS Federation
- Saving search results
- Solr contrib modules (Spark, MapReduce and Lily HBase indexers are not contrib modules but part of the Cloudera Search product itself, therefore they are supported).

Limitations

Default Solr core names cannot be changed

Although it is technically possible to give user-defined Solr core names during core creation, it is to be avoided in the context of Cloudera Search. Cloudera Manager expects core names in the default "collection_shardX_replicaY" format. Altering core names results in Cloudera Manager being unable to fetch Solr metrics for the given core and this, eventually, may corrupt data collection for co-located core, or even shard and server level charts.

Known Issues in Apache Spark

Learn about the known issues in Spark, the impact or changes to the functionality, and the workaround.

CDPD-23817: In the upgraded Cluster, the permission of /tmp/spark is restricted due to the HDP configuration `hive.exec.scratchdir=/tmp/spark`.

If you are using the /tmp/spark directory in the CDP cluster, you must provide the required additional Policies/ACL permissions.

CDPD-22670 and CDPD-23103: There are two configurations in Spark, "Atlas dependency" and "spark_lineage_enabled", which are conflicted. The issue is when Atlas dependency is turned off but spark_lineage_enabled is turned on.

Run Spark application, Spark will log some error message and cannot continue. That can be restored by correcting the configurations and restarting Spark component with distributing client configurations.

CDPD-23007: Mismatch in the Spark Default DB Location. In HDP 3.1.5, hive_db entities have one attribute - 'location' which is configured to the '/managed' path. In fresh install of CDP 7.1.7, hive_db entities now have 2 attributes 'location' configured to '/external' path and 'managedLocation' configured to '/managed' path. In the AM2CM migration (HDP 3.1.5 -> CDP 7.1.7), the 'location' attribute from hive_db entities in HDP 3.1.5 comes unaltered to CDP 7.1.7 and hence maps to '/managed' path.

This issue arises only if you are upgrading from HDP 3.1.5 to CDP 7.1.7. If you are performing a fresh install of CDP 7.1.7, you can ignore this issue.

None

CDPD-217: The Apache Spark connector is not supported

The old *Apache Spark - Apache HBase Connector* (shc) is not supported in CDP releases.

Use the new HBase-Spark connector shipped in CDP release.

CDPD-3038: Launching pyspark displays several HiveConf warning messages

When pyspark starts, several Hive configuration warning messages are displayed, similar to the following:

```
19/08/09 11:48:04 WARN conf.HiveConf: HiveConf of name hive.vect
orized.use.checked.expressions does not exist
19/08/09 11:48:04 WARN conf.HiveConf: HiveConf of name hive.te
z.cartesian-product.enabled does not exist
```

These errors can be safely ignored.

Known Issues in Streams Replication Manager

Learn about the known issues in Streams Replication Manager, the impact or changes to the functionality, and the workaround.

Known Issues

CDPD-22089: SRM does not sync re-created source topics until the offsets have caught up with target topic

Messages written to topics that were deleted and re-created are not replicated until the source topic reaches the same offset as the target topic. For example, if at the time of deletion and re-creation there are a 100 messages on the source and target clusters, new messages will only get replicated once the re-created source topic has 100 messages. This leads to messages being lost.

None

CDPD-11079: Blacklisted topics appear in the list of replicated topics

If a topic was originally replicated but was later excluded for replication, it will still appear as a replicated topic under the /remote-topics REST API endpoint. As a result, if a call is made to this endpoint, this topic will be included in the response. Additionally, the excluded topic will also be visible in the SMM UI. However, its Partitions and Consumer Groups will be 0, its Throughput, Replication Latency and Checkpoint Latency will show N/A.

None

OPSAPS-67772: SRM Service metrics processing fails when the noexec option is enabled for /tmp

The SRM Service role uses /tmp to extract RocksDB .so files, which are required for metrics processing to function. If the noexec option is enabled for the /tmp directory, the SRM Service role is not able to load the required RocksDB files. This results in metrics processing failing.

1. In Cloudera Manager, select the SRM service and go to Configuration.
2. Add the following to SRM Service Environment Advanced Configuration Snippet (Safety Valve). Do this for all SRM Service role instances.

```
ROCKSDB_SHAREDLIB_DIR=[ ***PATH*** ]
```

Replace [***PATH***] with a directory that is not /tmp.

OPSAPS-67738: SRM Service role's Remote Querying feature does not work when the noexec option is enabled for /tmp

The SRM Service role puts the Netty native libraries into the /tmp directory. As a result, if the noexec option is enabled for the /tmp directory, the Remote Querying feature will fail to function.

1. In Cloudera Manager, select the SRM service and go to Configuration.
2. Add the following to SRM_JVM_PERF_OPTS.

```
-Dio.netty.native.workdir=[ ***PATH*** ]
```

Replace [***PATH***] with a directory that is not /tmp.

OPSAPS-67742: The SRM Service role fails to start if properties are added to Additional Configs For Streams Application Running Inside SRM Service

Configuring the SRM Service role's internal Kafka Streams application is not possible. If you add any properties to Using the Additional Configs For Streams Application Running Inside SRM Service, the SRM Service role fails to start. If you are affected by this issue, an exception similar to the following will be present in the SRM Service role's stderr.log:

```
o.dropwizard.configuration.ConfigurationParsingException: /var/run/cloudera-scm-agent/process/132-streams_replication_manager-STREAMS_REPLICATION_MANAGER_SERVICE/srm-service.yaml has an error:
* Malformed YAML at line: 66, column: 49; mapping values are not
  allowed here in 'reader', line 65, column 48:
.
.
```

None

CDPD-60426: Configuration changes are lost following a rolling restart of the service

In certain cases, SRM might fail to apply configuration updates if the service is restarted with a rolling restart. In a case like this, configuration changes are ignored without any warning or indication. This issue also affects rolling upgrades.

When restarting the service, use **Actions Restart** instead of **Actions Rolling Restart** after making configuration changes. When upgrading a cluster, ensure that SRM is not restarted with a rolling restart.

Limitations**SRM cannot replicate Ranger authorization policies to or from Kafka clusters**

Due to a limitation in the Kafka-Ranger plugin, SRM cannot replicate Ranger policies to or from clusters that are configured to use Ranger for authorization. If you are using SRM to replicate data to or from a cluster that uses Ranger, disable authorization policy synchronization in SRM. This can be achieved by clearing the Sync Topic Acls Enabled (sync.topic.acls.enabled) checkbox.

SRM cannot ensure the exactly-once semantics of transactional source topics

SRM data replication uses at-least-once guarantees, and as a result cannot ensure the exactly-once semantics (EOS) of transactional topics in the backup/target cluster.



Note: Even though EOS is not guaranteed, you can still replicate the data of a transactional source, but you must set `isolation.level` to `read_committed` for SRM's internal consumers. This can be done by adding `[***CONFIG LEVEL PREFIX***].isolation.level=read_committed` to the Streams Replication Manager's Replication Configs SRM service property in Cloudera Manager. The `isolation.level` property can be set on a global connector or replication level. For example:

```
#Global connector level
connectors.consumer.isolation.level=read_committed
#Replication level
uswest->useast.consumer.isolation.level=read_committed
```

SRM checkpointing is not supported for transactional source topics

SRM does not correctly translate checkpoints (committed consumer group offsets) for transactional topics. Checkpointing assumes that the offset mapping function is always increasing, but with transactional source topics this is violated. Transactional topics have control messages in them, which take up an offset in the log, but they are never returned on the consumer API. This causes the mappings to decrease, causing issues in the checkpointing feature. As a result of this limitation, consumer failover operations for transactional topics is not possible.

Known Issues for Apache Sqoop

Learn about the known issues in Sqoop, the impact or changes to the functionality, and the workaround.

Unable to read Sqoop metastore created by an older HSQLDB version

If you have upgraded to CDP PvC Base 7.1.8 Cumulative hotfix 4 or higher versions, you may encounter issues in reading the Sqoop metastore that was created using an older version of HyperSQL Database (HSQLDB).

Cloudera upgraded the HSQLDB dependency from 1.8.0.10 to 2.7.1 and this causes incompatibility issues in Sqoop jobs that are stored in HSQLDB.

After upgrading to CDP PvC Base 7.1.8 Cumulative hotfix 4, you must upgrade the Sqoop metastore and convert the database files to a format that can easily be read by HSQLDB 2.7.1. For more information, see [Troubleshooting Apache Sqoop issues](#).

Using direct mode causes problems

Using direct mode has several drawbacks:

- Imports can cause an intermittent and overlapping input split.
- Imports can generate duplicate data.
- Many problems, such as intermittent failures, can occur.
- Additional configuration is required.

Stop using direct mode. Do not use the `--direct` option in Sqoop import or export commands.

Avro, S3, and HCat do not work together properly

Importing an Avro file into S3 with HCat fails with Delegation Token not available.

Parquet columns inadvertently renamed

Column names that start with a number are renamed when you use the `--as-parquetfile` option to import data.

Prepend column names in Parquet tables with one or more letters or underscore characters.

Importing Parquet files might cause out-of-memory (OOM) errors

Importing multiple megabytes per row before initial-page-run check (ColumnWriter) can cause OOM. Also, rows that vary significantly by size so that the next-page-size check is based on small rows, and is set very high, followed by many large rows can also cause OOM.

Known issues in Streams Messaging Manager

Learn about the known issues in Streams Messaging Manager, the impact or changes to the functionality, and the workaround.

OPSAPS-59597: SMM UI logs are not supported by Cloudera Manager

Cloudera Manager does not display a Log Files menu for SMM UI role (and SMM UI logs cannot be displayed in the Cloudera Manager UI) because the logging type used by SMM UI is not supported by Cloudera Manager.

View the SMM UI logs on the host.

OPSAPS-59553: SMM's bootstrap server config should be updated based on Kafka's listeners

SMM does not show any metrics for Kafka or Kafka Connect when multiple listeners are set in Kafka.

SMM cannot identify multiple listeners and still points to bootstrap server using the default broker port (9093 for SASL_SSL). You would have to override bootstrap server URL (hostname:port as set in the listeners for broker). Add the bootstrap server details in SMM safety valve in the following path:

Cloudera Manager > SMM > Configuration > Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for streams-messaging-manager.yaml > Add the following value for bootstrap servers > Save Changes > Restart SMM.

```
streams.messaging.manager.kafka.bootstrap.servers=<comma-separated list of brokers>
```

CDPD-45183: Kafka Connect active topics might be visible to unauthorised users

The Kafka Connect active topics endpoint (/connectors/[***CONNECTOR NAME***/topics) and the Connect Cluster page on the SMM UI disregard the user permissions configured for the Kafka service in Ranger. As a result, all active topics of connectors might become visible to users who do not have permissions to view them. Note that user permission configured for Kafka Connect in Ranger are not affected by this issue and are correctly applied.

None.


CDPD-46728: SMM UI shows the consumerGroup instead of the instances on the Profile page's right hand side

On the ConsumerGroupDetail page, SMM UI shows the group instead of its instances on the right hand side table.

None.

CDPD-47836: The FROM OFFSET field of the offset slider in Data Explorer does not update on partition change

When changing the partition on the **Data Explorer** tab of a topic, the **FROM OFFSET** field of the offset slider is not updated to reflect the first offset of the newly selected partition. If the first offset of the newly selected partition differs from the previous one, the application throws an error. This issue only affects the **Data Explorer** tab, which is accessed from the topic details page of a topic.

This issue does not affect the **Data Explorer** modal window, which is accessed by clicking  next to the name of a topic.

After selecting a new partition, refresh the page. Alternatively, use the **Data Explorer** modal window.

OPSAPS-68158: SMM does not apply cluster wide Kerberos principal mapping by default

SMM does not apply the cluster-wide Kerberos auth-to-local (ATL) rules from the Core Settings service.

Manually set the Kerberos Name Rules property to match the configuration of the Core Settings service.

OPSAPS-68172: SMM does not set Knox principal and service user as trusted proxies when using custom Kerberos principals

SMM automatically sets the Knox principal name as a trusted proxy. If the Kerberos Name Rules property is set in deployments where custom Kerberos principals are used, Knox might not be allowed to work as a trusted proxy.

Manually configure the Knox user name by adding the following to Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for streams-messaging-manager.yaml:

```
knox_principal_name=[ ***KNOX USER NAME*** ]
```

Limitations**CDPD-36422: 1MB flow.snapshot freezes Safari**

While importing large connector configurations, flow.snapshots reduces the usability of the Streams Messaging Manager when using Safari browser.

Use a different browser (Chrome/Firefox/Edge).

Known Issues in Apache Hadoop YARN and YARN Queue Manager

Learn about the known issues in Apache Hadoop YARN and YARN Queue Manager, the impact or changes to the functionality, and the workaround.

Known Issues**COMPX-10909: Investigate if placement rules are working fine if username contains dot, and default queue is set to that queue**

Usernames with a dot do not work well with CS placement rules

This issue is fixed in 7.1.9.

COMPX-12021 Queue Manager configurations on Scheduler Configuration page are not working

When setting the following properties on the YARN Queue Manager UI, the properties are set in capacity-scheduler.xml which does not have any effect on YARN. The properties need to be set in yarn-site.xml, which does not happen when you set them through YARN Queue Manager.

- "Maximum Application Priority" – "yarn.cluster.max-application-priority"
- "Enable Monitoring Policies" – "yarn.resourcemanager.scheduler.monitor.enable"
- "Monitoring Policies" – "yarn.resourcemanager.scheduler.monitor.policies"



Note: You can also set this property on the YARN configuration page in Cloudera Manager as "Capacity Scheduler Preemption".

- "Preemption: Observe Only" – "yarn.resourcemanager.monitor.capacity.preemption.observe_only"
- "Preemption: Monitoring Interval (ms)" – "yarn.resourcemanager.monitor.capacity.preemption.monitoring_interval"
- "Preemption: Maximum Wait Before Kill (ms)" – "yarn.resourcemanager.monitor.capacity.preemption.max_wait_before_kill"

- "Preemption: Total Resources Per Round" – `"yarn.resourcemanager.monitor.capacity.preemption.total_preemption_per_round"`
 - "Preemption: Over Capacity Tolerance" – `"yarn.resourcemanager.monitor.capacity.preemption.max_ignored_over_capacity"`
 - "Preemption: Maximum Termination Factor" – `"yarn.resourcemanager.monitor.capacity.preemption.natural_termination_factor"`
 - "Enable Intra Queue Preemption" – `"yarn.resourcemanager.monitor.capacity.preemption.intra-queue-preemption.enabled"`
1. In Cloudera Manager, select the YARN service.
 2. Click the Configuration tab.
 3. Search for `yarn-site.xml`.
 4. Under YARN Service Advanced Configuration Snippet (Safety Valve) for `yarn-site.xml`, add the corresponding parameter and value you need.
 5. Click Save Changes.
 6. Restart the YARN services.

COMPX-4644: Queue capacity rounding problem when configuration is initially set via YARN

When setting the capacity scheduler configuration through the YARN/Cloudera Manager configuration, there may be capacity values that use multiple decimal places. This results in rounding/floating point precision discrepancies in the UI when trying to validate that all sibling capacities equal 100%. The UI looks like all the numbers add up to 100, but the validation still displays an error and does not allow to save the capacities. It is also observed that the capacity is being calculated as, for example, 99.9999999991 in the backend.

- Create queues within the UI, or
- Ensure that capacities configured through the Capacity Scheduler safety valve do not have more than one decimal place.

COMPX-11380 Queue Manager displays an error stating that it is unable to complete a request

If Queue Manager incorrectly detects an inactive Resource Manager, it displays an error stating that it is unable to complete a request.

Refresh the browser and reload the YARN Queue Manager UI. If that does not solve the issue, either restart the current active ResourceManager or the Queue Manager.

COMPX-1445: Queue Manager operations are failing when Queue Manager is installed separately from YARN

If Queue Manager is not selected during YARN installation, Queue Manager operation are failing. Queue Manager says 0 queues are configured and several failures are present. That is because ZooKeeper configuration store is not enabled.

1. In Cloudera Manager, select the YARN service.
2. Click the Configuration tab.
3. Find the Queue Manager Service property.
4. Select the Queue Manager service that the YARN service instance depends on.
5. Click Save Changes.
6. Restart all services that are marked stale in Cloudera Manager.

COMPX-3181: Application logs does not work for AZURE and AWS cluster

Yarn Application Log Aggregation will fail for any YARN job (MR, Tez, Spark, etc) which do not use cloud storage, or use a cloud storage location other than the one configured for YARN logs (`yarn.nodemanager.remote-app-log-dir`).

Configure the following:

- For MapReduce job, set `mapreduce.job.hdfs-servers` in the `mapred-site.xml` file with all filesystems required for the job including the one set in `yarn.nodemanager.remote-app-log-dir` such as `hdfs://nn1/`, `hdfs://nn2/`.
- For Spark job, set the job level with all filesystems required for the job including the one set in `yarn.nodemanager.remote-app-log-dir` such as `hdfs://nn1/`, `hdfs://nn2/` in `spark.yarn.access.hadoopFileSystems` and pass it through the `--config` option in `spark-submit`.
- For jobs submitted using the `hadoop` command, place a separate `core-site.xml` file with `fs.defaultFS` set to the filesystem set in `yarn.nodemanager.remote-app-log-dir` in a path. Add that directory path in `--config` when executing the `hadoop` command.

COMPX-3303: Auto queue deletion is not supported in relative and absolute resource allocation mode

The auto queue deletion feature enabled by default and as a result dynamically created child queues are automatically deleted 300 seconds after the last job finished on them. However, this feature is not supported in relative and absolute resource allocation mode.

Switch to weight resource allocation mode or delete the dynamically created child queues manually.

COMPX-4992: Unable to switch to absolute mode after deleting a partition using YARN Queue Manager

If you delete a partition (node label) which has been associated with queues and those queues have capacities configured for that partition (node label), the `CS.xml` still contains the partition (node label) information. Hence, you cannot switch to absolute mode after deleting the partition (node label).

It is recommended not to delete a partition (node label) which has been associated with queues and those queues have capacities configured for that partition (node label).

COMPX-5240: Restarting parent queue does not restart child queues in weight mode

When a dynamic auto child creation enabled parent queue is stopped in weight mode, its static and dynamically created child queues are also stopped. However, when the dynamic auto child creation enabled parent queue is restarted, its child queues remain stopped. In addition, the dynamically created child queues cannot be restarted manually through the YARN Queue Manager UI either.

Delete the dynamic auto child creation enabled parent queue. This action also deletes all its child queues, both static and dynamically created child queues, including the stopped dynamic queues. Then recreate the parent queue, enable the dynamic auto child creation feature for it and add any required static child queues.

COMPX-5244: Root queue should not be enabled for auto-queue creation

After dynamic auto child creation is enabled for a queue using the YARN Queue Manager UI, you cannot disable it using the YARN Queue Manager UI. That can cause problem when you want to switch between resource allocation modes, for example from weight mode to relative mode. The YARN Queue Manager UI does not let you to switch resource allocation mode if there is at least one dynamic auto child creation enabled parent queue in your queue hierarchy.

If the dynamic auto child creation enabled parent queue is NOT the root or the `root.default` queue: Stop and remove the dynamic auto child creation enabled parent queue. Note that this stops and remove all of its child queues as well.

If the dynamic auto child creation enabled parent queue is the root or the `root.default` queue: You cannot stop and remove neither the root nor the `root.default` queue. You have to change the configuration in the applicable configuration file:

1. In Cloudera Manager, navigate to **YARN Configuration**.
2. Find the **Capacity Scheduler Configuration Advanced Configuration Snippet (Safety Valve)** property.
3. Add the following configuration: `yarn.scheduler.capacity.<queue-path>.auto-queue-creation-v2.enabled=false` For example: `yarn.scheduler.capacity.root.default.auto-queue-creation-v2.enabled=false` Alternatively, you can remove the `yarn.scheduler.capacity.<queue-path>.auto-queue-creation-v2.enabled` property from the configuration file.

- Restart the Resource Manager.

COMPX-5264: Unable to switch to Weight mode on creating a managed parent queue in Relative mode

In the current implementation, if there is an existing managed queue in Relative mode, then conversion to Weight mode is not be allowed.

To proceed with the conversion from Relative mode to Weight mode, there should not be any managed queues. You must first delete the managed queues before conversion. In Weight mode, a parent queue can be converted into managed parent queue.

COMPX-5549: Queue Manager UI sets maximum-capacity to null when you switch mode with multiple partitions

If you associate a partition with one or more queues and then switch the allocation mode before assigning capacities to the queues, an Operation Failed error is displayed as the `max-capacity` is set to null.

After you associate a partition with one or more queues, in the YARN Queue Manager UI, click Overview > <Partition name> from the dropdown list and distribute capacity to the queues before switching allocation mode or creating placement rules.

COMPX-5589: Unable to add new queue to leaf queue with partition capacity in Weight/Absolute mode

Scenario

- User creates one or more partitions.
- Assigns a partition to a parent with children
- Switches to the partition to distribute the capacities
- Creates a new child queue under one of the leaf queues but the following error is displayed:

```
Error :
2021-03-05 17:21:26,734 ERROR
com.cloudera.cpx.server.api.repositories.SchedulerRepository: Val
idation failed for Add queue
operation. Error message: CapacityScheduler configuration vali
dation failed:java.io.IOException:
Failed to re-init queues : Parent queue 'root.test2' have childr
en queue used mixed of weight
mode, percentage and absolute mode, it is not allowed, please do
uble check, details:
{Queue=root.test2.test2childNew, label= uses weight mode}. {Que
ue=root.test2.test2childNew,
label=partition uses percentage mode}
```

To create new queues under leaf queues without hitting this error, perform the following:

- Switch to Relative mode
- Create the required queues
- Create the required partitions
- Assign partitions and set capacities
- Switch back to Weight mode
- Create the entire queue structure
- Create the required partitions
- Assign partition to queues
- Set partition capacities

COMPX-6054: PlacementPolicy Rules(default rule) is not honoured in case limit 2 is breached for AQC

If there is a dynamic parent queue, the maximum of two rules applies. So in case two levels of queues is to be created under this dynamic parent queue, it should be detected as an invalid path, and fall through to the next rule. However, it does not happen, but the queue creation fails and

subsequently the application submission fails too. This is essentially a discrepancy between AQC validation and MappingRule validation.

This issue can not be worked around currently, however, resubmission of the application with a valid path should be successful.

COMPX-6214: When there are more than 600 queues in a cluster, potential timeouts occur due to performance reasons that are visible in the Configuration Service.

The Cloudera Manager proxy timeout configuration field is added now. This issue is tracked in OPSAPS-60554. For this release, the timeout is increased from 20 seconds to 5 minutes. However, if this problem occurs, Cloudera recommends you to increase the proxy timeout value.

COMPX-6628: Unable to delete single leaf queue assigned to a partition.

In the current implementation, you cannot delete a single leaf queue assigned to a partition.

For each non-default partition, perform the following for the single child leaf queue and its parent queues:

1. In **Cloudera Manager**, click Cluster > YARN.
2. Click the **Configuration** tab.
3. Search for ResourceManager. In the Filters pane, under Scope, select ResourceManager.
4. Add the following in Capacity Scheduler Configuration Advanced Configuration Snippet (Safety Valve):

```
Name: yarn.scheduler.capacity.<queuePath>.accessible-node-labels.<partition>.capacity
Value: 0
```

Set the value to 0 in Percentage mode, and 0w in Weight mode, and [memory=0,vcores=0] in Absolute mode.

```
Name: yarn.scheduler.capacity.<queuePath>.accessible-node-labels.<partition>.maximum-capacity
Value: 100
```

Set the value to 100 in Percentage and Weight mode and [memory=0,vcores=0] in Absolute mode.

5. Adjust the capacities of the siblings of the parent queue for the same partition.
6. Click Save Changes.
7. Restart the active **ResourceManager** service for the changes to apply.
8. In **Cloudera Manager**, click Cluster > YARN Queue Manager UI.
9. Delete the desired single child leaf queue.

COMPX-8687: Missing access check for getAppAttempts

When the Job ACL feature is enabled using Cloudera Manager (YARN Configuration Enable JOB ACL property), the mapreduce.cluster.acls.enabled property is not generated to all configuration files, including the yarn-site.xml configuration file. As a result the ResourceManager process will use the default value of this property. The default property of mapreduce.cluster.acls.enabled is false.

Workaround: Enable the Job ACL feature using an advanced configuration snippet:

1. In Cloudera Manager select the YARN service.
2. Click Configuration.
3. Find the YARN Service MapReduce Advanced Configuration Snippet (Safety Valve) property.

4. Click the plus icon and add the following:

- Name: `mapreduce.cluster.acls.enabled`
- Value: `true`

5. Click Save Changes.

COMPX-11564: Queue operations or YARN Queue Manager UI may slow down if a large number of queues in a Kerberos or SSL enabled environment.

Queue operations or YARN Queue Manager UI may slow down if a large number of queues, that is more than 500, in a Kerberos or SSL enabled environment. If the queue size exceeds 1000 queues in a Kerberos or SSL enabled environment, queue operations may time out.

Third party applications do not launch if MapReduce framework path is not included in the client configuration

MapReduce application framework is loaded from HDFS instead of being present on the NodeManagers. By default the `mapreduce.application.framework.path` property is set to the appropriate value, but third party applications with their own configurations will not launch.

Set the `mapreduce.application.framework.path` property to the appropriate configuration for third party applications.

OPSAPS-52066: Stacks under Logs Directory for Hadoop daemons are not accessible from Knox Gateway.

Stacks under the Logs directory for Hadoop daemons, such as NameNode, DataNode, ResourceManager, NodeManager, and JobHistoryServer are not accessible from Knox Gateway.

Administrators can SSH directly to the Hadoop Daemon machine to collect stacks under the Logs directory.

OPSAPS-57067: Yarn Service in Cloudera Manager reports stale configuration `yarn.cluster.scaling.recommendation.enable`.

This issue does not affect the functionality. Restarting Yarn service will fix this issue.

OPSAPS-61245: The YARN NodeManager container executor's `banned.users` list is a static list that contains the default superusers to ensure no container is launched by a user with elevated privileges. If the process user is changed to a custom value it will not be included in the list automatically.

To ensure no container is launched by the new process user the users should be added to the `banned.users` list manually.

JobHistory URL mismatch after server relocation

After moving the JobHistory Server to a new host, the URLs listed for the JobHistory Server on the ResourceManager web UI still point to the old JobHistory Server. This affects existing jobs only. New jobs started after the move are not affected.

For any existing jobs that have the incorrect JobHistory Server URL, there is no option other than to allow the jobs to roll off the history over time. For new jobs, make sure that all clients have the updated `mapred-site.xml` that references the correct JobHistory Server.

CDH-49165: History link in ResourceManager web UI broken for killed Spark applications

When a Spark application is killed, the history link in the ResourceManager web UI does not work.

To view the history for a killed Spark application, see the Spark HistoryServer web UI instead.

CDH-6808: Routable IP address required by ResourceManager

ResourceManager requires routable host:port addresses for `yarn.resourcemanager.scheduler.address`, and does not support using the wildcard `0.0.0.0` address.

Set the address, in the form `host:port`, either in the client-side configuration, or on the command line when you submit the job.

CDPD-2936: Application logs are not accessible in WebUI2 or Cloudera Manager

Running Containers Logs from NodeManager local directory cannot be accessed either in Cloudera Manager or in WebUI2 due to log aggregation.

Use the YARN log CLI to access application logs. For example:

```
yarn logs -applicationId <Application ID>
```

Apache Issue: [YARN-9725](#)

YARN cannot start if Kerberos principal name is changed

If the Kerberos principal name is changed in Cloudera Manager after launch, YARN will not be able to start. In such case the keytabs can be correctly generated but YARN cannot access ZooKeeper with the new Kerberos principal name and old ACLs.

There are two possible workarounds:

- Delete the znode and restart the YARN service.
- Use the reset ZK ACLs command. This also sets the znodes below /rmstore/ZKRMStateRoot to world:anyone:cdw which is less secure.

Queue Manager does not open on using a custom user with a default Kerberos principal

If a custom user is used with the default Kerberos principal, the Queue Manager web UI displays an HTTP ERROR 400 error.

Ensure that the Queue Manager process_username property matches the YARN process_username property.

COMPX-7493: YARN Tracking URL that is shown in the command line does not work when Knox is enabled

When Knox is configured for YARN, the Tracking URL printed in the command line of an YARN application such as spark-submit shows the direct URL instead of the Knox Gateway URL.

None.

Technical Service Bulletins

TSB 2023-641: InvalidClassException while editing queue configurations in YARN Queue Manager UI

Under situations described below, a user may encounter the following error message while editing queue configurations in the Apache Hadoop YARN (YARN) Queue Manager UI:

Failed to update queue configuration

Modify queue operation failed. Queue configuration in Cloudera Manager is inconsistent with YARN. Try restarting YARN.

Knowledge article

For the latest update on this issue see the corresponding Knowledge article: [TSB 2023-641: InvalidClassException while editing queue configurations in YARN Queue Manager UI](#).

This issue is fixed in 7.1.8 CHF 4.

Apache Issue: [YARN-11075](#)

Unsupported Features

The following YARN features are currently not supported in Cloudera Data Platform:

- Application Timeline Server v2 (ATSV2)
- Auxiliary Services
- Container Resizing
- Distributed or Centralized Allocation of Opportunistic Containers
- Distributed Scheduling
- Docker on YARN (DockerContainerExecutor)

- Fair Scheduler
- GPU support for Docker
- Hadoop Pipes
- Moving jobs between queues
- Native Services
- Pluggable Scheduler Configuration
- Queue Priority Support
- Reservation REST APIs
- Resource Estimator Service
- Resource Profiles
- (non-Zookeeper) ResourceManager State Store
- Rolling Log Aggregation
- Shared Cache
- YARN Federation

Known Issues in Apache Zeppelin

Learn about the known issues in Zeppelin, the impact or changes to the functionality, and the workaround.

TSB 2024-650: Arbitrary file deletion vulnerability in Apache Zeppelin

The improper Input Validation vulnerability in Apache Zeppelin allows an attacker to delete arbitrary files. Using a successful cross-site scripting attack by accessing the logs through API:

```
/api/interpreter/setting/..%2Flogs
```

The logs folder can be deleted from the directory where the current project is located. If the API is changed to `/api/interpreter/setting/..%2F..%2Fzeppelin` the following setting, the entire Zeppelin application directory can be deleted. The Zeppelin application directory contains every configuration file, Zeppelin main program files, and so on, which are crucial for the proper operations of Zeppelin.

Upstream JIRA: ZEPPELIN-5624

For the latest update on this issue see the corresponding Knowledge article: [TSB 2024-650: TSB title](#)

BUG-125263: Zeppelin service move fails on clusters upgraded from HDP3.1.5

Resolve the circular symlink issue on the Zeppelin node by linking the conf directory to a new directory under `/etc/zeppelin`:

- `# mkdir -p /etc/zeppelin/<version>/0`
- `# rm /usr/hdp/<version>/zeppelin/conf`
- `# ln -s /etc/zeppelin/<version>/0 /usr/hdp/<version>/zeppelin/conf`

Where version is the HDP version. For example, 7.1.x-yyy. Restart the Zeppelin server in Ambari.

CDPD-3090: Due to a configuration typo, functionality involving notebook repositories does not work

Due to a missing closing brace, access to the notebook repositories API is blocked by default.

From the CDP Management Console, go to Cloudera Manager for the cluster running Zeppelin. On the Zeppelin configuration page (Zeppelin serviceConfiguration), enter shiro urls in the Search field, and then add the missing closing brace to the notebook-repositories URL, as follows:

```
/api/notebook-repositories/** = authc, roles[{{zeppelin_admin_group}}]
```

Click Save Changes, and restart the Zeppelin service.

CDPD-2406: Logout button does not work

Clicking the Logout button in the Zeppelin UI logs you out, but then immediately logs you back in using SSO.

Close the browser.

OPSAPS-59802: Zeppelin and Livy roles should be co-located on the same host.

When installing or upgrading to CDP Private Cloud Base, you must co-locate all Zeppelin and Livy roles on the same cluster host due to an issue with certificate generation.

Known Issues in Apache ZooKeeper

Learn about the known issues in ZooKeeper, the impact or changes to the functionality, and the workaround.

OPSAPS-61188: Zookeeper start fails with custom user as contents inside /var/lib/zookeeper have "zookeeper" as owner instead of the custom user

In Cloudera Manager the Process Username for ZooKeeper can be changed from the default zookeeper value to any custom value. This configuration change in Cloudera Manager automatically changes the owner of the var/lib/zookeeper folder but keeps zookeeper as the owner of any folders or files inside var/lib/zookeeper, such as myid and version-2. As a result ZooKeeper fails to start because it needs to read the snapshots and txnlogs from the var/lib/zookeeper/version-2 folder when starting.

1. Ensure that you changed the Process Username to a username that exists on the OS.
2. Manually change the owner.
 - a. Log in to the node.
 - b. Recursively change the owner of var/lib/zookeeper using the chown -R command.

Zookeeper-client does not use ZooKeeper TLS/SSL automatically

The command-line tool 'zookeeper-client' is installed to all Cloudera Nodes and it can be used to start the default Java command line ZooKeeper client. However even when ZooKeeper TLS/SSL is enabled, the zookeeper-client command connects to localhost:2181, without using TLS/SSL.

Manually configure the 2182 port, when zookeeper-client connects to a ZooKeeper cluster. The following is an example of connecting to a specific three-node ZooKeeper cluster using TLS/SSL:

```
CLIENT_JVMFLAGS="-Dzookeeper.clientCnxnSocket=org.apache.zookeeper.ClientCnxnSocketNetty -Dzookeeper.ssl.keyStore.location=<path to your configured keystore> -Dzookeeper.ssl.keyStore.password=<the password you configured for the keystore> -Dzookeeper.ssl.trustStore.location=<path to your configured truststore> -Dzookeeper.ssl.trustStore.password=<the password you configured for the truststore> -Dzookeeper.client.secure=true" zookeeper-client -server <your.zookeeper.server-1>:2182,<your.zookeeper.server-2>:2182,<your.zookeeper.server-3>:2182
```

Behavioral changes in Cloudera Runtime 7.1.8

You can review the changes in certain features or functionalities of components that have resulted in a change in behavior from the previously released version to this version of Cloudera Runtime 7.1.8.

Behavioral Changes in Cruise Control

Learn about the change in certain functionality of Cruise Control that has resulted in a change in behavior from the previously released version to this version of Cloudera Runtime.

Summary:

Instead of direct communication with ZooKeeper, Cruise Control uses the Kafka Reassignment API for partition management.

Previous behavior:

Cruise Control used Apache ZooKeeper for managing Kafka partitions.

New behavior:

Cruise Control uses Kafka Reassignment API for managing Kafka partitions.

Behavioral changes in Apache Hive

Learn about the change in certain functionality of Hive that has resulted in a change in behavior from the previously released version to this version of Cloudera Runtime.

Summary:

Change in the way dates are parsed from string by ignoring trailing invalid characters

Previous behavior:

[HIVE-20007](#) introduced changes in the way dates were parsed from strings. SQL functions or date operations involving invalid dates returned "null".


New behavior:

[HIVE-27586](#) extracts and returns a valid date from a string value if there is a valid date prefix in the string. This fix partially restores the behavior changes introduced as part of HIVE-20007 and also makes the current behavior of handling trailing invalid characters more consistent.

The following table illustrates the behavior changes before and after the fix:

String value	Behavior (before HIVE-20007)	Previous behavior (after HIVE-20007)	Current behavior (after HIVE-27586)
2023-08-03_16:02:00	2023-08-03	null	2023-08-03
2023-08-03-16:02:00	2023-08-03	null	2023-08-03
2023-08-0316:02:00	2024-06-11	null	2023-08-03
03-08-2023	0009-02-12	null	0003-08-20
2023-08-03 GARBAGE	2023-08-03	2023-08-03	2023-08-03
2023-08-03TGARBAGE	2023-08-03	2023-08-03	2023-08-03
2023-08-03_GARBAGE	2023-08-03	null	2023-08-03

This change affects various Hive SQL functions and operators that accept dates from string values, such as CAST (V AS DATE), CAST (V AS TIMESTAMP), TO_DATE, DATE_ADD, DATE_DIFF, WEEKOFYEAR, DAYOFWEEK, and TRUNC.

 **Important:** The behavior change introduced as part of this fix is only available from the CDP Private Cloud Base 7.1.8 version Cumulative hotfix 15.

Summary:

Change in the way date and timestamp values are parsed.

Previous behavior:

Some of the Hive date and timestamp functions used the `SimpleDateFormat` class for formatting and parsing date and timestamp. For more information, refer to the [SimpleDateFormat class Javadocs](#).

New behavior:

The following Hive date and timestamp functions are now enhanced to use the `DateTimeFormatter` class for printing and parsing date and timestamp objects. For more information, refer to the [DateTimeFormatter class Javadocs](#).

- `unix_timestamp()`: This function is enhanced to use the `DateTimeFormatter` class for String format dates instead of the `SimpleDateFormat` class. For details, see [HIVE-25458](#).
- `from_unixtime()`: This function is now enhanced to consider leap seconds. For details, see [HIVE-25403](#).
- `date_format()`: This function previously returned the output in UTC time zone and is now enhanced to display the default user session time zone. For details, see [HIVE-25093](#).
- `cast()`: This function is enhanced to display NULL when an incorrect date or timestamp is casted. Prior to this enhancement, when an incorrect date was casted, the function returned a converted value. For example, `cast ('2020-20-20' as date)` resulted in '2021-08-20' instead of NULL.

This is because the `DateTimeFormatter` class that is used to parse string into date or timestamp was set to `ResolverStyle.LENIENT`. This is now updated to use `ResolverStyle.STRICT` and returns NULL when an invalid date or timestamp is casted. For details, see [HIVE-25306](#).



Important: Two identical patterns can be interpreted differently by the `SimpleDateFormat` and `DateTimeFormatter` class leading to different results. Even if the same letters appear in the Javadocs of both the classes, their semantics might be different. Therefore, it is important that you read the Javadocs carefully to understand the behavior.

For example, consider the pattern "DD". In both, `SimpleDateFormat` and `DateTimeFormatter` class, the letter "D" represents the day in a year. However, the number of occurrences is interpreted differently by the classes.

If the date - July 19, 2023 is formatted using `SimpleDateFormat("D")`, the output results in 231.

If the same date - July 19, 2023 is formatted using `DateTimeFormatter("D")`, the output results in the following error:

```
Exception in thread "main" java.time.DateTimeException: Field DayOfYear cannot be printed as the value 200 exceeds the maximum print width of 2
```

For more details about the syntax and behavior of these functions, see [Hive LanguageManual UDF](#).



Note: Starting from CDP Private Cloud Base 7.1.8 version Cumulative hotfix 15, a new configurable `hive.datetime.formatter` property is introduced through [HIVE-25576](#) that enables you to choose between `SimpleDateFormat` and `DateTimeFormatter` for the `unix_timestamp` and `from_unixtime` SQL functions.

Although the `DateTimeFormatter` class is an improvement over `SimpleDateFormat`, some users may want to retain the old behavior to ensure compatibility after migration, therefore, making it necessary for introducing this property.

The possible values for the `hive.datetime.formatter` property are 'DATETIME' and 'SIMPLE' representing `DateTimeFormatter` and `SimpleDateFormat` respectively. The default value is set to 'DATETIME'.

Behavioral Changes in Apache Kafka

Learn about the change in certain functionality of Kafka that has resulted in a change in behavior from the previously released version to this version of Cloudera Runtime.

Summary:

Previously, Kafka data directories were configured as world-readable on the filesystem of the broker host. From now on, they are only readable by Kafka.

Previous behavior:

Kafka data directories were created with 755 permissions.

New behavior:

Kafka data directories are created with 0750 permissions.

Summary:

JMX authentication is enabled by default for the Kafka service. Additionally random passwords are now generated for both JMX users by default.

Previous behavior:

JMX authentication (Enable Authenticated Communication with the JMX Agent) was disabled by default.

New behavior:

JMX authentication (Enable Authenticated Communication with the JMX Agent) is now enabled by default. By default random passwords are generated for both JMX users.

Summary:

The default TLS protocol when using Java 11 or later is updated to TLS 1.3. TLS 1.2 remains the default for earlier Java versions. For more information, see [KIP-573](#).

Previous behavior:

The default TLS protocol used was TLS 1.2.

New behavior:

The default TLS protocol when using Java 11 or later is TLS 1.3.

Summary:

The `client.dns.lookup` client property is now set to `use_all_dns_ips` by default. With this option set, clients attempt to connect to the broker using all possible IP addresses of a hostname. This option reduces connection failure rates and is better suited for cloud and containerized environments where a single hostname might resolve to multiple IP addresses. For more information, see [KIP-602](#).

Previous behavior:

The default value of the `client.dns.lookup` client property was set to default.

New behavior:

The default value of the `client.dns.lookup` property is set to `use_all_dns_ips`.

Summary:

The default value for the following Kafka Connect properties is increased to 3:

- Offset Storage Topic Replication Factor (`offset.storage.replication.factor`)
- Configuration Storage Topic Replication Factor (`config.storage.replication.factor`)
- Status Storage Topic Replication Factor (`status.storage.replication.factor`)

Previous behavior:

The default value of the properties was set to 1.

New behavior:

The default value of the properties is set to 3.

Summary:

The FileStream example connectors (FileStreamSourceConnector and FileStreamsSinkConnector) are no longer available for deployment by default using the Kafka Connect Rest API, SMM UI, or SMM REST API. The JAR file of the connector is still shipped with Cloudera Runtime, but the connectors must be installed before they can be deployed. For more information on how to install Kafka Connect connectors, see [Installing Connectors](#)

Previous behavior:

The FileStream example connectors were available by default for deployment. In SMM, the connectors were selectable on the Connect ClusterConnector Setup page by default.

New behavior:

The FileStream example connectors must be installed before they can be deployed. In SMM, the connectors are no longer selectable on the Connect ClusterConnector Setup page by default.

Behavioral Changes in Apache Kudu

Learn about the change in certain functionality of Kudu that has resulted in a change in behavior from the previously released version to this version of Cloudera Runtime.

Behavioral Changes in Navigator Encrypt

Learn about the change in certain functionality of Navigator Encrypt that has resulted in a change in behavior from the previously released version to this version of Cloudera Runtime.

Summary:

Collection of statistics

Previous behavior:

By default, collection of statistics while using Navigator Encrypt is enabled.

New behavior:

By default, collection of statistics while using Navigator Encrypt is disabled.

Behavioral Changes in Apache Ranger

Learn about the change in certain functionality of Apache Ranger that has resulted in a change in behavior from the previously released version to this version of Cloudera Runtime.

Summary:

- [solr] ranger service definition: admin permissions
- [solr] ranger service definition: collection: query / update access types only
- [solr] ranger service definition: add new resource type 'admin'
- [solr] ranger service definition: add new resource type 'schema'
- [solr] ranger service definition: add new resource type 'config'

Previous behavior:

In versions < 7.1.8, creating a resource-based Solr policy in Ranger did not support admin, schema, and config resources.

New behavior:

In version 7.1.8 +, creating a resource-based Solr policy in Ranger now supports admin, schema, and config resources.

Behavioral Changes in Cloudera Search

Learn about the change in certain functionality of Cloudera Search that has resulted in a change in behavior from the previously released version to this version of Cloudera Runtime.



Note: From Cloudera Runtime 7.1.8 and higher, Cloudera Search behavioral changes are listed under [Apache Solr](#).

Behavioral Changes in Apache Solr

Learn about the change in certain functionality of Apache Solr that has resulted in a change in behavior from the previously released version to this version of Cloudera Runtime.

Summary:

Validation of `javax.security.auth.useSubjectCredsOnly` parameter changed in Solr client

Previous behavior:

Unless explicitly set to 'true', Solr client used to set the value of `javax.security.auth.useSubjectCredsOnly` parameter to 'false'.

New behavior:

Solr client does not overwrite 'null' value of `javax.security.auth.useSubjectCredsOnly` parameter, it only throws a warning during connection setup:

```
System Property: javax.security.auth.useSubjectCredsOnly set to:
[true|null] not false.
SPNEgo authentication may not be successful.
```

This may cause issues when connecting Solr to custom applications. To prevent this, set

```
-Djavax.security.auth.useSubjectCredsOnly=false
```

in the JVM configuration of those applications.



Note: For the Spark-Solr connector, use

```
spark-submit --driver-java-options "-Djavax.security
.auth.useSubjectCredsOnly=false"
```

Cloudera has implemented this change in MapReduceIndexer, CrunchIndexer, Hive-Solr connector, and Atlas.

FIPS Compliant Changes in Apache Impala

As an administrator, you must understand the FIPS compliant changes in Impala before configuring Impala Web UI to diagnose issues with each daemon on a particular host, or perform other administrative actions such as cancelling a running query from the built-in web server's UI.

Cloudera Manager supports two methods of authentication for secure access to the Impala Catalog Server, Impala Daemon, and StateStore web servers: password-based authentication and SPNEGO authentication. From this release, Impala embedded Web Server will not support HTTP password-based authentication in FIPS approved mode since it's based on MD5 and does not comply with FIPS 140-2.

For details on FIPS encryption, see [Configure CDP with FIPS-compliant encryption](#).

Behavioral Changes in Streams Messaging Manager

Learn about the change in certain functionality of Streams Messaging Manager that has resulted in a change in behavior from the previously released version to this version of Cloudera Runtime.

Summary:

The FileStream example connectors (FileStreamSourceConnector and FileStreamSinkConnector) are no longer available for deployment by default using the Kafka Connect Rest API, SMM UI, or SMM REST API. The JAR file of the connector is still shipped with Cloudera Runtime, but the connectors must be installed before they can be deployed. For more information on how to install Kafka Connect connectors, see [Installing Connectors](#)

Previous behavior:

The FileStream example connectors were available by default for deployment. In SMM, the connectors were selectable on the Connect ClusterConnector Setup page by default.

New behavior:

The FileStream example connectors must be installed before they can be deployed. In SMM, the connectors are no longer selectable on the Connect ClusterConnector Setup page by default.

Behavioral Changes in Streams Replication Manager

Learn about the change in certain functionality of Streams Replication Manager that has resulted in a change in behavior from the previously released version to this version of Cloudera Runtime.

Summary:

The internal topics used by SRM are now created with a replication factor of 3 by default.

Previous behavior:

The internal topics used by SRM were created with a replication factor of 1.

New behavior:

The internal topics used by SRM are created with a replication factor of 3.

Summary:

The default value of SRM Service Metrics Retention Period is increased to 72000 seconds (two hours).

Previous behavior:

The default of value of SRM Service Metrics Retention Period was 3600000 (one hour).

New behavior:

The default value of SRM Service Metrics Retention Period is 720000 seconds (two hours).

Summary:

The SRM Log Format property was moved to the service level from the SRM Service role level, and now applies to both SRM Service and SRM Driver. Changes made to the SRM Log Format property before upgrading to the new version are lost and must be applied again after the upgrade. The name of the log files of SRM Driver and SRM Service will contain the host name. Additionally, SRM Service now accepts all log configurations specified on the Cloudera Manager UI and does a size-based rotation of the log files instead of a time based rotation.

Previous behavior:

The SRM Log Format property only applied to the SRM Service.

New behavior:

The SRM Log Format property applies to both the SRM Driver and Service. The name of the log files of SRM Driver and SRM Service will contain the host name. Additionally, SRM Service now

accepts all log configurations specified on the Cloudera manager UI and does a size-based rotation of the log files instead of a time based rotation.

Summary:

When using the default replication policy (`DefaultReplicationPolicy`), the separator configured with the `replication.policy.separator` property now applies to the mm2-offsets-syncs and checkpoints internal topics. This change is only significant if you want to export translated group offsets right after upgrading your cluster, but before replication is restarted.

If for example you have been using a custom separator in a previous version and upgrade the cluster, after the upgrade a new set of internal topics will be automatically created using the separator that is configured. These topics, however, will be empty and will only be repopulated with data after replication restarts. Replication will restart once the cluster is up and running and new data is written to a source topic that is included in SRM's allow list.

If you want to export translated consumer group offsets after the upgrade but before replication starts, you must export the translated consumer group offsets from the old topics as the data is not yet available in the new topics. This is done by specifically instructing the `srn-control` tool to use the default separator, which is the dot (`.`). For example:

```
srn-control offsets --config [***CONFIG FILE***] --source [***SOURCE CLUSTER***] --target [***TARGET CLUSTER***] --group [***GROUP***] --export > out.csv
```

Where the `[***CONFIG FILE***]` specified in `--config` contains the following configuration entry:

```
replication.policy.separator=.
```

Previous behavior:

The custom separator set with `replication.policy.separator` only applied to remote (replicated) topics.

New behavior:

The custom separator set with `replication.policy.separator` is now applied to both remote (replicated) topics as well as the mm2-offsets-sync and checkpoints internal topics.

Behavioral Changes in Apache Hadoop YARN and YARN Queue Manager

Learn about the change in certain functionality of Apache Hadoop YARN and YARN Queue Manager that has resulted in a change in behavior from the previously released version to this version of Cloudera Runtime.

Summary:

Limit auto queue creation depth.

Previous behavior:

Depth of auto queue creation only limits the levels of queue path relative to its first existing parent queue.

New behavior:

Depth of auto queue creation limits the level of queue path relative to its first static parent queue.

Summary:

Cannot update individual child capacities using API.

Previous behavior:

Updating the capacity of individual child queues using API was supported.

New behavior:

The capacity of individual child queues cannot be updated using API.

Deprecation notices in Cloudera Runtime 7.1.8

Certain features and functionalities have been removed or deprecated in Cloudera Runtime 7.1.8. You must review these items to understand whether you must modify your existing configuration. You can also learn about the features that will be removed or deprecated in the future release to plan for the required changes.

Terminology

Items in this section are designated as follows:

Deprecated

Technology that Cloudera is removing in a future CDP release. Marking an item as deprecated gives you time to plan for removal in a future CDP release.

Moving

Technology that Cloudera is moving from a future CDP release and is making available through an alternative Cloudera offering or subscription. Marking an item as moving gives you time to plan for removal in a future CDP release and plan for the alternative Cloudera offering or subscription for the technology.

Removed

Technology that Cloudera has removed from CDP and is no longer available or supported as of this release. Take note of technology marked as removed since it can potentially affect your upgrade plans.

Removed Components and Product Capabilities

No components are deprecated or removed in this Cloudera Runtime release.

Please contact Cloudera Support or your Cloudera Account Team if you have any questions.

Oracle Instant Client library

The Oracle Instant Client library is deprecated or removed from the 7.1.8 release.

Removed Oracle Instant Client library from Cloudera Archive

The Oracle Instant Client library is no longer available on the Cloudera Archive for download. You must download the Oracle Instant Client library (both basic and SDK clients) from the [Oracle website](#). Oracle Instant Client library is needed if you want to use Oracle as a backend database for your Runtime components such as Hue.

Deprecation Notices for Apache Kafka

Certain features and functionality in Kafka are deprecated or removed in Cloudera Runtime 7.1.8. You must review these changes along with the information about the features in Kafka that will be removed or deprecated in a future release.



Important: The following list of deprecated and removed items is not exhaustive and only contains items that have a direct and immediate effect on Kafka in CDP. For a full list of deprecation and/or removals in the version Apache Kafka shipped with Runtime, review the *Notable Changes* as well as the *Release Notes* on <https://kafka.apache.org/>.

Removed

kafka-preferred-replica-election

The `kafka-preferred-replica-election.sh` command line tool is removed. Its alternative in CDP, `kafka-preferred-replica-election`, is also removed. Use `kafka-leader-election` instead.

--zookeeper

The `--zookeeper` option is removed from the `kafka-topics` and `kafka-reassign-partitions` command line tools. Use the `--bootstrap-server` option instead.

Deprecated

MirrorMaker (MM1)

MirrorMaker is deprecated. Cloudera recommends that you use Streams Replication Manager (SRM) instead.

--zookeeper

The `--zookeeper` option is only supported for the `kafka-configs` tool and should be only used when updating SCRAM Credential configurations. The `--zookeeper` option is either deprecated in or removed from other Kafka command line tools. Cloudera recommends that you use the `--bootstrap-server` option instead.

Deprecation notices in Streams Messaging Manager

Certain features and functionalities in Streams Messaging Manager (SMM) are deprecated or removed in Cloudera Runtime 7.1.8. You must review these changes along with the information about the features in SMM that will be removed or deprecated in a future release.

The lineage and aggregated metrics endpoints have their versions changed.

- The experimental v1 lineage endpoints changes include:
 - `/api/v1/admin/lineage/producers/{producerId}` is changed to `/api/v2/admin/lineage/producers/{producerId}`. The response object is not backward compatible, however, all the information is still present in a better structure.
 - `/api/v1/admin/lineage/consumersGroup/{consumersGroupId}` is changed to `/api/v2/admin/lineage/consumersGroup/{consumersGroupId}`. The response object is not backward compatible, however, all the information is still present in a better structure.
 - `/api/v1/admin/lineage/partitions/{topicName}` is changed to `/api/v2/admin/lineage/partitions/{topicName}`. The response object is unchanged.
 - `/api/v1/admin/lineage/partitions/{topicName}/{partitionId}` is changed to `/api/v2/admin/lineage/partitions/{topicName}/{partitionId}`. The response object is unchanged.
- The aggregated metrics endpoints changes include:
 - Every endpoint within `/api/v1/admin/metrics/aggregated/*` went through a version change to `/api/v2/admin/metrics/aggregated/*`.
 - The old endpoints are not accessible any more.
 - Most notably the `partitionMetrics` field is removed from all the endpoints and the information within is not accessible any more.

Deprecation Notices in HDFS

Certain features and functionality in HDFS are deprecated or removed in Cloudera Runtime 7.1.8. You must review these changes along with the information about the features in HDFS that will be removed or deprecated in a future release.

Use the following list to understand some of the deprecated items and incompatibilities if you are upgrading from CDH 5.x or higher or HDP 2.x or higher to CDP Private Cloud Base 7.1.8.

Known incompatibilities when upgrading from CDH and HDP

Cloudera Runtime uses Apache Hadoop 3.1.x whereas CDH 5.x and HDP 2.x use Apache Hadoop 2.6.x and 2.7.x respectively.

Major change

HADOOP-11661 and HADOOP-12967: The copyMerge function used to consolidate the PART* files has been removed. Instead, use the `hadoop fs -getmerge` shell command in Zeppelin or command line interface for Spark jobs.

Public APIs that are no longer available



Important: Some APIs listed as deprecated might not block your upgrade. Do not use the deprecated APIs in your existing applications after upgrade, and in new development, to avoid issues.

The following public APIs are no longer supported in CDP Private Cloud Base 7.1.8:

- `FileStatus.flags (boolean acl, boolean crypt, boolean ec, boolean sn)[static] : Set<FileStatus.AttrFlags>`
- `FileStatus.setSnapshotEnabledFlag (boolean isSnapshotEnabled) : void`
- `SpanReceiverInfo.getClassName () : String`
- `SpanReceiverInfo.getId () : long`
- `SpanReceiverInfoBuilder.addConfigurationPair (String key, String value) : void`
- `SpanReceiverInfoBuilder.build () : SpanReceiverInfo`
- `SpanReceiverInfoBuilder.SpanReceiverInfoBuilder (String className)`

Class or method changes

[#] `HdfsFileStatus`

Change	Effect
This class is an interface	A client program might be interrupted by an <code>IncompatibleClassChangeError</code> or <code>InstantiationError</code> exception depending on the usage of this class.

[#] `MBeans`

Change	Effect
This class is final	A client program might be interrupted by a <code>VerifyError</code> exception.

[#] `HdfsAuditLogger`

Change	Effect
The Method <code>HdfsAuditLogger.logAuditEvent (boolean, String, InetAddress, String, String, String, FileStatus, CallerContext, UserGroupInformation, DelegationTokenSecretManager)</code> is abstract.	A client program might be interrupted by an <code>InstantiationError</code> exception.

[#] `MBeans.MBeans()`

[org/apache/hadoop/metrics2/util/MBeans."<init>":()V]

Change	Effect
The public access level for this class is private.	A client program might be interrupted by an <code>IllegalAccessError</code> exception.

[#] `HdfsAuditLogger.logAuditEvent (boolean succeeded, String userName, InetAddress addr, String cmd, String src, String dst, FileStatus stat, CallerContext callerContext, UserGroupInformation ugi, DelegationTokenSecretManager dtSecretManager) : void`

Change	Effect
This method is abstract.	A client program trying to create an instance of the method's class might be interrupted by an <code>InstantiationException</code> exception.

Fixed Common Vulnerabilities and Exposures 7.1.8

Common Vulnerabilities and Exposures (CVE) that is fixed in this release.

- [CVE-2022-22950](#) - n Spring Framework
- [CVE-2022-33891](#) - Apache Spark
- [CVE-2019-0210](#) - Apache Thrift
- [CVE-2016-2402](#) - OkHttp
- [CVE-2020-14060](#) - Jackson Databind
- [CVE-2022-25762](#) - Apache Tomcat
- [CVE-2021-22060](#) - Spring Framework
- [CVE-2021-22137](#) - Elasticsearch
- [CVE-2017-7525](#) - Jackson Databind
- [CVE-2020-36183](#) - Jackson Databind
- [CVE-2022-29885](#) - Apache Tomcat
- [CVE-2021-38153](#) - Kafka
- [CVE-2021-22696](#) - Apache CXF
- [CVE-2021-39231](#) - Apache Ozone
- [CVE-2021-36373](#) - Apache Ant
- [CVE-2020-24750](#) - Jackson Databind
- [CVE-2020-36179](#) - Jackson Databind
- [CVE-2021-45105](#) - Apache Log4j
- [CVE-2018-1320](#) - Apache Thrift
- [CVE-2020-27218](#) - Eclipse Jetty
- [CVE-2021-28169](#) - Eclipse Jetty
- [CVE-2020-29582](#) - Kotlin
- [CVE-2021-44228](#) - Apache Log4j
- [CVE-2021-45046](#) - Apache Log4j
- [CVE-2017-7536](#) - Hibernate Validator
- [CVE-2021-44906](#) - Minimist
- [CVE-2021-39232](#) - Apache Ozone
- [CVE-2020-14061](#) - Jackson Databind
- [CVE-2021-22096](#) - Spring Framework
- [CVE-2021-22144](#) - Elasticsearch
- [CVE-2016-5397](#) - Apache Thrift
- [CVE-2020-10673](#) - Jackson Databind
- [CVE-2021-39234](#) - Apache Ozone
- [CVE-2021-3820](#) - Inflect
- [CVE-2021-28163](#) - Eclipse Jetty
- [CVE-2020-36184](#) - Jackson Databind
- [CVE-2021-37714](#) - Jsoup
- [CVE-2020-36181](#) - Jackson Databind
- [CVE-2020-13955](#) - HttpUtils
- [CVE-2020-36189](#) - Jackson Databind
- [CVE-2020-36185](#) - Jackson Databind

- [CVE-2021-39233](#) - Apache Ozone
- [CVE-2021-42340](#) - Apache Tomcat
- [CVE-2021-41079](#) - Apache Tomcat
- [CVE-2020-36186](#) - Jackson Databind
- [CVE-2021-36372](#) - Apache Ozone
- [CVE-2021-31812](#) - Apache PDFBox
- [CVE-2021-33037](#) - Apache Tomcat
- [CVE-2021-20218](#) - Kubernetes-Client
- [CVE-2022-24329](#) - Kotlin
- [CVE-2021-41303](#) - Apache Shiro
- [CVE-2020-36180](#) - Jackson Databind
- [CVE-2020-13954](#) - Apache CXF
- [CVE-2020-13939](#) - Velocity
- [CVE-2021-20190](#) - Jackson databind
- [CVE-2021-31811](#) - Apache PDFBox
- [CVE-2021-22135](#) - Elasticsearch
- [CVE-2018-11798](#) - Apache Thrift
- [CVE-2020-36182](#) - Jackson Databind
- [CVE-2020-17517](#) - Apache Ozone
- [CVE-2020-27223](#) - Eclipse Jetty
- [CVE-2020-36188](#) - Jackson Databind
- [CVE-2021-30640](#) - Apache Tomcat
- [CVE-2022-30973](#) - Apache Tika
- [CVE-2021-44832](#) - Apache Log4j2
- [CVE-2021-34429](#) - Eclipse Jetty
- [CVE-2020-24616](#) - Jackson Databind
- [CVE-2021-22573](#) - Google Oauth Client
- [CVE-2022-24613](#) - Metadata Extractor
- [CVE-2020-36187](#) - Jackson Databind
- [CVE-2020-35490](#) - Jackson Databind
- [CVE-2019-5427](#) - c3p0
- [CVE-2021-41532](#) - Apache Ozone
- [CVE-2021-28657](#) - Apache Tika
- [CVE-2020-9488](#) - Apache Log4j2
- [CVE-2018-1000873](#) - Jackson
- [CVE-2020-35491](#) - Jackson Databind
- [CVE-2021-41269](#) - Cron Utils
- [CVE-2021-22118](#) - Spring Framework
- [CVE-2021-40690](#) - Apache Santuario - xml security
- [CVE-2022-23596](#) - Junrar
- [CVE-2018-7489](#) - Jackson Databind
- [CVE-2021-34428](#) - Eclipse Jetty
- [CVE-2021-28165](#) - Eclipse Jetty
- [CVE-2020-35728](#) - Jackson Databind
- [CVE-2020-17521](#) - Apache Groovy
- [CVE-2022-23181](#) - Apache Tomcat
- [CVE-2021-39236](#) - Apache Ozone
- [CVE-2021-36374](#) - Apache Ant
- [CVE-2021-30468](#) - Apache CXF
- [CVE-2022-32532](#) - Apache Shiro

- [CVE-2021-33036](#) - Apache Hadoop
- [CVE-2020-14062](#) - Jackson Databind
- [CVE-2021-28164](#) - Eclipse Jetty
- [CVE-2021-39235](#) - Apache Ozone
- [CVE-2020-14195](#) - Jackson Databind
- [CVE-2020-5397](#) - Spring Framework
- [CVE-2019-0205](#) - Apache Thrift
- [CVE-2020-27216](#) - Eclipse Jetty
- [CVE-2021-22145](#) - Elasticsearch
- [CVE-2021-22132](#) - Elasticsearch
- [CVE-2021-22134](#) - Elasticsearch
- [CVE-2021-45456](#) - Kylin
- [CVE-2021-45457](#) - Kylin
- [CVE-2021-45458](#) - Kylin
- [CVE-2021-31522](#) - Kylin
- [CVE-2021-36774](#) - Kylin
- [CVE-2021-27738](#) - Kylin
- [CVE-2021-45458](#) - Kylin
- [CVE-2021-42357](#) - Knox
- [CVE-2020-11987](#) - Apache Poi
- [CVE-2021-23358](#) - underscore.js
- [CVE-2021-22147](#) - Elasticsearch
- [CVE-2021-22119](#) - Spring-security
- [CVE-2020-15250](#) - JUnit
- [CVE-2020-7774](#) - y18n
- [CVE-2021-33502](#) - normalize-url
- [CVE-2021-23424](#) - ansi-html
- [CVE-2021-3807](#) - ansi-regex
- [CVE-2021-27290](#) - ssri
- [CVE-2021-23343](#) - path-parse
- [CVE-2020-7788](#) - ini
- [CVE-2021-30459](#) - django-debug-toolbar
- [CVE-2020-28469](#) - glob-parent
- [CVE-2020-7729](#) - grunt
- [CVE-2021-32803](#) - tar
- [CVE-2021-32804](#) - tar
- [CVE-2021-37712](#) - tar
- [CVE-2021-37713](#) - tar
- [CVE-2021-37701](#) - tar
- [CVE-2021-43795](#) - armeria
- [CVE-2021-23337](#) - Lodash
- [CVE-2021-3777](#) - tmpl
- [CVE-2020-8116](#) - tdot-prop
- [CVE-2021-42740](#) - shell-quote
- [CVE-2021-23807](#) - jsonpointer
- [CVE-2016-2510](#) - testng (shaded beanshell)
- [CVE-2020-13946](#) - Apache Cassandra
- [CVE-2020-17516](#) - Apache Cassandra
- [CVE-2018-8016](#) - Apache Cassandra
- [CVE-2022-25168](#) - Apache Hadoop

Cumulative hotfixes

You can review the list of cumulative hotfixes that were shipped for CDP Private Cloud Base version 7.1.8

Cumulative hotfix CDP Private Cloud Base 7.1.8.68-1 (Cumulative hotfix27)

Know more about the cumulative hotfix 27 for CDP 7.1.8. This cumulative hotfix was released on August 29, 2024.



Note: Contact Cloudera Support for questions related to a specific hotfix.

Following are the list of fixes that were shipped for CDP Private Cloud Base version 7.1.8-1.cdh7.1.8.p68.56795344.

COMPX-16285: Backport YARN-6523

Optimized the system credentials sent in node heartbeat responses.

CDPD-73442: IMPALA-13313 Potential deadlock in ImpalaServer::ExpireQueries()

When `idle_query_timeout` was set in a session, new queries stopped responding for that session and failed. This deadlock issue occurred in long-running sessions and is now resolved.

CDPD-73423: Ranger - Upgrade Spring Framework to 6.1.12/6.0.23/5.3.39 due to CVE-2024-38808 and CVE-2024-38809

Upgraded the Spring Framework version to 5.3.39 due to CVE-2024-38808 and CVE-2024-38809.

CDPD-73065: Backport HIVE-25773 to CDH-7.1.8.x

Fixed an issue where column descriptors were not deleted even though the related partition was dropped.

CDPD-72703: Altering a Kudu table with per-range hash partitions might make the table unusable

Fixed an issue where altering a table with per-range hash bucketing by dropping or adding a particular number of columns made the table inaccessible for Kudu client applications.

CDPD-72621: HWC - Support default constraints while writing into a table

Added support for default constraints while writing into a table in Hive Warehouse Connector.

CDPD-72292, CDPD-72149: [Private Cloud Releases] Upgrade requireJS due to CVE-2024-38998 and CVE-2024-38999

Upgraded the RequireJS version due to CVE-2024-38998 and CVE-2024-38999.

CDPD-70357: [7.1.x] Do not call HMS to get list of pruned partitions when translated filter is empty

Minimized the calls to Hive Metastore (HMS) layer to get the partitions list by making one call for each table irrespective of repetition.

CDPD-69196, CDPD-69231: [718 CHF27] revokeAccess() behaves differently from secureRevokeAccess() after RANGER-4638

Multiple columns policy creation is now supported in Ranger for Grant / Revoke request.

CDPD-66882: [718 CHF27] IMPALA-12554 Create only one Ranger policy for GRANT statement

Impala now creates only one Ranger policy for a GRANT statement when there are multiple columns specified. This reduces the number of policies created on the Ranger server.

CDPD-64940: [718 CHF27] RANGER-4585 Support multiple columns policy creation in ranger for Grant / Revoke request

Multiple columns policy creation is now supported in Ranger Policy for Grant / Revoke request.

CDPD-63092: Avro - CVE-2023-39410

When deserializing untrusted data, there was a possibility for a reader to consume memory beyond the allowed constraints, leading to out of memory on the system. This issue affected Java applications using Apache Avro Java SDK up to and including 1.11.2. This issue is resolved by updating to Apache-Avro version 1.11.3.

CDPD-58012: Spark SQL editor (Spark3 with Livy) does not reflect output when rendering array and map columns

Complex data types are now supported for SparkSQL editor in Hue.

Common Vulnerabilities and Exposures (CVE) fixed in this release:

- CVE-2024-38999 - RequireJS
- CVE-2024-38998 - RequireJS

Table 6: Cloudera Runtime 7.1.8.68 (Cumulative Hotfix 27) download URL:

Repository Location
<code>https://[[***USERNAME***]] : [***PASSWORD***] @archive.cloudera.com/p/cdh7/7.1.8.68/parcels/</code>

Technical Service Bulletin

TSB 2024-775: FileNotFoundException for Ozone Filesystem JAR during or after CDP installation or upgrade

A potential availability issue has been found with services that have an Ozone client dependency on the ozone-filesystem-hadoop3 fat JAR file when upgrading the Cloudera Data Platform (CDP) Private Cloud Base cluster from version 7.1.8 to 7.1.9. This issue may also affect service installations, runs, and restarts during or after the CDP Private Cloud Base installation or upgrade.

The following exception appears on the Cloudera Manager User Interface (UI) or in the log files of the respective service when an installation, upgrade or other operations fail due to this issue: ``java.io.FileNotFoundException: /path/to/ozone-filesystem-hadoop3-<version>.jar (No such file or directory)``.

The failure is caused by the broken symbolic link: `/var/lib/hadoop-hdfs/ozone-filesystem-hadoop3.jar`. This issue arises if the hdfs user already exists on the node before the Cloudera Runtime parcel activation. When the hdfs user already exists on the node, the Cloudera Manager agent skips the initialization related to Hadoop Distributed File System (HDFS), which includes creating the `/var/lib/hadoop-hdfs` directory. As the path is not created, the symbolic link cannot be created during the parcel activation process. This results in a series of broken symbolic links that point to the Ozone binaries.

Knowledge article

For the latest update on this issue see the corresponding Knowledge Article: [TSB 2024-775: FileNotFoundException for the Ozone FS JAR during or after installation or upgrade](#)

Cumulative hotfix CDP Private Cloud Base 7.1.8.65-1 (Cumulative hotfix26)

Know more about the cumulative hotfix 26 for CDP 7.1.8. This cumulative hotfix was released on August 2, 2024.

 **Note:** Contact Cloudera Support for questions related to a specific hotfix.

Following are the list of fixes that were shipped for CDP Private Cloud Base version 7.1.8-1.cdh7.1.8.p65.55816070.

KT-7572, KT-7568: 7.1.8.x Keytrustee-keyhsm build failed on CentOS 7

Change in docker image for CentOS 7 resulted in build failure for KeyHSM. This issue is now resolved and changes are now made by downloading and installing necessary packages to pass the build and generate packages.

CDPD-72040: Backport IMPALA-13170 to 7.1.8: Ops listing databases/tables should handle database that does not exist

An error message `InconsistentMetadataFetchException` occurred when running `show databases` in Impala while simultaneously executing `drop database` to drop the newly created database in Hive. This issue is now resolved.

CDPD-71943: [718 CHF CLONE] - Deleted resource mapping is not removed from the plugin's cache

When a Hive database/table is removed, corresponding resource-mapping is removed from the plugin's in-memory cache.

When a storage (HDFS/Ozone/S3) is configured to use Resource Mapping Server (RMS), the storage locations of Hive/Impala database/table objects are maintained by the RMS server, and provided to the Ranger authorizer running in the storage service. This feature ensures that when a Hive database/table is removed, mapping information for the removed object is cleared from the resource-mappings provided to the storage service.

CDPD-71851: Backport IMPALA-13130 to 7.1.8 CHF

Under heavy load, Impala reached maximum memory for Data Stream operations and `DataStreamService` could not differentiate between types of requests and rejected requests. This issue is now resolved and `EndDataStream` is prioritized, especially under heavy load, to complete work and release resources more quickly.

CDPD-71580: Workaround needed for Bootbox due to CVE-2023-46998

`Bootbox.js` library was outdated. It is now removed and a new library `Bootprompt` is now used.

CDPD-69970: Support custom delimiter in `SkippingTextInputFormat`

Previously, when select count or any query was executed, the whole text was considered as a single line. This issue is now resolved and a custom delimiter in `SkippingTextInputFormat` is now supported.

CDPD-69782: Users observing role change from `ROLE_SYS_ADMIN` to `ROLE_USER`

The `updateUserRoleAssignments` function in Ranger-admin reset the role of the user from admin to user role for users which were part of the request but were not part of the same page when paged requests were sent to Ranger-admin from Ranger-usersync. This issue is now resolved.

CDPD-69084: Fulltext search with special queries fails if Atlas is not active

Fixed redirected URLs to handle Fulltext search with special queries.

CDPD-68849: Set `kerberosEnableCanonicalHostnameCheck=false` in Beeline on CDP Private Cloud Base

Previously, there was no support when using Kerberos authorisation when connecting to the Hive Virtual Warehouse (VW) using Private Cloud Base Beeline. This issue is now resolved and `kerberosEnableCanonicalHostnameCheck` is now set to false.

CDPD-68490: Zeppelin: Upgrade JLine to 3.25.1 due to CVE-2023-50572

Upgraded the JLine version to 3.25.1 due to CVE-2023-50572.

CDPD-57994: Hue import not creating external tables

Previously, there was restriction to create only managed tables with Parquet and Optimized Row Columnar (ORC) formats. This issue is now resolved and external tables can now be created.

CDPD-48047: Hue - Upgrade Bouncy Castle to 1.70 due to security CVE

Upgraded the Bouncy Castle version to 1.70 due to security CVE.

CDPD-45484: Enable support passphrase supported SSL Keyfile in KNOWN location

Passphrase is now supported for Secure Sockets Layer (SSL) Keyfile and a tmpfile() is now generated in the HUE_CONF_DIR directory.

Common Vulnerabilities and Exposures (CVE) fixed in this release:

- CVE-2023-45857 - Axios

Table 7: Cloudera Runtime 7.1.8.65 (Cumulative Hotfix 26) download URL:

Repository Location

```
https://[***USERNAME***]:[***PASSWORD***]@archive.cloudera.com/p/cdh
7/7.1.8.65/parcels/
```

Technical Service Bulletin

TSB 2024-775: FileNotFoundException for Ozone Filesystem JAR during or after CDP installation or upgrade

A potential availability issue has been found with services that have an Ozone client dependency on the ozone-filesystem-hadoop3 fat JAR file when upgrading the Cloudera Data Platform (CDP) Private Cloud Base cluster from version 7.1.8 to 7.1.9. This issue may also affect service installations, runs, and restarts during or after the CDP Private Cloud Base installation or upgrade.

The following exception appears on the Cloudera Manager User Interface (UI) or in the log files of the respective service when an installation, upgrade or other operations fail due to this issue: `java.io.FileNotFoundException: /path/to/ozone-filesystem-hadoop3-<version>.jar (No such file or directory).

The failure is caused by the broken symbolic link: /var/lib/hadoop-hdfs/ozone-filesystem-hadoop3.jar. This issue arises if the hdfs user already exists on the node before the Cloudera Runtime parcel activation. When the hdfs user already exists on the node, the Cloudera Manager agent skips the initialization related to Hadoop Distributed File System (HDFS), which includes creating the /var/lib/hadoop-hdfs directory. As the path is not created, the symbolic link cannot be created during the parcel activation process. This results in a series of broken symbolic links that point to the Ozone binaries.

Knowledge article

For the latest update on this issue see the corresponding Knowledge Article: [TSB 2024-775: FileNotFoundException for the Ozone FS JAR during or after installation or upgrade](#)

Cumulative hotfix CDP Private Cloud Base 7.1.8.64-1 (Cumulative hotfix25)

Know more about the cumulative hotfix 25 for CDP 7.1.8. This cumulative hotfix was released on July 1, 2024.



Note: Contact Cloudera Support for questions related to a specific hotfix.

Following are the list of fixes that were shipped for CDP Private Cloud Base version 7.1.8-1.cdh7.1.8.p64.54713997.

CDPD-71356: Temporarily disable the Tasks tab on the Entity Detail page

In the **Entity Detail** page, the API of the Tasks tab now displays information depending on the server side property atlas.tasks.ui.tab.enabled. This property was set to false previously.

CDPD-70842: Backport IMPALA-13102 to 7.1.8 CHF to fix table loading failures with invalid statistics

Impala did not load tables with invalid statistics. This issue is now resolved.

CDPD-70293: Impala executor crashes when it is restarted

Impala executor stopped responding whenever it was restarted. This occurred when extra loads were added to the Impala cluster. This issue is now resolved.

CDPD-70103: Backport the fix for the "TestLdapGroupsMapping failing -string mismatch in exception validation" issue to CDH-7.1.8.x

The command `TestLdapGroupsMapping` failed due to mismatch in the exception strings breaking the validation code. This issue is now resolved.

CDPD-70019: Add a shell script to run authorization-related tests

A shell script is now added to allow users to run authorization-related tests against specified Impala and Ranger patches.

CDPD-70002: Ranger RMS gives all permissions to the user through the Create permission

An additional check is now performed to ensure that the user attempting to alter a HDFS directory that maps to the Hive database is the owner of the Hive database for the attempted operation.

CDPD-69948: Backport "LdapGroupsMapping\$LdapSslSocketFactory ClassNotFoundException" to 7.1.8.x

When using the `LdapGroupsMapping` group mapping mechanism along with Secure Socket Layer (SSL) enabled, it led to the `ClassNotFoundException` error when called through native threads. This issue is now resolved.

CDPD-69794: Backport ZOOKEEPER-3331, where the IP ACL is not working with NettyServerCnxnFactory, to ZooKeeper 3.5.x versions

The IP Access Control List (ACL) method did not work when Transport Layer Security (TLS) was enabled on the cluster and the HBase and YARN services failed to start due to `NoAuth` exception. This issue is now resolved.

CDPD-69743: Backport IMPALA-11901 to CDP 7.1.8 CHF, where COPY TESTCASE is broken in LocalCatalog mode

The `COPY TESTCASE FROM/TO` was not supported in `LocalCatalog` mode. This is now fixed and the `COPY TESTCASE` is now supported in the `LocalCatalog` mode.

CDPD-69608: Ranger Tagsync has a Out of Memory issue

An issue caused Ranger Tagsync to run out of memory. This issue is now resolved.

CDPD-69607: Fix for "CDPD-67823 - Ranger RMS gives all permissions to the user through the Create permission" issue may cause NPE

Ranger RMS gave all permissions to the user through the Create permission. This caused an `NullPointerException` (NPE) if the `ownerUser` value for Hive entities in the resource-mappings was not populated. This issue is now resolved.

CDPD-68793: Hadoop - Upgrade Kafka Clients due to CVEs

Upgraded Kafka clients due to CVE-2023-25194, CVE-2021-38153 and CVE-2018-17196.

CDPD-64420: IMPALA-12602 Timed out queries are not unregistered until session is closed

Queries halted by the `idle_query_timeout` and `QUERY_TIMEOUT_S` are now closed rather than being left `Waiting for Client`. Error details are retrieved as part of the session that initiated the query.

There are no Common Vulnerabilities and Exposures (CVE) fixed in this release.

Table 8: Cloudera Runtime 7.1.8.64 (Cumulative Hotfix 25) download URL:**Repository Location**

```
https://[ [***USERNAME***] ] : [ [***PASSWORD***] ] @archive.cloudera.com/p/cdh
7/7.1.8.64/parcels/
```

Technical Service Bulletin

TSB 2024-775: FileNotFoundException for Ozone Filesystem JAR during or after CDP installation or upgrade

A potential availability issue has been found with services that have an Ozone client dependency on the ozone-filesystem-hadoop3 fat JAR file when upgrading the Cloudera Data Platform (CDP) Private Cloud Base cluster from version 7.1.8 to 7.1.9. This issue may also affect service installations, runs, and restarts during or after the CDP Private Cloud Base installation or upgrade.

The following exception appears on the Cloudera Manager User Interface (UI) or in the log files of the respective service when an installation, upgrade or other operations fail due to this issue: ``java.io.FileNotFoundException: /path/to/ozone-filesystem-hadoop3-<version>.jar (No such file or directory)`.

The failure is caused by the broken symbolic link: `/var/lib/hadoop-hdfs/ozone-filesystem-hadoop3.jar`. This issue arises if the hdfs user already exists on the node before the Cloudera Runtime parcel activation. When the hdfs user already exists on the node, the Cloudera Manager agent skips the initialization related to Hadoop Distributed File System (HDFS), which includes creating the `/var/lib/hadoop-hdfs` directory. As the path is not created, the symbolic link cannot be created during the parcel activation process. This results in a series of broken symbolic links that point to the Ozone binaries.

Knowledge article

For the latest update on this issue see the corresponding Knowledge Article: [TSB 2024-775: FileNotFoundException for the Ozone FS JAR during or after installation or upgrade](#)

Cumulative hotfix CDP PvC Base 7.1.8.61-1 (Cumulative hotfix24)

Know more about the cumulative hotfix 24 for CDP 7.1.8. This cumulative hotfix was released on May 28, 2024.



Note: Contact Cloudera Support for questions related to a specific hotfix.

Following are the list of fixes that were shipped for CDP Private Cloud Base version 7.1.8-1.cd7.1.8.p61.53483863.

COMPX-16624: YARN-11191 Global Scheduler refreshQueue caused deadLock

Fixed a potential deadlock in the preemption manager (refreshQueue).

COMPX-16616: YARN-11684 PriorityQueueComparator violates general contract

Fixed the Comparison method violates its general contract error in the PriorityUtilizationQueueOrderingPolicy.

CDPD-69814, CDPD-69816, CDPD-69811, CDPS-69629, CDPD-69628: test_refresh_invalidate_events failed after IMPALA-11808 due to missing IMPALA-8592

Fixed an issue caused by incorrectly resolved merge conflict while backporting Impala patches.

CDPD-69579: Backport PHOENIX-6687 to 7.1.8 CHF24

The region server hosting the SYSTEM.CATALOG, failed to serve metadata requests as default handler pool threads were exhausted. This issue is now resolved.

CDPD-69310: [7.1.8 CHF24 CLONE] - Enhance handling of subAccess authorization in Ranger HDFS plugin

Enhanced the handling of subAccess authorization in Ranger HDFS plugin.

CDPD-69271: Ranger override policy is not working

The override policy in Ranger was not working after an upgrade. This issue is now resolved.

CDPD-69000: Backport Impala's event processor critical fixes to CDH-7.1.8.x branch

Critical fixes are backported to Impala's event processor.

CDPD-68796: Zeppelin - Upgrade Apache Maven to 3.8.6 due to CVE-2021-26291

Upgraded the Apache Maven version to 3.8.6 to resolve CVE-2021-26291. Now, HTTP (non-SSL) repository references in Project Object Model (POM) files are no longer followed, thereby mitigating the risks of malicious code injection.

CDPD-68683: The Table Browser should not fetch column comments for each column

A table with thousand of columns did not respond in Table Browser. This issue is now resolved.

CDPD-68596: IMPALA-12969 DeserializeThriftMsg may leak JNI resources

In Java Native Interface (JNI) GetByteArrayElements must be followed by a ReleaseByteArrayElements call, but this did not occur when there was an error during deserialization. This issue is now resolved.

CDPD-68489: Ranger - Upgrade jline version to 3.25.1 due to CVE-2023-50572

Upgraded the jline version to 3.25.1 due to CVE-2023-50572.

CDPD-68256: CDPD - Upgrade commons-configuration2 to 2.10.1 due to CVE-2024-29133 and CVE-2024-29131

Upgraded the commons-configuration2 package version to 2.10.1 due to CVE-2024-29133 and CVE-2024-29131.

CDPD-68255: Ozone - Upgrade commons-configuration2 to 2.10.1 due to CVE-2024-29133 and CVE-2024-29131

Upgraded commons-configuration2 package version to 2.10.1 due to CVE-2024-29133 and CVE-2024-29131.

CDPD-67224: Ozone - Upgrade Spring Framework to 6.1.6/6.0.19/5.3.34 due to CVE-2024-22243, CVE-2024-22259 and CVE-2024-22262

Upgraded the Spring Framework version to 5.3.34 due to CVE-2024-22243, CVE-2024-22259 and CVE-2024-22262.

CDPD-64234: Ozone - Upgrade Apache Derby to 10.17.1.0 due to CVE-2022-46337

Upgraded the Apache Derby version to 10.14.3.0 due to CVE-2022-46337.

There are no Common Vulnerabilities and Exposures (CVE) fixed in this release.

Table 9: Cloudera Runtime 7.1.8.61 (Cumulative Hotfix 24) download URL:

Repository Location
<code>https://[username]:[***PASSWORD***]@archive.cloudera.com/p/cdh7/7.1.8.61/parcels/</code>

Technical Service Bulletin

TSB 2024-775: FileNotFoundException for Ozone Filesystem JAR during or after CDP installation or upgrade

A potential availability issue has been found with services that have an Ozone client dependency on the ozone-filesystem-hadoop3 fat JAR file when upgrading the Cloudera Data Platform (CDP) Private Cloud Base cluster from version 7.1.8 to 7.1.9. This issue may also affect service installations, runs, and restarts during or after the CDP Private Cloud Base installation or upgrade.

The following exception appears on the Cloudera Manager User Interface (UI) or in the log files of the respective service when an installation, upgrade or other operations fail due to this issue: ``java.io.FileNotFoundException: /path/to/ozone-filesystem-hadoop3-<version>.jar (No such file or directory).`

The failure is caused by the broken symbolic link: `/var/lib/hadoop-hdfs/ozone-filesystem-hadoop3.jar`. This issue arises if the hdfs user already exists on the node before the Cloudera Runtime parcel activation. When the hdfs user already exists on the node, the Cloudera Manager agent skips the initialization related to Hadoop Distributed File System (HDFS), which includes creating the `/var/lib/hadoop-hdfs` directory. As the path is not created, the symbolic link cannot be created during the parcel activation process. This results in a series of broken symbolic links that point to the Ozone binaries.

Knowledge article

For the latest update on this issue see the corresponding Knowledge Article: [TSB 2024-775: FileNotFoundException for the Ozone FS JAR during or after installation or upgrade](#)

Cumulative hotfix CDP PvC Base 7.1.8.60-2 (Cumulative hotfix23)

Know more about the cumulative hotfix 23 for 7.1.8. This cumulative hotfix was released on May 09, 2024.



Note: Contact Cloudera Support for questions related to a specific hotfix.

Following are the list of fixes that were shipped for CDP Private Cloud Base version 7.1.8-1.cdh7.1.8.p60.52989425.

KT-7540: Keytrustee-keyhsm - Upgrade protobuf-java to 3.16.3/3.19.6/3.20.3/3.21.7 due to CVE-2022-3171

Upgraded the protobuf-java version to 3.16.3/3.19.6/3.20.3/3.21.7 due to CVE-2022-3171.

KT-7536: Keytrustee-keyhsm - Upgrade Jetty to 9.4.54.v20240208 due to CVE-2024-22201

Upgraded the Jetty version to 9.4.54.v20240208 due to CVE-2024-22201.

KT-7530: Keytrustee-keyhsm - Upgrade Spring Framework to 6.1.6/6.0.19/5.3.34 due to CVE-2024-22243, CVE-2024-22259 and CVE-2024-22262

Upgraded the Spring Framework version to 6.1.6/6.0.19/5.3.34 due to CVE-2024-22243, CVE-2024-22259 and CVE-2024-22262.

CDPD-69086: Backport CALCITE-6280 to 7.1.8 CHF23

There was a number leak of the Jetty's version while using the Avatica HTTP server. This issue is now resolved and the Avatica server no longer displays the Jetty version in HTTP responses.

CDPD-68944: set bcpkix-jdk15on version to 1.70+ in HBase

Upgraded the bcpkix-jdk15on library version to 1.70+ in HBase due to CVE-2019-17359.

CDPD-68843: Ranger [7.1.8 CHFx] - Upgrade Netty to 4.1.108.Final due to CVE-2024-29025

Upgraded the Netty version to 4.1.108 due to CVE-2024-29025.

CDPD-68807: Ranger - Upgrade Spring Framework to 6.1.6/6.0.19/5.3.34 due to CVE-2024-22243, CVE-2024-22259 and CVE-2024-22262

Upgraded Spring Framework to 6.1.6/6.0.19/5.3.34 due to CVE-2024-22243, CVE-2024-22259 and CVE-2024-22262.

CDPD-68737: Ranger - Upgrade Opensearch to 1.3.15 due to CVE-2023-45807

Upgraded Opensearch version to 1.3.15 due to CVE-2023-45807.

CDPD-68712: Zeppelin build failed because of the old phoenix-hbase-compat-2.2.5 artifact

Zeppelin build failed when using the old phoenix-hbase-compat-2.2.5 artifact. This issue is now fixed by using a newer version of phoenix-hbase-compat.

CDPD-68471: Atlas [7.1.8 CHFx] - Upgrade Netty to 4.1.108.Final due to CVE-2024-29025

Upgraded the Netty version to 4.1.108 due to CVE-2024-29025.

CDPD-68282: SMM UI - Upgrade Node JS version to 20.12.1 due to multiple CVEs

Upgraded the Node JS version to 20.12.1 due to various CVEs.

CDPD-67896: [718 CHF23] IMPALA-10399, IMPALA-11060, IMPALA-11788: Reset Ranger policy repository in an E2E test

Stabalized Impala's own authorization-related tests better.

CDPD-67803: Backport IMPALA-12189 to 7.1.8.x

The `updateCatalog` command did not release the catalog lock whenever `createTblTransaction()` threw exceptions. This issue is now resolved.

CDPD-67608: SMM - Upgrade Jetty to 9.4.54.v20240208 due to CVE-2024-22201

Upgraded the Jetty version to 9.4.54.v20240208 due to various CVEs

CDPD-67307: Upgrade NodeJS version to 20.11.1 due to CVEs

Upgraded the NodeJS version to 20.11.1 due to CVEs.

CDPD-67227: SMM - Upgrade Spring Framework to 6.1.6/6.0.19/5.3.34 due to CVE-2024-22243, CVE-2024-22259 and CVE-2024-22262

Upgraded the Spring Framework to 6.1.6/6.0.19/5.3.34 due to various CVEs

CDPD-67124: SMM - Upgrade Hibernate-Validator to 6.2.5.Final due to CVE-2023-1932

Upgraded Hibernate-Validator to 6.2.5 due to CVE-2023-1932.

CDPD-67110: Ranger - Upgrade json-smart due to CVE-2023-1370

Upgraded json-smart due to CVE-2023-1370.

CDPD-66902: Backport HIVE-27406: Addendum: Query runtime optimization

Query runtime optimization part is now backported to maintenance releases.

CDPD-66668: Kafka_connect_ext - Upgrade commons-compress to 1.26.0 due to CVE-2023-42503, CVE-2024-25710 and CVE-2024-26308

Upgraded Commons-Compress version to 1.26.0 due to CVE-2023-42503, CVE-2024-25710 and CVE-2024-26308.

CDPD-66501: Ranger - Remove/Replace OpenSAML v3 due to EOL

Removed OpenSAML v3.4.5 due to EOL

CDPD-66169: Hadoop - Upgrade bcpkix-jdk15on to 1.70+ due to CVE-2019-17359

Upgraded the bcpkix-jdk15on library version to 1.70 to address CVE-2019-17359.

CDPD-61611: Impala stats blocks hive partitioned table rename

Removed the Hive Metastore (HMS) check on verifying stats change for Impala table rename.

Common Vulnerabilities and Exposures (CVE) that is fixed in this CHF:

- [CVE-2021-35515](#) - Commons-Compress
- [CVE-2021-35516](#) - Commons-Compress
- [CVE-2021-35517](#) - Commons-Compress
- [CVE-2021-36090](#) - Commons-Compress

Table 10: Cloudera Runtime 7.1.8.60 (Cumulative Hotfix 23) download URL:**Parcel Repository Location**

```
https://[username]:[password]@archive.cloudera.com/p/cdh7/7.1.8.60/parcels/
```

Technical Service Bulletin**TSB 2024-775: FileNotFoundException for Ozone Filesystem JAR during or after CDP installation or upgrade**

A potential availability issue has been found with services that have an Ozone client dependency on the ozone-filesystem-hadoop3 fat JAR file when upgrading the Cloudera Data Platform (CDP) Private Cloud Base cluster from version 7.1.8 to 7.1.9. This issue may also affect service installations, runs, and restarts during or after the CDP Private Cloud Base installation or upgrade.

The following exception appears on the Cloudera Manager User Interface (UI) or in the log files of the respective service when an installation, upgrade or other operations fail due to this issue: ``java.io.FileNotFoundException: /path/to/ozone-filesystem-hadoop3-<version>.jar (No such file or directory).`

The failure is caused by the broken symbolic link: `/var/lib/hadoop-hdfs/ozone-filessystem-hadoop3.jar`. This issue arises if the `hdfs` user already exists on the node before the Cloudera Runtime parcel activation. When the `hdfs` user already exists on the node, the Cloudera Manager agent skips the initialization related to Hadoop Distributed File System (HDFS), which includes creating the `/var/lib/hadoop-hdfs` directory. As the path is not created, the symbolic link cannot be created during the parcel activation process. This results in a series of broken symbolic links that point to the Ozone binaries.

Knowledge article

For the latest update on this issue see the corresponding Knowledge Article: [TSB 2024-775: FileNotFoundException for the Ozone FS JAR during or after installation or upgrade](#)

Cumulative hotfix CDP PvC Base 7.1.8.59-4 (Cumulative hotfix22)

Know more about the cumulative hotfix 22 for 7.1.8. This cumulative hotfix was released on April 17, 2024.



Note: Contact Cloudera Support for questions related to a specific hotfix.

Following are the list of fixes that were shipped for CDP Private Cloud Base version 7.1.8-1.cdh7.1.8.p59.52400340

CDPD-68160: Backport IMPALA-10471 to 7.1.8

This fix ensures that the shutdown behaviour caused by SIGRTMIN is governed by the common `shutdown_deadline_s` flag. Previously, the deadline for shutdown by SIGRTMIN was fixed to one year and was independent of the flag.

CDPD-67864: Ranger - Upgrade Spring Security to 5.7.12/5.8.11/6.1.8/6.2.3 due to CVE-2024-22257

Upgraded the Spring security version to 5.7.12 due to CVE-2024-22257.

CDPD-67828: Hadoop - Upgrade Nimbus-JOSE-JWT to 9.37.3 due to CVE-2023-52428

Upgraded Nimbus-JOSE-JWT version to 9.37.3 due to CVE-2023-52428.

CDPD-67816, CDPD-49001: [Analyze] [Knox] [ST] Multiple tests fail on FIPS due one of the Knox instance restart fail

The Knox Gateway did not start due to a `NullPointerException` in the `ClouderaManagerClusterConfigurationMonitor` class. This occurred when the previously persisted Cloudera Manager cluster configuration file was empty. This issue is now fixed by removing the content of the `$KNOX_DATA_DIR/cm_clusters` folder by running the `rm -f /var/lib/knox/gateway/data/cm-clusters/*` command.

CDPD-67750: Ranger - Upgrade Telemetry version to 1.36.0

Upgraded Telemetry version to 1.36.0.

CDPD-67749: Ranger - Upgrade protobuf-java version to 3.21.7 due to CVE-2022-3171

Upgraded protobuf-java version to 3.21.7 due to CVE-2022-3171

CDPD-67746: Ranger - Upgrade Nimbus-JOSE-JWT version to 9.37.3 due to CVE-2023-52428

Upgraded Nimbus-JOSE-JWT version to 9.31 due to CVE-2023-525-428.

CDPD-67744: Ranger - Exclude Apache Derby from ranger-rms module due to CVE-2022-46337

Excluded Apache Derby from the ranger-rms module due to CVE-2022-46337.

CDPD-67678: [7.1.8] Upgrade Gradle to 8

The Schema Registry component now compiles with Gradle 8 (instead of Gradle 6).

CDPD-67433: IMPALA-12878 TestResultSpoolingCancellation.test_cancellation failed in UBSAN build

A rare scenario where a query is closed, and then closed again (most clients prevent this happening), resulted in an error message `Query not yet running`. This fix restores the previous message `Invalid or unknown query handle`.

CDPD-67071: Backport HBASE-27230 to 7.1.8 CHF21

As per the design, write-ahead-log synchronization (WAL Sync) must succeed or abort and there is no failure state. But the region-server did not abort when WAL Sync issued a timeout exception. This issue is now fixed. The timeout for the Sync is set to five minutes and the region-server aborts when WAL Sync issues a timeout exception.

CDPD-66893: Hadoop - Upgrade moment.js to 2.29.4 due to CVE-2022-24785, CVE-2022-31129

Upgraded moment.js to 2.29.4 due to CVE-2022-24785 and CVE-2022-31129.

CDPD-66393: DAS - Upgrade json-smart to 2.4.10 due to CVE-2023-1370

Upgraded the Java library json-smart to 2.4.10 due to CVE-2023-2370.

CDPD-68619, CDPD-64369: Backport CatalogD performance improvement patches to private cloud

Improved Impala's event processor performance, that is, queries including refresh metadata, and alter partitions.

CDPD-61986: Parcel Impala-shell binaries won't work with non-standard Python 3 version

Impala-shell provided in CDP parcels now work with Python 3.8.

CDPD-53795: [Minor] Typo in error message

An incorrect message was displayed while creating a topic that already existed. An exception with a message [Error while getting kafka AdinClientResponse!] was issued while processing the request. This is now fixed and the correct error message Topic with name xyz already exists is now displayed.

Common Vulnerabilities and Exposures (CVE) that is fixed in this CHF:

- [CVE-2023-1370](#) - Json-smart

Table 11: Cloudera Runtime 7.1.8.59 (Cumulative Hotfix 22) download URL:**Parcel Repository Location**

```
https://[username]:[password]@archive.cloudera.com/p/cdh7/7.1.8.59/parcels/
```

Technical Service Bulletin**TSB 2024-775: FileNotFoundException for Ozone Filesystem JAR during or after CDP installation or upgrade**

A potential availability issue has been found with services that have an Ozone client dependency on the ozone-filesystem-hadoop3 fat JAR file when upgrading the Cloudera Data Platform (CDP) Private Cloud Base cluster from version 7.1.8 to 7.1.9. This issue may also affect service installations, runs, and restarts during or after the CDP Private Cloud Base installation or upgrade.

The following exception appears on the Cloudera Manager User Interface (UI) or in the log files of the respective service when an installation, upgrade or other operations fail due to this issue: ``java.io.FileNotFoundException: /path/to/ozone-filesystem-hadoop3-<version>.jar (No such file or directory)`.


The failure is caused by the broken symbolic link: `/var/lib/hadoop-hdfs/ozone-filesystem-hadoop3.jar`. This issue arises if the `hdfs` user already exists on the node before the Cloudera Runtime parcel activation. When the `hdfs` user already exists on the node, the Cloudera Manager agent skips the initialization related to Hadoop Distributed File System (HDFS), which includes creating the `/var/lib/hadoop-hdfs` directory. As the path is not created, the symbolic link cannot be created during the parcel activation process. This results in a series of broken symbolic links that point to the Ozone binaries.

Knowledge article

For the latest update on this issue see the corresponding Knowledge Article: [TSB 2024-775: FileNotFoundException for the Ozone FS JAR during or after installation or upgrade](#)

Cumulative hotfix CDP PvC Base 7.1.8.58-1 (Cumulative hotfix21)

Know more about the cumulative hotfix 21 for 7.1.8. This cumulative hotfix was released on March 22, 2024.

 **Note:** Contact Cloudera Support for questions related to any specific hotfixes.

Following are the list of fixes that were shipped for CDP Private Cloud Base version 7.1.8-1.cdh7.1.8.p58.51337120

- CDPD-67559: Backport YARN-11639 COMPX-15776 to 7.1.8.x
- CDPD-67313: [7.1.x] Timezone value not getting updated in Livy
- CDPD-67225: Zeppelin - Upgrade Spring Framework to 6.1.4/6.0.17/5.3.32 due to CVE-2024-22243
- CDPD-67220: [Regression] Oozie https notification fails if SSL is not set in Oozie
- CDPD-67116: [7.1.8.x] Backport KAFKA-13988: Mirrormaker 2 auto.offset.reset=latest not working
- CDPD-66936: [7.1.8] Ranger kms is using non-centralized jackson-datatype-joda version
- CDPD-66927: HDFS authorization logic for directory hierarchy rooted at "/" is incorrect
- CDPD-66917: [AUTOSYNC] Bump aws-java-sdk to 1.12.661
- CDPD-66725: Knox - Upgrade Okio to 3.4.0 due to CVE-2023-3635
- CDPD-66719: Ranger - Upgrade Spring Security to 5.7.11/5.8.7/6.0.7/6.1.4 due to CVE-2023-34042
- CDPD-66520: [7.1.8][ranger] Upgrade Guava to 32.0.1 due to CVE-2023-2976
- CDPD-66417: Upgrade Prometheus to 2.45.3 due to CVEs
- CDPD-66274: Postgres docker image changed under the tag 12, causing UT failures
- CDPD-66162: Phoenix Connectors - Upgrade Guava to 32.0.1 due to CVE-2023-2976
- CDPD-66080: HBase-Solr - Use the centralized derby version
- CDPD-66078: Search - Use the centralized derby version
- CDPD-64626: CLONE - Ranger - Upgrade aws-java-sdk-bundle to 1.12.599 due to CVE-2023-44487
- CDPD-63762: Oozie - Upgrade JGit to 5.13.3.202401111512-r/6.6.1.202309021850/6.7.0.202309050840 due to CVE-2023-4759
- CDPD-56724: Oozie web console is allowing access to list directories
- CDPD-44220: Livy - Missing deploy mode param at Spark submit

Common Vulnerabilities and Exposures (CVE) that is fixed in this CHF:

- [CVE-2023-3635](#) - Okio

Table 12: Cloudera Runtime 7.1.8.58 (Cumulative Hotfix 21) download URL:

Parcel Repository Location
<code>https://[username]:[password]@archive.cloudera.com/p/cdh7/7.1.8.58/parcels/</code>

Technical Service Bulletin

TSB 2024-775: FileNotFoundException for Ozone Filesystem JAR during or after CDP installation or upgrade

A potential availability issue has been found with services that have an Ozone client dependency on the ozone-filesystem-hadoop3 fat JAR file when upgrading the Cloudera Data Platform (CDP) Private Cloud Base cluster from version 7.1.8 to 7.1.9. This issue may also affect service installations, runs, and restarts during or after the CDP Private Cloud Base installation or upgrade.

The following exception appears on the Cloudera Manager User Interface (UI) or in the log files of the respective service when an installation, upgrade or other operations fail due to this issue:

`java.io.FileNotFoundException: /path/to/ozone-filessystem-hadoop3-<version>.jar (No such file or directory).

The failure is caused by the broken symbolic link: /var/lib/hadoop-hdfs/ozone-filessystem-hadoop3.jar. This issue arises if the hdfs user already exists on the node before the Cloudera Runtime parcel activation. When the hdfs user already exists on the node, the Cloudera Manager agent skips the initialization related to Hadoop Distributed File System (HDFS), which includes creating the /var/lib/hadoop-hdfs directory. As the path is not created, the symbolic link cannot be created during the parcel activation process. This results in a series of broken symbolic links that point to the Ozone binaries.

Knowledge article

For the latest update on this issue see the corresponding Knowledge Article: [TSB 2024-775: FileNotFoundException for the Ozone FS JAR during or after installation or upgrade](#)

Cumulative hotfix CDP PvC Base 7.1.8.57-1 (Cumulative hotfix20)

Know more about the cumulative hotfix 20 for 7.1.8. This cumulative hotfix was released on March 04, 2024.



Note: Contact Cloudera Support for questions related to any specific hotfixes.

Following are the list of fixes that were shipped for CDP Private Cloud Base version 7.1.8-1.cdh7.1.8.p57.50607267

- KT-7523: Keytrustee is using non-centralized jackson version
- KT-7522: CLONE - Keytrustee HSM - Upgrade guava to the centralized CDPD version
- CDPD-66844: [7.1.8 CHF20 CLONE] - Provide an option to bypass evaluation of chained plugin if the parent plugin has applicable policy
- CDPD-66732: Backport ZOOKEEPER-4236 to 7.1.8 CHF20
- CDPD-66730: Phoenix-thirdparty - Upgrade Guava to 32.0.1 due to CVE-2023-2976
- CDPD-66630: spark build failure sles12
- CDPD-66603: Backport HIVE-26961 to CDH-7.1.8.x
- CDPD-66432: HBase-Solr - Upgrade snakeyaml due to CVE-2022-1471
- CDPD-66407: [7.1.7 SP3] Zeppelin is using non-centralized jackson version
- CDPD-66289: CLONE - 7.1.8x and 7.1.9.x CHF- Keytrustee-keyhsm - Upgrade Jetty to 9.4.53/10.0.17/11.0.17 due to CVE-2023-40167, CVE-2023-36479, CVE-2023-41900, CVE-2023-36478 and CVE-2023-44487
- CDPD-66278: Backport HIVE-24404 to CDH-7.1.8.x
- CDPD-66092: Fix Ranger Javapatch failure even if service-defs do not exist in ranger DB
- CDPD-65911: Kafka password is in clear text in application.properties backport
- CDPD-65239: Add missing libs in external_versions and centralize the same in zeppelin
- CDPD-64235: CDPD - Upgrade Apache Derby to 10.14.3.0-cloudera1 due to CVE-2022-46337
- CDPD-60830: HBase-Thirdparty - Upgrade Guava to 32.0.1 due to CVE-2023-2976
- CDPD-58580: CDPD - Upgrade Guava to 32.0.1 due to CVE-2023-2976
- CDPD-53885: Backport HIVE-23444 to CDP-PvC SPx CHF
- CDPD-43612: Hue - Upgrade sanitize-html to 2.7.1 due to medium CVEs
- CDPD-41667: The Empty feature fails to clear trash and throws an error
- CDPD-29207: Build phoenix-connectors using without.tephra option
- CDPD-13292: externalize more common dependencies from Search, Solr, and Hbase-Indexer
- OPSAPS-69609: Custom properties atlas.jaas.KafkaClient.option.password is in clear text in CDP cluster services

Table 13: Cloudera Runtime 7.1.8.57 (Cumulative Hotfix 20) download URL:**Parcel Repository Location**

```
https://[username]:[password]@archive.cloudera.com/p/cdh7/7.1.8.57/parcels/
```

Technical Service Bulletin**TSB 2024-775: FileNotFoundException for Ozone Filesystem JAR during or after CDP installation or upgrade**

A potential availability issue has been found with services that have an Ozone client dependency on the ozone-filesystem-hadoop3 fat JAR file when upgrading the Cloudera Data Platform (CDP) Private Cloud Base cluster from version 7.1.8 to 7.1.9. This issue may also affect service installations, runs, and restarts during or after the CDP Private Cloud Base installation or upgrade.

The following exception appears on the Cloudera Manager User Interface (UI) or in the log files of the respective service when an installation, upgrade or other operations fail due to this issue: `java.io.FileNotFoundException: /path/to/ozone-filesystem-hadoop3-<version>.jar (No such file or directory)`.

The failure is caused by the broken symbolic link: `/var/lib/hadoop-hdfs/ozone-filesystem-hadoop3.jar`. This issue arises if the `hdfs` user already exists on the node before the Cloudera Runtime parcel activation. When the `hdfs` user already exists on the node, the Cloudera Manager agent skips the initialization related to Hadoop Distributed File System (HDFS), which includes creating the `/var/lib/hadoop-hdfs` directory. As the path is not created, the symbolic link cannot be created during the parcel activation process. This results in a series of broken symbolic links that point to the Ozone binaries.

Knowledge article

For the latest update on this issue see the corresponding Knowledge Article: [TSB 2024-775: FileNotFoundException for the Ozone FS JAR during or after installation or upgrade](#)

Cumulative hotfix CDP PvC Base 7.1.8.56-1 (Cumulative hotfix19)

Know more about the cumulative hotfix 19 for 7.1.8. This cumulative hotfix was released on February 08, 2024.



Note: Contact Cloudera Support for questions related to any specific hotfixes.

Following are the list of fixes that were shipped for CDP Private Cloud Base version 7.1.8-1.cdh7.1.8.p56.49897162

- KT-7517: CLONE - Use the centralized logback version
- COMPX-15948: `TestContinuousScheduling#testFairSchedulerContinuousSchedulingInitTime` and `TestFairScheduler#testNormalizationUsingQueueMaximumAllocation` fails intermittently
- COMPX-15324: RM crashes if app is submitted to auto created queue with empty shortname
- COMPX-7242: Fix failing unit tests:
`org.apache.hadoop.yarn.server.resourcemanager.scheduler.fair.TestContinuousScheduling`
- COMPX-6274: Fix failing unit test:
`org.apache.hadoop.yarn.server.timelineservice.security.TestTimelineAuthFilterForV2.testPutTimelineEntities`
- COMPX-6271: Fix failing unit test:
`org.apache.hadoop.yarn.server.resourcemanager.webapp.TestRMWebServicesNodesScaling.testClusterScalingInfoJson`
- CDPD-65841: [718, 719] Backport aarch64 related commits
- CDPD-65738: CLONE - Grant permission engine not working with `{user}` in ranger policy
- CDPD-65732: CLONE[718 CHF] - Execute and read permissions granted to a user in different HDFS policies does not take effect.

- CDPD-65605: Backport "Too many "Failed to accept allocation proposal" because of wrong Headroom check for DRF" to CDH-7.1.8.x
- CDPD-65586: [7.1.x] exclude log4j dependencies from spark-atlas-connector assembly
- CDPD-65583: [Spark] Backport CDPD-64232 to 7.1.7 SP2, 7.1.7 SP3, 7.1.8 and 7.1.9
- CDPD-65493: #1396168-P1-hue-7.3.0.0-107 Build Error
- CDPD-65489: CLONE[7.1.8.x] - Ozone resource lookup is not working due to "Service ID specified does not match with ozone.om.service.ids defined in the configuration."
- CDPD-65402: Backport CDPD-64950 to 7.1.7.SP2 and 7.1.7.SP3
- CDPD-65314: Backport HIVE-27919 to CDH-7.1.8.x
- CDPD-65313: Backport HIVE-27658 to CDH-7.1.8.x
- CDPD-65255: Backport TEZ-3972 to CDH-7.1.8.x
- CDPD-65049: HTTP security headers are missing from Oozie response
- CDPD-65013: CDPD - Upgrade Apache Shiro to 1.13.0 due to CVE-2023-46750
- CDPD-65012: Upgrade Apache Shiro to 1.13.0 due to CVE-2023-46750
- CDPD-65003: Centralize missing dependencies of Zeppelin to CDPD
- CDPD-64747: Use centralized gson version in Zeppelin
- CDPD-64281: Backport HIVE-26802: Create qtest running QB compaction queries for ACID, insert-only and clustered tables
- CDPD-64274: Atlas [7.1.8 CHFx] - Upgrade reactor-netty to 1.0.39/1.1.13 due to CVE-2023-34062
- CDPD-64243: Backport HIVE-27643: Exclude compaction queries from ranger policies
- CDPD-62583: HMS Upgrade to 7.1.8.x or higher version fails if Hive log level is WARN
- CDPD-62129: Hive - Upgrade snappy-java to 1.1.10.4+ due to CVE-2023-34453, CVE-2023-34454, CVE-2023-34455, CVE-2023-43642
- CDPD-61475: Hadoop - Remove json-io due to CVE-2023-34610
- CDPD-60772: IMPALA-10086 SqlCastException when comparing char with varchar
- CDPD-57885: Backport PHOENIX-6965 UngroupedAggregateRegionScanner.insertEmptyKeyValue() generates too many cells to 7.1 CHF
- CDPD-57884: Backport PHOENIX-6966 UngroupedAggregateRegionScanner.insertEmptyKeyValue() writes wrong qualifier for encoded CQ tables to 7.1 CHF
- CDPD-50493: Sample Data from Table Browser in Hue launches expensive queries from the Impala Views
- CDPD-41891: Avatica - Upgrade Bouncy Castle to 1.70 due to medium CVEs
- CDPD-11827: Backport ORC-616 "In Patched Base encoding, the value of headerThirdByte goes beyond the range of byte"

Table 14: Cloudera Runtime 7.1.8.56 (Cumulative Hotfix 19) download URL:

Parcel Repository Location

```
https://[username]:[password]@archive.cloudera.com/p/cdh7/7.1.8.56/parcels/
```

Technical Service Bulletin

TSB 2024-775: FileNotFoundException for Ozone Filesystem JAR during or after CDP installation or upgrade

A potential availability issue has been found with services that have an Ozone client dependency on the ozone-filesystem-hadoop3 fat JAR file when upgrading the Cloudera Data Platform (CDP) Private Cloud Base cluster from version 7.1.8 to 7.1.9. This issue may also affect service installations, runs, and restarts during or after the CDP Private Cloud Base installation or upgrade.

The following exception appears on the Cloudera Manager User Interface (UI) or in the log files of the respective service when an installation, upgrade or other operations fail due to this issue: `java.io.FileNotFoundException: /path/to/ozone-filesystem-hadoop3-<version>.jar (No such file or directory).`

The failure is caused by the broken symbolic link: `/var/lib/hadoop-hdfs/ozone-filessystem-hadoop3.jar`. This issue arises if the `hdfs` user already exists on the node before the Cloudera Runtime parcel activation. When the `hdfs` user already exists on the node, the Cloudera Manager agent skips the initialization related to Hadoop Distributed File System (HDFS), which includes creating the `/var/lib/hadoop-hdfs` directory. As the path is not created, the symbolic link cannot be created during the parcel activation process. This results in a series of broken symbolic links that point to the Ozone binaries.

Knowledge article

For the latest update on this issue see the corresponding Knowledge Article: [TSB 2024-775: FileNotFoundException for the Ozone FS JAR during or after installation or upgrade](#)

Cumulative hotfix CDP PvC Base 7.1.8.55-1 (Cumulative hotfix18)

Know more about the cumulative hotfix 18 for 7.1.8. This cumulative hotfix was released on January 18, 2024.



Note: Contact Cloudera Support for questions related to any specific hotfixes.

Following are the list of fixes that were shipped for CDP Private Cloud Base version 7.1.8-1.cdh7.1.8.p55.49161416

- KT-7508: Keytrustee-keyhsm - Upgrade Bouncy Castle to 1.74 due to CVE-2023-33202 and CVE-2023-33201
- COMPX-7241: Fix failing unit test:
`org.apache.hadoop.yarn.client.api.impl.TestAMRMProxy.testAMRMProxyTokenRenewal`
- COMPX-6254: Fix failing unit tests: `org.apache.hadoop.yarn.client.api.impl.TestNMClient`
- CDPD-65103: Backport IMPALA-12425 to 7.1.8 CHF
- CDPD-65102: Backport IMPALA-12084 to 7.1.8 CHF
- CDPD-65069: Backport IMPALA-12577 to 7.1.8 CHF
- CDPD-65051: Backport IMPALA-11644 to 7.1.8 CHF
- CDPD-65050: Backport IMPALA-10983 to 7.1.8 CHF
- CDPD-65042: Livy - [7.1.8 CHFx] Upgrade datatables to 1.10.23+ due to CVE-2020-28458
- CDPD-65040: IMPALA-12670 `CatalogdMetaProvider.getIfPresent()` not throwing the underlying `InconsistentMetadataFetchException`
- CDPD-64946: IMPALA-12683 Incorrect last synced event time in `testDisableEventSyncFlag`
- CDPD-64918: Backport HIVE-24858 to CDH-7.1.8.x
- CDPD-64915: Backport IMPALA-12053 to 7.1.8 CHF
- CDPD-64910: Backport HIVE-26208 to CDH-7.1.8.x
- CDPD-64800: Classic UI - Security zone form not populate resources value properly while creating and editing zone form.
- CDPD-64790: Atlas build failure across release lines
- CDPD-64746: Use centralized gson version in Cruise Control
- CDPD-64734: Use centralized nimbus-jose-jwt version in Cruise Control
- CDPD-64726: 71x backport - Slowness / broadcast timeout issues due to SPARK-33290: REFRESH TABLE should invalidate cache even though the table itself may not be cached (Spark 2.4.8)
- CDPD-64707: hue build failure in centos7
- CDPD-64648: Backport the versionless bigtop-new gerrits into 7.1.8 and 7.1.9
- CDPD-64627: [7.1.x]- Ranger - Upgrade Apache Derby to 10.17.1.0 due to CVE-2022-46337
- CDPD-64583: [7.1.8 CHF18] Upgrade Tomcat to 8.5.96 (for CVE fixes) in all Ranger services
- CDPD-64576: Backport IMPALA-11501 to 7.1.8 to fix performance regression of IM
- CDPD-64517: Kafka connect S3 connector failing with AWS error
- CDPD-64477: Optimize Relationship Edge fetch
- CDPD-64476: Set name field with qualifiedName for `impala_process` and `impala_process_execution`
- CDPD-64427: LDAP group import/sync fails for "memberUid"

- CDPD-64376: Oozie's Spark and Spark3 option parser does not respect Java arguments starting with '--'
- CDPD-64335: Zeppelin - Upgrade Bouncy Castle to 1.74 due to CVE-2023-33202 and CVE-2023-33201
- CDPD-64302: Remove Derby dependency in Solr.
- CDPD-64240: CDPD-63145 causes regression in Orc
- CDPD-64229: Impala - Upgrade Apache Derby to 10.17.1.0 due to CVE-2022-46337
- CDPD-64225: Sqoop - Upgrade Apache Derby to 10.17.1.0 due to CVE-2022-46337
- CDPD-64221: Kafka - Upgrade jose4j to 0.9.3 due to CVE-2023-31582
- CDPD-64134: canary docker image build fails
- CDPD-64131: Backport HIVE-25684 to CDH-7.1.8.x
- CDPD-64122: CDPD - Upgrade aws-java-sdk-bundle to 1.12.599 due to CVE-2023-44487
- CDPD-64100: IMPALA-10825 impala crashes when canceling the retrying query
- CDPD-64099: IMPALA-10414 Retrying failed query may cause memory leak
- CDPD-64031: [7.1.8.CHFx] Atlas UI Basic Searching result sorting option not available on all Columns
- CDPD-64007: Backport HIVE-27885 on CDP branches
- CDPD-63915: Sqoop Teradata export fails if source table is empty
- CDPD-63835: Backport HIVE-27679 on all CDP-PvC 7.1.[7-9] CHFx versions
- CDPD-63813: [7.1.8.CHFx] Atlas - Upgrade amqp-client to 5.18.0+ due to CVE-2023-46120
- CDPD-63809: 7.1.8 CLONE - change the log level to DEBUG for "No context-enrichers!"
- CDPD-63780: [7.1.8 & 7.1.9] Hive Warehouse Connector - Upgrade ICU4J to safe version due to high CVEs
- CDPD-63779: Oozie's spark actions are failing intermittently due to NPE
- CDPD-63756: Backport CDPD-63231 to 7.1.8 CHF
- CDPD-63723: Sqoop should determine files as Parquet by PAR1 in header
- CDPD-63692: In Rms- s3, db level access write permission mapping config is not working
- CDPD-63623: [UnitTest] Some Oozie units are failing due to HCat related NPE
- CDPD-63602: Zeppelin - Upgrade jetty to 9.4.53/10.0.17/11.0.17 due to CVE-2023-40167, CVE-2023-36479, CVE-2023-41900, CVE-2023-36478 and CVE-2023-44487
- CDPD-63443: CLONE - CLONE - UI: Enum type Business metadata attribute shows incorrect data when specific string is in attribute name.
- CDPD-63441: [CDH-7.1.8 CHF18 CLONE] - AuthorizeOnlyWithChainedPolicies shows incorrect policy in Ranger audit when policy priority is equal
- CDPD-63326: Fix CVE-2023-36877 Apache Oozie Spoofing Vulnerability
- CDPD-63313: IMPALA-12542 test_query_cancel_created failed in ASAN build
- CDPD-63302: Keytrustee-keyhsm - Upgrade Jetty to 9.4.53/10.0.17/11.0.17 due to CVE-2023-40167, CVE-2023-36479, CVE-2023-41900, CVE-2023-36478 and CVE-2023-44487
- CDPD-63297: Knox - Upgrade Apache Santuario - xmlsec to 2.2.6/2.3.4/3.0.3 due to CVE-2023-44483
- CDPD-63291: Search - Upgrade amqp-client to 5.18.0+ due to CVE-2023-46120
- CDPD-63287: Solr - Upgrade jose4j to 0.9.3 due to CVE-2023-31582
- CDPD-63286: Upgrade jose4j to 0.9.3 due to CVE-2023-31582
- CDPD-63283: IMPALA-12493 Impala Query cancelled while Analyzing or Compiling partially closes but query remains on Coordinator
- CDPD-63238: Parquet export fails with NoSuchMethodError
- CDPD-63223: Schema Registry - Upgrade Jetty to 9.4.53/10.0.17/11.0.17 due to CVE-2023-40167, CVE-2023-36479, CVE-2023-41900, CVE-2023-36478 and CVE-2023-44487
- CDPD-63145: BytesColumnVector fails when the aggregate size is > 1gb
- CDPD-63098: SMM - Upgrade Jetty to 9.4.53/10.0.17/11.0.17 due to CVE-2023-40167, CVE-2023-36479, CVE-2023-41900, CVE-2023-36478 and CVE-2023-44487
- CDPD-63050: Atlas UI Basic Searching result sorting option not available on all Columns
- CDPD-62128: Using centralised version of snappy-java in Search
- CDPD-62095: Backport HIVE-27525 to CDP
- CDPD-61742: Test failure: org.apache.spark.sql.hive.execution.HiveTableScanSuite.Spark-4077: timestamp query for null value

- CDPD-60977: Hive - Upgrade Apache Ivy to 2.5.2 due to CVE-2022-46751
- CDPD-60469: Impala log rotation not working on the old pid log files.
- CDPD-59884: CLONE - Search - Upgrade sqllite-jdbc to 3.41.2.2+ due to CVE-2023-32697
- CDPD-59365: CDPD - Upgrade Shiro to 1.12.0 due to CVE-2023-34478
- CDPD-59364: Upgrade Shiro to 1.12.0 due to CVE-2023-34478
- CDPD-58575: Phoenix Omid - Upgrade Guava to 32.0.1 due to CVE-2023-2976
- CDPD-58047: Backport HIVE-23726 to CDP branches
- CDPD-57667: Ranger policy delta issue causing intermittent permission deny for Hive and HDFS services
- CDPD-57026: Upgrade sqllite-jdbc to 3.41.2.2+ due to CVE-2023-32697
- CDPD-56752: IMPALA-12170 TestWebPage.test_webserver_hide_logs_link fails due to new /events link added in catalogd
- CDPD-48853: Schemas created with the Confluent API cannot be viewed on the UI
- CDPD-48162: Getting exception for wildcard (*) search for database and table name
- CDPD-42684: Dropwizard version in cdpd
- CDPD-41900: Phoenix - Upgrade Bouncy Castle to 1.70 due to medium CVEs

Table 15: Cloudera Runtime 7.1.8.55 (Cumulative Hotfix 18) download URL:

Parcel Repository Location

```
https://[username]:[password]@archive.cloudera.com/p/cdh7/7.1.8.55/parcels/
```

Technical Service Bulletin

TSB 2024-775: FileNotFoundException for Ozone Filesystem JAR during or after CDP installation or upgrade

A potential availability issue has been found with services that have an Ozone client dependency on the ozone-filesystem-hadoop3 fat JAR file when upgrading the Cloudera Data Platform (CDP) Private Cloud Base cluster from version 7.1.8 to 7.1.9. This issue may also affect service installations, runs, and restarts during or after the CDP Private Cloud Base installation or upgrade.

The following exception appears on the Cloudera Manager User Interface (UI) or in the log files of the respective service when an installation, upgrade or other operations fail due to this issue: ``java.io.FileNotFoundException: /path/to/ozone-filesystem-hadoop3-<version>.jar (No such file or directory)`.

The failure is caused by the broken symbolic link: `/var/lib/hadoop-hdfs/ozone-filesystem-hadoop3.jar`. This issue arises if the hdfs user already exists on the node before the Cloudera Runtime parcel activation. When the hdfs user already exists on the node, the Cloudera Manager agent skips the initialization related to Hadoop Distributed File System (HDFS), which includes creating the `/var/lib/hadoop-hdfs` directory. As the path is not created, the symbolic link cannot be created during the parcel activation process. This results in a series of broken symbolic links that point to the Ozone binaries.

Knowledge article

For the latest update on this issue see the corresponding Knowledge Article: [TSB 2024-775: FileNotFoundException for the Ozone FS JAR during or after installation or upgrade](#)

Cumulative hotfix CDP PvC Base 7.1.8.51-3 (Cumulative hotfix17)

Know more about the cumulative hotfix 17 for 7.1.8. This cumulative hotfix was released on November 23, 2023.



Note: Contact Cloudera Support for questions related to any specific hotfixes.

Following are the list of fixes that were shipped for CDP Private Cloud Base version 7.1.8-1.cdh7.1.8.p51.47413505

- KT-7496: Gerrit PR is breaking with pre-commit build for KeyTrustee Keyprovider repo
- CDPD-63823: kudu: Analyse compatibility report generated - between 7.1.8 CHF16 and CHF17
- CDPD-63650: Fail early when encryption-at-rest init fails
- CDPD-63646: Fix file descriptor leak when encryption-at-rest is enabled
- CDPD-63574: disableLoadBalancingForUserAgents cannot be set
- CDPD-63521: Atlas - Upgrade Spring Security to 5.7.10/5.8.5/6.0.5/6.1.2 due to CVE-2023-34034 and CVE-2023-34035
- CDPD-63507: Backport IMPALA-11068 to 7.1.8 CHF
- CDPD-63506: Backport IMPALA-12499 to 7.1.8 CHF
- CDPD-63388: Back-port fix for KUDU-3476 into upcoming 7.1.8 CHF release
- CDPD-63347: Backport CDPD-60975 to 7.1.8 CHFx , 7.1.9 CHFx
- CDPD-63323: Dev work for CFM-3451 - Kafka Connect: check if all the necessary nars have been fully unpacked before starting a connector as scope of HOTFIX-5811 - 7.1.8 CHF 17 Release
- CDPD-63322: Backport HBASE-25643 to 7.1.8 CHF17
- CDPD-63309: [UnitTest] testMaterializationLookup failure: timestamp mismatch
- CDPD-63306: Zeppelin - Upgrade netty to 4.1.100.Final due to CVE-2023-44487
- CDPD-63301: SRM - Upgrade Jetty to 9.4.53/10.0.17/11.0.17 due to CVE-2023-40167, CVE-2023-36479, CVE-2023-41900, CVE-2023-36478 and CVE-2023-44487
- CDPD-63288: Schema Registry - Upgrade jose4j to 0.9.3 due to CVE-2023-31582
- CDPD-63180: Solr server unable to start after jetty upgrade to 9.4.53
- CDPD-63123: Sqoop build is taking 6 hours to complete
- CDPD-63057: Cruise Control - Upgrade netty to 4.1.100.Final due to CVE-2023-44487, CVE-2023-34462
- CDPD-63037: Backport CDPD-62057 to 7.1.8 CHF17
- CDPD-62982: [7.1.x] Ranger - Upgrade Json-Java to 20231013 due to CVE-2023-5072
- CDPD-62976: Repetitive non-idempotent requests from Knox to Oozie causing Oozie system test failures - 7.1.8 CHFx
- CDPD-62927: Schemaregistry - Upgrade JSON-Java to 20231013 due to CVE-2023-5072
- CDPD-62841: SRM - Upgrade Armeria to 1.26.0 due to CVE-2023-44487
- CDPD-62789: Atlas [7.1.8 CHFx] - Upgrade netty to 4.1.100.Final due to CVE-2023-44487
- CDPD-62723: HSTS header missing from unsecured API in Ranger Admin
- CDPD-62666: Ignore used undeclared jetty dependency in phoenix-connectors
- CDPD-62607: [7.1.8 CHFx CLONE] - Upgrade Tomcat to 8.5.94+ (for CVE fixes) in all Ranger services
- CDPD-62591: Hue - Upgrade Tomcat to 9.0.81 due to CVE-2023-41080 and CVE-2023-44487
- CDPD-62508: CDPD - Upgrade netty to 4.1.100.Final due to CVE-2023-44487 and CVE-2023-34462
- CDPD-62504: Ratis thirdparty - Upgrade netty to 4.1.100.Final due to CVE-2023-44487
- CDPD-62503: Ozone - Upgrade netty to 4.1.100.Final due to CVE-2023-44487
- CDPD-62502: Ranger - Upgrade netty to 4.1.100.Final due to CVE-2023-44487
- CDPD-62173: Merge HIVE-24530 on all CDP-PvC 7.1.[7-9] CHFx versions
- CDPD-62127: CDPD - Upgrade snappy-java to 1.1.10.4+ due to CVE-2023-43642
- CDPD-62063: Backport HIVE-27728 to CDP.
- CDPD-61741: Backport HIVE-22613 to CDP.
- CDPD-61606: Potential dataloss from quick navigation during move op for S3 in Hue
- CDPD-61577: CDPD - Upgrade Jetty to 9.4.53/10.0.17/11.0.17 due to CVE-2023-40167, CVE-2023-36479, CVE-2023-41900, CVE-2023-26048, CVE-2023-26049, CVE-2023-36478 and CVE-2023-44487
- CDPD-59792: Fix of Backbone JS for Ranger UI on CDP 7.1.8 CHF
- CDPD-58268: [7.1.8 CHFx] - Ranger Access Audit doesn't show callerContext in the audit as hover over button for HDFS audits
- CDPD-57269: HADOOP-18763. Upgrade aws-java-sdk to 1.12.367
- CDPD-56816: Multiple CVE follow-up for SMM

- CDPD-55460: Impala - Upgrade Spring Framework to 5.3.27/6.0.8 due to CVE-2023-20863
- CDPD-45383: Livy - Upgrade snakeyaml to 1.33 due to high CVEs
- CDPD-41666: When Impala editor is not available then Hue importer fails

Table 16: Cloudera Runtime 7.1.8.51 (Cumulative Hotfix 17) download URL:

Parcel Repository Location
<code>https://[username]:[password]@archive.cloudera.com/p/cdh7/7.1.8.51/parcels/</code>

Technical Service Bulletin

TSB 2024-775: FileNotFoundException for Ozone Filesystem JAR during or after CDP installation or upgrade

A potential availability issue has been found with services that have an Ozone client dependency on the ozone-filesystem-hadoop3 fat JAR file when upgrading the Cloudera Data Platform (CDP) Private Cloud Base cluster from version 7.1.8 to 7.1.9. This issue may also affect service installations, runs, and restarts during or after the CDP Private Cloud Base installation or upgrade.

The following exception appears on the Cloudera Manager User Interface (UI) or in the log files of the respective service when an installation, upgrade or other operations fail due to this issue: ``java.io.FileNotFoundException: /path/to/ozone-filesystem-hadoop3-<version>.jar (No such file or directory)``.

The failure is caused by the broken symbolic link: `/var/lib/hadoop-hdfs/ozone-filesystem-hadoop3.jar`. This issue arises if the hdfs user already exists on the node before the Cloudera Runtime parcel activation. When the hdfs user already exists on the node, the Cloudera Manager agent skips the initialization related to Hadoop Distributed File System (HDFS), which includes creating the `/var/lib/hadoop-hdfs` directory. As the path is not created, the symbolic link cannot be created during the parcel activation process. This results in a series of broken symbolic links that point to the Ozone binaries.

Knowledge article

For the latest update on this issue see the corresponding Knowledge Article: [TSB 2024-775: FileNotFoundException for the Ozone FS JAR during or after installation or upgrade](#)

Cumulative hotfix CDP PvC Base 7.1.8.50-2 (Cumulative hotfix16)

Know more about the cumulative hotfix 16 for 7.1.8. This cumulative hotfix was released on November 03, 2023.



Note: Contact Cloudera Support for questions related to any specific hotfixes.

Following are the list of fixes that were shipped for CDP Private Cloud Base version 7.1.8-1.cdh7.1.8.p50.46671320

- COMPX-15308: YARN-11578 Fix performance issue of permission check in `verifyAndCreateRemoteLogDir`
- CDPD-62806: Backport HIVE-27558 to CDH-7.1.8.x
- CDPD-62799: IMPALA-12492 Add catalog metrics for total pending events and lag time of the event-processor
- CDPD-62775: IMPALA-12461 Avoid write lock on the table during self-event detection
- CDPD-62774: IMPALA-12474 Latest metastore event id polling can be blocked
- CDPD-62732: Backport HIVE-27772 to CDH-7.1.8.x
- CDPD-62562: Atlas [7.1.8 CHFx] - Upgrade Okhttp to 4.11.0 due to CVE-2023-0833 and CVE-2021-0341
- CDPD-62556: Backport HIVE-27723 to CDH-7.1.8.x
- CDPD-62553: Backport HIVE-21100 to CDH-7.1.8.x

- CDPD-62516: Backport CDPD-43434 Implement support for preventing incompatible log4j classes to be loaded in Sqoop
- CDPD-62513: SMM UI - Upgrade Node JS version to 20.8.1 due to multiple CVEs
- CDPD-62506: SMM - Upgrade netty to 4.1.100.Final due to CVE-2023-44487
- CDPD-62505: Kafka Connect Ext - Upgrade netty to 4.1.100.Final due to CVE-2023-44487
- CDPD-62452: Backport HIVE-27760 to CDH-7.1.8.x
- CDPD-62448: Explicit handling of DIGEST-MD5 vs GSSAPI in quorum auth
- CDPD-62346: Backport IMPALA-8675 to 7.1.8 CHF
- CDPD-62345: Backport IMPALA-12462 to 7.1.8 CHF
- CDPD-62344: Backport IMPALA-11534 to 7.1.8 CHF
- CDPD-62297: Oozie unit tests do not clean up tens of GigaBytes of data causing UT container eviction
- CDPD-62263: Backport HIVE-27673 to CDH-7.1.8.x
- CDPD-62222: Cruise Control - Upgrade Okhttp to 4.11.0 due to CVE-2023-0833 and CVE-2021-0341
- CDPD-62209: Backport CDPD-43343 (OOZIE-3666) Oozie log streaming bug when log timestamps are the same on multiple Oozie servers
- CDPD-62156: IMPALA-10860 Allow setting separate mem_limit for coordinators
- CDPD-62125: Kafka - Upgrade snappy-java to 1.1.10.5 due to CVE-2023-43642
- CDPD-61810: Datanucleus upgrade causes test failures in Oozie
- CDPD-61798: Cannot drop unbounded range partitions in Kudu tables
- CDPD-61757: Backport CDPD-60973 into 7.1.8
- CDPD-61719: Backport PHOENIX-6767 Traversing through all the guideposts to prepare parallel scans is not required for salted tables when the query is point lookup
- CDPD-61710: Backport PHOENIX-6604 Allow using indexes for wildcard topN queries on salted tables
- CDPD-61678: [7.1.8 CHF16] Implement best coding practices for validating user input
- CDPD-61613: IMPALA-12460 Add lag and histogram of event processing in the log
- CDPD-61594: Backport HIVE-27213 to CDH-7.1.8.x
- CDPD-61589: Hue download from ABFS can return a corrupted file
- CDPD-61584: [Intermittent] Active NN not getting latest resource mappings from RMS server
- CDPD-61564: Caused by: java.lang.NoClassDefFoundError: org/datanucleus/store/query/cache/QueryCompilationCache
- CDPD-61505: Atlas [7.1.8 CHFx] - Upgrade Okio to 3.4.0 due to CVE-2023-3635
- CDPD-61501: "Sync source" filter in User/Group search in Oracle DB used clusters leads to an error
- CDPD-61499: Atlas [7.1.8 CHFx] - Upgrade Apache Ivy to 2.5.2 due to CVE-2022-46751
- CDPD-61433: [7.1.x]- Ranger CSV Report extract may fail with Null pointer exception
- CDPD-61353: Backport of CDPD-58220 : ZDU | Getting java.lang.ClassNotFoundException: org.cloudera.log4j.redactor.RedactorAppender while starting ZEPPELIN
- CDPD-61310: Backport PHOENIX-7005 Spark connector tests cannot compile with latest Phoenix
- CDPD-61306: Backport PHOENIX-6916 Cannot handle ranges where start is a prefix of end for desc columns
- CDPD-61047: [7.1.8 CHF] Ranger - Upgrade Tomcat to 8.5.93/9.0.80 due to CVE-2023-41080
- CDPD-61028: CLONE - Atlas - Upgrade jettison to 1.5.4 due to CVE-2023-1436
- CDPD-61024: [718] RangerKafkaAuditHandler broken and multiple authorizations audited in CDP 7.1.8
- CDPD-60742: open_connections and open_operations metrics not populated after hive service restart
- CDPD-60199: HMS memory leak because of datanucleus-api-jdo bug
- CDPD-60030: Hue : Stored Cross-Site Scripting in file name field
- CDPD-60006: Backport HIVE-22489, HIVE-24883 and HIVE-25410 issues to fix java.lang.ClassCastException in join on array column
- CDPD-59890: [718] RangerJSONAuditWriter creates new log file for writing ranger audits as JSON every time there is an Exception
- CDPD-59847: Zeppelin - Upgrade jackrabbit-webdav to 2.21.18 due to CVE-2023-37895
- CDPD-59623: Cruise Control - Upgrade Okio to 3.4.0 due to CVE-2023-3635
- CDPD-59621: Kafka Connect - Upgrade Okio to 3.4.0 due to CVE-2023-3635

- CDPD-59618: Hadoop - Upgrade Okio to 3.4.0 due to CVE-2023-3635
- CDPD-59481: [UnitTest] testConnectionRetryExceptionListener fails w/ BindException: Address already in use
- CDPD-59458: Backport of CDPD-58577:Zeppelin - Upgrade Guava to 32.0.1 due to CVE-2023-2976 to branch 7.1.8 and 7.1.7 SP2
- CDPD-59403: Bump ORC C++ version of Impala to fix ORC-1041 and ORC-1304 in 7.1.8
- CDPD-59344: Fix and backport PHOENIX-6999 Point lookups fail with reverse scan
- CDPD-59247: Backport CDPD-58535 to CDH 7.1.x and CDS 3.x CHF's
- CDPD-58979: Zeppelin - Upgrade Apache Ant to 1.10.12 due to medium CVEs in 7.1.7 and 7.1.8
- CDPD-58918: [Backport 7.1.8 CHFx] SRM - Upgrade Guava to 32.0.1 due to CVE-2023-2976
- CDPD-58914: [Backport 7.1.8 CHFx] SMM - Upgrade Guava to 32.0.1 due to CVE-2023-2976
- CDPD-58910: [Backport 7.1.8 CHFx] Schema Registry - Upgrade Guava to 32.0.1 due to CVE-2023-2976
- CDPD-58908: Backport of CDPD-55537: Zeppelin - Remove apache tephra-core package due to EOL and CVEs to branches 7.1.8, 7.1.7 Sp2
- CDPD-58904: Zeppelin - Replace log4j with reload4
- CDPD-58862: Backport of CDPD-55615:Upgrade Nimbus-JOSE-JWT to 9.24 due to CVEs coming from json-smart to 7.1.8, 7.1.7 Sp2
- CDPD-58663: CLONE - Atlas - Upgrade gremlin shaded to 3.5.5+ due to jackson-databind CVEs
- CDPD-58653: Atlas - Upgrade Netty Project to 4.1.94.Final due CVE-2023-34462
- CDPD-58019: Ratis-Thirdparty - Bump guava to 32.0.0-jre
- CDPD-57739: Hbase-solr - Upgrade sqlite-jdbc to 3.41.2.2+ due to CVE-2023-32697
- CDPD-56176: Fix and backport PHOENIX-6910 Scans created during query compilation and execution against salted tables need to be more resilient
- CDPD-55251: Schema Registry Ranger Plugin - Upgrade jackson-databind to 2.12.7.1/2.13.4.1+ due to CVE-2022-42003, CVE-2022-42004
- CDPD-43434: Implement support for preventing incompatible log4j classes to be loaded in Sqoop
- CDPD-43343: Oozie log streaming bug when log timestamps are the same on multiple Oozie servers
- CDPD-42173: Zeppelin - Upgrade Protocol Buffer Java API to 2.6.1/3.21.2 due to medium CVEs
- [TSB 2023-702](#): Potential wrong result for queries with date partition filter for clusters in GMT+ timezone
- [TSB 2023-704](#): File corruption when downloading files larger than 1 MB from ABFS with Hue File Browser

Table 17: Cloudera Runtime 7.1.8.50 (Cumulative Hotfix 16) download URL:

Parcel Repository Location

```
https://[username]:[password]@archive.cloudera.com/p/cdh7/7.1.8.50/parcels/
```

Technical Service Bulletin

TSB 2024-775: FileNotFoundException for Ozone Filesystem JAR during or after CDP installation or upgrade

A potential availability issue has been found with services that have an Ozone client dependency on the ozone-filesystem-hadoop3 fat JAR file when upgrading the Cloudera Data Platform (CDP) Private Cloud Base cluster from version 7.1.8 to 7.1.9. This issue may also affect service installations, runs, and restarts during or after the CDP Private Cloud Base installation or upgrade.

The following exception appears on the Cloudera Manager User Interface (UI) or in the log files of the respective service when an installation, upgrade or other operations fail due to this issue: ``java.io.FileNotFoundException: /path/to/ozone-file-system-hadoop3-<version>.jar (No such file or directory)`.

The failure is caused by the broken symbolic link: `/var/lib/hadoop-hdfs/ozone-file-system-hadoop3.jar`. This issue arises if the `hdfs` user already exists on the node before the Cloudera Runtime parcel activation. When the `hdfs` user already exists on the node, the Cloudera Manager agent skips the initialization related to Hadoop Distributed File System (HDFS), which includes

creating the `/var/lib/hadoop-hdfs` directory. As the path is not created, the symbolic link cannot be created during the parcel activation process. This results in a series of broken symbolic links that point to the Ozone binaries.

Knowledge article

For the latest update on this issue see the corresponding Knowledge Article: [TSB 2024-775: FileNotFoundException for the Ozone FS JAR during or after installation or upgrade](#)

Cumulative hotfix CDP PvC Base 7.1.8.48-2 (Cumulative hotfix15)

Know more about the cumulative hotfix 15 for 7.1.8. This cumulative hotfix was released on October 2, 2023.



Note: Contact Cloudera Support for questions related to any specific hotfixes.

Following are the list of fixes that were shipped for CDP Private Cloud Base version 7.1.8-1.cdh7.1.8.p48.45613299:

- KT-7472: 7.1.8.x - Keytrustee-keyhsm - Upgrade Spring Framework to 5.3.27/6.0.8 due to CVE-2023-20861, CVE-2023-20860 and CVE-2023-20863
- CDPD-61432: Bump jackson-mapper-asl to 1.9.13-cloudera.4 version
- CDPD-61323: Backport HIVE-25918 to CDH-7.1.8.x
- CDPD-61316: Backport CDPD-61018 to 718 CHF and 719 CHF
- CDPD-61231: Backport IMPALA-11489 to CDH-7.1.8 CHF15
- CDPD-61224: Backport CDPD-61098 to 717 SP2 CHF and 718 CHF
- CDPD-61222: Backport HIVE-27303 to CDH-7.1.8.x
- CDPD-61188: Hue build failed because of latest virtualenv version
- CDPD-61170: [7.1.x] - Improve ExportCSV download time
- CDPD-61145: Backport CDPD-57831 to 718 CHF
- CDPD-61102: Backport HIVE-22961 to CDH-7.1.8.x
- CDPD-61046: Bump NodeJS version to 20.5.1 due to multiple CVEs
- CDPD-61032: Backport HIVE-27632 to CDH-7.1.8.x
- CDPD-61000: Backport HIVE-25576 to 7.1.8.x
- CDPD-60980: NoClassDefFoundError: jodd/time/JulianDate in Oozie-Sqoop system tests
- CDPD-60918: 7.1.8.x snapshot builds for SMM UI failing due to nodejs version bump up
- CDPD-60871: [UnitTest] testQueueSizeAfterNormalSubmission fails with 'Too few elements in the queue'
- CDPD-60721: Backport HIVE-27586 to 7.1.8.x
- CDPD-60687: [7.1.x] Ranger - Upgrade Spring Security to 5.7.10/5.8.5/6.0.5/6.1.2 due to CVE-2023-34034 and CVE-2023-34035
- CDPD-60369: Backport HIVE-27304: Exclude CTAS condition while forming storage handler url permissions in HS2 authorizer
- CDPD-60338: HIVE-27669: [HiveAcidReplication] Hive Acid CTAS fails incremental if no of rows inserted is > INT_MAX
- CDPD-60267: Backport HIVE-27595 to CDP
- CDPD-59620: Ranger - Upgrade Okio to 3.4.0 due to CVE-2023-3635
- CDPD-59480: [UnitTest] testQueueSizeWithDelayedElements Oozie unit test fails intermittently with AssertionError
- CDPD-59379: Backport CDPD-58191 to 7.1.x CHFs
- CDPD-59348: Logging is broken for Ranger plugin in SchemaRegistry
- CDPD-59293: Backport CDPD-58198 to 7.1.x CHFs and CDS 3.x CHFs
- CDPD-58864: backport CDPD-58321 - Got access denied when downloading Zeppelin tutorial bank.csv
- CDPD-58770: Security - The config API endpoint returns the keyStorePassword
- CDPD-58576: Kafka Connect Ext - Upgrade Guava to 32.0.1 due to CVE-2023-2976

- CDPD-58533: Kafka - Upgrade snappy-java to 1.1.10.1 due to CVE-2023-34453, CVE-2023-34454 and CVE-2023-34455
- CDPD-58498: Kafka Connect Ext - Upgrade Netty Project to 4.1.94.Final due CVE-2023-34462
- CDPD-58495: Ozone - Upgrade Netty Project to 4.1.94.Final due CVE-2023-34462
- CDPD-58494: Kafka - Upgrade Netty Project to 4.1.94.Final due CVE-2023-34462
- CDPD-58273: Backport SPARK-43470 to 7.1.x CHF's
- CDPD-57708: [AUTOSYNC] Bump Guava to 32.0.0-jre
- CDPD-57125: HIVE-21213: Acid table bootstrap replication needs to handle directory created by compaction with txn id
- CDPD-35383: Add entry in replication_metrics table for skipped/failed replication.
- CDPD-28375: IMPALA-10829 Memory leak while inserting kudu with rand()
- CDPD-8443: RemoteException when moving a file from scratchdir to a directory in encryption zone
- [TSB 2023-703](#): Risk of Data Loss when using Hue S3 File Browser

Table 18: Cloudera Runtime 7.1.8.48 (Cumulative Hotfix 15) download URL:

Parcel Repository Location
<code>https://[username]:[password]@archive.cloudera.com/p/cdh7/7.1.8.48/parcels/</code>

Technical Service Bulletin

TSB 2024-775: FileNotFoundException for Ozone Filesystem JAR during or after CDP installation or upgrade

A potential availability issue has been found with services that have an Ozone client dependency on the ozone-filesystem-hadoop3 fat JAR file when upgrading the Cloudera Data Platform (CDP) Private Cloud Base cluster from version 7.1.8 to 7.1.9. This issue may also affect service installations, runs, and restarts during or after the CDP Private Cloud Base installation or upgrade.

The following exception appears on the Cloudera Manager User Interface (UI) or in the log files of the respective service when an installation, upgrade or other operations fail due to this issue: ``java.io.FileNotFoundException: /path/to/ozone-filesystem-hadoop3-<version>.jar (No such file or directory)`.

The failure is caused by the broken symbolic link: `/var/lib/hadoop-hdfs/ozone-filesystem-hadoop3.jar`. This issue arises if the hdfs user already exists on the node before the Cloudera Runtime parcel activation. When the hdfs user already exists on the node, the Cloudera Manager agent skips the initialization related to Hadoop Distributed File System (HDFS), which includes creating the `/var/lib/hadoop-hdfs` directory. As the path is not created, the symbolic link cannot be created during the parcel activation process. This results in a series of broken symbolic links that point to the Ozone binaries.

Knowledge article

For the latest update on this issue see the corresponding Knowledge Article: [TSB 2024-775: FileNotFoundException for the Ozone FS JAR during or after installation or upgrade](#)

Cumulative hotfix CDP PvC Base 7.1.8.46-1 (Cumulative hotfix14)

Know more about the cumulative hotfix 14 for 7.1.8. This cumulative hotfix was released on September 7, 2023.



Note: Contact Cloudera Support for questions related to any specific hotfixes.

Following are the list of fixes that were shipped for CDP Private Cloud Base version 7.1.8-1.cdh7.1.8.p46.44757930

- CDPD-60781: SMM UI fails to start on Ubuntu 18 & SLES12

- CDPD-60680: Backport IMPALA-11195 to 7.1.8 CHF
- CDPD-60625: Backport SPARK-40617 into Spark2
- CDPD-60221: Backport CDPD-59692 to CDH 7.1.x
- CDPD-60120: [7.1.8 CLONE] Addressing Vulnerability Type:HTTP Security Header Not Detected only for default HTTPS Port 8484 of RMS
- CDPD-59903: [Backport 7.1.8 CHFx] Use unofficial node build with glibc 2.17 on centos7
- CDPD-59730: Backport IMPALA-11557 and IMPALA-11558 to CDH-7.1.8.x

Table 19: Cloudera Runtime 7.1.8.46 (Cumulative Hotfix 14) download URL:

Parcel Repository Location

```
https://[username]:[password]@archive.cloudera.com/p/cdh7/7.1.8.46/parcels/
```

Technical Service Bulletin

TSB 2024-775: FileNotFoundException for Ozone Filesystem JAR during or after CDP installation or upgrade

A potential availability issue has been found with services that have an Ozone client dependency on the ozone-filesystem-hadoop3 fat JAR file when upgrading the Cloudera Data Platform (CDP) Private Cloud Base cluster from version 7.1.8 to 7.1.9. This issue may also affect service installations, runs, and restarts during or after the CDP Private Cloud Base installation or upgrade.

The following exception appears on the Cloudera Manager User Interface (UI) or in the log files of the respective service when an installation, upgrade or other operations fail due to this issue: ``java.io.FileNotFoundException: /path/to/ozone-filesystem-hadoop3-<version>.jar (No such file or directory)``.

The failure is caused by the broken symbolic link: `/var/lib/hadoop-hdfs/ozone-filesystem-hadoop3.jar`. This issue arises if the hdfs user already exists on the node before the Cloudera Runtime parcel activation. When the hdfs user already exists on the node, the Cloudera Manager agent skips the initialization related to Hadoop Distributed File System (HDFS), which includes creating the `/var/lib/hadoop-hdfs` directory. As the path is not created, the symbolic link cannot be created during the parcel activation process. This results in a series of broken symbolic links that point to the Ozone binaries.

Knowledge article

For the latest update on this issue see the corresponding Knowledge Article: [TSB 2024-775: FileNotFoundException for the Ozone FS JAR during or after installation or upgrade](#)

Cumulative hotfix CDP PvC Base 7.1.8.45-2 (Cumulative hotfix13)

Know more about the cumulative hotfix 13 for 7.1.8. This cumulative hotfix was released on August 18, 2023.



Note: Contact Cloudera Support for questions related to any specific hotfixes.

Following are the list of fixes that were shipped for CDP Private Cloud Base version 7.1.8-1.cdh7.1.8.p45.44120957

- COMPX-14851: Backport YARN-11545 (FS2CS not converts ACLs when all users are allowed)
- CDPD-60137: Backport IMPALA-12319 to 7.1.8 CHF
- CDPD-60016: Backport CDPD-59245 to 7.1.8 CHFx
- CDPD-59358: Backport CDPD-59091 to 7.1.8 CHF
- CDPD-59128: OM crash and unable to start due to quota violation
- CDPD-55860: Missing unicorn_log.conf file in /etc/hue/conf folder
- CDPD-55430: Missing DEBUG logging in Py3 Hue

- CDPD-48893: Implement Logger Role
- CDPD-41691: Custom Header

Table 20: Cloudera Runtime 7.1.8.45 (Cumulative Hotfix 13) download URL:

Parcel Repository Location

```
https://[username]:[password]@archive.cloudera.com/p/cdh7/7.1.8.45/parcels/
```

Technical Service Bulletin

TSB 2024-775: FileNotFoundException for Ozone Filesystem JAR during or after CDP installation or upgrade

A potential availability issue has been found with services that have an Ozone client dependency on the ozone-filesystem-hadoop3 fat JAR file when upgrading the Cloudera Data Platform (CDP) Private Cloud Base cluster from version 7.1.8 to 7.1.9. This issue may also affect service installations, runs, and restarts during or after the CDP Private Cloud Base installation or upgrade.

The following exception appears on the Cloudera Manager User Interface (UI) or in the log files of the respective service when an installation, upgrade or other operations fail due to this issue: ``java.io.FileNotFoundException: /path/to/ozone-filesystem-hadoop3-<version>.jar (No such file or directory)`.

The failure is caused by the broken symbolic link: `/var/lib/hadoop-hdfs/ozone-filesystem-hadoop3.jar`. This issue arises if the `hdfs` user already exists on the node before the Cloudera Runtime parcel activation. When the `hdfs` user already exists on the node, the Cloudera Manager agent skips the initialization related to Hadoop Distributed File System (HDFS), which includes creating the `/var/lib/hadoop-hdfs` directory. As the path is not created, the symbolic link cannot be created during the parcel activation process. This results in a series of broken symbolic links that point to the Ozone binaries.

Knowledge article

For the latest update on this issue see the corresponding Knowledge Article: [TSB 2024-775: FileNotFoundException for the Ozone FS JAR during or after installation or upgrade](#)

Cumulative hotfix CDP PvC Base 7.1.8.44-1 (Cumulative hotfix12)

Know more about the cumulative hotfix 12 for 7.1.8. This cumulative hotfix was released on July 28, 2023.



Note: Contact Cloudera Support for questions related to any specific hotfixes.

Following are the list of fixes that were shipped for CDP Private Cloud Base version 7.1.8-1.cdh7.1.8.p44.43416648

- CDPD-59061: Backport KUDU-3489 to 7.1.8 CHF
- CDPD-58798: Backport CDPD-56000 to CDH-7.1.8.x
- CDPD-58795: Backport CDPD-55339 to CDH-7.1.8.x
- CDPD-58794: Backport CDPD-55340 to CDH-7.1.8.x
- CDPD-58769: Revert CDPD-55611 (where nimbus-jose upgraded to 9.24)
- CDPD-58616: Make Oozie depend on kafka-clients directly (was: Oozie failure on CDH 7.1.9)
- CDPD-58610: Backport CDPD-58507 to 7.1.8.x
- CDPD-58560: test_subplan_single_node fails on 7.1.8.x
- CDPD-58545: Backport HIVE-27402 to CDH-7.1.8.x
- CDPD-58543: Backport HIVE-27374 to CDH-7.1.8.x
- CDPD-58497: Race condition in closing FadvisedFileRegion
- CDPD-58493: Ranger - Upgrade Netty Project to 4.1.94.Final due CVE-2023-34462

- CDPD-58418: SRM builds are failing across release lines and platforms
- CDPD-58320: Backport IMPALA-12204 to 7.1.8.x
- CDPD-58160: Backport CDPD-56782 to 7.1.8 CHF and 7.1.9
- CDPD-58080: Backport SPARK-32951 to Spark 2
- CDPD-56830: HADOOP-18233. Initialization race condition with TemporaryAWSCredentialsProvider
- CDPD-46973: Make Logredactor dependency in Omid more explicit
- CDPD-46049: SSH action fails when 'oozie.action.ssh.http.command.post.options' property contains double quotes

Table 21: Cloudera Runtime 7.1.8.44 (Cumulative Hotfix 12) download URL:

Parcel Repository Location
<code>https://[username]:[password]@archive.cloudera.com/p/cdh7/7.1.8.44/parcels/</code>

Technical Service Bulletin

TSB 2024-775: FileNotFoundException for Ozone Filesystem JAR during or after CDP installation or upgrade

A potential availability issue has been found with services that have an Ozone client dependency on the ozone-filesystem-hadoop3 fat JAR file when upgrading the Cloudera Data Platform (CDP) Private Cloud Base cluster from version 7.1.8 to 7.1.9. This issue may also affect service installations, runs, and restarts during or after the CDP Private Cloud Base installation or upgrade.

The following exception appears on the Cloudera Manager User Interface (UI) or in the log files of the respective service when an installation, upgrade or other operations fail due to this issue: ``java.io.FileNotFoundException: /path/to/ozone-filesystem-hadoop3-<version>.jar (No such file or directory)`.

The failure is caused by the broken symbolic link: `/var/lib/hadoop-hdfs/ozone-filesystem-hadoop3.jar`. This issue arises if the hdfs user already exists on the node before the Cloudera Runtime parcel activation. When the hdfs user already exists on the node, the Cloudera Manager agent skips the initialization related to Hadoop Distributed File System (HDFS), which includes creating the `/var/lib/hadoop-hdfs` directory. As the path is not created, the symbolic link cannot be created during the parcel activation process. This results in a series of broken symbolic links that point to the Ozone binaries.

Knowledge article

For the latest update on this issue see the corresponding Knowledge Article: [TSB 2024-775: FileNotFoundException for the Ozone FS JAR during or after installation or upgrade](#)

Cumulative hotfix CDP PvC Base 7.1.8.42-1 (Cumulative hotfix11)

Know more about the cumulative hotfix 11 for 7.1.8. This cumulative hotfix was released on July 4, 2023.



Note: Contact Cloudera Support for questions related to any specific hotfixes.

Following are the list of fixes that were shipped for CDP Private Cloud Base version 7.1.8-1.cdh7.1.8.p42.42657882

- KT-7469: Keytrustee - Upgrade bcpkix-jdk15on to 1.70+ due to CVE-2019-17359
- CDPD-58051: Hue builds are failing in sles12 with mysqlclient v2.2.0 release
- CDPD-58042: test_retry_query_set_query_in_flight_failed failed on 7.1.8.x
- CDPD-57902: Backport CDPD-57135 to 7.1.8.x
- CDPD-57886: Backport IMPALA-6590 to 7.1.8 CHF
- CDPD-57593: Backport HIVE-27373 to CDH-7.1.8.x

- CDPD-57535: Revert: CDPD-48171: Temporary workaround pinning snakeyaml to 2.0 not vulnerable to CVE-2022-1471
- CDPD-57432: Kafka Connect Ext - Upgrade wildfly-elytron to 1.15.17.Final due to CVE-2022-3143
- CDPD-57300: Streaming Components - Upgrade jackson-databind to 2.12.7.1/2.13.4.1+ due to CVE-2022-42003, CVE-2022-42004
- CDPD-57068: Backport Samsung client performance fixes
- CDPD-56922: Fix favicon.ico config value for SSOCookieProvider in 7.1.8
- CDPD-56627: [7.1.8] Service API access fails with 404 due to NPE and SAXParseException:No such accessible method: addFilter()
- CDPD-56168: Backport CALCITE-4968 to CDP-PvC & PC
- CDPD-55769: Atlas - Upgrade Spring Framework to 5.3.27/6.0.8 due to CVE-2023-20861, CVE-2023-20860 and CVE-2023-20863
- CDPD-55616: Expose and Increase the default Zeppelin server scheduler thread pool size based on ZEPPELIN-3800
- CDPD-55611: Knox - Upgrade Nimbus-JOSE-JWT to 9.24 due to CVEs coming from json-smart

Table 22: Cloudera Runtime 7.1.8.42 (Cumulative Hotfix 11) download URL:

Parcel Repository Location

```
https://[username]:[password]@archive.cloudera.com/p/cdh7/7.1.8.42/parcels/
```

Technical Service Bulletin

TSB 2024-775: FileNotFoundException for Ozone Filesystem JAR during or after CDP installation or upgrade

A potential availability issue has been found with services that have an Ozone client dependency on the ozone-filesystem-hadoop3 fat JAR file when upgrading the Cloudera Data Platform (CDP) Private Cloud Base cluster from version 7.1.8 to 7.1.9. This issue may also affect service installations, runs, and restarts during or after the CDP Private Cloud Base installation or upgrade.

The following exception appears on the Cloudera Manager User Interface (UI) or in the log files of the respective service when an installation, upgrade or other operations fail due to this issue: ``java.io.FileNotFoundException: /path/to/ozone-filesystem-hadoop3-<version>.jar (No such file or directory)`.

The failure is caused by the broken symbolic link: `/var/lib/hadoop-hdfs/ozone-file-system-hadoop3.jar`. This issue arises if the `hdfs` user already exists on the node before the Cloudera Runtime parcel activation. When the `hdfs` user already exists on the node, the Cloudera Manager agent skips the initialization related to Hadoop Distributed File System (HDFS), which includes creating the `/var/lib/hadoop-hdfs` directory. As the path is not created, the symbolic link cannot be created during the parcel activation process. This results in a series of broken symbolic links that point to the Ozone binaries.

Knowledge article

For the latest update on this issue see the corresponding Knowledge Article: [TSB 2024-775: FileNotFoundException for the Ozone FS JAR during or after installation or upgrade](#)

Cumulative hotfix CDP PvC Base 7.1.8.36-4 (Cumulative hotfix10)

Know more about the cumulative hotfix 10 for 7.1.8. This cumulative hotfix was released on June 19, 2023.



Note: Contact Cloudera Support for questions related to any specific hotfixes.

Following are the list of fixes that were shipped for CDP Private Cloud Base version 7.1.8-1.cdh7.1.8.p36.42193080

- CDPD-56871: IMPALA-12114: Fixes SSL Thrift idle disconnect (THRIFT-5705)
- CDPD-57018: Ranger - Upgrade aws-java-sdk to 1.12.367+
- CDPD-56818: Phoenix - Upgrade gson to 2.9.1 due to CVE-2022-25647
- CDPD-56737: Ranger - Upgrade Tomcat to 8.5.89 due to CVE-2023-28709
- CDPD-56693: Hue PAM authentication will fail with PAM_AUTH_ERR or PAM_SYSTEM_ERR
- CDPD-56586: [AUTOSYNC] Bump sqllite-jdbc to 3.41.2.2
- CDPD-56487: Hue workers are not getting DB connection and causing is_alive calls to fails with "ORA-03135/ORA-03113/ORA-03114"
- CDPD-56320: Backport PHOENIX-6953 Creating indexes on a table with old indexing leads to inconsistent co-processors
- CDPD-56269: Backport PHOENIX-6944 Randomize mapper task ordering for Index MR tools
- CDPD-56232: Backport HIVE-27271 and HIVE-27308 issues to avoid exposing client keystore and truststore passwords in the JDBC URL
- CDPD-55980: [7.1.8 CHFX CLONE] - Alter view command allowed even when user has a deny policy on the underlying table
- CDPD-55608: Hadoop - Upgrade Nimbus-JOSE-JWT to 9.24 due to CVEs coming from json-smart
- CDPD-55580: Events related to non-proxied services cause Knox to perform a topology redeploy
- CDPD-55416: Knox - Upgrade json-smart to 2.4.10 due to CVE-2023-1370
- CDPD-53819: Increase default Zeppelin RPC connection pool size based on ZEPPELIN-5005
- CDPD-53811: Zeppelin - Upgrade Spring Framework to 5.3.27/6.0.8 due to CVE-2023-20861, CVE-2023-20860 and CVE-2023-20863
- CDPD-53809: Knox - Upgrade Spring Framework to 5.3.27/6.0.8 due to CVE-2023-20861, CVE-2023-20860 and CVE-2023-20863
- CDPD-50694: DAG details are not available in query
- CDPD-50367: [7.1.8.x] - Ranger - Upgrade snakeyaml due to CVE-2022-1471
- CDPD-46463: Hue - Update Python-ldap to 3.4.3 due to CVE-2021-46823
- CDPD-46312: cx_Oracle is missing from Hue on 7.1.8 release which is needed
- CDPD-44419: Hue - Upgrade jquery-ui to 1.13.2 due to CVE-2022-31160
- CDPD-43984: Local file import errors with BAD Request(400) with XLSX file format
- CDPD-41982: Yarn - Upgrade Guava: Google Core Libraries for Java to v28.2/31.1-jre due to CVEs
- HDFS-17045 - File renamed from a snapshottable dir to a non-snapshottable dir cannot be deleted.
- TSB 2023-666: Out of order HDFS snapshot deletion may delete renamed/moved files, which may result in data loss.

Table 23: Cloudera Runtime 7.1.8.36 (Cumulative Hotfix 10) download URL:

Parcel Repository Location

```
https://[username]:[password]@archive.cloudera.com/p/cdh7/7.1.8.36/parcels/
```

Technical Service Bulletin

TSB 2024-775: FileNotFoundException for Ozone Filesystem JAR during or after CDP installation or upgrade

A potential availability issue has been found with services that have an Ozone client dependency on the ozone-filesystem-hadoop3 fat JAR file when upgrading the Cloudera Data Platform (CDP) Private Cloud Base cluster from version 7.1.8 to 7.1.9. This issue may also affect service installations, runs, and restarts during or after the CDP Private Cloud Base installation or upgrade.

The following exception appears on the Cloudera Manager User Interface (UI) or in the log files of the respective service when an installation, upgrade or other operations fail due to this issue: ``java.io.FileNotFoundException: /path/to/ozone-filesystem-hadoop3-<version>.jar (No such file or directory).`

The failure is caused by the broken symbolic link: `/var/lib/hadoop-hdfs/ozone-file-system-hadoop3.jar`. This issue arises if the `hdfs` user already exists on the node before the Cloudera Runtime parcel activation. When the `hdfs` user already exists on the node, the Cloudera Manager agent skips the initialization related to Hadoop Distributed File System (HDFS), which includes creating the `/var/lib/hadoop-hdfs` directory. As the path is not created, the symbolic link cannot be created during the parcel activation process. This results in a series of broken symbolic links that point to the Ozone binaries.

Knowledge article

For the latest update on this issue see the corresponding Knowledge Article: [TSB 2024-775: FileNotFoundException for the Ozone FS JAR during or after installation or upgrade](#)

Cumulative hotfix CDP PvC Base 7.1.8 (Cumulative hotfix9)

Know more about the cumulative hotfix 9 for 7.1.8. This cumulative hotfix was released on June 1, 2023.



Note: Contact Cloudera Support for questions related to any specific hotfixes.



Note: CDP 7.1.8 CHF8 and CHF9 binaries were revoked from the archive.cloudera.com.

Following are the list of fixes that were shipped for CDP Private Cloud Base version 7.1.8-1.cdh7.1.8.p35.41426564

- KT-7467: Keytrustee - Upgrade Spring-boot to 2.11+ or 3.0.6+ due to CVE-2023-20873
- KT-7461: [7.1.8.x] - Upgrade org.json to 20230227+ due to CVE-2022-45688
- KT-7458: [CDH-7.1.8.x] - Upgrade commons-codec to 1.13+
- KT-7457: [CDH-7.1.8.x] - Upgrade commons-io to 2.7+ due to CVE-2021-29425
- COMPM-14340: YARN-11490 JMX QueueMetrics breaks after mutable config validation in CS
- COMPM-14147: YARN-11312 [UI2] Refresh buttons don't work after EmberJS upgrade
- CDPD-56581: Backport CDPD-46655 to hbase-filessystem CDH-7.1.8.x branch
- CDPD-56580: Backport CDPD-40352 to hbase-filessystem CDH-7.1.8.x branch
- CDPD-56384: Ranger - Upgrade Spring LDAP to 2.4.1 due to high CVEs
- CDPD-56383: Ranger - Upgrade BeanShell to 2.1b5 due to high CVEs
- CDPD-56381: Ranger - Upgrade Apache Derby due to critical CVEs
- CDPD-56334: Backport HADOOP-17270. Fix testCompressorDecompressorWithExceedBufferLimit to cover the intended scenario
- CDPD-56266: Backport CDPD-55922 to 7.1.8 CHF
- CDPD-56258: Backport CDPD-55116 to 7.1.8 CHF9
- CDPD-56228: Backport PARQUET-2258 to CDH-7.1.8.x
- CDPD-56213: Fix sql patch 65 syntax issue for oracle db
- CDPD-56183: Backport IMPALA-11435 to CDH-7.1.8 CHF9
- CDPD-56134: Reload4j migration error in ZooKeeper
- CDPD-56132: Atlas - Upgrade Spring Security to 5.7.8+/5.8.3+/6.0.3+ due to CVE-2023-20862
- CDPD-56017: Backport HDDS-8385. Ozone can't process snapshot when service UID > 2097151
- CDPD-56011: ServiceTagsProcessor fails to handle update of an existing Service-Resource
- CDPD-55994: Ranger Upgrade to 7.1.9 may fail
- CDPD-55978: [7.1.8 CHFx CLONE] - Wrong permission check for Hive "Alter View as" command in Ranger HiveAuthorizer
- CDPD-55780: SR mTLS unit test secondary cert is expired
- CDPD-55617: Atlas - Upgrade Nimbus-JOSE-JWT to 9.24 due to CVEs coming from json-smart
- CDPD-55609: Schema Registry - Upgrade Nimbus-JOSE-JWT to 9.24 due to CVEs coming from json-smart
- CDPD-55562: Include HOTFIX-5604 for HDDS-6991: Setting bucket owner may throw NPE

- CDPD-55561: Ranger - Upgrade bcpkix-jdk15on to 1.70+ due to CVE-2019-17359
- CDPD-55527: Backport HBASE-27619
- CDPD-55526: Backport HBASE-27484
- CDPD-55525: Backport CDPD-46655
- CDPD-55524: Backport HBASE-27368
- CDPD-55523: Backport HBASE-27265
- CDPD-55522: Backport HBASE-27204
- CDPD-55521: Backport HBASE-27017
- CDPD-55520: Backport HBASE-27061
- CDPD-50462: [7.1.8.x] - Ranger - Upgrade org.json to 20230227+ due to CVE-2022-45688
- CDPD-50450: Backport HIVE-27201: Inconsistency between session Hive and thread-local Hive may cause HS2 deadlock
- CDPD-48171: Spark - Upgrade snakeyaml due to CVE-2022-1471
- CDPD-45389: Calcite - Upgrade snakeyaml to 1.32 due to high CVEs
- CDPD-43470: CDPD - Upgrade aws-java-sdk to 1.12.261+ due to CVE-2022-31159
- CDPD-41590: IMPALA-11406 Incorrect duration logged in "Authorization check took n ms"
- CDPD-56005 Backport SPARK-26548 to Spark2
- CDPD-56007 Backport SPARK-26617 to Spark2

Technical Service Bulletin

TSB 2024-775: FileNotFoundException for Ozone Filesystem JAR during or after CDP installation or upgrade

A potential availability issue has been found with services that have an Ozone client dependency on the ozone-filesystem-hadoop3 fat JAR file when upgrading the Cloudera Data Platform (CDP) Private Cloud Base cluster from version 7.1.8 to 7.1.9. This issue may also affect service installations, runs, and restarts during or after the CDP Private Cloud Base installation or upgrade.

The following exception appears on the Cloudera Manager User Interface (UI) or in the log files of the respective service when an installation, upgrade or other operations fail due to this issue: ``java.io.FileNotFoundException: /path/to/ozone-filesystem-hadoop3-<version>.jar (No such file or directory)`.

The failure is caused by the broken symbolic link: `/var/lib/hadoop-hdfs/ozone-filesystem-hadoop3.jar`. This issue arises if the `hdfs` user already exists on the node before the Cloudera Runtime parcel activation. When the `hdfs` user already exists on the node, the Cloudera Manager agent skips the initialization related to Hadoop Distributed File System (HDFS), which includes creating the `/var/lib/hadoop-hdfs` directory. As the path is not created, the symbolic link cannot be created during the parcel activation process. This results in a series of broken symbolic links that point to the Ozone binaries.

Knowledge article

For the latest update on this issue see the corresponding Knowledge Article: [TSB 2024-775: FileNotFoundException for the Ozone FS JAR during or after installation or upgrade](#)

Cumulative hotfix CDP PvC Base 7.1.8 (Cumulative hotfix8)

Know more about the cumulative hotfix 8 for 7.1.8. This cumulative hotfix was released on May 18, 2023.



Note: Contact Cloudera Support for questions related to any specific hotfixes.



Note: CDP 7.1.8 CHF8 and CHF9 binaries were revoked from the archive.cloudera.com.

Following are the list of fixes that were shipped for CDP Private Cloud Base version 7.1.8-1.cdh7.1.8.p34.40961563

- KT-7455: Skip Junit Test for KeyTrustee KeyProvider

- COMPX-13056: QM - Upgrade Grizzly-http to 4.0.0 due to CVE-2017-1000028
- COMPX-11118: Queue Manager - Upgrade Netty Project to 4.1.78.Final due to medium CVEs
- CDPD-55713: Backport PHOENIX-6881 to 7.1.8
- CDPD-55712: Backport PHOENIX-5066 to 7.1.8
- CDPD-55705: Backport PHOENIX-6823 to 7.1.8
- CDPD-55663: Backport HIVE-27116 to CDH-7.1.8.x
- CDPD-55614: Cruise Control - Upgrade Nimbus-JOSE-JWT to 9.24 due to CVEs coming from json-smart
- CDPD-55602: Backport CDPD-26858 to 7.1.7 SP2 and 7.1.8
- CDPD-55574: Test container image can not be built from debian:jessie-slim
- CDPD-55516: Backport HIVE-21075 to CDH-7.1.8.x
- CDPD-55489: SMM - Upgrade Jetty to 9.4.51/10.0.14+/11.0.14+ due to CVE-2023-26048 and CVE-2023-26049
- CDPD-55461: SMM - Upgrade Spring Framework to 5.3.27/6.0.8 due to CVE-2023-20863
- CDPD-55418: Hadoop - Upgrade json-smart to 2.4.10 due to CVE-2023-1370
- CDPD-55414: ITestS3AContractDistCp test failing
- CDPD-55365: CPX - Upgrade Netty Project to 4.1.78.Final due to CVE
- CDPD-55361: Delete a snapshot may deleteCurrentFile
- CDPD-55360: FileWithSnapshotFeature.isCurrentFileDeleted is not reloaded from FSImage.
- CDPD-55336: Backport HIVE-23892 to CDH-7.1.8.x
- CDPD-55286: Backport TEZ-4041 to CDH-7.1.8.x
- CDPD-55254: SMM - Upgrade jackson-databind to 2.13.4.1+ due to CVE-2022-42003, CVE-2022-42004
- CDPD-54935: HUE on Data Mart cluster not working on YCLOUD DE+DM Data Hub setup Thrift Versioning issue
- CDPD-53810: Ozone - Upgrade Spring Framework to 5.3.27/6.0.8 due to CVE-2023-20861 and CVE-2023-20860
- CDPD-53438: Different kudu test failures on SLES15SP4
- CDPD-50730: Hive WebUI HTTP 500 error due to jar order in classpath
- CDPD-50282: test_recover_many_partitions failed in S3 build due to assertion failure
- CDPD-49431: Hive - Replace log4j 1.x with reload4j - 7.1.8.x
- CDPD-47004: Phoenix Query Server misses logredactor jar
- CDPD-46973: Make Logredactor dependency in Omid more explicit
- CDPD-43484: Hue - Upgrade Apache Thrift to 0.16.0 due to high CVEs



Important: Data Analytics Studio (DAS), NavEncrypt, and KTS are not supported on 7.1.8 when using SLES 15.

Technical Service Bulletin

TSB 2024-775: FileNotFoundException for Ozone Filesystem JAR during or after CDP installation or upgrade

A potential availability issue has been found with services that have an Ozone client dependency on the ozone-filesystem-hadoop3 fat JAR file when upgrading the Cloudera Data Platform (CDP) Private Cloud Base cluster from version 7.1.8 to 7.1.9. This issue may also affect service installations, runs, and restarts during or after the CDP Private Cloud Base installation or upgrade.

The following exception appears on the Cloudera Manager User Interface (UI) or in the log files of the respective service when an installation, upgrade or other operations fail due to this issue: ``java.io.FileNotFoundException: /path/to/ozone-filesystem-hadoop3-<version>.jar (No such file or directory)`.

The failure is caused by the broken symbolic link: `/var/lib/hadoop-hdfs/ozone-filesystem-hadoop3.jar`. This issue arises if the hdfs user already exists on the node before the Cloudera Runtime parcel activation. When the hdfs user already exists on the node, the Cloudera Manager agent skips the initialization related to Hadoop Distributed File System (HDFS), which includes creating the `/var/lib/hadoop-hdfs` directory. As the path is not created, the symbolic link cannot be

created during the parcel activation process. This results in a series of broken symbolic links that point to the Ozone binaries.

Knowledge article

For the latest update on this issue see the corresponding Knowledge Article: [TSB 2024-775: FileNotFoundException for the Ozone FS JAR during or after installation or upgrade](#)

Cumulative hotfix CDP PvC Base 7.1.8.32-1 (Cumulative hotfix7)

Know more about the cumulative hotfix 7 for 7.1.8. This cumulative hotfix was released on May 4, 2023.



Note: Contact Cloudera Support for questions related to any specific hotfixes.

Following are the list of fixes that were shipped for CDP Private Cloud Base version 7.1.8-1.cdh7.1.8.p32.40452671

- COMPX-11114: Queue Manager - Upgrade Guava: Google Core Libraries for Java to v28.2/31.1-jre due to low CVEs
- CDPD-55459: Ranger - Upgrade Spring Framework to 5.3.27/6.0.8 due to CVE-2023-20863
- CDPD-55419: Ranger - Upgrade json-smart to 2.4.10 due to CVE-2023-1370
- CDPD-55399: [7.1.8.x] - Ranger admin user is unable to change another user email after the upgrade
- CDPD-55250: Kafka Connect Ranger Plugin - Upgrade jackson-databind to 2.12.7.1/2.13.4.1+ due to CVE-2022-42003, CVE-2022-42004
- CDPD-55188: Backport IMPALA-12079 to 7.1.8: NoneType object is not iterable due to uncaught exceptions
- CDPD-55175: CPX - Upgrade guava google core to 31.1-jre due to CVE
- CDPD-55130: Backport CDPD-54407 to 7.1.8 CHFx and 7.1.7 SP2 CHFx
- CDPD-55025: Schema Registry Atlas behavior tests failing on JAVA11 for 7.1.8
- CDPD-54867: Backport ZEPPELIN-5176
- CDPD-54768: Backport HIVE-25503 amendment to CDH-7.1.8.x
- CDPD-54762: Backport HIVE-26404 to CDH-7.1.8.x
- CDPD-54759: Backport HIVE-26288 to CDH-7.1.8.x
- CDPD-54756: Backport HIVE-25492 to CDH-7.1.8.x
- CDPD-54742: Py3 failure at collecting Impala breakpad dumps
- CDPD-54664: Download operation working in infinite loop to fetch content from FS
- CDPD-54616: 7.1.8.x - Ozone_key tag based policies are not working
- CDPD-54600: Oozie - Upgrade JavaEWAH to 1.1.7
- CDPD-54434: Sles15 Kudu build fails on 7.1.8.0
- CDPD-54366: Knox docker rate limit build failure
- CDPD-53827: Zeppelin - Upgrade jettison to 1.5.4 due to CVE-2023-1436
- CDPD-53823: Hadoop - Upgrade jettison to 1.5.4 due to CVE-2023-1436
- CDPD-53177: SR mTLS UT certs are expired in schema-registry-webservice
- CDPD-52783: Create new TLS certificates for SR behavior tests
- CDPD-50765: Zeppelin - Upgrade Jetty 9.4.48
- CDPD-50667: assistpanel fails to open files/folders in filebrowser
- CDPD-50521: HIVE_ON_TEZ is discovered as a new service after each restart
- CDPD-50430: SMM UI - Upgrade node.js due to CVE-2023-23918, CVE-2023-23919, CVE-2023-23920 and CVE-2023-23936
- CDPD-49833: Backport HIVE-26789 to CDH-7.1.8.x
- CDPD-49397: Hue - Upgrade setuptools to 65.5.1 due to CVE-2022-40897
- CDPD-49119: Hue - Upgrade Wheel to 0.38.1 due to CVE-2022-40898
- CDPD-48250: Import table data to external location fails for %20
- CDPD-48149: Cannot download file when using Apache Knox

- CDPD-48085: Upgrade JavaEWAH to 1.1.7
- CDPD-47913: Ozone - Upgrade moment.js to 2.29.4 due to CVE-2022-24785, CVE-2022-31129
- CDPD-47567: Errors in HS2 logs when downloading file from Hue
- CDPD-43652: Hue support for '%' character in file paths and names
- CDPD-42866: Support non ascii characters in file download
- CDPD-42471: Zeppelin - Upgrade Bootstrap (Twitter) to 3.4.1/5.1.3 due to medium CVEs

Table 24: Cloudera Runtime 7.1.8.32 (Cumulative Hotfix 7) download URL:

Parcel Repository Location

```
https://[username]:[password]@archive.cloudera.com/p/cdh7/7.1.8.32/parcels/
```

Technical Service Bulletin

TSB 2024-775: FileNotFoundException for Ozone Filesystem JAR during or after CDP installation or upgrade

A potential availability issue has been found with services that have an Ozone client dependency on the ozone-filesystem-hadoop3 fat JAR file when upgrading the Cloudera Data Platform (CDP) Private Cloud Base cluster from version 7.1.8 to 7.1.9. This issue may also affect service installations, runs, and restarts during or after the CDP Private Cloud Base installation or upgrade.

The following exception appears on the Cloudera Manager User Interface (UI) or in the log files of the respective service when an installation, upgrade or other operations fail due to this issue: ``java.io.FileNotFoundException: /path/to/ozone-filesystem-hadoop3-<version>.jar (No such file or directory)`.

The failure is caused by the broken symbolic link: `/var/lib/hadoop-hdfs/ozone-filesystem-hadoop3.jar`. This issue arises if the hdfs user already exists on the node before the Cloudera Runtime parcel activation. When the hdfs user already exists on the node, the Cloudera Manager agent skips the initialization related to Hadoop Distributed File System (HDFS), which includes creating the `/var/lib/hadoop-hdfs` directory. As the path is not created, the symbolic link cannot be created during the parcel activation process. This results in a series of broken symbolic links that point to the Ozone binaries.

Knowledge article

For the latest update on this issue see the corresponding Knowledge Article: [TSB 2024-775: FileNotFoundException for the Ozone FS JAR during or after installation or upgrade](#)

Cumulative hotfix CDP PvC Base 7.1.8.28-1 (Cumulative hotfix6)

Know more about the cumulative hotfix 6 for 7.1.8. This cumulative hotfix was released on April 20, 2023.



Note: Contact Cloudera Support for questions related to any specific hotfixes.

Following are the list of fixes that were shipped for CDP Private Cloud Base version 7.1.8-1.cdh7.1.8.p28.39961806

- COMPX-13773: YARN-11461 NPE in determineMissingParents when the queue is invalid
- COMPX-11112: Queue Manager - Upgrade Bouncy Castle to 1.70 due to medium CVEs
- CDPD-54703: Topic details tab does not display the lag of the consumer group
- CDPD-54652: Backport IMPALA-12043 to CDH-7.1.8CHF6
- CDPD-54632: Backport KUDU-3450 to 7.1.8 CHF6
- CDPD-54383: Backport HIVE-27157 to CDH-7.1.8.x
- CDPD-54381: Backport TEZ-4334 to CDH-7.1.8.x
- CDPD-54108: Sqoop not proceeding on all CDPD release lines

- CDPD-53926: Backport CDPD-51866 to 7.1.8 CHF6
- CDPD-53924: Backport HIVE-27168 to CDH-7.1.8.x
- CDPD-53920: Backport HIVE-26787 to CDH-7.1.8.x
- CDPD-53917: Backport HIVE-26778 to CDH-7.1.8.x
- CDPD-53914: Backport HIVE-26661 to CDH-7.1.8.x
- CDPD-53884: CPX - Upgrade bouncy castle to 1.70 due to CVE
- CDPD-53825: Tez - Upgrade jettison to 1.5.4 due to CVE-2023-1436
- CDPD-53813: Impala - Upgrade Spring Framework to 5.3.26/6.0.7 due to CVE-2023-20861 and CVE-2023-20860
- CDPD-53812: SMM - Upgrade Spring Framework to 5.3.26/6.0.7 due to CVE-2023-20861 and CVE-2023-20860
- CDPD-53722: Knox - Upgrade OkHttp to 3.14.9/4.10.0 due to medium CVEs - PvC
- CDPD-53422: Zeppelin build failed on 7.1.7 SP2 CHF5, 7.1.8 CHF6, 7.1.9 and cdpd-master
- CDPD-53371: Backport HIVE-22813 to CDH-7.1.8.x
- CDPD-53179: Amazon S3 sink connector fails when buffer size is reached
- CDPD-52804: Fix Py3 compatibility issues in hbase-indexer
- CDPD-52721: Sqoop - Replace log4j 1.x with reload4j
- CDPD-51934: Spark - Upgrade scala compiler due CVE-2020-11022 and CVE-2020-11023 (JQuery)
- CDPD-51876: Atlas UI: Audit tab reporting a date of 1970 in a few properties.
- CDPD-50912: Unable to connect to impala-shell if there is a file with special character in user's home directory
- CDPD-50694: DAG details are not available in query
- CDPD-50423: Sqoop ClassCastExceptions when exporting from Parquet #2 (Previous ticket: CDPD-44531)
- CDPD-50289: Hadoop - Upgrade Kerby to 2.0.3 due to CVE-2023-25613
- CDPD-50288: CDPD - Upgrade Kerby to 2.0.3 due to CVE-2023-25613
- CDPD-50218: [7.1.8 CHF6 CLONE] - Ranger RMS Field issues
- CDPD-50089: [Unit test] Oozie unit test testMaxConcurrencyReached failed with Not all callables have been executed
- CDPD-50029: Atlas: CVE-2023-24998-upgrade commons-fileupload library to version 1.5
- CDPD-49648: Upgrade chart.js to 2.9.4+ due to CVE-2020-7746
- CDPD-49427: Atlas - Replace log4j 1.x with reload4j - 7.1.8.x
- CDPD-48281: [hue] add limit request field configs to hue
- CDPD-48029: Hadoop - Upgrade jettison to 1.5.2 due to CVE-2022-45685 and CVE-2022-45693
- CDPD-47987: CDPD - Upgrade Netty to 4.1.86.Final due to CVE-2022-41881, CVE-2022-41915
- CDPD-46671: CDPD - Upgrade commons-codec to 1.13 or higher
- CDPD-44531: Sqoop cannot export parquet data due to ClassCastException (Follow-up ticket: CDPD-50423)
- CDPD-43525: Hue - Upgrade minimist to 0.2.1/1.2.6 due to critical CVEs
- CDPD-43518: Hue - Upgrade Async to 3.2.4 due to high CVEs
- CDPD-41635: Zeppelin - Upgrade MathJax due to medium CVEs
- [TSB 2023-673](#): Ranger RMS Field issues causing HDFS high RPC queue time and processing time issue

Table 25: Cloudera Runtime 7.1.8.28 (Cumulative Hotfix 6) download URL:

Parcel Repository Location

```
https://[username]:[password]@archive.cloudera.com/p/cdh7/7.1.8.28/parcels/
```

Technical Service Bulletin

TSB 2024-775: FileNotFoundException for Ozone Filesystem JAR during or after CDP installation or upgrade

A potential availability issue has been found with services that have an Ozone client dependency on the ozone-filesystem-hadoop3 fat JAR file when upgrading the Cloudera Data Platform

(CDP) Private Cloud Base cluster from version 7.1.8 to 7.1.9. This issue may also affect service installations, runs, and restarts during or after the CDP Private Cloud Base installation or upgrade.

The following exception appears on the Cloudera Manager User Interface (UI) or in the log files of the respective service when an installation, upgrade or other operations fail due to this issue: ``java.io.FileNotFoundException: /path/to/ozone-file-system-hadoop3-<version>.jar (No such file or directory)`.

The failure is caused by the broken symbolic link: `/var/lib/hadoop-hdfs/ozone-file-system-hadoop3.jar`. This issue arises if the `hdfs` user already exists on the node before the Cloudera Runtime parcel activation. When the `hdfs` user already exists on the node, the Cloudera Manager agent skips the initialization related to Hadoop Distributed File System (HDFS), which includes creating the `/var/lib/hadoop-hdfs` directory. As the path is not created, the symbolic link cannot be created during the parcel activation process. This results in a series of broken symbolic links that point to the Ozone binaries.

Knowledge article

For the latest update on this issue see the corresponding Knowledge Article: [TSB 2024-775: FileNotFoundException for the Ozone FS JAR during or after installation or upgrade](#)

Cumulative hotfix CDP PvC Base 7.1.8.25-6 (Cumulative hotfix5)

Know more about the cumulative hotfix 5 for 7.1.8. This cumulative hotfix was released on April 13, 2023.



Note: Contact Cloudera Support for questions related to any specific hotfixes.

Following are the list of fixes that were shipped for CDP Private Cloud Base version 7.1.8-1.cdh7.1.8.p25.3924029

- [TSB 2024-650](#): Arbitrary file deletion vulnerability in Apache Zeppelin
- COMPX-13542: Queue Manager: CVE-2023-24998-upgrade commons-fileupload library to version 1.5
- COMPX-13430: Dynamic Queue Schedules fail to reload from CM config
- COMPX-13423: MAPREDUCE-7433 Remove unused `mapred/LoggingHttpServletResponse.java`
- COMPX-13422: MAPREDUCE-7268 Fix `TestMapreduceConfigFields`
- COMPX-13421: MAPREDUCE-7237 Supports config the shuffle's path cache related parameters
- COMPX-13272: HADOOP-18602 Remove netty3 dependency
- COMPX-12964: MAPREDUCE-7431 ShuffleHandler is not working correctly in SSL mode after the Netty 4 upgrade
- COMPX-12083: [7.1.8]Queue Manager - Upgrade Apache Maven to 3.8.6 due to CVE-2021-26291
- CDPD-54108: Sqoop not proceeding on all CDPD release lines
- CDPD-53826: Ranger - Upgrade jettison to 1.5.4 due to CVE-2023-1436
- CDPD-53804: Ranger - Upgrade Spring Framework to 5.3.26/6.0.7 due to CVE-2023-20861 and CVE-2023-20860
- CDPD-53293: Hive component fail to build on `cdpd-master - 7.2.17.0`
- CDPD-51874: Exclude netty3 from SMM
- CDPD-50739: Atlas - Upgrade Woodstox to 5.4.0/6.4.0 due to multiple CVEs
- CDPD-50725: impala build failure in `7.2.17.0 cdpd-master redhat8`
- CDPD-50651: [7.1.8] Queue Manager - Upgrade Apache Maven to 3.8.6 due to CVE-2021-26291
- CDPD-50612: Backport HIVE-27056 to CDH-7.1.8.x
- CDPD-50603: Spark3 parcels required on SLES15
- CDPD-50587: Checksum error when issuing Distcp between Ozone and HDFS
- CDPD-50538: [7.1.8.x] - Ranger - Upgrade Kerby to 2.0.3 due to CVE-2023-25613

- CDPD-50534: [7.1.8.x] - Add unique constraint on resource_signature column of x_rms_service_resource table



Note: This fix includes a database patch and user must perform following steps to make sure the patch is applied to Ranger database.

1. Stop Ranger Admin and Ranger RMS services.
2. Go to Ranger Admin, click on Action > Upgrade Ranger Database and apply patches and click 'Upgrade Ranger Database and apply patches' to confirm.
3. Start Ranger admin and RMS.

After this db patch '065' is applied and RMS is started. It will perform a full-sync as RMS tables will be truncated during this procedure.

- CDPD-50511: Fix the everit-json-schema dependency in Schema Registry
- CDPD-50455: [7.1.8.x]- Unable to delete the user if policy is created by same user and added in the policy item
- CDPD-50434: [7.1.8.x] - No policy found for given version in Ranger Audit page
- CDPD-50396: Schemaregistry - Upgrade org.json to 20220924+ due to CVE-2022-45688
- CDPD-50393: backport IMPALA-11960 to 7.1.8
- CDPD-50374: HDDS-8095: unbuffer unsupported with TDE
- CDPD-50367: [7.1.8.x] - Ranger - Upgrade snakeyaml due to CVE-2022-1471
- CDPD-50341: Backport CDPD-50165 to 7.1.8 CHF
- CDPD-50305: Backport PHOENIX-6889: Improve extraction of ENCODED_QUALIFIERS
- CDPD-50234: BACKPORT to 7.1.8.x - SR Client OAuth token refresh stopped working
- CDPD-50223: Backport KNOX-2534 Allow alias to be used in pac4j topology block to 7.1.8.x
- CDPD-50216: Backport PHOENIX-6889: Improve extraction of ENCODED_QUALIFIERS
- CDPD-50164: BACKPORT to 7.1.8.x - Implement graceful retry in Schema Registry client for intermittent request failures
- CDPD-50160: Backport CDPD-47449 to 7.1.8 CHF
- CDPD-50110: Fix for CDPD-41495 (Knox CLI user-auth-test command failure) should be cherry picked to other PVC branch
- CDPD-50075: [7.1.8.x] - Ranger: upgrade tomcat to 8.5.85 or higher
- CDPD-50055: Backport IMPALA-11953 to CDH-7.1.8.x
- CDPD-50044: Provide LiveNode and DeadNode filter in DataNode UI
- CDPD-50032: Solr: CVE-2023-24998-upgrade commons-fileupload library to version 1.5
- CDPD-50000: [7.1.8 CHF5 - CLONE] Ranger AD User Sync - support for AD group names containing slashes
- CDPD-49999: Backport IMPALA-11932 to 718CHF5
- CDPD-49981: Backport PARQUET-1633 to CDH-7.1.8.x
- CDPD-49979: Backport CALCITE-2953 to CDH-7.1.8.x
- CDPD-49924: Backport fix for IMPALA-11795 to 7.1.8.x
- CDPD-49920: Backport IMPALA-11081 to 718CHF5
- CDPD-49864: Solr gets in unhealthy state after ranger authorization is enabled.
- CDPD-49845: Backport HDDS-7371 - Create properties for all dependency versions
- CDPD-49831: Backport HIVE-12254 to CDH-7.1.8.x
- CDPD-49823: Backport IMPALA-5476 to 7.1.8 CHF
- CDPD-49821: Backport HIVE-26837 to CDH-7.1.8.x
- CDPD-49806: Backport CALCITE-3466 to CDH-7.1.8.x
- CDPD-49804: Backport CALCITE-3876 to CDH-7.1.8.x
- CDPD-49802: Backport HIVE-23891 to CDH-7.1.8.x
- CDPD-49770: Backport HIVE-27029 to CDH-7.1.8.x
- CDPD-49768: Backporting upstream SOLR-13199 fix

- CDPD-49749: Backport IMPALA-11418 to CDH-7.1.8
- CDPD-49718: Backport HBASE-27624 to 7.1.8 CHF5
- CDPD-49696: Certain alert policy crashes the alerts tab
- CDPD-49563: Backport HADOOP-18584 [NFS GW] Fix regression after netty4 migration to CDH-7.1.8.x
- CDPD-49534: Backport HIVE-26911 to CDH-7.1.8.x
- CDPD-49521: Fix CVE-2023-25194 in Kafka Connect
- CDPD-49455: Backport PHOENIX-6720: CREATE TABLE can't recreate column encoded tables that had columns dropped
- CDPD-49447: Backport ZEPPELIN-5624 to 7.1.8 CHF5
- CDPD-49428: Tez - Replace log4j 1.x with reload4j - 7.1.8.x
- CDPD-49427: Atlas - Replace log4j 1.x with reload4j - 7.1.8.x
- CDPD-49242: Support for building Impala on SLES15 SP4
- CDPD-49197: Impala fixes for Ozone support
- CDPD-49193: Add CLI for renewing the expired deleted block txn
- CDPD-49141: [7.1.8.x] - Ranger - Replace log4j 1.x with reload4j
- CDPD-49111: Backport IMPALA-11845 to 7.1.8 CHF5: Fix incorrect check of struct STAR path in resolvePathWithMasking
- CDPD-49053: Atlas - Upgrade Tinkerpop to 3.5.4
- CDPD-49010: Backport HBASE-27397 to 7.1.8 CHF5
- CDPD-49006: Regression : admin/audits , admin/purge fail with "[__AtlasAuditEntry.startTime] is not indexed in the targeted index [vertex_index]" 7.1.8 chf5
- CDPD-48959: CLONE - Kafka Connect - Upgrade jackson-databind to 2.12.7 due to high CVEs
- CDPD-48921: Accessing parameters of a x-www-form-urlencoded request consumes the request body
- CDPD-48915: Backport CDPD-43553 to CDH-7.1.8.x
- CDPD-48907: Remove log4j-1.2-api jar from solr server lib
- CDPD-48891: Backport IMPALA-10436, IMPALA-11611 and IMPALA-11682 to 7.1.8
- CDPD-48862: Backport CDPD-23460 to 7.1.8.x
- CDPD-48861: Backport CDPD-46448 to 7.1.8.x
- CDPD-48860: Backport CDPD-42134 to 7.1.8.x
- CDPD-48859: Backport CDPD-33861 to 7.1.8.x
- CDPD-48858: Backport CDPD-40521 to 7.1.8.x
- CDPD-48857: Backport CDPD-39829 to 7.1.8.x
- CDPD-48856: Backport CDPD-29104 to 7.1.8.x
- CDPD-48855: Backport CDPD-42316 to 7.1.8.x
- CDPD-48847: Oozie "root" rewrite rule's pattern is too open
- CDPD-48828: [ranger] [replication] Script should not permit N : 1 mappings for services of the same service type
- CDPD-48787: download_bytes_limit not working on SP1 and 7.1.8
- CDPD-48780: impala-shell now requires setuptools be manually added
- CDPD-48777: Backport KUDU-3406, CDPD-47068 to 7.1.8
- CDPD-48770: The username coming from auth is always anonymous - 718CHF5
- CDPD-48746: Backport CDPD-42120 to 7.1.8.x
- CDPD-48745: Backport CDPD-42365 to 7.1.8.x
- CDPD-48744: Backport CDPD-42248 to 7.1.8.x
- CDPD-48741: Exclude reload4j from Ranger-Kafka-Plugin dependency
- CDPD-48738: Backport CDPD-47816 to 7.1.8.x
- CDPD-48737: Replace slf4j-log4j12 to slf4j-reload4j
- CDPD-48734: [Unit test] Oozie unit tests failing due to NoClassDefFoundError
- CDPD-48731: SMM UI - Upgrade decode-uri-component to 0.2.2 due to CVE-2022-38900
- CDPD-48727: Upgrade JQuery Datatables to 1.13.2
- CDPD-48724: HWC - Upgrade Netty to 4.1.86.Final due to CVE-2022-41881, CVE-2022-41915

- CDPD-48721: Impala - Upgrade JQuery Datatables to the latest version to avoid Security issues
- CDPD-48667: [Unit test] 'testMultipleClientAuthTokenCache' Oozie unit test fails intermittently
- CDPD-48665: Backport IMPALA-11699 and IMPALA-11720 to 7.1.8
- CDPD-48655: Missing org.apache.logging.log4j.util.ServiceLoaderUtil class from SAC classpath
- CDPD-48629: Backport remaining ozone open key cleanup changes
- CDPD-48624: Parquet - Replace log4j1 with reload4j
- CDPD-48577: Backport SPARK-32638 to 7.1.8.x
- CDPD-48572: Backport PHOENIX-6855
- CDPD-48571: Backport SPARK-27254 to 7.1.8.x
- CDPD-48567: Backport SPARK-27210 to 7.1.8.x
- CDPD-48510: Backport KUDU-3322 and KUDU-3319 to 7.1.8
- CDPD-48509: Backport KUDU-3354 to 7.1.8
- CDPD-48475: Unexpected Knox HA behaviour with noFallback=true
- CDPD-48449: distcp -update skips files of same size, name when transferring from Hdfs to S3
- CDPD-48353: Backport HIVE-26799 to CDH-7.1.8.x
- CDPD-48305: Zeppelin - Upgrade jquery-ui to 1.13.0+ due to CVEs
- CDPD-48241: Knox - Upgrade mina to 2.1.5+ due to CVE-2021-41973
- CDPD-48183: Atlas - Upgrade reactor-netty to 1.0.24+ due to CVE-2022-31684
- CDPD-48178: CPX - Upgrade snakeyaml due to CVE-2022-1471
- CDPD-48172: Search - Upgrade snakeyaml due to CVE-2022-1471
- CDPD-48170: Schema Registry - Upgrade snakeyaml due to CVE-2022-1471
- CDPD-48168: Ozone - Upgrade snakeyaml due to CVE-2022-1471
- CDPD-48167: Hadoop - Upgrade snakeyaml due to CVE-2022-1471
- CDPD-48166: Atlas - Upgrade snakeyaml due to CVE-2022-1471
- CDPD-48135: Backport CALCITE-3774 to CDH-7.1.8.x
- CDPD-48103: Hue UI "Oozie Schedules" Page is very slow to load due to frequent calls to Oozie logs
- CDPD-48102: Backport Ozone, erasure coding test enablement
- CDPD-48090: Atlas - Upgrade icu4j to 66.1+ due to CVE-2020-21913
- CDPD-48088: Spark - Upgrade JavaEWAH to 1.1.7
- CDPD-48087: Hive - Remove JavaEWAH dependency
- CDPD-48042: Oozie - Upgrade commons-net to 3.9.0 due to CVE-2021-37533
- CDPD-48040: Knox - Upgrade commons-net to 3.9.0 due to CVE-2021-37533
- CDPD-48039: Spark - Upgrade commons-net to 3.9.0 due to CVE-2021-37533
- CDPD-48037: CDPD - Upgrade commons-net to 3.9.0 due to CVE-2021-37533
- CDPD-48035: CDPD - Upgrade jettison to 1.5.2 due to CVE-2022-45685 and CVE-2022-45693
- CDPD-48034: Atlas - Upgrade jettison to 1.5.2 due to CVE-2022-45685 and CVE-2022-45693
- CDPD-48033: Zeppelin - Upgrade jettison to 1.5.2 due to CVE-2022-45685 and CVE-2022-45693
- CDPD-48031: Tez - Upgrade jettison to 1.5.3 due to CVE-2022-45685 and CVE-2022-45693
- CDPD-48030: Hive - Upgrade jettison to 1.5.2 due to CVE-2022-45685 and CVE-2022-45693
- CDPD-48023: Oozie - Upgrade postgresql to 42.5.1 due to CVE-2022-41946
- CDPD-48022: Hive - Upgrade postgresql to 42.5.1 due to CVE-2022-41946
- CDPD-48020: CDPD - Upgrade postgresql to 42.5.1 due to CVE-2022-41946
- CDPD-48019: SMM - Upgrade postgresql to 42.5.1 due to CVE-2022-41946
- CDPD-48018: Impala - Upgrade postgresql to 42.5.1 due to CVE-2022-41946
- CDPD-48017: Hue - Upgrade postgresql to 42.5.1 due to CVE-2022-41946
- CDPD-48016: Schema Registry - Upgrade postgresql to 42.5.1 due to CVE-2022-41946
- CDPD-48006: Sqoop - Upgrade Commons IO to 2.11.0 due to security CVEs
- CDPD-47996: Atlas - Upgrade azure-storage libraries due to CVE-2022-30187
- CDPD-47993: Ratis thirdparty - Upgrade Netty to 4.1.86.Final due to CVE-2022-41881, CVE-2022-41915
- CDPD-47991: Ozone - Upgrade Netty to 4.1.86.Final due to CVE-2022-41881, CVE-2022-41915

- CDPD-47988: Atlas - Upgrade Netty to 4.1.86.Final due to CVE-2022-41881, CVE-2022-41915
- CDPD-47984: [Unit test] 'testTimeOut' Unit test fails intermittently
- CDPD-47954: Ozone - Vulnerable libraries found in weld-servlet-2.4.7.Final.jar
- CDPD-47951: Hue - Upgrade tomcat to 8.5.84/9.0.69+/10.1.2+ due to CVE-2022-42252, CVE-2022-34305, CVE-2022-45143
- CDPD-47949: Upgrade tomcat to 8.5.84/9.0.69+/10.1.2+ due to CVE-2022-42252, CVE-2022-34305, CVE-2022-45143
- CDPD-47914: Schema Registry - Upgrade moment.js to 2.29.4 due to CVE-2022-24785, CVE-2022-31129
- CDPD-47912: Atlas - Upgrade moment.js to 2.29.4 due to CVE-2022-24785, CVE-2022-31129
- CDPD-47864: Parquet - CVE-2021-41561-Parquet is vulnerable to Dos attack
- CDPD-47860: Tez - Upgrade Bouncy Castle to 1.70 due to high CVEs
- CDPD-47765: [Unit test] testSqoopActionWithCommandAndFreeFormQuery YARN app status' was expected:FINISHED but was:RUNNING
- CDPD-47557: SparklyRHWC certification with R4
- CDPD-47378: Backport Hue PR 3107
- CDPD-47235: IMPALA-11767 Hudi reads fail on Ozone with INVALID_VOLUME_NAME
org.apache.hadoop.ozone.om.exceptions.OMException: Bucket or Volume name cannot start with a period or dash
- CDPD-47205: IMPALA-11736 LOAD DATA statement with Ozone data can not load data from different bucket
- CDPD-46555: Search - Upgrade protobuf-java to 3.16.3/3.19.6/3.20.3/3.21.7 due to CVE-2022-3171
- CDPD-46378: [cds3.2-cdp7.1.7.2000][sac3_unittest] log4j class not found errors
- CDPD-46376: Use secure XML parser utils in MapReduce
- CDPD-46375: Use secure XML parser utils in YARN
- CDPD-46368: Impala remote Ozone scans slow even after data cache warmup
- CDPD-46151: Backport HADOOP-18469 and HDFS-16795
- CDPD-45878: Update bootstrap to 4.4.1
- CDPD-45845: Schema Registry - Upgrade Scala to 2.13.9 due to CVE-2022-36944
- CDPD-45071: IMPALA-11614 TestValidateMetrics.test_metrics_are_zero fails with num-missing-volume-id for Ozone
- CDPD-44748: Tez - Replace log4j 1.x with reload4j
- CDPD-43553: Spark - Upgrade jersey's jersey to 2.36/3.0.5 due to medium CVEs
- CDPD-43509: Hive Security - Upgrade dom4j: flexible XML framework for Java to safe version due to critical CVEs
- CDPD-43489: Hive Security - Upgrade Guava: Google Core Libraries for Java to v28.2/31.1-jre due to medium CVEs
- CDPD-43378: Handle block location for Ozone
- CDPD-43377: Test coverage for Ozone Transparent Data Encryption
- CDPD-43376: Ozone support for file handle cache
- CDPD-43370: Impala Ozone Support
- CDPD-41491: Impala queries fail with Hive exception referring to HikariPool-1
- CDPD-36991: Backward compatibility for check provided for AttributeName in Parent and Child TypeDef
- CDPD-35438: When classification is created with multiple super types having same attributes , Atlas doesn't throw an exception
- CDPD-28513: HADOOP-17628. Distcp contract test is really slow with ABFS and S3A; timing out
- CDPD-20476: Refresh icon in left Assist while on DB panel resets to 'default' DB on table panel

Table 26: Cloudera Runtime 7.1.8.25 (Cumulative Hotfix 5) download URL:

Parcel Repository Location

`https://[username]:[password]@archive.cloudera.com/p/cdh7/7.1.8.25/parcels/`

Technical Service Bulletin

TSB 2024-775: FileNotFoundException for Ozone Filesystem JAR during or after CDP installation or upgrade

A potential availability issue has been found with services that have an Ozone client dependency on the ozone-filesystem-hadoop3 fat JAR file when upgrading the Cloudera Data Platform (CDP) Private Cloud Base cluster from version 7.1.8 to 7.1.9. This issue may also affect service installations, runs, and restarts during or after the CDP Private Cloud Base installation or upgrade.

The following exception appears on the Cloudera Manager User Interface (UI) or in the log files of the respective service when an installation, upgrade or other operations fail due to this issue: ``java.io.FileNotFoundException: /path/to/ozone-filesystem-hadoop3-<version>.jar (No such file or directory)`.

The failure is caused by the broken symbolic link: `/var/lib/hadoop-hdfs/ozone-filesystem-hadoop3.jar`. This issue arises if the hdfs user already exists on the node before the Cloudera Runtime parcel activation. When the hdfs user already exists on the node, the Cloudera Manager agent skips the initialization related to Hadoop Distributed File System (HDFS), which includes creating the `/var/lib/hadoop-hdfs` directory. As the path is not created, the symbolic link cannot be created during the parcel activation process. This results in a series of broken symbolic links that point to the Ozone binaries.

Knowledge article

For the latest update on this issue see the corresponding Knowledge Article: [TSB 2024-775: FileNotFoundException for the Ozone FS JAR during or after installation or upgrade](#)

Cumulative hotfix CDP PvC Base 7.1.8.15-5 (Cumulative hotfix4)

Know more about the cumulative hotfix 4 for 7.1.8. This cumulative hotfix was released on February 23, 2023.



Note: Contact Cloudera Support for questions related to any specific hotfixes.

Following are the list of fixes that were shipped for CDP Private Cloud Base version 7.1.8-1.cdh7.1.8.p15.37973152

Issue	Description
COMPX-13398	QM - Replace log4j 1.x with reload4j - 7.1.8.x
COMPX-12815	Backport YARN-10178 to 7.1.8 CHFx : Crash in global async scheduler thread
COMPX-12803	QM 7.1.8 CHF4 - Upgrade Apache Commons Text to 1.10.0 due to CVE-2022-42889
COMPX-12687	Config Store 7.1.8 CHF4 - Remove Apache commons-text dependency
CDPD-49491	CPX - Use external versions for reload4j
CDPD-48947	Ranger Upgrade from 7.2.11 to 7.2.16 failed
CDPD-48546	CDH-7.1.8.x - Impala build failure - Ubuntu20
CDPD-48420	Backport CDPD-42069 to CDH 7.1.8.x
CDPD-48362	Constantly failing tests in TopicCommandIntegrationTest
CDPD-48352	[ranger][replication] Import succeeds but policies were skipped
CDPD-48319	Backport IMPALA-10702
CDPD-48318	Backport IMPALA-10794 and IMPALA-11401 to 7.1.8
CDPD-48259	Ranger Admin landing page via Knox proxy is broken after upgrade
CDPD-48244	ranger] [replication] Support policyMatchingAlgorithm parameter for ranger policy replication
CDPD-48232	[ranger] [replication] Policy transform step is removing hdfs execute permission.
CDPD-48215	Exclude reload4j from Hadoop dependencies

CDPD-48210	Backport HIVE-26567 to CDH-7.1.8.x
CDPD-48209	Backport HIVE-26566 to CDH-7.1.8.x
CDPD-48207	Backport HIVE-26504 to CDH-7.1.8.x
CDPD-48206	Backport HIVE-26488 to CDH-7.1.8.x
CDPD-48205	Backport HIVE-26253 to CDH-7.1.8.x
CDPD-48204	Backport HIVE-25856 to CDH-7.1.8.x
CDPD-48203	Backport HIVE-25755 to CDH-7.1.8.x
CDPD-48202	Backport HIVE-25391 to CDH-7.1.8.x
CDPD-48201	Backport HIVE-25223 to CDH-7.1.8.x
CDPD-48193	Backport HIVE-26875 to CDH-7.1.8.x
CDPD-48152	Fix IMPALA-11812 in 7.1.8: Catalogd OOM due to lots of HMS FieldSchema instances
CDPD-48139	Backport PARQUET-1744 to CDH-7.1.8.x
CDPD-48136	Backport HIVE-21599 to CDH-7.1.8.x
CDPD-48131	Disable TestZookeeperLockManager#testMetrics on CDH-7.1.8.x
CDPD-48129	[ranger][replication] If a change is made in the resource field of a policy on the source cluster, a new policy is created on the target cluster instead of changing the existing policy
CDPD-48119	Ranger - Upgrade OWASP Java HTML Sanitizer due to security CVEs
CDPD-48116	Disable orc_merge9 on CDH-7.1.8.x
CDPD-48097	Backport HIVE-23220 to CDH-7.1.8.x
CDPD-48092	Hue fails to translate Korean language
CDPD-48055	Ranger Replication : Support both JDK 8 and JDK 11 on destination cluster
CDPD-48051	Knox - Upgrade Cloudera Manager API due to CVE-2021-29243, CVE-2021-32482
CDPD-48041	Ranger - Upgrade commons-net to 3.9.0 due to CVE-2021-37533
CDPD-48032	Ranger - Upgrade jettison to 1.5.2 due to CVE-2022-45685 and CVE-2022-45693
CDPD-48008	Zeppelin - Upgrade httpclient due to CVE-2020-13956
CDPD-47992	Cruise Control - Upgrade Netty to 4.1.86.Final due to CVE-2022-41881, CVE-2022-41915
CDPD-47990	Kafka - Upgrade Netty to 4.1.86.Final due to CVE-2022-41881, CVE-2022-41915
CDPD-47989	Ranger - Upgrade Netty to 4.1.86.Final due to CVE-2022-41881, CVE-2022-41915
CDPD-47955	[7.1.8 CHF4] - Ranger - Upgrade bootstrap to 6.0.0 due to GHSA-87mg-h5r3-hw88
CDPD-47950	Ranger - Upgrade tomcat to 8.5.84/9.0.69+/10.1.2+ due to CVE-2022-42252, CVE-2022-34305, CVE-2022-45143
CDPD-47909	Ranger - Upgrade moment.js to 2.29.4 due to CVE-2022-24785, CVE-2022-31129
CDPD-47880	DAS - Upgrade protobuf-java to 3.16.3/3.19.6/3.20.3/3.21.7 due to CVE-2022-3171
CDPD-47876	HUEQP - Upgrade jackson-databind to 2.12.7.1 or 2.13.4.2 due to high CVEs
CDPD-47868	[7.1.8 CHF4-CLONE] - Backport RANGER-3593 into cdpd-master
CDPD-47843	Backport HIVE-26736 to CDH-7.1.8.x
CDPD-47842	Backport HIVE-26671 to CDH-7.1.8.x
CDPD-47841	Backport HIVE-25738 to CDH-7.1.8.x
CDPD-47840	Backport HIVE-24579 to CDH-7.1.8.x
CDPD-47839	Backport HIVE-21152 to CDH-7.1.8.x
CDPD-47836	SMM Data Explorer offset slider 'from offset' doesn't update on partition change

CDPD-47813	Atlas - Do the fix for CVE-2022-34271
CDPD-47777	Remove unused hadoop.guava.version from HBase pom.xml
CDPD-47745	Fix 7.1.8 CHF4 for IMPALA-11753 CatalogD OOMkilled due to natively allocated memory
CDPD-47649	impala build failure in 7.1.7.2000 due to versions:set
CDPD-47611	Ignore testRollbackForSplitTableRegionWithReplica() in TestSplitTableRegionProcedure
CDPD-47610	test_scanners.TestParquet.test_corrupt_files fails on 7.1.8 in S3 builds
CDPD-47602	Backport PHOENIX-6638 to 7.1.8 CHF4
CDPD-47600	Backport to CHF 4: Restart of HIVE_ON_TZ causes a Knox topology redeploy
CDPD-47590	Backport "FSCK Report broken with RequestHedgingProxyProvider" to CDH-7.1.8.x
CDPD-47460	IMPALA-11631 Impala crashes in impala::TopNNode::Heap::Close()
CDPD-47457	NFS Gateway may release buffer too early
CDPD-47409	Unit tests in TestAuthFilterAuthOozieClient fail intermittently
CDPD-47407	Backport HADOOP-18499 S3A to support HTTPS web proxies to 7.1.8.x
CDPD-47405	Backport KNOX-2824 (Make SameSite attribute on KnoxSSO Cookie Configurable) to 7.1.8
CDPD-47395	Atlas - Upgrade jackson-databind to 2.12.7.1 or 2.13.4.2 for 7.1.8 CHF4 due to high CVEs
CDPD-47378	Backport Hue PR 3107
CDPD-47362	IMPALA-11779 Codegen crash due to null slots
CDPD-47355	CPX - use external versions for wiremock-jre8
CDPD-47354	Backport PHOENIX-6711 to 7.1.8 CHF4
CDPD-47337	backport CDPD-46689 to 7.1.8.x
CDPD-47335	backport CDPD-26518 to 7.1.8.x
CDPD-47320	testLoadOnRestart unit test failed on 7.1.8 CHF 3
CDPD-47317	COLSTATUS Null Pointer Exception for implicit collections
CDPD-47273	backport PATCH-5596 IMPALA-10654 to 7.1.8.x
CDPD-47270	backport PATCH-5596 IMPALA-10948 to 7.1.8.x
CDPD-47262	Remove apache commons-text replacement from components.ini
CDPD-47251	testRetryConsoleUrlForked unit test fails with NPE
CDPD-47246	Enable Gerrit build/test for ratis-thirdparty
CDPD-47245	Add reload4j dependency to Distcp share lib
CDPD-47196	Smile unit tests are failing in Solr 7.1.8.x
CDPD-47137	Backport part of HBASE-27141 from upstream to 7.1.7 SP2
CDPD-47134	Kafka Connect unit test job fails frequently due to docker image build problems
CDPD-47129	Handle empty CSV fields via OpenCSVSerde
CDPD-47105	IMPALA-11751 Crash in processing partition columns of Avro table with MT_DOP>1
CDPD-47074	Set column names in result schema when plan has Values root
CDPD-47030	Impala-shell ldap_password_cmd fails on Python 3.8
CDPD-46984	Hbase replication Policy set up fails between 7.1.8 and 7.2.16 cluster
CDPD-46969	backport IMPALA-11274 to 7.1.8 CHF4
CDPD-46890	HBase-thirdparty - Upgrade Jetty: Java based HTTP/1.x, HTTP/2, Servlet, WebSocket Server to 9.4.48.v20220622/11.0.11 due to critical CVEs
CDPD-46794	Connection pool for ObjectStore does not emit metrics

CDPD-46789	Policy update request fails if isDenyAllElse flag is set true in request json when using "/policy/apply" API
CDPD-46774	Enable batch mode for the Spark Atlas connector unit tests, do not use the Apache maven repo
CDPD-46747	Upgrade saxon to 10.8
CDPD-46669	Zeppelin - Upgrade commons-codec to 1.13 or higher
CDPD-46665	Livy - Upgrade commons-codec to 1.13 or higher
CDPD-46664	Hive - Upgrade commons-codec to 1.13 or higher
CDPD-46658	Solr - Upgrade wildfly-openssl to 1.1.3.Final/1.1.3.Final+ due to CVE-2020-25644
CDPD-46657	Hadoop - Upgrade wildfly-openssl to 1.1.3.Final/1.1.3.Final+ due to CVE-2020-25644
CDPD-46626	Test failure: TestContainerRunnerImpl.testSubmitSameFragment
CDPD-46568	Hive - Upgrade Apache Ivy to 2.5.1 due to CVE-2022-37865, CVE-2022-37866
CDPD-46564	Hue - Upgrade protobuf-java to 3.16.3/3.19.6/3.20.3/3.21.7 due to CVE-2022-3171
CDPD-46560	Knox - Upgrade protobuf-java to 3.16.3/3.19.6/3.20.3/3.21.7 due to CVE-2022-3171
CDPD-46552	Hbase-thirdparty - Upgrade protobuf-java to 3.21.9 due to CVE-2022-3171
CDPD-46549	CDPD - Upgrade protobuf-java to 3.16.3/3.19.6/3.20.3/3.21.7 due to CVE-2022-3171
CDPD-46322	Update logredactor to 2.0.14 due to CVEs in jackson-databind
CDPD-46198	Search - Upgrade jsoup to 1.15.3 due to high CVEs
CDPD-46161	[ranger][replication] cm_hdfs service wasn't transformed properly
CDPD-46160	[ranger][replication] Export should fail for non-existing services
CDPD-45966	Sqoop - Upgrade hsqldb to 2.7.1 due to CVE-2022-41853
CDPD-45964	Oozie - Upgrade hsqldb to 2.7.1 due to CVE-2022-41853
CDPD-45959	Some tests fail with ssl3_get_server_certificate:certificate verify failed
CDPD-45687	Hue Server ignore ssl_cipher_list configuration
CDPD-45578	Upgrade jettison to 1.5.1 due to CVE-2022-40149, CVE-2022-40150
CDPD-45576	Atlas - Upgrade jettison to 1.5.1 due to CVE-2022-40149, CVE-2022-40150
CDPD-45539	Upgrade hsqldb to 2.7.1 due to CVE-2022-41853
CDPD-45498	Add missing changes of CDPD-23445 patches
CDPD-45448	Use Calcite to remove sections of a query plan known never produces rows
CDPD-45385	DAS - Upgrade snakeyaml to 1.32 due to high CVEs
CDPD-45302	spark_atlas_connector_for_spark3_unittests failures
CDPD-44719	Spark Atlas Connector - Update log4j to reload4j
CDPD-43856	Zeppelin - Upgrade postgresql JDBC Driver to 42.5.1 due to CVE-2022-31197
CDPD-43540	Hive Security - Upgrade jersey's jersey to 2.36/3.0.5 due to medium CVEs
CDPD-43354	Zeppelin - Remove vulnerable Apache Xalan Java library (CVE-2022-34169)
CDPD-42699	Livy - Update log4j to reload4j
CDPD-42599	Spark - Update log4j1 to reload4j
CDPD-42572	Zeppelin - Cherry-pick ZEPPELIN-4489 due to CVE-2020-13929
CDPD-42499	Zeppelin - Upgrade HtmlUnit to 2.62.0 due to high CVEs
CDPD-42447	Phoenix - Upgrade ICU4J to safe version due to high CVEs
CDPD-42428	Zeppelin - Upgrade jsoup to 1.15.3 due to high CVEs
CDPD-42384	Spark Atlas Connector - Upgrade Data Mapper for Jackson to 1.9.16-TALEND due to high CVEs

CDPD-42290	Zeppelin - Upgrade JDOM to 2.0.6.1 due to high CVEs
CDPD-42285	Avro - Upgrade JDOM to 2.0.6.1 due to high CVEs
CDPD-42217	Avatica - Upgrade Apache HttpClient to 4.5.13 due to medium CVEs
CDPD-42153	Knox - Upgrade Protocol Buffer Java API to 2.6.1/3.21.2 due to medium CVEs
CDPD-42138	Avatica - Upgrade Protocol Buffer Java API to 2.6.1/3.21.2 due to medium CVEs
CDPD-42135	Upgrade Netty Project to 4.1.78.Final due to critical CVEs
CDPD-42115	HBase - Upgrade Netty Project to 4.1.78.Final due to critical CVEs
CDPD-42029	Oozie - Upgrade jackson-databind to 2.12.7.1 or 2.13.4.2 due to high CVEs
CDPD-42014	Atlas - Upgrade jackson-databind to 2.12.7.1 or 2.13.4.2 due to high CVEs
CDPD-41998	Phoenix-connectors - Upgrade Guava: Google Core Libraries for Java to v28.2/31.1-jre due to low CVEs
CDPD-41997	Phoenix-thirdparty - Upgrade Guava: Google Core Libraries for Java to v28.2/31.1-jre due to low CVEs
CDPD-41988	HBase-thirdparty - Upgrade Guava: Google Core Libraries for Java to v28.2/31.1-jre due to low CVEs
CDPD-41981	Curator - Upgrade Guava: Google Core Libraries for Java to v28.2/31.1-jre due to low CVEs
CDPD-41975	Avatica - Upgrade Guava: Google Core Libraries for Java to v28.2/31.1-jre due to medium CVEs
CDPD-41279	Sqoop - Upgrade protobuf-java to 3.16.1+ due to CVE-2021-22569
CDPD-41264	IMPALA-10316 load_nested.py failed due to out of memory during Jenkins GVO
CDPD-40916	Zeppelin - Upgrade xercesImpl to 2.12.2 or later due to CVE-2022-23437
CDPD-40912	Kafka Connect - Upgrade wildfly-elytron to 1.15.5 / 1.16.1 due to CVE-2021-3642
CDPD-40849	Zeppelin - Upgrade gson to 2.9.0 due to CVE-2022-25647
CDPD-31728	Audits : For db create , there are 2 update audits instead of 1 create 1 update
CDPD-29098	Oozie - Replace log4j 1.x with reload4j
CDPD-29057	HBase - Replace log4j 1.x with reload4j
CDPD-27403	DAS - Upgrade hibernate-validator to 6.1.6.Final or later due to CVE-2020-10693, CVE-2019-10219
CDPD-25701	IMPALA-10683 TestHdfsParquetTableWriter.test_double_precision broken on S3
CDPD-19398	Zeppelin - Upgrade to jersey-media-jaxb 2.32
TSB 2022-641	InvalidClassException while editing queue configurations in YARN Queue Manager UI

- **Table 27: Cloudera Runtime 7.1.8.15 (Cumulative Hotfix 4) download URL:**

Parcel Repository Location

```
https://[username]:[password]@archive.cloudera.com/p/cdh7/7.1.8.15/parcels/
```

Technical Service Bulletin

TSB 2024-775: FileNotFoundException for Ozone Filesystem JAR during or after CDP installation or upgrade

A potential availability issue has been found with services that have an Ozone client dependency on the ozone-filesystem-hadoop3 fat JAR file when upgrading the Cloudera Data Platform (CDP) Private Cloud Base cluster from version 7.1.8 to 7.1.9. This issue may also affect service installations, runs, and restarts during or after the CDP Private Cloud Base installation or upgrade.

The following exception appears on the Cloudera Manager User Interface (UI) or in the log files of the respective service when an installation, upgrade or other operations fail due to this issue:

`java.io.FileNotFoundException: /path/to/ozone-filessystem-hadoop3-<version>.jar (No such file or directory).

The failure is caused by the broken symbolic link: /var/lib/hadoop-hdfs/ozone-filessystem-hadoop3.jar. This issue arises if the hdfs user already exists on the node before the Cloudera Runtime parcel activation. When the hdfs user already exists on the node, the Cloudera Manager agent skips the initialization related to Hadoop Distributed File System (HDFS), which includes creating the /var/lib/hadoop-hdfs directory. As the path is not created, the symbolic link cannot be created during the parcel activation process. This results in a series of broken symbolic links that point to the Ozone binaries.

Knowledge article

For the latest update on this issue see the corresponding Knowledge Article: [TSB 2024-775: FileNotFoundException for the Ozone FS JAR during or after installation or upgrade](#)

Cumulative hotfix CDP PvC Base 7.1.8.11-3 (Cumulative hotfix3)

Know more about the cumulative hotfix 3 for 7.1.8. This cumulative hotfix was released on December 14, 2022.



Note:

- Contact Cloudera Support for questions related to any specific hotfixes.
- Impala-shell in CHF3 requires the python-setuptools OS package to be installed.

Following are the list of fixes that were shipped for CDP Private Cloud Base version 7.1.8-1.cdh7.1.8.p11.35002917

- CDPD-16009 Hadoop - Bump netty3 dependency up to netty4
- CDPD-31901 Impala's access to Ozone is single-threaded
- CDPD-41346 impala-shell package can not be used with python 3
- CDPD-41725 Phoenix - Upgrade Apache Ant to 1.10.12 due to high CVEs
- CDPD-41895 HBase - Upgrade Bouncy Castle to 1.70 due to medium CVEs
- CDPD-42025 Impala - Upgrade jackson-databind to 2.13.3 due to high CVEs
- CDPD-42091 Avatica - Upgrade JUnit to 4.13.2 due to medium CVEs
- CDPD-43490 Hive Security - Upgrade jackson-databind to 2.12.7.1 due to critical CVEs
- CDPD-43510 Hive Security - Upgrade Scala to 2.13.8 due to high CVEs
- CDPD-44880 RMS fails to process table rename correctly.
- CDPD-45206 Avatica - Upgrade Kerby from 1.1.1 to 2.0.2+
- CDPD-45247 RMS fails to process Alter operation on Managed tables when table is renamed
- CDPD-45288 RMS fails to process Alter operation on External tables when hdfs path of a table is updated
- CDPD-45375 Atlas :- Upgrade snakeyaml to 1.32 due to high CVEs
- CDPD-45387 Knox - Upgrade snakeyaml to 1.32 due to high CVEs
- CDPD-45533 AuditFileSpool logs out all events that were not audited successfully
- CDPD-45575 Zeppelin - Upgrade jettison to 1.5.1 due to CVE-2022-40149, CVE-2022-40150
- CDPD-45845 Schema Registry - Upgrade Scala to 2.13.9 due to CVE-2022-36944
- CDPD-45862 yarn - Upgrade DataTables to 1.11.5 due to high CVEs
- CDPD-45899 [7.1.8 CHF3 CLONE] - RMS fails to process table rename correctly.
- CDPD-45900 [7.1.8 CHF3 CLONE] - RMS fails to process Alter operation on Managed tables when table is renamed
- CDPD-45901 [7.1.8 CHF3 CLONE] - RMS fails to process Alter operation on External tables when hdfs path of a table is updated
- CDPD-45987 Backport HIVE-26633 to CDH-7.1.8.x
- CDPD-46025 [7.1.8 CHF2/3 CLONE] - change sync_source column datatype from varchar to text
- CDPD-46026 [718 CHF3 CLONE] - Upgrade jquery-ui to 1.13.2
- CDPD-46131 Fix table creation with HMS Integration
- CDPD-46223 [7.1.8 CHF3] : Add 'preload' directive to HSTS header

- CDPD-46369 [7.1.8 CHF3 CLONE] - Ranger service Failure [python3]
- CDPD-46409 Atlas - Upgrade Spring-security to 5.6.9/ 5.7.5 due to CVE-2022-31692, CVE-2022-31690
- CDPD-46421 [7.1.8 CHF3 CLONE] - Ranger - Upgrade Spring-security to 5.6.9/ 5.7.5 due to CVE-2022-31692, CVE-2022-31690
- CDPD-46488 Backport Ozone bug fixes to enable Impala for Mastercard in 7.1.8 CHF3 [Ozone side]
- CDPD-46495 [7.1.8 CHF3 CLONE] Upgrade snakeyaml to 1.32 in ranger-plugins-audit
- CDPD-46498 [7.1.8 CHF3 CLONE] Ranger - Upgrade jettison to 1.5.1 due to CVE-2022-40149, CVE-2022-40150
- CDPD-46525 [7.1.8 CHF3] [RANGER-3913] Reduce number of calls to FilenameUtils.wildcardMatch() when evaluating resource matching
- CDPD-46530 Spark - Upgrade Apache Ivy to 2.5.1 due to CVE-2022-37865, CVE-2022-37866
- CDPD-46531 CPX, config-service 7.1.8 CHF3 - Upgrade dropwizard and jackson
- CDPD-46532 PvC - WEBHDFS operation on Namenode UI via Knox fails when HDFS in HA
- CDPD-46569 Atlas - Upgrade Apache Ivy to 2.5.1 due to CVE-2022-37865, CVE-2022-37866
- CDPD-46580 [7.1.8 CHF3 CLONE] Ranger - Upgrade protobuf-java to 3.21.7 due to CVE-2022-3171
- CDPD-46628 Phoenix - Exclude Tomcat Embed Core from Apache Thrift due to high CVEs
- CDPD-46666 Knox - Upgrade commons-codec to 1.13 or higher
- CDPD-46670 SRM - Upgrade commons-codec to 1.13 or higher
- CDPD-46673 Kafka_connect_ext - Upgrade commons-codec to 1.13 or higher
- CDPD-46675 Hbase - Upgrade commons-codec to 1.13 or higher
- CDPD-46679 Impala - Upgrade Woodstox to 5.4.0/6.4.0 due to multiple CVEs
- CDPD-46739 [7.1.8 CHF3 CLONE] - Ranger - Upgrade Woodstox to 5.4.0/6.4.0 due to multiple CVEs
- CDPD-46740 [7.1.8 CHF3 CLONE] - Ranger - Upgrade wildfly-openssl to 1.1.3.Final/1.1.3.Final+ due to CVE-2020-25644
- CDPD-46741 [7.1.8 CHF3 CLONE] - Ranger - Upgrade commons-codec to 1.13 or higher
- CDPD-46746 [7.1.8 CHF3 CLONE] - AuditFileSpool logs out all events that were not audited successfully
- CDPD-46768 Dependency convergence error in Zeppelin due to stax2-api from Hadoop
- CDPD-46779 Fix requirements.txt logic for Python3 project which includes PPC and nonPPC platform
- CDPD-46805 [7.1.8 CHF 3] - Restrict scripts from accessing Java classes and methods
- CDPD-46827 Add virtualenv-make-relocatable in the pip install
- CDPD-46875 Improve Hue PPC build script and RPM spec file
- CDPD-46877 Backport 'HDDS-7453. Check certificate expiration at service startup, renew if necessary'
- CDPD-46891 Python files in phoenix-queryserver are not compatible with python3
- CDPD-46943 Schemaregistry needs an upgrade due to EOL and CVEs on jackson-mapper-asl
- CDPD-46945 Backport HIVE-26481 to CDH-7.1.8.x
- CDPD-46958 Backport HIVE-26761 to CDH-7.1.8.x
- CDPD-46987 In Hue Makefile, pin specific pip, virtualenv python packages version
- CDPD-47037 RM UI redirect link to the Spark3 History Server fails
- CDPD-47056 Fix Ranger TagRest API deleteTagResourceMapByGuid
- CDPD-47107 Multiple Oozie unit tests fails after netty upgrade on 7.1.7.2000
- COMPX-12488 Queue Manager 7.1.8 CHF3 - Upgrade jackson-databind to 2.13.3 due to high CVEs
- COMPX-12560 Fix JSON formatting in the RM tests
- [KT-7410](#) - [7.1.8 CHF3] - Key HSM - Upgrade jackson-databind to 2.13.3 due to high CVEs
- [KT-7421](#) - [7.1.8 CHF3] Keytrustee-keyhsm - Upgrade commons-codec to 1.13 or higher
- [KT-7423](#) - Key HSM - Upgrade Spring Framework, google-gson, Bouncy Castle and Jetty due to CVEs
- CDPD-41758 HBase - Upgrade Apache Commons BeanUtils to 1.9.4 due to high CVEs
- CDPD-42043 CDPD - Upgrade jackson-databind to 2.12.7.1 due to CVEs
- CDPD-44768 CDPD-44399 Migrate to reload4j in the search repository
- CDPD-45376 Hadoop - Upgrade snakeyaml to 1.32 due to high CVEs
- CDPD-45963 Oozie and Sqoop CVE backport from 7.1.7 SP2 to 7.1.8 CHF 3 umbrella ticket

- CDPD-46822 CDPD-46610 Ozone - Upgrade woodstox on branch CDH-7.1.8.x
- CDPD-40475 Upgrade Spring Framework to 5.3.20 due to CVE-2022-22971, CVE-2022-22970, CVE-2022-22968
- CDPD-46894 Replace JUnit5 assertEquals with JUnit4 in TestSSLZookeeperFactoryArguments

Table 28: Cloudera Runtime 7.1.8.11 (Cumulative Hotfix 3) download URL:

Parcel Repository Location
<code>https://[username]:[password]@archive.cloudera.com/p/cdh7/7.1.8.11/parcels/</code>

Technical Service Bulletin

TSB 2024-775: FileNotFoundException for Ozone Filesystem JAR during or after CDP installation or upgrade

A potential availability issue has been found with services that have an Ozone client dependency on the ozone-filesystem-hadoop3 fat JAR file when upgrading the Cloudera Data Platform (CDP) Private Cloud Base cluster from version 7.1.8 to 7.1.9. This issue may also affect service installations, runs, and restarts during or after the CDP Private Cloud Base installation or upgrade.

The following exception appears on the Cloudera Manager User Interface (UI) or in the log files of the respective service when an installation, upgrade or other operations fail due to this issue: ``java.io.FileNotFoundException: /path/to/ozone-filesystem-hadoop3-<version>.jar (No such file or directory)`.

The failure is caused by the broken symbolic link: `/var/lib/hadoop-hdfs/ozone-filesystem-hadoop3.jar`. This issue arises if the hdfs user already exists on the node before the Cloudera Runtime parcel activation. When the hdfs user already exists on the node, the Cloudera Manager agent skips the initialization related to Hadoop Distributed File System (HDFS), which includes creating the `/var/lib/hadoop-hdfs` directory. As the path is not created, the symbolic link cannot be created during the parcel activation process. This results in a series of broken symbolic links that point to the Ozone binaries.

Knowledge article

For the latest update on this issue see the corresponding Knowledge Article: [TSB 2024-775: FileNotFoundException for the Ozone FS JAR during or after installation or upgrade](#)

Cumulative hotfix CDP PvC Base 7.1.8.8-3 (Cumulative hotfix2)

Know more about the cumulative hotfix 2 for 7.1.8. This cumulative hotfix was released on November 28, 2022.

Following are the list of fixes that were shipped for CDP Private Cloud Base version 7.1.8-1.cdh7.1.8.p8.34508617

- CDPD-45893 - Arrow - Upgrade to jackson 2.12.7
- CDPD-46242 - Atlas - Upgrade Apache Commons Text to 1.10.0 due to CVE-2022-42889 for 7.1.8-CHF2
- CDPD-42049 - Avatica - Upgrade Jetty: Java based HTTP/1.x, HTTP/2, Servlet, WebSocket Server to 9.4.48.v20220622/11.0.11 due to medium CVEs
- CDPD-42015 Avatica - Upgrade jackson-databind to 2.12.7 due to high CVEs
- CDPD-45733 - CDPD - Upgrade Apache Commons Text to 1.10.0 due to CVE-2022-42889
- CDPD-42104 - CDPD - Upgrade JUnit to 4.13.2 due to medium CVEs
- CDPD-45726 - Upgrade Shiro to 1.10.0 due to CVE-2022-40664
- CDPD-37401 Upgrade Spring Framework to 5.3.18 due to CVE-2022-22963, CVE-2022-22965
- CDPD-45727 - CDPD - Upgrade Shiro to 1.10.0 due to CVE-2022-40664
- CDPD-45853 - Cruise Control - Upgrade Scala to 2.13.9 due to CVE-2022-36944
- CDPD-45803 - Cruise Control - Upgrade kotlin to 1.6.0 or later due to CVE-2022-24329 for SP2

- CDPD-42021 - Curator - Upgrade jackson-databind to 2.13.3 due to high CVEs
- CDPD-42408 Curator - Upgrade RESTEasy to 2.3.23.Final-redhat-1/3.15.3.Final-redhat-00001 due to high CVEs
- CDPD-41932 - DAS - Upgrade google-gson to 2.9.0 due to high CVEs
- CDPD-42018 - DAS - Upgrade jackson-databind to 2.12.7.1 or 2.13.4.2 due to high CVEs
- CDPD-42068 - DAS - Upgrade json-smart to 2.4.8 due to critical CVEs
- CDPD-26797 - DAS - Upgrade Apache Commons Text to 1.10.0 due to CVE-2022-42889
- CDPD-46258 - Build fails (hadoop pipes) on newer Linux envs - Sles15 Sp4
- CDPD-46149 - sonatype-2022-5732- hadoop-hdfs-client is vulnerable to XML External Entity (XXE) attacks
- CDPD-45571 - Hadoop - Upgrade jettison to 1.5.1 due to CVE-2022-40149, CVE-2022-40150
- CDPD-46788 - Backport HADOOP-18484 to branch CDH-7.1.8.x
- CDPD-45910 - Modify slf4j-log4j12 symlinks to point to the correct log4j/reload4j binding
- CDPD-46366 - Disable prefetching/readahead in AbfsInputStream.
- CDPD-41933 - HBase - Upgrade google-gson to 2.9.0 due to high CVEs
- CDPD-46404 COD Cluster creation is failing due to reload4j dependency
- CDPD-42178 - HBase - Upgrade Spring Framework to 4.3.30.RELEASE/5.3.21 due to critical CVEs
- CDPD-46553 - Hbase-solr - Upgrade protobuf-java to 3.16.3/3.19.6/3.20.3/3.21.7 due to CVE-2022-3171
- CDPD-44769 - migrate to reload4j in the hbase-indexer repository
- CDPD-45443 Backport HIVE-25848: Empty result for structs in point lookup optimization with vectorization on
- CDPD-45199 - Hive - Prepare for Hadoop switching to Reload4j
- CDPD-40779 - Hive - Upgrade netty to 4.1.77 due to CVE-2022-24823
- CDPD-43485 - Hive Security - Upgrade Bouncy Castle to 1.70 due to high CVEs
- CDPD-45572 - Hive - Upgrade jettison to 1.5.1 due to CVE-2022-40149, CVE-2022-40150
- CDPD-46475 Backport HIVE-26612 to CDH-7.1.8.x
- CDPD-45911 - Backport HIVE-22978 to CDH-7.1.8.x
- CDPD-45685 Backport HIVE-22746 to CDH-7.1.8.x
- CDPD-46588 Backport HIVE-24188 to CDH-7.1.8.x
- CDPD-46589 Backport HIVE-25813 to CDH-7.1.8.x
- CDPD-46598 - Backport ORC-203 to CDH-7.1.8.x
- CDPD-46623 - Backport ORC-422 to CDH-7.1.8.x
- CDPD-46764 Fix qtest output for HIVE after ORC-203 on CDH-7.1.8.x
- CDPD-46590 - Backport HIVE-26352 to CDH-7.1.8.x
- CDPD-46591 - Backport HIVE-26433 to CDH-7.1.8.x
- CDPD-46596 Backport ORC-1078 to CDH-7.1.8.x
- CDPD-45987 - Backport HIVE-26633 to CDH-7.1.8.x
- CDPD-46604 Backport CDPD-33992 to 7.1.8 CHF2
- CDPD-46605 - Backport CDPD-45134 to 7.1.8 CHF2
- CDPD-45826 - Hue - Upgrade Apache Commons Text to 1.10.0 due to CVE-2022-42889
- CDPD-45954 - Backport IMPALA-11674 to 7.1.8 cumulative hotfix
- CDPD-45993 Backport IMPALA-10821 to 7.1.8 to fix a test failure due to IMPALA-9338
- CDPD-46726 - Backport Impala changes of HOTFIX-5356 to 7.1.8 CHF2
- CDPD-46303 - Backport IMPALA-11669 to 7.1.8 cumulative hotfix
- CDPD-46405 - Backport IMPALA-11669 to 7.1.8 cumulative hotfix
- CDPD-44372 - Impala - Upgrade Spring Framework to 5.3.20 due to multiple CVEs
- CDPD-46032 Backport Impala changes of HOTFIX-5335 to 7.1.8.x
- CDPD-43860 Impala - Upgrade postgresql to 42.2.26 / 42.4.1 due to CVE-2022-31197
- CDPD-45846 - Kafka - Upgrade Scala to 2.13.9 due to CVE-2022-36944
- CDPD-45804 Kafka Connect - Upgrade kotlin to 1.6.0 or later due to CVE-2022-24329 for SP2
- CDPD-42947 - Replace log4j1 to reload4j
- CDPD-42028 Knox - Upgrade jackson-databind to 2.13.3 due to high CVEs
- CDPD-45349 Server Side Request Forgery - Knox - Host Parameter

- CDPD-45191 - Login on Knox UI doesn't work when the password contains special character
- CDPD-45764 - Knox - Upgrade Apache Commons Text to 1.10.0 due to CVE-2022-42889
- CDPD-45588 Failover for kudu master is not working due to kudu-3387
- CDPD-46508 Backport ORC-438 to to CDH-7.1.8.x
- CDPD-46663 Ozone - Upgrade commons-codec to 1.13 or higher
- CDPD-42156 - Ozone - Upgrade Protocol Buffer Java API to 2.6.1/3.21.2 due to medium CVEs
- CDPD-46452 - CVEs in Prometheus/Go
- CDPD-29099 - Ozone - Replace log4j 1.x with reload4j
- CDPD-42030 - Ozone - Upgrade jackson-databind to 2.12.7.1 or 2.13.4.2 due to high CVEs
- CDPD-45377 Ozone - Upgrade snakeyaml to 1.32 due to high CVEs
- CDPD-42367 - Ozone - Upgrade Jersey to 2.36/3.0.5 due to medium CVEs
- CDPD-41947 - Phoenix - Upgrade google-gson to 2.9.0 due to high CVEs
- CDPD-46304 Set explicit netty dependency for Phoenix Omid for testing
- CDPD-46046 Phoenix Omid - Replace log4j 1.x with reload4j
- CDPD-46524 Disable endlessly running test in omid
- CDPD-45382 Phoenix Omid - Upgrade snakeyaml to 1.32 due to high CVEs
- CDPD-42057 - Phoenix - Upgrade Jetty: Java based HTTP/1.x, HTTP/2, Servlet, WebSocket Server to 9.4.48.v20220622/11.0.11 due to critical CVEs
- CDPD-42031 - Phoenix - Upgrade jackson-databind to 2.12.7.1 or 2.13.4.2 due to critical CVEs
- CDPD-29100 - Phoenix - Replace log4j 1.x with reload4j
- CDPD-45390 CPX - Upgrade snakeyaml to 1.33 due to high CVEs
- CDPD-46618 CPX- Upgrade jersey to 2.35/3.0.2 due to CVE
- CDPD-46629 - [Config Service] Upgrade Apache Commons Text to 1.10.0 due to CVE
- CDPD-46059 - Backport RANGER-3916 (Ranger UI fails to open when the Ranger admin domain name includes "service" keyword in it.) to 7.1.8 CHF2
- CDPD-46490 - 7.1.8 CHF2 CLONE - Ranger - Upgrade opencsv to 5.7.1 to stop pulling affected version of commons-text
- CDPD-46025 [7.1.8 CHF2/3 CLONE] - change sync_source column datatype from varchar to text
- CDPD-46850 - Starting Ranger RMS fails with NoClassDefFoundError
- CDPD-46058 Backport RANGER-3864 (Spurious creation of service-resource objects in Ranger) to 7.1.8 CHF2
- CDPD-47056 - Fix Ranger TagRest API deleteTagResourceMapByGuid
- CDPD-42163 - Ratis - Upgrade Protocol Buffer Java API to 2.6.1/3.21.2 due to medium CVEs
- CDPD-41951 - Ratis - Upgrade google-gson to 2.9.0 due to high CVEs
- CDPD-46068 - Backport CDPD-18529 to CDP 7.1.8.x
- CDPD-46006 - Schema Registry - Upgrade Apache Commons Text to 1.10.0 due to CVE-2022-42889
- CDPD-46555 Search - Upgrade protobuf-java to 3.16.3/3.19.6/3.20.3/3.21.7 due to CVE-2022-3171
- CDPD-45765 SMM - Upgrade Apache Commons Text to 1.10.0 due to CVE-2022-42889
- CDPD-45378 - SMM - Upgrade snakeyaml to 1.32 due to high CVEs
- CDPD-46554 - Solr - Upgrade protobuf-java to 3.16.3/3.19.6/3.20.3/3.21.7 due to CVE-2022-3171
- CDPD-45967 - Solr - Upgrade hsqldb to 2.7.1 due to CVE-2022-41853
- CDPD-17800 Use external version of commons-text in Solr
- CDPD-45380 Spark - Upgrade snakeyaml to 1.32 due to high CVEs // 7.1.8 CHF2
- CDPD-46189 - Spark should use the common external version of "io.dropwizard.metrics"
- CDPD-46306 - CVE-2022-31777: Apache Spark XSS vulnerability in log viewer UI Javascript
- CDPD-46096 - Backport CDPD-44019 to 7.1.8 cumulative hotfix
- CDPD-42038 - Spark Atlas Connector - Upgrade jackson-databind to 2.13.3 due to critical CVEs
- CDPD-44440 Hadoop - Upgrade jquery-ui to 1.13.2 due to CVE-2022-31160
- CDPD-41909 - Zeppelin - Upgrade Bouncy Castle to 1.70 due to medium CVEs
- CDPD-45885 Zeppelin - Upgrade Spring Framework to 5.3.21 due to CVEs - for 7.1.8 CHF
- CDPD-42042 - Zeppelin - Upgrade jackson-databind to 2.12.7.1 or 2.13.4.2 due to high CVEs

- CDPD-41780 - Zeppelin - Upgrade Apache Commons Compress to 1.21.0 due to high CVEs
- CDPD-32180 - Zeppelin - Upgrade spring-security version to 5.3.8.RELEASE due to CVE
- CDPD-29105 - Zookeeper - Replace log4j 1.x with reload4j
- COMPX-12340 CPX [Config-Store]Upgrade snakeyaml to 1.33 due to high CVEs
- COMPX-12246 - Config Service - Upgrade Apache Commons Text to 1.10.0 due to CVE-2022-42889
- COMPX-12228 QM - Upgrade jersey to 2.35 / 3.0.2 due to CVE-2021-28168
- COMPX-12341 CPX [QM]Upgrade snakeyaml to 1.33 due to high CVEs
- COMPX-12391 QM 7.1.8 CHF2 - Delete queue throws error when custom placement is set with queue name in Queue Manager
- [TSB 2022-640](#) - Apache Hive job fails with large partitioned tables

Table 29: Cloudera Runtime 7.1.8.8 (Cumulative Hotfix 2) download URL:

Parcel Repository Location

```
https://[username]:[password]@archive.cloudera.com/p/cdh7/7.1.8.2/parcels/
```

Cumulative hotfix CDP PvC Base 7.1.8.5-1 (Cumulative hotfix1)

Know more about the cumulative hotfix 1 for 7.1.8. This cumulative hotfix was released on October 28, 2022.

Following are the list of fixes that were shipped for CDP Private Cloud Base version 7.1.8-1.cdh7.1.8.p5.33205618

- COMPX-12077 - Fix redirect request from standby RM to active RM missing auth headers - on 7.1.8 CHF1
- CDPD-45830 - Backport CDPD-28576 to 7.1.8 CHF1
- CDPD-45787 - Backport CDPD-45147 to 7.1.8 CHF1
- CDPD-45766 - SRM - Upgrade Apache Commons Text to 1.10.0 due to CVE-2022-42889
- CDPD-45630 - Kafka - Upgrade Apache Maven to 3.8.6 due to CVE-2021-26291
- CDPD-45601 - Backport IMPALA-11548 to 7.1.8 CHF1
- CDPD-45518 - Backport CDPD-44184 to 7.1.8 CHF1
- CDPD-45517 - Backport IMPALA-11567 and IMPALA-9338 to 7.1.8 CHF1
- CDPD-45516 - Backport Impala changes of HOTFIX-5290 to 7.1.8 CHF1
- CDPD-45450 - Backport CDPD-39594 to 7.1.8 CHF1
- CDPD-45388 - SRM - Upgrade snakeyaml to 1.32 due to high CVEs
- CDPD-45379 - Schema Registry - Upgrade snakeyaml to 1.32 due to high CVEs
- CDPD-45300 - Backport HBASE-26708 to 7.1.8 CHF1
- CDPD-45299 - Backport HBASE-27180 to 7.1.8 CHF1
- CDPD-45298 - Backport HBASE-22939 to 7.1.8 CHF1
- CDPD-45297 - Backport PHOENIX-6705 to 7.1.8 CHF1
- CDPD-45293 - Backport - "AM Total Queue Limit goes below per-user AM Limit if parent is full." to CDH-7.1.8.x
- CDPD-45291 - Backport - "BPServiceActor add a new thread to handle IBR" to CDH-7.1.8.x
- CDPD-45290 - Backport - "Empty the statistical parameters when emptying the redundant queue" to CDH-7.1.8.x
- CDPD-45263 - Backport CDPD-43949 to 7.1.8 CHF1
- CDPD-45262 - Backport SPARK-38034 to 7.1.8 CHF1
- CDPD-45261 - Backport IMPALA-11494 to 7.1.8 CHF1
- CDPD-45260 - Backport IMPALA-11358 to 7.1.8 CHF1
- CDPD-45239 - Backport HIVE-26534 to CDH-7.1.8.x
- CDPD-45238 - Backport HIVE-26511 to CDH-7.1.8.x
- CDPD-45237 - Backport HIVE-25904 to CDH-7.1.8.x
- CDPD-45236 - Backport HIVE-24428 to CDH-7.1.8.x

- CDPD-45235 - Backport HIVE-26472 to CDH-7.1.8.x
- CDPD-45234 - Backport HIVE-26439 to CDH-7.1.8.x
- CDPD-45233 - Backport HIVE-26409 to CDH-7.1.8.x
- CDPD-45232 - Backport HIVE-25218 to CDH-7.1.8.x
- CDPD-45231 - Backport HIVE-24785 to CDH-7.1.8.x
- CDPD-45230 - Backport HIVE-24211 to CDH-7.1.8.x
- CDPD-45205 - ZooKeeper - Upgrade Kerby from 1.1.1 to 2.0.2+
- CDPD-45182 - Curator - Replace log4j 1.x with reload4j
- CDPD-44986 - SMM-ui : Fix critical CVEs in node.js - CVE-2022-32214 and CVE-2022-32215
- CDPD-44744 - Impala - Replace log4j 1.x with reload4j
- CDPD-44717 - Fixing 'Unauthenticated Clients May Cause Outofmemoryerror on Brokers' and upgrading jetty
- CDPD-44644 - Upgrade snakeyaml to 1.31 due to CVE-2022-25857 in Cruise Control
- CDPD-44442 - Solr - Upgrade jquery-ui to 1.13.2 due to CVE-2022-31160
- CDPD-44416 - SMM UI - Upgrade moment.js to 2.29.4 due to CVE-2022-24785, CVE-2022-31129
- CDPD-44252 - Exception during normal operation in MirrorSourceTask causes the task to fail instead of shutting down gracefully
- CDPD-43868 - Ignore TestTikaEntityProcessor.testTikaGeoMetadata failing test
- CDPD-43842 - Upgrade Jaeger dependency from 1.1.0 to 1.6.0 because of unit test error
- CDPD-43559 - hdfs - Upgrade DataTables to 1.10.17 due to high CVEs
- CDPD-43487 - Hive Security - Upgrade google-gson to 2.9.0 due to high CVEs
- CDPD-43475 - Hive Security - Upgrade Apache Ant to 1.10.12 due to high CVEs
- CDPD-43467 - Knox - Upgrade aws-java-sdk to 1.12.261+ due to CVE-2022-31159
- CDPD-43257 - [IBM-PPC] Hue builds are not available on IBM-PPC
- CDPD-43052 - Solr - Upgrade Java UnRar to 7.5.2 due to high CVEs
- CDPD-42825 - Solr - Upgrade Apache Ant to 1.10.12 due to medium CVEs
- CDPD-42702 - Solr - Upgrade metadata-extractor to 2.18.0 due to medium CVEs
- CDPD-42649 - Solr - Use external version of commons-compress
- CDPD-42466 - Knox - Upgrade pac4j core to 4.5.6/5.4.3 due to high CVEs
- CDPD-42444 - Hive Solr - Upgrade WireMock to safe version due to critical CVEs
- CDPD-42419 - CDPD - Upgrade Apache Tika to 1.28.4/2.4.1 due to high CVEs
- CDPD-42417 - Hive Solr - Upgrade Apache Tika to 1.28.4/2.4.1 due to medium CVEs
- CDPD-42183 - Ozone - Upgrade Spring Framework to 4.3.30.RELEASE/5.3.21 due to critical CVEs
- CDPD-42051 - Curator - Upgrade Jetty: Java based HTTP/1.x, HTTP/2, Servlet, WebSocket Server to 9.4.48.v20220622/11.0.11 due to critical CVEs
- CDPD-42022 - HBase Indexer - Use centralised version of jackson-databind
- CDPD-41894 - hadoop - Upgrade Bouncy Castle to 1.70 due to medium CVEs
- CDPD-41727 - Search - Upgrade Apache Ant to 1.10.12 due to medium CVEs
- CDPD-41722 - HBase Indexer - Upgrade Apache Ant to 1.10.12 due to medium CVEs
- CDPD-40444 - Search - Upgrade Tika to 2.4.0 due to CVE-2022-30126 and CVE-2022-25169
- CDPD-33857 - Search - Upgrade protobuf-java to 3.16.1+ due to CVE-2021-22569
- CDPD-33850 - hbase-solr - Upgrade protobuf-java to 3.16.1+ due to CVE-2021-22569

Table 30: Cloudera Runtime 7.1.8.5 (Cumulative Hotfix 1) download URL:

Parcel Repository Location

```
https://[username]:[password]@archive.cloudera.com/p/cdh7/7.1.8.5/parcels/
```