Operational Database powered by Apache Accumulo 2.1.2

# Managing OpDB powered by Apache Accumulo

Date published: 2021-03-03 Date modified: 2024-10-30



## **Legal Notice**

© Cloudera Inc. 2024. All rights reserved.

The documentation is and contains Cloudera proprietary information protected by copyright and other intellectual property rights. No license under copyright or any other intellectual property right is granted herein.

Unless otherwise noted, scripts and sample code are licensed under the Apache License, Version 2.0.

Copyright information for Cloudera software may be found within the documentation accompanying each component in a particular release.

Cloudera software includes software from various open source or other third party projects, and may be released under the Apache Software License 2.0 ("ASLv2"), the Affero General Public License version 3 (AGPLv3), or other license terms. Other software included may be released under the terms of alternative open source licenses. Please review the license and notice files accompanying the software for additional licensing information.

Please visit the Cloudera software product page for more information on Cloudera software. For more information on Cloudera support services, please visit either the Support or Sales page. Feel free to contact us directly to discuss your specific needs.

Cloudera reserves the right to change any products at any time, and without notice. Cloudera assumes no responsibility nor liability arising from the use of products, except as expressly agreed to in writing by Cloudera.

Cloudera, Cloudera Altus, HUE, Impala, Cloudera Impala, and other Cloudera marks are registered or unregistered trademarks in the United States and other countries. All other trademarks are the property of their respective owners.

Disclaimer: EXCEPT AS EXPRESSLY PROVIDED IN A WRITTEN AGREEMENT WITH CLOUDERA, CLOUDERA DOES NOT MAKE NOR GIVE ANY REPRESENTATION, WARRANTY, NOR COVENANT OF ANY KIND, WHETHER EXPRESS OR IMPLIED, IN CONNECTION WITH CLOUDERA TECHNOLOGY OR RELATED SUPPORT PROVIDED IN CONNECTION THEREWITH. CLOUDERA DOES NOT WARRANT THAT CLOUDERA PRODUCTS NOR SOFTWARE WILL OPERATE UNINTERRUPTED NOR THAT IT WILL BE FREE FROM DEFECTS NOR ERRORS, THAT IT WILL PROTECT YOUR DATA FROM LOSS, CORRUPTION NOR UNAVAILABILITY, NOR THAT IT WILL MEET ALL OF CUSTOMER'S BUSINESS REQUIREMENTS. WITHOUT LIMITING THE FOREGOING, AND TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, CLOUDERA EXPRESSLY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY, QUALITY, NON-INFRINGEMENT, TITLE, AND FITNESS FOR A PARTICULAR PURPOSE AND ANY REPRESENTATION, WARRANTY, OR COVENANT BASED ON COURSE OF DEALING OR USAGE IN TRADE.

# **Contents**

| Change root user password   | 4 |
|---|---|
| Find the latest Operational Database powered by Apache Accumul keytab | 5 |
|   |   |

## Change root user password

The Accumulo shell allows you to change the root user's password after installation. Changing the password is recommended if a custom password was not set for the root user during installation because using the default password can lead to security issues.

#### **About this task**



**Note:** This task does not apply to secure clusters because user root is not created in that case.

You can run the Accumulo shell on server hosts and hosts that have the Gateway role in your cluster.

By default, in an unsecure Accumulo on CDP service, the user root is created and assigned the password secret. If you did not set a different password during installation, Cloudera recommends that you change the root user password.

#### Before you begin

Have an unsecure Accumulo on CDP service added to your cluster.

#### **Procedure**

1. Launch the Accumulo shell for the default root user.

```
$ accumulo shell -u root
Password: *****
Shell - Apache Accumulo Interactive Shell
-
    version: [***ACCUMULO VERSION NUMBER***]
- instance name: [***ACCUMULO INSTANCE NAME***]
- instance id: [***ACCUMULO INSTANCE ID***]
-
    type 'help' for a list of available commands
-
root@accumulo>
```

2. Use the passwd command to set a new password for the root user.

```
root@accumulo> passwd
Enter current password for 'root': *****
Enter new password for 'root': *******
Please confirm new password for 'root': *******
root@accumulo>
```

**3.** Relaunch the shell with this new password.

```
root@accumulo> exit
$ accumulo shell -u root
Password: *****
Shell - Apache Accumulo Interactive Shell
- version: [***ACCUMULO VERSION NUMBER***]
- instance name: [***ACCUMULO INSTANCE NAME***]
- instance id: [***ACCUMULO INSTANCE ID***]
- type 'help' for a list of available commands
- root@accumulo>
```

# Find the latest Operational Database powered by Apache Accumulo keytab

You can quickly check the latest Operational Database powered by Apache Accumulo (OpDB) keytab and hostname using the Accumulo shell.

Use the following command on the administrator principal to find the latest OpDB keytab and hostname:

```
kinit -kt (find /var/run/cloudera-scm-agent/process/ -name "accumulo_on_cdp .keytab" | head -n1 ) accumulo/<math>(hostname -f)
```

## **Relax WAL durability**

You can tune the performance of Operational Database powered by Apache Accumulo (OpDB) by relaxing Write Ahead Log (WAL) durability.

#### **About this task**

For increased write throughput, use the BatchWriter API to ingest data into OpDB. However, using this API reduces data durability. Use this setting only in environments with reliable UPS.

For more information about durability performance, see Durability Performance Implications.

#### **Procedure**

- 1. In Cloudera Manager, select the Accumulo on CDP service.
- 2. Click Configuration and then click View and Edit.
- **3.** Search for Tablet Server accumulo.properties.
- 4. Find Tablet Server Advanced Configuration Snippet (Safety Valve) for accumulo.properties property.
- 5. Set the following:

```
table.durability=flush
```

- 6. Save your changes.
- 7. Restart Stale Services.

#### **Related Information**

BatchWriter API

**Durability Performance Implications**