

Cloudera Runtime 7.3.1

Managing Apache Hadoop YARN Services

Date published: 2020-07-28

Date modified: 2024-12-10

CLOUdera

<https://docs.cloudera.com/>

Legal Notice

© Cloudera Inc. 2024. All rights reserved.

The documentation is and contains Cloudera proprietary information protected by copyright and other intellectual property rights. No license under copyright or any other intellectual property right is granted herein.

Unless otherwise noted, scripts and sample code are licensed under the Apache License, Version 2.0.

Copyright information for Cloudera software may be found within the documentation accompanying each component in a particular release.

Cloudera software includes software from various open source or other third party projects, and may be released under the Apache Software License 2.0 (“ASLv2”), the Affero General Public License version 3 (AGPLv3), or other license terms. Other software included may be released under the terms of alternative open source licenses. Please review the license and notice files accompanying the software for additional licensing information.

Please visit the Cloudera software product page for more information on Cloudera software. For more information on Cloudera support services, please visit either the Support or Sales page. Feel free to contact us directly to discuss your specific needs.

Cloudera reserves the right to change any products at any time, and without notice. Cloudera assumes no responsibility nor liability arising from the use of products, except as expressly agreed to in writing by Cloudera.

Cloudera, Cloudera Altus, HUE, Impala, Cloudera Impala, and other Cloudera marks are registered or unregistered trademarks in the United States and other countries. All other trademarks are the property of their respective owners.

Disclaimer: EXCEPT AS EXPRESSLY PROVIDED IN A WRITTEN AGREEMENT WITH CLOUDERA, CLOUDERA DOES NOT MAKE NOR GIVE ANY REPRESENTATION, WARRANTY, NOR COVENANT OF ANY KIND, WHETHER EXPRESS OR IMPLIED, IN CONNECTION WITH CLOUDERA TECHNOLOGY OR RELATED SUPPORT PROVIDED IN CONNECTION THEREWITH. CLOUDERA DOES NOT WARRANT THAT CLOUDERA PRODUCTS NOR SOFTWARE WILL OPERATE UNINTERRUPTED NOR THAT IT WILL BE FREE FROM DEFECTS NOR ERRORS, THAT IT WILL PROTECT YOUR DATA FROM LOSS, CORRUPTION NOR UNAVAILABILITY, NOR THAT IT WILL MEET ALL OF CUSTOMER’S BUSINESS REQUIREMENTS. WITHOUT LIMITING THE FOREGOING, AND TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, CLOUDERA EXPRESSLY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY, QUALITY, NON-INFRINGEMENT, TITLE, AND FITNESS FOR A PARTICULAR PURPOSE AND ANY REPRESENTATION, WARRANTY, OR COVENANT BASED ON COURSE OF DEALING OR USAGE IN TRADE.

Contents

Configuring YARN Services API to manage long-running applications.....	4
MapReduce Job History Server.....	4
Configuring YARN Services using Cloudera Manager.....	5
Configuring node attribute for application master placement.....	5
Migrating database configuration to a new location.....	6
Running YARN Services.....	9
Deploying and managing services on YARN.....	10
Launching a YARN service.....	10
Saving a YARN service definition.....	11
Creating new YARN services using UI.....	11
Creating a standard YARN service.....	11
Creating a custom YARN service.....	11
Managing the YARN service life cycle through the REST API.....	12
YARN services API examples.....	13

Configuring YARN Services API to manage long-running applications

You can use the YARN Services API to manage long-running YARN applications.

About this task

You can use the YARN Services API to deploy and manage the YARN services.

Procedure

1. Use the YARN Services API to run a POST operation on your application, specifying a long or unlimited lifetime in the POST attributes.
2. Use the YARN Services API to manage your application.
 - Increase or decrease the number of application instances.
 - Perform other application life cycle tasks.

Related Information

[Configure YARN for long-running applications](#)

[Configure YARN for long-running applications](#)

MapReduce Job History Server

The MapReduce Job History Server in Apache Hadoop is a web-based service that provides detailed information about the execution of past MapReduce jobs. This server is particularly useful for tracking, debugging, and monitoring historical job data after the job has completed.

Key Components:

The following section describes the key components of the MapReduce Job History Server:

- Job History Files:
 - The Job History Server retrieves completed job information from the job history logs, which are stored in a designated directory in HDFS.
 - These files include details such as job configuration, task-level metrics, counters, logs, and other metadata.
- Server UI
 - The Job History Server provides a web interface (often available on port 19888 by default) where users can view job-specific details.
 - The UI includes a dashboard with lists of completed jobs, allowing users to drill down into each job to view individual tasks, map/reduce counters, and logs.
- Job Summary and Details:
 - Each completed job in the UI shows a summary that includes, Job start and end times, Duration and the Final status (successful or failed)
 - Number of tasks, task types (map/reduce), and completion statistics
 - Detailed task views are available, including information on data read/write, task attempts, execution time, and error messages if applicable.
- Error Analysis and Logs:
 - The Job History Server enables users to review logs and error messages for failed tasks.
 - Logs help with troubleshooting and identifying performance bottlenecks.

- Counters and Metrics:
 - Job and task-level counters offer insights into resource usage, such as data processed, time spent, and custom counters defined in the job.

Configuring YARN Services using Cloudera Manager

You can enable and configure the YARN Services feature using Cloudera Manager.

About this task

YARN Services is enabled by default to ensure that any program that is dependent on it, for example Hive LLAP, can be installed. However you can disable it using Cloudera Manager.

Before you begin

If you want to actively use the YARN Services feature, Cloudera recommends to use Capacity Scheduler, which is the default scheduler, as only that scheduler type can fully support this feature.

Procedure

1. In Cloudera Manager, select the YARN service.
2. Click the Configuration tab.
3. Select the YARN Services Management filter.
4. Ensure that Enable YARN Services is checked.
5. Configure the YARN Services Dependencies Path to specify the path where the YARN services dependencies tarball is uploaded.

Cloudera recommends using the default path:

```
/user/yarn/services/service-framework/${cdhVersion}/service-dep.tar.gz
```

6. Click Save Changes.

If you changed the YARN Services Dependencies path, do the following:

7. Click the Actions button.
8. Select Install YARN Services Dependencies.
9. Confirm that you want to run the Install YARN Services Dependencies comment by clicking the Install YARN Services Dependencies button.
10. Once the command is run successfully, close the status window.
11. Click the *Stale Service Restart* icon that is next to the service to invoke the cluster restart wizard.
12. Click Restart Stale Services.
13. Select Re-deploy client configuration.
14. Click Restart Now.

Configuring node attribute for application master placement

Use the Node Attribute property to describe the attributes of a Node. The placement preference assigns nodes as worker nodes or compute nodes using the Node Attribute property. Application Master (AM) container is placed to run on worker nodes instead of compute nodes. The worker group is more stable because YARN ResourceManager and HDFS NameNode run in it. Also, the worker group nodes are less likely to be shut down due to autoscaling.

By default, a script runs to tag nodes as worker nodes or compute nodes using the node attribute mapping rule. AM containers are placed to run on worker nodes instead of compute nodes. You can disable the script to not make a placement preference for running AM containers.

1. In Cloudera Manager, click Clusters > YARN.
2. Go to the Configuration tab.
3. Search for `nm yarn-site.xml`.
4. Set the below property using advanced configuration snippet (safety-valve).

```
Name: yarn.nodemanager.node-attributes.provider
Value: config
```

5. Click Save.
6. Click Actions and select Restart to restart the service.



Note: To enable the node attribute placement preference again, follow the above steps and delete the `yarn.nodemanager.node-attributes.provider` and `config` configuration. Restart the YARN service after updating the configuration.


Migrating database configuration to a new location

The operations performed on queues in Queue Manager UI are stored as Queue Manager versions. You can either store these versions in the default database location on the host or configure a new location using Cloudera Manager UI.

By default, Queue Manager stores the operations performed on queues as versions in the `config-service.mv.db` database file on the host. Alternatively, you can configure a new database file in a new location and migrate the version information to the new file.

For security reasons, if you do not want to allow users to access the default database, you can move the database file to an alternative location. During an upgrade, you can move the database file to some other location and then restore this file to the default location after the upgrade.

1. (Optional) You can view the version information in the Queue Manager UI that needs to be migrated to a new location.



The screenshot displays the Cloudera Manager Queue Manager interface for 'Cluster 1'. The left sidebar contains navigation options: Clusters, Hosts, Diagnostics, Audits, Charts, Replication, Administration, Experiences (New), Parcels, Running Commands, Support, and a user profile for 'admin'. The main area shows a 'Partition: default' view with a search bar and a 'Sort by: Capacity - High to Low' dropdown. A progress bar indicates '100%' for 'root' and '90%' for 'default'. A log window is open, showing a list of events:

- Mon Nov 22 09:05:35 UTC 2021 (current): Added root.Development
- Mon Nov 22 09:04:53 UTC 2021: Deleted root.test
- Mon Nov 22 09:04:52 UTC 2021: Changed child capacities for root
- Wed Nov 17 17:17:53 UTC 2021: Deleted root.doctest
- Wed Nov 17 17:17:52 UTC 2021: Changed child capacities for root
- Wed Nov 17 17:17:44 UTC 2021: Stopped root.doctest
- Wed Nov 17 17:17:40 UTC 2021: Deleted root.doctest.doc2
- Wed Nov 17 17:17:34 UTC 2021: Stopped root.doctest.doc2
- Wed Nov 17 17:17:30 UTC 2021: Deleted root.doctest.doc1
- Wed Nov 17 17:17:29 UTC 2021: Changed child capacities for root.doctest

The bottom of the log window shows 'Versions' with the current version 'Mon Nov 22 09:05:35 UTC 2021 (current): Added root.Development' selected.



Note: The following steps explain how to change the database to a new location and copy the existing Queue Manager version information to the new database file. If you want to backup the currently used database file to another location and not migrate, perform only Steps 7, 8, 9 to backup the file.

- In Cloudera Manager, click Clusters > queuemanager

The screenshot shows the Cloudera Manager interface. On the left is a dark sidebar with navigation options: Clusters, Hosts, Diagnostics, Charts, and Administration. The main content area is titled 'Home' and shows details for a 'Compute Cluster, Cloudera Runtime 7.2.10 (Parcels)'. A list of services is displayed, with 'queuemanager' highlighted by an orange border. To the right of the service list is a navigation pane with categories: Hosts, Roles, Host Templates, Parcels, Send Diagnostic Data, Reports, Utilization Report, YARN Applications, and YARN Queue Manager UI. At the bottom, it says 'Cloudera Management Service'.

- Go to the Configuration tab.
- Specify the new file location `/var/lib/hadoop-yarn/config-service` in Location for config-service DB.




Note: The config-service database file name should not contain only special characters and dot (.) characters. Even though the file name is allowed during the creation of database from the UI, in the backend the `.mv.db` file is not created. You must have the required permissions to the specified new file location.

The screenshot shows the 'Configuration' tab for the 'QUEUEMANAGER-1' service. The 'Location for config-service DB' field is highlighted and contains the path `/var/lib/hadoop-yarn2/config-db`. Other fields include 'YARN Queue Manager Store Default Group' and 'config_service_db_loc'. The interface includes a search bar, filters, and navigation options.

- Click Save Changes.

- Click Actions and select Restart.



After you add the new database location in the Queue Manager service configuration, there will be a similar `.mv.db` file and `.trace.db` file in the new location.

- SSH into the host machine running the YARN Queue Manager service.

```
ssh [***your_username***]@[***queue_manager_host_ip_address***]
```

- Navigate to the directory where the configuration database file is stored.

```
cd /var/lib/hadoop-yarn/
```

- Find the default location of the initial database file.

```
find / -name "config-service.mv.db"
/var/lib/hadoop-yarn/config-service.mv.db
```

The complete path to the `.db` file is displayed.

- Replicate the permission at the directory level for the new database location and verify if the database directory level permissions are the same.
- Copy the contents of the old file `.mv.db` file to the new `.mv.db` file.

```
# cp config-service.mv.db new-location-config-service.mv.db
```

- Type `y` to overwrite the file.

- In Cloudera Manager, click Clusters > queue manager. Click Actions and select Restart to restart the service.

You have now changed the location of the database file. All queue information is now available in the new file and can be viewed from the Queue Manager UI.

Running YARN Services

You can use YARN Services API to manage YARN services. You can use the YARN CLI to view the logs for running applications. In addition, you can use YARN distributed cache to deploy multiple versions of Mapreduce.

Previously, deploying a new service on YARN was not a simple experience. The APIs of existing frameworks were either too low level (native YARN), required writing new code (for frameworks with programmatic APIs), or required writing a complex specification (for declarative frameworks). Apache Slider was developed to run services such as HBase, Storm, Accumulo, and Solr on YARN by exposing higher-level APIs that supported running these services on YARN without modification.

The new YARN Services API greatly simplifies the deployment and management of YARN services.

Deploying and managing services on YARN

Using the YARN Services API, you can run simple and complex template-based apps on containers.

Without having the need to write new code or modify your apps, you can create and manage the life cycle of these YARN services.

```
{
  "name": "sleeper-service",
  "version": "1.0.0",
  "components": [
    {
      "name": "sleeper",
      "number_of_containers": 2,
      "launch_command": "sleep 900000",
      "resource": {
        "cpus": 1,
        "memory": "256"
      }
    }
  ]
}
```

Each service file contains, at a minimum, a name, version, and list of components. Each component of a service has a name, a number of containers to be launched (also referred to as component instances), a launch command, and an amount of resources to be requested for each container.

Components optionally also include an artifact specification. The artifact can be the default type (with no artifact specified, like the sleeper-service example above) or can have other artifact types such as `TARBALL`, or `SERVICE`.

Launching a YARN service

Launching a service saves the service file to HDFS and starts the service.

Run the following command to launch the sleeper service example. This sleeper example is provided with YARN, so it can be referred to by the name `;sleeper;` or the path to the JSON file can be specified:

```
yarn app -launch sleeper-service <sleeper OR /path/to/sleeper.json>
```

This command saves and starts the sleeper service with two instances of the sleeper component. The service could also be launched by making calls to the REST API instead of using the command line. The service can be stopped and destroyed as follows. The stop command stops the service from running, but leaves the service JSON file stored in HDFS so that the service could be started again using a start command. The destroy command stops the service if it is running and removes the service information entirely.

```
yarn app -stop sleeper-service
```

```
yarn app -destroy sleeper-service
```

Saving a YARN service definition

You can save a service YARN file initially without starting the service and later refer to this service YARN file while launching other services.

Run the following command to save the simple-httpd-service YARN file:

```
yarn app -save simple-httpd-service /path/to/simple-httpd-service.json
```

Saving or launching the service from a YARN file stores a modified version of the YARN file in HDFS. This service specification can then be referenced by other services, allowing users to assemble more complex services.

Creating new YARN services using UI

The YARN Web User Interface enables you to define new services. You can either create standard services by providing their details or custom services by using JSON files containing the required definitions.

Creating a standard YARN service

You can create a standard service as a template and deploy it based on your requirements.

Procedure

1. On the Services page of the YARN Web User Interface, click New Service.
2. In the User name for service field, specify the name of the user who launches the service.
3. Enter the service definition details.
 - Service Name: Enter a unique name for the application.
 - Queue Name: Enter the name of the YARN queue to which this application should belong.
 - Service Lifetime: Life time of the application from the time it is in STARTED state till the time it is automatically destroyed by YARN. If you want to have unlimited life time, do not enter any value.
 - Service Components: Enter the details of the service components such as component name, CPU required, memory, number of containers, artifact ID, and launch command. If it is an application like HBase, the components can be a simple role like master or RegionServer. For a complex application, the components can be other nested applications with their own details.
 - Service Configurations: Set of configuration properties that can be ingested into the application components through environments, files, and custom pluggable helper docker containers. You can upload files of several formats such as properties files, JSON files, XML files, YAML files, and template files.
 - File Configurations: Set of file configurations that needs to be created and made available as a volume in an application component container. You can upload JSON file configurations to add to the service.
4. Click Save.
5. Specify a name for the new service and click Add.



Note: Click Reset if you do not want to save your changes and specify the service details again.

6. Select the service and click Deploy to deploy it.

Creating a custom YARN service

You can define a service in JSON format and save it as a template.

Procedure

1. On the Services page of the YARN Web User Interface, click New Service.

2. Click the Custom tab.
3. In the User name for service field, specify the name of the user who launches the service.
4. In the Service Definition field, specify the service definition in JSON format.

The following example shows the sleeper service template definition.

```
{
  "name": "sleeper-service",
  "version": "1.0.0",
  "components" :
  [
    {
      "name": "sleeper",
      "number_of_containers": 2,
      "launch_command": "sleep 900000",
      "resource": {
        "cpus": 1,
        "memory": "256"
      }
    }
  ]
}
```

5. Click Save.
6. Specify a name for the new service and click Add.
The newly created service is added to the list of saved templates.



Note: Click Reset if you do not want to save your changes and specify the service details again.

7. Select the service and click Deploy to deploy it.

Managing the YARN service life cycle through the REST API

You can perform various operations to manage the life cycle of a YARN service through the REST API.

Create a service

Use the following endpoint to create a service:

```
POST /app/v1/services
```

The execution of this command confirms the success of the service creation request. You cannot be sure if the service will reach a running state. Resource availability and other factors will determine if the service will be deployed in the cluster. You have to call the GET API to get the details of the service and determine its state.

Update a service or upgrade the binary version of a service

You can update the runtime properties of a service. You can update the lifetime, and start or stop a service. You can also upgrade the service containers to a newer version of their artifacts.

Use the following endpoint to update the service:

```
PUT /app/v1/services/{service_name}
```

Destroy a service

Use the following endpoint to destroy a service and release all its resources.

```
DELETE /app/v1/services/{service_name}
```

Get the details of a service

Use the following endpoint to view the details (including containers) of a running service.

```
GET /app/v1/services/{service_name}
```

Set the number of instances of a component

Use the following endpoint to set a component's desired number of instances:

```
PUT /app/v1/services/{service_name}/components/{component_name}
```

YARN services API examples

You can use the YARN Services API for situations such as creating a single-component service and performing various operations on the service.

- Create a simple single-component service with most attribute values as defaults

POST URL – <http://localhost:8088/app/v1/services>

POST Request JSON

```
{
  "name": "hello-world",
  "version": "1",
  "components": [
    {
      "name": "hello",
      "number_of_containers": 1,
      "artifact": {
        "id": "nginx:latest",
        "type": "DOCKER"
      },
      "launch_command": "./start_nginx.sh",
      "resource": {
        "cpus": 1,
        "memory": "256"
      }
    }
  ]
}
```

GET Response JSON

GET URL – <http://localhost:8088/app/v1/services/hello-world>

Note that a lifetime value of -1 means unlimited lifetime.

```
{
  "name": "hello-world",
  "version": "1",
```

```

    "id": "application_1503963985568_0002",
    "lifetime": -1,
    "components": [
      {
        "name": "hello",
        "dependencies": [],
        "resource": {
          "cpus": 1,
          "memory": "256"
        },
        "configuration": {
          "properties": {},
          "env": {},
          "files": []
        },
        "quicklinks": [],
        "containers": [
          {
            "id": "container_e03_1503963985568_0002_01_000001",
            "ip": "10.22.8.143",
            "hostname": "myhost.local",
            "state": "READY",
            "launch_time": 1504051512412,
            "bare_host": "10.22.8.143",
            "component_name": "hello-0"
          },
          {
            "id": "container_e03_1503963985568_0002_01_000002",
            "ip": "10.22.8.143",
            "hostname": "myhost.local",
            "state": "READY",
            "launch_time": 1504051536450,
            "bare_host": "10.22.8.143",
            "component_name": "hello-1"
          }
        ],
        "launch_command": "./start_nginx.sh",
        "number_of_containers": 1,
        "run_privileged_container": false
      }
    ],
    "configuration": {
      "properties": {},
      "env": {},
      "files": []
    },
    "quicklinks": {}
  }
}

```

- Update the lifetime of a service

PUT URL – <http://localhost:8088/app/v1/services/hello-world>

PUT Request JSON

Note that irrespective of what the current lifetime value is, this update request will set the lifetime of the service to 3600 seconds (1 hour) from the time the request is submitted. Therefore, if a service has remaining lifetime of 5 minutes (for example) and would like to extend it to an hour, OR if an application has remaining lifetime of 5 hours (for example) and would like to reduce it down to one hour, then for both scenarios you would need to submit the following request.

```

{
  "lifetime": 3600
}

```

```
}

```

- Stop a service

PUT URL – <http://localhost:8088/app/v1/services/hello-world>

PUT Request JSON

```
{
  "state": "STOPPED"
}
```

- Start a service

PUT URL – <http://localhost:8088/app/v1/services/hello-world>

PUT Request JSON

```
{
  "state": "STARTED"
}
```

- Increase or decrease the number of containers (instances) of a component of a service

PUT URL – <http://localhost:8088/app/v1/services/hello-world/components/hello>

PUT Request JSON

```
{
  "number_of_containers": 3
}
```

- Destroy a service

DELETE URL – <http://localhost:8088/app/v1/services/hello-world>

- Create a complicated service – HBase

POST URL - <http://localhost:8088/app/v1/services/hbase-app-1>

```
{
  "name": "hbase-app-1",
  "lifetime": "3600",
  "version": "2.0.0.3.0.0.0",
  "artifact": {
    "id": "hbase:2.0.0.3.0.0.0",
    "type": "DOCKER"
  },
  "configuration": {
    "env": {
      "HBASE_LOG_DIR": "<LOG_DIR>"
    },
    "files": [
      {
        "type": "TEMPLATE",
        "dest_file": "/etc/hadoop/conf/core-site.xml",
        "src_file": "core-site.xml"
      },
      {
        "type": "TEMPLATE",
        "dest_file": "/etc/hadoop/conf/hdfs-site.xml",
        "src_file": "hdfs-site.xml"
      },
      {
        "type": "XML",
        "dest_file": "/etc/hbase/conf/hbase-site.xml",

```

```

    "properties": {
      "hbase.cluster.distributed": "true",
      "hbase.zookeeper.quorum": "${CLUSTER_ZK_QUORUM}",
      "hbase.rootdir": "${SERVICE_HDFS_DIR}/hbase",
      "zookeeper.znode.parent": "${SERVICE_ZK_PATH}",
      "hbase.master.hostname": "hbasemaster-0.${SERVICE_NAME}.${USER}.${DOMAIN}",
      "hbase.master.info.port": "16010"
    }
  ],
  },
  "components": [
    {
      "name": "hbasemaster",
      "number_of_containers": 1,
      "launch_command": "sleep 15;/opt/cloudera/parcels/CDH-<version>/bin/hbase master start",
      "resource": {
        "cpus": 1,
        "memory": "2048"
      },
      "configuration": {
        "env": {
          "HBASE_MASTER_OPTS": "-Xmx2048m -Xms1024m"
        }
      }
    },
    {
      "name": "regionserver",
      "number_of_containers": 1,
      "launch_command": "sleep 15; /opt/cloudera/parcels/CDH-<version>/bin/hbase master start",
      "dependencies": [
        "hbasemaster"
      ],
      "resource": {
        "cpus": 1,
        "memory": "2048"
      },
      "configuration": {
        "files": [
          {
            "type": "XML",
            "dest_file": "/etc/hbase/conf/hbase-site.xml",
            "properties": {
              "hbase.regionserver.hostname": "${COMPONENT_INSTANCE_NAME}.${SERVICE_NAME}.${USER}.${DOMAIN}"
            }
          }
        ],
        "env": {
          "HBASE_REGIONSERVER_OPTS": "-XX:CMSInitiatingOccupancyFraction=70 -Xmx2048m -Xms1024m"
        }
      }
    },
    {
      "name": "hbaseclient",
      "number_of_containers": 1,
      "launch_command": "sleep infinity",
      "resource": {
        "cpus": 1,
        "memory": "1024"
      }
    }
  ]
}

```



```
    }  
  },  
  "quicklinks": {  
    "HBase Master Status UI": "http://hbasemaster-0.${SERVICE_NAME}.${US  
ER}.${DOMAIN}:16010/master-status"  
  }  
}
```