

Cloudera Runtime 7.3.1

Migrating Ranger Admin Audit Logs

Date published: 2020-07-28

Date modified: 2024-12-10

CLOUdera

<https://docs.cloudera.com/>

Legal Notice

© Cloudera Inc. 2026. All rights reserved.

The documentation is and contains Cloudera proprietary information protected by copyright and other intellectual property rights. No license under copyright or any other intellectual property right is granted herein.

Unless otherwise noted, scripts and sample code are licensed under the Apache License, Version 2.0.

Copyright information for Cloudera software may be found within the documentation accompanying each component in a particular release.

Cloudera software includes software from various open source or other third party projects, and may be released under the Apache Software License 2.0 (“ASLv2”), the Affero General Public License version 3 (AGPLv3), or other license terms. Other software included may be released under the terms of alternative open source licenses. Please review the license and notice files accompanying the software for additional licensing information.

Please visit the Cloudera software product page for more information on Cloudera software. For more information on Cloudera support services, please visit either the Support or Sales page. Feel free to contact us directly to discuss your specific needs.

Cloudera reserves the right to change any products at any time, and without notice. Cloudera assumes no responsibility nor liability arising from the use of products, except as expressly agreed to in writing by Cloudera.

Cloudera, Cloudera Altus, HUE, Impala, Cloudera Impala, and other Cloudera marks are registered or unregistered trademarks in the United States and other countries. All other trademarks are the property of their respective owners.

Disclaimer: EXCEPT AS EXPRESSLY PROVIDED IN A WRITTEN AGREEMENT WITH CLOUDERA, CLOUDERA DOES NOT MAKE NOR GIVE ANY REPRESENTATION, WARRANTY, NOR COVENANT OF ANY KIND, WHETHER EXPRESS OR IMPLIED, IN CONNECTION WITH CLOUDERA TECHNOLOGY OR RELATED SUPPORT PROVIDED IN CONNECTION THEREWITH. CLOUDERA DOES NOT WARRANT THAT CLOUDERA PRODUCTS NOR SOFTWARE WILL OPERATE UNINTERRUPTED NOR THAT IT WILL BE FREE FROM DEFECTS NOR ERRORS, THAT IT WILL PROTECT YOUR DATA FROM LOSS, CORRUPTION NOR UNAVAILABILITY, NOR THAT IT WILL MEET ALL OF CUSTOMER’S BUSINESS REQUIREMENTS. WITHOUT LIMITING THE FOREGOING, AND TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, CLOUDERA EXPRESSLY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY, QUALITY, NON-INFRINGEMENT, TITLE, AND FITNESS FOR A PARTICULAR PURPOSE AND ANY REPRESENTATION, WARRANTY, OR COVENANT BASED ON COURSE OF DEALING OR USAGE IN TRADE.

Contents

Migrating Ranger admin audit logs.....	4
---	----------

Migrating Ranger admin audit logs

This topic describes how to migrate Ranger admin audit logs from the `x_trx_log` table to the `x_trx_log_v2` table.

Starting from Cloudera Runtime 7.3.2.0, Ranger admin audit logs are stored in the `x_trx_log_v2` table in the Ranger database. In releases earlier than 7.3.2.0, Ranger admin audit logs were stored in the `x_trx_log` table in the Ranger database. Hence, if you upgrade to Cloudera Runtime 7.3.2.0 from any previous version and you want to retain your old data, you must migrate the Ranger admin audit logs from the `x_trx_log` table to the `x_trx_log_v2` table.



Note: In the case of a fresh installation of Cloudera Runtime 7.3.2.0, this migration process is not required. If you run the migration command, you get an error.

Perform the following steps to migrate logs from the `x_trx_log` table to the `x_trx_log_v2` table:

1. After you upgrade your cluster and Ranger is up, log in to Cloudera Manager.
2. Select the Ranger service, and click **Actions** **Ranger Admin Transaction Log Migration**.
3. Confirm by clicking **Ranger Admin Transaction Log Migration**.

The migration process starts.

4. After the migration is complete, click **Close**.

Configuration

In case you want to retain the logs for a certain number of days, you can configure the `ranger.admin.migrate.transaction_records.retention.days` property in Cloudera Manager to do so. By default, the value of this property is `-1`, which means that all data will be retained. To set a different value for this property, perform the following steps:

1. Go to **Cloudera Manager** **Ranger** **Configuration**.
2. In **Ranger Admin Advanced Configuration Snippet (Safety Valve)** for `conf/ranger-admin-site.xml`, click the **+** icon and set the following:
 - In the **Name** field, enter `ranger.admin.migrate.transaction_records.retention.days`.
 - In the **Value** field, enter the number of days.
3. Click **Save Changes**.

Limitation

If the migration process takes more than 15 minutes to complete, Cloudera Manager aborts the migration process. In such cases, you need to run the commands multiple times to migrate the entire data. The process restarts the migration again from the point it was aborted.