

Cloudera Flow Management 2.1.5

## Managing NiFi in Cloudera Manager

Date published: 2019-06-26

Date modified: 2023-11-02

# CLOUDERA

<https://docs.cloudera.com/>

# Legal Notice

© Cloudera Inc. 2024. All rights reserved.

The documentation is and contains Cloudera proprietary information protected by copyright and other intellectual property rights. No license under copyright or any other intellectual property right is granted herein.

Unless otherwise noted, scripts and sample code are licensed under the Apache License, Version 2.0.

Copyright information for Cloudera software may be found within the documentation accompanying each component in a particular release.

Cloudera software includes software from various open source or other third party projects, and may be released under the Apache Software License 2.0 (“ASLv2”), the Affero General Public License version 3 (AGPLv3), or other license terms. Other software included may be released under the terms of alternative open source licenses. Please review the license and notice files accompanying the software for additional licensing information.

Please visit the Cloudera software product page for more information on Cloudera software. For more information on Cloudera support services, please visit either the Support or Sales page. Feel free to contact us directly to discuss your specific needs.

Cloudera reserves the right to change any products at any time, and without notice. Cloudera assumes no responsibility nor liability arising from the use of products, except as expressly agreed to in writing by Cloudera.

Cloudera, Cloudera Altus, HUE, Impala, Cloudera Impala, and other Cloudera marks are registered or unregistered trademarks in the United States and other countries. All other trademarks are the property of their respective owners.

Disclaimer: EXCEPT AS EXPRESSLY PROVIDED IN A WRITTEN AGREEMENT WITH CLOUDERA, CLOUDERA DOES NOT MAKE NOR GIVE ANY REPRESENTATION, WARRANTY, NOR COVENANT OF ANY KIND, WHETHER EXPRESS OR IMPLIED, IN CONNECTION WITH CLOUDERA TECHNOLOGY OR RELATED SUPPORT PROVIDED IN CONNECTION THEREWITH. CLOUDERA DOES NOT WARRANT THAT CLOUDERA PRODUCTS NOR SOFTWARE WILL OPERATE UNINTERRUPTED NOR THAT IT WILL BE FREE FROM DEFECTS NOR ERRORS, THAT IT WILL PROTECT YOUR DATA FROM LOSS, CORRUPTION NOR UNAVAILABILITY, NOR THAT IT WILL MEET ALL OF CUSTOMER’S BUSINESS REQUIREMENTS. WITHOUT LIMITING THE FOREGOING, AND TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, CLOUDERA EXPRESSLY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY, QUALITY, NON-INFRINGEMENT, TITLE, AND FITNESS FOR A PARTICULAR PURPOSE AND ANY REPRESENTATION, WARRANTY, OR COVENANT BASED ON COURSE OF DEALING OR USAGE IN TRADE.

# Contents

<b>Using the Actions menu.....</b>	<b>4</b>
------------------------------------	----------

## Using the Actions menu

You can manage the NiFi service in Cloudera Manager on CDP Private Cloud Base using the Actions menu available on the service page. This menu provides a list of commands relevant to the role type you are viewing. These commands typically include stopping, starting, or restarting the instance, and may include additional commands depending on your role.

### About this task

Follow these steps to access the Actions menu.

### Procedure

1. From Cloudera Manager, click the Clusters tab in the left-hand navigation.
2. Click NiFi in the list of services to display the NiFi service page.
3. Click the Actions drop-down next to the service name.

The following commands are available:

#### Start

This action starts the NiFi service.

#### Restart

This action runs two other actions, 'Stop NiFi' and 'Start NiFi', one after another.

#### Rolling Restart

This action consists of three actions, and it runs a specific restart of the NiFi service. The Rolling restart action first runs 'Stop NiFi', then it runs 'Start NiFi', and finally it runs 'NifiNodeWaitUntilHealthy'. The goal of the last action is to wait until the NiFi service is started and works correctly. It is needed in the rolling restart because the 'Start NiFi' action just runs the start NiFi service command and does not wait until the NiFi service actually starts and also does not check if the service works correctly.

#### Migrate File-based Authorizations to Ranger

This action migrates policies from authorizations.xml to Ranger. For more information, see *Migrating NiFi File-Based authorization to Ranger*.

#### Create required NiFi objects

This action calls the CreateRequiredNiFiObjects.sh script, which is used to create NiFi objects like: ReportLineageToAtlas, StandardRestrictedSSLContextService, or MonitorDiskUsage. This script also adds component policies to Ranger, which are described in the ranger-component-policies.xml file. The action is automatically executed after the first NiFi start. If needed, you can rerun it later manually.

#### Remove Ranger repository

This action removes the related NiFi repository/service from Ranger.



**Important:** Use this action with caution as it causes NiFi to fail. If you ran the command accidentally, 1. stop NiFi, 2. create a marker file, and 3. start NiFi again. After completing these actions, Ranger NiFi repository/service, all related policies, and all NiFi objects will be created/added.

#### Reset File-based Authorizer Users and Policies

This action automatically removes the users.xml and authorizations.xml configuration files on each host with NiFi. It also creates backups of these two configurations in the same directory, but with

the file names changed (users.xml{current-date}, authorizations.xml{current-date}). This action helps you to regenerate users.xml and authorizations.xml config files on all NiFi hosts.

### Create Marker File

This action creates the /var/lib/nifi/marker.txt file on a random NiFi host. You need this file to understand exactly which NiFi instance should create a NiFi Ranger repository/service and basic policies during the NiFi start. Without this file, Ranger repository/service is not created and NiFi service fails. The action runs before 'Start NiFi' only during the first NiFi start (after installation).

### Create First Run File

This action creates the /var/lib/nifi/first\_run.txt file on all NiFi hosts. You can use this file to check whether it is the first start of NiFi. For example during the NiFi start process (controller.sh), it is checked that it is not the first start of NiFi and groups are updated for some policies in the NiFi Ranger repository/service, if needed. After the /var/lib/nifi/first\_run.txt file is created, it is removed automatically.

### Run Post Upgrade Changes

This action runs the run\_post\_upgrade\_changes.sh script. This script adds the required changes for a new CFM version after an upgrade. It also automatically runs during the first run after an upgrade, if the CFM version has changed.



**Important:** Do not execute this action manually, only in specific cases when you need to fix things in the scope of run\_post\_upgrade\_changes.sh.

### Wait until the NiFi Node is healthy

This action runs the 'nifi\_wait\_until\_healthy' script, and the system waits until the NiFi service is started and works correctly.

### Stop

This action stops the NiFi service.

### Related Information

[Migrating NiFi File-Based authorization to Ranger](#)