

Cloudera Manager Configuration Properties

Date published:

Date modified:

The Cloudera logo is displayed in a bold, orange, sans-serif font. The word "CLOUDERA" is written in all caps, with a stylized 'E' that has a horizontal bar extending to the right.

Legal Notice

© Cloudera Inc. 2024. All rights reserved.

The documentation is and contains Cloudera proprietary information protected by copyright and other intellectual property rights. No license under copyright or any other intellectual property right is granted herein.

Unless otherwise noted, scripts and sample code are licensed under the Apache License, Version 2.0.

Copyright information for Cloudera software may be found within the documentation accompanying each component in a particular release.

Cloudera software includes software from various open source or other third party projects, and may be released under the Apache Software License 2.0 (“ASLv2”), the Affero General Public License version 3 (AGPLv3), or other license terms. Other software included may be released under the terms of alternative open source licenses. Please review the license and notice files accompanying the software for additional licensing information.

Please visit the Cloudera software product page for more information on Cloudera software. For more information on Cloudera support services, please visit either the Support or Sales page. Feel free to contact us directly to discuss your specific needs.

Cloudera reserves the right to change any products at any time, and without notice. Cloudera assumes no responsibility nor liability arising from the use of products, except as expressly agreed to in writing by Cloudera.

Cloudera, Cloudera Altus, HUE, Impala, Cloudera Impala, and other Cloudera marks are registered or unregistered trademarks in the United States and other countries. All other trademarks are the property of their respective owners.

Disclaimer: EXCEPT AS EXPRESSLY PROVIDED IN A WRITTEN AGREEMENT WITH CLOUDERA, CLOUDERA DOES NOT MAKE NOR GIVE ANY REPRESENTATION, WARRANTY, NOR COVENANT OF ANY KIND, WHETHER EXPRESS OR IMPLIED, IN CONNECTION WITH CLOUDERA TECHNOLOGY OR RELATED SUPPORT PROVIDED IN CONNECTION THEREWITH. CLOUDERA DOES NOT WARRANT THAT CLOUDERA PRODUCTS NOR SOFTWARE WILL OPERATE UNINTERRUPTED NOR THAT IT WILL BE FREE FROM DEFECTS NOR ERRORS, THAT IT WILL PROTECT YOUR DATA FROM LOSS, CORRUPTION NOR UNAVAILABILITY, NOR THAT IT WILL MEET ALL OF CUSTOMER’S BUSINESS REQUIREMENTS. WITHOUT LIMITING THE FOREGOING, AND TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, CLOUDERA EXPRESSLY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY, QUALITY, NON-INFRINGEMENT, TITLE, AND FITNESS FOR A PARTICULAR PURPOSE AND ANY REPRESENTATION, WARRANTY, OR COVENANT BASED ON COURSE OF DEALING OR USAGE IN TRADE.

Contents

Cloudera Manager 7.13.1 Configuration Properties.....10

Cloudera Manager Configuration Properties Reference for Cloudera

Runtime 7.3.1.....10

ADLS Connector Properties in Cloudera Runtime 7.3.1.....	10
Service-Wide.....	10
Atlas Properties in Cloudera Runtime 7.3.1.....	12
Atlas Server.....	12
Gateway.....	75
Service-Wide.....	83
Core Configuration Properties in Cloudera Runtime 7.3.1.....	113
Gateway.....	113
Service-Wide.....	117
Cruise Control Properties in Cloudera Runtime 7.3.1.....	157
Cruise Control Server.....	157
Service-Wide.....	209
Data Context Connector Properties in Cloudera Runtime 7.3.1.....	229
Gateway.....	230
Service-Wide.....	234
GCS Properties in Cloudera Runtime 7.3.1.....	237
Service-Wide.....	237
HBase Properties in Cloudera Runtime 7.3.1.....	239
Gateway.....	239
HBase REST Server.....	245
HBase Thrift Server.....	282
Master.....	321
RegionServer.....	370
Service-Wide.....	437
HDFS Properties in Cloudera Runtime 7.3.1.....	515
Balancer.....	515
DataNode.....	524
Failover Controller.....	573
Gateway.....	605
HttpFS.....	610
JournalNode.....	648
NameNode.....	687
NFS Gateway.....	751
SecondaryNameNode.....	788
Service-Wide.....	826
Hive Properties in Cloudera Runtime 7.3.1.....	913
Gateway.....	913
Hive Metastore Server.....	917
HiveServer2.....	959
Service-Wide.....	1018
WebHCat Server.....	1093
Hive LLAP Properties in Cloudera Runtime 7.3.1.....	1125
Gateway.....	1125
HiveServer2.....	1130

LLAP Proxy.....	1201
Service-Wide.....	1242
Hive on Tez Properties in Cloudera Runtime 7.3.1.....	1295
Gateway.....	1295
HiveServer2.....	1299
Service-Wide.....	1361
Hue Properties in Cloudera Runtime 7.3.1.....	1419
Hue Server.....	1419
Kerberos Ticket Renewer.....	1453
Load Balancer.....	1478
Service-Wide.....	1506
Iceberg Replication Properties in Cloudera Runtime 7.3.1.....	1553
Admin Server.....	1553
Service-Wide.....	1581
Impala Properties in Cloudera Runtime 7.3.1.....	1598
Impala Catalog Server.....	1598
Impala Daemon.....	1642
Impala StateStore.....	1713
Service-Wide.....	1749
Java KeyStore KMS Properties in Cloudera Runtime 7.3.1.....	1811
Key Management Server.....	1812
Service-Wide.....	1858
Kafka Properties in Cloudera Runtime 7.3.1.....	1877
Gateway.....	1877
Kafka Broker.....	1880
Kafka Connect.....	1946
Kafka MirrorMaker.....	2004
KRaft Controller.....	2052
Service-Wide.....	2100
Key-Value Store Indexer Properties in Cloudera Runtime 7.3.1.....	2173
Lily HBase Indexer.....	2173
Service-Wide.....	2206
Knox Properties in Cloudera Runtime 7.3.1.....	2223
Gateway.....	2223
Knox Gateway.....	2225
Knox IDBroker.....	2320
Service-Wide.....	2377
Livy Properties in Cloudera Runtime 7.3.1.....	2432
Gateway.....	2432
Livy Server.....	2435
Service-Wide.....	2472
Livy for Spark 3 Properties in Cloudera Runtime 7.3.1.....	2488
Gateway.....	2488
Livy Server for Spark 3.....	2491
Service-Wide.....	2528
Omid Properties in Cloudera Runtime 7.3.1.....	2545
Omid tso server.....	2545
Service-Wide.....	2579
Oozie Properties in Cloudera Runtime 7.3.1.....	2594
Oozie Server.....	2595
Service-Wide.....	2649
Ozone Properties in Cloudera Runtime 7.3.1.....	2679
Gateway.....	2679
HttpFS Gateway.....	2684
Ozone DataNode.....	2722
Ozone Manager.....	2765

Ozone Prometheus.....	2814
Ozone Recon.....	2842
S3 Gateway.....	2882
Service-Wide.....	2920
Storage Container Manager.....	2981
Phoenix Properties in Cloudera Runtime 7.3.1.....	3037
Query Server.....	3037
Service-Wide.....	3069
Profiler Manager Properties in Cloudera Runtime 7.3.1.....	3083
Data Discovery Service Agent.....	3083
Gateway.....	3117
Profiler Admin Agent.....	3119
Profiler Metrics Agent.....	3160
Service-Wide.....	3200
Profiler Scheduler Properties in Cloudera Runtime 7.3.1.....	3226
Profiler Scheduler Agent.....	3226
Service-Wide.....	3263
Query Processor Properties in Cloudera Runtime 7.3.1.....	3283
Query Processor.....	3283
Service-Wide.....	3315
Ranger Properties in Cloudera Runtime 7.3.1.....	3333
Ranger Admin.....	3333
Ranger Tagsync.....	3395
Ranger Usersync.....	3436
Service-Wide.....	3495
Ranger KMS Properties in Cloudera Runtime 7.3.1.....	3546
Ranger KMS Server.....	3546
Service-Wide.....	3623
Ranger Raz Properties in Cloudera Runtime 7.3.1.....	3660
Ranger Raz Server.....	3660
Service-Wide.....	3712
Ranger RMS Properties in Cloudera Runtime 7.3.1.....	3735
Ranger RMS Server.....	3735
Service-Wide.....	3778
S3 Connector Properties in Cloudera Runtime 7.3.1.....	3796
Service-Wide.....	3796
Schema Registry Properties in Cloudera Runtime 7.3.1.....	3799
Gateway.....	3799
Schema Registry Server.....	3800
Service-Wide.....	3876
Solr Properties in Cloudera Runtime 7.3.1.....	3914
Gateway.....	3914
Service-Wide.....	3916
Solr Server.....	3946
Spark Properties in Cloudera Runtime 7.3.1.....	3985
Gateway.....	3985
History Server.....	3995
Service-Wide.....	4030
Spark 3 Properties in Cloudera Runtime 7.3.1.....	4051
Gateway.....	4051
History Server.....	4061
Service-Wide.....	4096
SQOOP_CLIENT Properties in Cloudera Runtime 7.3.1.....	4117
Gateway.....	4117
Service-Wide.....	4124
Streams Messaging Manager Properties in Cloudera Runtime 7.3.1.....	4130

Service-Wide.....	4131
Streams Messaging Manager Rest Admin Server.....	4176
Streams Messaging Manager UI Server.....	4254
Streams Replication Manager Properties in Cloudera Runtime 7.3.1.....	4282
Gateway.....	4282
Service-Wide.....	4290
SRM Driver.....	4331
SRM Service.....	4369
Stub DFS Properties in Cloudera Runtime 7.3.1.....	4425
Gateway.....	4425
Service-Wide.....	4429
Storage Operations.....	4440
Tez Properties in Cloudera Runtime 7.3.1.....	4463
Gateway.....	4463
Service-Wide.....	4465
YARN Properties in Cloudera Runtime 7.3.1.....	4488
Gateway.....	4488
JobHistory Server.....	4514
NodeManager.....	4554
ResourceManager.....	4627
Service-Wide.....	4678
YARN Queue Manager Properties in Cloudera Runtime 7.3.1.....	4756
Service-Wide.....	4756
YARN Queue Manager Store.....	4778
YARN Queue Manager Webapp.....	4815
ZooKeeper Properties in Cloudera Runtime 7.3.1.....	4854
Gateway.....	4854
Server.....	4857
Service-Wide.....	4907

Host Configuration Properties..... 4934

Advanced.....	4934
Monitoring.....	4936
Parcels.....	4947
Resource Management.....	4947
Suppressions.....	4948

Cloudera Manager Server Properties..... 4958

Advanced.....	4958
Altus.....	4962
Custom Service Descriptors.....	4962
External Authentication.....	4963
Kerberos.....	4974
Monitoring.....	4982
Network.....	4983
Other.....	4985
Parcels.....	4989
Performance.....	4993
Ports and Addresses.....	4994
Replication.....	4996
Reports.....	4997
Security.....	4998
Support.....	5006
Suppressions.....	5010

Cloudera Management Service.....	5036
Activity Monitor - Unsupported Since 7.0.0.....	5037
Advanced.....	5037
Database.....	5041
Logs.....	5042
Monitoring.....	5043
Other.....	5056
Performance.....	5059
Ports and Addresses.....	5059
Resource Management.....	5060
Security.....	5063
Stacks Collection.....	5065
Suppressions.....	5066
Alert Publisher.....	5081
Advanced.....	5081
Logs.....	5084
Monitoring.....	5085
Other.....	5096
Performance.....	5102
Ports and Addresses.....	5102
Resource Management.....	5103
SNMP.....	5106
Stacks Collection.....	5109
Suppressions.....	5110
Event Server.....	5125
Advanced.....	5125
Logs.....	5130
Monitoring.....	5131
Other.....	5144
Performance.....	5146
Ports and Addresses.....	5147
Resource Management.....	5147
Stacks Collection.....	5151
Suppressions.....	5152
Host Monitor.....	5165
Advanced.....	5165
Logs.....	5169
Monitoring.....	5170
Other.....	5184
Performance.....	5187
Ports and Addresses.....	5187
Resource Management.....	5188
Security.....	5192
Stacks Collection.....	5192
Suppressions.....	5194
Navigator Audit Server.....	5208
Advanced.....	5208
Database.....	5212
Logs.....	5214
Monitoring.....	5215
Other.....	5227
Performance.....	5227
Ports and Addresses.....	5227
Publishing.....	5228

Resource Management.....	5228
Security.....	5232
Stacks Collection.....	5234
Suppressions.....	5235
Navigator Metadata Server.....	5250
Advanced.....	5250
Cloudera Navigator.....	5254
Database.....	5255
External Authentication.....	5256
Extractor Filter.....	5265
Logs.....	5266
Monitoring.....	5268
Other.....	5282
Performance.....	5282
Policies.....	5283
Ports and Addresses.....	5284
Resource Management.....	5284
Security.....	5288
Stacks Collection.....	5289
Suppressions.....	5291
Reports Manager.....	5315
Advanced.....	5315
Database.....	5319
Logs.....	5321
Monitoring.....	5322
Other.....	5334
Performance.....	5336
Ports and Addresses.....	5336
Resource Management.....	5337
Security.....	5340
Stacks Collection.....	5340
Suppressions.....	5342
Service Monitor.....	5355
Advanced.....	5355
Logs.....	5359
Monitoring.....	5360
Other.....	5376
Performance.....	5382
Ports and Addresses.....	5382
Resource Management.....	5384
Security.....	5387
Stacks Collection.....	5389
Suppressions.....	5391
Service-Wide.....	5407
Advanced.....	5407
Monitoring.....	5409
Other.....	5416
Publishing.....	5417
Security.....	5417
Suppressions.....	5418
Telemetry Publisher.....	5471
Advanced.....	5471
Logs.....	5477
Monitoring.....	5478
Other.....	5492
Performance.....	5492

Ports and Addresses.....5492
Resource Management.....5493
Security.....5496
Stacks Collection..... 5498
Suppressions.....5499

Cloudera Manager 7.13.1 Configuration Properties

This guide provides reference information on configuration properties supported by Cloudera Manager 7.13.1. Available properties may differ by Cloudera Runtime version.

Cloudera Manager Configuration Properties Reference for Cloudera Runtime 7.3.1

Refer to the following links for a list of available Cloudera Runtime configuration properties available in Cloudera Manager 7.13.1 to manage Cloudera Runtime 7.3.1.

This section provides reference information on configuration properties supported by Cloudera Manager 7.13.1 to manage Cloudera Runtime 7.3.1.

ADLS Connector Properties in Cloudera Runtime 7.3.1

Role groups:

Service-Wide

Advanced

ADLS Connector Service Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

ADLS_CONNECTOR_service_env_safety_valve

Required

false

Monitoring

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Other

Cloud Account Name

Description

Name of an Azure account. The associated keys are emitted to Hue, Impala and the Hive Metastore Server.

Related Name

Default Value

API Name

cloud_account

Required

true

Hue Browser Data Lake Store

Description

This is required only for clusters using Hue with ADLS Gen1. Determines the Data Lake Store for the Hue browser. This is usually of the form: yourstorename.azuredatastore.net.

Related Name

Default Value

API Name

hue_browser_dls

Required

false

Credentials Protection Policy

Description

Determines a security policy for the distribution of Azure account credentials to cluster services. 'More Secure': Encrypted at all times and directly available to a limited set of services. 'Less Secure': Credentials may be in plain text in some configuration files for specific services in the cluster.

Related Name

Default Value

SECURE

API Name

key_distribution_policy

Required

true

Suppressions

Suppress Parameter Validation: ADLS Connector Service Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the ADLS Connector Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_adls_connector_service_env_safety_valve

Required

true

Suppress Parameter Validation: Hue Browser Data Lake Store

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue Browser Data Lake Store parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hue_browser_dls

Required

true

Suppress Configuration Validator: ADLS Hue Browser DLS required validator

Description

Whether to suppress configuration warnings produced by the ADLS Hue Browser DLS required validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_hue_browser_dls_required_validator

Required

true

Atlas Properties in Cloudera Runtime 7.3.1

Role groups:

Atlas Server

Advanced

Atlas Server Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name

Default Value

API Name

ATLAS_SERVER_role_env_safety_valve

Required

false

Atlas Server Advanced Configuration Snippet (Safety Valve) for conf/atlas-application.properties

Description

For advanced use only. A string to be inserted into conf/atlas-application.properties for this role only.

Related Name

Default Value

API Name

conf/atlas-application.properties_role_safety_valve

Required

false

Atlas Server Advanced Configuration Snippet (Safety Valve) for conf/atlas-env.sh

Description

For advanced use only. A string to be inserted into conf/atlas-env.sh for this role only.

Related Name

Default Value

API Name

conf/atlas-env.sh_role_safety_valve

Required

false

Atlas Server Advanced Configuration Snippet (Safety Valve) for conf/hadoop-metrics2.properties

Description

For advanced use only. A string to be inserted into conf/hadoop-metrics2.properties for this role only.

Related Name

Default Value

API Name

conf/hadoop-metrics2.properties_role_safety_valve

Required

false

Atlas Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-atlas-audit.xml

Description

For advanced use only. A string to be inserted into conf/ranger-atlas-audit.xml for this role only.

Related Name

Default Value

API Name

conf/ranger-atlas-audit.xml_role_safety_valve

Required

false

Atlas Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-atlas-policymgr-ssl.xml

Description

For advanced use only. A string to be inserted into conf/ranger-atlas-policymgr-ssl.xml for this role only.

Related Name

Default Value

API Name

conf/ranger-atlas-policymgr-ssl.xml_role_safety_valve

Required

false

Atlas Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-atlas-security.xml

Description

For advanced use only. A string to be inserted into conf/ranger-atlas-security.xml for this role only.

Related Name

Default Value

API Name

conf/ranger-atlas-security.xml_role_safety_valve

Required

false

Atlas Server Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j2.properties for this role only.

Related Name

Default Value

API Name

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name

Default Value

false

API Name

process_auto_restart

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name

Default Value

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name

Default Value

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name

Default Value

20

API Name

process_start_secs

Required

false

Atlas Server Advanced Configuration Snippet (Safety Valve) for solrconfig.xml

Description

For advanced use only. A string to be inserted into solrconfig.xml for this role only.

Related Name

Default Value

API Name

solrconfig.xml_role_safety_valve

Required

false

Logs

Atlas Server Log Directory

Description

The log directory for log files of the role Atlas Server.

Related Name

atlas.log.base.dir

Default Value

/var/log/atlas

API Name

log_dir

Required

false

Atlas Server Logging Threshold

Description

The minimum log level for Atlas Server logs

Related Name

Default Value

INFO

API Name

log_threshold

Required

false

Atlas Server Maximum Log File Backups

Description

The maximum number of rolled log files to keep for Atlas Server logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

Atlas Server Max Log Size

Description

The maximum size, in megabytes, per log file for Atlas Server logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

atlas_server_fd_thresholds

Required

false

Atlas Server Host Health Test

Description

When computing the overall Atlas Server health, consider the host's health.

Related Name**Default Value**

true

API Name
atlas_server_host_health_enabled

Required
false

Atlas Server Process Health Test

Description
Enables the health test that the Atlas Server's process state is consistent with the role configuration

Related Name

Default Value
true

API Name
atlas_server_scm_health_enabled

Required
false

Enable Health Alerts for this Role

Description
When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold

Related Name

Default Value
true

API Name
enable_alerts

Required
false

Enable Configuration Change Alerts

Description
When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value
false

API Name
enable_config_alerts

Required
false

Enable JMX Exporter (beta)

Description
JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name

Default Value

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name

Default Value

API Name

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name

Default Value

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter

Description

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name

Default Value

API Name

`monitoring_metric_filter`

Required

`false`

OpenTelemetry Collector Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

`otelcol_exporters`

Required

`false`

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value**API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL**Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**`$INFRA(cdp_request_signer_url)`**API Name**

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username**Description**

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify `$INFRA(cdp_request_signer_username)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**`$INFRA(cdp_request_signer_username)`**API Name**

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters,

\$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds

Description

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window

Description

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds

Description

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Enable Spool Directory Metric Usage for Atlas Server**Description**

Enables the health test for monitoring the Ranger Plugin Spool directory usage.

Related Name**Default Value**

true

API Name

spool_directory_usage_enabled

Required

false

Ranger Plugin Spool Directory Usage Thresholds for Atlas Server**Description**

The health test thresholds for monitoring the the Ranger Plugin Spool directory usage.

Related Name

Default Value

1 GiB

API Name

spool_directory_usage_threshold

Required

false

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name

Default Value

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name

Default Value

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

Admin Password

Description

Password for the Atlas Admin user configured in property atlas.admin.username with default value named "admin". Password should be minimum 8 characters with minimum one alphabet and one numeric. Unsupported special characters are " '\ ` '.

Related Name

atlas.admin.password

Default Value

API Name

atlas_admin_password

Required

false

Admin Username

Description

Admin Login user.

Related Name

atlas.admin.username

Default Value

admin

API Name

atlas_admin_username

Required

false

Audit ZooKeeper Session Timeout

Description

Audit ZooKeeper Session Timeout

Related Name

atlas.audit.zookeeper.session.timeout.ms

Default Value

1 minute(s)

API Name

atlas_audit_zookeeper_session_timeout_ms

Required

false

Enable File Authentication

Description

Whether file-based authentication is enabled.

Related Name

atlas.authentication.method.file

Default Value

false

API Name

atlas_authentication_method_file

Required

false

Path to Credentials for File-based Login.

Description

Path to Credentials for File-based Login

Related Name

atlas.authentication.method.file.filename

Default Value

ATLAS_USER_CREDENTIALS_CONF_PATH/users-credentials.properties

API Name

atlas_authentication_method_file_filename

Required

false

Enable LDAP Authentication

Description

Whether LDAP is used for authentication.

Related Name

atlas.authentication.method.ldap

Default Value

false

API Name

atlas_authentication_method_ldap

Required

false

AD Base DN

Description

The Distinguished Name (DN) of the starting point for directory server searches.

Related Name

atlas.authentication.method.ldap.ad.base.dn

Default Value

API Name

atlas_authentication_method_ldap_ad_base_dn

Required

false

AD Bind DN Username

Description

Full distinguished name (DN), including common name (CN), of an LDAP user account that has privileges to search.

Related Name

atlas.authentication.method.ldap.ad.bind.dn

Default Value

API Name

atlas_authentication_method_ldap_ad_bind_dn

Required

false

AD Bind DN Password

Description

Password for the account that can search

Related Name

atlas.authentication.method.ldap.ad.bind.password

Default Value

API Name

atlas_authentication_method_ldap_ad_bind_password

Required

false

AD User Default Role

Description

AD User default Role

Related Name

atlas.authentication.method.ldap.ad.default.role

Default Value

ROLE_USER

API Name

atlas_authentication_method_ldap_ad_default_role

Required

false

AD Domain Name (Only for AD)

Description

AD domain, only used if Authentication method is AD

Related Name

atlas.authentication.method.ldap.ad.domain

Default Value

API Name

atlas_authentication_method_ldap_ad_domain

Required

false

AD Referral

Description

This parameter is only used if Authentication method is AD. Set to follow if multiple ADsss servers are configured to return continuation references for results. Set to ignore (default) if no referrals should be followed. When this parameter is set to throw, all of the normal entries are returned in the enumeration first, before the ReferralException is thrown.

Related Name

atlas.authentication.method.ldap.ad.referral

Default Value

ignore

API Name

atlas_authentication_method_ldap_ad_referral

Required

false

AD URL

Description

AD URL, only used if Authentication method is AD

Related Name

atlas.authentication.method.ldap.ad.url

Default Value

API Name

atlas_authentication_method_ldap_ad_url

Required

false

AD User Search Filter

Description

AD User Search Filter

Related Name

atlas.authentication.method.ldap.ad.user.searchfilter

Default Value

(sAMAccountName=0)

API Name

atlas_authentication_method_ldap_ad_user_searchfilter

Required

false

LDAP DN

Description

The Distinguished Name (DN) of the starting point for directory server searches.

Related Name

atlas.authentication.method.ldap.base.dn

Default Value

API Name

atlas_authentication_method_ldap_base_dn

Required

false

LDAP Bind DN Username

Description

Full distinguished name (DN), including common name (CN), of an LDAP user account that has privileges to search.

Related Name

atlas.authentication.method.ldap.bind.dn

Default Value

API Name

atlas_authentication_method_ldap_bind_dn

Required

false

LDAP Bind DN Password

Description

Password for the account that can search in LDAP

Related Name

atlas.authentication.method.ldap.bind.password

Default Value

API Name

atlas_authentication_method_ldap_bind_password

Required

false

LDAP User Default Role

Description

LDAP User Default Role

Related Name

atlas.authentication.method.ldap.default.role

Default Value

ROLE_USER

API Name

atlas_authentication_method_ldap_default_role

Required

false

LDAP Group-Role Attribute

Description

LDAP Group-Role Attribute

Related Name

atlas.authentication.method.ldap.groupRoleAttribute

Default Value

cn

API Name

atlas_authentication_method_ldap_groupRoleAttribute

Required

false

LDAP Group-Search Base

Description

LDAP Group-Search Base

Related Name

atlas.authentication.method.ldap.groupSearchBase

Default Value

API Name

atlas_authentication_method_ldap_groupSearchBase

Required

false

LDAP Group-Search Filter

Description

LDAP Group-Search Filter

Related Name

atlas.authentication.method.ldap.groupSearchFilter

Default Value

API Name

atlas_authentication_method_ldap_groupSearchFilter

Required

false

LDAP Referral

Description

This parameter is only used if Authentication method is LDAP. Set to follow if multiple LDAP servers are configured to return continuation references for results. Set to ignore (default) if no referrals should be followed. When this parameter is set to throw, all of the normal entries are returned in the enumeration first, before the ReferralException is thrown.

Related Name

atlas.authentication.method.ldap.referral

Default Value

ignore

API Name

atlas_authentication_method_ldap_referral

Required

false

LDAP Authentication Type

Description

The LDAP type (ldap, ad, or none).

Related Name

atlas.authentication.method.ldap.type

Default Value

none

API Name

atlas_authentication_method_ldap_type

Required

false

LDAP UGI Groups

Description

LDAP UGI Groups

Related Name

atlas.authentication.method.ldap.ugi-groups

Default Value

false

API Name

atlas_authentication_method_ldap_ugi_groups

Required

false

LDAP Server URL

Description

LDAP Server URL. Sample values = ldap://localhost:389 or ldaps://localhost:636

Related Name

atlas.authentication.method.ldap.url

Default Value

API Name

atlas_authentication_method_ldap_url

Required

false

LDAP User Search Filter

Description

LDAP User Search Filter

Related Name

atlas.authentication.method.ldap.user.searchfilter

Default Value

API Name

atlas_authentication_method_ldap_user_searchfilter

Required

false

User DN Pattern

Description

User DN Pattern. This pattern is used to create a distinguished name (DN) for a user during login

Related Name

atlas.authentication.method.ldap.userDNpattern

Default Value

uid=

API Name

atlas_authentication_method_ldap_userDNpattern

Required

false

Enable PAM Authentication

Description

Whether PAM is used for authentication.

Related Name

atlas.authentication.method.pam

Default Value

true

API Name

atlas_authentication_method_pam

Required

false

Enable Knox Trusted Proxy Support

Description

Determine if the Atlas service should allow authentication using Knox trusted proxy.

Related Name

atlas.authentication.method.trustedproxy

Default Value

true

API Name

atlas_authentication_method_trustedproxy

Required

false

Atlas Jaas KafkaClient Password

Description

Password for the Atlas jaas kafkaClient configuration.

Related Name

atlas.jaas.KafkaClient.option.password

Default Value**API Name**

atlas_jaas_kafkaClient_option_password

Required

false

Atlas Jaas KafkaClient Username

Description

Username for the Atlas jaas kafkaClient configuration.

Related Name

atlas.jaas.KafkaClient.option.username

Default Value**API Name**

atlas_jaas_kafkaClient_option_username

Required

false

Atlas Jaas KafkaClient LoginModuleName

Description

LoginModuleName for the Atlas jaas kafkaClient configuration.

Related Name

atlas.jaas.KafkaClient.option.loginModuleName

Default Value

KERBEROS

API Name

atlas_jaas_kafkClient_option_loginModuleName

Required

false

Kafka Zookeeper Connection Timeout

Description

Kafka Zookeeper Connection Timeout

Related Name

atlas.kafka.zookeeper.connection.timeout.ms

Default Value

30 second(s)

API Name

atlas_kafka_zookeeper_connection_timeout_ms

Required

false

Kafka ZooKeeper Session Timeout

Description

Kafka ZooKeeper Session Timeout

Related Name

atlas.kafka.zookeeper.session.timeout.ms

Default Value

1 minute(s)

API Name

atlas_kafka_zookeeper_session_timeout_ms

Required

false

Kafka ZooKeeper Sync Time

Description

Kafka ZooKeeper Sync Time

Related Name

atlas.kafka.zookeeper.sync.time.ms

Default Value

20 millisecond(s)

API Name

atlas_kafka_zookeeper_sync_time_ms

Required

false

Atlas Max Heapsize**Description**

Maximum size for the Java Process heap. Passed to Java -Xmx. Measured in megabytes.

Related Name

atlas_max_heap_size

Default Value

2 GiB

API Name

atlas_max_heap_size

Required

true

Knox Proxy User Groups**Description**

Accepts a list of group names. The Knox user can impersonate only the users that belong to the groups specified in the list. The wildcard value * may be used to allow impersonation of any user belonging to any group.

Related Name

atlas.proxyuser.knox.groups

Default Value

*

API Name

atlas_proxyuser_knox_groups

Required

false

Knox Proxy User Hosts**Description**

Accepts a list of IP addresses, IP addressranges in CIDR format and/or host names. The Knox user can impersonate only the requests coming from hosts specified in the list. The wildcard value * may be used to allow impersonation from any host.

Related Name

atlas.proxyuser.knox.hosts

Default Value

*

API Name

atlas_proxyuser_knox_hosts

Required

false

Knox Proxy User Users

Description

Accepts a list of usernames. The Knox user can impersonate only the users specified in the list. The wildcard value * may be used to allow impersonation of any user.

Related Name

atlas.proxyuser.knox.users

Default Value

*

API Name

atlas_proxyuser_knox_users

Required

false

Proxy Users

Description

Atlas service can be proxied through Knox, hence need to configure the proxy users using which Atlas service can be proxied

Related Name

atlas.proxyusers

Default Value

API Name

atlas_proxyusers

Required

false

Server Bind Address

Description

The Server will bind to this address.

Related Name

atlas.server.bind.address

Default Value

0.0.0.0

API Name

atlas_server_bind_address

Required

false

Atlas Server Url Canary Enabled

Description

Determines if the Atlas Server's Url checker canary is enabled or disabled.

Related Name

atlas_server_url_canary_enabled

Default Value

false

API Name

atlas_server_url_canary_enabled

Required

false

Atlas Server Url Canary Timeout

Description

Atlas Server Url Canary's timeout

Related Name

atlas_server_url_canary_timeout

Default Value

30 second(s)

API Name

atlas_server_url_canary_timeout

Required

false

Session Inactivity Timeout For Atlas

Description

Session inactivity timeout will monitor inactivity for users logged into the web App. Setting the value to -1 disable this behavior.

Related Name

atlas.session.timeout.secs

Default Value

-1 second(s)

API Name

atlas_session_timeout_secs

Required

false

Simple Authz policy file

Description

Path for the Simple Authz Policies File.

Related Name

atlas.simple.authz.policy.file

Default Value

ATLAS_SIMPLE_AUTHZ_POLICY_CONF_PATH/atlas-simple-authz-policy.json

API Name

atlas_simple_authz_policy_file

Required

false

Atlas Solr Collection Backend Configuration

Description

Atlas Solr Collection Backend Configuration

Related Name

atlas_solr_config_backend_fs_type

Default Value

LocalFS

API Name

atlas_solr_config_backend_fs_type

Required

false

Initial Solr Replication Factor for Collections

Description

Solr Replication Factor for Collections. This only affects the initial setting and has no effect once Atlas has started for the first time.

Related Name

atlas_solr_replication_factor

Default Value

1

API Name

atlas_solr_replication_factor

Required

false

Initial Solr Shards for Atlas Collections

Description

Solr Shards for Collections. This only affects the initial setting and has no effect once Atlas has started for the first time.

Related Name

atlas_solr_shards

Default Value

1

API Name

atlas_solr_shards

Required

false

Excluded Wire Encryption Protocols

Description

A comma-separated list of the wire encryption protocols to exclude when TLS is enabled.

Related Name

atlas.ssl.exclude.protocols

Default Value

TLSv1, TLSv1.1

API Name

atlas_ssl_exclude_protocols

Required

false

Knox SSO browser User-Agent

Description

Knox SSO browser User-Agent

Related Name

atlas.sso.knox.browser.useragent

Default Value**API Name**

atlas_sso_knox_browser_useragent

Required

false

Enable Knox SSO

Description

Enable Knox SSO

Related Name

atlas.sso.knox.enabled

Default Value

false

API Name

atlas_sso_knox_enabled

Required

false

Knox SSO provider URL

Description

Knox SSO provider URL.

Related Name

atlas.sso.knox.providerurl

Default Value**API Name**

atlas_sso_knox_providerurl

Required

false

Knox SSO Public-Key

Description

Knox SSO Public-Key

Related Name

atlas.sso.knox.publicKey

Default Value**API Name**

atlas_sso_knox_publicKey

Required

false

Atlas Server Diagnostics Collection Timeout

Description

The timeout in milliseconds to wait for diagnostics collection to complete.

Related Name**Default Value**

5 minute(s)

API Name

csd_role_diagnostics_timeout

Required

false

Kafka Message Retention Time

Description

The maximum time for retaining Kafka messages for topic ATLAS_HOOK. If set to -1, no time limit will be applied. This configuration will be only effective for pre-start initialization of Atlas service and ineffective once the ATLAS_HOOK topic is created for Atlas.

Related Name

retention.ms

Default Value

31 day(s)

API Name

kafka_message_retention_ms

Required

false

Ranger Atlas Plugin Policy Cache Directory Path

Description

The directory where Ranger security policies are cached locally.

Related Name

ranger.plugin.atlas.policy.cache.dir

Default Value

/var/lib/ranger/atlas/policy-cache

API Name

ranger_atlas_plugin_policy_cache_directory

Required

true

Ranger Atlas Plugin Audit Hdfs Spool Directory Path

Description

Spool directory for Ranger audits being written to DFS.

Related Name

xasecure.audit.destination.hdfs.batch.filespool.dir

Default Value

/var/log/atlas/audit/hdfs/spool

API Name

ranger_audit_hdfs_spool_dir

Required

true

Ranger Atlas Plugin Audit Solr Spool Directory Path

Description

Spool directory for Ranger audits being written to Solr.

Related Name

xasecure.audit.destination.solr.batch.filespool.dir

Default Value

/var/log/atlas/audit/solr/spool

API Name

ranger_audit_solr_spool_dir

Required

true

Ranger Plugin Trusted Proxy IP Address

Description

Accepts a list of IP addresses of proxy servers for trusting.

Related Name

ranger.plugin.atlas.trusted.proxy.ipaddress

Default Value

API Name

ranger_plugin_trusted_proxy_ipaddress

Required

false

Ranger Plugin Use X-Forwarded For IP Address

Description

The parameter is used for identifying the originating IP address of a user connecting to a component through proxy for audit logs.

Related Name

ranger.plugin.atlas.use.x-forwarded-for.ipaddress

Default Value

false

API Name

ranger_plugin_use_x_forwarded_for_ipaddress

Required

false

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name

Default Value

API Name

rlimit_fds

Required

false

Ports and Addresses

Server HTTP port

Description

Server HTTP port

Related Name

atlas.server.http.port

Default Value

31000

API Name

atlas_server_http_port

Required

false

Server HTTPS Port

Description

Server HTTPS Port

Related Name

atlas.server.https.port

Default Value

31443

API Name

atlas_server_https_port

Required

false

Resource Management

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

`rm_blkio_weight`**Required**`true`**Cgroup V1 CPU Shares****Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name`cpu.shares`**Default Value**`1024`**API Name**`rm_cpu_shares`**Required**`true`**Cgroup V2 CPU Weight****Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name`cpu.weight`**Default Value**`100`**API Name**`rm_cpu_weight`**Required**`true`**Custom Control Group Resources (overrides Cgroup settings)****Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: `resource1,resource2:path1` or `resource3:path2` For example: `'cpu,memory:my/path blkio:my2/path2'`
These settings override other cgroup settings.

Related Name`custom.cgroups`**Default Value****API Name**`rm_custom_resources`**Required**

false

Cgroup V2 I/O Weight

Description

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security**Atlas Server TLS/SSL Trust Store File****Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Atlas Server might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

truststore.file

Default Value

API Name

ssl_client_truststore_location

Required

false

Atlas Server TLS/SSL Trust Store Password

Description

The password for the Atlas Server TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

truststore.password

Default Value

API Name

ssl_client_truststore_password

Required

false

Enable TLS/SSL for Atlas Server

Description

Encrypt communication between clients and Atlas Server using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

atlas.enableTLS

Default Value

false

API Name

ssl_enabled

Required

false

Atlas Server TLS/SSL Server Keystore Key Password

Description

The password that protects the private key contained in the keystore used when Atlas Server is acting as a TLS/SSL server.

Related Name

password

Default Value

API Name

ssl_server_keystore_keypassword

Required

false

Atlas Server TLS/SSL Server Keystore File Location

Description

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Atlas Server is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

keystore.file

Default Value

API Name

ssl_server_keystore_location

Required

false

Atlas Server TLS/SSL Server Keystore File Password

Description

The password for the Atlas Server keystore file.

Related Name

keystore.password

Default Value

API Name

ssl_server_keystore_password

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value

API Name

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Parameter Validation: Admin Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_atlas_admin_password

Required

true

Suppress Parameter Validation: Admin Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_atlas_admin_username

Required

true

Suppress Parameter Validation: Path to Credentials for File-based Login.

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Path to Credentials for File-based Login. parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_atlas_authentication_method_file_filename

Required

true

Suppress Parameter Validation: AD Base DN

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the AD Base DN parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_atlas_authentication_method_ldap_ad_base_dn

Required

true

Suppress Parameter Validation: AD Bind DN Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the AD Bind DN Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_authentication_method_ldap_ad_bind_dn

Required

true

Suppress Parameter Validation: AD Bind DN Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the AD Bind DN Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_authentication_method_ldap_ad_bind_password

Required

true

Suppress Parameter Validation: AD User Default Role

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the AD User Default Role parameter.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_authentication_method_ldap_ad_default_role

Required

true

Suppress Parameter Validation: AD Domain Name (Only for AD)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the AD Domain Name (Only for AD) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_authentication_method_ldap_ad_domain

Required

true

Suppress Parameter Validation: AD URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the AD URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_authentication_method_ldap_ad_url

Required

true

Suppress Parameter Validation: AD User Search Filter

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the AD User Search Filter parameter.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_authentication_method_ldap_ad_user_searchfilter

Required

true

Suppress Parameter Validation: LDAP DN

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP DN parameter.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_authentication_method_ldap_base_dn

Required

true

Suppress Parameter Validation: LDAP Bind DN Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP Bind DN Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_atlas_authentication_method_ldap_bind_dn

Required

true

Suppress Parameter Validation: LDAP Bind DN Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP Bind DN Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_atlas_authentication_method_ldap_bind_password

Required

true

Suppress Parameter Validation: LDAP User Default Role

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP User Default Role parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_atlas_authentication_method_ldap_default_role

Required

true

Suppress Parameter Validation: LDAP Group-Role Attribute

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP Group-Role Attribute parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_atlas_authentication_method_ldap_groupattribute

Required

true

Suppress Parameter Validation: LDAP Group-Search Base

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP Group-Search Base parameter.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_authentication_method_ldap_groupsearchbase

Required

true

Suppress Parameter Validation: LDAP Group-Search Filter

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP Group-Search Filter parameter.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_authentication_method_ldap_groupsearchfilter

Required

true

Suppress Parameter Validation: LDAP Server URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP Server URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_authentication_method_ldap_url

Required

true

Suppress Parameter Validation: LDAP User Search Filter

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP User Search Filter parameter.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_authentication_method_ldap_user_searchfilter

Required

true

Suppress Parameter Validation: User DN Pattern

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the User DN Pattern parameter.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_authentication_method_ldap_userdnpattern

Required

true

Suppress Parameter Validation: Atlas Jaas KafkaClient Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas Jaas KafkaClient Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_jaas_kafkaclient_option_password

Required

true

Suppress Parameter Validation: Atlas Jaas KafkaClient Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas Jaas KafkaClient Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_jaas_kafkaclient_option_username

Required

true

Suppress Parameter Validation: Knox Proxy User Groups

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Proxy User Groups parameter.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_proxyuser_knox_groups

Required

true

Suppress Parameter Validation: Knox Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Proxy User Hosts parameter.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_proxyuser_knox_hosts

Required

true

Suppress Parameter Validation: Knox Proxy User Users

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Proxy User Users parameter.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_proxyuser_knox_users

Required

true

Suppress Parameter Validation: Proxy Users

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Proxy Users parameter.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_proxyusers

Required

true

Suppress Parameter Validation: Server Bind Address

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Server Bind Address parameter.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_server_bind_address

Required

true

Suppress Parameter Validation: Server HTTP port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Server HTTP port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_server_http_port

Required

true

Suppress Parameter Validation: Server HTTPS Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Server HTTPS Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_server_https_port

Required

true

Suppress Parameter Validation: Atlas Server Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas Server Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

	false
API Name	role_config_suppression_atlas_server_role_env_safety_valve
Required	true

Suppress Parameter Validation: Simple Authz policy file

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Simple Authz policy file parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_atlas_simple_authz_policy_file
Required	true

Suppress Parameter Validation: Excluded Wire Encryption Protocols

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Excluded Wire Encryption Protocols parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_atlas_ssl_exclude_protocols
Required	true

Suppress Parameter Validation: Knox SSO browser User-Agent

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox SSO browser User-Agent parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_atlas_sso_knox_browser_useragent
Required	true

Suppress Parameter Validation: Knox SSO provider URL

Description	
--------------------	--

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox SSO provider URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_sso_knox_providerurl

Required

true

Suppress Parameter Validation: Knox SSO Public-Key

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox SSO Public-Key parameter.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_sso_knox_publickey

Required

true

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Atlas Server Advanced Configuration Snippet (Safety Valve) for conf/atlas-application.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas Server Advanced Configuration Snippet (Safety Valve) for conf/atlas-application.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_conf/atlas-application.properties_role_safety_valve

Required

true

Suppress Parameter Validation: Atlas Server Advanced Configuration Snippet (Safety Valve) for conf/atlas-env.sh

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas Server Advanced Configuration Snippet (Safety Valve) for conf/atlas-env.sh parameter.

Related Name

Default Value

false

API Name

role_config_suppression_conf/atlas-env.sh_role_safety_valve

Required

true

Suppress Parameter Validation: Atlas Server Advanced Configuration Snippet (Safety Valve) for conf/hadoop-metrics2.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas Server Advanced Configuration Snippet (Safety Valve) for conf/hadoop-metrics2.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_conf/hadoop-metrics2.properties_role_safety_valve

Required

true

Suppress Parameter Validation: Atlas Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-atlas-audit.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-atlas-audit.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_conf/ranger-atlas-audit.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Atlas Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-atlas-policymgr-ssl.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-atlas-policymgr-ssl.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_conf/ranger-atlas-policymgr-ssl.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Atlas Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-atlas-security.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-atlas-security.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_conf/ranger-atlas-security.xml_role_safety_valve

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Atlas Server Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas Server Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Atlas Server Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas Server Log Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

	false
API Name	role_config_suppression_otelcol_rtm_logs_exporters
Required	true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_rtm_logs_extensions
Required	true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_rtm_logs_processors
Required	true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_rtm_logs_receivers
Required	true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Ranger Atlas Plugin Policy Cache Directory Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Atlas Plugin Policy Cache Directory Path parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_atlas_plugin_policy_cache_directory

Required

true

Suppress Parameter Validation: Ranger Atlas Plugin Audit Hdfs Spool Directory Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Atlas Plugin Audit Hdfs Spool Directory Path parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_audit_hdfs_spool_dir

Required

true

Suppress Parameter Validation: Ranger Atlas Plugin Audit Solr Spool Directory Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Atlas Plugin Audit Solr Spool Directory Path parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_audit_solr_spool_dir

Required

true

Suppress Parameter Validation: Ranger Plugin Trusted Proxy IP Address

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Plugin Trusted Proxy IP Address parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_plugin_trusted_proxy_ipaddress

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Atlas Server Advanced Configuration Snippet (Safety Valve) for solrconfig.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas Server Advanced Configuration Snippet (Safety Valve) for solrconfig.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_solrconfig.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Atlas Server TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas Server TLS/SSL Trust Store File parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: Atlas Server TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas Server TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Parameter Validation: Atlas Server TLS/SSL Server Keystore Key Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas Server TLS/SSL Server Keystore Key Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_keypassword

Required

true

Suppress Parameter Validation: Atlas Server TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas Server TLS/SSL Server Keystore File Location parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: Atlas Server TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas Server TLS/SSL Server Keystore File Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test

Description

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_atlas_atlas_server_audit_health

Required

true

Suppress Health Test: File Descriptors

Description

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_atlas_atlas_server_file_descriptor

Required

true

Suppress Health Test: Host Health

Description

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_atlas_atlas_server_host_health

Required

true

Suppress Health Test: Log Directory Free Space

Description

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_atlas_atlas_server_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health

Description

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_atlas_atlas_server_otelcol_health

Required

true

Suppress Health Test: Ranger Plugin Hdfs Spool Directory Size

Description

Whether to suppress the results of the Ranger Plugin Hdfs Spool Directory Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_atlas_atlas_server_ranger_plugin_hdfs_spool_directory_size_health

Required

true

Suppress Health Test: Ranger Plugin Solr Spool Directory Size

Description

Whether to suppress the results of the Ranger Plugin Solr Spool Directory Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name`role_health_suppression_atlas_atlas_server_ranger_plugin_solr_spool_directory_size_health`**Required**`true`**Suppress Health Test: Process Status****Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_atlas_atlas_server_scm_health`**Required**`true`**Suppress Health Test: Swap Memory Usage****Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_atlas_atlas_server_swap_memory_usage`**Required**`true`**Suppress Health Test: Swap Memory Usage Rate Beta****Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_atlas_atlas_server_swap_memory_usage_rate`**Required**`true`

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_atlas_atlas_server_unexpected_exits

Required

true

Suppress Health Test: Atlas Server Canary

Description

Whether to suppress the results of the Atlas Server Canary health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_atlas_server_canary

Required

true

Gateway

Advanced

Atlas Client Advanced Configuration Snippet (Safety Valve) for atlas-conf/atlas-client.properties

Description

For advanced use only, a string to be inserted into the client configuration for atlas-conf/atlas-client.properties.

Related Name**Default Value****API Name**

atlas-conf/atlas-client.properties_client_config_safety_valve

Required

false

Atlas Client Advanced Configuration Snippet (Safety Valve) for atlas-conf/atlas-env.sh

Description

For advanced use only, a string to be inserted into the client configuration for atlas-conf/atlas-env.sh.

Related Name

Default Value

API Name

atlas-conf/atlas-env.sh_client_config_safety_valve

Required

false

Atlas Client Advanced Configuration Snippet (Safety Valve) for atlas-conf/atlas_jaas.conf

Description

For advanced use only, a string to be inserted into the client configuration for atlas-conf/atlas_jaas.conf.

Related Name

Default Value

API Name

atlas-conf/atlas_jaas.conf_client_config_safety_valve

Required

false

Atlas Client Advanced Configuration Snippet (Safety Valve) for atlas-conf/hadoop-metrics2.properties

Description

For advanced use only, a string to be inserted into the client configuration for atlas-conf/hadoop-metrics2.properties.

Related Name

Default Value

API Name

atlas-conf/hadoop-metrics2.properties_client_config_safety_valve

Required

false

Atlas Client Advanced Configuration Snippet (Safety Valve) for atlas-conf/hdfs.conf

Description

For advanced use only, a string to be inserted into the client configuration for atlas-conf/hdfs.conf.

Related Name

Default Value

API Name

atlas-conf/hdfs.conf_client_config_safety_valve

Required

false

Deploy Directory

Description

The directory where the client configs will be deployed

Related Name

Default Value

/etc/atlas

API Name

client_config_root_dir

Required

true

Gateway Logging Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a string to be inserted into log4j2.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Logs**Gateway Logging Threshold****Description**

The minimum log level for Gateway logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Monitoring**Enable Configuration Change Alerts****Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Other

Atlas Max Heapsize

Description

Maximum size for the Java Process heap. Passed to Java -Xmx. Measured in megabytes.

Related Name

atlas_max_heap_size

Default Value

2 GiB

API Name

atlas_max_heap_size

Required

true

Alternatives Priority

Description

The priority level that the client configuration will have in the Alternatives system on the hosts. Higher priority levels will cause Alternatives to prefer this configuration over any others.

Related Name

Default Value

50

API Name

client_config_priority

Required

true

Atlas HDFS Lineage Blacklist Paths

Description

Directories to be blacklisted for the HDFS Lineage.

Related Name

atlas.hdfs.lineage.blacklist.paths

Default Value

API Name

hdfs_lineage_blacklist_paths

Required

false

Atlas HDFS Lineage Whitelist Paths

Description

Directories to be whitelisted for the HDFS Lineage.

Related Name

atlas.hdfs.lineage.whitelist.paths

Default Value

API Name

`hdfs_lineage_whitelist_paths`**Required**

false

Atlas Gateway Log Directory**Description**

Directory where Atlas log files will be stored.

Related Name`atlas.log.base.dir`**Default Value**`/var/log/atlas`**API Name**`log_dir`**Required**

false

Security**Gateway TLS/SSL Trust Store File****Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Gateway might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name`atlas.kafka.ssl.truststore.location`**Default Value****API Name**`ssl_client_truststore_location`**Required**

false

Gateway TLS/SSL Trust Store Password**Description**

The password for the Gateway TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name`atlas.kafka.ssl.truststore.password`**Default Value****API Name**`ssl_client_truststore_password`**Required**

false

Suppressions

Suppress Parameter Validation: Atlas Client Advanced Configuration Snippet (Safety Valve) for atlas-conf/atlas-client.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas Client Advanced Configuration Snippet (Safety Valve) for atlas-conf/atlas-client.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_atlas-conf/atlas-client.properties_client_config_safety_valve

Required

true

Suppress Parameter Validation: Atlas Client Advanced Configuration Snippet (Safety Valve) for atlas-conf/atlas-env.sh

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas Client Advanced Configuration Snippet (Safety Valve) for atlas-conf/atlas-env.sh parameter.

Related Name

Default Value

false

API Name

role_config_suppression_atlas-conf/atlas-env.sh_client_config_safety_valve

Required

true

Suppress Parameter Validation: Atlas Client Advanced Configuration Snippet (Safety Valve) for atlas-conf/atlas_jaas.conf

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas Client Advanced Configuration Snippet (Safety Valve) for atlas-conf/atlas_jaas.conf parameter.

Related Name

Default Value

false

API Name

role_config_suppression_atlas-conf/atlas_jaas.conf_client_config_safety_valve

Required

true

Suppress Parameter Validation: Atlas Client Advanced Configuration Snippet (Safety Valve) for atlas-conf/hadoop-metrics2.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas Client Advanced Configuration Snippet (Safety Valve) for atlas-conf/hadoop-metrics2.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_atlas-conf/hadoop-metrics2.properties_client_config_safety_valve

Required

true

Suppress Parameter Validation: Atlas Client Advanced Configuration Snippet (Safety Valve) for atlas-conf/hdfs.conf

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas Client Advanced Configuration Snippet (Safety Valve) for atlas-conf/hdfs.conf parameter.

Related Name

Default Value

false

API Name

role_config_suppression_atlas-conf/hdfs.conf_client_config_safety_valve

Required

true

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Deploy Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Deploy Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Parameter Validation: Atlas HDFS Lineage Blacklist Paths

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas HDFS Lineage Blacklist Paths parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hdfs_lineage_blacklist_paths

Required

true

Suppress Parameter Validation: Atlas HDFS Lineage Whitelist Paths

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas HDFS Lineage Whitelist Paths parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hdfs_lineage_whitelist_paths

Required

true

Suppress Parameter Validation: Gateway Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Atlas Gateway Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas Gateway Log Directory parameter.

Related Name

Default Value

	false
API Name	role_config_suppression_log_dir
Required	true

Suppress Parameter Validation: Gateway TLS/SSL Trust Store File

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway TLS/SSL Trust Store File parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_ssl_client_truststore_location
Required	true

Suppress Parameter Validation: Gateway TLS/SSL Trust Store Password

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway TLS/SSL Trust Store Password parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_ssl_client_truststore_password
Required	true

Service-Wide

Advanced

Atlas Service Environment Advanced Configuration Snippet (Safety Valve)

Description	For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.
Related Name	
Default Value	
API Name	ATLAS_service_env_safety_valve
Required	false

System Group

Description

The group that this service's processes should run as.

Related Name

Default Value

atlas

API Name

process_groupname

Required

true

System User

Description

The user that this service's processes should run as.

Related Name

Default Value

atlas

API Name

process_username

Required

true

Monitoring

Healthy Atlas Server Monitoring Thresholds

Description

The health test thresholds of the overall Atlas Server health. The check returns "Concerning" health if the percentage of "Healthy" Atlas Servers falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" Atlas Servers falls below the critical threshold.

Related Name

Default Value

Warning: 99.0 %, Critical: 90.0 %

API Name

ATLAS_ATLAS_SERVER_healthy_thresholds

Required

false

Enable Service Level Health Alerts

Description

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Service Triggers**Description**

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

service_triggers

Required

true

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name

Default Value

API Name

smon_derived_configs_safety_valve

Required

false

Other

HBase Service

Description

Name of the HBase service that this Atlas service instance depends on

Related Name

Default Value

API Name

hbase_service

Required

true

HDFS Service

Description

Name of the HDFS service that this Atlas service instance depends on

Related Name

Default Value

API Name

hdfs_service

Required

true

KAFKA Service

Description

Name of the KAFKA service that this Atlas service instance depends on

Related Name

Default Value

API Name

kafka_service

Required

true

Enable Kerberos Authentication

Description

Indicates whether Kerberos is enabled.

Related Name

atlas.authentication.method.kerberos

Default Value

false

API Name

kerberos.auth.enable

Required

false

Ranger Atlas Plugin Hdfs Audit Directory

Description

The DFS path on which Ranger audits are written.

Related Name

ranger_atlas_plugin_hdfs_audit_directory

Default Value

\$ranger_base_audit_url/atlas

API Name

ranger_atlas_plugin_hdfs_audit_directory

Required

false

RANGER Service

Description

Name of the RANGER service that this Atlas service instance depends on

Related Name

Default Value

API Name

ranger_service

Required

false

Solr Service

Description

Name of the Solr service that this Atlas service instance depends on

Related Name

Default Value

API Name

solr_service

Required

true

Security

Kerberos Principal

Description

Kerberos principal short name used by all roles of this service.

Related Name

Default Value

atlas

API Name

kerberos_princ_name

Required

true

Suppressions

Suppress Configuration Validator: Atlas Client Advanced Configuration Snippet (Safety Valve) for atlas-conf/atlas-client.properties

Description

Whether to suppress configuration warnings produced by the Atlas Client Advanced Configuration Snippet (Safety Valve) for atlas-conf/atlas-client.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas-conf/atlas-client.properties_client_config_safety_valve

Required

true

Suppress Configuration Validator: Atlas Client Advanced Configuration Snippet (Safety Valve) for atlas-conf/atlas-env.sh

Description

Whether to suppress configuration warnings produced by the Atlas Client Advanced Configuration Snippet (Safety Valve) for atlas-conf/atlas-env.sh configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas-conf/atlas-env.sh_client_config_safety_valve

Required

true

Suppress Configuration Validator: Atlas Client Advanced Configuration Snippet (Safety Valve) for atlas-conf/atlas_jaas.conf

Description

Whether to suppress configuration warnings produced by the Atlas Client Advanced Configuration Snippet (Safety Valve) for atlas-conf/atlas_jaas.conf configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas-conf/atlas_jaas.conf_client_config_safety_valve

Required

true

Suppress Configuration Validator: Atlas Client Advanced Configuration Snippet (Safety Valve) for atlas-conf/hadoop-metrics2.properties

Description

Whether to suppress configuration warnings produced by the Atlas Client Advanced Configuration Snippet (Safety Valve) for atlas-conf/hadoop-metrics2.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas-conf/hadoop-metrics2.properties_client_config_safety_valve

Required

true

Suppress Configuration Validator: Atlas Client Advanced Configuration Snippet (Safety Valve) for atlas-conf/hdfs.conf

Description

Whether to suppress configuration warnings produced by the Atlas Client Advanced Configuration Snippet (Safety Valve) for atlas-conf/hdfs.conf configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas-conf/hdfs.conf_client_config_safety_valve

Required

true

Suppress Configuration Validator: Admin Password

Description

Whether to suppress configuration warnings produced by the Admin Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_admin_password

Required

true

Suppress Configuration Validator: Admin Username

Description

Whether to suppress configuration warnings produced by the Admin Username configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_atlas_admin_username

Required

true

Suppress Configuration Validator: Path to Credentials for File-based Login.

Description

Whether to suppress configuration warnings produced by the Path to Credentials for File-based Login. configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_atlas_authentication_method_file_filename

Required

true

Suppress Configuration Validator: AD Base DN

Description

Whether to suppress configuration warnings produced by the AD Base DN configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_atlas_authentication_method_ldap_ad_base_dn

Required

true

Suppress Configuration Validator: AD Bind DN Username

Description

Whether to suppress configuration warnings produced by the AD Bind DN Username configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_atlas_authentication_method_ldap_ad_bind_dn

Required

true

Suppress Configuration Validator: AD Bind DN Password

Description

Whether to suppress configuration warnings produced by the AD Bind DN Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_authentication_method_ldap_ad_bind_password

Required

true

Suppress Configuration Validator: AD User Default Role

Description

Whether to suppress configuration warnings produced by the AD User Default Role configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_authentication_method_ldap_ad_default_role

Required

true

Suppress Configuration Validator: AD Domain Name (Only for AD)

Description

Whether to suppress configuration warnings produced by the AD Domain Name (Only for AD) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_authentication_method_ldap_ad_domain

Required

true

Suppress Configuration Validator: AD URL

Description

Whether to suppress configuration warnings produced by the AD URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_authentication_method_ldap_ad_url

Required

true

Suppress Configuration Validator: AD User Search Filter

Description

Whether to suppress configuration warnings produced by the AD User Search Filter configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_authentication_method_ldap_ad_user_searchfilter

Required

true

Suppress Configuration Validator: LDAP DN

Description

Whether to suppress configuration warnings produced by the LDAP DN configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_authentication_method_ldap_base_dn

Required

true

Suppress Configuration Validator: LDAP Bind DN Username

Description

Whether to suppress configuration warnings produced by the LDAP Bind DN Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_authentication_method_ldap_bind_dn

Required

true

Suppress Configuration Validator: LDAP Bind DN Password

Description

Whether to suppress configuration warnings produced by the LDAP Bind DN Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_authentication_method_ldap_bind_password

Required

true

Suppress Configuration Validator: LDAP User Default Role

Description

Whether to suppress configuration warnings produced by the LDAP User Default Role configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_authentication_method_ldap_default_role

Required

true

Suppress Configuration Validator: LDAP Group-Role Attribute

Description

Whether to suppress configuration warnings produced by the LDAP Group-Role Attribute configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_authentication_method_ldap_grouproleattribute

Required

true

Suppress Configuration Validator: LDAP Group-Search Base

Description

Whether to suppress configuration warnings produced by the LDAP Group-Search Base configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_authentication_method_ldap_groupsearchbase

Required

true

Suppress Configuration Validator: LDAP Group-Search Filter

Description

Whether to suppress configuration warnings produced by the LDAP Group-Search Filter configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_authentication_method_ldap_groupsearchfilter

Required

true

Suppress Configuration Validator: LDAP Server URL

Description

Whether to suppress configuration warnings produced by the LDAP Server URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_authentication_method_ldap_url

Required

true

Suppress Configuration Validator: LDAP User Search Filter

Description

Whether to suppress configuration warnings produced by the LDAP User Search Filter configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_authentication_method_ldap_user_searchfilter

Required

true

Suppress Configuration Validator: User DN Pattern

Description

Whether to suppress configuration warnings produced by the User DN Pattern configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_authentication_method_ldap_userdnpattern

Required

true

Suppress Configuration Validator: Atlas Jaas KafkaClient Password

Description

Whether to suppress configuration warnings produced by the Atlas Jaas KafkaClient Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_jaas_kafkaclient_option_password

Required

true

Suppress Configuration Validator: Atlas Jaas KafkaClient Username

Description

Whether to suppress configuration warnings produced by the Atlas Jaas KafkaClient Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_jaas_kafkaclient_option_username

Required

true

Suppress Configuration Validator: Knox Proxy User Groups

Description

Whether to suppress configuration warnings produced by the Knox Proxy User Groups configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_proxyuser_knox_groups

Required

true

Suppress Configuration Validator: Knox Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the Knox Proxy User Hosts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_proxyuser_knox_hosts

Required

true

Suppress Configuration Validator: Knox Proxy User Users

Description

Whether to suppress configuration warnings produced by the Knox Proxy User Users configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_proxyuser_knox_users

Required

true

Suppress Configuration Validator: Proxy Users

Description

Whether to suppress configuration warnings produced by the Proxy Users configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_proxyusers

Required

true

Suppress Configuration Validator: Server Bind Address

Description

Whether to suppress configuration warnings produced by the Server Bind Address configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_server_bind_address

Required

true

Suppress Configuration Validator: Server HTTP port**Description**

Whether to suppress configuration warnings produced by the Server HTTP port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_atlas_server_http_port

Required

true

Suppress Configuration Validator: Server HTTPS Port**Description**

Whether to suppress configuration warnings produced by the Server HTTPS Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_atlas_server_https_port

Required

true

Suppress Configuration Validator: Atlas Server Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the Atlas Server Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_atlas_server_role_env_safety_valve

Required

true

Suppress Configuration Validator: Simple Authz policy file**Description**

Whether to suppress configuration warnings produced by the Simple Authz policy file configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_atlas_simple_authz_policy_file

Required

true

Suppress Configuration Validator: Excluded Wire Encryption Protocols

Description

Whether to suppress configuration warnings produced by the Excluded Wire Encryption Protocols configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_ssl_exclude_protocols

Required

true

Suppress Configuration Validator: Knox SSO browser User-Agent

Description

Whether to suppress configuration warnings produced by the Knox SSO browser User-Agent configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_sso_knox_browser_useragent

Required

true

Suppress Configuration Validator: Knox SSO provider URL

Description

Whether to suppress configuration warnings produced by the Knox SSO provider URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_sso_knox_providerurl

Required

true

Suppress Configuration Validator: Knox SSO Public-Key

Description

Whether to suppress configuration warnings produced by the Knox SSO Public-Key configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_sso_knox_publickey

Required

true

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: Deploy Directory

Description

Whether to suppress configuration warnings produced by the Deploy Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Configuration Validator: Atlas Server Advanced Configuration Snippet (Safety Valve) for conf/atlas-application.properties

Description

Whether to suppress configuration warnings produced by the Atlas Server Advanced Configuration Snippet (Safety Valve) for conf/atlas-application.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_conf/atlas-application.properties_role_safety_valve

Required

true

Suppress Configuration Validator: Atlas Server Advanced Configuration Snippet (Safety Valve) for conf/atlas-env.sh

Description

Whether to suppress configuration warnings produced by the Atlas Server Advanced Configuration Snippet (Safety Valve) for conf/atlas-env.sh configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_conf/atlas-env.sh_role_safety_valve

Required

true

Suppress Configuration Validator: Atlas Server Advanced Configuration Snippet (Safety Valve) for conf/hadoop-metrics2.properties

Description

Whether to suppress configuration warnings produced by the Atlas Server Advanced Configuration Snippet (Safety Valve) for conf/hadoop-metrics2.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_conf/hadoop-metrics2.properties_role_safety_valve

Required

true

Suppress Configuration Validator: Atlas Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-atlas-audit.xml

Description

Whether to suppress configuration warnings produced by the Atlas Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-atlas-audit.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_conf/ranger-atlas-audit.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Atlas Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-atlas-policymgr-ssl.xml

Description

Whether to suppress configuration warnings produced by the Atlas Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-atlas-policymgr-ssl.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_conf/ranger-atlas-policymgr-ssl.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Atlas Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-atlas-security.xml

Description

Whether to suppress configuration warnings produced by the Atlas Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-atlas-security.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_conf/ranger-atlas-security.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Atlas HDFS Lineage Blacklist Paths

Description

Whether to suppress configuration warnings produced by the Atlas HDFS Lineage Blacklist Paths configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hdfs_lineage_blacklist_paths

Required

true

Suppress Configuration Validator: Atlas HDFS Lineage Whitelist Paths

Description

Whether to suppress configuration warnings produced by the Atlas HDFS Lineage Whitelist Paths configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hdfs_lineage_whitelist_paths

Required

true

Suppress Configuration Validator: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Configuration Validator: Atlas Server Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Atlas Server Logging Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Configuration Validator: Atlas Server Log Directory

Description

Whether to suppress configuration warnings produced by the Atlas Server Log Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Configuration Validator: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.

Related Name

Default Value

false

API Name

`role_config_suppression_oom_heap_dump_dir`**Required**`true`**Suppress Configuration Validator: OpenTelemetry Collector Exporters Section****Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_exporters`**Required**`true`**Suppress Configuration Validator: OpenTelemetry Collector Extensions Section****Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_extensions`**Required**`true`**Suppress Configuration Validator: OpenTelemetry Collector Helper Port****Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_helper_port`**Required**`true`**Suppress Configuration Validator: OpenTelemetry Collector Processors Section****Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: Ranger Atlas Plugin Policy Cache Directory Path

Description

Whether to suppress configuration warnings produced by the Ranger Atlas Plugin Policy Cache Directory Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_atlas_plugin_policy_cache_directory

Required

true

Suppress Configuration Validator: Ranger Atlas Plugin Audit Hdfs Spool Directory Path

Description

Whether to suppress configuration warnings produced by the Ranger Atlas Plugin Audit Hdfs Spool Directory Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_audit_hdfs_spool_dir

Required

true

Suppress Configuration Validator: Ranger Atlas Plugin Audit Solr Spool Directory Path

Description

Whether to suppress configuration warnings produced by the Ranger Atlas Plugin Audit Solr Spool Directory Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_audit_solr_spool_dir

Required

true

Suppress Configuration Validator: Ranger Plugin Trusted Proxy IP Address

Description

Whether to suppress configuration warnings produced by the Ranger Plugin Trusted Proxy IP Address configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_plugin_trusted_proxy_ipaddress

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: Role Triggers

Description

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Configuration Validator: Atlas Server Advanced Configuration Snippet (Safety Valve) for solrconfig.xml

Description

Whether to suppress configuration warnings produced by the Atlas Server Advanced Configuration Snippet (Safety Valve) for solrconfig.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_solrconfig.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Atlas Server TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the Atlas Server TLS/SSL Trust Store File configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Configuration Validator: Atlas Server TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the Atlas Server TLS/SSL Trust Store Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Configuration Validator: Atlas Server TLS/SSL Server Keystore Key Password

Description

Whether to suppress configuration warnings produced by the Atlas Server TLS/SSL Server Keystore Key Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_keypassword

Required

true

Suppress Configuration Validator: Atlas Server TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the Atlas Server TLS/SSL Server Keystore File Location configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Configuration Validator: Atlas Server TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the Atlas Server TLS/SSL Server Keystore File Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Configuration Validator: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Configuration Validator: Atlas Server Count Validator

Description

Whether to suppress configuration warnings produced by the Atlas Server Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_atlas_server_count_validator

Required

true

Suppress Parameter Validation: Atlas Service Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_atlas_service_env_safety_valve

Required

true

Suppress Configuration Validator: Gateway Count Validator

Description

Whether to suppress configuration warnings produced by the Gateway Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_gateway_count_validator

Required

true

Suppress Parameter Validation: Kerberos Principal

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Principal parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_kerberos_princ_name

Required

true

Suppress Parameter Validation: System Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: System User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_username

Required

true

Suppress Parameter Validation: Ranger Atlas Plugin Hdfs Audit Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Atlas Plugin Hdfs Audit Directory parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_atlas_plugin_hdfs_audit_directory

Required

true

Suppress Parameter Validation: Service Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name

Default Value

false

API Name

service_config_suppression_service_triggers

Required

true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_smon_derived_configs_safety_valve

Required

true

Suppress Health Test: Atlas Server Health

Description

Whether to suppress the results of the Atlas Server Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

service_health_suppression_atlas_atlas_server_healthy

Required

true

Core Configuration Properties in Cloudera Runtime 7.3.1

Role groups:

Gateway

Advanced

Deploy Directory

Description

The directory where the client configs will be deployed

Related Name

Default Value

/etc/hadoop

API Name

client_config_root_dir

Required

true

Core Configuration Client Environment Advanced Configuration Snippet (Safety Valve) for hadoop-env.sh

Description

For advanced use only, key-value pairs (one on each line) to be inserted into the client configuration for hadoop-env.sh

Related Name

Default Value

API Name

core_client_env_safety_valve

Required

false

Client Java Configuration Options

Description

These are Java command-line arguments. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here.

Related Name

Default Value

-Djava.net.preferIPv4Stack=true

API Name

core_client_java_opts

Required

false

Gateway Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name

Default Value

API Name

log4j_safety_valve

Required

false

Logs

Gateway Logging Threshold

Description

The minimum log level for Gateway logs

Related Name

Default Value

INFO

API Name

log_threshold

Required

false

Monitoring

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Other

Alternatives Priority

Description

The priority level that the client configuration will have in the Alternatives system on the hosts. Higher priority levels will cause Alternatives to prefer this configuration over any others.

Related Name**Default Value**

90

API Name

client_config_priority

Required

true

Resource Management

Client Java Heap Size in Bytes

Description

Maximum size in bytes for the Java process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

256 MiB

API Name

core_client_java_heapsize

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Deploy Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Deploy Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Parameter Validation: Core Configuration Client Environment Advanced Configuration Snippet (Safety Valve) for hadoop-env.sh

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Core Configuration Client Environment Advanced Configuration Snippet (Safety Valve) for hadoop-env.sh parameter.

Related Name

Default Value

false

API Name

role_config_suppression_core_client_env_safety_valve

Required

true

Suppress Parameter Validation: Client Java Configuration Options

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Client Java Configuration Options parameter.

Related Name

Default Value

false

API Name

role_config_suppression_core_client_java_opts

Required

true

Suppress Parameter Validation: Gateway Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Service-Wide

Advanced

Core Configuration Service Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

CORE_SETTINGS_service_env_safety_valve

Required

false

Cluster-wide Advanced Configuration Snippet (Safety Valve) for core-site.xml

Description

For advanced use only, a string to be inserted into core-site.xml. Applies to all roles and client configurations in this HDFS service as well as all its dependent services. Any configs added here will be overridden by their default values in HDFS (which can be found in hdfs-default.xml).

Related Name**Default Value****API Name**

core_site_safety_valve

Required

false

HDFS Advanced Configuration Snippet (Safety Valve) for ssl-client.xml

Description

For advanced use only, a string to be inserted into ssl-client.xml. Applies cluster-wide, but can be overridden by individual services.

Related Name**Default Value****API Name**

hdfs_ssl_client_safety_valve

Required

false

System Group

Description

The group that this service's processes should run as (except the HttpFS server, which has its own group)

Related Name

Default Value

hdfs

API Name

process_groupname

Required

true

System User

Description

The user that this service's processes should run as.

Related Name

Default Value

hdfs

API Name

process_username

Required

true

Monitoring

Enable Service Level Health Alerts

Description

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Service Triggers

Description

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

service_triggers

Required

true

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name

Default Value

API Name

smon_derived_configs_safety_valve

Required

false

Other

Default Filesystem

Description

The defaultFs to use in the cluster. Leave this blank if the cluster has a storage service which should be used as the defaultFs.

Related Name

core.defaultFs

Default Value

API Name

core_defaultfs

Required

false

DFS mkdir Retry Timeout**Description**

Timeout for DFS directory creation commands

Related Name**Default Value**

120

API Name

hdfs_retry_timeout

Required

false

Object Store Service**Description**

Select an Object Store service to enable cloud storage support. Once enabled, the cloud storage can be used in Impala and Hue services, via fully-qualified URIs.

Related Name**Default Value****API Name**

object_store_service

Required

false

Set Rules to Map Kerberos Principals to Lower Case Short Names**Description**

Adds mapping rules to map Kerberos principals to lower case short names that will be inserted before the default rule. After changing this value and restarting the service, any services depending on this one must be restarted as well.

Related Name**Default Value**

false

API Name

set_auth_to_local_to_lowercase

Required

false

Proxy**HDFS Proxy User Groups****Description**

Comma-delimited list of groups to allow the HDFS user to impersonate. The default '*' allows all groups. To disable entirely, use a string that does not correspond to a group name, such as '_no_group_'.

Related Name

hadoop.proxyuser.hdfs.groups

Default Value

*

API Name

hdfs_proxy_user_groups_list

Required

false

HDFS Proxy User Hosts**Description**

Comma-delimited list of hosts where you want to allow the HDFS user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host_'.

Related Name

hadoop.proxyuser.hdfs.hosts

Default Value

*

API Name

hdfs_proxy_user_hosts_list

Required

false

Hive Proxy User Groups**Description**

Comma-delimited list of groups that you want to allow the Hive user to impersonate. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name

hadoop.proxyuser.hive.groups

Default Value

*

API Name

hive_proxy_user_groups_list

Required

false

Hive Proxy User Hosts**Description**

Comma-delimited list of hosts where you want to allow the Hive user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host_'.

Related Name

hadoop.proxyuser.hive.hosts

Default Value

*

API Name

hive_proxy_user_hosts_list

Required

false

HTTP Proxy User Groups

Description

Comma-delimited list of groups that you want to allow the HTTP user to impersonate. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'. This is used by WebHCat.

Related Name

hadoop.proxyuser.HTTP.groups

Default Value

*

API Name

HTTP_proxy_user_groups_list

Required

false

HTTP Proxy User Hosts

Description

Comma-delimited list of hosts where you want to allow the HTTP user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host_'. This is used by WebHCat.

Related Name

hadoop.proxyuser.HTTP.hosts

Default Value

*

API Name

HTTP_proxy_user_hosts_list

Required

false

HttpFS Proxy User Groups

Description

Comma-delimited list of groups to allow the HttpFS user to impersonate. The default '*' allows all groups. To disable entirely, use a string that does not correspond to a group name, such as '_no_group_'.

Related Name

hadoop.proxyuser.httpfs.groups

Default Value

*

API Name

httpfs_proxy_user_groups_list

Required

false

HttpFS Proxy User Hosts**Description**

Comma-delimited list of hosts where you allow the HttpFS user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host'.

Related Name

hadoop.proxyuser.httpfs.hosts

Default Value

*

API Name

httpfs_proxy_user_hosts_list

Required

false

Hue Proxy User Groups**Description**

Comma-delimited list of groups that you want to allow the Hue user to impersonate. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name

hadoop.proxyuser.hue.groups

Default Value

*

API Name

hue_proxy_user_groups_list

Required

false

Hue Proxy User Hosts**Description**

Comma-delimited list of hosts where you want to allow the Hue user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host'.

Related Name

hadoop.proxyuser.hue.hosts

Default Value

*

API Name

hue_proxy_user_hosts_list

Required

false

Impala Proxy User Groups

Description

Comma-delimited list of groups that you want to allow the Impala user to impersonate. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name

hadoop.proxyuser.impala.groups

Default Value

*

API Name

impala_proxy_user_groups_list

Required

false

Impala Proxy User Hosts

Description

Comma-delimited list of hosts where you want to allow the Impala user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host_'.

Related Name

hadoop.proxyuser.impala.hosts

Default Value

*

API Name

impala_proxy_user_hosts_list

Required

false

Knox Proxy User Groups

Description

Comma-delimited list of groups that you want to allow the Knox user to impersonate. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name

hadoop.proxyuser.knox.groups

Default Value

*

API Name

knox_proxy_user_groups_list

Required

false

Knox Proxy User Hosts

Description

Comma-delimited list of hosts where you want to allow the Knox user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host'.

Related Name

hadoop.proxyuser.knox.hosts

Default Value

*

API Name

knox_proxy_user_hosts_list

Required

false

Kudu Proxy User Groups**Description**

Comma-delimited list of groups that you want to allow the Kudu user to impersonate. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name

hadoop.proxyuser.kudu.groups

Default Value

*

API Name

kudu_proxy_user_groups_list

Required

false

Kudu Proxy User Hosts**Description**

Comma-delimited list of hosts where you want to allow the Kudu user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host'.

Related Name

hadoop.proxyuser.kudu.hosts

Default Value

*

API Name

kudu_proxy_user_hosts_list

Required

false

Livy Proxy User Groups**Description**

Comma-delimited list of groups that you want to allow the Livy user to impersonate. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name

`hadoop.proxyuser.livy.groups`**Default Value**

*

API Name`livy_proxy_user_groups_list`**Required**

false

Livy Proxy User Hosts**Description**

Comma-delimited list of hosts where you want to allow the Livy user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host'.

Related Name`hadoop.proxyuser.livy.hosts`**Default Value**

*

API Name`livy_proxy_user_hosts_list`**Required**

false

Oozie Proxy User Groups**Description**

Allows the oozie superuser to impersonate any members of a comma-delimited list of groups. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name`hadoop.proxyuser.oozie.groups`**Default Value**

*

API Name`oozie_proxy_user_groups_list`**Required**

false

Oozie Proxy User Hosts**Description**

Comma-delimited list of hosts where you want to allow the oozie user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host'.

Related Name`hadoop.proxyuser.oozie.hosts`**Default Value**

*

API Name

oozie_proxy_user_hosts_list

Required

false

Phoenix Proxy User Groups**Description**

Comma-delimited list of groups that you want to allow the Phoenix user to impersonate. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name

hadoop.proxyuser.phoenix.groups

Default Value

*

API Name

phoenix_proxy_user_groups_list

Required

false

Phoenix Proxy User Hosts**Description**

Comma-delimited list of hosts where you want to allow the Phoenix user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host_'.

Related Name

hadoop.proxyuser.phoenix.hosts

Default Value

*

API Name

phoenix_proxy_user_hosts_list

Required

false

Service Monitor Proxy User Groups**Description**

Allows the Cloudera Service Monitor user to impersonate any members of a comma-delimited list of groups. The default '*' allows all groups. This property is used only if Service Monitor is using a different Kerberos principal than the Hue service. To disable entirely, use a string that does not correspond to a group name, such as '_no_group_'.

Related Name

hadoop.proxyuser.smon.groups

Default Value

*

API Name

smon_proxy_user_groups_list

Required

false

Service Monitor Proxy User Hosts

Description

Comma-delimited list of hosts where you want to allow the Cloudera Service Monitor user to impersonate other users. The default '*' allows all hosts. This property is used only if Service Monitor is using a different Kerberos principal than the Hue service. To disable entirely, use a string that does not correspond to a host name, such as '_no_host'.

Related Name

hadoop.proxyuser.smon.hosts

Default Value

*

API Name

smon_proxy_user_hosts_list

Required

false

Telemetry Publisher Proxy User Groups

Description

Allows the Cloudera Telemetry Publisher user to impersonate any members of a comma-delimited list of groups. The default '*' allows all groups. This property is used only if Telemetry Publisher is using a different Kerberos principal than the Hue service. To disable entirely, use a string that does not correspond to a group name, such as '_no_group_'.

Related Name

hadoop.proxyuser.telepub.groups

Default Value

*

API Name

telepub_proxy_user_groups_list

Required

false

Telemetry Publisher Proxy User Hosts

Description

Comma-delimited list of hosts where you want to allow the Cloudera Telemetry Publisher user to impersonate other users. The default '*' allows all hosts. This property is used only if Telemetry Publisher is using a different Kerberos principal than the Hue service. To disable entirely, use a string that does not correspond to a host name, such as '_no_host'.

Related Name

hadoop.proxyuser.telepub.hosts

Default Value

*

API Name

telepub_proxy_user_hosts_list

Required

false

YARN Proxy User Groups

Description

Comma-delimited list of groups that you want to allow the YARN user to impersonate. The default '*' allows all groups. To disable entirely, use a string that does not correspond to a group name, such as '_no_group_'.

Related Name

hadoop.proxyuser.yarn.groups

Default Value

*

API Name

yarn_proxy_user_groups_list

Required

false

YARN Proxy User Hosts

Description

Comma-delimited list of hosts that you want to allow the YARN user to impersonate. The default '*' allows all hosts. To disable entirely, use a string that does not correspond to a host name, such as '_no_host_'.

Related Name

hadoop.proxyuser.yarn.hosts

Default Value

*

API Name

yarn_proxy_user_hosts_list

Required

false

Security

Additional Rules to Map Kerberos Principals to Short Names

Description

Additional mapping rules that will be inserted before rules generated from the list of trusted realms and before the default rule. After changing this value and restarting the service, any services depending on this one must be restarted as well. The `hadoop.security.auth_to_local` property is configured using this information. Default rules are generated by Cloudera Manager and substituted in place of the literal `{DEFAULT_RULES}` if it is specified in this value.

Related Name**Default Value**

DEFAULT_RULES

API Name

extra_auth_to_local_rules

Required

false

Authorized Admin Groups

Description

Comma-separated list of groups authorized to perform admin operations on Hadoop. This is emitted only if authorization is enabled.

Related Name**Default Value****API Name**

hadoop_authorized_admin_groups

Required

false

Authorized Admin Users**Description**

Comma-separated list of users authorized to perform admin operations on Hadoop. This is emitted only if authorization is enabled.

Related Name**Default Value**

*

API Name

hadoop_authorized_admin_users

Required

false

Authorized Groups**Description**

Comma-separated list of groups authorized to used Hadoop. This is emitted only if authorization is enabled.

Related Name**Default Value****API Name**

hadoop_authorized_groups

Required

false

Authorized Users**Description**

Comma-separated list of users authorized to used Hadoop. This is emitted only if authorization is enabled.

Related Name**Default Value**

*

API Name

hadoop_authorized_users

Required

false

Hadoop User Group Mapping Search Base

Description

The search base for the LDAP connection. This is a distinguished name, and will typically be the root of the LDAP directory.

Related Name

hadoop.security.group.mapping.ldap.base

Default Value**API Name**

hadoop_group_mapping_ldap_base

Required

false

Hadoop User Group Mapping LDAP Bind User Password

Description

The password of the bind user.

Related Name

hadoop.security.group.mapping.ldap.bind.password

Default Value**API Name**

hadoop_group_mapping_ldap_bind_passwd

Required

false

Hadoop User Group Mapping LDAP Bind User Distinguished Name

Description

Distinguished name of the user to bind to AD as for user authentication search/bind and group lookup for role authorization. For openLDAP based directories this should be a DN string, for Active Directory this can be just a username, combined with the "Active Directory Domain" value for login. For example username in the field and example.com in the active directory domain will result in the User Principal Name value of username@example.com being used to bind. If you put a UPM value here, do not over-configure the "active directory domain" field otherwise you will end up presenting username@example.com@example.com for binds. AD will accept a UPN value or the DN value as a valid Bind DN; An example of a Distinguished Name (DN): CN=cdh admin,OU=svcaccount,DC=example,DC=com An example of a UPN value: cdhadmin@example.com

Related Name

hadoop.security.group.mapping.ldap.bind.user

Default Value**API Name**

hadoop_group_mapping_ldap_bind_user

Required

false

Hadoop User Group Mapping LDAP Group Search Filter

Description

An additional filter to use when searching for groups.

Related Name

hadoop.security.group.mapping.ldap.search.filter.group

Default Value

(objectClass=group)

API Name

hadoop_group_mapping_ldap_group_filter

Required

false

Hadoop User Group Mapping LDAP Group Name Attribute

Description

The attribute of the group object that identifies the group name. The default will usually be appropriate for all LDAP systems.

Related Name

hadoop.security.group.mapping.ldap.search.attr.group.name

Default Value

cn

API Name

hadoop_group_mapping_ldap_group_name_attr

Required

false

Hadoop User Group Mapping LDAP TLS/SSL Truststore

Description

File path to a jks-format truststore containing the TLS/SSL certificate used sign the LDAP server's certificate. Note that in previous releases this was erroneously referred to as a "keystore".

Related Name

hadoop.security.group.mapping.ldap.ssl.keystore

Default Value

API Name

hadoop_group_mapping_ldap_keystore

Required

false

Hadoop User Group Mapping LDAP TLS/SSL Truststore Password

Description

The password for the TLS/SSL truststore.

Related Name

hadoop.security.group.mapping.ldap.ssl.keystore.password

Default Value

API Name

hadoop_group_mapping_ldap_keystore_passwd

Required

false

Hadoop User Group Mapping LDAP Group Membership Attribute

Description

The attribute of the group object that identifies the users that are members of the group. The default will usually be appropriate for any LDAP installation.

Related Name

hadoop.security.group.mapping.ldap.search.attr.member

Default Value

member

API Name

hadoop_group_mapping_ldap_member_attr

Required

false

Hadoop User Group Mapping LDAP URL

Description

The URL of the LDAP Server. The URL must be prefixed with ldap:// or ldaps:// . The URL can optionally specify a custom port if necessary, but by default the ldap:// will connect to port 389, and the ldaps:// will connect to port 636. Note that passwords will be in the clear if ldap:// is used, and by fall 2020 Active directory servers will no longer allow non LDAPS connections to bind to AD hosts with LDAP signing enabled. See microsoft knowledge document 935834 for more information.

Related Name

hadoop.security.group.mapping.ldap.url

Default Value**API Name**

hadoop_group_mapping_ldap_url

Required

false

Hadoop User Group Mapping LDAP TLS/SSL Enabled

Description

Whether or not to use TLS/SSL when connecting to the LDAP server.

Related Name

hadoop.security.group.mapping.ldap.use.ssl

Default Value

false

API Name

hadoop_group_mapping_ldap_use_ssl

Required

false

Hadoop User Group Mapping LDAP User Search Filter

Description

An additional filter to use when searching for LDAP users. The default will usually be appropriate for Active Directory installations. If connecting to a generic LDAP server, "sAMAccountName"

will likely be replaced with "uid". {0} is a special string used to denote where the username fits into the filter.

Related Name

hadoop.security.group.mapping.ldap.search.filter.user

Default Value

(&(objectClass=user)(sAMAccountName=0))

API Name

hadoop_group_mapping_ldap_user_filter

Required

false

Hadoop HTTP Authentication Cookie Domain**Description**

The domain to use for the HTTP cookie that stores the authentication token. In order for authentication to work correctly across all Hadoop nodes' web-consoles the domain must be correctly set. Important: when using IP addresses, browsers ignore cookies with domain settings. For this setting to work properly all nodes in the cluster must be configured to generate URLs with hostname.domain names on it.

Related Name**Default Value****API Name**

hadoop_http_auth_cookie_domain

Required

false

Hadoop RPC Protection**Description**

Quality of protection for secured RPC connections between NameNode and HDFS clients. For effective RPC protection, enable Kerberos authentication.

Related Name

hadoop.rpc.protection

Default Value

authentication

API Name

hadoop_rpc_protection

Required

false

Hadoop Secure Authentication**Description**

Choose the authentication mechanism used by Hadoop

Related Name

hadoop.security.authentication

Default Value

simple

API Name

hadoop_security_authentication

Required

false

Hadoop Secure Authorization

Description

Enable authorization

Related Name

hadoop.security.authorization

Default Value

false

API Name

hadoop_security_authorization

Required

false

Hadoop User Group Mapping Implementation

Description

Class for user to group mapping (get groups for a given user).

Related Name

hadoop.security.group.mapping

Default Value

org.apache.hadoop.security.ShellBasedUnixGroupsMapping

API Name

hadoop_security_group_mapping

Required

false

Encryption Key Default Length

Description

The length (bits) of keys we want the KeyProvider to produce. Key length defines the upper-bound on an algorithm's security, ideally, it would coincide with the lower-bound on an algorithm's security.

Related Name

hadoop.security.key.default.bitlength

Default Value

128

API Name

hdfs_encryption_key_length

Required

false

Hadoop TLS/SSL Enabled

Description

Enable TLS/SSL encryption for HDFS, MapReduce, and YARN web UIs, as well as encrypted shuffle for MapReduce and YARN.

Related Name

hadoop.ssl.enabled

Default Value

false

API Name

hdfs_hadoop_ssl_enabled

Required

false

Kerberos Principal**Description**

Kerberos principal short name used by all roles of this service.

Related Name**Default Value**

hdfs

API Name

kerberos_princ_name

Required

true

Log and Query Redaction Policy**Description**

Note: Do not edit this property in the classic layout. Switch to the new layout to use preconfigured redaction rules and test your rules inline. Use this property to define a list of rules to be followed for redacting sensitive information from log files and query strings. Click + to add a new redaction rule. You can choose one of the preconfigured rules or add a custom rule. When specifying a custom rule, the Search field should contain a regular expression that will be matched against the data. If a match is found, it is replaced by the contents of the Replace field. Trigger is an optional field. It can be used to specify a simple string to be searched in the data. If the string is found, the redactor attempts to find a match for the Search regex. If no trigger is specified, redaction occurs by matching the Search regular expression. Use the Trigger field to enhance performance: simple string matching is faster than regular expression matching. Test your rules by entering sample text into the Test Redaction Rules text box and clicking Test Redaction. If no rules match, the text you entered is returned unchanged.

Related Name

redaction_policy

Default Value

version: 1, rules: [description: Redact passwords from json files, trigger: password, search: \password\[]*:[]*\[^\]+, caseSensitive: false, replace: \password: \LOG-REDACTED\ , description: Redact password\u003d and password:, trigger: password, search: password[:\u003d][^\]+, caseSensitive: false, replace: password\u003dLOG-REDACTED , description: Redact passwd\u003d and passwd:, trigger: passwd, search: passwd[:\u003d][^\]+, caseSensitive: false, replace: passwd\u003dLOG-REDACTED , description: Redact pass\u003d and pass:, trigger: pass, search: pass[:\u003d][^\]+, caseSensitive: false, replace: pass\u003dLOG-REDACTED , description: Redact PASSWORD, , trigger: PASSWORD, , search: PASSWORD, [^\]+, caseSensitive: false, replace: PASSWORD, LOG-REDACTED , description: Redact secret\u003d

and secret:, trigger: secret, search: secret[:\u003d][^\s]+, caseSensitive: false, replace: secret
\u003dLOG-REDACTED , description: Credit Card numbers (with separator), search: \\b\\d4[^\s:]\d4[^\s:]\d4[^\s:]\d4\b, caseSensitive: true, replace: XXXX-XXXX-XXXX-XXXX ,
description: Social Security numbers (with separator), search: \\b\\d3[^\s:]\d2[^\s:]\d4\b,
caseSensitive: true, replace: XXX-XX-XXXX]

API Name

redaction_policy

Required

false

Enable Log and Query Redaction

Description

Enable/Disable the Log and Query Redaction Policy for this cluster.

Related Name

redaction_policy_enabled

Default Value

true

API Name

redaction_policy_enabled

Required

false

Enable Security Audit Logger

Description

Enable security audit logger for HDFS and dependent services

Related Name

security_logger_enabled

Default Value

true

API Name

security_logger_enabled

Required

false

Cluster-Wide Default TLS/SSL Client Truststore Location

Description

Path to the TLS/SSL client truststore file. Defines a cluster-wide default that can be overridden by individual services. This truststore must be in JKS format. The truststore contains certificates of trusted servers, or of Certificate Authorities trusted to identify servers. The contents of the truststore can be modified without restarting any roles. By default, changes to its contents are picked up within ten seconds. If not set, the default Java truststore is used to verify certificates.

Related Name

ssl.client.truststore.location

Default Value

API Name

ssl_client_truststore_location

Required

false

Cluster-Wide Default TLS/SSL Client Truststore Password**Description**

Password for the TLS/SSL client truststore. Defines a cluster-wide default that can be overridden by individual services.

Related Name

ssl.client.truststore.password

Default Value**API Name**

ssl_client_truststore_password

Required

false

HTTP Strict Transport Security**Description**

HTTP Strict Transport Security (HSTS) ensures that a web browser does not load the service information using http protocol.

Related Name

hadoop.http.header.Strict-Transport-Security

Default Value

max-age=0; includeSubDomains

API Name

strict_transport_security

Required

false

Trusted Kerberos Realms**Description**

List of Kerberos realms that Hadoop services should trust. If empty, defaults to the default_realm property configured in the krb5.conf file. After changing this value and restarting the service, all services depending on this service must also be restarted. Adds mapping rules for each domain to the hadoop.security.auth_to_local property in core-site.xml.

Related Name**Default Value****API Name**

trusted_realms

Required

false

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: Deploy Directory

Description

Whether to suppress configuration warnings produced by the Deploy Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Configuration Validator: Core Configuration Client Environment Advanced Configuration Snippet (Safety Valve) for hadoop-env.sh

Description

Whether to suppress configuration warnings produced by the Core Configuration Client Environment Advanced Configuration Snippet (Safety Valve) for hadoop-env.sh configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_core_client_env_safety_valve

Required

true

Suppress Configuration Validator: Client Java Configuration Options

Description

Whether to suppress configuration warnings produced by the Client Java Configuration Options configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_core_client_java_opts

Required

true

Suppress Configuration Validator: Gateway Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Gateway Logging Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Default Filesystem

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Default Filesystem parameter.

Related Name

Default Value

false

API Name

service_config_suppression_core_defaultfs

Required

true

Suppress Parameter Validation: Core Configuration Service Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Core Configuration Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_core_settings_service_env_safety_valve

Required

true

Suppress Parameter Validation: Cluster-wide Advanced Configuration Snippet (Safety Valve) for core-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cluster-wide Advanced Configuration Snippet (Safety Valve) for core-site.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_core_site_safety_valve

Required

true

Suppress Parameter Validation: Additional Rules to Map Kerberos Principals to Short Names

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Additional Rules to Map Kerberos Principals to Short Names parameter.

Related Name

Default Value

false

API Name

service_config_suppression_extra_auth_to_local_rules

Required

true

Suppress Configuration Validator: Gateway Count Validator

Description

Whether to suppress configuration warnings produced by the Gateway Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_gateway_count_validator

Required

true

Suppress Parameter Validation: Authorized Admin Groups

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Authorized Admin Groups parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hadoop_authorized_admin_groups

Required

true

Suppress Parameter Validation: Authorized Admin Users

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Authorized Admin Users parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hadoop_authorized_admin_users

Required

true

Suppress Parameter Validation: Authorized Groups

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Authorized Groups parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hadoop_authorized_groups

Required

true

Suppress Parameter Validation: Authorized Users

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Authorized Users parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hadoop_authorized_users

Required

true

Suppress Parameter Validation: Hadoop User Group Mapping Search Base

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hadoop User Group Mapping Search Base parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hadoop_group_mapping_ldap_base

Required

true

Suppress Parameter Validation: Hadoop User Group Mapping LDAP Bind User Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hadoop User Group Mapping LDAP Bind User Password parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hadoop_group_mapping_ldap_bind_passwd

Required

true

Suppress Parameter Validation: Hadoop User Group Mapping LDAP Bind User Distinguished Name

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hadoop User Group Mapping LDAP Bind User Distinguished Name parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hadoop_group_mapping_ldap_bind_user

Required

true

Suppress Parameter Validation: Hadoop User Group Mapping LDAP Group Search Filter

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hadoop User Group Mapping LDAP Group Search Filter parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hadoop_group_mapping_ldap_group_filter

Required

true

Suppress Parameter Validation: Hadoop User Group Mapping LDAP Group Name Attribute

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hadoop User Group Mapping LDAP Group Name Attribute parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hadoop_group_mapping_ldap_group_name_attr

Required

true

Suppress Parameter Validation: Hadoop User Group Mapping LDAP TLS/SSL Truststore

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hadoop User Group Mapping LDAP TLS/SSL Truststore parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hadoop_group_mapping_ldap_keystore

Required

true

Suppress Parameter Validation: Hadoop User Group Mapping LDAP TLS/SSL Truststore Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hadoop User Group Mapping LDAP TLS/SSL Truststore Password parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hadoop_group_mapping_ldap_keystore_passwd

Required

true

Suppress Parameter Validation: Hadoop User Group Mapping LDAP Group Membership Attribute

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hadoop User Group Mapping LDAP Group Membership Attribute parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hadoop_group_mapping_ldap_member_attr

Required

true

Suppress Parameter Validation: Hadoop User Group Mapping LDAP URL**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hadoop User Group Mapping LDAP URL parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hadoop_group_mapping_ldap_url

Required

true

Suppress Parameter Validation: Hadoop User Group Mapping LDAP User Search Filter**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hadoop User Group Mapping LDAP User Search Filter parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hadoop_group_mapping_ldap_user_filter

Required

true

Suppress Parameter Validation: Hadoop HTTP Authentication Cookie Domain**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hadoop HTTP Authentication Cookie Domain parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hadoop_http_auth_cookie_domain

Required

true

Suppress Configuration Validator: HDFS Authentication And Authorization Validation**Description**

Whether to suppress configuration warnings produced by the HDFS Authentication And Authorization Validation configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_hdfs_authentication_and_authorization_validator

Required

true

Suppress Parameter Validation: HDFS Proxy User Groups

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS Proxy User Groups parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hdfs_proxy_user_groups_list

Required

true

Suppress Parameter Validation: HDFS Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS Proxy User Hosts parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hdfs_proxy_user_hosts_list

Required

true

Suppress Parameter Validation: HDFS Advanced Configuration Snippet (Safety Valve) for ssl-client.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS Advanced Configuration Snippet (Safety Valve) for ssl-client.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hdfs_ssl_client_safety_valve

Required

true

Suppress Parameter Validation: Hive Proxy User Groups

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Proxy User Groups parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_proxy_user_groups_list

Required

true

Suppress Parameter Validation: Hive Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Proxy User Hosts parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_proxy_user_hosts_list

Required

true

Suppress Parameter Validation: HTTP Proxy User Groups

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HTTP Proxy User Groups parameter.

Related Name

Default Value

false

API Name

service_config_suppression_http_proxy_user_groups_list

Required

true

Suppress Parameter Validation: HTTP Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HTTP Proxy User Hosts parameter.

Related Name

Default Value

false

API Name

service_config_suppression_http_proxy_user_hosts_list

Required

true

Suppress Parameter Validation: HttpFS Proxy User Groups

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HttpFS Proxy User Groups parameter.

Related Name

Default Value

false

API Name

service_config_suppression_httpfs_proxy_user_groups_list

Required

true

Suppress Parameter Validation: HttpFS Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HttpFS Proxy User Hosts parameter.

Related Name

Default Value

false

API Name

service_config_suppression_httpfs_proxy_user_hosts_list

Required

true

Suppress Parameter Validation: Hue Proxy User Groups

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue Proxy User Groups parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hue_proxy_user_groups_list

Required

true

Suppress Parameter Validation: Hue Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue Proxy User Hosts parameter.

Related Name

Default Value

false

API Name

`service_config_suppression_hue_proxy_user_hosts_list`**Required**`true`**Suppress Parameter Validation: Impala Proxy User Groups****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Proxy User Groups parameter.

Related Name**Default Value**`false`**API Name**`service_config_suppression_impala_proxy_user_groups_list`**Required**`true`**Suppress Parameter Validation: Impala Proxy User Hosts****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Proxy User Hosts parameter.

Related Name**Default Value**`false`**API Name**`service_config_suppression_impala_proxy_user_hosts_list`**Required**`true`**Suppress Parameter Validation: Kerberos Principal****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Principal parameter.

Related Name**Default Value**`false`**API Name**`service_config_suppression_kerberos_princ_name`**Required**`true`**Suppress Parameter Validation: Knox Proxy User Groups****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Proxy User Groups parameter.

Related Name

Default Value

false

API Name

service_config_suppression_knox_proxy_user_groups_list

Required

true

Suppress Parameter Validation: Knox Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Proxy User Hosts parameter.

Related Name

Default Value

false

API Name

service_config_suppression_knox_proxy_user_hosts_list

Required

true

Suppress Parameter Validation: Kudu Proxy User Groups

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kudu Proxy User Groups parameter.

Related Name

Default Value

false

API Name

service_config_suppression_kudu_proxy_user_groups_list

Required

true

Suppress Parameter Validation: Kudu Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kudu Proxy User Hosts parameter.

Related Name

Default Value

false

API Name

service_config_suppression_kudu_proxy_user_hosts_list

Required

true

Suppress Parameter Validation: Livy Proxy User Groups

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Livy Proxy User Groups parameter.

Related Name

Default Value

false

API Name

service_config_suppression_livy_proxy_user_groups_list

Required

true

Suppress Parameter Validation: Livy Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Livy Proxy User Hosts parameter.

Related Name

Default Value

false

API Name

service_config_suppression_livy_proxy_user_hosts_list

Required

true

Suppress Parameter Validation: Oozie Proxy User Groups

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie Proxy User Groups parameter.

Related Name

Default Value

false

API Name

service_config_suppression_oozie_proxy_user_groups_list

Required

true

Suppress Parameter Validation: Oozie Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie Proxy User Hosts parameter.

Related Name

Default Value

false

API Name

service_config_suppression_oozie_proxy_user_hosts_list

Required

true

Suppress Parameter Validation: Phoenix Proxy User Groups

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Phoenix Proxy User Groups parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_phoenix_proxy_user_groups_list

Required

true

Suppress Parameter Validation: Phoenix Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Phoenix Proxy User Hosts parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_phoenix_proxy_user_hosts_list

Required

true

Suppress Parameter Validation: System Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: System User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_username

Required

true

Suppress Parameter Validation: Log and Query Redaction Policy

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Log and Query Redaction Policy parameter.

Related Name

Default Value

false

API Name

service_config_suppression_redaction_policy

Required

true

Suppress Configuration Validator: Redaction Policy Validator

Description

Whether to suppress configuration warnings produced by the Redaction Policy Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_redaction_policy_validator

Required

true

Suppress Configuration Validator: Hadoop RPC Protection validator

Description

Whether to suppress configuration warnings produced by the Hadoop RPC Protection validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_rpc_protection_validator

Required

true

Suppress Parameter Validation: Service Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name

Default Value

false

API Name

service_config_suppression_service_triggers

Required

true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_smon_derived_configs_safety_valve

Required

true

Suppress Parameter Validation: Service Monitor Proxy User Groups

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Proxy User Groups parameter.

Related Name

Default Value

false

API Name

service_config_suppression_smon_proxy_user_groups_list

Required

true

Suppress Parameter Validation: Service Monitor Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Proxy User Hosts parameter.

Related Name

Default Value

false

API Name

service_config_suppression_smon_proxy_user_hosts_list

Required

true

Suppress Parameter Validation: Cluster-Wide Default TLS/SSL Client Truststore Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cluster-Wide Default TLS/SSL Client Truststore Location parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: Cluster-Wide Default TLS/SSL Client Truststore Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cluster-Wide Default TLS/SSL Client Truststore Password parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ssl_client_truststore_password

Required

true

Suppress Parameter Validation: HTTP Strict Transport Security

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HTTP Strict Transport Security parameter.

Related Name

Default Value

false

API Name

service_config_suppression_strict_transport_security

Required

true

Suppress Parameter Validation: Telemetry Publisher Proxy User Groups

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Telemetry Publisher Proxy User Groups parameter.

Related Name

Default Value

false

API Name

service_config_suppression_telepub_proxy_user_groups_list

Required

true

Suppress Parameter Validation: Telemetry Publisher Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Telemetry Publisher Proxy User Hosts parameter.

Related Name

Default Value

false

API Name

service_config_suppression_telepub_proxy_user_hosts_list

Required

true

Suppress Parameter Validation: Trusted Kerberos Realms

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Trusted Kerberos Realms parameter.

Related Name

Default Value

false

API Name

service_config_suppression_trusted_realms

Required

true

Suppress Parameter Validation: YARN Proxy User Groups

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Proxy User Groups parameter.

Related Name

Default Value

false

API Name

service_config_suppression_yarn_proxy_user_groups_list

Required

true

Suppress Parameter Validation: YARN Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Proxy User Hosts parameter.

Related Name

Default Value

false

API Name

service_config_suppression_yarn_proxy_user_hosts_list

Required

true

Cruise Control Properties in Cloudera Runtime 7.3.1

Role groups:

Cruise Control Server

Advanced

Cruise Control Server Advanced Configuration Snippet (Safety Valve) for auth.credentials

Description

For advanced use only. A string to be inserted into auth.credentials for this role only.

Related Name

Default Value

API Name

auth.credentials_role_safety_valve

Required

false

Cruise Control Server Advanced Configuration Snippet (Safety Valve) for capacity.json

Description

For advanced use only. A string to be inserted into capacity.json for this role only.

Related Name

Default Value

API Name

capacity.json_role_safety_valve

Required

false

Cruise Control Server Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name

Default Value

API Name

CRUISE_CONTROL_SERVER_role_env_safety_valve

Required

false

Cruise Control Server Advanced Configuration Snippet (Safety Valve) for cruisecontrol.properties

Description

For advanced use only. A string to be inserted into cruisecontrol.properties for this role only.

Related Name**Default Value****API Name**

cruisecontrol.properties_role_safety_valve

Required

false

Cruise Control Server Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j2.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory

Description

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory

Description

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name

Default Value

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory

Description

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name

Default Value

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name

Default Value

false

API Name

process_auto_restart

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from

publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Cruise Control Server Advanced Configuration Snippet (Safety Valve) for ssl.properties**Description**

For advanced use only. A string to be inserted into ssl.properties for this role only.

Related Name**Default Value****API Name**

ssl.properties_role_safety_valve

Required

false

Logs

Cruise Control Server Log Directory

Description

The log directory for log files of the role Cruise Control Server.

Related Name

log_dir

Default Value

/var/log/cruisecontrol

API Name

log_dir

Required

false

Cruise Control Server Logging Threshold

Description

The minimum log level for Cruise Control Server logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Cruise Control Server Maximum Log File Backups

Description

The maximum number of rolled log files to keep for Cruise Control Server logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

Cruise Control Server Max Log Size

Description

The maximum size, in megabytes, per log file for Cruise Control Server logs. Typically used by log4j or logback.

Related Name**Default Value**

	200 MiB
API Name	
	max_log_size
Required	
	false

Monitoring

File Descriptor Monitoring Thresholds

Description	The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.
Related Name	
Default Value	Warning: 50.0 %, Critical: 70.0 %
API Name	cruise_control_server_fd_thresholds
Required	
	false

Cruise Control Server Host Health Test

Description	When computing the overall Cruise Control Server health, consider the host's health.
Related Name	
Default Value	true
API Name	cruise_control_server_host_health_enabled
Required	
	false

Cruise Control Server Process Health Test

Description	Enables the health test that the Cruise Control Server's process state is consistent with the role configuration
Related Name	
Default Value	true
API Name	cruise_control_server_scm_health_enabled
Required	
	false

Enable Health Alerts for this Role

Description	
--------------------	--

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

`enable_alerts`

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

`enable_config_alerts`

Required

false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

`jmx_exporter_enabled`

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

`jmx_exporter_yaml`

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter

Description

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: { "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }

Related Name**Default Value****API Name**`monitoring_metric_filter`**Required**`false`**OpenTelemetry Collector Exporters Section****Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name`otelcol_exporters`**Required**`false`**OpenTelemetry Collector Extensions Section****Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name`otelcol_extensions`**Required**`false`**OpenTelemetry Collector Helper Port****Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**`otelcol_helper_port`**Required**

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name

Default Value

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

`$INFRA(cdp_request_signer_url)`

API Name

`otelcol_remote_write_url`

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify `$INFRA(cdp_request_signer_username)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

`$INFRA(cdp_request_signer_username)`

API Name

`otelcol_remote_write_user`

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

`otelcol_rtm_logs_exporters`

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name

Default Value

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds

Description

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=\$ROLENAM and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}] See the trigger rules documentation for more

details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name

Default Value

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name

Default Value

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

Anomaly Detection Goals

Description

The list of goals that the anomaly detector should detect if they are violated. It must be a subset of Self-Healing Goals and thus also of Default Goals.

Related Name

anomaly.detection.goals

Default Value

com.linkedin.kafka.cruisecontrol.analyzer.goals.RackAwareDistributionGoal
com.linkedin.kafka.cruisecontrol.analyzer.goals.ReplicaCapacityGoal
com.linkedin.kafka.cruisecontrol.analyzer.goals.DiskCapacityGoal

API Name

anomaly.detection.goals

Required

true

Anomaly Notifier Class

Description

The notifier class to trigger an alert when an anomaly is violated.

Related Name

anomaly.notifier.class

Default Value

com.linkedin.kafka.cruisecontrol.detector.notifier.NoopNotifier

API Name

anomaly.notifier.class

Required

false

ADMIN Level Users

Description

The list of ADMIN level users.

Related Name

auth_admins

Default Value

API Name

auth_admins

Required

false

Authentication Method

Description

Authentication method that Cruise Control uses to authenticate clients.

Related Name

auth_method

Default Value

none

API Name

auth_method

Required

false

USER Level Users

Description

The list of USER level users.

Related Name

auth_users

Default Value

API Name

auth_users

Required

false

VIEWER Level Users

Description

The list of VIEWER level users.

Related Name

auth_viewers

Default Value

API Name

auth_viewers

Required

false

Broker Metrics Topic

Description

The config for the Kafka sample store to save the model training samples.

Related Name

broker.metric.sample.store.topic

Default Value

__KafkaCruiseControlModelTrainingSamples

API Name

broker.metric.sample.store.topic

Required

true

Broker Metrics Window Size

Description

The broker metrics window size in milliseconds.

Related Name

broker.metrics.window.ms

Default Value

5 minute(s)

API Name

broker.metrics.window.ms

Required

true

Default CPU Capacity

Description

Default CPU capacity in capacity.json config.

Related Name

capacity.default.cpu

Default Value

100 %

API Name

capacity.default.cpu

Required

true

Default Incoming Network Capacity**Description**

Default incoming network capacity in capacity.json config.

Related Name

capacity.default.network-in

Default Value

100000 KiB

API Name

capacity.default.network-in

Required

true

Default Outgoing Network Capacity**Description**

Default outgoing network capacity in capacity.json config.

Related Name

capacity.default.network-out

Default Value

100000 KiB

API Name

capacity.default.network-out

Required

true

CPU Balance Threshold**Description**

The maximum allowed extent of unbalance for CPU utilization, enforced by the goal optimization. For example, 1.10 means the highest CPU usage of a broker should not be above 1.10x of average CPU utilization of all the brokers.

Related Name

cpu.balance.threshold

Default Value

1.1

API Name

cpu.balance.threshold

Required

false

CPU Capacity Threshold**Description**

The maximum percentage of the total broker.cpu.capacity that is allowed to be used on a broker, enforced by the goal optimization. The analyzer will enforce a hard goal that the CPU utilization of a broker cannot be higher than (broker.cpu.capacity * cpu.capacity.threshold).

Related Name

cpu.capacity.threshold

Default Value

0.7

API Name

cpu.capacity.threshold

Required

false

Metrics Topic Auto Creation**Description**

Cruise Control metrics reporter will enforce the creation of the topic at launch. This enables the application of partition number and replication factor settings at topic creation time.

Related Name

cruise.control.metrics.topic.auto.create

Default Value

true

API Name

cruise.control.metrics.topic.auto.create

Required

false

Metrics Topic Auto Create Retries**Description**

Number of retries of the Cruise Control metrics reporter for the topic creation. It indicates exponential delay between retries (delay = 5ms * 2 ^ attempt - where "attempt", is the actual attempt's serial number and the max of attempts will be the value of this configuration property).

Related Name

cruise.control.metrics.topic.auto.create.retries

Default Value

12

API Name

cruise.control.metrics.topic.auto.create.retries

Required

false

Metrics Topic Auto Create Timeout**Description**

Timeout on the Cruise Control metrics topic creation. This is the timeout of the topic creation itself.

Related Name

cruise.control.metrics.topic.auto.create.timeout.ms

Default Value

15 second(s)

API Name

cruise.control.metrics.topic.auto.create.timeout.ms

Required

false

Metrics Topic Partition Count**Description**

Number of partitions for Cruise Control metrics topic.

Related Name

cruise.control.metrics.topic.num.partitions

Default Value

1

API Name

cruise.control.metrics.topic.num.partitions

Required

false

Metrics Topic Replication Factor**Description**

The replication factor of Cruise Control metrics topic. A higher setting (for example, 3 or 4) is recommended in order to ensure higher availability.

Related Name

cruise.control.metrics.topic.replication.factor

Default Value

3

API Name

cruise.control.metrics.topic.replication.factor

Required

false

Java Heap Size of Cruise Control**Description**

Maximum size for the Java process heap memory. Passed to Java -Xmx. Measured in megabytes. Cruise Control does not generally require setting large heap sizes. It is better to let the file system cache utilize the available memory.

Related Name

cruise_control_heap_size

Default Value

1 GiB

API Name

cruise_control_heap_size

Required

false

Default Goals

Description

The list of goals to pre-compute proposals or to compute completeness requirements if Self-Healing Goals is not specified.

Related Name

default.goals

Default Value

com.linkedin.kafka.cruisecontrol.analyzer.goals.RackAwareDistributionGoal
 com.linkedin.kafka.cruisecontrol.analyzer.goals.ReplicaCapacityGoal
 com.linkedin.kafka.cruisecontrol.analyzer.goals.DiskCapacityGoal
 com.linkedin.kafka.cruisecontrol.analyzer.goals.NetworkInboundCapacityGoal
 com.linkedin.kafka.cruisecontrol.analyzer.goals.NetworkOutboundCapacityGoal
 com.linkedin.kafka.cruisecontrol.analyzer.goals.CpuCapacityGoal
 com.linkedin.kafka.cruisecontrol.analyzer.goals.ReplicaDistributionGoal
 com.linkedin.kafka.cruisecontrol.analyzer.goals.PotentialNwOutGoal
 com.linkedin.kafka.cruisecontrol.analyzer.goals.DiskUsageDistributionGoal
 com.linkedin.kafka.cruisecontrol.analyzer.goals.NetworkInboundUsageDistributionGoal
 com.linkedin.kafka.cruisecontrol.analyzer.goals.NetworkOutboundUsageDistributionGoal
 com.linkedin.kafka.cruisecontrol.analyzer.goals.CpuUsageDistributionGoal
 com.linkedin.kafka.cruisecontrol.analyzer.goals.TopicReplicaDistributionGoal
 com.linkedin.kafka.cruisecontrol.analyzer.goals.LeaderReplicaDistributionGoal
 com.linkedin.kafka.cruisecontrol.analyzer.goals.LeaderBytesInDistributionGoal

API Name

default.goals

Required

true

Disk Balance Threshold

Description

The maximum allowed extent of unbalance for disk utilization, enforced by the goal optimization. For example, 1.10 means the highest disk usage of a broker should not be above 1.10x of average disk utilization of all the brokers.

Related Name

disk.balance.threshold

Default Value

1.1

API Name

disk.balance.threshold

Required

false

Disk Capacity Threshold

Description

The maximum percentage of the total broker.disk.capacity that is allowed to be used on a broker, enforced by the goal optimization. The analyzer will enforce a hard goal that the disk usage of a broker cannot be higher than (broker.disk.capacity * disk.capacity.threshold).

Related Name

disk.capacity.threshold

Default Value

0.8

API Name

disk.capacity.threshold

Required

false

Supported Goals

Description

The list of supported goals.

Related Name

goals

Default Value

com.linkedin.kafka.cruisecontrol.analyzer.goals.RackAwareDistributionGoal
 com.linkedin.kafka.cruisecontrol.analyzer.goals.MinTopicLeadersPerBrokerGoal
 com.linkedin.kafka.cruisecontrol.analyzer.goals.ReplicaCapacityGoal
 com.linkedin.kafka.cruisecontrol.analyzer.goals.DiskCapacityGoal
 com.linkedin.kafka.cruisecontrol.analyzer.goals.NetworkInboundCapacityGoal
 com.linkedin.kafka.cruisecontrol.analyzer.goals.NetworkOutboundCapacityGoal
 com.linkedin.kafka.cruisecontrol.analyzer.goals.CpuCapacityGoal
 com.linkedin.kafka.cruisecontrol.analyzer.goals.ReplicaDistributionGoal
 com.linkedin.kafka.cruisecontrol.analyzer.goals.PotentialNwOutGoal
 com.linkedin.kafka.cruisecontrol.analyzer.goals.DiskUsageDistributionGoal
 com.linkedin.kafka.cruisecontrol.analyzer.goals.NetworkInboundUsageDistributionGoal
 com.linkedin.kafka.cruisecontrol.analyzer.goals.NetworkOutboundUsageDistributionGoal
 com.linkedin.kafka.cruisecontrol.analyzer.goals.CpuUsageDistributionGoal
 com.linkedin.kafka.cruisecontrol.analyzer.goals.TopicReplicaDistributionGoal
 com.linkedin.kafka.cruisecontrol.analyzer.goals.LeaderReplicaDistributionGoal
 com.linkedin.kafka.cruisecontrol.analyzer.goals.LeaderBytesInDistributionGoal
 com.linkedin.kafka.cruisecontrol.analyzer.goals.PreferredLeaderElectionGoal
 com.linkedin.kafka.cruisecontrol.analyzer.kafkaassigner.KafkaAssignerDiskUsageDistributionGoal
 com.linkedin.kafka.cruisecontrol.analyzer.kafkaassigner.KafkaAssignerEvenRackAwareGoal

API Name

goals

Required

true

Graceful Shutdown Timeout

Description

The timeout in milliseconds to wait for graceful shutdown to complete.

Related Name

Default Value

1 minute(s)

API Name

graceful_stop_timeout

Required

false

Hard Goals

Description

The list of goals that any optimization proposal must fulfill if Cruise Control runs in non-kafka-assigner mode and skip_hard_goal_check parameter is not set in the request.

Related Name

hard.goals

Default Value

com.linkedin.kafka.cruisecontrol.analyzer.goals.RackAwareDistributionGoal
com.linkedin.kafka.cruisecontrol.analyzer.goals.ReplicaCapacityGoal
com.linkedin.kafka.cruisecontrol.analyzer.goals.DiskCapacityGoal
com.linkedin.kafka.cruisecontrol.analyzer.goals.NetworkInboundCapacityGoal
com.linkedin.kafka.cruisecontrol.analyzer.goals.NetworkOutboundCapacityGoal
com.linkedin.kafka.cruisecontrol.analyzer.goals.CpuCapacityGoal

API Name

hard.goals

Required

false

Leader Replica Count Balance Threshold

Description

The maximum allowed extent of unbalance for leader replica distribution, enforced by the goal optimization. For example, 1.10 means the highest leader replica count of a broker should not be above 1.10x of average leader replica count of all alive brokers.

Related Name

leader.replica.count.balance.threshold

Default Value

1.1

API Name

leader.replica.count.balance.threshold

Required

false

Maintenance Event Topic Replication Factor

Description

The replication factor of Cruise Control maintenance event topic. A higher setting (for example, 3 or 4) is recommended in order to ensure higher availability.

Related Name

maintenance.event.topic.replication.factor

Default Value

3

API Name

maintenance.event.topic.replication.factor

Required

false

Metric Anomaly Finder Class

Description

A list of metric anomaly finder classes to identify metric anomalies.

Related Name

metric.anomaly.finder.class

Default Value

com.linkedin.kafka.cruisecontrol.detector.NoopMetricAnomalyFinder

API Name

metric.anomaly.finder.class

Required

false

Metric Reporter

Description

The selected metrics reporter will be used. Metrics reporter generates performance metrics to a Kafka metrics topic that can be consumed by Cruise Control. ("CM metrics reporter" is DEPRECATED. "Cruise Control metrics reporter" should be used instead, which is more robust and performs better.)

Related Name

metric.reporter

Default Value

Cruise Control metrics reporter

API Name

metric.reporter

Required

true

Metric Reporter Topic Name

Description

The exact topic name from which the sampler should be consuming the interested metrics from.

Related Name

metric.reporter.topic

Default Value

__CruiseControlMetrics

API Name

metric.reporter.topic

Required

false

Network Inbound Balance Threshold

Description

The maximum allowed extent of unbalance for network inbound usage, enforced by the goal optimization. For example, 1.10 means the highest network inbound usage of a broker should not be above 1.10x of average network inbound usage of all the brokers.

Related Name

network.inbound.balance.threshold

Default Value

1.1

API Name

network.inbound.balance.threshold

Required

false

Network Inbound Capacity Threshold**Description**

The maximum percentage of the total broker.network.inbound.capacity that is allowed to be used on a broker, enforced by the goal optimization. The analyzer will enforce a hard goal that the disk usage of a broker cannot be higher than (broker.network.inbound.capacity * network.inbound.capacity.threshold).

Related Name

network.inbound.capacity.threshold

Default Value

0.8

API Name

network.inbound.capacity.threshold

Required

false

Network Outbound Balance Threshold**Description**

The maximum allowed extent of unbalance for network outbound usage, enforced by the goal optimization. For example, 1.10 means the highest network outbound usage of a broker should not be above 1.10x of average network outbound usage of all the brokers.

Related Name

network.outbound.balance.threshold

Default Value

1.1

API Name

network.outbound.balance.threshold

Required

false

Network Outbound Capacity Threshold**Description**

The maximum percentage of the total broker.network.outbound.capacity that is allowed to be used on a broker, enforced by the goal optimization. The analyzer will enforce a hard goal that the disk usage of a broker cannot be higher than (broker.network.outbound.capacity * network.outbound.capacity.threshold).

Related Name

network.outbound.capacity.threshold

Default Value

0.8

API Name

network.outbound.capacity.threshold

Required

false

Number of Broker Metric Windows

Description

The total number of windows to keep for broker metric samples.

Related Name

num.broker.metrics.windows

Default Value

5

API Name

num.broker.metrics.windows

Required

true

Number of Metric Fetchers

Description

The number of metric fetcher threads.

Related Name

num.metric.fetchers

Default Value

1

API Name

num.metric.fetchers

Required

true

Number of Partition Metric Windows

Description

The total number of windows to keep for partition metric samples.

Related Name

num.partition.metrics.windows

Default Value

5

API Name

num.partition.metrics.windows

Required

true

Partition Metrics Topic

Description

The config for the Kafka sample store to save the partition metric samples.

Related Name

partition.metric.sample.store.topic

Default Value

__KafkaCruiseControlPartitionMetricSamples

API Name

partition.metric.sample.store.topic

Required

true

Partition Metrics Window Size

Description

The partition metrics window size in milliseconds.

Related Name

partition.metrics.window.ms

Default Value

5 minute(s)

API Name

partition.metrics.window.ms

Required

true

Replica Count Balance Threshold

Description

The maximum allowed extent of unbalance for replica distribution, enforced by the goal optimization. For example, 1.10 means the highest replica count of a broker should not be above 1.10x of average replica count of all brokers.

Related Name

replica.count.balance.threshold

Default Value

1.1

API Name

replica.count.balance.threshold

Required

false

Sample Store Topic Replication Factor

Description

The replication factor of Cruise Control sample store topic. A higher setting (for example, 3 or 4) is recommended in order to ensure higher availability.

Related Name

sample.store.topic.replication.factor

Default Value

3

API Name

sample.store.topic.replication.factor

Required

false

Self Healing Enabled

Description

Whether to enable self healing for all anomaly detectors, unless the particular anomaly detector is explicitly disabled.

Related Name

self.healing.enabled

Default Value

false

API Name

self.healing.enabled

Required

false

Self-Healing Goals

Description

The list of goals to be used for self-healing relevant anomalies. If empty, uses Default Goals for self-healing.

Related Name

self.healing.goals

Default Value

API Name

self.healing.goals

Required

false

SPNEGO Principal to Local Rules

Description

SPNEGO (Kerberos) name rules for Cruise Control to transform full Kerberos principal names to usernames. If left empty, the cluster wide rules will be applied.

Related Name

spnego.principal.to.local.rules

Default Value

API Name

spnego.principal.to.local.rules

Required

false

Enable Trusted Proxy Fallback to Spnego

Description

If no doAs user is provided in Trusted Proxy authentication then it proceeds with using the service user for executing the request.

Related Name

trusted.proxy.spnego.fallback.enabled

Default Value

false

API Name

trusted.proxy.spnego.fallback.enabled

Required

false

Trusted Proxy Authentication Service

Description

The username part of trusted proxy authentication services' principals. Knox and Streams Messaging Manager principal will be automatically added.

Related Name

trusted_auth_service_user

Default Value

API Name

trusted_auth_service_user

Required

false

HTTP Strict Transport Security Enabled

Description

Enables the Strict Transport Security header in the web server responses.

Related Name

webserver.ssl.sts.enabled

Default Value

true

API Name

webserver.ssl.sts.enabled

Required

false

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name

Default Value

API Name

rlimit_fds

Required

false

Ports and Addresses**Cruise Control Webserver Port****Description**

The endpoint of the REST interface.

Related Name

webservice.http.port

Default Value

8899

API Name

webservice.http.port

Required

true

Resource Management**Cgroup V1 BLKIO Weight****Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight

Description

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)

Description

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value

API Name

rm_custom_resources

Required

false

Cgroup V2 I/O Weight

Description

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

`rm_memory_soft_limit_v1`**Required**`true`**Cgroup V2 Memory Soft Limit****Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name`memory.high`**Default Value**`-1 MiB`**API Name**`rm_memory_soft_limit_v2`**Required**`true`**Security****Cruise Control Server TLS/SSL Trust Store File****Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Cruise Control Server might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name`ssl.truststore.location`**Default Value****API Name**`ssl_client_truststore_location`**Required**`false`**Cruise Control Server TLS/SSL Trust Store Password****Description**

The password for the Cruise Control Server TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name`ssl.truststore.password`**Default Value****API Name**

ssl_client_truststore_password

Required

false

Enable TLS/SSL for Cruise Control Server

Description

Encrypt communication between clients and Cruise Control Server using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

webserver.ssl.enable

Default Value

false

API Name

ssl_enabled

Required

false

Cruise Control Server TLS/SSL Server Keystore Key Password

Description

The password that protects the private key contained in the keystore used when Cruise Control Server is acting as a TLS/SSL server.

Related Name

webserver.ssl.key.password

Default Value

API Name

ssl_server_keystore_keypassword

Required

false

Cruise Control Server TLS/SSL Server Keystore File Location

Description

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Cruise Control Server is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

webserver.ssl.keystore.location

Default Value

API Name

ssl_server_keystore_location

Required

false

Cruise Control Server TLS/SSL Server Keystore File Password

Description

The password for the Cruise Control Server keystore file.

Related Name

webservice.ssl.keystore.password

Default Value

API Name

ssl_server_keystore_password

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value

API Name

stacks_collection_directory

Required

false

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

`stacks_collection_enabled`**Required**`true`**Stacks Collection Frequency****Description**

The frequency with which stacks are collected.

Related Name`stacks_collection_frequency`**Default Value**`5.0 second(s)`**API Name**`stacks_collection_frequency`**Required**`false`**Stacks Collection Method****Description**

The method used to collect stacks. The `jstack` option involves periodically running the `jstack` command against the role's daemon process. The `servlet` method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the `servlet` method is selected, that HTTP endpoint is periodically scraped.

Related Name`stacks_collection_method`**Default Value**`jstack`**API Name**`stacks_collection_method`**Required**`false`**Suppressions****Suppress Parameter Validation: Anomaly Detection Goals****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Anomaly Detection Goals parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_anomaly.detection.goals`**Required**`true`

Suppress Parameter Validation: Anomaly Notifier Class

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Anomaly Notifier Class parameter.

Related Name

Default Value

false

API Name

role_config_suppression_anomaly.notifier.class

Required

true

Suppress Parameter Validation: Cruise Control Server Advanced Configuration Snippet (Safety Valve) for auth.credentials

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cruise Control Server Advanced Configuration Snippet (Safety Valve) for auth.credentials parameter.

Related Name

Default Value

false

API Name

role_config_suppression_auth.credentials_role_safety_valve

Required

true

Suppress Parameter Validation: ADMIN Level Users

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the ADMIN Level Users parameter.

Related Name

Default Value

false

API Name

role_config_suppression_auth_admins

Required

true

Suppress Parameter Validation: USER Level Users

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the USER Level Users parameter.

Related Name

Default Value

false

API Name

role_config_suppression_auth_users

Required

true

Suppress Parameter Validation: VIEWER Level Users

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the VIEWER Level Users parameter.

Related Name

Default Value

false

API Name

role_config_suppression_auth_viewers

Required

true

Suppress Parameter Validation: Broker Metrics Topic

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Broker Metrics Topic parameter.

Related Name

Default Value

false

API Name

role_config_suppression_broker.metric.sample.store.topic

Required

true

Suppress Parameter Validation: Cruise Control Server Advanced Configuration Snippet (Safety Valve) for capacity.json

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cruise Control Server Advanced Configuration Snippet (Safety Valve) for capacity.json parameter.

Related Name

Default Value

false

API Name

role_config_suppression_capacity.json_role_safety_valve

Required

true

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Metrics Topic Partition Count

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Metrics Topic Partition Count parameter.

Related Name

Default Value

false

API Name

role_config_suppression_cruise.control.metrics.topic.num.partitions

Required

true

Suppress Parameter Validation: Metrics Topic Replication Factor

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Metrics Topic Replication Factor parameter.

Related Name

Default Value

false

API Name

role_config_suppression_cruise.control.metrics.topic.replication.factor

Required

true

Suppress Parameter Validation: Java Heap Size of Cruise Control

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Heap Size of Cruise Control parameter.

Related Name

Default Value

false

API Name

role_config_suppression_cruise_control_heap_size

Required

true

Suppress Parameter Validation: Cruise Control Server Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cruise Control Server Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_cruise_control_server_role_env_safety_valve

Required

true

Suppress Parameter Validation: Cruise Control Server Advanced Configuration Snippet (Safety Valve) for cruisecontrol.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cruise Control Server Advanced Configuration Snippet (Safety Valve) for cruisecontrol.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_cruisecontrol.properties_role_safety_valve

Required

true

Suppress Parameter Validation: Default Goals

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Default Goals parameter.

Related Name

Default Value

false

API Name

role_config_suppression_default.goals

Required

true

Suppress Parameter Validation: Supported Goals

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Supported Goals parameter.

Related Name

Default Value

false

API Name

role_config_suppression_goals

Required

true

Suppress Parameter Validation: Hard Goals

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hard Goals parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hard.goals

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Cruise Control Server Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cruise Control Server Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Cruise Control Server Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cruise Control Server Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: Maintenance Event Topic Replication Factor**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Maintenance Event Topic Replication Factor parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_maintenance.event.topic.replication.factor

Required

true

Suppress Parameter Validation: Metric Anomaly Finder Class**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Metric Anomaly Finder Class parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_metric.anomaly.finder.class

Required

true

Suppress Parameter Validation: Metric Reporter Topic Name**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Metric Reporter Topic Name parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_metric.reporter.topic`**Required**`true`**Suppress Parameter Validation: Heap Dump Directory****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_oom_heap_dump_dir`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Exporters Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_exporters`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Extensions Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_extensions`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Helper Port****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Partition Metrics Topic**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Partition Metrics Topic parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_partition.metric.sample.store.topic

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Sample Store Topic Replication Factor

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Sample Store Topic Replication Factor parameter.

Related Name

Default Value

false

API Name

role_config_suppression_sample.store.topic.replication.factor

Required

true

Suppress Parameter Validation: Self-Healing Goals

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Self-Healing Goals parameter.

Related Name

Default Value

false

API Name

role_config_suppression_self.healing.goals

Required

true

Suppress Parameter Validation: SPNEGO Principal to Local Rules

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SPNEGO Principal to Local Rules parameter.

Related Name

Default Value

false

API Name

role_config_suppression_spnego.principal.to.local.rules

Required

true

Suppress Parameter Validation: Cruise Control Server Advanced Configuration Snippet (Safety Valve) for ssl.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cruise Control Server Advanced Configuration Snippet (Safety Valve) for ssl.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl.properties_role_safety_valve

Required

true

Suppress Parameter Validation: Cruise Control Server TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cruise Control Server TLS/SSL Trust Store File parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: Cruise Control Server TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cruise Control Server TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Parameter Validation: Cruise Control Server TLS/SSL Server Keystore Key Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cruise Control Server TLS/SSL Server Keystore Key Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_keypassword

Required

true

Suppress Parameter Validation: Cruise Control Server TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cruise Control Server TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: Cruise Control Server TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cruise Control Server TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Parameter Validation: Trusted Proxy Authentication Service

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Trusted Proxy Authentication Service parameter.

Related Name

Default Value

false

API Name

role_config_suppression_trusted_auth_service_user

Required

true

Suppress Parameter Validation: Cruise Control Webserver Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cruise Control Webserver Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_webserver.http.port

Required

true

Suppress Health Test: Audit Pipeline Test

Description

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_cruise_control_cruise_control_server_audit_health

Required

true

Suppress Health Test: File Descriptors

Description

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_cruise_control_cruise_control_server_file_descriptor

Required

true

Suppress Health Test: Host Health

Description

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

`role_health_suppression_cruise_control_cruise_control_server_host_health`**Required**`true`**Suppress Health Test: Log Directory Free Space****Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_cruise_control_cruise_control_server_log_directory_free_space`**Required**`true`**Suppress Health Test: Otelcol Health****Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_cruise_control_cruise_control_server_otelcol_health`**Required**`true`**Suppress Health Test: Process Status****Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_cruise_control_cruise_control_server_scm_health`**Required**`true`**Suppress Health Test: Swap Memory Usage****Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_cruise_control_cruise_control_server_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_cruise_control_cruise_control_server_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits**Description**

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_cruise_control_cruise_control_server_unexpected_exits

Required

true

Service-Wide**Advanced****Cruise Control Service Environment Advanced Configuration Snippet (Safety Valve)****Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

CRUISE_CONTROL_service_env_safety_valve

Required

false

System Group

Description

The group that this service's processes should run as.

Related Name

Default Value

hadoop

API Name

process_groupname

Required

true

System User

Description

The user that this service's processes should run as.

Related Name

Default Value

cruisecontrol

API Name

process_username

Required

true

Monitoring

Cruise Control Server Role Health Test

Description

When computing the overall CRUISE_CONTROL health, consider Cruise Control Server's health

Related Name

Default Value

true

API Name

CRUISE_CONTROL_CRUISE_CONTROL_SERVER_health_enabled

Required

false

Enable Service Level Health Alerts

Description

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Service Triggers**Description**

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- **triggerName** (mandatory) - The name of the trigger. This value must be unique for the specific service.
- **triggerExpression** (mandatory) - A tsquery expression representing the trigger.
- **streamThreshold** (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- **enabled** (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- **expressionEditorConfig** (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}] See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

service_triggers

Required

true

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name

Default Value

API Name

smon_derived_configs_safety_valve

Required

false

Other

KAFKA Service

Description

Name of the KAFKA service that this Cruise Control service instance depends on

Related Name

Default Value

API Name

kafka_service

Required

true

ZooKeeper Service

Description

Name of the ZooKeeper service that this Cruise Control service instance depends on

Related Name

Default Value

API Name

zookeeper_service

Required

false

Security

Kerberos Principal

Description

Kerberos principal short name used by all roles of this service.

Related Name

Default Value

cruisecontrol

API Name

kerberos_princ_name

Required

true

Suppressions

Suppress Configuration Validator: Anomaly Detection Goals

Description

Whether to suppress configuration warnings produced by the Anomaly Detection Goals configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_anomaly.detection.goals

Required

true

Suppress Configuration Validator: Anomaly Notifier Class

Description

Whether to suppress configuration warnings produced by the Anomaly Notifier Class configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_anomaly.notifier.class

Required

true

Suppress Configuration Validator: Cruise Control Server Advanced Configuration Snippet (Safety Valve) for auth.credentials

Description

Whether to suppress configuration warnings produced by the Cruise Control Server Advanced Configuration Snippet (Safety Valve) for auth.credentials configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_auth.credentials_role_safety_valve

Required

true

Suppress Configuration Validator: ADMIN Level Users

Description

Whether to suppress configuration warnings produced by the ADMIN Level Users configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_auth_admins

Required

true

Suppress Configuration Validator: USER Level Users

Description

Whether to suppress configuration warnings produced by the USER Level Users configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_auth_users

Required

true

Suppress Configuration Validator: VIEWER Level Users

Description

Whether to suppress configuration warnings produced by the VIEWER Level Users configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_auth_viewers

Required

true

Suppress Configuration Validator: Broker Metrics Topic

Description

Whether to suppress configuration warnings produced by the Broker Metrics Topic configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_broker.metric.sample.store.topic

Required

true

Suppress Configuration Validator: Cruise Control Server Advanced Configuration Snippet (Safety Valve) for capacity.json

Description

Whether to suppress configuration warnings produced by the Cruise Control Server Advanced Configuration Snippet (Safety Valve) for capacity.json configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_capacity.json_role_safety_valve

Required

true

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: Metrics Topic Partition Count

Description

Whether to suppress configuration warnings produced by the Metrics Topic Partition Count configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cruise.control.metrics.topic.num.partitions

Required

true

Suppress Configuration Validator: Metrics Topic Replication Factor

Description

Whether to suppress configuration warnings produced by the Metrics Topic Replication Factor configuration validator.

Related Name**Default Value**

	false
API Name	role_config_suppression_cruise.control.metrics.topic.replication.factor
Required	true

Suppress Configuration Validator: Java Heap Size of Cruise Control

Description	Whether to suppress configuration warnings produced by the Java Heap Size of Cruise Control configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_cruise_control_heap_size
Required	true

Suppress Configuration Validator: Cruise Control Server Environment Advanced Configuration Snippet (Safety Valve)

Description	Whether to suppress configuration warnings produced by the Cruise Control Server Environment Advanced Configuration Snippet (Safety Valve) configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_cruise_control_server_role_env_safety_valve
Required	true

Suppress Configuration Validator: Cruise Control Server Advanced Configuration Snippet (Safety Valve) for cruisecontrol.properties

Description	Whether to suppress configuration warnings produced by the Cruise Control Server Advanced Configuration Snippet (Safety Valve) for cruisecontrol.properties configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_cruisecontrol.properties_role_safety_valve
Required	true

Suppress Configuration Validator: Default Goals**Description**

Whether to suppress configuration warnings produced by the Default Goals configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_default.goals

Required

true

Suppress Configuration Validator: Supported Goals**Description**

Whether to suppress configuration warnings produced by the Supported Goals configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_goals

Required

true

Suppress Configuration Validator: Hard Goals**Description**

Whether to suppress configuration warnings produced by the Hard Goals configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hard.goals

Required

true

Suppress Configuration Validator: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Configuration Validator: Cruise Control Server Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Cruise Control Server Logging Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Configuration Validator: Cruise Control Server Log Directory

Description

Whether to suppress configuration warnings produced by the Cruise Control Server Log Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Configuration Validator: Maintenance Event Topic Replication Factor

Description

Whether to suppress configuration warnings produced by the Maintenance Event Topic Replication Factor configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_maintenance.event.topic.replication.factor

Required

true

Suppress Configuration Validator: Metric Anomaly Finder Class

Description

Whether to suppress configuration warnings produced by the Metric Anomaly Finder Class configuration validator.

Related Name

Default Value

	false
API Name	role_config_suppression_metric.anomaly.finder.class
Required	true

Suppress Configuration Validator: Metric Reporter Topic Name

Description	Whether to suppress configuration warnings produced by the Metric Reporter Topic Name configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_metric.reporter.topic
Required	true

Suppress Configuration Validator: Heap Dump Directory

Description	Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_oom_heap_dump_dir
Required	true

Suppress Configuration Validator: OpenTelemetry Collector Exporters Section

Description	Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_exporters
Required	true

Suppress Configuration Validator: OpenTelemetry Collector Extensions Section

Description	
--------------------	--

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name

Default Value

	false
API Name	role_config_suppression_otelcol_rtm_logs_exporters
Required	true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description	Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_rtm_logs_extensions
Required	true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description	Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_rtm_logs_processors
Required	true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description	Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_rtm_logs_receivers
Required	true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: Partition Metrics Topic

Description

Whether to suppress configuration warnings produced by the Partition Metrics Topic configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_partition.metric.sample.store.topic

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name**Default Value**

false

API Name

`role_config_suppression_rm_custom_resources`**Required**`true`**Suppress Configuration Validator: Role Triggers****Description**

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_role_triggers`**Required**`true`**Suppress Configuration Validator: Sample Store Topic Replication Factor****Description**

Whether to suppress configuration warnings produced by the Sample Store Topic Replication Factor configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_sample.store.topic.replication.factor`**Required**`true`**Suppress Configuration Validator: Self-Healing Goals****Description**

Whether to suppress configuration warnings produced by the Self-Healing Goals configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_self.healing.goals`**Required**`true`**Suppress Configuration Validator: SPNEGO Principal to Local Rules****Description**

Whether to suppress configuration warnings produced by the SPNEGO Principal to Local Rules configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_spnego.principal.to.local.rules

Required

true

Suppress Configuration Validator: Cruise Control Server Advanced Configuration Snippet (Safety Valve) for ssl.properties

Description

Whether to suppress configuration warnings produced by the Cruise Control Server Advanced Configuration Snippet (Safety Valve) for ssl.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl.properties_role_safety_valve

Required

true

Suppress Configuration Validator: Cruise Control Server TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the Cruise Control Server TLS/SSL Trust Store File configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Configuration Validator: Cruise Control Server TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the Cruise Control Server TLS/SSL Trust Store Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Configuration Validator: Cruise Control Server TLS/SSL Server Keystore Key Password

Description

Whether to suppress configuration warnings produced by the Cruise Control Server TLS/SSL Server Keystore Key Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_keypassword

Required

true

Suppress Configuration Validator: Cruise Control Server TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the Cruise Control Server TLS/SSL Server Keystore File Location configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Configuration Validator: Cruise Control Server TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the Cruise Control Server TLS/SSL Server Keystore File Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Configuration Validator: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.

Related Name

Default Value

false

API Name

`role_config_suppression_stacks_collection_directory`**Required**`true`**Suppress Configuration Validator: Trusted Proxy Authentication Service****Description**

Whether to suppress configuration warnings produced by the Trusted Proxy Authentication Service configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_trusted_auth_service_user`**Required**`true`**Suppress Configuration Validator: Cruise Control Webserver Port****Description**

Whether to suppress configuration warnings produced by the Cruise Control Webserver Port configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_webserver.http.port`**Required**`true`**Suppress Configuration Validator: Cruise Control Server Count Validator****Description**

Whether to suppress configuration warnings produced by the Cruise Control Server Count Validator configuration validator.

Related Name**Default Value**`false`**API Name**`service_config_suppression_cruise_control_server_count_validator`**Required**`true`**Suppress Parameter Validation: Cruise Control Service Environment Advanced Configuration Snippet (Safety Valve)****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cruise Control Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_cruise_control_service_env_safety_valve

Required

true

Suppress Parameter Validation: Kerberos Principal**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Principal parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_kerberos_princ_name

Required

true

Suppress Parameter Validation: System Group**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: System User**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_username

Required

true

Suppress Parameter Validation: Service Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_service_triggers

Required

true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_smon_derived_configs_safety_valve

Required

true

Suppress Health Test: Cruise Control Server Health**Description**

Whether to suppress the results of the Cruise Control Server Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_cruise_control_cruise_control_cruise_control_server_health

Required

true

Data Context Connector Properties in Cloudera Runtime 7.3.1

Role groups:

Gateway

Advanced

Deploy Directory

Description

The directory where the client configs will be deployed

Related Name**Default Value**

/etc/hive

API Name

client_config_root_dir

Required

true

Hive Client Advanced Configuration Snippet (Safety Valve) for hive-site.xml

Description

For advanced use only, a string to be inserted into the client configuration for hive-site.xml.

Related Name**Default Value****API Name**

hive_client_config_safety_valve

Required

false

Gateway Client Environment Advanced Configuration Snippet (Safety Valve) for hive-env.sh

Description

For advanced use only, key-value pairs (one on each line) to be inserted into the client configuration for hive-env.sh

Related Name**Default Value****API Name**

hive_client_env_safety_valve

Required

false

Client Java Configuration Options

Description

These are Java command-line arguments. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here.

Related Name**Default Value**

-Djava.net.preferIPv4Stack=true

API Name

hive_client_java_opts

Required

false

Hive Metastore Connection Timeout**Description**

Timeout for requests to the Hive Metastore Server. Consider increasing this if you have tables with a lot of metadata and see timeout errors. Used by most Hive Metastore clients such as Hive CLI and HiveServer2, but not by Impala. Impala has a separately configured timeout.

Related Name

hive.metastore.client.socket.timeout

Default Value

5 minute(s)

API Name

hive_metastore_timeout

Required

false

Gateway Logging Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Logs**Gateway Logging Threshold****Description**

The minimum log level for Gateway logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Monitoring**Enable Configuration Change Alerts****Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Other**Alternatives Priority****Description**

The priority level that the client configuration will have in the Alternatives system on the hosts. Higher priority levels will cause Alternatives to prefer this configuration over any others.

Related Name**Default Value**

90

API Name

client_config_priority

Required

true

Resource Management**Client Java Heap Size in Bytes****Description**

Maximum size in bytes for the Java process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

2 GiB

API Name

hive_client_java_heapsize

Required

false

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

`role_config_suppression_cdh_version_validator`**Required**`true`**Suppress Parameter Validation: Deploy Directory****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Deploy Directory parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_client_config_root_dir`**Required**`true`**Suppress Parameter Validation: Hive Client Advanced Configuration Snippet (Safety Valve) for hive-site.xml****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Client Advanced Configuration Snippet (Safety Valve) for hive-site.xml parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_hive_client_config_safety_valve`**Required**`true`**Suppress Parameter Validation: Gateway Client Environment Advanced Configuration Snippet (Safety Valve) for hive-env.sh****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway Client Environment Advanced Configuration Snippet (Safety Valve) for hive-env.sh parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_hive_client_env_safety_valve`**Required**`true`**Suppress Parameter Validation: Client Java Configuration Options****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Client Java Configuration Options parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hive_client_java_opts

Required

true

Suppress Parameter Validation: Gateway Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Service-Wide

Advanced

Data Context Connector Service Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

DATA_CONTEXT_CONNECTOR_service_env_safety_valve

Required

false

Monitoring

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: Deploy Directory

Description

Whether to suppress configuration warnings produced by the Deploy Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Configuration Validator: Hive Client Advanced Configuration Snippet (Safety Valve) for hive-site.xml

Description

Whether to suppress configuration warnings produced by the Hive Client Advanced Configuration Snippet (Safety Valve) for hive-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_client_config_safety_valve

Required

true

Suppress Configuration Validator: Gateway Client Environment Advanced Configuration Snippet (Safety Valve) for hive-env.sh

Description

Whether to suppress configuration warnings produced by the Gateway Client Environment Advanced Configuration Snippet (Safety Valve) for hive-env.sh configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_client_env_safety_valve

Required

true

Suppress Configuration Validator: Client Java Configuration Options

Description

Whether to suppress configuration warnings produced by the Client Java Configuration Options configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_client_java_opts

Required

true

Suppress Configuration Validator: Gateway Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Gateway Logging Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Data Context Connector Service Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Data Context Connector Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_data_context_connector_service_env_safety_valve

Required

true

Suppress Configuration Validator: Gateway Count Validator

Description

Whether to suppress configuration warnings produced by the Gateway Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_gateway_count_validator

Required

true

GCS Properties in Cloudera Runtime 7.3.1

Role groups:

Service-Wide

Advanced

GCS Service Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

GCS_service_env_safety_valve

Required

false

Monitoring

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

	false
API Name	enable_config_alerts
Required	false

Other

Google Cloud Storage Account Name

Description	Name of an Google Cloud Storage account.
Related Name	
Default Value	
API Name	cloud_account
Required	true

Security

Credentials Protection Policy

Description	Determines a security policy for the distribution of Google Cloud Storage account credentials to cluster services. 'More Secure': Encrypted at all times and directly available to a limited set of services. 'Less Secure': Credentials may be in plain text in some configuration files for specific services in the cluster.
Related Name	
Default Value	SECURE
API Name	key_distribution_policy
Required	true

Suppressions

Suppress Parameter Validation: GCS Service Environment Advanced Configuration Snippet (Safety Valve)

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the GCS Service Environment Advanced Configuration Snippet (Safety Valve) parameter.
Related Name	
Default Value	false
API Name	service_config_suppression_gcs_service_env_safety_valve

Required

true

HBase Properties in Cloudera Runtime 7.3.1

Role groups:

Gateway

Advanced

Deploy Directory

Description

The directory where the client configs will be deployed

Related Name

Default Value

/etc/hbase

API Name

client_config_root_dir

Required

true

HBase Client Advanced Configuration Snippet (Safety Valve) for hbase-site.xml

Description

For advanced use only, a string to be inserted into the client configuration for hbase-site.xml.

Related Name

Default Value

API Name

hbase_client_config_safety_valve

Required

false

HBase Client Environment Advanced Configuration Snippet (Safety Valve) for hbase-env.sh

Description

For advanced use only, key-value pairs (one on each line) to be inserted into the client configuration for hbase-env.sh

Related Name

Default Value

API Name

hbase_client_env_safety_valve

Required

false

Client Java Configuration Options

Description

These are Java command-line arguments. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here.

Related Name**Default Value**

-XX:+HeapDumpOnOutOfMemoryError -Djava.net.preferIPv4Stack=true

API Name

hbase_client_java_opts

Required

false

Gateway Logging Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Logs**Gateway Logging Threshold****Description**

The minimum log level for Gateway logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Monitoring**Enable Configuration Change Alerts****Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Other

Alternatives Priority

Description

The priority level that the client configuration will have in the Alternatives system on the hosts. Higher priority levels will cause Alternatives to prefer this configuration over any others.

Related Name

Default Value

90

API Name

client_config_priority

Required

true

HBase Client Get Timeout For Secondary Region Replicas

Description

If a get operation is performed with 'Consistency.TIMELINE', the read RPC is sent to the primary RegionServer first. After this timeout, parallel RPC for secondary region replicas is also sent if the primary does not respond. After this, the result is returned from whichever RPC is finished first. If the response returns from the primary region replica, that data is the most recent. Result.isStale() API has been added to inspect the staleness. If the result is from a secondary region, Result.isStale() is set to true.

Related Name

hbase.client.primaryCallTimeout.get

Default Value

10 second(s)

API Name

hbase_client_primaryCallTimeout_get

Required

false

HBase Client Multiget Timeout For Secondary Region Replicas

Description

If a multiget operation is performed with 'Consistency.TIMELINE', the read RPC is sent to the primary RegionServer first. After this timeout, a parallel RPC for secondary region replicas is also sent if the primary does not respond. After this, the result is returned from whichever RPC is finished first. If the response returns from the primary region replica, that the data is the most recent. Result.isStale() API has been added to inspect the staleness. If the result is from a secondary region, Result.isStale() is set to true.

Related Name

hbase.client.primaryCallTimeout.multiget

Default Value

10 second(s)

API Name

hbase_client_primaryCallTimeout_multiget

Required

false

Client Connection Registry**Description**

Set the Client Registry implementation. Recent versions of HBase support ZooKeeper-less client connection which goes directly to HBase Master to update connection registry. If Master is selected, hbase.masters client property will automatically be added to hbase-site.xml.

Related Name

hbase.client.registry.impl

Default Value

org.apache.hadoop.hbase.client.ZKConnectionRegistry

API Name

hbase_client_registry_impl

Required

false

HBase Client Scanner Timeout**Description**

Scanner Timeout, in milliseconds, for HBase Clients. Scanner related RPCs will apply this timeout against the RegionServers they talk to.

Related Name

hbase.client.scanner.timeout.period

Default Value

1 minute(s)

API Name

hbase_client_scanner_timeout_period

Required

false

Enable Client RPC Threads Interruption**Description**

Whether to enable interruption of RPC threads at the client. The default value of true enables primary RegionServers to access data from other regions' secondary replicas.

Related Name

hbase.ipc.client.allowsInterrupt

Default Value

true

API Name

hbase_ipc_client_allowsInterrupt

Required

false

Resource Management

Client Java Heap Size in Bytes

Description

Maximum size in bytes for the Java process heap memory. Passed to Java -Xmx.

Related Name

Default Value

256 MiB

API Name

hbase_client_java_heapsize

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Deploy Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Deploy Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Configuration Validator: HBase Client Scanner Timeout exceeds Lease Period Validator

Description

Whether to suppress configuration warnings produced by the HBase Client Scanner Timeout exceeds Lease Period Validator configuration validator.

Related Name

Default Value

	false
API Name	role_config_suppression_client_server_scanner_rpc_timeout_validator
Required	true

Suppress Parameter Validation: HBase Client Advanced Configuration Snippet (Safety Valve) for hbase-site.xml

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Client Advanced Configuration Snippet (Safety Valve) for hbase-site.xml parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_hbase_client_config_safety_valve
Required	true

Suppress Parameter Validation: HBase Client Environment Advanced Configuration Snippet (Safety Valve) for hbase-env.sh

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Client Environment Advanced Configuration Snippet (Safety Valve) for hbase-env.sh parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_hbase_client_env_safety_valve
Required	true

Suppress Parameter Validation: Client Java Configuration Options

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Client Java Configuration Options parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_hbase_client_java_opts
Required	true

Suppress Parameter Validation: Gateway Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

HBase REST Server**Advanced****HBase REST Server Advanced Configuration Snippet (Safety Valve) for hbase-site.xml****Description**

For advanced use only. A string to be inserted into hbase-site.xml for this role only.

Related Name**Default Value****API Name**

hbase_restserver_config_safety_valve

Required

false

Java Configuration Options for HBase REST Server**Description**

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or greater, {{JAVA_GC_ARGS}} will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name**Default Value**

JAVA_GC_ARGS

API Name

hbase_restserver_java_opts

Required

false

HBase REST Server Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name

Default Value**API Name**

HBASERESTSERVER_role_env_safety_valve

Required

false

HBase REST Server Logging Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations**Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory

Description

When set, generates a heap dump file when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory

Description

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Logs**HBase REST Server Log Directory****Description**

Directory where HBase REST Server will place its log files.

Related Name

hadoop.log.dir

Default Value

/var/log/hbase

API Name

hbase_restserver_log_dir

Required

false

HBase REST Server Logging Threshold**Description**

The minimum log level for HBase REST Server logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

HBase REST Server Maximum Log File Backups

Description

The maximum number of rolled log files to keep for HBase REST Server logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

HBase REST Server Max Log Size

Description

The maximum size, in megabytes, per log file for HBase REST Server logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name

Default Value

Warning: 50.0 %, Critical: 70.0 %

API Name

hbaserestserver_fd_thresholds

Required

false

HBase REST Server Host Health Test

Description

When computing the overall HBase REST Server health, consider the host's health.

Related Name

Default Value

true

API Name

hbaserestserver_host_health_enabled

Required

false

HBase REST Server Process Health Test

Description

Enables the health test that the HBase REST Server's process state is consistent with the role configuration

Related Name

Default Value

true

API Name

hbaserestserver_scm_health_enabled

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML**Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

startDelaySeconds: 10 ssl: false lowercaseOutputName: true lowercaseOutputLabelNames: true
rules: - pattern: 'Hadoop<service=(.*), name=JvmMetrics><>(.*): (\d+)' attrNameSnakeCase: true
name: \$2 value: \$3 labels: hadoop_service: \$1 hadoop_metric_group: jvm_metrics

API Name

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Rules to Extract Events from Log Files**Description**

This file contains the rules that govern how log messages are turned into events by the custom log4j appender that this role loads. It is in JSON format, and is composed of a list of rules. Every log message is evaluated against each of these rules in turn to decide whether or not to send an event for that message. If a log message matches multiple rules, the first matching rule is used.. Each rule has some or all of the following fields:

- alert - whether or not events generated from this rule should be promoted to alerts. A value of "true" will cause alerts to be generated. If not specified, the default is "false".

- `rate` (mandatory) - the maximum number of log messages matching this rule that can be sent as events every minute. If more than `rate` matching log messages are received in a single minute, the extra messages are ignored. If `rate` is less than 0, the number of messages per minute is unlimited.
- `periodminutes` - the number of minutes during which the publisher will only publish rate events or fewer. If not specified, the default is one minute
- `threshold` - apply this rule only to messages with this log4j severity level or above. An example is "WARN" for warning level messages or higher.
- `content` - match only those messages for which contents match this regular expression.
- `exceptiontype` - match only those messages that are part of an exception message. The exception type must match this regular expression.

Example:

- `{"alert": false, "rate": 10, "exceptiontype": "java.lang.StringIndexOutOfBoundsException"}` This rule sends events to Cloudera Manager for every `StringIndexOutOfBoundsException`, up to a maximum of 10 every minute.
- `{"alert": false, "rate": 1, "periodminutes": 1, "exceptiontype": ".*"}, {"alert": true, "rate": 1, "periodminutes": 1, "threshold": "ERROR"}` In this example, an event generated may not be promoted to alert if an exception is in the ERROR log message, because the first rule with `alert = false` will match.

Related Name

Default Value

version: 0, rules: [alert: false, rate: 1, periodminutes: 1, threshold: FATAL , alert: false, rate: 1, periodminutes: 2, exceptiontype: .* , alert: false, rate: 1, periodminutes: 1, threshold: WARN]

API Name

`log_event_whitelist`

Required

false

Navigator Audit Failure Thresholds

Description

The health test thresholds for failures encountered when monitoring audits within a recent period specified by the `mgmt_navigator_failure_window` configuration for the role. The value that can be specified for this threshold is the number of bytes of audits data that is left to be sent to audit server.

Related Name

`mgmt.navigator.failure.thresholds`

Default Value

Warning: Never, Critical: Any

API Name

`mgmt_navigator_failure_thresholds`

Required

false

Monitoring Period For Audit Failures

Description

The period to review when checking if audits are blocked and not getting processed.

Related Name

`mgmt.navigator.failure.window`

Default Value

20 minute(s)

API Name

mgmt_navigator_failure_window

Required

false

Navigator Audit Pipeline Health Check**Description**

Enable test of audit events processing pipeline. This will test if audit events are not getting processed by Audit Server for a role that generates audit.

Related Name

mgmt.navigator.status.check.enabled

Default Value

true

API Name

mgmt_navigator_status_check_enabled

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: { "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }

Related Name**Default Value****API Name**

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
processors: filter/$ROLE_NAME: metrics: include: match_type: regexp metric_names:
#memory - ^mem_heap_committed_m$ - ^mem_heap_max_m$ - ^mem_heap_used_m$ -
^mem_max_m$ - ^mem_non_heap_committed_m$ - ^mem_non_heap_used_m$ #gc - ^gc_
#threads - ^threads_blocked$ - ^threads_new$ - ^threads_runnable$ - ^threads_terminated$
- ^threads_timed_waiting$ - ^threads_waiting$ #log - ^log_error$ - ^log_fatal$ - ^log_info
$ - ^log_warn$ #process - ^process_cpu_seconds_total$ - ^process_start_time_seconds$ -
^process_open_fds$ - ^process_virtual_memory_bytes$
```

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name

Default Value

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

`$INFRA(cdp_request_signer_url)`

API Name

`otelcol_remote_write_url`

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify `$INFRA(cdp_request_signer_username)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

`$INFRA(cdp_request_signer_username)`

API Name

`otelcol_remote_write_user`

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

`otelcol_rtm_logs_exporters`

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value**API Name**

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
service: pipelines: metrics/$ROLE_NAME: receivers: [prometheus/$ROLE_NAME] processors: [filter/$ROLE_NAME] exporters: [prometheusremotewrite/$ROLE_NAME]
```

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

true

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds

Description

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=\$ROLENAM and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}] See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name

Default Value

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name

Default Value

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

Enable HBase REST Server Read Only Mode

Description

When false, all HTTP methods are permitted (GET/PUT/POST/DELETE). When true, only GET is permitted.

Related Name

hbase.rest.readonly

Default Value

	false
API Name	hbase_restserver_readonly
Required	false

Performance

HBase REST Server Maximum Threads

Description	Maximum size of the HBase REST Server thread pool. The server can process this number of concurrent requests. Setting this too high can lead to out of memory errors.
Related Name	hbase.rest.threads.max
Default Value	100
API Name	hbase_restserver_threads_max
Required	true

HBase REST Server Minimum Threads

Description	Minimum size of the HBase REST Server thread pool. The server will maintain at least this number of threads in the pool at all times. The thread pool can grow up to the maximum size set by hbase.rest.threads.max.
Related Name	hbase.rest.threads.min
Default Value	2
API Name	hbase_restserver_threads_min
Required	true

Maximum Process File Descriptors

Description	If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.
Related Name	
Default Value	
API Name	rlimit_fds
Required	false

Ports and Addresses

HBase REST Server DNS Network Interface

Description

The name of the DNS network interface from which an HBase REST Server should report its IP address.

Related Name

hbase.rest.dns.interface

Default Value**API Name**

hbase_restserver_dns_interface

Required

false

HBase REST Server DNS Name Server

Description

The host name or IP address of the DNS name server which an HBase REST Server should use to determine the host name used for communication and display purposes.

Related Name

hbase.rest.dns.nameserver

Default Value**API Name**

hbase_restserver_dns_nameserver

Required

false

HBase REST Server Host Address

Description

HBase REST Server will bind to this address.

Related Name

hbase.rest.host

Default Value

0.0.0.0

API Name

hbase_restserver_host

Required

false

HBase REST Server Web UI Bind to Wildcard Address

Description

If true, HBase REST Server Web UI will bind to a wildcard address (0.0.0.0). Otherwise it will bind to a host name. Only available in CDH 4.3 and later.

Related Name

hbase.rest.info.bindAddress

Default Value

true

API Name

hbase_restserver_info_bind_to_wildcard

Required

false

HBase REST Server Web UI Port**Description**

The port that HBase REST Server Web UI binds to.

Related Name

hbase.rest.info.port

Default Value

8085

API Name

hbase_restserver_info_port

Required

true

HBase REST Server Port**Description**

The port that HBase REST Server binds to.

Related Name

hbase.rest.port

Default Value

20550

API Name

hbase_restserver_port

Required

true

Resource Management**Java Heap Size of HBase REST Server in Bytes****Description**

Maximum size in bytes for the Java Process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

1 GiB

API Name

hbase_restserver_java_heapsize

Required

false

Cgroup V1 BLKIO Weight**Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command:

resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2'
 These settings override other cgroup settings.

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no

limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security

HBase REST Server TLS/SSL Server Keystore File Location

Description

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when HBase REST Server is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

hbase.rest.ssl.keystore.store

Default Value**API Name**

hbase_restserver_keystore_file

Required

false

HBase REST Server TLS/SSL Server Keystore Key Password

Description

The password that protects the private key contained in the keystore used when HBase REST Server is acting as a TLS/SSL server.

Related Name

hbase.rest.ssl.keystore.keypassword

Default Value**API Name**

hbase_restserver_keystore_keypassword

Required

false

HBase REST Server TLS/SSL Server Keystore File Password

Description

The password for the HBase REST Server keystore file.

Related Name

hbase.rest.ssl.keystore.password

Default Value**API Name**

hbase_restserver_keystore_password

Required

false

Enable TLS/SSL for HBase REST Server

Description

Encrypt communication between clients and HBase REST Server using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

hbase.rest.ssl.enabled

Default Value

	false
API Name	hbase_restserver_ssl_enable
Required	false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value

API Name

stacks_collection_directory

Required

false

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency

Description

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method

Description

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: HBase REST Server Advanced Configuration Snippet (Safety Valve) for hbase-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase REST Server Advanced Configuration Snippet (Safety Valve) for hbase-site.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_restserver_config_safety_valve

Required

true

Suppress Parameter Validation: HBase REST Server DNS Network Interface

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase REST Server DNS Network Interface parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_restserver_dns_interface

Required

true

Suppress Parameter Validation: HBase REST Server DNS Name Server

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase REST Server DNS Name Server parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_restserver_dns_nameserver

Required

true

Suppress Parameter Validation: HBase REST Server Host Address

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase REST Server Host Address parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_restserver_host

Required

true

Suppress Parameter Validation: HBase REST Server Web UI Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase REST Server Web UI Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_restserver_info_port

Required

true

Suppress Parameter Validation: Java Configuration Options for HBase REST Server

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for HBase REST Server parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_restserver_java_opts

Required

true

Suppress Parameter Validation: HBase REST Server TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase REST Server TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_restserver_keystore_file

Required

true

Suppress Parameter Validation: HBase REST Server TLS/SSL Server Keystore Key Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase REST Server TLS/SSL Server Keystore Key Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_restserver_keystore_keypassword

Required

true

Suppress Parameter Validation: HBase REST Server TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase REST Server TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_restserver_keystore_password

Required

true

Suppress Parameter Validation: HBase REST Server Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase REST Server Log Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_restserver_log_dir

Required

true

Suppress Parameter Validation: HBase REST Server Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase REST Server Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_restserver_port

Required

true

Suppress Parameter Validation: HBase REST Server Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase REST Server Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hbaserestserver_role_env_safety_valve

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: HBase REST Server Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase REST Server Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Rules to Extract Events from Log Files

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Rules to Extract Events from Log Files parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log_event_whitelist

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

	false
API Name	role_config_suppression_otelcol_helper_port
Required	true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_processors
Required	true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_receivers
Required	true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_remote_write_password
Required	true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Stacks Collection Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test

Description

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hbase_rest_server_audit_health

Required

true

Suppress Health Test: File Descriptors

Description

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hbase_rest_server_file_descriptor

Required

true

Suppress Health Test: Heap Dump Directory Free Space

Description

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hbase_rest_server_heap_dump_directory_free_space

Required

true

Suppress Health Test: Host Health

Description

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_hbase_rest_server_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hbase_rest_server_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hbase_rest_server_otelcol_health

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hbase_rest_server_scm_health

Required

true

Suppress Health Test: Swap Memory Usage

Description

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hbase_rest_server_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hbase_rest_server_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hbase_rest_server_unexpected_exits

Required

true

HBase Thrift Server

Advanced

HBase Thrift Server Advanced Configuration Snippet (Safety Valve) for hbase-site.xml

Description

For advanced use only. A string to be inserted into hbase-site.xml for this role only.

Related Name**Default Value****API Name**

hbase_thriftserver_config_safety_valve

Required

false

Java Configuration Options for HBase Thrift Server**Description**

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or greater, {{JAVA_GC_ARGS}} will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name**Default Value**

JAVA_GC_ARGS

API Name

hbase_thriftserver_java_opts

Required

false

HBase Thrift Server Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

HBASETHRIFTSERVER_role_env_safety_valve

Required

false

HBase Thrift Server Logging Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations**Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory

Description

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory

Description

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory

Description

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Logs

HBase Thrift Server Log Directory

Description

Directory where HBase Thrift Server will place its log files.

Related Name

hadoop.log.dir

Default Value

/var/log/hbase

API Name

hbase_thriftserver_log_dir

Required

false

HBase Thrift Server Logging Threshold

Description

The minimum log level for HBase Thrift Server logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

HBase Thrift Server Maximum Log File Backups

Description

The maximum number of rolled log files to keep for HBase Thrift Server logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

HBase Thrift Server Max Log Size

Description

The maximum size, in megabytes, per log file for HBase Thrift Server logs. Typically used by log4j or logback.

Related Name

Default Value

200 MiB

API Name

max_log_size

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

hbasethriftserver_fd_thresholds

Required

false

HBase Thrift Server Host Health Test**Description**

When computing the overall HBase Thrift Server health, consider the host's health.

Related Name**Default Value**

true

API Name

hbasethriftserver_host_health_enabled

Required

false

HBase Thrift Server Process Health Test**Description**

Enables the health test that the HBase Thrift Server's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

hbasethriftserver_scm_health_enabled

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

```
startDelaySeconds: 10 ssl: false lowercaseOutputName: true lowercaseOutputLabelNames: true
rules: - pattern: 'Hadoop<service=(.*)>, name=JvmMetrics<><(.*)>: (\d+)' attrNameSnakeCase: true
name: $2 value: $3 labels: hadoop_service: $1 hadoop_metric_group: jvm_metrics
```

API Name

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Rules to Extract Events from Log Files**Description**

This file contains the rules that govern how log messages are turned into events by the custom log4j appender that this role loads. It is in JSON format, and is composed of a list of rules. Every log message is evaluated against each of these rules in turn to decide whether or not to send an event for that message. If a log message matches multiple rules, the first matching rule is used. Each rule has some or all of the following fields:

- alert - whether or not events generated from this rule should be promoted to alerts. A value of "true" will cause alerts to be generated. If not specified, the default is "false".
- rate (mandatory) - the maximum number of log messages matching this rule that can be sent as events every minute. If more than rate matching log messages are received in a single minute, the extra messages are ignored. If rate is less than 0, the number of messages per minute is unlimited.
- periodminutes - the number of minutes during which the publisher will only publish rate events or fewer. If not specified, the default is one minute
- threshold - apply this rule only to messages with this log4j severity level or above. An example is "WARN" for warning level messages or higher.
- content - match only those messages for which contents match this regular expression.
- exceptiontype - match only those messages that are part of an exception message. The exception type must match this regular expression.

Example:

- {"alert": false, "rate": 10, "exceptiontype": "java.lang.StringIndexOutOfBoundsException"} This rule sends events to Cloudera Manager for every StringIndexOutOfBoundsException, up to a maximum of 10 every minute.
- {"alert": false, "rate": 1, "periodminutes": 1, "exceptiontype": ".*"}, {"alert": true, "rate": 1, "periodminutes": 1, "threshold": "ERROR"} In this example, an event generated may not be promoted to alert if an exception is in the ERROR log message, because the first rule with alert = false will match.

Related Name

Default Value

version: 0, rules: [alert: false, rate: 1, periodminutes: 1, threshold: FATAL , alert: false, rate: 1, periodminutes: 2, exceptiontype: .* , alert: false, rate: 1, periodminutes: 1, threshold: WARN]

API Name

log_event_whitelist

Required

false

Navigator Audit Failure Thresholds

Description

The health test thresholds for failures encountered when monitoring audits within a recent period specified by the mgmt_navigator_failure_window configuration for the role. The value that can be specified for this threshold is the number of bytes of audits data that is left to be sent to audit server.

Related Name

mgmt.navigator.failure.thresholds

Default Value

Warning: Never, Critical: Any

API Name

mgmt_navigator_failure_thresholds

Required

false

Monitoring Period For Audit Failures

Description

The period to review when checking if audits are blocked and not getting processed.

Related Name

mgmt.navigator.failure.window

Default Value

20 minute(s)

API Name

mgmt_navigator_failure_window

Required

false

Navigator Audit Pipeline Health Check

Description

Enable test of audit events processing pipeline. This will test if audit events are not getting processed by Audit Server for a role that generates audit.

Related Name

mgmt.navigator.status.check.enabled

Default Value

true

API Name

mgmt_navigator_status_check_enabled

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: { "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }

Related Name**Default Value****API Name**

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
processors: filter/$ROLE_NAME: metrics: include: match_type: regexp metric_names:
#memory - ^mem_heap_committed_m$ - ^mem_heap_max_m$ - ^mem_heap_used_m$ -
^mem_max_m$ - ^mem_non_heap_committed_m$ - ^mem_non_heap_used_m$ #gc - ^gc_
#threads - ^threads_blocked$ - ^threads_new$ - ^threads_runnable$ - ^threads_terminated$
- ^threads_timed_waiting$ - ^threads_waiting$ #log - ^log_error$ - ^log_fatal$ - ^log_info
$ - ^log_warn$ #process - ^process_cpu_seconds_total$ - ^process_start_time_seconds$ -
^process_open_fds$ - ^process_virtual_memory_bytes$
```

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: `$HOST_NAME`, `$CLUSTER_NAME`, `$CLUSTER_ID`, `$SERVICE_TYPE`, `$SERVICE_NAME`, `$ROLE_NAME`, `$ROLE_TYPE`, `$ROLE_PARAM(my_parameter_name)` - e.g.: a port parameter for the role's metrics, `$DECODE_B64(...)` and `$DECODE_URL(...)` to decode encoded parameters, `$ENV_PARAM(name)` to fetch params from the process' environment, `$SYS_PARAM(name)` to fetch java system properties.

Related Name**Default Value****API Name**`otelcol_receivers`**Required**`false`**OpenTelemetry Collector Remote Write Password****Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**`*****`**API Name**`otelcol_remote_write_password`**Required**`false`**OpenTelemetry Collector Remote Write URL****Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**`$INFRA(cdp_request_signer_url)`**API Name**`otelcol_remote_write_url`**Required**`false`**OpenTelemetry Collector Remote Write Username****Description**

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
service: pipelines: metrics/$ROLE_NAME: receivers: [prometheus/$ROLE_NAME] processors:
[filter/$ROLE_NAME] exporters: [prometheusremotewrite/$ROLE_NAME]
```

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

true

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

`unexpected_exits_thresholds`

Required

false

Unexpected Exits Monitoring Period**Description**

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

`unexpected_exits_window`

Required

false

Other**Enable HBase Thrift Server Compact Protocol****Description**

Use the `TCompactProtocol` instead of the default `TBinaryProtocol`. `TCompactProtocol` is a binary protocol that is more compact than the default and typically more efficient.

Related Name

`hbase.regionserver.thrift.compact`

Default Value

true

API Name

`hbase_thriftserver_compact`

Required

false

Enable HBase Thrift Server Framed Transport**Description**

Use framed transport. When using the `THsHaServer` or `TNonblockingServer`, framed transport is always used irrespective of this configuration value.

Related Name

`hbase.regionserver.thrift.framed`

Default Value

true

API Name

hbase_thriftserver_framed

Required

false

HBase Thrift Server Type**Description**

Type of HBase Thrift Server.

Related Name

hbase.regionserver.thrift.server.type

Default Value

threadpool

API Name

hbase_thriftserver_type

Required

false

Performance**HBase Thrift Server Min Worker Threads****Description**

The "core size" of the thread pool. New threads are created on every connection until this many threads are created.

Related Name

hbase.thrift.minWorkerThreads

Default Value

200

API Name

hbase_thriftserver_min_worker_threads

Required

false

Maximum Process File Descriptors**Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses**HBase Thrift Server Bind Address****Description**

Address to bind the HBase Thrift Server to. When using the THsHaServer or the TNonblockingServer, always binds to 0.0.0.0 irrespective of this configuration value.

Related Name

hbase.regionserver.thrift.ipaddress

Default Value

0.0.0.0

API Name

hbase_thriftserver_bindaddress

Required

false

HBase Thrift Server DNS Network Interface**Description**

The name of the DNS network interface from which an HBase Thrift Server should report its IP address.

Related Name

hbase.thrift.dns.interface

Default Value**API Name**

hbase_thriftserver_dns_interface

Required

false

HBase Thrift Server DNS Name Server**Description**

The host name or IP address of the DNS name server which an HBase Thrift Server should use to determine the host name used for communication and display purposes.

Related Name

hbase.thrift.dns.nameserver

Default Value**API Name**

hbase_thriftserver_dns_nameserver

Required

false

HBase Thrift Server Web UI Bind to Wildcard Address**Description**

If true, HBase Thrift Server Web UI will bind to a wildcard address (0.0.0.0). Otherwise it will bind to a host name. Only available in CDH 4.3 and later.

Related Name

hbase.thrift.info.bindAddress

Default Value

true

API Name

hbase_thriftserver_info_bind_to_wildcard

Required

false

HBase Thrift Server Web UI Port**Description**

The port that HBase Thrift Server Web UI binds to.

Related Name

hbase.thrift.info.port

Default Value

9095

API Name

hbase_thriftserver_info_port

Required

true

HBase Thrift Server Port**Description**

The port that HBase Thrift Server binds to.

Related Name

hbase.regionserver.thrift.port

Default Value

9090

API Name

hbase_thriftserver_port

Required

true

Resource Management**Java Heap Size of HBase Thrift Server in Bytes****Description**

Maximum size in bytes for the Java Process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

1 GiB

API Name

hbase_thriftserver_java_heapsize

Required

false

Cgroup V1 BLKIO Weight**Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

`custom.cgroups`**Default Value****API Name**`rm_custom_resources`**Required**`false`**Cgroup V2 I/O Weight****Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name`io.weight`**Default Value**`100`**API Name**`rm_io_weight`**Required**`true`**Cgroup V1 Memory Hard Limit****Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name`memory.limit_in_bytes`**Default Value**`-1 MiB`**API Name**`rm_memory_hard_limit_v1`**Required**`true`**Cgroup V2 Memory Hard Limit****Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

`memory.max`**Default Value**`-1 MiB`**API Name**`rm_memory_hard_limit_v2`**Required**`true`**Cgroup V1 Memory Soft Limit****Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name`memory.soft_limit_in_bytes`**Default Value**`-1 MiB`**API Name**`rm_memory_soft_limit_v1`**Required**`true`**Cgroup V2 Memory Soft Limit****Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name`memory.high`**Default Value**`-1 MiB`**API Name**`rm_memory_soft_limit_v2`**Required**`true`**Security****HBase Thrift Server over HTTP TLS/SSL Server Keystore File Location****Description**

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when HBase Thrift Server over HTTP is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

hbase.thrift.ssl.keystore.store

Default Value**API Name**

hbase_thriftserver_http_keystore_file

Required

false

HBase Thrift Server over HTTP TLS/SSL Server Keystore Key Password**Description**

The password that protects the private key contained in the keystore used when HBase Thrift Server over HTTP is acting as a TLS/SSL server.

Related Name

hbase.thrift.ssl.keystore.keypassword

Default Value**API Name**

hbase_thriftserver_http_keystore_keypassword

Required

false

HBase Thrift Server over HTTP TLS/SSL Server Keystore File Password**Description**

The password for the HBase Thrift Server over HTTP keystore file.

Related Name

hbase.thrift.ssl.keystore.password

Default Value**API Name**

hbase_thriftserver_http_keystore_password

Required

false

Enable TLS/SSL for HBase Thrift Server over HTTP**Description**

Encrypt communication between clients and HBase Thrift Server over HTTP using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

hbase.thrift.ssl.enabled

Default Value

false

API Name

hbase_thriftserver_http_use_ssl

Required

false

Stacks Collection**Stacks Collection Data Retention****Description**

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory**Description**

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: HBase Kerberos Secure Thrift Server Validator**Description**

Whether to suppress configuration warnings produced by the HBase Kerberos Secure Thrift Server Validator configuration validator.

Related Name**Default Value**

	false
API Name	role_config_suppression_hbase_kerberos_secure_thrift_validator
Required	true

Suppress Parameter Validation: HBase Thrift Server Bind Address

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Thrift Server Bind Address parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_hbase_thriftserver_bindaddress
Required	true

Suppress Parameter Validation: HBase Thrift Server Advanced Configuration Snippet (Safety Valve) for hbase-site.xml

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Thrift Server Advanced Configuration Snippet (Safety Valve) for hbase-site.xml parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_hbase_thriftserver_config_safety_valve
Required	true

Suppress Parameter Validation: HBase Thrift Server DNS Network Interface

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Thrift Server DNS Network Interface parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_hbase_thriftserver_dns_interface
Required	true

Suppress Parameter Validation: HBase Thrift Server DNS Name Server

Description	
--------------------	--

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Thrift Server DNS Name Server parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_thriftserver_dns_nameserver

Required

true

Suppress Parameter Validation: HBase Thrift Server over HTTP TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Thrift Server over HTTP TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_thriftserver_http_keystore_file

Required

true

Suppress Parameter Validation: HBase Thrift Server over HTTP TLS/SSL Server Keystore Key Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Thrift Server over HTTP TLS/SSL Server Keystore Key Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_thriftserver_http_keystore_keypassword

Required

true

Suppress Parameter Validation: HBase Thrift Server over HTTP TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Thrift Server over HTTP TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

`role_config_suppression_hbase_thriftserver_http_keystore_password`**Required**

true

Suppress Parameter Validation: HBase Thrift Server Web UI Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Thrift Server Web UI Port parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_hbase_thriftserver_info_port`**Required**

true

Suppress Parameter Validation: Java Configuration Options for HBase Thrift Server**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for HBase Thrift Server parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_hbase_thriftserver_java_opts`**Required**

true

Suppress Parameter Validation: HBase Thrift Server Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Thrift Server Log Directory parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_hbase_thriftserver_log_dir`**Required**

true

Suppress Parameter Validation: HBase Thrift Server Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Thrift Server Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_thriftserver_port

Required

true

Suppress Parameter Validation: HBase Thrift Server Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Thrift Server Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hbasethriftserver_role_env_safety_valve

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: HBase Thrift Server Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Thrift Server Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Rules to Extract Events from Log Files

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Rules to Extract Events from Log Files parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log_event_whitelist

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

`role_config_suppression_otelcol_extensions`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Helper Port****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_helper_port`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Processors Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_processors`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Receivers Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_receivers`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hbase_thrift_server_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hbase_thrift_server_file_descriptor

Required

true

Suppress Health Test: Heap Dump Directory Free Space**Description**

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

`role_health_suppression_hbase_thrift_server_heap_dump_directory_free_space`**Required**

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name`role_health_suppression_hbase_thrift_server_host_health`**Required**

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name`role_health_suppression_hbase_thrift_server_log_directory_free_space`**Required**

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name`role_health_suppression_hbase_thrift_server_otelcol_health`**Required**

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hbase_thrift_server_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hbase_thrift_server_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hbase_thrift_server_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits**Description**

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hbase_thrift_server_unexpected_exits

Required

true

Master

Advanced

Hadoop Metrics2 Advanced Configuration Snippet (Safety Valve)

Description

Advanced Configuration Snippet (Safety Valve) for Hadoop Metrics2. Properties will be inserted into hadoop-metrics2.properties.

Related Name**Default Value****API Name**

hadoop_metrics2_safety_valve

Required

false

HBase Coprocessor Master Classes

Description

List of org.apache.hadoop.hbase.coprocessor.MasterObserver coprocessors that are loaded by default on the active HMaster process. For any implemented coprocessor methods, the listed classes will be called in order. After implementing your own MasterObserver, just put it in HBase's classpath and add the fully qualified class name here.

Related Name

hbase.coprocessor.master.classes

Default Value**API Name**

hbase_coprocessor_master_classes

Required

false

Master Advanced Configuration Snippet (Safety Valve) for hbase-site.xml

Description

For advanced use only. A string to be inserted into hbase-site.xml for this role only.

Related Name**Default Value****API Name**

hbase_master_config_safety_valve

Required

false

Java Configuration Options for HBase Master

Description

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or greater, {{JAVA_GC_ARGS}} will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name**Default Value**

JAVA_GC_ARGS -XX:ReservedCodeCacheSize=256m

API Name

hbase_master_java_opts

Required

false

Netty native library working directory

Description

The local working directory used for Netty native libraries.

Related Name

netty.native.workdir

Default Value

/var/hbase/netty-workdir

API Name

hbase_netty_native_workdir

Required

false

Snappy temporary directory

Description

The local temporary directory used for Snappy.

Related Name**Default Value**

/var/hbase/snappy-tempdir

API Name

hbase_snappy_tempdir

Required

false

Master Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Master Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

MASTER_role_env_safety_valve

Required

false

Enable auto refresh for metric configurations**Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when `java.lang.OutOfMemoryError` is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name

Default Value

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name

Default Value

20

API Name

process_start_secs

Required

false

Logs

Master Log Directory

Description

Directory where Master will place its log files.

Related Name

hadoop.log.dir

Default Value

/var/log/hbase

API Name

hbase_master_log_dir

Required

false

Master Logging Threshold

Description

The minimum log level for Master logs

Related Name

Default Value

INFO

API Name

log_threshold

Required

false

Master Maximum Log File Backups**Description**

The maximum number of rolled log files to keep for Master logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

Master Max Log Size**Description**

The maximum size, in megabytes, per log file for Master logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Metrics**Extended Period****Description**

Time period in seconds to reset long-running metrics (e.g. compactions). This is an HBase specific configuration.

Related Name

hbase.extendedperiod

Default Value

1 hour(s)

API Name

hbase_metrics_extended_period

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

HBase OldWALs Directory Size Threshold Health Test

Description

Enable the health test that checks if the old WALs directory size is over the threshold configured in HBase.

Related Name

Default Value

true

API Name

hbase_oldwal_dir_size_alert_enabled

Required

false

HBase OldWALs Directory Size Thresholds

Description

Specifies the thresholds for the oldWALs directory size that triggers a health alert

Related Name

Default Value

Warning: 1 TiB, Critical: 5 TiB

API Name

hbase_oldwal_dir_size_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML**Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name

Default Value

startDelaySeconds: 10 ssl: false lowercaseOutputName: true lowercaseOutputLabelNames: true
rules: - pattern: 'Hadoop<service=(.*), name=JvmMetrics><>(.*): (\d+)' attrNameSnakeCase:
true name: \$2 value: \$3 labels: hadoop_service: \$1 hadoop_metric_group: jvm_metrics - pattern:
'Hadoop<service=HBase, name=Master, sub=.*><>(.*): (\d+)' attrNameSnakeCase: true name:
hbase_\$1 value: \$2 labels: hadoop_service: HBase hadoop_metric_group: master - pattern:
'Hadoop<service=HBase, name=UgiMetrics><>(.*): (\d+)' attrNameSnakeCase: true name:
hbase_\$1 value: \$2 labels: hadoop_service: HBase hadoop_metric_group: ugi_metrics - pattern:
'Hadoop<service=HBase, name=RegionServer, sub=.*><>(.*): (\d+)' attrNameSnakeCase: true
name: hbase_\$1 value: \$2 labels: hadoop_service: HBase hadoop_metric_group: master

API Name

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name

Default Value

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Rules to Extract Events from Log Files

Description

This file contains the rules that govern how log messages are turned into events by the custom log4j appender that this role loads. It is in JSON format, and is composed of a list of rules. Every log message is evaluated against each of these rules in turn to decide whether or not to send an event for

that message. If a log message matches multiple rules, the first matching rule is used.. Each rule has some or all of the following fields:

- alert - whether or not events generated from this rule should be promoted to alerts. A value of "true" will cause alerts to be generated. If not specified, the default is "false".
- rate (mandatory) - the maximum number of log messages matching this rule that can be sent as events every minute. If more than rate matching log messages are received in a single minute, the extra messages are ignored. If rate is less than 0, the number of messages per minute is unlimited.
- periodminutes - the number of minutes during which the publisher will only publish rate events or fewer. If not specified, the default is one minute
- threshold - apply this rule only to messages with this log4j severity level or above. An example is "WARN" for warning level messages or higher.
- content - match only those messages for which contents match this regular expression.
- exceptiontype - match only those messages that are part of an exception message. The exception type must match this regular expression.

Example:

- {"alert": false, "rate": 10, "exceptiontype": "java.lang.StringIndexOutOfBoundsException"} This rule sends events to Cloudera Manager for every StringIndexOutOfBoundsException, up to a maximum of 10 every minute.
- {"alert": false, "rate": 1, "periodminutes": 1, "exceptiontype": ".*"}, {"alert": true, "rate": 1, "periodminutes": 1, "threshold": "ERROR"} In this example, an event generated may not be promoted to alert if an exception is in the ERROR log message, because the first rule with alert = false will match.

Related Name

Default Value

version: 0, rules: [alert: false, rate: 1, periodminutes: 1, threshold: FATAL , alert: false, rate: 0, exceptiontype: java.io.IOException , alert: false, rate: 0, exceptiontype: java.net.SocketException , alert: false, rate: 0, exceptiontype: java.net.SocketClosedException , alert: false, rate: 0, exceptiontype: java.io.EOFException , alert: false, rate: 0, exceptiontype: java.nio.channels.CancelledKeyException , alert: false, rate: 0, threshold: WARN, content: .* is deprecated. Instead, use .* , alert: false, rate: 0, threshold: WARN, content: .* is deprecated. Use .* instead , alert: false, rate: 1, periodminutes: 1, threshold: WARN, content: IPC Server handler.*ClosedChannelException , alert: false, rate: 1, periodminutes: 1, threshold: WARN, content: IPC Server Responder, call.*output error , alert: false, rate: 1, periodminutes: 1, threshold: WARN, content: Daughter regiondir does not exist: .* , alert: false, rate: 1, periodminutes: 1, threshold: WARN, content: File.*might still be open.* , alert: false, rate: 1, periodminutes: 1, threshold: WARN, content: File.*might still be open.* , alert: false, rate: 1, periodminutes: 1, threshold: WARN, content: Moving table .+ state to enabled but was already enabled , alert: false, rate: 1, periodminutes: 1, threshold: WARN, content: Received OPENED for region.*but region was in the state.* , alert: false, rate: 1, periodminutes: 2, exceptiontype: .* , alert: false, rate: 0, threshold: WARN, content: Unknown job [^]+ being deleted.* , alert: false, rate: 0, threshold: WARN, content: Error executing shell command .+ No such process.+ , alert: false, rate: 0, threshold: WARN, content: .*attempt to override final parameter.+ , alert: false, rate: 0, threshold: WARN, content: [^]+ is a deprecated filesystem name. Use.* , alert: false, rate: 1, periodminutes: 1, threshold: WARN]

API Name

log_event_whitelist

Required

false

HBase Master Canary Health Test

Description

Enables the health test that a client can connect to the HBase Master

Related Name**Default Value**

true

API Name

master_canary_health_enabled

Required

false

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

master_fd_thresholds

Required

false

Garbage Collection Duration Thresholds

Description

The health test thresholds for the weighted average time spent in Java garbage collection. Specified as a percentage of elapsed wall clock time.

Related Name**Default Value**

Warning: 30.0, Critical: 60.0

API Name

master_gc_duration_thresholds

Required

false

Garbage Collection Duration Monitoring Period

Description

The period to review when computing the moving average of garbage collection time.

Related Name**Default Value**

5 minute(s)

API Name

master_gc_duration_window

Required

false

Master Host Health Test

Description

When computing the overall Master health, consider the host's health.

Related Name**Default Value**

true

API Name

master_host_health_enabled

Required

false

HBase Regions In Transition Over Threshold Health Test

Description

Enable the health test that checks if there are regions in transition over the threshold configured in HBase.

Related Name**Default Value**

true

API Name

master_regions_in_transition_health_enabled

Required

false

Master Process Health Test

Description

Enables the health test that the Master's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

master_scm_health_enabled

Required

false

Health Test Startup Tolerance

Description

The amount of time allowed after this role is started that failures of health tests that rely on communication with this role will be tolerated.

Related Name**Default Value**

5 minute(s)

API Name

master_startup_tolerance

Required

false

Web Metric Collection

Description

Enables the health test that the Cloudera Manager Agent can successfully contact and gather metrics from the web server.

Related Name

Default Value

true

API Name

master_web_metric_collection_enabled

Required

false

Web Metric Collection Duration

Description

The health test thresholds on the duration of the metrics request to the web server.

Related Name

Default Value

Warning: 10 second(s), Critical: Never

API Name

master_web_metric_collection_thresholds

Required

false

Navigator Audit Failure Thresholds

Description

The health test thresholds for failures encountered when monitoring audits within a recent period specified by the mgmt_navigator_failure_window configuration for the role. The value that can be specified for this threshold is the number of bytes of audits data that is left to be sent to audit server.

Related Name

mgmt.navigator.failure.thresholds

Default Value

Warning: Never, Critical: Any

API Name

mgmt_navigator_failure_thresholds

Required

false

Monitoring Period For Audit Failures

Description

The period to review when checking if audits are blocked and not getting processed.

Related Name

mgmt.navigator.failure.window

Default Value

20 minute(s)

API Name

mgmt_navigator_failure_window

Required

false

Navigator Audit Pipeline Health Check**Description**

Enable test of audit events processing pipeline. This will test if audit events are not getting processed by Audit Server for a role that generates audit.

Related Name

mgmt.navigator.status.check.enabled

Default Value

true

API Name

mgmt_navigator_status_check_enabled

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name**Default Value****API Name**

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value**

11140

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
processors: filter/$ROLE_NAME: metrics: include: match_type: regexp metric_names:
#memory - ^mem_heap_committed_m$ - ^mem_heap_max_m$ - ^mem_heap_used_m$ -
^mem_max_m$ - ^mem_non_heap_committed_m$ - ^mem_non_heap_used_m$ #gc - ^gc_.*
#threads - ^threads_blocked$ - ^threads_new$ - ^threads_runnable$ - ^threads_terminated$
- ^threads_timed_waiting$ - ^threads_waiting$ #log - ^log_error$ - ^log_fatal$ - ^log_info
$ - ^log_warn$ #process - ^process_cpu_seconds_total$ - ^process_start_time_seconds$ -
^process_open_fds$ - ^process_virtual_memory_bytes$ #hbase - ^hbase_rit_count_over_threshold
$ - ^hbase_rit_oldest_age$ - ^hbase_rit_count$ - ^hbase_num_dead_region_servers
$ - ^hbase_orphan_regions_on_rs$ - ^hbase_inconsistent_regions$ - ^hbase_holes$ -
^hbase_overlaps$ - ^hbase_unknown_server_regions$ - ^hbase_empty_region_info_regions$ -
^hbase_num_region_servers$ - ^hbase_orphan_regions_on_rs$ - ^hbase_orphan_regions_on_fs
$ - ^hbase_empty_region_info_regions$ - ^hbase_process_call_time_99th_percentile$ -
^hbase_queue_call_time_99th_percentile$ - ^hbase_sent_bytes$ - ^hbase_received_bytes$ -
^hbase_authorization_failures$ - ^hbase_queue_call_time_max$
```

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

```
receivers: prometheus/$ROLE_NAME: config: scrape_configs: - job_name: 'DMP-$ROLE_NAME'
scrape_interval: 60s scheme: http tls_config: insecure_skip_verify: true static_configs: -
targets: ['localhost:$ROLE_PARAM(otelcol_helper_port)'] labels: host_name: $HOST_NAME
cm_cluster_id: $CLUSTER_ID service_type: $SERVICE_TYPE service: $SERVICE_NAME
role_type: $ROLE_TYPE role_name: $ROLE_NAME instance: $INFRA(instance_id) cluster_id:
$INFRA(cluster_id) platform: $INFRA(platform) formfactor: paas-vm relabel_configs: -
source_labels: [cluster_id] regex: 'crn:cdp:([^:]+):.*' replacement: '$$1' target_label: app_type
action: replace
```

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

service: pipelines: metrics/\$ROLE_NAME: receivers: [prometheus/\$ROLE_NAME] processors: [filter/\$ROLE_NAME] exporters: [prometheusremotewrite/\$ROLE_NAME]

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

true

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers

Description

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

role_triggers

Required

true

Enable Spool Directory Metric Usage for Master

Description

Enables the health test for monitoring the Ranger Plugin Spool directory usage.

Related Name

Default Value

true

API Name

spool_directory_usage_enabled

Required

false

Ranger Plugin Spool Directory Usage Thresholds for Master

Description

The health test thresholds for monitoring the the Ranger Plugin Spool directory usage.

Related Name

Default Value

1 GiB

API Name

spool_directory_usage_threshold

Required

false

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name

Default Value

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name

Default Value

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

HBase Master Handler Count

Description

Number of RPC Server instances spun up on HBase Master.

Related Name

hbase.master.handler.count

Default Value

25

API Name

hbase_master_handler_count

Required

false

HBase Master Log Cleaner Plugins

Description

A comma-separated list of LogCleanerDelegate(s) that are used in LogsCleaner. WAL/HLog cleaner(s) are called in order, so put the log cleaner that prunes the most log files in the front. To implement your own LogCleanerDelegate, add it to HBase's classpath and add the fully-qualified class name here. You should always add the above default log cleaners in the list, unless you have a special reason not to.

Related Name

hbase.master.logcleaner.plugins

Default Value**API Name**

hbase_master_logcleaner_plugins

Required

false

Maximum Time to Keep HLogs**Description**

Maximum time an HLog remains in the .oldlogdir directory until an HBase Master thread deletes it.

Related Name

hbase.master.logcleaner.ttl

Default Value

1 minute(s)

API Name

hbase_master_logcleaner_ttl

Required

false

Set HBase Master UI to read-only.**Description**

Read-only mode for the HBase Master UI disallows operations from the UI which change the state of HBase, such as triggering compactions or splits.

Related Name

hbase.master.ui.readonly

Default Value

true

API Name

hbase_master_ui_readonly

Required

false

Performance**Region Closing Threads****Description**

Number of pooled threads to handle region closing in the master.

Related Name

hbase.master.executor.closeregion.threads

Default Value

5

API Name

hbase_master_executor_closeregion_threads

Required

false

Region Opening Threads

Description

Number of pooled threads to handle region opening in the master.

Related Name

hbase.master.executor.openregion.threads

Default Value

5

API Name

hbase_master_executor_openregion_threads

Required

false

RegionServer Recovery Threads

Description

Number of pooled threads to handle the recovery of the RegionServers in the master.

Related Name

hbase.master.executor.serverops.threads

Default Value

5

API Name

hbase_master_executor_serverops_threads

Required

false

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name

Default Value

API Name

rlimit_fds

Required

false

Ports and Addresses

HBase Master Bind to Wildcard Address

Description

When true, HBase Master will bind to 0.0.0.0. Only available with CDH 4.3 and later.

Related Name

hbase.master.ipc.address

Default Value

true

API Name

hbase_master_bind_to_wildcard_address

Required

true

HBase Master DNS Network Interface**Description**

The name of the DNS network interface from which an HBase Master should report its IP address.

Related Name

hbase.master.dns.interface

Default Value**API Name**

hbase_master_dns_interface

Required

false

HBase Master DNS Name Server**Description**

The host name or IP address of the DNS name server which an HBase Master should use to determine the host name used for communication and display purposes.

Related Name

hbase.master.dns.nameserver

Default Value**API Name**

hbase_master_dns_nameserver

Required

false

HBase Master Web UI Address**Description**

The address for the HBase Master web UI

Related Name

hbase.master.info.bindAddress

Default Value**API Name**

hbase_master_info_bindAddress

Required

false

HBase Master Web UI Port

Description

The port for the HBase Master web UI. Set to -1 to disable the HBase Master web UI.

Related Name

hbase.master.info.port

Default Value

16010

API Name

hbase_master_info_port

Required

false

HBase Master Port

Description

The port that the HBase Master binds to.

Related Name

hbase.master.port

Default Value

16000

API Name

hbase_master_port

Required

false

Resource Management

Java Heap Size of HBase Master in Bytes

Description

Maximum size in bytes for the Java Process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

1 GiB

API Name

hbase_master_java_heapsize

Required

false

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2'
These settings override other cgroup settings.

Related Name

custom.cgroups

Default Value

API Name

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

	-1 MiB
API Name	rm_memory_hard_limit_v2
Required	true

Cgroup V1 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security

Require EXEC privilege to execute coprocessor calls

Description

If this setting is enabled and ACL based access control is active (the AccessController coprocessor is installed either as a system coprocessor or on a table as a table coprocessor) then you must grant all relevant users EXEC privilege if they require the ability to execute coprocessor endpoint calls. EXEC privilege, like any other permission, can be granted globally to a user, or to a user on a per

table or per namespace basis. For more information on coprocessor endpoints, see the coprocessor section of the HBase online manual. For more information on granting or revoking permissions using the AccessController, see the security section of the HBase online manual.

Related Name

hbase.security.exec.permission.checks

Default Value

false

API Name

hbase_security_exec_permission_checks

Required

false

HBase Master TLS/SSL Server Keystore File Location**Description**

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when HBase Master is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

hbase.rpc.tls.keystore.location

Default Value**API Name**

master_tls_keystore_file

Required

false

HBase Master TLS/SSL Server Keystore File Password**Description**

The password for the HBase Master keystore file.

Related Name

hbase.rpc.tls.keystore.password

Default Value**API Name**

master_tls_keystore_password

Required

false

Master TLS Plaintext Enabled**Description**

Enable plaintext mode for HBase Master client RPC when TLS is enabled.

Related Name

hbase.server.netty.tls.supportplaintext

Default Value

false

API Name

master_tls_plaintext_enabled

Required

false

Enable TLS/SSL for HBase Master server mode**Description**

Encrypt communication between clients and HBase Master server mode using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

hbase.server.netty.tls.enabled

Default Value

false

API Name

master_tls_server_enabled

Required

false

HBase Master TLS/SSL Trust Store File**Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that HBase Master might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

hbase.rpc.tls.truststore.location

Default Value**API Name**

master_tls_truststore_file

Required

false

HBase Master TLS/SSL Trust Store Password**Description**

The password for the HBase Master TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

hbase.rpc.tls.truststore.password

Default Value**API Name**

master_tls_truststore_password

Required

false

HBase Master TLS/SSL Trust Store File**Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that HBase Master might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name**Default Value****API Name**

master_truststore_file

Required

false

HBase Master TLS/SSL Trust Store Password**Description**

The password for the HBase Master TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name**Default Value****API Name**

master_truststore_password

Required

false

Stacks Collection**Stacks Collection Data Retention****Description**

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory**Description**

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Hadoop Metrics2 Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hadoop Metrics2 Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hadoop_metrics2_safety_valve

Required

true

Suppress Parameter Validation: HBase Coprocessor Master Classes

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Coprocessor Master Classes parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_coprocessor_master_classes

Required

true

Suppress Parameter Validation: Master Advanced Configuration Snippet (Safety Valve) for hbase-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Master Advanced Configuration Snippet (Safety Valve) for hbase-site.xml parameter.

Related Name**Default Value**

	false
API Name	role_config_suppression_hbase_master_config_safety_valve
Required	true

Suppress Parameter Validation: HBase Master DNS Network Interface

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Master DNS Network Interface parameter.

Related Name

Default Value
false

API Name
role_config_suppression_hbase_master_dns_interface

Required
true

Suppress Parameter Validation: HBase Master DNS Name Server

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Master DNS Name Server parameter.

Related Name

Default Value
false

API Name
role_config_suppression_hbase_master_dns_nameserver

Required
true

Suppress Parameter Validation: HBase Master Web UI Address

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Master Web UI Address parameter.

Related Name

Default Value
false

API Name
role_config_suppression_hbase_master_info_bindaddress

Required
true

Suppress Parameter Validation: HBase Master Web UI Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Master Web UI Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_master_info_port

Required

true

Suppress Parameter Validation: Java Configuration Options for HBase Master**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for HBase Master parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_master_java_opts

Required

true

Suppress Parameter Validation: Master Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Master Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_master_log_dir

Required

true

Suppress Parameter Validation: HBase Master Log Cleaner Plugins**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Master Log Cleaner Plugins parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_master_logcleaner_plugins

Required

true

Suppress Parameter Validation: HBase Master Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Master Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_master_port

Required

true

Suppress Parameter Validation: Netty native library working directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Netty native library working directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_netty_native_workdir

Required

true

Suppress Parameter Validation: Snappy temporary directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Snappy temporary directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_snappy_tempdir

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Master Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Master Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Rules to Extract Events from Log Files

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Rules to Extract Events from Log Files parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log_event_whitelist

Required

true

Suppress Parameter Validation: Master Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Master Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_master_role_env_safety_valve

Required

true

Suppress Parameter Validation: HBase Master TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Master TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_master_tls_keystore_file

Required

true

Suppress Parameter Validation: HBase Master TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Master TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_master_tls_keystore_password

Required

true

Suppress Parameter Validation: HBase Master TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Master TLS/SSL Trust Store File parameter.

Related Name

Default Value

false

API Name

role_config_suppression_master_tls_truststore_file

Required

true

Suppress Parameter Validation: HBase Master TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Master TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_master_tls_truststore_password

Required

true

Suppress Parameter Validation: HBase Master TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Master TLS/SSL Trust Store File parameter.

Related Name

Default Value

false

API Name

role_config_suppression_master_truststore_file

Required

true

Suppress Parameter Validation: HBase Master TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Master TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_master_truststore_password

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: HBase OldWALs Directory Size Over Threshold

Description

Whether to suppress the results of the HBase OldWALs Directory Size Over Threshold health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hbase_oldwal_dir_size_over_threshold

Required

true

Suppress Health Test: Audit Pipeline Test

Description

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_master_audit_health

Required

true

Suppress Health Test: HBase Master Canary**Description**

Whether to suppress the results of the HBase Master Canary health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_master_canary_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_master_file_descriptor

Required

true

Suppress Health Test: GC Duration**Description**

Whether to suppress the results of the GC Duration health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_master_gc_duration

Required

true

Suppress Health Test: Heap Dump Directory Free Space

Description

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_master_heap_dump_directory_free_space

Required

true

Suppress Health Test: Host Health

Description

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_master_host_health

Required

true

Suppress Health Test: Log Directory Free Space

Description

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_master_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health

Description

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_master_otelcol_health

Required

true

Suppress Health Test: Ranger Plugin Hdfs Spool Directory Size**Description**

Whether to suppress the results of the Ranger Plugin Hdfs Spool Directory Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_master_ranger_plugin_hdfs_spool_directory_size_health

Required

true

Suppress Health Test: Ranger Plugin Solr Spool Directory Size**Description**

Whether to suppress the results of the Ranger Plugin Solr Spool Directory Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_master_ranger_plugin_solr_spool_directory_size_health

Required

true

Suppress Health Test: HBase Regions In Transition Over Threshold**Description**

Whether to suppress the results of the HBase Regions In Transition Over Threshold health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_master_regions_in_transition_over_threshold

Required

true

Suppress Health Test: Process Status

Description

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_master_scm_health

Required

true

Suppress Health Test: Swap Memory Usage

Description

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_master_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_master_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_master_unexpected_exits

Required

true

Suppress Health Test: Web Server Status**Description**

Whether to suppress the results of the Web Server Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_master_web_metric_collection

Required

true

RegionServer**Advanced****Hadoop Metrics2 Advanced Configuration Snippet (Safety Valve)****Description**

Advanced Configuration Snippet (Safety Valve) for Hadoop Metrics2. Properties will be inserted into hadoop-metrics2.properties.

Related Name**Default Value****API Name**

hadoop_metrics2_safety_valve

Required

false

BucketCache IOEngine**Description**

Where to store the contents of the BucketCache. Either "offheap" or file:/path/to/file -- this should be a file in the local file system (not HDFS), and is generally a file on ramdisk or SSD (not spinning disk). If this is set to "offheap" then Java's -XX:MaxDirectMemorySize is set to the value of hbase.bucketcache.size plus 1GB for short-circuit reads.

Related Name

hbase.bucketcache.ioengine

Default Value**API Name**

hbase_bucketcache_ioengine

Required

false

BucketCache Size**Description**

The total size of the BucketCache, in megabytes. The size to configure depends on the amount of memory available to HBase, or the size of a local SSD. If `hbase.bucketcache.ioengine` is set to "offheap", then the bucketcache consumes the configured amount of memory from Java's Direct Memory.

Related Name

`hbase.bucketcache.size`

Default Value

1 GiB

API Name

`hbase_bucketcache_size`

Required

false

HBase Coprocessor Region Classes**Description**

List of coprocessors that are loaded by default on all tables. For any override coprocessor method, these classes will be called in order. After implementing your own coprocessor, just put it in HBase's classpath and add the fully qualified class name here. A coprocessor can also be loaded on demand by setting `HTableDescriptor`.

Related Name

`hbase.coprocessor.region.classes`

Default Value**API Name**

`hbase_coprocessor_region_classes`

Required

false

Netty native library working directory**Description**

The local working directory used for Netty native libraries.

Related Name

`netty.native.workdir`

Default Value

`/var/hbase/netty-workdir`

API Name

`hbase_netty_native_workdir`

Required

false

Canary Interval

Description

Duration between consecutive checks done by the Canary.

Related Name**Default Value**

6 second(s)

API Name

hbase_regionserver_canary_interval

Required

false

Canary Timeout

Description

Timeout for Canary to perform its checks.

Related Name**Default Value**

15 second(s)

API Name

hbase_regionserver_canary_timeout

Required

false

RegionServer Advanced Configuration Snippet (Safety Valve) for hbase-site.xml

Description

For advanced use only. A string to be inserted into hbase-site.xml for this role only.

Related Name**Default Value****API Name**

hbase_regionserver_config_safety_valve

Required

false

Java Configuration Options for HBase RegionServer

Description

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or greater, {{JAVA_GC_ARGS}} will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name**Default Value**

JAVA_GC_ARGS -XX:ReservedCodeCacheSize=256m

API Name

hbase_regionserver_java_opts

Required

false

Write-Ahead Log (WAL) Codec Class

Description

Configuration key for the class to use when encoding cells in the Write-Ahead Log (WAL)

Related Name

hbase.regionserver.wal.codec

Default Value**API Name**

hbase_regionserver_wal_codec

Required

false

Snappy temporary directory

Description

The local temporary directory used for Snappy.

Related Name**Default Value**

/var/hbase/snappy-tempdir

API Name

hbase_snappy_tempdir

Required

false

RegionServer Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory

Description

Path to directory where heap dumps are generated when `java.lang.OutOfMemoryError` error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

`oom_heap_dump_dir`

Default Value

`/tmp`

API Name

`oom_heap_dump_dir`

Required

false

Dump Heap When Out of Memory

Description

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name

Default Value

false

API Name

`oom_heap_dump_enabled`

Required

true

Kill When Out of Memory

Description

When set, a SIGKILL signal is sent to the role process when `java.lang.OutOfMemoryError` is thrown.

Related Name

Default Value

true

API Name

`oom_sigkill_enabled`

Required

true

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

RegionServer Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

REGIONSERVER_role_env_safety_valve

Required

false

Logs**RegionServer Log Directory****Description**

Directory where RegionServer will place its log files.

Related Name

hadoop.log.dir

Default Value

/var/log/hbase

API Name

hbase_regionserver_log_dir

Required

false

RegionServer Logging Threshold**Description**

The minimum log level for RegionServer logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

RegionServer Maximum Log File Backups**Description**

The maximum number of rolled log files to keep for RegionServer logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

RegionServer Max Log Size**Description**

The maximum size, in megabytes, per log file for RegionServer logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Metrics**Extended Period****Description**

Time period in seconds to reset long-running metrics (e.g. compactions). This is an HBase specific configuration.

Related Name

hbase.extendedperiod

Default Value

1 hour(s)

API Name

hbase_metrics_extended_period

Required

false

Monitoring**Enable Health Alerts for this Role****Description**

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML**Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

```
startDelaySeconds: 10 ssl: false lowercaseOutputName: true lowercaseOutputLabelNames: true
rules: - pattern: 'Hadoop<service=(.*)>, name=JvmMetrics><>(.*): (\d+)' attrNameSnakeCase:
true name: $2 value: $3 labels: hadoop_service: $1 hadoop_metric_group: jvm_metrics - pattern:
'Hadoop<service=HBase, name=UgiMetrics><>(.*): (\d+)' attrNameSnakeCase: true name:
hbase_$1 value: $2 labels: hadoop_service: HBase hadoop_metric_group: ugi_metrics - pattern:
'Hadoop<service=HBase, name=RegionServer, sub=Server><>(.*): (\d+)' attrNameSnakeCase:
true name: hbase_$1 value: $2 labels: hadoop_service: HBase hadoop_metric_group:
region_server - pattern: 'Hadoop<service=HBase, name=RegionServer, sub=IPC><>(.*):
(\d+)' attrNameSnakeCase: true name: hbase_$1 value: $2 labels: hadoop_service: HBase
hadoop_metric_group: region_server - pattern: 'Hadoop<service=HBase, name=RegionServer,
sub=IO><>(.*): (\d+)' attrNameSnakeCase: true name: hbase_$1 value: $2 labels:
hadoop_service: HBase hadoop_metric_group: region_server - pattern: 'Hadoop<service=HBase,
name=RegionServer, sub=WAL><>(.*): (\d+)' attrNameSnakeCase: true name: hbase_$1
value: $2 labels: hadoop_service: HBase hadoop_metric_group: region_server - pattern:
'Hadoop<service=HBase, name=RegionServer, sub=Memory><>(.*): (\d+)' attrNameSnakeCase:
true name: hbase_$1 value: $2 labels: hadoop_service: HBase hadoop_metric_group: region_server
```

API Name

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Rules to Extract Events from Log Files**Description**

This file contains the rules that govern how log messages are turned into events by the custom log4j appender that this role loads. It is in JSON format, and is composed of a list of rules. Every log message is evaluated against each of these rules in turn to decide whether or not to send an event for that message. If a log message matches multiple rules, the first matching rule is used. Each rule has some or all of the following fields:

- alert - whether or not events generated from this rule should be promoted to alerts. A value of "true" will cause alerts to be generated. If not specified, the default is "false".
- rate (mandatory) - the maximum number of log messages matching this rule that can be sent as events every minute. If more than rate matching log messages are received in a single minute, the extra messages are ignored. If rate is less than 0, the number of messages per minute is unlimited.
- periodminutes - the number of minutes during which the publisher will only publish rate events or fewer. If not specified, the default is one minute
- threshold - apply this rule only to messages with this log4j severity level or above. An example is "WARN" for warning level messages or higher.
- content - match only those messages for which contents match this regular expression.
- exceptiontype - match only those messages that are part of an exception message. The exception type must match this regular expression.

Example:

- {"alert": false, "rate": 10, "exceptiontype": "java.lang.StringIndexOutOfBoundsException"} This rule sends events to Cloudera Manager for every StringIndexOutOfBoundsException, up to a maximum of 10 every minute.
- {"alert": false, "rate": 1, "periodminutes": 1, "exceptiontype": ".*"}, {"alert": true, "rate": 1, "periodminutes": 1, "threshold": "ERROR"} In this example, an event generated may not be promoted to alert if an exception is in the ERROR log message, because the first rule with alert = false will match.

Related Name**Default Value**

```
version: 0, rules: [ alert: false, rate: 1, periodminutes: 1, threshold: FATAL , alert: false, rate: 0,
threshold: WARN, content: .* is deprecated. Instead, use .* , alert: false, rate: 0, threshold: WARN,
content: .* is deprecated. Use .* instead , alert: false, rate: 0, exceptiontype: java.io.IOException ,
alert: false, rate: 0, exceptiontype: java.net.SocketException , alert: false, rate: 0, exceptiontype:
java.net.SocketClosedException , alert: false, rate: 0, exceptiontype: java.io.EOFException ,
alert: false, rate: 0, exceptiontype: java.nio.channels.CancelledKeyException , alert: false,
rate: 0, threshold: WARN, content: IPC Server handler.*took.*appending an edit to hlog.* ,
alert: false, rate: 1, periodminutes: 1, threshold: WARN, content: ABORTING region server
serverName.* , alert: false, rate: 1, periodminutes: 1, threshold: WARN, content: DFSOutputStream
ResponseProcessor exception.* , alert: false, rate: 1, periodminutes: 1, threshold: WARN,
content: Error Recovery for block blk.* , alert: false, rate: 1, periodminutes: 1, threshold: WARN,
content: Failed init , alert: false, rate: 1, periodminutes: 1, threshold: WARN, content: Problem
renewing lease for DFSClient.* , alert: false, rate: 1, periodminutes: 1, threshold: WARN, content:
```


remote error telling master we are up , alert: false, rate: 1, periodminutes: 1, threshold: WARN, content: Session.*for server.*closing socket connection and attempting reconnect. , alert: false, rate: 1, periodminutes: 2, exceptiontype: .* , alert: false, rate: 0, threshold: WARN, content: Error executing shell command .+ No such process.+ , alert: false, rate: 0, threshold: WARN, content: .*attempt to override final parameter.+ , alert: false, rate: 0, threshold: WARN, content: [^]+ is a deprecated filesystem name. Use.* , alert: false, rate: -1, threshold: INFO, content: ^Starting .*compaction on region (.+)\$, attribute:CATEGORY: HBASE, attribute:EVENTCODE: EV_HBASE_COMPACTON_REGION_STARTED, attribute:SEVERITY: INFORMATIONAL, group0: REGION , alert: false, rate: -1, threshold: INFO, content: ^completed compaction on region (.+) after (.+)\$, attribute:CATEGORY: HBASE, attribute:EVENTCODE: EV_HBASE_COMPACTON_REGION_COMPLETED, attribute:SEVERITY: INFORMATIONAL, group0: REGION, group1: DURATION , alert: false, rate: -1, threshold: INFO, content: ^Starting compaction of (.+) in (.+)\$, attribute:CATEGORY: HBASE, attribute:EVENTCODE: EV_HBASE_COMPACTON_COLUMN_FAMILY_STARTED, attribute:SEVERITY: INFORMATIONAL, group0: COLUMN_FAMILY, group1: REGION , alert: false, rate: -1, threshold: INFO, content: ^completed compaction: regionName\u003d(.+), storeName\u003d(.+), fileCount\u003d(.+), fileSize\u003d(.+), priority\u003d(.+), time\u003d(.+); duration\u003d(.+)\$, attribute:CATEGORY: HBASE, attribute:EVENTCODE: EV_HBASE_COMPACTON_COLUMN_FAMILY_COMPLETED, attribute:SEVERITY: INFORMATIONAL, group0: REGION, group1: COLUMN_FAMILY, group2: FILE_COUNT, group3: FILE_SIZE, group4: PRIORITY, group5: REQUEST_TIME_NANOS, group6: DURATION , alert: false, rate: -1, threshold: INFO, content: ^Completed compaction: Request \u003d regionName\u003d(.+), storeName\u003d(.+), fileCount\u003d(.+), fileSize\u003d(.+), priority\u003d(.+), time\u003d(.+); duration\u003d(.+)\$, attribute:CATEGORY: HBASE, attribute:EVENTCODE: EV_HBASE_COMPACTON_COLUMN_FAMILY_COMPLETED, attribute:SEVERITY: INFORMATIONAL, group0: REGION, group1: COLUMN_FAMILY, group2: FILE_COUNT, group3: FILE_SIZE, group4: PRIORITY, group5: REQUEST_TIME_NANOS, group6: DURATION , alert: false, rate: -1, threshold: INFO, content: ^aborted compaction: regionName\u003d(.+), storeName\u003d(.+), fileCount\u003d(.+), fileSize\u003d(.+), priority\u003d(.+), time\u003d(.+); duration\u003d(.+)\$, attribute:CATEGORY: HBASE, attribute:EVENTCODE: EV_HBASE_COMPACTON_COLUMN_FAMILY_ABORTED, attribute:SEVERITY: IMPORTANT, group0: REGION, group1: COLUMN_FAMILY, group2: FILE_COUNT, group3: FILE_SIZE, group4: PRIORITY, group5: REQUEST_TIME_NANOS, group6: DURATION , alert: false, rate: -1, threshold: INFO, content: ^Finished memstore flush of .+ for region (.+) in (.+), sequenceid\u003d(.+), compaction requested\u003d(.+)\$, attribute:CATEGORY: HBASE, attribute:EVENTCODE: EV_HBASE_FLUSH_COMPLETED, attribute:SEVERITY: INFORMATIONAL, group0: REGION, group1: DURATION, group2: SEQUENCE_ID, group3: COMPACTON_REQUESTED , alert: false, rate: -1, threshold: INFO, content: ^Flush of region (.+) due to global heap pressure\$, attribute:CATEGORY: HBASE, attribute:EVENTCODE: EV_HBASE_FLUSH_DUE_TO_HEAP_PRESSURE, attribute:SEVERITY: IMPORTANT, group0: REGION , alert: false, rate: -1, threshold: WARN, content: ^Region (.+) has too many store files; delaying flush up to 90000ms\$, attribute:CATEGORY: HBASE, attribute:EVENTCODE: EV_HBASE_FLUSH_DELAYED_TOO_MANY_STORE_FILES, attribute:SEVERITY: CRITICAL, group0: REGION , alert: false, rate: -1, threshold: INFO, content: ^Starting split of region (.+)\$, attribute:CATEGORY: HBASE, attribute:EVENTCODE: EV_HBASE_SPLIT_STARTED, attribute:SEVERITY: INFORMATIONAL, group0: REGION , alert: false, rate: -1, threshold: INFO, content: ^Running rollback/cleanup of failed split of (.+); .+\$, attribute:CATEGORY: HBASE, attribute:EVENTCODE: EV_HBASE_SPLIT_ABORTED, attribute:SEVERITY: IMPORTANT, group0: REGION , alert: false, rate: -1, threshold: INFO, content: ^Region split, hbase:meta updated, and report to master. Parent\u003d(.+), new regions: (.+, .* , .+), (.+, .* , .+). Split took (.+)\$, attribute:CATEGORY: HBASE, attribute:EVENTCODE: EV_HBASE_SPLIT_COMPLETED, attribute:SEVERITY: INFORMATIONAL, group0: REGION, group1: DAUGHTER_REGIONS, group2: DAUGHTER_REGIONS, group3: DURATION , alert: false, rate: -1, threshold: INFO, content: ^Region split, META updated, and report to master. Parent\u003d(.+), new regions: (.+, .* , .+), (.+, .* , .+). Split took (.+)\$,

attribute:CATEGORY: HBASE, attribute:EVENTCODE: EV_HBASE_SPLIT_COMPLETED, attribute:SEVERITY: INFORMATIONAL, group0: REGION, group1: DAUGHTER_REGIONS, group2: DAUGHTER_REGIONS, group3: DURATION , alert: false, rate: 1, periodminutes: 1, threshold: WARN]

API Name

log_event_whitelist

Required

false

Navigator Audit Failure Thresholds

Description

The health test thresholds for failures encountered when monitoring audits within a recent period specified by the mgmt_navigator_failure_window configuration for the role. The value that can be specified for this threshold is the number of bytes of audits data that is left to be sent to audit server.

Related Name

mgmt.navigator.failure.thresholds

Default Value

Warning: Never, Critical: Any

API Name

mgmt_navigator_failure_thresholds

Required

false

Monitoring Period For Audit Failures

Description

The period to review when checking if audits are blocked and not getting processed.

Related Name

mgmt.navigator.failure.window

Default Value

20 minute(s)

API Name

mgmt_navigator_failure_window

Required

false

Navigator Audit Pipeline Health Check

Description

Enable test of audit events processing pipeline. This will test if audit events are not getting processed by Audit Server for a role that generates audit.

Related Name

mgmt.navigator.status.check.enabled

Default Value

true

API Name

mgmt_navigator_status_check_enabled

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name**Default Value****API Name**`monitoring_metric_filter`**Required**

false

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name`otelcol_exporters`**Required**

false

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value

11141

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
processors: filter/$ROLE_NAME: metrics: include: match_type: regexp metric_names:
#memory - ^mem_heap_committed_m$ - ^mem_heap_max_m$ - ^mem_heap_used_m$ -
^mem_max_m$ - ^mem_non_heap_committed_m$ - ^mem_non_heap_used_m$ #gc - ^gc_.*
#threads - ^threads_blocked$ - ^threads_new$ - ^threads_runnable$ - ^threads_terminated$
- ^threads_timed_waiting$ - ^threads_waiting$ #log - ^log_error$ - ^log_fatal$ - ^log_info
$ - ^log_warn$ #process - ^process_cpu_seconds_total$ - ^process_start_time_seconds$ -
^process_open_fds$ - ^process_virtual_memory_bytes$ #hbase - ^hbase_region_count$ -
^hbase_total_request_count$ - ^hbase_l2_cache_size$ - ^hbase_l2_cache_miss_count$ -
^hbase_l2_cache_hit_count$ - ^hbase_l2_cache_free_size$ - ^hbase_l2_cache_eviction_count
$ - ^hbase_l2_cache_count$ - ^hbase_store_file_size$ - ^hbase_hlog_file_count$ -
^hbase_read_request_count$ - ^hbase_write_request_count$ - ^hbase_num_open_connections
$ - ^hbase_num_active_handler$ - ^hbase_num_calls_in_general_queue$ -
^hbase_num_calls_in_replication_queue$ - ^hbase_num_calls_in_priority_queue$ -
^hbase_flush_queue_length$ - ^hbase_updates_blocked_time$ - ^hbase_compaction_queue_length
$ - ^hbase_block_cache_hit_count$ - ^hbase_block_cache_miss_count$ -
^hbase_block_cache_express_hit_percent$ - ^hbase_slow_get_count$ - ^hbase_slow_put_count
```

\$ - ^hbase_slow_increment_count\$ - ^hbase_slow_delete_count\$ - ^hbase_slow_append_count\$ - ^hbase_mutations_without_wal_count\$ - ^hbase_process_call_time_99th_percentile\$ - ^hbase_queue_call_time_99th_percentile\$ - ^hbase_pause_time_with_gc_99_9th_percentile\$ - ^hbase_queue_call_time_max\$ - ^hbase_block_cache_count\$ - ^hbase_block_cache_free_size\$ - ^hbase_block_cache_count_hit_percent\$ - ^hbase_block_cache_size\$ - ^hbase_append_99th_percentile\$ - ^hbase_delete_max\$ - ^hbase_get_99th_percentile\$ - ^hbase_scan_time_max\$ - ^hbase_increment_99th_percentile\$ - ^hbase_sync_time_99th_percentile\$

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

```
receivers: prometheus/$ROLE_NAME: config: scrape_configs: - job_name: 'DMP-$ROLE_NAME'
scrape_interval: 60s scheme: http tls_config: insecure_skip_verify: true static_configs: -
targets: ['localhost:$ROLE_PARAM(otelcol_helper_port)'] labels: host_name: $HOST_NAME
cm_cluster_id: $CLUSTER_ID service_type: $SERVICE_TYPE service: $SERVICE_NAME
role_type: $ROLE_TYPE role_name: $ROLE_NAME instance: $INFRA(instance_id) cluster_id:
$INFRA(cluster_id) platform: $INFRA(platform) formfactor: paas-vm relabel_configs: -
source_labels: [cluster_id] regex: 'crn:cdp:([^:]+):.*' replacement: '$$1' target_label: app_type
action: replace
```

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name

Default Value

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL**Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username**Description**

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
service: pipelines: metrics/$ROLE_NAME: receivers: [prometheus/$ROLE_NAME] processors: [filter/$ROLE_NAME] exporters: [prometheusremotewrite/$ROLE_NAME]
```

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

true

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

HBase RegionServer Compaction Queue Monitoring Thresholds**Description**

The health test thresholds of the weighted average size of the HBase RegionServer compaction queue over a recent period. See HBase RegionServer Compaction Queue Monitoring Period.

Related Name**Default Value**

Warning: 10.0, Critical: Never

API Name

regionserver_compaction_queue_thresholds

Required

false

HBase RegionServer Compaction Queue Monitoring Period

Description

The period over which to compute the moving average of the compaction queue size.

Related Name**Default Value**

5 minute(s)

API Name

regionserver_compaction_queue_window

Required

false

HBase Region Server Connectivity Tolerance at Startup

Description

The amount of time to wait for the HBase Region Server to fully start up and connect to the HBase Master before enforcing the connectivity check.

Related Name**Default Value**

3 minute(s)

API Name

regionserver_connectivity_tolerance

Required

false

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

regionserver_fd_thresholds

Required

false

HBase RegionServer Flush Queue Monitoring Thresholds

Description

The health test thresholds of the average size of the HBase RegionServer flush queue over a recent period. See HBase RegionServer Flush Queue Monitoring Period.

Related Name**Default Value**

Warning: 10.0, Critical: Never

API Name

regionserver_flush_queue_thresholds

Required

false

HBase RegionServer Flush Queue Monitoring Period**Description**

The period over which to compute the moving average of the flush queue size.

Related Name**Default Value**

5 minute(s)

API Name

regionserver_flush_queue_window

Required

false

Garbage Collection Duration Thresholds**Description**

The health test thresholds for the weighted average time spent in Java garbage collection. Specified as a percentage of elapsed wall clock time.

Related Name**Default Value**

Warning: 30.0, Critical: 60.0

API Name

regionserver_gc_duration_thresholds

Required

false

Garbage Collection Duration Monitoring Period**Description**

The period to review when computing the moving average of garbage collection time.

Related Name**Default Value**

5 minute(s)

API Name

regionserver_gc_duration_window

Required

false

RegionServer Host Health Test**Description**

When computing the overall RegionServer health, consider the host's health.

Related Name**Default Value**

true

API Name

regionserver_host_health_enabled

Required

false

HBase RegionServer to Master Connectivity Test**Description**

Enables the health test that the RegionServer is connected to the Master

Related Name**Default Value**

true

API Name

regionserver_master_connectivity_enabled

Required

false

HBase RegionServer Memstore Size Thresholds**Description**

The health test thresholds of the total size of RegionServer's memstores. Specified as a percentage of the configured upper limit. See Maximum Size of All Memstores in RegionServer.

Related Name**Default Value**

Warning: 95.0 %, Critical: 100.0 %

API Name

regionserver_memstore_size_thresholds

Required

false

HBase RegionServer HDFS Read Latency Thresholds**Description**

The health test thresholds of the latency that the RegionServer sees for HDFS read operations

Related Name**Default Value**

Warning: 50 millisecond(s), Critical: 100 millisecond(s)

API Name

regionserver_read_latency_thresholds

Required

false

HBase RegionServer HDFS Read Latency Monitoring Period**Description**

The period over which to compute the moving average of the HDFS read latency of the HBase RegionServer.

Related Name**Default Value**

5 minute(s)

API Name

regionserver_read_latency_window

Required

false

RegionServer Process Health Test

Description

Enables the health test that the RegionServer's process state is consistent with the role configuration

Related Name

Default Value

true

API Name

regionserver_scm_health_enabled

Required

false

Percentage of Heap Used by HStoreFile Index

Description

The health test thresholds of the size used by the HStoreFile index. Specified as a percentage of the total heap size.

Related Name

Default Value

Warning: 10.0 %, Critical: Never

API Name

regionserver_store_file_idx_size_thresholds

Required

false

HBase RegionServer HDFS Sync Latency Thresholds

Description

The health test thresholds for the latency of HDFS write operations that the RegionServer detects

Related Name

Default Value

Warning: 500 millisecond(s), Critical: 5 second(s)

API Name

regionserver_sync_latency_thresholds

Required

false

HBase RegionServer HDFS Sync Latency Monitoring Period

Description

The period over which to compute the moving average of the HDFS sync latency of the HBase RegionServer.

Related Name**Default Value**

5 minute(s)

API Name

regionserver_sync_latency_window

Required

false

Web Metric Collection**Description**

Enables the health test that the Cloudera Manager Agent can successfully contact and gather metrics from the web server.

Related Name**Default Value**

true

API Name

regionserver_web_metric_collection_enabled

Required

false

Web Metric Collection Duration**Description**

The health test thresholds on the duration of the metrics request to the web server.

Related Name**Default Value**

Warning: 10 second(s), Critical: Never

API Name

regionserver_web_metric_collection_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=\$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}] See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

role_triggers

Required

true

Enable Spool Directory Metric Usage for RegionServer

Description

Enables the health test for monitoring the Ranger Plugin Spool directory usage.

Related Name

Default Value

true

API Name

spool_directory_usage_enabled

Required

false

Ranger Plugin Spool Directory Usage Thresholds for RegionServer

Description

The health test thresholds for monitoring the the Ranger Plugin Spool directory usage.

Related Name

Default Value

1 GiB

API Name

spool_directory_usage_threshold

Required

false

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name

Default Value

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period**Description**

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other**HBase region server evict blocks of a file cache when the file is closed****Description**

Evict all blocks of a given file from the block cache when the file is closed

Related Name

hbase.block.data.cacheonread

Default Value

true

API Name

hbase_block_data_cacheonread

Required

false

HBase Hash Type**Description**

The hashing algorithm for use in HashFunction. Two values are supported: 'murmur' (for MurmurHash) and 'jenkins' (for JenkinsHash).

Related Name

hbase.hash.type

Default Value

murmur

API Name

hbase_hash_type

Required

false

HBase Hfile prefetch delay**Description**

Delay before prefetching from hfile starts

Related Name

hbase.hfile.prefetch.delay

Default Value

1 second(s)

API Name

hbase_hfile_prefetch_delay

Required

false

HBase HRegion Major Compaction**Description**

The time, in milliseconds, between 'major' compactions of all HStoreFiles in a region. To disable automated major compactions, set this value to 0.

Related Name

hbase.hregion.majorcompaction

Default Value

7 day(s)

API Name

hbase_hregion_majorcompaction

Required

false

HBase HRegion Major Compaction Jitter**Description**

Jitter outer bound for major compactions.
On each RegionServer, the hbase.region.majorcompaction interval is multiplied by a random fraction that is inside the bounds of this maximum. This + or - product is added to when the next major compaction is to run. Major compaction should not occur on every RegionServer at the same time. The smaller this number, the closer together the compactions.

Related Name

hbase.hregion.majorcompaction.jitter

Default Value

0.5

API Name

hbase_hregion_majorcompaction_jitter

Required

false

HBase Maximum File Size**Description**

Maximum HStoreFile size. If any one of a column families' HStoreFiles has grown to exceed this value, the hosting HRegion is split in two.

Related Name

hbase.hregion.max.filesize

Default Value

10 GiB

API Name

hbase_hregion_max_filesize

Required

false

HBase Memstore Block Multiplier**Description**

Blocks writes if the size of the memstore increases to the value of 'hbase.hregion.block.memstore' multiplied by the value of 'hbase.hregion.flush.size' bytes. This setting is useful for preventing runaway memstore during spikes in update traffic. Without an upper-bound, memstore fills such that when it flushes, the resultant process of flushing files take a long time to compact or split, or worse, an "out of memory" error occurs.

Related Name

hbase.hregion.memstore.block.multiplier

Default Value

2

API Name

hbase_hregion_memstore_block_multiplier

Required

false

HBase Memstore Flush Size**Description**

Memstore will be flushed to disk if size of the memstore exceeds this value in number of bytes. This value is checked by a thread that runs the frequency specified by hbase.server.thread.wakefrequency.

Related Name

hbase.hregion.memstore.flush.size

Default Value

128 MiB

API Name

hbase_hregion_memstore_flush_size

Required

false

Chunk Size Allocated by MSLAB Allocation Scheme**Description**

The size of the chunks allocated by MSLAB, in bytes.

Related Name

hbase.hregion.memstore.mslab.chunksize

Default Value

2 MiB

API Name

hbase_hregion_memstore_mslab_chunksize

Required

false

Enable MSLAB Allocation Scheme**Description**

Enable MemStore-Local Allocation Buffer (MSLAB) Allocation Scheme. Note: This feature is experimental in CDH3.

Related Name

hbase.hregion.memstore.mslab.enabled

Default Value

true

API Name

hbase_hregion_memstore_mslab_enabled

Required

false

Maximum Byte Array from MSLAB Allocation Scheme**Description**

The maximum size byte array that should come from the MSLAB, in bytes.

Related Name

hbase.hregion.memstore.mslab.max.allocation

Default Value

256 KiB

API Name

hbase_hregion_memstore_mslab_max_allocation

Required

false

HBase Memstore Pre-close Flush Size**Description**

If the memstores in a region are this size or larger when closing, run a pre-flush process to clear out memstores before putting up the region closed flag and taking the region offline. On close, a flush process is run under the close flag up to empty memory. During this time, the region is offline and no writes are taken. If the memstore content is large, the flush process could take a long time to complete. The pre-flush process cleans out the bulk of the memstore before putting up the close flag and taking the region offline, so that the flush process that runs under the close flag has little to do.

Related Name

hbase.hregion.preclose.flush.size

Default Value

5 MiB

API Name

hbase_hregion_preclose_flush_size

Required

false

HStore Blocking Store Files

Description

If there are more than this number of HStoreFiles in any one HStore, then updates are blocked for this HRegion until a compaction is completed, or until the value specified for 'hbase.hstore.blockingWaitTime' has been exceeded.

Related Name

hbase.hstore.blockingStoreFiles

Default Value

16

API Name

hbase_hstore_blockingStoreFiles

Required

false

HStore Blocking Wait Time

Description

The period of time that an HRegion will block updates after reaching the HStoreFile limit that is specified by 'hbase.hstore.blockingStoreFiles'. After this time has elapsed, the HRegion will stop blocking updates even if a compaction has not been completed.

Related Name

hbase.hstore.blockingWaitTime

Default Value

1 minute(s), 30 second(s)

API Name

hbase_hstore_blockingWaitTime

Required

false

Maximum Number of HStoreFiles Compaction

Description

Maximum number of HStoreFiles to compact per minor compaction.

Related Name

hbase.hstore.compaction.max

Default Value**API Name**

hbase_hstore_compaction_max

Required

false

HStore Compaction Threshold

Description

If this number of HStoreFiles in any one HStore is exceeded, then a compaction is run to rewrite all HStoreFiles files as one HStoreFile. (One HStoreFile is written per flush of memstore.) You can delay compaction by specifying a larger number, but the compaction will take longer when it does run. During a compaction, updates cannot be flushed to disk. Long compactions require memory

sufficient to carry the logging of all updates across the duration of the compaction. If too large, clients timeout during compaction.

Related Name

hbase.hstore.compactionThreshold

Default Value

3

API Name

hbase_hstore_compactionThreshold

Required

false

Enable Replication To Secondary Region Replicas

Description

Whether asynchronous WAL replication to the secondary region replicas is enabled. If enabled, a replication peer named 'region_replica_replication' is created that tails the logs and replicates the mutations to region replicas for tables that have region replication > 1. Disabling this replication also requires disabling the replication peer using shell or the ReplicationAdmin Java class. Replication to secondary region replicas works over standard intercluster replication. If disabled explicitly, enable replication by setting 'hbase.replication' to true for this feature to work.

Related Name

hbase.region.replica.replication.enabled

Default Value

false

API Name

hbase_region_replica_replication_enabled

Required

false

HBase RegionServer Interface Class

Description

An interface that is assignable to HRegionInterface. Used in HBase Client for opening a proxy to a remote HBase RegionServer.

Related Name

hbase.regionserver.class

Default Value**API Name**

hbase_regionserver_class

Required

false

RegionServer Codecs

Description

Comma-separated list of codecs that the RegionServer requires to start. Use this setting to make sure that all RegionServers joining a cluster are installed with a particular set of codecs.

Related Name

`hbase.regionserver.codecs`**Default Value****API Name**`hbase_regionserver_codecs`**Required**`false`**Low Watermark for Memstore Flush****Description**

Controls when memstores are forced to flush to make room in memory. The memstore will begin flushing when this threshold is reached. Prior to CDH 5.8.0, this amount is the percentage of the heap size of the Region Server and you can set it equal to 'Maximum Size of All Memstores in RegionServer' for minimal possible flushing. In CDH 5.8.0 and later, this amount is the percentage of memstore memory and you can set it equal to 1.0 for minimal possible flushing.

Related Name`hbase.regionserver.global.memstore.size.lower.limit`**Default Value**`0.95`**API Name**`hbase_regionserver_global_memstore_lowerLimit`**Required**`false`**Maximum Size of All Memstores in RegionServer****Description**

Maximum size of all memstores in a RegionServer before new updates are blocked and flushes are forced.

Related Name`hbase.regionserver.global.memstore.size`**Default Value**`0.4`**API Name**`hbase_regionserver_global_memstore_upperLimit`**Required**`false`**HBase RegionServer Handler Count****Description**

Number of RPC Server instances spun up on RegionServers.

Related Name`hbase.regionserver.handler.count`**Default Value**`30`**API Name**`hbase_regionserver_handler_count`

Required

false

HLog Reader Implementation**Description**

The HLog file reader implementation.

Related Name

hbase.regionserver.hlog.reader.impl

Default Value**API Name**

hbase_regionserver_hlog_reader_impl

Required

false

HLog Writer Implementation**Description**

The HLog file writer implementation.

Related Name

hbase.regionserver.hlog.writer.impl

Default Value**API Name**

hbase_regionserver_hlog_writer_impl

Required

false

HBase RegionServer Lease Period**Description**

The lease period, in milliseconds, for the HBase RegionServer. Clients must report in within this period or else they are considered dead.

Related Name

hbase.client.scanner.timeout.period

Default Value

1 minute(s)

API Name

hbase_regionserver_lease_period

Required

false

HBase RegionServer Log Roll Period**Description**

Period, in milliseconds, at which to roll the commit log.

Related Name

hbase.regionserver.logroll.period

Default Value

1 hour(s)

API Name

hbase_regionserver_logroll_period

Required

false

Maximum number of Write-Ahead Log (WAL) files**Description**

Maximum number of Write-Ahead Log (WAL) files. This value multiplied by HDFS Block Size (dfs.blocksize) is the size of the WAL that will need to be replayed when a server crashes. This value is inversely proportional to the frequency of flushes to disk.

Related Name

hbase.regionserver.maxlogs

Default Value

32

API Name

hbase_regionserver_maxlogs

Required

false

HBase RegionServer Meta-Handler Count**Description**

Number of handlers for processing priority requests in a RegionServer.

Related Name

hbase.regionserver.metahandler.count

Default Value

10

API Name

hbase_regionserver_metahandler_count

Required

false

HBase RegionServer Message Interval**Description**

Interval, in milliseconds, between messages from the RegionServer to the HBase Master. Use a high value such as 3000 for clusters that have more than 10 hosts.

Related Name

hbase.regionserver.msginterval

Default Value

3 second(s)

API Name

hbase_regionserver_msginterval

Required

false

RegionServer Reservation Blocks

Description

The number of reservation blocks that are used to prevent unstable RegionServers caused by an OOME.

Related Name

hbase.regionserver.nbreservationblocks

Default Value

4

API Name

hbase_regionserver_nbreservationblocks

Required

false

Synch Interval of HLog Entries

Description

Sync the HLog to HDFS after this interval, in milliseconds, if it has not accumulated the number of HLog Entries specified to trigger a sync.

Related Name

hbase.regionserver.optionallogflushinterval

Default Value

1 second(s)

API Name

hbase_regionserver_optionallogflushinterval

Required

false

WAL Delegate Provider

Description

The write ahead log (WAL) delegate provider.

Related Name

hbase.wal.regiongrouping.delegate.provider

Default Value

filesystem

API Name

hbase_regionserver_regiongrouping_delegate_provider

Required

false

HBase Region Split Limit

Description

Limit for the number of regions after which no more region splitting should take place. This is not a hard limit for the number of regions but acts as a guideline for the RegionServer to stop splitting after a certain limit.

Related Name

hbase.regionserver.regionSplitLimit

Default Value

2147483647

API Name

hbase_regionserver_regionSplitLimit

Required

false

Per-RegionServer Number of WAL Pipelines**Description**

When using Multiple HDFS WAL as the WALProvider, sets how many write-ahead-logs each RegionServer should run. Will result in this number of HDFS pipelines. Writes for a given Region only go to a single pipeline, spreading total RegionServer load.

Related Name

hbase.wal.regiongrouping.numgroups

Default Value

1

API Name

hbase_regionserver_wal_pipelines

Required

false

WAL Provider**Description**

The implementation that should be used by the RegionServer for the write-ahead-log. The HBase Default (HBase Internal HDFS Client) - is deprecated since it is redundant with Single HDFS WAL.

Related Name

hbase.wal.provider

Default Value

multiwal

API Name

hbase_regionserver_wal_provider

Required

false

WAL HSM Storage Policy**Description**

The Hierarchical Storage Management policy that should be used by the RegionServer for the write-ahead-log. Using an SSD policy will have no effect unless HDFS HSM is configured to know which drives are SSDs. See [Enabling HSM with HBase](#) .

Related Name

hbase.wal.storage.policy

Default Value

NONE

API Name

hbase_regionserver_wal_storage_policy

Required

false

HBase region server cache data blocks on write

Description

Cache data blocks on write

Related Name

hbase.rs.cacheblocksonwrite

Default Value

false

API Name

hbase_rs_cacheblocksonwrite

Required

false

HBase region server cache data blocks on read

Description

Cache data blocks on read

Related Name

hbase.rs.evictblocksonclose

Default Value

false

API Name

hbase_rs_evictblocksonclose

Required

false

HFile Block Cache Size

Description

Percentage of maximum heap (-Xmx setting) to allocate to block cache used by HFile/StoreFile. To disable, set this value to 0 .

Related Name

hfile.block.cache.size

Default Value

0.4

API Name

hfile_block_cache_size

Required

false

Performance

RegionServer IPC Read Threadpool Size

Description

Read threadpool size used by the RegionServer HBase IPC Server.

Related Name

hbase.ipc.server.read.threadpool.size

Default Value

10

API Name

hbase_ipc_server_read_threadpool_size

Required

false

Region Mover Threads**Description**

Number of threads to use while loading and unloading regions to or from a RegionServer. Can be used to increase the speed of decommissioning or rolling restart operations.

Related Name**Default Value**

1

API Name

hbase_regionserver_regionmover_thread_count

Required

true

RegionServer Small Compactions Thread Count**Description**

Number of threads for completing small compactions.

Related Name

hbase_regionserver_thread_compaction_small

Default Value

1

API Name

hbase_regionserver_thread_compaction_small

Required

false

Maximum Process File Descriptors**Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value**

32768

API Name

rlimit_fds

Required

false

Ports and Addresses

HBase RegionServer Bind to Wildcard Address

Description

When true, HBase RegionServer will bind to 0.0.0.0. Only available in CDH 4.3 and later.

Related Name

hbase.regionserver.ipc.address

Default Value

true

API Name

hbase_regionserver_bind_to_wildcard_address

Required

true

RegionServer DNS Network Interface

Description

The name of the DNS Network Interface from which a RegionServer should report its IP address.

Related Name

hbase.regionserver.dns.interface

Default Value**API Name**

hbase_regionserver_dns_interface

Required

false

RegionServer DNS Nameserver

Description

The host name or IP address of the DNS name server which a RegionServer should use to determine the host name used by the HBase Master for communication and display purposes.

Related Name

hbase.regionserver.dns.nameserver

Default Value**API Name**

hbase_regionserver_dns_nameserver

Required

false

HBase RegionServer Web UI Address

Description

The address for the HBase RegionServer web UI

Related Name

hbase.regionserver.info.bindAddress

Default Value**API Name**

hbase_regionserver_info_bindAddress

Required

false

HBase RegionServer Web UI port**Description**

The port for the HBase RegionServer web UI. Set to -1 to disable RegionServer web UI.

Related Name

hbase.regionserver.info.port

Default Value

16030

API Name

hbase_regionserver_info_port

Required

false

HBase RegionServer Port**Description**

The port that an HBase RegionServer binds to.

Related Name

hbase.regionserver.port

Default Value

16020

API Name

hbase_regionserver_port

Required

false

Resource Management**Java Heap Size of HBase RegionServer in Bytes****Description**

Maximum size in bytes for the Java Process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

4 GiB

API Name

hbase_regionserver_java_heapsize

Required

false

Cgroup V1 BLKIO Weight**Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/

O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security**Require EXEC privilege to execute coprocessor calls****Description**

If this setting is enabled and ACL based access control is active (the AccessController coprocessor is installed either as a system coprocessor or on a table as a table coprocessor) then you must grant all relevant users EXEC privilege if they require the ability to execute coprocessor endpoint calls. EXEC privilege, like any other permission, can be granted globally to a user, or to a user on a per table or per namespace basis. For more information on coprocessor endpoints, see the coprocessor section of the HBase online manual. For more information on granting or revoking permissions using the AccessController, see the security section of the HBase online manual.

Related Name

hbase.security.exec.permission.checks

Default Value

false

API Name

hbase_security_exec_permission_checks

Required

false

HBase Region Server TLS/SSL Server Keystore File Location

Description

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when HBase Region Server is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

hbase.rpc.tls.keystore.location

Default Value

API Name

regionserver_tls_keystore_file

Required

false

HBase Region Server TLS/SSL Server Keystore File Password

Description

The password for the HBase Region Server keystore file.

Related Name

hbase.rpc.tls.keystore.password

Default Value

API Name

regionserver_tls_keystore_password

Required

false

Region Server TLS Plaintext Enabled

Description

Enable plaintext mode for HBase Region Server client RPC when TLS is enabled.

Related Name

hbase.server.netty.tls.supportplaintext

Default Value

false

API Name

regionserver_tls_plaintext_enabled

Required

false

Enable TLS/SSL for HBase Region Server server mode**Description**

Encrypt communication between clients and HBase Region Server server mode using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

hbase.server.netty.tls.enabled

Default Value

false

API Name

regionserver_tls_server_enabled

Required

false

HBase Region Server TLS/SSL Trust Store File**Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that HBase Region Server might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

hbase.rpc.tls.truststore.location

Default Value**API Name**

regionserver_tls_truststore_file

Required

false

HBase Region Server TLS/SSL Trust Store Password**Description**

The password for the HBase Region Server TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

hbase.rpc.tls.truststore.password

Default Value**API Name**

regionserver_tls_truststore_password

Required

false

HBase Region Server TLS/SSL Trust Store File**Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that HBase Region Server might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name**Default Value****API Name**

regionserver_truststore_file

Required

false

HBase Region Server TLS/SSL Trust Store Password**Description**

The password for the HBase Region Server TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name**Default Value****API Name**

regionserver_truststore_password

Required

false

Stacks Collection**Stacks Collection Data Retention****Description**

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory**Description**

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

	jstack
API Name	stacks_collection_method
Required	false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description	Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_cdh_version_validator
Required	true

Suppress Parameter Validation: Hadoop Metrics2 Advanced Configuration Snippet (Safety Valve)

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Hadoop Metrics2 Advanced Configuration Snippet (Safety Valve) parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_hadoop_metrics2_safety_valve
Required	true

Suppress Parameter Validation: BucketCache IOEngine

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the BucketCache IOEngine parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_hbase_bucketcache_ioengine
Required	true

Suppress Parameter Validation: HBase Coprocessor Region Classes**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Coprocessor Region Classes parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_coprocessor_region_classes

Required

true

Suppress Parameter Validation: HBase HRegion Major Compaction**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase HRegion Major Compaction parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_hregion_majorcompaction

Required

true

Suppress Parameter Validation: Netty native library working directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Netty native library working directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_netty_native_workdir

Required

true

Suppress Parameter Validation: HBase RegionServer Interface Class**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase RegionServer Interface Class parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_hbase_regionserver_class`**Required**

true

Suppress Parameter Validation: RegionServer Codecs**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the RegionServer Codecs parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_hbase_regionserver_codecs`**Required**

true

Suppress Parameter Validation: RegionServer Advanced Configuration Snippet (Safety Valve) for hbase-site.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the RegionServer Advanced Configuration Snippet (Safety Valve) for hbase-site.xml parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_hbase_regionserver_config_safety_valve`**Required**

true

Suppress Parameter Validation: RegionServer DNS Network Interface**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the RegionServer DNS Network Interface parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_hbase_regionserver_dns_interface`**Required**

true

Suppress Parameter Validation: RegionServer DNS Nameserver**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the RegionServer DNS Nameserver parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_regionserver_dns_nameserver

Required

true

Suppress Configuration Validator: HBase Region Server Memstore Lower Limit Validator

Description

Whether to suppress configuration warnings produced by the HBase Region Server Memstore Lower Limit Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_regionserver_global_memstore_lowerlimit_validator

Required

true

Suppress Parameter Validation: HLog Reader Implementation

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HLog Reader Implementation parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_regionserver_hlog_reader_impl

Required

true

Suppress Parameter Validation: HLog Writer Implementation

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HLog Writer Implementation parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_regionserver_hlog_writer_impl

Required

true

Suppress Parameter Validation: HBase RegionServer Web UI Address**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase RegionServer Web UI Address parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_regionserver_info_bindaddress

Required

true

Suppress Parameter Validation: HBase RegionServer Web UI port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase RegionServer Web UI port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_regionserver_info_port

Required

true

Suppress Parameter Validation: Java Heap Size of HBase RegionServer in Bytes**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Heap Size of HBase RegionServer in Bytes parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_regionserver_java_heapsize

Required

true

Suppress Parameter Validation: Java Configuration Options for HBase RegionServer**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for HBase RegionServer parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_hbase_regionserver_java_opts`**Required**

true

Suppress Parameter Validation: RegionServer Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the RegionServer Log Directory parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_hbase_regionserver_log_dir`**Required**

true

Suppress Configuration Validator: HBase RegionServer Multiple HDFS WAL with Replication Validator**Description**

Whether to suppress configuration warnings produced by the HBase RegionServer Multiple HDFS WAL with Replication Validator configuration validator.

Related Name**Default Value**

false

API Name`role_config_suppression_hbase_regionserver_multiwal_replication_validator`**Required**

true

Suppress Parameter Validation: HBase RegionServer Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase RegionServer Port parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_hbase_regionserver_port`**Required**

true

Suppress Parameter Validation: Write-Ahead Log (WAL) Codec Class**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Write-Ahead Log (WAL) Codec Class parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_regionserver_wal_codec

Required

true

Suppress Parameter Validation: Snappy temporary directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Snappy temporary directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_snappy_tempdir

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: RegionServer Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the RegionServer Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Rules to Extract Events from Log Files

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Rules to Extract Events from Log Files parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log_event_whitelist

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: RegionServer File Descriptor Limit Validator

Description

Whether to suppress configuration warnings produced by the RegionServer File Descriptor Limit Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_regionserver_fd_limit_validator

Required

true

Suppress Parameter Validation: RegionServer Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the RegionServer Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_regionserver_role_env_safety_valve

Required

true

Suppress Parameter Validation: HBase Region Server TLS/SSL Server Keystore File Location**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Region Server TLS/SSL Server Keystore File Location parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_regionserver_tls_keystore_file

Required

true

Suppress Parameter Validation: HBase Region Server TLS/SSL Server Keystore File Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Region Server TLS/SSL Server Keystore File Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_regionserver_tls_keystore_password

Required

true

Suppress Parameter Validation: HBase Region Server TLS/SSL Trust Store File**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Region Server TLS/SSL Trust Store File parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_regionserver_tls_truststore_file

Required

true

Suppress Parameter Validation: HBase Region Server TLS/SSL Trust Store Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Region Server TLS/SSL Trust Store Password parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_regionserver_tls_truststore_password`**Required**

true

Suppress Parameter Validation: HBase Region Server TLS/SSL Trust Store File**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Region Server TLS/SSL Trust Store File parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_regionserver_truststore_file`**Required**

true

Suppress Parameter Validation: HBase Region Server TLS/SSL Trust Store Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Region Server TLS/SSL Trust Store Password parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_regionserver_truststore_password`**Required**

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_rm_custom_resources`**Required**

true

Suppress Parameter Validation: Role Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Stacks Collection Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_region_server_audit_health

Required

true

Suppress Health Test: Compaction Queue Size**Description**

Whether to suppress the results of the Compaction Queue Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_region_server_compaction_queue

Required

true

Suppress Health Test: File Descriptors

Description

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_region_server_file_descriptor

Required

true

Suppress Health Test: Flush Queue Size

Description

Whether to suppress the results of the Flush Queue Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_region_server_flush_queue

Required

true

Suppress Health Test: GC Duration

Description

Whether to suppress the results of the GC Duration health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_region_server_gc_duration

Required

true

Suppress Health Test: Heap Dump Directory Free Space

Description

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_region_server_heap_dump_directory_free_space

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_region_server_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_region_server_log_directory_free_space

Required

true

Suppress Health Test: Cluster Connectivity**Description**

Whether to suppress the results of the Cluster Connectivity health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_region_server_master_connectivity

Required

true

Suppress Health Test: Memstore Size**Description**

Whether to suppress the results of the Memstore Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_region_server_memstore_size

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_region_server_otelcol_health

Required

true

Suppress Health Test: Ranger Plugin Hdfs Spool Directory Size**Description**

Whether to suppress the results of the Ranger Plugin Hdfs Spool Directory Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_region_server_ranger_plugin_hdfs_spool_directory_size_health

Required

true

Suppress Health Test: Ranger Plugin Solr Spool Directory Size**Description**

Whether to suppress the results of the Ranger Plugin Solr Spool Directory Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_region_server_ranger_plugin_solr_pool_directory_size_health

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_region_server_scm_health

Required

true

Suppress Health Test: Store File Index Size**Description**

Whether to suppress the results of the Store File Index Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_region_server_store_file_idx_size

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_region_server_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_region_server_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_region_server_unexpected_exits

Required

true

Suppress Health Test: Web Server Status

Description

Whether to suppress the results of the Web Server Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_region_server_web_metric_collection

Required

true

Service-Wide

Advanced

HBase Service Advanced Configuration Snippet (Safety Valve) for atlas-application.properties

Description

For advanced use only, a string to be inserted into atlas-application.properties. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

application_properties_safety_valve

Required

false

Enable Atlas Hook**Description**

Enable Atlas Hook to generate Metadata / Lineage information. This Atlas hook is only for the instance of HBase that the Atlas service is using. No other instance of HBase can or should enable this hook.

Related Name**Default Value**

false

API Name

hbase_atlas_hook_enable

Required

false

HBase Coprocessor Abort on Error**Description**

Set to true to cause the hosting server (Master or RegionServer) to abort if a coprocessor throws a Throwable object that is not IOException or a subclass of IOException. Setting it to true might be useful in development environments where one wants to terminate the server as soon as possible to simplify coprocessor failure analysis.

Related Name

hbase.coprocessor.abortonerror

Default Value

false

API Name

hbase_coprocessor_abort_on_error

Required

false

HBase Service Advanced Configuration Snippet (Safety Valve) for core-site.xml**Description**

For advanced use only, a string to be inserted into core-site.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

hbase_core_site_safety_valve

Required

false

Dynamic Jars Directory**Description**

The directory from which the custom filter, comparator, and exception JARs can be loaded without the need to restart. However, an already loaded class would not be un-loaded. Specify a full hadoop filesystem URL.

Related Name

hbase.dynamic.jars.dir

Default Value**API Name**

hbase_dynamic_jars_dir

Required

false

Enable HBase Canary**Description**

Start a process to periodically check that RegionServer is alive when RegionServer is started. Note: This canary is different from the Cloudera Service Monitoring canary and is provided by the HBase service itself.

Related Name**Default Value**

false

API Name

hbase_regionserver_enable_canary

Required

false

HBase replication auxiliary info**Description**

Do not modify this value!

Related Name**Default Value****API Name**

hbase_replication_auxiliary_info

Required

false

HBase replication setup status**Description**

Do not modify this value!

Related Name**Default Value**

API Name

hbase_replication_setup_statuses

Required

false

HBase Service Advanced Configuration Snippet (Safety Valve) for hbase-site.xml**Description**

For advanced use only, a string to be inserted into hbase-site.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

hbase_service_config_safety_valve

Required

false

HBase Service Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

hbase_service_env_safety_valve

Required

false

Skip Region Reload During Rolling Restart**Description**

Whether the step to reload regions back onto the original RegionServers should be skipped during rolling restart. This can be used to increase the speed of rolling restart or upgrade operations, but can result in regions being moved multiple times, decreasing performance for clients during rolling restart.

Related Name**Default Value**

false

API Name

hbase_skip_reload_during_rr

Required

true

HBase Snapshot Service Advanced Configuration Snippet (Safety Valve) for mapred-site.xml**Description**

For advanced use only, a string to be inserted into mapred-site.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**`hbase_snapshot_mapreduce_config_safety_valve`**Required**`false`**HBase Service Advanced Configuration Snippet (Safety Valve) for ssl-server.xml****Description**

For advanced use only, a string to be inserted into ssl-server.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**`hbase_ssl_server_safety_valve`**Required**`false`**Enable dynamic loading of filter, comparator and exception classes****Description**

Whether to dynamically load certain classes

Related Name`hbase.use.dynamic.jars`**Default Value**`false`**API Name**`hbase_use_dynamic_jars`**Required**`true`**HBase User to Impersonate****Description**

The user the management services impersonate when connecting to HBase. If no value is specified, the HBase superuser is used.

Related Name**Default Value****API Name**`hbase_user_to_impersonate`**Required**`false`**HBASE Client Advanced Configuration Snippet (Safety Valve) for navigator.client.properties****Description**

For advanced use only, a string to be inserted into the client configuration for navigator.client.properties.

Related Name

Default Value

API Name

navigator_client_config_safety_valve

Required

false

System Group

Description

The group that this service's processes should run as.

Related Name

Default Value

hbase

API Name

process_groupname

Required

true

System User

Description

The user that this service's processes should run as.

Related Name

Default Value

hbase

API Name

process_username

Required

true

HBase Service Advanced Configuration Snippet (Safety Valve) for ranger-hbase-audit.xml

Description

For advanced use only, a string to be inserted into ranger-hbase-audit.xml. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

ranger_audit_safety_valve

Required

false

HBase Service Advanced Configuration Snippet (Safety Valve) for ranger-hbase-policymgr-ssl.xml

Description

For advanced use only, a string to be inserted into ranger-hbase-policymgr-ssl.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

ranger_policymgr_ssl_safety_valve

Required

false

HBase Service Advanced Configuration Snippet (Safety Valve) for ranger-hbase-security.xml**Description**

For advanced use only, a string to be inserted into ranger-hbase-security.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

ranger_security_safety_valve

Required

false

Backup**Enable Indexing****Description**

Allow indexing of tables in HBase by Lily HBase Indexer. Note: Replication must be enabled for indexing to work.

Related Name**Default Value**

false

API Name

hbase_enable_indexing

Required

false

Enable Replication**Description**

Allow HBase tables to be replicated.

Related Name

hbase.replication

Default Value

false

API Name

hbase_enable_replication

Required

false

Replication Batch Size

Description

Maximum number of hlog entries to replicate in one go. If this is large, and a consumer takes a while to process the events, the HBase RPC call will time out.

Related Name

replication.source.nb.capacity

Default Value

1000

API Name

hbase_replication_source_nb_capacity

Required

false

Replication Source Ratio

Description

Ratio of Lily HBase Indexers used by each HBase RegionServer while doing replication.

Related Name

replication.source.ratio

Default Value

1.0

API Name

hbase_replication_source_ratio

Required

false

Enable Snapshots

Description

Enable snapshots. Disabling snapshots requires deletion of all snapshots before restarting the HBase master; the HBase master will not start if snapshots are disabled and snapshots exist.

Related Name

hbase.snapshot.enabled

Default Value

true

API Name

hbase_snapshot_enabled

Required

false

HBase Master Snapshot Timeout

Description

The maximum amount of time the HBase master waits for a snapshot to complete.

Related Name

hbase.snapshot.master.timeout.millis

Default Value

5 minute(s)

API Name

hbase_snapshot_master_timeout_millis

Required

false

HBase RegionServer Snapshot Timeout**Description**

The maximum amount of time the Hbase RegionServer waits for a snapshot to complete.

Related Name

hbase.snapshot.region.timeout

Default Value

5 minute(s)

API Name

hbase_snapshot_region_timeout

Required

false

AWS S3 Access Key ID for Remote Snapshots**Description**

Access key ID required to access AWS S3 to store remote snapshots.

Related Name**Default Value****API Name**

hbase_snapshot_s3_access_key_id

Required

false

AWS S3 Path for Remote Snapshots**Description**

AWS S3 path where remote snapshots should be stored.

Related Name**Default Value****API Name**

hbase_snapshot_s3_path

Required

false

Scheduler Pool for Remote Snapshots in AWS S3**Description**

Name of the scheduler pool to use for MR jobs created during export/import of remote snapshots in AWS S3.

Related Name

Default Value**API Name**

hbase_snapshot_s3_scheduler_pool

Required

false

AWS S3 Secret Access Key for Remote Snapshots**Description**

AWS secret access key required to access S3 to store remote snapshots.

Related Name**Default Value****API Name**

hbase_snapshot_s3_secret_access_key

Required

false

Cloudera Navigator**Enable Audit Collection****Description**

Enable collection of audit events from the service's roles.

Related Name

navigator.audit.enabled

Default Value

true

API Name

navigator_audit_enabled

Required

false

Audit Event Filter**Description**

Event filters are defined in a JSON object like the following: { "defaultAction": ("accept", "discard"), "rules": [{ "action": ("accept", "discard"), "fields": [{ "name": "fieldName", "match": "regex" }] }] } A filter has a default action and a list of rules, in order of precedence. Each rule defines an action, and a list of fields to match against the audit event. A rule is "accepted" if all the listed field entries match the audit event. At that point, the action declared by the rule is taken. If no rules match the event, the default action is taken. Actions default to "accept" if not defined in the JSON object. The following is the list of fields that can be filtered for HBase events:

- allowed: whether the operation was allowed or denied.
- username: the user performing the action.
- tableName: the table affected by the operation.
- family: the column family affected by the operation.
- qualifier: the qualifier the operation.
- action: the action being performed.

The default HBase audit event filter discards events that affect the internal `-ROOT-`, `.META.` and `_acl_` tables.

Related Name

`navigator.event.filter`

Default Value

comment: [The default HBase audit event filter discards events that affect the , internal -
ROOT-, .META. and _acl_ tables.], defaultAction: accept, rules: [action: discard, fields: [name:
tableName, match: (?:-ROOT-|.META.|_acl_|hbase:meta|hbase:acl)]]

API Name

`navigator_audit_event_filter`

Required

false

Audit Queue Policy**Description**

Action to take when the audit event queue is full. Drop the event or shutdown the affected process.

Related Name

`navigator.batch.queue_policy`

Default Value

DROP

API Name

`navigator_audit_queue_policy`

Required

false

Audit Event Tracker**Description**

Configures the rules for event tracking and coalescing. This feature is used to define equivalency between different audit events. When events match, according to a set of configurable parameters, only one entry in the audit list is generated for all the matching events. Tracking works by keeping a reference to events when they first appear, and comparing other incoming events against the "tracked" events according to the rules defined here. Event trackers are defined in a JSON object like the following: { "timeToLive" : [integer], "fields" : [{ "type" : [string], "name" : [string] }] } Where:

- `timeToLive`: maximum amount of time an event will be tracked, in milliseconds. Must be provided. This defines how long, since it's first seen, an event will be tracked. A value of 0 disables tracking.
- `fields`: list of fields to compare when matching events against tracked events.

Each field has an evaluator type associated with it. The evaluator defines how the field data is to be compared. The following evaluators are available:

- `value`: uses the field value for comparison.
- `username`: treats the field value as a user name, and ignores any host-specific data. This is useful for environment using Kerberos, so that only the principal name and realm are compared.

The following is the list of fields that can be used to compare HBase events:

- `operation`: the HBase operation being performed.
- `username`: the user performing the action.
- `ipAddress`: the IP from where the request originated.

- allowed: whether the operation was allowed or denied.
- tableName: the name of the table affected by the operation.
- family: the column family affected by the operation.
- qualifier: the qualifier of the operation.

The default event tracker for HBase services defines equality by comparing the username, operation, table name, family, and qualifier of the events.

Related Name

navigator_event_tracker

Default Value

comment: [The default event tracker for HBase services defines equality by , comparing the username, operation, table name, family, and qualifier of , the events.], timeToLive: 60000, fields: [type: value, name: tableName , type: value, name: family , type: value, name: qualifier , type: value, name: operation , type: username, name: username]

API Name

navigator_event_tracker

Required

false

Logs**Audit Log Directory****Description**

Path to the directory where audit logs will be written. The directory will be created if it doesn't exist.

Related Name

audit_event_log_dir

Default Value

/var/log/hbase/audit

API Name

audit_event_log_dir

Required

false

Maximum Audit Log File Size**Description**

Maximum size of audit log file in MB before it is rolled over.

Related Name

navigator.audit_log_max_file_size

Default Value

100 MiB

API Name

navigator_audit_log_max_file_size

Required

false

Number of Audit Logs to Retain**Description**

Maximum number of rolled-over audit logs to retain. The logs are not deleted if they contain audit events that have not yet been propagated to the Audit Server.

Related Name

navigator.client.max_num_audit_log

Default Value

10

API Name

navigator_client_max_num_audit_log

Required

false

Monitoring

Enable Log Event Capture

Description

When set, each role identifies important log events and forwards them to Cloudera Manager.

Related Name

Default Value

true

API Name

catch_events

Required

false

Enable Service Level Health Alerts

Description

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

HBase Active Master Detection Window**Description**

The tolerance window that will be used in HBase service tests that depend on detection of the active HBase Master.

Related Name**Default Value**

3 minute(s)

API Name

hbase_active_master_detection_window

Required

false

Backup Masters Health Test**Description**

When computing the overall HBase cluster health, consider the health of the backup HBase Masters.

Related Name**Default Value**

true

API Name

hbase_backup_masters_health_enabled

Required

false

HBase Canary Unhealthy Region Count Alert Threshold**Description**

An alert is published if the HBase region health canary detects at least this many unhealthy regions. This setting takes precedence over the `hbase_canary_alert_unhealthy_region_percent_threshold` config.

Related Name**Default Value****API Name**

hbase_canary_alert_unhealthy_region_count_threshold

Required

false

HBase Canary Unhealthy Region Percentage Alert Threshold**Description**

An alert is published if the HBase region health canary detects at least this percentage of total regions are unhealthy. This threshold is used if the explicit count is not set via the `hbase_canary_alert_unhealthy_region_count_threshold` config.

Related Name

Default Value

0.1

API Name

hbase_canary_alert_unhealthy_region_percent_threshold

Required

false

HBase Erasure Code Canary

Description

Enables the canary that checks if erasure coding is set for hbase root directory.

Related Name

Default Value

true

API Name

hbase_erasure_code_canary_enabled

Required

false

Active Master Health Test

Description

When computing the overall HBase cluster health, consider the active HBase Master's health.

Related Name

Default Value

true

API Name

hbase_master_health_enabled

Required

false

HBase Region Health Canary

Description

Enables the canary that checks HBase region availability by scanning a row from every region.

Related Name

Default Value

true

API Name

hbase_region_health_canary_enabled

Required

false

HBase Region Health Canary Exclude Tables

Description

Tables to exclude in the HBase Region Health Canary which will scan a row from every region.

Related Name

Default Value**API Name**

hbase_region_health_canary_exclude_tables

Required

false

HBase Region Health Canary Slow Run Alert Enabled**Description**

An alert is published if the HBase region health canary runs slowly.

Related Name**Default Value**

true

API Name

hbase_region_health_canary_slow_run_alert_enabled

Required

false

Healthy RegionServer Monitoring Thresholds**Description**

The health test thresholds of the overall RegionServer health. The check returns "Concerning" health if the percentage of "Healthy" RegionServers falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" RegionServers falls below the critical threshold.

Related Name**Default Value**

Warning: 95.0 %, Critical: 90.0 %

API Name

hbase_regionservers_healthy_thresholds

Required

false

Log Event Retry Frequency**Description**

The frequency in which the log4j event publication appender will retry sending undelivered log events to the Event server, in seconds

Related Name**Default Value**

30

API Name

log_event_retry_frequency

Required

false

Service Triggers**Description**

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

service_triggers

Required

true

Service Monitor Client Config Overrides**Description**

For advanced use only, a list of configuration properties that will be used by the Service Monitor instead of the current client configuration for the service.

Related Name**Default Value**

```
<property> <name>zookeeper.recovery.retry</name> <value>0</value> </property> <property>
<name>zookeeper.recovery.retry.intervalmill</name> <value>3000</value> </property>
<property> <name>hbase.zookeeper.recoverable.waittime</name> <value>1000</value> </
property> <property> <name>zookeeper.session.timeout</name> <value>30000</value> </
property> <property> <name>hbase.rpc.timeout</name> <value>10000</value> </property>
<property> <name>hbase.client.retries.number</name> <value>1</value> </property> <property>
<name>hbase.client.rpc.maxattempts</name> <value>1</value> </property> <property>
<name>hbase.client.operation.timeout</name> <value>10000</value> </property>
```

API Name

smon_client_config_overrides

Required

false

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name**Default Value****API Name**

smon_derived_configs_safety_valve

Required

false

Other**Atlas Service****Description**

Name of the Atlas service that this Hbase service instance depends on

Related Name**Default Value****API Name**

atlas_service

Required

false

Generate HADOOP_CREDSTORE_PASSWORD**Description**

Flag to enable or disable the generation of HADOOP_CREDSTORE_PASSWORD.

Related Name

generate_jceks_password

Default Value

true

API Name

generate_jceks_password

Required

false

Maximum Size of HBase Client KeyValue**Description**

Specifies the combined maximum allowed size of a KeyValue instance. This option configures an upper boundary for a single entry saved in a storage file. This option prevents a region from splitting if the data is too large. Set this option to a fraction of the maximum region size. To disable this check, use a value of zero or less.

Related Name

hbase.client.keyvalue.maxsize

Default Value

10 MiB

API Name

hbase_client_keyvalue_maxsize

Required

false

HBase Client Pause**Description**

A general client pause time value. Used mostly as a time period to wait before retrying operations such as a failed get or region lookup.

Related Name

hbase.client.pause

Default Value

100 millisecond(s)

API Name

hbase_client_pause

Required

false

Maximum HBase Client Retries**Description**

Maximum number of client retries. Used as a maximum for all operations such as fetching of the root region from the root RegionServer, getting a cell's value, and starting a row update.

Related Name

hbase.client.retries.number

Default Value

10

API Name

hbase_client_retries_number

Required

false

HBase Client Scanner Caching**Description**

Number of rows to fetch when calling next on a scanner if it is not served from memory. Higher caching values enable faster scanners but require more memory and some calls of next may take longer when the cache is empty.

Related Name

hbase.client.scanner.caching

Default Value

100

API Name

hbase_client_scanner_caching

Required

false

HBase Client Write Buffer**Description**

Write buffer size in bytes. A larger buffer requires more memory on both the client and the server because the server instantiates the passed write buffer to process it but reduces the number of remote procedure calls (RPC). To estimate the amount of server memory used, multiply the value of 'hbase.client.write.buffer' by the value of 'hbase.regionserver.handler.count'.

Related Name

hbase.client.write.buffer

Default Value

2 MiB

API Name

hbase_client_write_buffer

Required

false

Graceful Shutdown Timeout**Description**

Timeout for graceful shutdown of this HBase service. Once this timeout is reached, any remaining running roles are abruptly shutdown. A value of 0 means no timeout.

Related Name**Default Value**

3 minute(s)

API Name

hbase_graceful_stop_timeout

Required

true

HBoss Maximum Number of S3 Connections**Description**

Controls the maximum number of simultaneous connections to S3 from HBoss.

Related Name

fs.s3a.connection.maximum

Default Value

300

API Name

hbase_hboss_fs_s3a_connection_maximum

Required

false

HBoss S3A Implementation Class**Description**

The implementation to use (HBoss) for S3A FileSystem access.

Related Name

fs.s3a.impl

Default Value

org.apache.hadoop.hbase.oss.HBaseObjectStoreSemantics

API Name

`hbase_hboss_fs_s3a_impl`**Required**`false`**HBoss Maximum Number of Concurrent S3 Uploads****Description**

Maximum number of concurrent active (part)uploads, which each use a thread from the threadpool.

Related Name`fs.s3a.threads.max`**Default Value**`200`**API Name**`hbase_hboss_fs_s3a_threads_max`**Required**`false`**HBoss Lock Implementation****Description**

The HBoss implementation to use for distributing locking on top of S3A.

Related Name`fs.hboss.sync.impl`**Default Value**`org.apache.hadoop.hbase.oss.sync.ZKTreeLockManager`**API Name**`hbase_hboss_fs_sync_impl`**Required**`false`**HBoss Wrapped S3A Implementation Class****Description**

The implementation which HBoss should instantiate for S3A FileSystem access.

Related Name`fs.hboss.fs.s3a.impl`**Default Value**`org.apache.hadoop.fs.s3a.S3AFileSystem`**API Name**`hbase_hboss_wrapped_fs_s3a_impl`**Required**`false`**Enable HBase REST Server Proxy Users****Description**

Use this to allow proxy users on HBase REST server, which is mainly needed for "doAs" functionality.

Related Name

hbase.rest.support.proxyuser

Default Value

true

API Name

hbase_restserver_support_proxyuser

Required

false

RPC Timeout**Description**

Timeout for all HBase RPCs in milliseconds.

Related Name

hbase.rpc.timeout

Default Value

1 minute(s)

API Name

hbase_rpc_timeout

Required

false

HBase Server Thread Wake Frequency**Description**

Period of time, in milliseconds, to pause between searches for work. Used as a sleep interval by service threads such as a META scanner and log roller.

Related Name

hbase.server.thread.wakefrequency

Default Value

10 second(s)

API Name

hbase_server_thread_wakefrequency

Required

false

HBase Superusers**Description**

List of users or groups, who are allowed full privileges, regardless of stored ACLs, across the cluster. Only used when HBase security is enabled.

Related Name

hbase.superuser

Default Value**API Name**

hbase_superuser

Required

false

Enable HBase Thrift Http Server

Description

Use this to enable Http server usage on thrift, which is mainly needed for "doAs" functionality.

Related Name

hbase.regionserver.thrift.http

Default Value

false

API Name

hbase_thriftserver_http

Required

false

Enable HBase Thrift Proxy Users

Description

Use this to allow proxy users on thrift gateway, which is mainly needed for "doAs" functionality.

Related Name

hbase.thrift.support.proxyuser

Default Value

false

API Name

hbase_thriftserver_support_proxyuser

Required

false

HDFS WAL Directory

Description

The HDFS directory used for the WAL, shared by HBase RegionServers.

Related Name

hbase.wal.dir

Default Value**API Name**

hbase_wal_dir

Required

false

HDFS Root Directory

Description

The HDFS directory shared by HBase RegionServers.

Related Name

hbase.rootdir

Default Value

/hbase

API Name

hdfs_rootdir

Required

true

HDFS Service

Description

Name of the HDFS service that this HBase service instance depends on

Related Name

Default Value

API Name

hdfs_service

Required

true

Ranger Service Name

Description

Name of the Ranger service/repository where service related data will be stored

Related Name

ranger.plugin.hbase.service.name

Default Value

GENERATED_RANGER_SERVICE_NAME

API Name

ranger_plugin_service_name

Required

false

Ranger Plugin Trusted Proxy IP Address

Description

Accepts a list of IP addresses of proxy servers for trusting.

Related Name

ranger.plugin.hbase.trusted.proxy.ipaddress

Default Value

API Name

ranger_plugin_trusted_proxy_ipaddress

Required

false

Ranger Plugin Use X-Forwarded for IP Address

Description

The parameter is used for identifying the originating IP address of a user connecting to a component through proxy for audit logs.

Related Name

ranger.plugin.hbase.use.x-forwarded-for.ipaddress

Default Value

false

API Name

ranger_plugin_use_x_forwarded_for_ipaddress

Required

false

Ranger Service**Description**

Name of the Ranger service that this Hbase service instance depends on

Related Name**Default Value****API Name**

ranger_service

Required

false

ZooKeeper Connection Retry Pause Duration**Description**Period of time, in milliseconds, to pause between connection retries to ZooKeeper. Used together with `${zookeeper.retries}` in an exponential backoff fashion when making queries to ZooKeeper.**Related Name**

zookeeper.pause

Default Value**API Name**

zookeeper_pause

Required

false

ZooKeeper Connection Retries**Description**The number of times to retry connections to ZooKeeper. Used for reading and writing root region location. Used together with `${zookeeper.pause}` in an exponential backoff fashion when making queries to ZooKeeper.**Related Name**

zookeeper.retries

Default Value**API Name**

zookeeper_retries

Required

false

ZooKeeper Service**Description**

Name of the ZooKeeper service that this HBase service instance depends on.

Related Name

Default Value**API Name**

zookeeper_service

Required

true

ZooKeeper Session Timeout**Description**

ZooKeeper session timeout in milliseconds. HBase passes this to the ZooKeeper quorum as the suggested maximum time for a session. See http://hadoop.apache.org/zookeeper/docs/current/zookeeperProgrammers.html#ch_zkSessions The client sends a requested timeout, the server responds with the timeout that it can give the client.

Related Name

zookeeper.session.timeout

Default Value

60000

API Name

zookeeper_session_timeout

Required

false

ZooKeeper Znode Parent**Description**

The root znode for HBase in ZooKeeper. All of HBase's ZooKeeper files that are configured with a relative path will go under this node. By default, all of HBase's ZooKeeper file paths are configured with a relative path, so they will all go under this directory unless changed.

Related Name

zookeeper.znode.parent

Default Value

/hbase

API Name

zookeeper_znode_parent

Required

true

ZooKeeper Znode Rootserver**Description**

Path to ZooKeeper Node holding root region location. This is written by the HBase Master and read by clients and RegionServers. If a relative path is given, the parent folder will be `${zookeeper.znode.parent}`. By default, the root location is stored at `/hbase/root-region-server`.

Related Name

zookeeper.znode.rootserver

Default Value

root-region-server

API Name

zookeeper_znode_rootserver

Required

true

Performance**Enable HDFS Short-Circuit Read****Description**

Enable HDFS short-circuit read. This allows a client colocated with the DataNode to read HDFS file blocks directly. This gives a performance boost to distributed clients that are aware of locality.

Related Name

dfs.client.read.shortcircuit

Default Value

true

API Name

dfs_client_read_shortcircuit

Required

false

HDFS Hedged Read Threadpool Size**Description**

Size of the threadpool used for hedged reads in hdfs clients. If a read from a block is slow, a parallel 'hedged' read will be started against a different block replica. The first one to return with a result is used while the other one is cancelled. This 'hedged' read feature helps rein in the outliers. A value of zero disables the feature.

Related Name

dfs.client.hedged.read.threadpool.size

Default Value

0

API Name

hbase_server_dfs_client_hedged_read_threadpool_size

Required

false

HDFS Hedged Read Delay Threshold**Description**

Duration to wait before starting up a 'hedged' read.

Related Name

dfs.client.hedged.read.threshold.millis

Default Value

500 millisecond(s)

API Name

hbase_server_dfs_client_hedged_read_threshold_millis

Required

false

SplitLog Manager Timeout

Description

Timeout (in ms) for the distributed log splitting manager to receive response from a worker.

Related Name

hbase.splitlog.manager.timeout

Default Value

2 minute(s)

API Name

hbase_service_splitlog_manager_timeout

Required

false

Proxy

HBase Proxy User Groups

Description

Comma-delimited list of groups that you want to allow the HBase user to impersonate. The default '*' allows all groups. To disable entirely, use a string that does not correspond to a group name, such as '_no_group_'. Note: This property is used only if HBase REST/Thrift Server Authentication is enabled.

Related Name

hadoop.proxyuser.hbase.groups

Default Value

*

API Name

hbase_proxy_user_groups_list

Required

false

HBase Proxy User Hosts

Description

Comma-delimited list of hosts where you want to allow the HBase user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that does not correspond to a host name, such as '_no_host'. Note: This property is used only if HBase REST/Thrift Server Authentication is enabled.

Related Name

hadoop.proxyuser.hbase.hosts

Default Value

*

API Name

hbase_proxy_user_hosts_list

Required

false

Security

Atlas Kafka Messages Spool Directory

Description

Spool directory for Atlas Kafka Messages.

Related Name

atlas.hook.spool.dir

Default Value

/var/log/hbase/atlas-spool

API Name

atlas_message_spool_path

Required

false

Enable Kerberos Authentication for HTTP Web-Consoles

Description

Enables Kerberos authentication for Hadoop HTTP web consoles for all roles of this service using the SPNEGO protocol. Note: This is effective only if Kerberos is enabled.

Related Name**Default Value**

false

API Name

hadoop_secure_web_ui

Required

false

HBase Cell-Level ACLs

Description

Enable HBase cell-level ACLs.

Related Name

hbase.security.access.early_out

Default Value

false

API Name

hbase_cell_acl_authorization

Required

false

Web UI TLS/SSL Encryption Enabled

Description

Enable TLS/SSL encryption for HBase web UIs.

Related Name

hbase.ssl.enabled

Default Value

false

API Name

hbase_hadoop_ssl_enabled

Required

false

HBase REST Authentication

Description

If this is set to "kerberos", HBase REST Server will authenticate its clients. HBase Proxy User Hosts and Groups should be configured to allow specific users to access HBase through REST Server.

Related Name

hbase.rest.authentication.type

Default Value

simple

API Name

hbase_restserver_security_authentication

Required

false

HBase Row-Level Authorization

Description

Enable HBase row-level authorization.

Related Name

hbase.row.level.authorization

Default Value

false

API Name

hbase_row_level_authorization

Required

false

HBase Transport Security

Description

Configure the type of encrypted communication to be used with RPC.

Related Name

hbase.rpc.protection

Default Value

authentication

API Name

hbase_rpc_protection

Required

false

HBase Secure RPC Engine

Description

Set to true to use HBase Secure RPC Engine for remote procedure calls (RPC). This is only effective in simple authentication mode. Does not provide authentication for RPC calls, but provides user information in the audit logs. Changing this setting requires a restart of this and all dependent services and redeployment of client configurations, along with a restart of the Service Monitor management role.

Related Name

hbase.secure.rpc.engine

Default Value

false

API Name

hbase_secure_rpc_engine

Required

false

HBase Secure Authentication**Description**

Choose the authentication mechanism used by HBase.

Related Name

hbase.security.authentication

Default Value

simple

API Name

hbase_security_authentication

Required

false

Assigned SPNEGO virtual groups**Description**

Comma-separated list of Unix groups to define administrators of the HBase UI when SPNEGO authentication is enabled.

Related Name

hbase.security.authentication.spnego.admin.groups

Default Value**API Name**

hbase_security_authentication_spnego_admin_groups

Required

false

HBase Secure Authorization**Description**

Enable HBase authorization.

Related Name

hbase.security.authorization

Default Value

false

API Name

hbase_security_authorization

Required

false

HBase Thrift Authentication**Description**

If this is set, HBase Thrift Server authenticates its clients. HBase Proxy User Hosts and Groups should be configured to allow specific users to access HBase through Thrift Server.

Related Name

hbase.thrift.security.qop

Default Value

none

API Name

hbase_thriftserver_security_authentication

Required

true

Kerberos Principal**Description**

Kerberos principal short name used by all roles of this service.

Related Name**Default Value**

hbase

API Name

kerberos_princ_name

Required

true

Ranger DFS Audit Path**Description**

The DFS path on which Ranger audits are written. The special placeholder '{ranger_base_audit_url}' should be used as the prefix, in order to use the centralized location defined in the Ranger service.

Related Name

xasecure.audit.destination.hdfs.dir

Default Value

\$ranger_base_audit_url/hbase

API Name

ranger_audit_hdfs_dir

Required

false

Ranger Audit DFS Spool Dir**Description**

Spool directory for Ranger audits being written to DFS.

Related Name

xasecure.audit.destination.hdfs.batch.filespool.dir

Default Value

/var/log/hbase/audit/hdfs/spool

API Name

ranger_audit_hdfs_spool_dir

Required

false

Ranger Audit Solr Spool Dir

Description

Spool directory for Ranger audits being written to Solr.

Related Name

xasecure.audit.destination.solr.batch.filespool.dir

Default Value

/var/log/hbase/audit/solr/spool

API Name

ranger_audit_solr_spool_dir

Required

false

Ranger Policy Cache Directory

Description

The directory where Ranger security policies are cached locally.

Related Name

ranger.plugin.hbase.policy.cache.dir

Default Value

/var/lib/ranger/hbase/policy-cache

API Name

ranger_policy_cache_dir

Required

false

HBase TLS/SSL Server Keystore Key Password

Description

The password that protects the private key contained in the keystore used when HBase is acting as a TLS/SSL server.

Related Name

ssl.server.keystore.keypassword

Default Value**API Name**

ssl_server_keystore_keypassword

Required

false

HBase TLS/SSL Server Keystore File Location

Description

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when HBase is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

ssl.server.keystore.location

Default Value

API Name

ssl_server_keystore_location

Required

false

HBase TLS/SSL Server Keystore File Password

Description

The password for the HBase keystore file.

Related Name

ssl.server.keystore.password

Default Value

API Name

ssl_server_keystore_password

Required

false

SSL/TLS Cipher Suite

Description

The SSL/TLS cipher suites to use. "Modern 2018" is a modern set of cipher suites as of 2018, according to the Mozilla server-side TLS recommendations. These cipher suites use strong cryptography and are preferred unless interaction with older clients is required. These modern cipher suites are compatible with Firefox 27, Chrome 22, Internet Explorer 11, Opera 14, Safari 7, Android 4.4, and Java 8. "Intermediate 2018" is an intermediate set of cipher suites as of 2018, according to the Mozilla server-side TLS recommendations. Select the Intermediate 2018 cipher suites if you require compatibility with a wider range of clients, legacy browsers, or older Linux tools.

Related Name

ssl.server.exclude.cipher.list

Default Value

modern2018

API Name

tls_ciphers

Required

false

HBase ZooKeeper Secure Client Enabled

Description

Enable TLS connection to ZooKeeper in HBase client.

Related Name

hbase.zookeeper.property.client.secure

Default Value

false

API Name

zookeeper_secure_client_enabled

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: Deploy Directory

Description

Whether to suppress configuration warnings produced by the Deploy Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Configuration Validator: HBase Client Scanner Timeout exceeds Lease Period Validator

Description

Whether to suppress configuration warnings produced by the HBase Client Scanner Timeout exceeds Lease Period Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_client_server_scanner_rpc_timeout_validator

Required

true

Suppress Configuration Validator: Hadoop Metrics2 Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Hadoop Metrics2 Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_metrics2_safety_valve

Required

true

Suppress Configuration Validator: BucketCache IOEngine

Description

Whether to suppress configuration warnings produced by the BucketCache IOEngine configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_bucketcache_ioengine

Required

true

Suppress Configuration Validator: HBase Client Advanced Configuration Snippet (Safety Valve) for hbase-site.xml

Description

Whether to suppress configuration warnings produced by the HBase Client Advanced Configuration Snippet (Safety Valve) for hbase-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_client_config_safety_valve

Required

true

Suppress Configuration Validator: HBase Client Environment Advanced Configuration Snippet (Safety Valve) for hbase-env.sh

Description

Whether to suppress configuration warnings produced by the HBase Client Environment Advanced Configuration Snippet (Safety Valve) for hbase-env.sh configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_client_env_safety_valve

Required

true

Suppress Configuration Validator: Client Java Configuration Options

Description

Whether to suppress configuration warnings produced by the Client Java Configuration Options configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_client_java_opts

Required

true

Suppress Configuration Validator: HBase Coprocessor Master Classes

Description

Whether to suppress configuration warnings produced by the HBase Coprocessor Master Classes configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_coprocessor_master_classes

Required

true

Suppress Configuration Validator: HBase Coprocessor Region Classes

Description

Whether to suppress configuration warnings produced by the HBase Coprocessor Region Classes configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_coprocessor_region_classes

Required

true

Suppress Configuration Validator: HBase HRegion Major Compaction

Description

Whether to suppress configuration warnings produced by the HBase HRegion Major Compaction configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_hregion_majorcompaction

Required

true

Suppress Configuration Validator: HBase Kerberos Secure Thrift Server Validator

Description

Whether to suppress configuration warnings produced by the HBase Kerberos Secure Thrift Server Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_kerberos_secure_thrift_validator

Required

true

Suppress Configuration Validator: Master Advanced Configuration Snippet (Safety Valve) for hbase-site.xml

Description

Whether to suppress configuration warnings produced by the Master Advanced Configuration Snippet (Safety Valve) for hbase-site.xml configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_master_config_safety_valve

Required

true

Suppress Configuration Validator: HBase Master DNS Network Interface

Description

Whether to suppress configuration warnings produced by the HBase Master DNS Network Interface configuration validator.

Related Name**Default Value**

false

API Name
role_config_suppression_hbase_master_dns_interface

Required
true

Suppress Configuration Validator: HBase Master DNS Name Server

Description
Whether to suppress configuration warnings produced by the HBase Master DNS Name Server configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_hbase_master_dns_nameserver

Required
true

Suppress Configuration Validator: HBase Master Web UI Address

Description
Whether to suppress configuration warnings produced by the HBase Master Web UI Address configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_hbase_master_info_bindaddress

Required
true

Suppress Configuration Validator: HBase Master Web UI Port

Description
Whether to suppress configuration warnings produced by the HBase Master Web UI Port configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_hbase_master_info_port

Required
true

Suppress Configuration Validator: Java Configuration Options for HBase Master

Description

Whether to suppress configuration warnings produced by the Java Configuration Options for HBase Master configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_master_java_opts

Required

true

Suppress Configuration Validator: Master Log Directory

Description

Whether to suppress configuration warnings produced by the Master Log Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_master_log_dir

Required

true

Suppress Configuration Validator: HBase Master Log Cleaner Plugins

Description

Whether to suppress configuration warnings produced by the HBase Master Log Cleaner Plugins configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_master_logcleaner_plugins

Required

true

Suppress Configuration Validator: HBase Master Port

Description

Whether to suppress configuration warnings produced by the HBase Master Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_master_port

Required

true

Suppress Configuration Validator: Netty native library working directory

Description

Whether to suppress configuration warnings produced by the Netty native library working directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_netty_native_workdir

Required

true

Suppress Configuration Validator: HBase RegionServer Interface Class

Description

Whether to suppress configuration warnings produced by the HBase RegionServer Interface Class configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_regionserver_class

Required

true

Suppress Configuration Validator: RegionServer Codecs

Description

Whether to suppress configuration warnings produced by the RegionServer Codecs configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_regionserver_codecs

Required

true

Suppress Configuration Validator: RegionServer Advanced Configuration Snippet (Safety Valve) for hbase-site.xml

Description

Whether to suppress configuration warnings produced by the RegionServer Advanced Configuration Snippet (Safety Valve) for hbase-site.xml configuration validator.

Related Name**Default Value**

	false
API Name	role_config_suppression_hbase_regionserver_config_safety_valve
Required	true

Suppress Configuration Validator: RegionServer DNS Network Interface

Description
Whether to suppress configuration warnings produced by the RegionServer DNS Network Interface configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_hbase_regionserver_dns_interface

Required
true

Suppress Configuration Validator: RegionServer DNS Nameserver

Description
Whether to suppress configuration warnings produced by the RegionServer DNS Nameserver configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_hbase_regionserver_dns_nameserver

Required
true

Suppress Configuration Validator: HBase Region Server Memstore Lower Limit Validator

Description
Whether to suppress configuration warnings produced by the HBase Region Server Memstore Lower Limit Validator configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_hbase_regionserver_global_memstore_lowerlimit_validator

Required
true

Suppress Configuration Validator: HLog Reader Implementation

Description

Whether to suppress configuration warnings produced by the HLog Reader Implementation configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_regionserver_hlog_reader_impl

Required

true

Suppress Configuration Validator: HLog Writer Implementation

Description

Whether to suppress configuration warnings produced by the HLog Writer Implementation configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_regionserver_hlog_writer_impl

Required

true

Suppress Configuration Validator: HBase RegionServer Web UI Address

Description

Whether to suppress configuration warnings produced by the HBase RegionServer Web UI Address configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_regionserver_info_bindaddress

Required

true

Suppress Configuration Validator: HBase RegionServer Web UI port

Description

Whether to suppress configuration warnings produced by the HBase RegionServer Web UI port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_regionserver_info_port

Required

true

Suppress Configuration Validator: Java Heap Size of HBase RegionServer in Bytes

Description

Whether to suppress configuration warnings produced by the Java Heap Size of HBase RegionServer in Bytes configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_regionserver_java_heapsize

Required

true

Suppress Configuration Validator: Java Configuration Options for HBase RegionServer

Description

Whether to suppress configuration warnings produced by the Java Configuration Options for HBase RegionServer configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_regionserver_java_opts

Required

true

Suppress Configuration Validator: RegionServer Log Directory

Description

Whether to suppress configuration warnings produced by the RegionServer Log Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_regionserver_log_dir

Required

true

Suppress Configuration Validator: HBase RegionServer Multiple HDFS WAL with Replication Validator

Description

Whether to suppress configuration warnings produced by the HBase RegionServer Multiple HDFS WAL with Replication Validator configuration validator.

Related Name**Default Value**

	false
API Name	role_config_suppression_hbase_regionserver_multiwal_replication_validator
Required	true

Suppress Configuration Validator: HBase RegionServer Port

Description	Whether to suppress configuration warnings produced by the HBase RegionServer Port configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_hbase_regionserver_port
Required	true

Suppress Configuration Validator: Write-Ahead Log (WAL) Codec Class

Description	Whether to suppress configuration warnings produced by the Write-Ahead Log (WAL) Codec Class configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_hbase_regionserver_wal_codec
Required	true

Suppress Configuration Validator: HBase REST Server Advanced Configuration Snippet (Safety Valve) for hbase-site.xml

Description	Whether to suppress configuration warnings produced by the HBase REST Server Advanced Configuration Snippet (Safety Valve) for hbase-site.xml configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_hbase_restserver_config_safety_valve
Required	true

Suppress Configuration Validator: HBase REST Server DNS Network Interface

Description	
--------------------	--

Whether to suppress configuration warnings produced by the HBase REST Server DNS Network Interface configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_restserver_dns_interface

Required

true

Suppress Configuration Validator: HBase REST Server DNS Name Server**Description**

Whether to suppress configuration warnings produced by the HBase REST Server DNS Name Server configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_restserver_dns_nameserver

Required

true

Suppress Configuration Validator: HBase REST Server Host Address**Description**

Whether to suppress configuration warnings produced by the HBase REST Server Host Address configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_restserver_host

Required

true

Suppress Configuration Validator: HBase REST Server Web UI Port**Description**

Whether to suppress configuration warnings produced by the HBase REST Server Web UI Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_restserver_info_port

Required

true

Suppress Configuration Validator: Java Configuration Options for HBase REST Server

Description

Whether to suppress configuration warnings produced by the Java Configuration Options for HBase REST Server configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_restserver_java_opts

Required

true

Suppress Configuration Validator: HBase REST Server TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the HBase REST Server TLS/SSL Server Keystore File Location configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_restserver_keystore_file

Required

true

Suppress Configuration Validator: HBase REST Server TLS/SSL Server Keystore Key Password

Description

Whether to suppress configuration warnings produced by the HBase REST Server TLS/SSL Server Keystore Key Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_restserver_keystore_keypassword

Required

true

Suppress Configuration Validator: HBase REST Server TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the HBase REST Server TLS/SSL Server Keystore File Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_restserver_keystore_password

Required

true

Suppress Configuration Validator: HBase REST Server Log Directory

Description

Whether to suppress configuration warnings produced by the HBase REST Server Log Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_restserver_log_dir

Required

true

Suppress Configuration Validator: HBase REST Server Port

Description

Whether to suppress configuration warnings produced by the HBase REST Server Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_restserver_port

Required

true

Suppress Configuration Validator: Snappy temporary directory

Description

Whether to suppress configuration warnings produced by the Snappy temporary directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_snappy_tempdir

Required

true

Suppress Configuration Validator: HBase Thrift Server Bind Address

Description

Whether to suppress configuration warnings produced by the HBase Thrift Server Bind Address configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_thriftserver_bindaddress

Required

true

Suppress Configuration Validator: HBase Thrift Server Advanced Configuration Snippet (Safety Valve) for hbase-site.xml**Description**

Whether to suppress configuration warnings produced by the HBase Thrift Server Advanced Configuration Snippet (Safety Valve) for hbase-site.xml configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_thriftserver_config_safety_valve

Required

true

Suppress Configuration Validator: HBase Thrift Server DNS Network Interface**Description**

Whether to suppress configuration warnings produced by the HBase Thrift Server DNS Network Interface configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_thriftserver_dns_interface

Required

true

Suppress Configuration Validator: HBase Thrift Server DNS Name Server**Description**

Whether to suppress configuration warnings produced by the HBase Thrift Server DNS Name Server configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_thriftserver_dns_nameserver

Required

true

Suppress Configuration Validator: HBase Thrift Server over HTTP TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the HBase Thrift Server over HTTP TLS/SSL Server Keystore File Location configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_thriftserver_http_keystore_file

Required

true

Suppress Configuration Validator: HBase Thrift Server over HTTP TLS/SSL Server Keystore Key Password

Description

Whether to suppress configuration warnings produced by the HBase Thrift Server over HTTP TLS/SSL Server Keystore Key Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_thriftserver_http_keystore_keypassword

Required

true

Suppress Configuration Validator: HBase Thrift Server over HTTP TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the HBase Thrift Server over HTTP TLS/SSL Server Keystore File Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hbase_thriftserver_http_keystore_password

Required

true

Suppress Configuration Validator: HBase Thrift Server Web UI Port

Description

Whether to suppress configuration warnings produced by the HBase Thrift Server Web UI Port configuration validator.

Related Name

Default Value

	false
API Name	role_config_suppression_hbase_thriftserver_info_port
Required	true

Suppress Configuration Validator: Java Configuration Options for HBase Thrift Server

Description
Whether to suppress configuration warnings produced by the Java Configuration Options for HBase Thrift Server configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_hbase_thriftserver_java_opts

Required
true

Suppress Configuration Validator: HBase Thrift Server Log Directory

Description
Whether to suppress configuration warnings produced by the HBase Thrift Server Log Directory configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_hbase_thriftserver_log_dir

Required
true

Suppress Configuration Validator: HBase Thrift Server Port

Description
Whether to suppress configuration warnings produced by the HBase Thrift Server Port configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_hbase_thriftserver_port

Required
true

Suppress Configuration Validator: HBase REST Server Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the HBase REST Server Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hbaserestserver_role_env_safety_valve

Required

true

Suppress Configuration Validator: HBase Thrift Server Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the HBase Thrift Server Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hbasethriftserver_role_env_safety_valve

Required

true

Suppress Configuration Validator: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Configuration Validator: Master Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Master Logging Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Configuration Validator: Rules to Extract Events from Log Files**Description**

Whether to suppress configuration warnings produced by the Rules to Extract Events from Log Files configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_log_event_whitelist

Required

true

Suppress Configuration Validator: Master Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the Master Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_master_role_env_safety_valve

Required

true

Suppress Configuration Validator: HBase Master TLS/SSL Server Keystore File Location**Description**

Whether to suppress configuration warnings produced by the HBase Master TLS/SSL Server Keystore File Location configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_master_tls_keystore_file

Required

true

Suppress Configuration Validator: HBase Master TLS/SSL Server Keystore File Password**Description**

Whether to suppress configuration warnings produced by the HBase Master TLS/SSL Server Keystore File Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_master_tls_keystore_password

Required

true

Suppress Configuration Validator: HBase Master TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the HBase Master TLS/SSL Trust Store File configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_master_tls_truststore_file

Required

true

Suppress Configuration Validator: HBase Master TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the HBase Master TLS/SSL Trust Store Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_master_tls_truststore_password

Required

true

Suppress Configuration Validator: HBase Master TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the HBase Master TLS/SSL Trust Store File configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_master_truststore_file

Required

true

Suppress Configuration Validator: HBase Master TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the HBase Master TLS/SSL Trust Store Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_master_truststore_password

Required

true

Suppress Configuration Validator: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name

Default Value

false

API Name

`role_config_suppression_otelcol_rtm_logs_service`**Required**`true`**Suppress Configuration Validator: OpenTelemetry Collector Service Section****Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_service`**Required**`true`**Suppress Configuration Validator: RegionServer File Descriptor Limit Validator****Description**

Whether to suppress configuration warnings produced by the RegionServer File Descriptor Limit Validator configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_regionserver_fd_limit_validator`**Required**`true`**Suppress Configuration Validator: RegionServer Environment Advanced Configuration Snippet (Safety Valve)****Description**

Whether to suppress configuration warnings produced by the RegionServer Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_regionserver_role_env_safety_valve`**Required**`true`**Suppress Configuration Validator: HBase Region Server TLS/SSL Server Keystore File Location****Description**

Whether to suppress configuration warnings produced by the HBase Region Server TLS/SSL Server Keystore File Location configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_regionserver_tls_keystore_file

Required

true

Suppress Configuration Validator: HBase Region Server TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the HBase Region Server TLS/SSL Server Keystore File Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_regionserver_tls_keystore_password

Required

true

Suppress Configuration Validator: HBase Region Server TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the HBase Region Server TLS/SSL Trust Store File configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_regionserver_tls_truststore_file

Required

true

Suppress Configuration Validator: HBase Region Server TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the HBase Region Server TLS/SSL Trust Store Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_regionserver_tls_truststore_password

Required

true

Suppress Configuration Validator: HBase Region Server TLS/SSL Trust Store File**Description**

Whether to suppress configuration warnings produced by the HBase Region Server TLS/SSL Trust Store File configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_regionserver_truststore_file

Required

true

Suppress Configuration Validator: HBase Region Server TLS/SSL Trust Store Password**Description**

Whether to suppress configuration warnings produced by the HBase Region Server TLS/SSL Trust Store Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_regionserver_truststore_password

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: Role Triggers**Description**

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Configuration Validator: Stacks Collection Directory**Description**

Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Parameter Validation: HBase Service Advanced Configuration Snippet (Safety Valve) for atlas-application.properties**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Service Advanced Configuration Snippet (Safety Valve) for atlas-application.properties parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_application_properties_safety_valve

Required

true

Suppress Parameter Validation: Atlas Kafka Messages Spool Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas Kafka Messages Spool Directory parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_atlas_message_spool_path

Required

true

Suppress Parameter Validation: Audit Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Audit Log Directory parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_audit_event_log_dir

Required

true

Suppress Configuration Validator: Gateway Count Validator**Description**

Whether to suppress configuration warnings produced by the Gateway Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_gateway_count_validator

Required

true

Suppress Configuration Validator: Secure Web UI Validator**Description**

Whether to suppress configuration warnings produced by the Secure Web UI Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_hadoop_secure_web_ui

Required

true

Suppress Configuration Validator: HBase Authentication And Authorization Validation**Description**

Whether to suppress configuration warnings produced by the HBase Authentication And Authorization Validation configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_hbase_authentication_and_authorization_validator

Required

true

Suppress Parameter Validation: HBase Service Advanced Configuration Snippet (Safety Valve) for core-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Service Advanced Configuration Snippet (Safety Valve) for core-site.xml parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hbase_core_site_safety_valve

Required

true

Suppress Parameter Validation: Dynamic Jars Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Dynamic Jars Directory parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hbase_dynamic_jars_dir

Required

true

Suppress Parameter Validation: HBoss S3A Implementation Class

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBoss S3A Implementation Class parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hbase_hboss_fs_s3a_impl

Required

true

Suppress Parameter Validation: HBoss Lock Implementation

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBoss Lock Implementation parameter.

Related Name**Default Value**

false

API Name

`service_config_suppression_hbase_hboss_fs_sync_impl`**Required**`true`**Suppress Parameter Validation: HBoss Wrapped S3A Implementation Class****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBoss Wrapped S3A Implementation Class parameter.

Related Name**Default Value**`false`**API Name**`service_config_suppression_hbase_hboss_wrapped_fs_s3a_impl`**Required**`true`**Suppress Parameter Validation: HBase Proxy User Groups****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Proxy User Groups parameter.

Related Name**Default Value**`false`**API Name**`service_config_suppression_hbase_proxy_user_groups_list`**Required**`true`**Suppress Parameter Validation: HBase Proxy User Hosts****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Proxy User Hosts parameter.

Related Name**Default Value**`false`**API Name**`service_config_suppression_hbase_proxy_user_hosts_list`**Required**`true`**Suppress Parameter Validation: HBase Region Health Canary Exclude Tables****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Region Health Canary Exclude Tables parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hbase_region_health_canary_exclude_tables

Required

true

Suppress Parameter Validation: HBase replication auxiliary info**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase replication auxiliary info parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hbase_replication_auxiliary_info

Required

true

Suppress Parameter Validation: HBase replication setup status**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase replication setup status parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hbase_replication_setup_statuses

Required

true

Suppress Parameter Validation: Assigned SPNEGO virtual groups**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Assigned SPNEGO virtual groups parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hbase_security_authentication_spnego_admin_groups

Required

true

Suppress Parameter Validation: HBase Service Advanced Configuration Snippet (Safety Valve) for hbase-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Service Advanced Configuration Snippet (Safety Valve) for hbase-site.xml parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hbase_service_config_safety_valve

Required

true

Suppress Parameter Validation: HBase Service Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hbase_service_env_safety_valve

Required

true

Suppress Parameter Validation: HBase Snapshot Service Advanced Configuration Snippet (Safety Valve) for mapred-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Snapshot Service Advanced Configuration Snippet (Safety Valve) for mapred-site.xml parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hbase_snapshot_mapreduce_config_safety_valve

Required

true

Suppress Parameter Validation: AWS S3 Access Key ID for Remote Snapshots

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the AWS S3 Access Key ID for Remote Snapshots parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hbase_snapshot_s3_access_key_id

Required

true

Suppress Parameter Validation: AWS S3 Path for Remote Snapshots

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the AWS S3 Path for Remote Snapshots parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hbase_snapshot_s3_path

Required

true

Suppress Parameter Validation: Scheduler Pool for Remote Snapshots in AWS S3

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Scheduler Pool for Remote Snapshots in AWS S3 parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hbase_snapshot_s3_scheduler_pool

Required

true

Suppress Parameter Validation: AWS S3 Secret Access Key for Remote Snapshots

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the AWS S3 Secret Access Key for Remote Snapshots parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hbase_snapshot_s3_secret_access_key

Required

true

Suppress Parameter Validation: HBase Service Advanced Configuration Snippet (Safety Valve) for ssl-server.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Service Advanced Configuration Snippet (Safety Valve) for ssl-server.xml parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hbase_ssl_server_safety_valve

Required

true

Suppress Parameter Validation: HBase Superusers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Superusers parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hbase_superuser

Required

true

Suppress Configuration Validator: Phoenix HBase Dynamic Jars Validator

Description

Whether to suppress configuration warnings produced by the Phoenix HBase Dynamic Jars Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_hbase_use_dynamic_jars_validator

Required

true

Suppress Parameter Validation: HBase User to Impersonate

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase User to Impersonate parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hbase_user_to_impersonate

Required

true

Suppress Parameter Validation: HDFS WAL Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS WAL Directory parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hbase_wal_dir

Required

true

Suppress Configuration Validator: HBase REST Server Count Validator**Description**

Whether to suppress configuration warnings produced by the HBase REST Server Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_hbaserestserver_count_validator

Required

true

Suppress Configuration Validator: HBase Thrift Server Count Validator**Description**

Whether to suppress configuration warnings produced by the HBase Thrift Server Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_hbasethriftserver_count_validator

Required

true

Suppress Parameter Validation: HDFS Root Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS Root Directory parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hdfs_rootdir

Required

true

Suppress Parameter Validation: Kerberos Principal**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Principal parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_kerberos_princ_name

Required

true

Suppress Configuration Validator: Master Count Validator**Description**

Whether to suppress configuration warnings produced by the Master Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_master_count_validator

Required

true

Suppress Parameter Validation: Audit Event Filter**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Audit Event Filter parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_navigator_audit_event_filter

Required

true

Suppress Parameter Validation: HBASE Client Advanced Configuration Snippet (Safety Valve) for navigator.client.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBASE Client Advanced Configuration Snippet (Safety Valve) for navigator.client.properties parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_navigator_client_config_safety_valve

Required

true

Suppress Parameter Validation: Audit Event Tracker

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Audit Event Tracker parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_navigator_event_tracker

Required

true

Suppress Parameter Validation: System Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: System User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_username

Required

true

Suppress Parameter Validation: Ranger DFS Audit Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger DFS Audit Path parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_audit_hdfs_dir

Required

true

Suppress Parameter Validation: Ranger Audit DFS Spool Dir

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Audit DFS Spool Dir parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_audit_hdfs_spool_dir

Required

true

Suppress Parameter Validation: HBase Service Advanced Configuration Snippet (Safety Valve) for ranger-hbase-audit.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Service Advanced Configuration Snippet (Safety Valve) for ranger-hbase-audit.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_audit_safety_valve

Required

true

Suppress Parameter Validation: Ranger Audit Solr Spool Dir

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Audit Solr Spool Dir parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_audit_solr_spool_dir

Required

true

Suppress Parameter Validation: Ranger Service Name

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Service Name parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_plugin_service_name

Required

true

Suppress Parameter Validation: Ranger Plugin Trusted Proxy IP Address

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Plugin Trusted Proxy IP Address parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_plugin_trusted_proxy_ipaddress

Required

true

Suppress Parameter Validation: Ranger Policy Cache Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Policy Cache Directory parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_policy_cache_dir

Required

true

Suppress Parameter Validation: HBase Service Advanced Configuration Snippet (Safety Valve) for ranger-hbase-policymgr-ssl.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Service Advanced Configuration Snippet (Safety Valve) for ranger-hbase-policymgr-ssl.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_policymgr_ssl_safety_valve

Required

true

Suppress Parameter Validation: HBase Service Advanced Configuration Snippet (Safety Valve) for ranger-hbase-security.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Service Advanced Configuration Snippet (Safety Valve) for ranger-hbase-security.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_security_safety_valve

Required

true

Suppress Configuration Validator: RegionServer Count Validator

Description

Whether to suppress configuration warnings produced by the RegionServer Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_regionserver_count_validator

Required

true

Suppress Parameter Validation: Service Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name

Default Value
false

API Name
service_config_suppression_service_triggers

Required
true

Suppress Configuration Validator: Short-Circuit Read Enabled Validator

Description
Whether to suppress configuration warnings produced by the Short-Circuit Read Enabled Validator configuration validator.

Related Name

Default Value
false

API Name
service_config_suppression_short_circuit_read_validator

Required
true

Suppress Parameter Validation: Service Monitor Client Config Overrides

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Client Config Overrides parameter.

Related Name

Default Value
false

API Name
service_config_suppression_smon_client_config_overrides

Required
true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value
false

API Name
service_config_suppression_smon_derived_configs_safety_valve

Required
true

Suppress Parameter Validation: HBase TLS/SSL Server Keystore Key Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase TLS/SSL Server Keystore Key Password parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ssl_server_keystore_keypassword

Required

true

Suppress Parameter Validation: HBase TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase TLS/SSL Server Keystore File Location parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: HBase TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase TLS/SSL Server Keystore File Password parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ssl_server_keystore_password

Required

true

Suppress Configuration Validator: ZooKeeper Max Session Timeout Validator

Description

Whether to suppress configuration warnings produced by the ZooKeeper Max Session Timeout Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_zookeeper_max_session_timeout_validator

Required

true

Suppress Parameter Validation: ZooKeeper Znode Parent**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the ZooKeeper Znode Parent parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_zookeeper_znode_parent

Required

true

Suppress Parameter Validation: ZooKeeper Znode Rootserver**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the ZooKeeper Znode Rootserver parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_zookeeper_znode_rootserver

Required

true

Suppress Health Test: HBase Master Health**Description**

Whether to suppress the results of the HBase Master Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_hbase_master_health

Required

true

Suppress Health Test: RegionServer Health**Description**

Whether to suppress the results of the RegionServer Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_hbase_region_servers_healthy

Required

true

HDFS Properties in Cloudera Runtime 7.3.1

Role groups:

Balancer

Advanced

Balancer Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml

Description

For advanced use only. A string to be inserted into hdfs-site.xml for this role only.

Related Name**Default Value****API Name**

balancer_config_safety_valve

Required

false

Java Configuration Options for Balancer

Description

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or greater, `{{JAVA_GC_ARGS}}` will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name**Default Value****API Name**

balancer_java_opts

Required

false

Balancer Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Logs**Balancer Log Directory****Description**

Directory where Balancer will place its log files.

Related Name**Default Value**

/var/log/hadoop-hdfs

API Name

balancer_log_dir

Required

false

Balancer Logging Threshold**Description**

The minimum log level for Balancer logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Balancer Maximum Log File Backups**Description**

The maximum number of rolled log files to keep for Balancer logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

Balancer Max Log Size

Description

The maximum size, in megabytes, per log file for Balancer logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Rules to Extract Events from Log Files

Description

This file contains the rules that govern how log messages are turned into events by the custom log4j appender that this role loads. It is in JSON format, and is composed of a list of rules. Every log message is evaluated against each of these rules in turn to decide whether or not to send an event for that message. If a log message matches multiple rules, the first matching rule is used. Each rule has some or all of the following fields:

- **alert** - whether or not events generated from this rule should be promoted to alerts. A value of "true" will cause alerts to be generated. If not specified, the default is "false".
- **rate** (mandatory) - the maximum number of log messages matching this rule that can be sent as events every minute. If more than rate matching log messages are received in a single minute, the extra messages are ignored. If rate is less than 0, the number of messages per minute is unlimited.
- **periodminutes** - the number of minutes during which the publisher will only publish rate events or fewer. If not specified, the default is one minute
- **threshold** - apply this rule only to messages with this log4j severity level or above. An example is "WARN" for warning level messages or higher.
- **content** - match only those messages for which contents match this regular expression.
- **exceptiontype** - match only those messages that are part of an exception message. The exception type must match this regular expression.

Example:

- {"alert": false, "rate": 10, "exceptiontype": "java.lang.StringIndexOutOfBoundsException"} This rule sends events to Cloudera Manager for every StringIndexOutOfBoundsException, up to a maximum of 10 every minute.

- {"alert": false, "rate": 1, "periodminutes": 1, "exceptiontype": ".*"}, {"alert": true, "rate": 1, "periodminutes": 1, "threshold": "ERROR"} In this example, an event generated may not be promoted to alert if an exception is in the ERROR log message, because the first rule with alert = false will match.

Related Name

Default Value

version: 0, rules: [alert: false, rate: 1, periodminutes: 1, threshold: FATAL , alert: false, rate: 0, threshold: WARN, content: .* is deprecated. Instead, use .* , alert: false, rate: 0, threshold: WARN, content: .* is deprecated. Use .* instead , alert: false, rate: 0, exceptiontype: java.io.IOException , alert: false, rate: 0, exceptiontype: java.net.SocketException , alert: false, rate: 0, exceptiontype: java.net.SocketClosedException , alert: false, rate: 0, exceptiontype: java.io.EOFException , alert: false, rate: 0, exceptiontype: java.nio.channels.CancelledKeyException , alert: false, rate: 1, periodminutes: 2, exceptiontype: .* , alert: false, rate: 0, threshold: WARN, content: Unknown job [^]+ being deleted.* , alert: false, rate: 0, threshold: WARN, content: Error executing shell command.+ No such process.+ , alert: false, rate: 0, threshold: WARN, content: .*attempt to override final parameter.+ , alert: false, rate: 0, threshold: WARN, content: [^]+ is a deprecated filesystem name. Use.* , alert: false, rate: 1, periodminutes: 1, threshold: WARN]

API Name

log_event_whitelist

Required

false

Other

Dispatcher Threads

Description

Thread pool size for dispatching block moves.

Related Name

dfs.balancer.dispatcherThreads

Default Value

200

API Name

dfs_balancer_dispatcher_threads

Required

false

Minimum Block Size

Description

Smallest block to consider for moving.

Related Name

dfs.balancer.getBlocks.min-block-size

Default Value

10 MiB

API Name

dfs_balancer_get_blocks_min_block_size

Required

false

Block Metadata Batch Size

Description

Amount of block metadata to retrieve at a time.

Related Name

dfs.balancer.getBlocks.size

Default Value

2 GiB

API Name

dfs_balancer_get_blocks_size

Required

false

Maximum Concurrent Moves

Description

Number of block moves to permit in parallel.

Related Name

dfs.datanode.balance.max.concurrent.moves

Default Value

50

API Name

dfs_balancer_max_concurrent_moves

Required

false

Maximum Iteration Size

Description

Maximum amount of data to move per node in each iteration of the balancer.

Related Name

dfs.balancer.max-size-to-move

Default Value

10 GiB

API Name

dfs_balancer_max_size_to_move

Required

false

Mover Threads

Description

Thread pool size for executing block moves.

Related Name

dfs.balancer.moverThreads

Default Value

1000

API Name

dfs_balancer_mover_threads

Required

false

Excluded Hosts**Description**

Hosts to exclude from the balancing process.

Related Name**Default Value****API Name**

rebalancer_exclude_hosts

Required

false

Included Hosts**Description**

Hosts to include in the balancing process (uses all, if none specified).

Related Name**Default Value****API Name**

rebalancer_include_hosts

Required

false

Source Hosts**Description**

Manual override to specify which DataNodes should be used to off-load data to less full nodes.

Related Name**Default Value****API Name**

rebalancer_source_hosts

Required

false

Rebalancing Threshold**Description**

The percentage deviation from average utilization, after which a node will be rebalanced. (for example, '10.0' for 10%).

Related Name**Default Value**

10.0 %

API Name

rebalancer_threshold

Required

false

Rebalancing Policy**Description**

The policy that should be used to rebalance HDFS storage. The default DataNode policy balances the storage at the DataNode level. This is similar to the balancing policy from prior releases. The BlockPool policy balances the storage at the block pool level as well as at the DataNode level. The BlockPool policy is relevant only to a Federated HDFS service.

Related Name**Default Value**

DataNode

API Name

rebalancing_policy

Required

false

Resource Management**Java Heap Size of Balancer in Bytes****Description**

Maximum size in bytes for the Java Process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

1 GiB

API Name

balancer_java_heapsize

Required

false

Suppressions**Suppress Parameter Validation: Balancer Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Balancer Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_balancer_config_safety_valve

Required

true

Suppress Parameter Validation: Java Configuration Options for Balancer**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for Balancer parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_balancer_java_opts

Required

true

Suppress Parameter Validation: Balancer Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Balancer Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_balancer_log_dir

Required

true

Suppress Configuration Validator: CDH Version Validator**Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Balancer Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Balancer Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Rules to Extract Events from Log Files

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Rules to Extract Events from Log Files parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log_event_whitelist

Required

true

Suppress Parameter Validation: Excluded Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Excluded Hosts parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rebalancer_exclude_hosts

Required

true

Suppress Parameter Validation: Included Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Included Hosts parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rebalancer_include_hosts

Required

true

Suppress Parameter Validation: Source Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Source Hosts parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rebalancer_source_hosts

Required

true

DataNode

Advanced

DataNode Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml

Description

For advanced use only. A string to be inserted into hdfs-site.xml for this role only.

Related Name**Default Value****API Name**

datanode_config_safety_valve

Required

false

Java Configuration Options for DataNode

Description

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or greater, `{{JAVA_GC_ARGS}}` will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name**Default Value**

JAVA_GC_ARGS

API Name

datanode_java_opts

Required

false

DataNode Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

DATANODE_role_env_safety_valve

Required

false

Available Space Policy Balanced Preference

Description

Only used when the DataNode Volume Choosing Policy is set to Available Space. Controls what percentage of new block allocations will be sent to volumes with more available disk space than others. This setting should be in the range 0.0 - 1.0, though in practice 0.5 - 1.0, since there should be no reason to prefer that volumes with less available disk space receive more block allocations.

Related Name

dfs.datanode.available-space-volume-choosing-policy.balanced-space-preference-fraction

Default Value

0.75

API Name

dfs_datanode_available_space_balanced_preference

Required

true

Available Space Policy Balanced Threshold

Description

Only used when the DataNode Volume Choosing Policy is set to Available Space. Controls how much DataNode volumes are allowed to differ in terms of bytes of free disk space before they are considered imbalanced. If the free space of all the volumes are within this range of each other, the volumes will be considered balanced and block assignments will be done on a pure round robin basis.

Related Name

dfs.datanode.available-space-volume-choosing-policy.balanced-space-threshold

Default Value

10 GiB

API Name

dfs_datanode_available_space_balanced_threshold

Required

true

DataNode Volume Choosing Policy

Description

DataNode Policy for picking which volume should get a new block. The Available Space policy is only available starting with CDH 4.3.

Related Name

dfs.datanode.fsdataset.volume.choosing.policy

Default Value

org.apache.hadoop.hdfs.server.datanode.fsdataset.RoundRobinVolumeChoosingPolicy

API Name

dfs_datanode_volume_choosing_policy

Required

true

Hadoop Metrics2 Advanced Configuration Snippet (Safety Valve)

Description

Advanced Configuration Snippet (Safety Valve) for Hadoop Metrics2. Properties will be inserted into `hadoop-metrics2.properties`.

Related Name**Default Value****API Name**

`hadoop_metrics2_safety_valve`

Required

`false`

DataNode Logging Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a string to be inserted into `log4j.properties` for this role only.

Related Name**Default Value****API Name**

`log4j_safety_valve`

Required

`false`

Enable auto refresh for metric configurations**Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

`false`

API Name

`metric_config_auto_refresh`

Required

`false`

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when `java.lang.OutOfMemoryError` error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

`oom_heap_dump_dir`

Default Value

`/tmp`

API Name

`oom_heap_dump_dir`

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

true

API Name

process_auto_restart

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name

Default Value

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Erasur Coding**DataNode Striped Read Reconstruction Threads****Description**

The number of threads that a DataNode can use during background data reconstruction.

Related Name

dfs.datanode.ec.reconstruction.threads

Default Value

20

API Name

erasure_coding_reconstruction_threads

Required

false

DataNode Striped Read Reconstruction Timeout

Description

The timeout for striped reads during background data reconstruction.

Related Name

dfs.datanode.ec.reconstruction.stripedread.timeout.millis

Default Value

5 second(s)

API Name

erasure_coding_reconstruction_timeout_millis

Required

false

Erasur Coding Reconstruction Weight

Description

The relative weight of resources used by EC for data recovery. The number of blocks that must be read is based on the EC policy used. For example, RS-6-3-1024k requires six blocks to be read. Replication only requires one block to be read. Higher values result in fewer reconstruction tasks being able to run concurrently. The number of blocks required to be read to recover data is multiplied by this weight to determine the total weight of the recovery task. The total weight of the recovery task counts against the limit set with the dfs.namenode.replication.max-streams property.

Related Name

dfs.datanode.ec.reconstruction.xmits.weight

Default Value

0.5

API Name

erasure_coding_reconstruction_xmits_weight

Required

false

Logs

DataNode Log Directory

Description

Directory where DataNode will place its log files.

Related Name

hadoop.log.dir

Default Value

/var/log/hadoop-hdfs

API Name

datanode_log_dir

Required

false

DataNode Logging Threshold

Description

The minimum log level for DataNode logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

DataNode Maximum Log File Backups

Description

The maximum number of rolled log files to keep for DataNode logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

DataNode Max Log Size

Description

The maximum size, in megabytes, per log file for DataNode logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring

DataNode Block Count Thresholds

Description

The health test thresholds of the number of blocks on a DataNode

Related Name**Default Value**

Warning: 1000000.0, Critical: Never

API Name

datanode_block_count_thresholds

Required

false

DataNode Connectivity Health Test**Description**

Enables the health test that verifies the DataNode is connected to the NameNode

Related Name**Default Value**

true

API Name

datanode_connectivity_health_enabled

Required

false

DataNode Connectivity Tolerance at Startup**Description**

The amount of time to wait for the DataNode to fully start up and connect to the NameNode before enforcing the connectivity check.

Related Name**Default Value**

3 minute(s)

API Name

datanode_connectivity_tolerance

Required

false

DataNode Data Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's DataNode Data Directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

datanode_data_directories_free_space_absolute_thresholds

Required

false

DataNode Data Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's DataNode Data Directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a DataNode Data Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

datanode_data_directories_free_space_percentage_thresholds

Required

false

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

datanode_fd_thresholds

Required

false

DataNode Free Space Monitoring Thresholds**Description**

The health test thresholds of free space in a DataNode. Specified as a percentage of the capacity on the DataNode.

Related Name**Default Value**

Warning: 20.0 %, Critical: 10.0 %

API Name

datanode_free_space_thresholds

Required

false

DataNode Host Health Test**Description**

When computing the overall DataNode health, consider the host's health.

Related Name**Default Value**

true

API Name

datanode_host_health_enabled

Required

false

Pause Duration Thresholds

Description

The health test thresholds for the weighted average extra time the pause monitor spent paused. Specified as a percentage of elapsed wall clock time.

Related Name**Default Value**

Warning: 30.0, Critical: 60.0

API Name

datanode_pause_duration_thresholds

Required

false

Pause Duration Monitoring Period

Description

The period to review when computing the moving average of extra time the pause monitor spent paused.

Related Name**Default Value**

5 minute(s)

API Name

datanode_pause_duration_window

Required

false

DataNode Process Health Test

Description

Enables the health test that the DataNode's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

datanode_scm_health_enabled

Required

false

DataNode Transceivers Usage Thresholds

Description

The health test thresholds of transceivers usage in a DataNode. Specified as a percentage of the total configured number of transceivers.

Related Name**Default Value**

Warning: 75.0 %, Critical: 95.0 %

API Name

datanode_transceivers_usage_thresholds

Required

false

DataNode Volume Failures Thresholds**Description**

The health test thresholds of failed volumes in a DataNode.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

datanode_volume_failures_thresholds

Required

false

Web Metric Collection**Description**

Enables the health test that the Cloudera Manager Agent can successfully contact and gather metrics from the web server.

Related Name**Default Value**

true

API Name

datanode_web_metric_collection_enabled

Required

false

Web Metric Collection Duration**Description**

The health test thresholds on the duration of the metrics request to the web server.

Related Name**Default Value**

Warning: 10 second(s), Critical: Never

API Name

datanode_web_metric_collection_thresholds

Required

false

Enable Health Alerts for this Role**Description**

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

false

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name

Default Value

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name

Default Value

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name

Default Value

```
startDelaySeconds: 10 ssl: false lowercaseOutputName: true lowercaseOutputLabelNames: true
rules: - pattern: 'Hadoop<service=(.*)>, name=JvmMetrics><>(.*): (\d+)' attrNameSnakeCase:
true name: $2 value: $3 labels: hadoop_service: $1 hadoop_metric_group: jvm_metrics - pattern:
'Hadoop<service=(.*)>, name=MetricsSystem, sub=Stats><>(.*): (\d+)' attrNameSnakeCase:
true name: $2 value: $3 labels: hadoop_service: $1 hadoop_metric_group: stats - pattern:
'Hadoop<service=(.*)>, name=RpcActivityForPort(.*)><>(.*): (\d+)' attrNameSnakeCase: true
name: $3 value: $4 labels: hadoop_service: $1 hadoop_metric_group: rpc_activity_for_port
port: $2 - pattern: 'Hadoop<service=(.*)>, name=RpcDetailedActivityForPort(.*)><>(.*): (\d+)'
attrNameSnakeCase: true name: $3 value: $4 labels: hadoop_service: $1 hadoop_metric_group:
rpc_detailed_activity_for_port port: $2 - pattern: 'Hadoop<service=DataNode,
name=DataNodeActivity.*><>(.*): (\d+)' attrNameSnakeCase: true name: $1 value: $2
labels: hadoop_service: DataNode hadoop_metric_group: data_node_activity - pattern:
'Hadoop<service=DataNode, name=DataNodeInfo><>(.*): (\d+)' attrNameSnakeCase: true name:
$1 value: $2 labels: hadoop_service: DataNode hadoop_metric_group: data_node_info - pattern:
'Hadoop<service=DataNode, name=FSDatasetState><>(.*): (\d+)' attrNameSnakeCase: true name:
$1 value: $2 labels: hadoop_service: DataNode hadoop_metric_group: fs_data_set_state
```

API Name

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name

Default Value

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Rules to Extract Events from Log Files

Description

This file contains the rules that govern how log messages are turned into events by the custom log4j appender that this role loads. It is in JSON format, and is composed of a list of rules. Every log message is evaluated against each of these rules in turn to decide whether or not to send an event for that message. If a log message matches multiple rules, the first matching rule is used.. Each rule has some or all of the following fields:

- alert - whether or not events generated from this rule should be promoted to alerts. A value of "true" will cause alerts to be generated. If not specified, the default is "false".
- rate (mandatory) - the maximum number of log messages matching this rule that can be sent as events every minute. If more than rate matching log messages are received in a single minute, the extra messages are ignored. If rate is less than 0, the number of messages per minute is unlimited.
- periodminutes - the number of minutes during which the publisher will only publish rate events or fewer. If not specified, the default is one minute
- threshold - apply this rule only to messages with this log4j severity level or above. An example is "WARN" for warning level messages or higher.
- content - match only those messages for which contents match this regular expression.
- exceptiontype - match only those messages that are part of an exception message. The exception type must match this regular expression.

Example:

- {"alert": false, "rate": 10, "exceptiontype": "java.lang.StringIndexOutOfBoundsException"} This rule sends events to Cloudera Manager for every StringIndexOutOfBoundsException, up to a maximum of 10 every minute.
- {"alert": false, "rate": 1, "periodminutes": 1, "exceptiontype": ".*"}, {"alert": true, "rate": 1, "periodminutes": 1, "threshold": "ERROR"} In this example, an event generated may not be promoted to alert if an exception is in the ERROR log message, because the first rule with alert = false will match.

Related Name**Default Value**

version: 0, rules: [alert: false, rate: 1, periodminutes: 1, threshold: FATAL , alert: false, rate: 0, threshold: WARN, content: .* is deprecated. Instead, use .*, alert: false, rate: 0, threshold: WARN, content: .* is deprecated. Use .* instead , alert: false, rate: 0, exceptiontype: java.io.IOException , alert: false, rate: 0, exceptiontype: java.net.SocketException , alert: false, rate: 0, exceptiontype:

java.net.SocketClosedException , alert: false, rate: 0, exceptiontype: java.io.EOFException , alert: false, rate: 0, exceptiontype: java.nio.channels.CancelledKeyException , alert: false, rate: 1, periodminutes: 5, content: Datanode registration failed , alert: false, rate: 1, periodminutes: 2, exceptiontype: .* , alert: false, rate: 0, threshold: WARN, content: Got a command from standby NN - ignoring command.* , alert: false, rate: 0, threshold: WARN, content: Unknown job [^]+ being deleted.* , alert: false, rate: 0, threshold: WARN, content: Error executing shell command . + No such process.+ , alert: false, rate: 0, threshold: WARN, content: .*attempt to override final parameter.+ , alert: false, rate: 0, threshold: WARN, content: [^]+ is a deprecated filesystem name. Use.* , alert: false, rate: 1, periodminutes: 1, threshold: WARN]

API Name

log_event_whitelist

Required

false

Navigator Audit Failure Thresholds

Description

The health test thresholds for failures encountered when monitoring audits within a recent period specified by the mgmt_navigator_failure_window configuration for the role. The value that can be specified for this threshold is the number of bytes of audits data that is left to be sent to audit server.

Related Name

mgmt.navigator.failure.thresholds

Default Value

Warning: Never, Critical: Any

API Name

mgmt_navigator_failure_thresholds

Required

false

Monitoring Period For Audit Failures

Description

The period to review when checking if audits are blocked and not getting processed.

Related Name

mgmt.navigator.failure.window

Default Value

20 minute(s)

API Name

mgmt_navigator_failure_window

Required

false

Navigator Audit Pipeline Health Check

Description

Enable test of audit events processing pipeline. This will test if audit events are not getting processed by Audit Server for a role that generates audit.

Related Name

mgmt.navigator.status.check.enabled

Default Value

	true
API Name	mgmt_navigator_status_check_enabled
Required	false

Metric Filter

Description

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name

Default Value

API Name

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

extensions: basicauth/\$ROLE_NAME: client_auth: username:
\$ROLE_PARAM(otelcol_remote_write_user) password:
'\$ROLE_PARAM(otelcol_remote_write_password)'

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value

11111

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

processors: filter/\$ROLE_NAME: metrics: include: match_type: strict metric_names:
#memory - jvm_buffer_pool_used_bytes - jvm_buffer_pool_capacity_bytes -
jvm_buffer_pool_used_buffers - jvm_memory_bytes_used - jvm_memory_bytes_committed -
jvm_memory_bytes_max - jvm_memory_bytes_init #gc - jvm_gc_collection_seconds #threads
- jvm_threads_current - jvm_threads_daemon - jvm_threads_peak - jvm_threads_started_total
- jvm_threads_deadlocked - jvm_threads_deadlocked_monitor - jvm_threads_state
#classes - jvm_classes_currently_loaded #process - process_cpu_seconds_total -
process_start_time_seconds - process_open_fds - process_virtual_memory_bytes # JvmMetrics
- log_error - log_fatal - log_info - log_warn - gc_total_extra_sleep_time # RpcActivityForPort
- call_queue_length - num_open_connections - received_bytes - rpc_authentication_failures
- rpc_authentication_successes - rpc_authorization_failures - rpc_authorization_successes -

rpc_processing_time_avg_time - rpc_queue_time_avg_time - sent_bytes # MetricsSystem, sub=Stats - dropped_pub_all - num_active_sinks - num_active_sources - num_all_sinks - num_all_sources - publish_avg_time - snapshot_avg_time # DataNodeActivity - block_checksum_op_avg_time - block_reports_avg_time - block_verification_failures - blocks_cached - blocks_get_local_path_info - blocks_read - blocks_removed - blocks_replicated - blocks_verified - blocks_written - bytes_read - bytes_written - cache_reports_avg_time - copy_block_op_avg_time - heartbeats_avg_time - packet_ack_round_trip_time_nanos_avg_time - read_block_op_avg_time - reads_from_local_client - reads_from_remote_client - replace_block_op_avg_time - send_data_packet_blocked_on_network_nanos_avg_time - send_data_packet_transfer_nanos_avg_time - write_block_op_avg_time - writes_from_local_client - writes_from_remote_client # FSDatasetState - cache_capacity - cache_used - num_failed_volumes # DataNodeInfo - xceiver_count # RpcDetailedActivityForPort - delete_block_pool_avg_time - get_block_local_path_info_avg_time - get_hdfs_blocks_metadata_avg_time - get_replica_visible_length_avg_time - refresh_namenodes_avg_time - update_replica_under_recovery_avg_time

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

```
receivers: prometheus/$ROLE_NAME: config: scrape_configs: - job_name: 'DMP-$ROLE_NAME'
scrape_interval: 60s scheme: http tls_config: insecure_skip_verify: true static_configs: -
targets: ['localhost:$ROLE_PARAM(otelcol_helper_port)'] labels: host_name: $HOST_NAME
cm_cluster_id: $CLUSTER_ID service_type: $SERVICE_TYPE service: $SERVICE_NAME
role_type: $ROLE_TYPE role_name: $ROLE_NAME instance: $INFRA(instance_id) cluster_id:
$INFRA(cluster_id) platform: $INFRA(platform) formfactor: paas-vm relabel_configs: -
source_labels: [cluster_id] regex: 'crn:cdp:([:^:]+):.*' replacement: '$$1' target_label: app_type
action: replace
```

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify

`$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name

Default Value

API Name

`otelcol_remote_write_password`

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

`$INFRA(cdp_request_signer_url)`

API Name

`otelcol_remote_write_url`

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify `$INFRA(cdp_request_signer_username)` when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

`$INFRA(cdp_request_signer_username)`

API Name

`otelcol_remote_write_user`

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

service: pipelines: metrics/\$ROLE_NAME: receivers: [prometheus/\$ROLE_NAME] processors: [filter/\$ROLE_NAME] exporters: [prometheusremotewrite/\$ROLE_NAME]

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

true

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger

condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `{ "triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true" }` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

`role_triggers`

Required

true

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

`unexpected_exits_thresholds`

Required

false

Unexpected Exits Monitoring Period**Description**

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

`unexpected_exits_window`

Required

false

Other

DataNode Data Directory

Description

Comma-delimited list of directories on the local file system where the DataNode stores HDFS block data. Typical values are /data/N/dfs/dn for N = 1, 2, 3.... In CDH 5.7 and higher, these directories can be optionally tagged with their storage types, for example, [SSD]/data/1/dns/dn. HDFS supports the following storage types: [DISK], [SSD], [ARCHIVE], [RAM_DISK]. The default storage type of a directory will be [DISK] if it does not have a storage type tagged explicitly. These directories should be mounted using the noatime option, and the disks should be configured using JBOD. RAID is not recommended. Warning: Be very careful when modifying this property. Removing or changing entries can result in data loss. To hot swap drives in CDH 5.4 and higher, override the value of this property for the specific DataNode role instance that has the drive to be hot-swapped; do not modify the property value in the role group. See [Configuring Hot Swap for DataNodes](#) for more information.

Related Name

dfs.datanode.data.dir

Default Value

API Name

dfs_data_dir_list

Required

true

Reserved Space for Non DFS Use

Description

Reserved space in bytes per volume for non Distributed File System (DFS) use.

Related Name

dfs.datanode.du.reserved

Default Value

10 GiB

API Name

dfs_datanode_du_reserved

Required

false

DataNode Failed Volumes Tolerated

Description

The number of volumes that are allowed to fail before a DataNode stops offering service. By default, any volume failure will cause a DataNode to shutdown.

Related Name

dfs.datanode.failed.volumes.tolerated

Default Value

0

API Name

dfs_datanode_failed_volumes_tolerated

Required

false

Performance**DataNode Balancing Bandwidth****Description**

Maximum amount of bandwidth that each DataNode can use for balancing. Specified in bytes per second.

Related Name

dfs.datanode.balance.bandwidthPerSec

Default Value

10 MiB

API Name

dfs_balance_bandwidthPerSec

Required

false

Enable purging cache after reads**Description**

In some workloads, the data read from HDFS is known to be significantly large enough that it is unlikely to be useful to cache it in the operating system buffer cache. In this case, the DataNode may be configured to automatically purge all data from the buffer cache after it is delivered to the client. This may improve performance for some workloads by freeing buffer cache spare usage for more cacheable data. This behavior will always be disabled for workloads that read only short sections of a block (e.g HBase random-IO workloads). This property is supported in CDH3u3 or later deployments.

Related Name

dfs.datanode.drop.cache.behind.reads

Default Value

false

API Name

dfs_datanode_drop_cache_behind_reads

Required

false

Enable purging cache after writes**Description**

In some workloads, the data written to HDFS is known to be significantly large enough that it is unlikely to be useful to cache it in the operating system buffer cache. In this case, the DataNode may be configured to automatically purge all data from the buffer cache after it is written to disk. This may improve performance for some workloads by freeing buffer cache spare usage for more cacheable data. This property is supported in CDH3u3 or later deployments.

Related Name

dfs.datanode.drop.cache.behind.writes

Default Value

false

API Name

dfs_datanode_drop_cache_behind_writes

Required

false

Handler Count**Description**

The number of server threads for the DataNode.

Related Name

dfs.datanode.handler.count

Default Value

10

API Name

dfs_datanode_handler_count

Required

false

Maximum Number of Transfer Threads**Description**

Specifies the maximum number of threads to use for transferring data in and out of the DataNode.

Related Name

dfs.datanode.max.transfer.threads

Default Value

4096

API Name

dfs_datanode_max_xcievers

Required

false

Number of read ahead bytes**Description**

While reading block files, the DataNode can use the `posix_fadvise` system call to explicitly page data into the operating system buffer cache ahead of the current reader's position. This can improve performance especially when disks are highly contended. This configuration specifies the number of bytes ahead of the current read position which the DataNode will attempt to read ahead. A value of 0 disables this feature. This property is supported in CDH3u3 or later deployments.

Related Name

dfs.datanode.readahead.bytes

Default Value

4 MiB

API Name

dfs_datanode_readahead_bytes

Required

false

Enable immediate enqueueing of data to disk after writes

Description

If this configuration is enabled, the DataNode will instruct the operating system to enqueue all written data to the disk immediately after it is written. This differs from the usual OS policy which may wait for up to 30 seconds before triggering writeback. This may improve performance for some workloads by smoothing the IO profile for data written to disk. This property is supported in CDH3u3 or later deployments.

Related Name

dfs.datanode.sync.behind.writes

Default Value

false

API Name

dfs_datanode_sync_behind_writes

Required

false

HDFS Thrift Server Max Threadcount

Description

Maximum number of running threads for the HDFS Thrift server running on each DataNode

Related Name

dfs.thrift.threads.max

Default Value

20

API Name

dfs_thrift_threads_max

Required

false

HDFS Thrift Server Min Threadcount

Description

Minimum number of running threads for the HDFS Thrift server running on each DataNode

Related Name

dfs.thrift.threads.min

Default Value

10

API Name

dfs_thrift_threads_min

Required

false

HDFS Thrift Server Timeout

Description

Timeout in seconds for the HDFS Thrift server running on each DataNode

Related Name

dfs.thrift.timeout

Default Value

60

API Name

dfs_thrift_timeout

Required

false

Maximum Process File Descriptors**Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses**Bind DataNode to Wildcard Address****Description**

If enabled, the DataNode binds to the wildcard address ("0.0.0.0") on all of its ports.

Related Name**Default Value**

false

API Name

dfs_datanode_bind_wildcard

Required

false

DataNode HTTP Web UI Port**Description**

Port for the DataNode HTTP web UI. Combined with the DataNode's hostname to build its HTTP address.

Related Name

dfs.datanode.http.address

Default Value

9864

API Name

dfs_datanode_http_port

Required

false

Secure DataNode Web UI Port (TLS/SSL)

Description

The base port where the secure DataNode web UI listens. Combined with the DataNode's hostname to build its secure web UI address.

Related Name

dfs.datanode.https.address

Default Value

9865

API Name

dfs_datanode_https_port

Required

false

DataNode Protocol Port

Description

Port for the various DataNode Protocols. Combined with the DataNode's hostname to build its IPC port address.

Related Name

dfs.datanode.ipc.address

Default Value

9867

API Name

dfs_datanode_ipc_port

Required

false

DataNode Transceiver Port

Description

Port for DataNode's XCeiver Protocol. Combined with the DataNode's hostname to build its address.

Related Name

dfs.datanode.address

Default Value

9866

API Name

dfs_datanode_port

Required

false

Use DataNode Hostname

Description

Whether DataNodes should use DataNode hostnames when connecting to DataNodes for data transfer. This property is supported in CDH3u4 or later deployments.

Related Name

dfs.datanode.use.datanode.hostname

Default Value

false

API Name

dfs_datanode_use_datanode_hostname

Required

false

Resource Management**Java Heap Size of DataNode in Bytes****Description**

Maximum size in bytes for the Java Process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

4 GiB

API Name

datanode_java_heapsize

Required

false

Maximum Memory Used for Caching**Description**

The maximum amount of memory a DataNode may use to cache data blocks in memory. Setting it to zero will disable caching.

Related Name

dfs.datanode.max.locked.memory

Default Value

4 GiB

API Name

dfs_datanode_max_locked_memory

Required

false

Cgroup V1 BLKIO Weight**Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight

Description

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security

DataNode Data Directory Permissions

Description

Permissions for the directories on the local file system where the DataNode stores its blocks. The permissions must be octal. 755 and 700 are typical values.

Related Name

dfs.datanode.data.dir.perm

Default Value

700

API Name

dfs_datanode_data_dir_perm

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency

Description

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: DataNode Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the DataNode Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_datanode_config_safety_valve

Required

true

Suppress Configuration Validator: DataNode Failed Volumes Tolerated Validator

Description

Whether to suppress configuration warnings produced by the DataNode Failed Volumes Tolerated Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_datanode_failed_volumes_validator

Required

true

Suppress Parameter Validation: Java Heap Size of DataNode in Bytes

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Heap Size of DataNode in Bytes parameter.

Related Name

Default Value

false

API Name

role_config_suppression_datanode_java_heapsize

Required

true

Suppress Parameter Validation: Java Configuration Options for DataNode

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for DataNode parameter.

Related Name

Default Value

false

API Name

role_config_suppression_datanode_java_opts

Required

true

Suppress Parameter Validation: DataNode Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the DataNode Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_datanode_log_dir

Required

true

Suppress Configuration Validator: DataNode Reserved Space Validator**Description**

Whether to suppress configuration warnings produced by the DataNode Reserved Space Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_datanode_reserved_space_validator

Required

true

Suppress Parameter Validation: DataNode Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the DataNode Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_datanode_role_env_safety_valve

Required

true

Suppress Parameter Validation: DataNode Data Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the DataNode Data Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_dfs_data_dir_list

Required

true

Suppress Parameter Validation: DataNode Data Directory Permissions**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the DataNode Data Directory Permissions parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_dfs_datanode_data_dir_perm

Required

true

Suppress Parameter Validation: DataNode HTTP Web UI Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the DataNode HTTP Web UI Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_dfs_datanode_http_port

Required

true

Suppress Parameter Validation: Secure DataNode Web UI Port (TLS/SSL)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Secure DataNode Web UI Port (TLS/SSL) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_dfs_datanode_https_port

Required

true

Suppress Parameter Validation: DataNode Protocol Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the DataNode Protocol Port parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_dfs_datanode_ipc_port`**Required**`true`**Suppress Parameter Validation: DataNode Transceiver Port****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the DataNode Transceiver Port parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_dfs_datanode_port`**Required**`true`**Suppress Parameter Validation: Hadoop Metrics2 Advanced Configuration Snippet (Safety Valve)****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hadoop Metrics2 Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_hadoop_metrics2_safety_valve`**Required**`true`**Suppress Parameter Validation: JMX Exporter configuration YAML****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_jmx_exporter_yaml`**Required**`true`**Suppress Parameter Validation: DataNode Logging Advanced Configuration Snippet (Safety Valve)****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the DataNode Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Rules to Extract Events from Log Files

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Rules to Extract Events from Log Files parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log_event_whitelist

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

	false
API Name	role_config_suppression_otelcol_rtm_logs_exporters
Required	true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_rtm_logs_extensions
Required	true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_rtm_logs_processors
Required	true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_rtm_logs_receivers
Required	true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

`role_config_suppression_role_triggers`**Required**`true`**Suppress Parameter Validation: Stacks Collection Directory****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_stacks_collection_directory`**Required**`true`**Suppress Health Test: Audit Pipeline Test****Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_data_node_audit_health`**Required**`true`**Suppress Health Test: Block Count****Description**

Whether to suppress the results of the Block Count health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_data_node_block_count`**Required**`true`**Suppress Health Test: File Descriptors****Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_data_node_file_descriptor

Required

true

Suppress Health Test: Free Space**Description**

Whether to suppress the results of the Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_data_node_free_space_remaining

Required

true

Suppress Health Test: NameNode Connectivity**Description**

Whether to suppress the results of the NameNode Connectivity health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_data_node_ha_connectivity

Required

true

Suppress Health Test: Heap Dump Directory Free Space**Description**

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name`role_health_suppression_data_node_heap_dump_directory_free_space`**Required**`true`**Suppress Health Test: Host Health****Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_data_node_host_health`**Required**`true`**Suppress Health Test: Log Directory Free Space****Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_data_node_log_directory_free_space`**Required**`true`**Suppress Health Test: Otelcol Health****Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_data_node_otelcol_health`**Required**`true`

Suppress Health Test: Pause Duration

Description

Whether to suppress the results of the Pause Duration health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_data_node_pause_duration

Required

true

Suppress Health Test: Process Status

Description

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_data_node_scm_health

Required

true

Suppress Health Test: Swap Memory Usage

Description

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_data_node_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_data_node_swap_memory_usage_rate

Required

true

Suppress Health Test: Transceiver Usage**Description**

Whether to suppress the results of the Transceiver Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_data_node_transceivers_usage

Required

true

Suppress Health Test: Unexpected Exits**Description**

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_data_node_unexpected_exits

Required

true

Suppress Health Test: Data Directory Status**Description**

Whether to suppress the results of the Data Directory Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_data_node_volume_failures

Required

true

Suppress Health Test: Web Server Status

Description

Whether to suppress the results of the Web Server Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_data_node_web_metric_collection

Required

true

Suppress Health Test: DataNode Data Directory Free Space

Description

Whether to suppress the results of the DataNode Data Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_datanode_data_directories_free_space

Required

true

Failover Controller

Advanced

Java Configuration Options for Failover Controller

Description

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or greater, {{JAVA_GC_ARGS}} will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name**Default Value****API Name**

failover_controller_java_opts

Required

false

Failover Controller Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment.
Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

FAILOVERCONTROLLER_role_env_safety_valve

Required

false

Failover Controller Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml**Description**

For advanced use only. A string to be inserted into hdfs-site.xml for this role only.

Related Name**Default Value****API Name**

fc_config_safety_valve

Required

false

HA Health Monitor RPC Timeout**Description**

The RPC timeout for the HA health monitor.

Related Name

ha.health-monitor.rpc-timeout.ms

Default Value

45 second(s)

API Name

ha_health_monitor_rpc_timeout_ms

Required

false

Failover Controller Logging Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations**Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory

Description

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory

Description

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory

Description

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Logs

Failover Controller Log Directory

Description

Directory where Failover Controller will place its log files.

Related Name

hadoop.log.dir

Default Value

/var/log/hadoop-hdfs

API Name

failover_controller_log_dir

Required

false

Failover Controller Logging Threshold

Description

The minimum log level for Failover Controller logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Failover Controller Maximum Log File Backups

Description

The maximum number of rolled log files to keep for Failover Controller logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

Failover Controller Max Log Size

Description

The maximum size, in megabytes, per log file for Failover Controller logs. Typically used by log4j or logback.

Related Name

Default Value

200 MiB

API Name

max_log_size

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name

Default Value

Warning: 50.0 %, Critical: 70.0 %

API Name

failovercontroller_fd_thresholds

Required

false

Failover Controller Host Health Test

Description

When computing the overall Failover Controller health, consider the host's health.

Related Name

Default Value

true

API Name

failovercontroller_host_health_enabled

Required

false

Failover Controller Process Health Test

Description

Enables the health test that the Failover Controller's process state is consistent with the role configuration

Related Name

Default Value

true

API Name

failovercontroller_scm_health_enabled

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name

Default Value

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

`log_directory_free_space_absolute_thresholds`**Required**

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name`log_directory_free_space_percentage_thresholds`**Required**

false

Rules to Extract Events from Log Files**Description**

This file contains the rules that govern how log messages are turned into events by the custom log4j appender that this role loads. It is in JSON format, and is composed of a list of rules. Every log message is evaluated against each of these rules in turn to decide whether or not to send an event for that message. If a log message matches multiple rules, the first matching rule is used.. Each rule has some or all of the following fields:

- `alert` - whether or not events generated from this rule should be promoted to alerts. A value of "true" will cause alerts to be generated. If not specified, the default is "false".
- `rate` (mandatory) - the maximum number of log messages matching this rule that can be sent as events every minute. If more than rate matching log messages are received in a single minute, the extra messages are ignored. If rate is less than 0, the number of messages per minute is unlimited.
- `periodminutes` - the number of minutes during which the publisher will only publish rate events or fewer. If not specified, the default is one minute
- `threshold` - apply this rule only to messages with this log4j severity level or above. An example is "WARN" for warning level messages or higher.
- `content` - match only those messages for which contents match this regular expression.
- `exceptiontype` - match only those messages that are part of an exception message. The exception type must match this regular expression.

Example:

- `{"alert": false, "rate": 10, "exceptiontype": "java.lang.StringIndexOutOfBoundsException"}` This rule sends events to Cloudera Manager for every `StringIndexOutOfBoundsException`, up to a maximum of 10 every minute.
- `{"alert": false, "rate": 1, "periodminutes": 1, "exceptiontype": ".*"}, {"alert": true, "rate": 1, "periodminutes": 1, "threshold": "ERROR"}` In this example, an event generated may not be promoted to alert if an exception is in the ERROR log message, because the first rule with `alert = false` will match.

Related Name**Default Value**

version: 0, rules: [alert: false, rate: 1, periodminutes: 1, threshold: FATAL , alert: false, rate: 1, periodminutes: 2, exceptiontype: .* , alert: false, rate: 1, periodminutes: 1, threshold: WARN]

API Name

log_event_whitelist

Required

false

Navigator Audit Failure Thresholds

Description

The health test thresholds for failures encountered when monitoring audits within a recent period specified by the mgmt_navigator_failure_window configuration for the role. The value that can be specified for this threshold is the number of bytes of audits data that is left to be sent to audit server.

Related Name

mgmt.navigator.failure.thresholds

Default Value

Warning: Never, Critical: Any

API Name

mgmt_navigator_failure_thresholds

Required

false

Monitoring Period For Audit Failures

Description

The period to review when checking if audits are blocked and not getting processed.

Related Name

mgmt.navigator.failure.window

Default Value

20 minute(s)

API Name

mgmt_navigator_failure_window

Required

false

Navigator Audit Pipeline Health Check

Description

Enable test of audit events processing pipeline. This will test if audit events are not getting processed by Audit Server for a role that generates audit.

Related Name

mgmt.navigator.status.check.enabled

Default Value

true

API Name

mgmt_navigator_status_check_enabled

Required

false

Metric Filter

Description

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name

Default Value

API Name

`monitoring_metric_filter`

Required

`false`

OpenTelemetry Collector Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

`otelcol_exporters`

Required

`false`

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value**API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL**Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**`$INFRA(cdp_request_signer_url)`**API Name**

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username**Description**

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify `$INFRA(cdp_request_signer_username)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**`$INFRA(cdp_request_signer_username)`**API Name**

`otelcol_remote_write_user`**Required**

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**`otelcol_rtm_logs_exporters`**Required**

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**`otelcol_rtm_logs_extensions`**Required**

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**`otelcol_rtm_logs_processors`**Required**

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: `$HOST_NAME`, `$CLUSTER_NAME`, `$CLUSTER_ID`, `$SERVICE_TYPE`, `$SERVICE_NAME`, `$ROLE_NAME`, `$ROLE_TYPE`, `$ROLE_PARAM(my_parameter_name)` - e.g.: a port parameter for the role's metrics, `$DECODE_B64(...)` and `$DECODE_URL(...)` to decode encoded parameters,

\$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

service: pipelines: metrics/\$ROLE_NAME: receivers: [prometheus/\$ROLE_NAME] processors: [filter/\$ROLE_NAME] exporters: [prometheusremotewrite/\$ROLE_NAME]

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

true

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name

Default Value

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds

Description

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window

Description

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds

Description

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name

Default Value

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=\$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}] See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

unexpected_exits_window

Required

false

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Resource Management

Java Heap Size of Failover Controller in Bytes

Description

Maximum size in bytes for the Java Process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

256 MiB

API Name

failover_controller_java_heapsize

Required

false

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

`rm_custom_resources`**Required**`false`**Cgroup V2 I/O Weight****Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name`io.weight`**Default Value**`100`**API Name**`rm_io_weight`**Required**`true`**Cgroup V1 Memory Hard Limit****Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name`memory.limit_in_bytes`**Default Value**`-1 MiB`**API Name**`rm_memory_hard_limit_v1`**Required**`true`**Cgroup V2 Memory Hard Limit****Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name`memory.max`**Default Value**`-1 MiB`

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Stacks Collection**Stacks Collection Data Retention****Description**

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory**Description**

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method

Description

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Java Configuration Options for Failover Controller

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for Failover Controller parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_failover_controller_java_opts

Required

true

Suppress Parameter Validation: Failover Controller Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Failover Controller Log Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_failover_controller_log_dir

Required

true

Suppress Parameter Validation: Failover Controller Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Failover Controller Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_failovercontroller_role_env_safety_valve

Required

true

Suppress Parameter Validation: Failover Controller Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Failover Controller Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_fc_config_safety_valve

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Failover Controller Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Failover Controller Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Rules to Extract Events from Log Files

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Rules to Extract Events from Log Files parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log_event_whitelist

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test

Description

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hdfs_failovercontroller_audit_health

Required

true

Suppress Health Test: File Descriptors

Description

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hdfs_failovercontroller_file_descriptor

Required

true

Suppress Health Test: Heap Dump Directory Free Space**Description**

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hdfs_failovercontroller_heap_dump_directory_free_space

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hdfs_failovercontroller_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hdfs_failovercontroller_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health

Description

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hdfs_failovercontroller_otelcol_health

Required

true

Suppress Health Test: Process Status

Description

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hdfs_failovercontroller_scm_health

Required

true

Suppress Health Test: Swap Memory Usage

Description

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hdfs_failovercontroller_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_hdfs_failovercontroller_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits**Description**

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hdfs_failovercontroller_unexpected_exits

Required

true

Gateway**Advanced****Deploy Directory****Description**

The directory where the client configs will be deployed

Related Name**Default Value**

/etc/hadoop

API Name

client_config_root_dir

Required

true

Short-Circuit Read Streams Cache Size**Description**

The maximum number of file descriptors cached for short-circuit reads. Setting this higher will use more file descriptors, but potentially provide better performance on workloads involving lots of seeks.

Related Name

dfs.client.read.shortcircuit.streams.cache.size

Default Value

4096

API Name

dfs_client_read_shortcircuit_streams_cache_size

Required

false

HDFS Client Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml**Description**

For advanced use only, a string to be inserted into the client configuration for hdfs-site.xml.

Related Name**Default Value****API Name**

hdfs_client_config_safety_valve

Required

false

HDFS Client Environment Advanced Configuration Snippet (Safety Valve) for hadoop-env.sh**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into the client configuration for hadoop-env.sh

Related Name**Default Value****API Name**

hdfs_client_env_safety_valve

Required

false

Client Java Configuration Options**Description**

These are Java command-line arguments. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here.

Related Name**Default Value**

-Djava.net.preferIPv4Stack=true

API Name

hdfs_client_java_opts

Required

false

Gateway Logging Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Logs

Gateway Logging Threshold

Description

The minimum log level for Gateway logs

Related Name

Default Value

INFO

API Name

log_threshold

Required

false

Monitoring

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Other

Alternatives Priority

Description

The priority level that the client configuration will have in the Alternatives system on the hosts. Higher priority levels will cause Alternatives to prefer this configuration over any others.

Related Name

Default Value

90

API Name

client_config_priority

Required

true

Use Trash

Description

Move deleted files to the trash so that they can be recovered if necessary. This client side configuration takes effect only if the HDFS service-wide trash is disabled (NameNode Filesystem Trash Interval set to 0) and is ignored otherwise. The trash is not automatically emptied when enabled with this configuration.

Related Name**Default Value**

false

API Name

dfs_client_use_trash

Required

false

Performance**Enable HDFS Short-Circuit Read****Description**

Enable HDFS short-circuit read. This allows a client colocated with the DataNode to read HDFS file blocks directly. This gives a performance boost to distributed clients that are aware of locality.

Related Name

dfs.client.read.shortcircuit

Default Value

true

API Name

dfs_client_read_shortcircuit

Required

false

Resource Management**Client Java Heap Size in Bytes****Description**

Maximum size in bytes for the Java process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

256 MiB

API Name

hdfs_client_java_heapsize

Required

false

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Deploy Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Deploy Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Parameter Validation: HDFS Client Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS Client Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hdfs_client_config_safety_valve

Required

true

Suppress Parameter Validation: HDFS Client Environment Advanced Configuration Snippet (Safety Valve) for hadoop-env.sh

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS Client Environment Advanced Configuration Snippet (Safety Valve) for hadoop-env.sh parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hdfs_client_env_safety_valve

Required

true

Suppress Parameter Validation: Client Java Configuration Options

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Client Java Configuration Options parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hdfs_client_java_opts

Required

true

Suppress Configuration Validator: HDFS Trash Enabled Validator

Description

Whether to suppress configuration warnings produced by the HDFS Trash Enabled Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hdfs_trash_disabled_validator

Required

true

Suppress Parameter Validation: Gateway Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

HttpFS

Advanced

HttpFS Advanced Configuration Snippet (Safety Valve) for https-site.xml

Description

For advanced use only. A string to be inserted into https-site.xml for this role only.

Related Name**Default Value**

API Name

httpfs_config_safety_valve

Required

false

HttpFS Advanced Configuration Snippet (Safety Valve) for core-site.xml**Description**

For advanced use only. A string to be inserted into core-site.xml for this role only.

Related Name**Default Value****API Name**

httpfs_core_site_safety_valve

Required

false

HttpFS Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml**Description**

For advanced use only. A string to be inserted into hdfs-site.xml for this role only.

Related Name**Default Value****API Name**

httpfs_hdfs_site_safety_valve

Required

false

Java Configuration Options for HttpFS**Description**

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or greater, {{JAVA_GC_ARGS}} will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name**Default Value****API Name**

httpfs_java_opts

Required

false

System Group**Description**

The group that the HttpFS server process should run as.

Related Name**Default Value**

httpfs

API Name

httpfs_process_groupname

Required

true

System User**Description**

The user that the HttpFS server process should run as.

Related Name**Default Value**

httpfs

API Name

httpfs_process_username

Required

true

HttpFS Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

HTTPFS_role_env_safety_valve

Required

false

HttpFS Logging Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations**Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when `java.lang.OutOfMemoryError` error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when `java.lang.OutOfMemoryError` is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name

Default Value

20

API Name

process_start_secs

Required

false

Logs**HttpFS Log Directory****Description**

Directory where HttpFS will place its log files.

Related Name

hadoop.log.dir

Default Value

/var/log/hadoop-httpfs

API Name

httpfs_log_dir

Required

false

HttpFS Logging Threshold**Description**

The minimum log level for HttpFS logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

HttpFS Maximum Log File Backups**Description**

The maximum number of rolled log files to keep for HttpFS logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

HttpFS Max Log Size

Description

The maximum size, in megabytes, per log file for HttpFS logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

httpfs_fd_thresholds

Required

false

HttpFS Host Health Test**Description**

When computing the overall HttpFS health, consider the host's health.

Related Name**Default Value**

true

API Name

httpfs_host_health_enabled

Required

false

HttpFS Process Health Test**Description**

Enables the health test that the HttpFS's process state is consistent with the role configuration

Related Name

Default Value

true

API Name

https_scm_health_enabled

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML**Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Navigator Audit Failure Thresholds**Description**

The health test thresholds for failures encountered when monitoring audits within a recent period specified by the `mgmt_navigator_failure_window` configuration for the role. The value that can be specified for this threshold is the number of bytes of audits data that is left to be sent to audit server.

Related Name

`mgmt.navigator.failure.thresholds`

Default Value

Warning: Never, Critical: Any

API Name

`mgmt_navigator_failure_thresholds`

Required

false

Monitoring Period For Audit Failures**Description**

The period to review when checking if audits are blocked and not getting processed.

Related Name

`mgmt.navigator.failure.window`

Default Value

20 minute(s)

API Name

`mgmt_navigator_failure_window`

Required

false

Navigator Audit Pipeline Health Check**Description**

Enable test of audit events processing pipeline. This will test if audit events are not getting processed by Audit Server for a role that generates audit.

Related Name

`mgmt.navigator.status.check.enabled`

Default Value

true

API Name

mgmt_navigator_status_check_enabled

Required

false

Metric Filter

Description

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: { "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }

Related Name

Default Value

API Name

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics,

\$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name

Default Value

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

service: pipelines: metrics/\$ROLE_NAME: receivers: [prometheus/\$ROLE_NAME] processors: [filter/\$ROLE_NAME] exporters: [prometheusremotewrite/\$ROLE_NAME]

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

true

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name

Default Value

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds

Description

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window

Description

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds

Description

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name

Default Value

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers

Description

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAM and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name

Default Value

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name

Default Value

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

HttpFS Load Balancer

Description

Address of the load balancer used for HttpFS roles. Should be specified in host:port format. Note: Changing this property will regenerate Kerberos keytabs for all HttpFS roles.

Related Name

Default Value

API Name

httpfs_load_balancer

Required

false

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name

Default Value

API Name

rlimit_fds

Required

false

Ports and Addresses

Administration Port

Description

The port for the administration interface.

Related Name

hdfs.httpfs.admin.port

Default Value

14001

API Name

hdfs_httpfs_admin_port

Required

false

REST Port

Description

The port where the REST interface to HDFS is available. The REST interface is served over HTTPS if TLS/SSL is enabled for HttpFS, or over HTTP otherwise.

Related Name

hdfs.httpfs.http.port

Default Value

14000

API Name

hdfs_httpfs_http_port

Required

false

Resource Management

Java Heap Size of HttpFS in Bytes

Description

Maximum size in bytes for the Java Process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

256 MiB

API Name

httpfs_java_heapsize

Required

false

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

`custom.cgroups`**Default Value****API Name**`rm_custom_resources`**Required**`false`**Cgroup V2 I/O Weight****Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name`io.weight`**Default Value**`100`**API Name**`rm_io_weight`**Required**`true`**Cgroup V1 Memory Hard Limit****Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name`memory.limit_in_bytes`**Default Value**`-1 MiB`**API Name**`rm_memory_hard_limit_v1`**Required**`true`**Cgroup V2 Memory Hard Limit****Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

	memory.max
Default Value	-1 MiB
API Name	rm_memory_hard_limit_v2
Required	true

Cgroup V1 Memory Soft Limit

Description	Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'
Related Name	memory.soft_limit_in_bytes
Default Value	-1 MiB
API Name	rm_memory_soft_limit_v1
Required	true

Cgroup V2 Memory Soft Limit

Description	Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.
Related Name	memory.high
Default Value	-1 MiB
API Name	rm_memory_soft_limit_v2
Required	true

Security

Signature Secret

Description	The secret to use for signing client authentication tokens.
--------------------	---

Related Name

hdfs.httpfs.signature.secret

Default Value

API Name

hdfs_httpfs_signature_secret

Required

true

HttpFS TLS/SSL Server Keystore File Location**Description**

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when HttpFS is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name**Default Value****API Name**

httpfs_https_keystore_file

Required

false

HttpFS TLS/SSL Server Keystore File Password**Description**

The password for the HttpFS keystore file.

Related Name**Default Value****API Name**

httpfs_https_keystore_password

Required

false

HttpFS TLS/SSL Trust Store File**Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that HttpFS might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name**Default Value****API Name**

httpfs_https_truststore_file

Required

false

HttpFS TLS/SSL Trust Store Password

Description

The password for the HttpFS TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name**Default Value****API Name**

httpfs_https_truststore_password

Required

false

Enable TLS/SSL for HttpFS

Description

Encrypt communication between clients and HttpFS using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name**Default Value**

false

API Name

httpfs_use_ssl

Required

false

Role-Specific Kerberos Principal

Description

Kerberos principal used by the HttpFS roles.

Related Name**Default Value**

httpfs

API Name

kerberos_role_princ_name

Required

true

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory**Description**

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Administration Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Administration Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hdfs_httpfs_admin_port

Required

true

Suppress Parameter Validation: REST Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the REST Port parameter.

Related Name**Default Value**

	false
API Name	role_config_suppression_hdfs_httpfs_http_port
Required	true

Suppress Parameter Validation: Signature Secret

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Signature Secret parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_hdfs_httpfs_signature_secret
Required	true

Suppress Parameter Validation: HttpFS Advanced Configuration Snippet (Safety Valve) for httpfs-site.xml

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the HttpFS Advanced Configuration Snippet (Safety Valve) for httpfs-site.xml parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_httpfs_config_safety_valve
Required	true

Suppress Parameter Validation: HttpFS Advanced Configuration Snippet (Safety Valve) for core-site.xml

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the HttpFS Advanced Configuration Snippet (Safety Valve) for core-site.xml parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_httpfs_core_site_safety_valve
Required	true

Suppress Parameter Validation: HttpFS Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HttpFS Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_httpfs_hdfs_site_safety_valve

Required

true

Suppress Parameter Validation: HttpFS TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HttpFS TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_httpfs_https_keystore_file

Required

true

Suppress Parameter Validation: HttpFS TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HttpFS TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_httpfs_https_keystore_password

Required

true

Suppress Parameter Validation: HttpFS TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HttpFS TLS/SSL Trust Store File parameter.

Related Name

Default Value

false

API Name

role_config_suppression_httpfs_https_truststore_file

Required

true

Suppress Parameter Validation: HttpFS TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HttpFS TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_httpfs_https_truststore_password

Required

true

Suppress Parameter Validation: Java Configuration Options for HttpFS

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for HttpFS parameter.

Related Name

Default Value

false

API Name

role_config_suppression_httpfs_java_opts

Required

true

Suppress Parameter Validation: HttpFS Load Balancer

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HttpFS Load Balancer parameter.

Related Name

Default Value

false

API Name

role_config_suppression_httpfs_load_balancer

Required

true

Suppress Parameter Validation: HttpFS Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HttpFS Log Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_https_log_dir

Required

true

Suppress Parameter Validation: System Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name

Default Value

false

API Name

role_config_suppression_https_process_groupname

Required

true

Suppress Parameter Validation: System User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name

Default Value

false

API Name

role_config_suppression_https_process_username

Required

true

Suppress Parameter Validation: HttpFS Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HttpFS Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_https_role_env_safety_valve

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Role-Specific Kerberos Principal**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role-Specific Kerberos Principal parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_kerberos_role_princ_name

Required

true

Suppress Parameter Validation: HttpFS Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HttpFS Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Heap Dump Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Stacks Collection Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_httpfs_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_https_file_descriptor

Required

true

Suppress Health Test: Heap Dump Directory Free Space**Description**

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_https_heap_dump_directory_free_space

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_https_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_httpfs_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health

Description

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_httpfs_otelcol_health

Required

true

Suppress Health Test: Process Status

Description

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_httpfs_scm_health

Required

true

Suppress Health Test: Swap Memory Usage

Description

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_httpfs_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_httpfs_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_httpfs_unexpected_exits

Required

true

JournalNode

Advanced

Enable JournalNode Syncer

Description

When enabled, a JournalNode will periodically sync edit logs with other JournalNodes.

Related Name

dfs.journalnode.enable.sync

Default Value

true

API Name

dfs_journalnode_enable_sync

Required

false

JournalNode Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml

Description

For advanced use only. A string to be inserted into hdfs-site.xml for this role only.

Related Name**Default Value****API Name**

jn_config_safety_valve

Required

false

Java Configuration Options for JournalNode

Description

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or greater, {{JAVA_GC_ARGS}} will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name**Default Value****API Name**

journalNode_java_opts

Required

false

JournalNode Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

JOURNALNODE_role_env_safety_valve

Required

false

JournalNode Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name

Default Value

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory

Description

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory

Description

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name

Default Value

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory

Description

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

true

API Name

process_auto_restart

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name

Default Value

20

API Name

process_start_secs

Required

false

Logs

JournalNode Log Directory

Description

Directory where JournalNode will place its log files.

Related Name

hadoop.log.dir

Default Value

/var/log/hadoop-hdfs

API Name

journalnode_log_dir

Required

false

JournalNode Logging Threshold

Description

The minimum log level for JournalNode logs

Related Name

Default Value

INFO

API Name

log_threshold

Required

false

JournalNode Maximum Log File Backups

Description

The maximum number of rolled log files to keep for JournalNode logs. Typically used by log4j or logback.

Related Name

Default Value

10

API Name

max_log_backup_index

Required

false

JournalNode Max Log Size

Description

The maximum size, in megabytes, per log file for JournalNode logs. Typically used by log4j or logback.

Related Name

Default Value

200 MiB

API Name

max_log_size

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

```
startDelaySeconds: 10 ssl: false lowercaseOutputName: true lowercaseOutputLabelNames: true
rules: - pattern: 'Hadoop<service=(.*)>, name=JvmMetrics<><(.*)>: (\d+)' attrNameSnakeCase:
```

```
true name: $2 value: $3 labels: hadoop_service: $1 hadoop_metric_group: jvm_metrics - pattern:
'Hadoop<service=(.*) , name=MetricsSystem, sub=Stats><>(.*): (\d+)' attrNameSnakeCase:
true name: $2 value: $3 labels: hadoop_service: $1 hadoop_metric_group: stats - pattern:
'Hadoop<service=(.*) , name=RpcActivityForPort(.*)><>(.*): (\d+)' attrNameSnakeCase: true
name: $3 value: $4 labels: hadoop_service: $1 hadoop_metric_group: rpc_activity_for_port port:
$2 - pattern: 'Hadoop<service=JournalNode, name=Journal-(.*)><>(.*): (\d+)' attrNameSnakeCase:
true name: $2 value: $3 labels: hadoop_service: JournalNode hadoop_metric_group: journal
name_service: $1
```

API Name

jmx_exporter_yaml

Required

false

JournalNode Edits Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's JournalNode Edits Directory.

Related Name

Default Value

Warning: 10 GiB, Critical: 5 GiB

API Name

journalnode_edits_directory_free_space_absolute_thresholds

Required

false

JournalNode Edits Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's JournalNode Edits Directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a JournalNode Edits Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

journalnode_edits_directory_free_space_percentage_thresholds

Required

false

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name

Default Value

Warning: 50.0 %, Critical: 70.0 %

API Name

journalnode_fd_thresholds

Required

false

JournalNode Fsync Latency Thresholds

Description

The health test thresholds for JournalNode fsync latency.

Related Name

Default Value

Warning: 1 second(s), Critical: 3 second(s)

API Name

journalnode_fsync_latency_thresholds

Required

false

Garbage Collection Duration Thresholds

Description

The health test thresholds for the weighted average time spent in Java garbage collection. Specified as a percentage of elapsed wall clock time.

Related Name

Default Value

Warning: 30.0, Critical: 60.0

API Name

journalnode_gc_duration_thresholds

Required

false

Garbage Collection Duration Monitoring Period

Description

The period to review when computing the moving average of garbage collection time.

Related Name

Default Value

5 minute(s)

API Name

journalnode_gc_duration_window

Required

false

JournalNode Host Health Test

Description

When computing the overall JournalNode health, consider the host's health.

Related Name

Default Value

	true
API Name	journalnode_host_health_enabled
Required	false

JournalNode Process Health Test

Description	Enables the health test that the JournalNode's process state is consistent with the role configuration
Related Name	
Default Value	true
API Name	journalnode_scm_health_enabled
Required	false

Active NameNode Sync Status Health Check

Description	Enables the health check that verifies the active NameNode's sync status to the JournalNode
Related Name	
Default Value	true
API Name	journalnode_sync_status_enabled
Required	false

Active NameNode Sync Status Startup Tolerance

Description	The amount of time at JournalNode startup allowed for the active NameNode to get in sync with the JournalNode.
Related Name	
Default Value	3 minute(s)
API Name	journalnode_sync_status_startup_tolerance
Required	false

Web Metric Collection

Description	Enables the health test that the Cloudera Manager Agent can successfully contact and gather metrics from the web server.
--------------------	--

Related Name**Default Value**

true

API Name

journalnode_web_metric_collection_enabled

Required

false

Web Metric Collection Duration**Description**

The health test thresholds on the duration of the metrics request to the web server.

Related Name**Default Value**

Warning: 10 second(s), Critical: Never

API Name

journalnode_web_metric_collection_thresholds

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Rules to Extract Events from Log Files

Description

This file contains the rules that govern how log messages are turned into events by the custom log4j appender that this role loads. It is in JSON format, and is composed of a list of rules. Every log message is evaluated against each of these rules in turn to decide whether or not to send an event for that message. If a log message matches multiple rules, the first matching rule is used.. Each rule has some or all of the following fields:

- **alert** - whether or not events generated from this rule should be promoted to alerts. A value of "true" will cause alerts to be generated. If not specified, the default is "false".
- **rate** (mandatory) - the maximum number of log messages matching this rule that can be sent as events every minute. If more than rate matching log messages are received in a single minute, the extra messages are ignored. If rate is less than 0, the number of messages per minute is unlimited.
- **periodminutes** - the number of minutes during which the publisher will only publish rate events or fewer. If not specified, the default is one minute
- **threshold** - apply this rule only to messages with this log4j severity level or above. An example is "WARN" for warning level messages or higher.
- **content** - match only those messages for which contents match this regular expression.
- **exceptiontype** - match only those messages that are part of an exception message. The exception type must match this regular expression.

Example:

- {"alert": false, "rate": 10, "exceptiontype": "java.lang.StringIndexOutOfBoundsException"} This rule sends events to Cloudera Manager for every StringIndexOutOfBoundsException, up to a maximum of 10 every minute.
- {"alert": false, "rate": 1, "periodminutes": 1, "exceptiontype": ".*"}, {"alert": true, "rate": 1, "periodminutes": 1, "threshold": "ERROR"} In this example, an event generated may not be promoted to alert if an exception is in the ERROR log message, because the first rule with alert = false will match.

Related Name

Default Value

version: 0, rules: [alert: false, rate: 1, periodminutes: 1, threshold: FATAL , alert: false, rate: 1, periodminutes: 2, exceptiontype: .* , alert: false, rate: 1, periodminutes: 1, threshold: WARN]

API Name

log_event_whitelist

Required

false

Navigator Audit Failure Thresholds

Description

The health test thresholds for failures encountered when monitoring audits within a recent period specified by the mgmt_navigator_failure_window configuration for the role. The value that can be specified for this threshold is the number of bytes of audits data that is left to be sent to audit server.

Related Name

mgmt.navigator.failure.thresholds

Default Value

Warning: Never, Critical: Any

API Name

mgmt_navigator_failure_thresholds

Required

false

Monitoring Period For Audit Failures**Description**

The period to review when checking if audits are blocked and not getting processed.

Related Name

mgmt.navigator.failure.window

Default Value

20 minute(s)

API Name

mgmt_navigator_failure_window

Required

false

Navigator Audit Pipeline Health Check**Description**

Enable test of audit events processing pipeline. This will test if audit events are not getting processed by Audit Server for a role that generates audit.

Related Name

mgmt.navigator.status.check.enabled

Default Value

true

API Name

mgmt_navigator_status_check_enabled

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: { "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }

Related Name

Default Value

API Name

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

exporters: prometheusremotewrite/\$ROLE_NAME: endpoint: \$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/\$ROLE_NAME tls: insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s max_elapsed_time: 300s

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

extensions: basicauth/\$ROLE_NAME: client_auth: username: \$ROLE_PARAM(otelcol_remote_write_user) password: '\$ROLE_PARAM(otelcol_remote_write_password)'

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value

11113

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
processors: filter/$ROLE_NAME: metrics: include: match_type: strict metric_names: #memory -
jvm_buffer_pool_used_bytes - jvm_buffer_pool_capacity_bytes - jvm_buffer_pool_used_buffers
- jvm_memory_bytes_used - jvm_memory_bytes_committed - jvm_memory_bytes_max -
jvm_memory_bytes_init #gc - jvm_gc_collection_seconds #threads - jvm_threads_current -
jvm_threads_daemon - jvm_threads_peak - jvm_threads_started_total - jvm_threads_deadlocked
- jvm_threads_deadlocked_monitor - jvm_threads_state #classes - jvm_classes_currently_loaded
#process - process_cpu_seconds_total - process_start_time_seconds - process_open_fds -
process_virtual_memory_bytes # JvmMetrics - log_error - log_fatal - log_info - log_warn
# RpcActivityForPort - call_queue_length - num_open_connections - received_bytes -
rpc_authentication_failures - rpc_authentication_successes - rpc_authorization_failures -
rpc_authorization_successes - rpc_processing_time_avg_time - rpc_queue_time_avg_time
- sent_bytes # MetricsSystem, sub=Stats - dropped_pub_all - num_active_sinks -
num_active_sources - num_all_sinks - num_all_sources - publish_avg_time - snapshot_avg_time
# Hadoop:service=, name=Journal-journal - bytes_written - current_lag_txns -
syncs300s50th_percentile_latency_micros - syncs300s75th_percentile_latency_micros -
syncs300s90th_percentile_latency_micros - syncs300s95th_percentile_latency_micros -
syncs300s99th_percentile_latency_micros - syncs3600s50th_percentile_latency_micros -
syncs3600s75th_percentile_latency_micros - syncs3600s90th_percentile_latency_micros -
syncs3600s95th_percentile_latency_micros - syncs3600s99th_percentile_latency_micros -
txns_written
```

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value**

```
receivers: prometheus/$ROLE_NAME: config: scrape_configs: - job_name: 'DMP-$ROLE_NAME'
scrape_interval: 60s scheme: http tls_config: insecure_skip_verify: true static_configs: -
targets: ['localhost:$ROLE_PARAM(otelcol_helper_port)'] labels: host_name: $HOST_NAME
cm_cluster_id: $CLUSTER_ID service_type: $SERVICE_TYPE service: $SERVICE_NAME
role_type: $ROLE_TYPE role_name: $ROLE_NAME instance: $INFRA(instance_id) cluster_id:
$INFRA(cluster_id) platform: $INFRA(platform) formfactor: paas-vm relabel_configs: -
source_labels: [cluster_id] regex: 'crn:cdp:(\[^\:]+\):.*' replacement: '$$1' target_label: app_type
action: replace
```

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name

Default Value

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify

\$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

service: pipelines: metrics/\$ROLE_NAME: receivers: [prometheus/\$ROLE_NAME] processors: [filter/\$ROLE_NAME] exporters: [prometheusremotewrite/\$ROLE_NAME]

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

true

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds

Description

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name

Default Value

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers

Description

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name

Default Value

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name

Default Value

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

JournalNode Edits Directory

Description

Directory on the local file system where NameNode edits are written.

Related Name

dfs.journalnode.edits.dir

Default Value

API Name

dfs_journalnode_edits_dir

Required

true

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name

Default Value

API Name

rlimit_fds

Required

false

Ports and Addresses

JournalNode HTTP Port

Description

Port for the JournalNode HTTP web UI. Combined with the JournalNode hostname to build its HTTP address.

Related Name

dfs.journalnode.http-address

Default Value

8480

API Name

dfs_journalnode_http_port

Required

false

Secure JournalNode Web UI Port (TLS/SSL)

Description

The base port where the secure JournalNode web UI listens. Combined with the JournalNode's hostname to build its secure web UI address.

Related Name

dfs.journalnode.https-address

Default Value

8481

API Name

dfs_journalnode_https_port

Required

false

JournalNode RPC Port

Description

Port for the JournalNode's RPC. Combined with the JournalNode's hostname to build its RPC address.

Related Name

dfs.journalnode.rpc-address

Default Value

8485

API Name

dfs_journalnode_rpc_port

Required

false

Bind JournalNode to Wildcard Address

Description

If enabled, the JournalNode binds to the wildcard address ("0.0.0.0") on all of its ports.

Related Name

Default Value

false

API Name

journalnode_bind_wildcard

Required

false

Resource Management**Java Heap Size of JournalNode in Bytes****Description**

Maximum size in bytes for the Java Process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

512 MiB

API Name

journalNode_java_heapsize

Required

false

Cgroup V1 BLKIO Weight**Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

`rm_cpu_shares`**Required**`true`**Cgroup V2 CPU Weight****Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name`cpu.weight`**Default Value**`100`**API Name**`rm_cpu_weight`**Required**`true`**Custom Control Group Resources (overrides Cgroup settings)****Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the `cgexec` command: `resource1,resource2:path1 or resource3:path2` For example: `'cpu,memory:my/path blkio:my2/path2'`
These settings override other cgroup settings.

Related Name`custom.cgroups`**Default Value****API Name**`rm_custom_resources`**Required**`false`**Cgroup V2 I/O Weight****Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name`io.weight`**Default Value**`100`**API Name**`rm_io_weight`**Required**`true`

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

`rm_memory_soft_limit_v1`**Required**`true`**Cgroup V2 Memory Soft Limit****Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name`memory.high`**Default Value**`-1 MiB`**API Name**`rm_memory_soft_limit_v2`**Required**`true`**Stacks Collection****Stacks Collection Data Retention****Description**

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name`stacks_collection_data_retention`**Default Value**`100 MiB`**API Name**`stacks_collection_data_retention`**Required**`false`**Stacks Collection Directory****Description**

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name`stacks_collection_directory`**Default Value****API Name**`stacks_collection_directory`

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: JournalNode Edits Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JournalNode Edits Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_dfs_journalnode_edits_dir

Required

true

Suppress Parameter Validation: JournalNode HTTP Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JournalNode HTTP Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_dfs_journalnode_http_port

Required

true

Suppress Parameter Validation: Secure JournalNode Web UI Port (TLS/SSL)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Secure JournalNode Web UI Port (TLS/SSL) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_dfs_journalnode_https_port

Required

true

Suppress Parameter Validation: JournalNode RPC Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JournalNode RPC Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_dfs_journalnode_rpc_port

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: JournalNode Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JournalNode Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jn_config_safety_valve

Required

true

Suppress Parameter Validation: Java Configuration Options for JournalNode

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for JournalNode parameter.

Related Name**Default Value**

	false
API Name	role_config_suppression_journalnode_java_opts
Required	true

Suppress Parameter Validation: JournalNode Log Directory

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the JournalNode Log Directory parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_journalnode_log_dir
Required	true

Suppress Parameter Validation: JournalNode Environment Advanced Configuration Snippet (Safety Valve)

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the JournalNode Environment Advanced Configuration Snippet (Safety Valve) parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_journalnode_role_env_safety_valve
Required	true

Suppress Parameter Validation: JournalNode Logging Advanced Configuration Snippet (Safety Valve)

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the JournalNode Logging Advanced Configuration Snippet (Safety Valve) parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_log4j_safety_valve
Required	true

Suppress Parameter Validation: Rules to Extract Events from Log Files

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Rules to Extract Events from Log Files parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log_event_whitelist

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_journal_node_audit_health

Required

true

Suppress Health Test: JournalNode Edits Directory Free Space**Description**

Whether to suppress the results of the JournalNode Edits Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_journal_node_edits_directory_free_space

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

`role_health_suppression_journal_node_file_descriptor`**Required**`true`**Suppress Health Test: Fsync Latency****Description**

Whether to suppress the results of the Fsync Latency health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_journal_node_fsync_latency`**Required**`true`**Suppress Health Test: GC Duration****Description**

Whether to suppress the results of the GC Duration health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_journal_node_gc_duration`**Required**`true`**Suppress Health Test: Heap Dump Directory Free Space****Description**

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_journal_node_heap_dump_directory_free_space`**Required**`true`**Suppress Health Test: Host Health****Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_journal_node_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_journal_node_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_journal_node_otelcol_health

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_journal_node_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_journal_node_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_journal_node_swap_memory_usage_rate

Required

true

Suppress Health Test: Sync Status**Description**

Whether to suppress the results of the Sync Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_journal_node_sync_status

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_journal_node_unexpected_exits

Required

true

Suppress Health Test: Web Server Status

Description

Whether to suppress the results of the Web Server Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_journal_node_web_metric_collection

Required

true

NameNode

Advanced

Enable Automatic Failover

Description

Enable Automatic Failover to maintain High Availability. Requires a ZooKeeper service and a High Availability NameNode partner.

Related Name

dfs.ha.automatic-failover.enabled

Default Value

false

API Name

autofailover_enabled

Required

false

NameNode Nameservice

Description

Nameservice of this NameNode. The Nameservice represents the interface to this NameNode and its High Availability partner. The Nameservice also represents the namespace associated with a federated NameNode.

Related Name**Default Value****API Name**

dfs_federation_namenode_nameservice

Required

false

Enable Async Audit Log**Description**

When enabled, HDFS NameNode will append audit log asynchronously when using HDFS default audit logger. Enabling this should improve NameNode throughput under heavy load.

Related Name

dfs.namenode.audit.log.async

Default Value

true

API Name

dfs_namenode_audit_log_async

Required

false

Avoid Reading Stale DataNode**Description**

Indicate whether or not to avoid reading from stale DataNodes for which heartbeat messages have not been received by the NameNode for more than Stale DataNode Time Interval. Stale DataNodes are moved to the end of the node list returned for reading. See dfs.namenode.avoid.write.stale.datanode for a similar setting for writes.

Related Name

dfs.namenode.avoid.read.stale.datanode

Default Value

true

API Name

dfs_namenode_avoid_read_stale_datanode

Required

false

Avoid Writing Stale DataNode**Description**

Indicate whether or not to avoid writing to stale DataNodes for which heartbeat messages have not been received by the NameNode for more than Stale DataNode Time Interval. Writes avoid using stale DataNodes unless more than a configured ratio (dfs.namenode.write.stale.datanode.ratio) of DataNodes are marked as stale. See dfs.namenode.avoid.read.stale.datanode for a similar setting for reads.

Related Name

`dfs.namenode.avoid.write.stale.datanode`**Default Value**`true`**API Name**`dfs_namenode_avoid_write_stale_datanode`**Required**`false`**NameNode Max Component Length****Description**

Defines the maximum number of bytes in UTF-8 encoding in each component of a path. A value of 0 will disable the check.

Related Name`dfs.namenode.fs-limits.max-component-length`**Default Value**`255`**API Name**`dfs_namenode_fs_limits_max_length`**Required**`false`**Invalidate Work Percentage Per Iteration****Description**

This determines the percentage amount of block invalidations (deletes) to do over a single DataNode heartbeat deletion command. The final deletion count is determined by applying this percentage to the number of live nodes in the system. The resultant number is the number of blocks from the deletion list chosen for proper invalidation over a single heartbeat of a single DataNode.

Related Name`dfs.namenode.invalidate.work.pct.per.iteration`**Default Value**`0.32`**API Name**`dfs_namenode_invalidate_work_pct_per_iteration`**Required**`false`**Quorum-based Storage Journal name****Description**

Name of the journal located on each JournalNode filesystem.

Related Name**Default Value****API Name**`dfs_namenode_quorum_journal_name`**Required**`false`

Maximum Number of Replication Threads on a DataNode

Description

The maximum number of outgoing replication threads a node can have at one time. This limit is waived for the highest priority replications. Configure `dfs.namenode.replication.max-streams-hard-limit` to set the absolute limit, including the highest-priority replications.

Related Name

`dfs.namenode.replication.max-streams`

Default Value

20

API Name

`dfs_namenode_replication_max_streams`

Required

false

Hard Limit on the Number of Replication Threads on a Datanode

Description

The absolute maximum number of outgoing replication threads a given node can have at one time. The regular limit (`dfs.namenode.replication.max-streams`) is waived for highest-priority block replications. Highest replication priority is for blocks that are at a very high risk of loss if the disk or server on which they remain fails. These are usually blocks with only one copy, or blocks with zero live copies but a copy in a node being decommissioned. `dfs.namenode.replication.max-streams-hard-limit` provides a limit on the total number of outgoing replication threads, including threads of all priorities.

Related Name

`dfs.namenode.replication.max-streams-hard-limit`

Default Value

40

API Name

`dfs_namenode_replication_max_streams_hard_limit`

Required

false

Replication Work Multiplier Per Iteration

Description

This determines the total amount of block transfers to begin in parallel at a DataNode for replication, when such a command list is being sent over a DataNode heartbeat by the NameNode. The actual number is obtained by multiplying this value by the total number of live nodes in the cluster. The result number is the number of blocks to transfer immediately, per DataNode heartbeat.

Related Name

`dfs.namenode.replication.work.multiplier.per.iteration`

Default Value

10

API Name

`dfs_namenode_replication_work_multiplier_per_iteration`

Required

false

Enable Immutable Snapshots

Description

When enabled, HDFS snapshots will capture point-in-time copies of open files.

Related Name

dfs.namenode.snapshot.capture.openfiles

Default Value

true

API Name

dfs_namenode_snapshot_capture_openfiles

Required

false

Stale DataNode Time Interval

Description

Default time interval for marking a DataNode as "stale". If the NameNode has not received heartbeat messages from a DataNode for more than this time interval, the DataNode is marked and treated as "stale" by default.

Related Name

dfs.namenode.stale.datanode.interval

Default Value

30 second(s)

API Name

dfs_namenode_stale_datanode_interval

Required

false

Write Stale DataNode Ratio

Description

When the ratio of number stale DataNodes to total DataNodes marked is greater than this ratio, permit writing to stale nodes to prevent causing hotspots.

Related Name

dfs.namenode.write.stale.datanode.ratio

Default Value

0.5

API Name

dfs_namenode_write_stale_datanode_ratio

Required

false

JournalNode Accept Recovery Timeout

Description

Timeout when accepting recovery of an edit segment from JournalNodes. This only applies when NameNode high availability is enabled.

Related Name

dfs.qjournal.accept-recovery.timeout.ms

Default Value

2 minute(s)

API Name

dfs_qjournal_accept_recovery_timeout_ms

Required

false

JournalNode Finalize Segment Timeout**Description**

Timeout when finalizing current edit segment with JournalNodes. This only applies when NameNode high availability is enabled.

Related Name

dfs.qjournal.finalize-segment.timeout.ms

Default Value

2 minute(s)

API Name

dfs_qjournal_finalize_segment_timeout_ms

Required

false

JournalNode Get State Timeout**Description**

Timeout when getting current states from JournalNodes. This only applies when NameNode high availability is enabled.

Related Name

dfs.qjournal.get-journal-state.timeout.ms

Default Value

2 minute(s)

API Name

dfs_qjournal_get_journal_state_timeout_ms

Required

false

JournalNode New Epoch Timeout**Description**

Timeout when creating new epoch number with JournalNodes. This only applies when NameNode high availability is enabled.

Related Name

dfs.qjournal.new-epoch.timeout.ms

Default Value

2 minute(s)

API Name

dfs_qjournal_new_epoch_timeout_ms

Required

false

JournalNode Prepare Recovery Timeout

Description

Timeout when preparing recovery of an edit segment with JournalNodes. This only applies when NameNode high availability is enabled.

Related Name

dfs.qjournal.prepare-recovery.timeout.ms

Default Value

2 minute(s)

API Name

dfs_qjournal_prepare_recovery_timeout_ms

Required

false

JournalNode Select Input Streams Timeout

Description

Timeout when selecting input streams on JournalNodes. This only applies when NameNode high availability is enabled.

Related Name

dfs.qjournal.select-input-streams.timeout.ms

Default Value

20 second(s)

API Name

dfs_qjournal_select_input_streams_timeout_ms

Required

false

JournalNode Start Segment Timeout

Description

Timeout when starting a new edit segment with JournalNodes. This only applies when NameNode high availability is enabled.

Related Name

dfs.qjournal.start-segment.timeout.ms

Default Value

20 second(s)

API Name

dfs_qjournal_start_segment_timeout_ms

Required

false

JournalNode Write Transactions Timeout

Description

Timeout when writing edits to a JournalNode. This only applies when NameNode high availability is enabled.

Related Name

dfs.qjournal.write-txns.timeout.ms

Default Value

20 second(s)

API Name

dfs_qjournal_write_txns_timeout_ms

Required

false

Hadoop Metrics2 Advanced Configuration Snippet (Safety Valve)**Description**

Advanced Configuration Snippet (Safety Valve) for Hadoop Metrics2. Properties will be inserted into hadoop-metrics2.properties.

Related Name**Default Value****API Name**

hadoop_metrics2_safety_valve

Required

false

NameNode Logging Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations**Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

NameNode Advanced Configuration Snippet (Safety Valve) for dfs_all_hosts.txt**Description**

For advanced use only. A string to be inserted into dfs_all_hosts.txt for this role only.

Related Name

Default Value**API Name**

namenode_all_hosts_safety_valve

Required

false

NameNode Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml**Description**

For advanced use only. A string to be inserted into hdfs-site.xml for this role only.

Related Name**Default Value****API Name**

namenode_config_safety_valve

Required

false

NameNode Advanced Configuration Snippet (Safety Valve) for dfs_hosts_allow.txt**Description**

For advanced use only. A string to be inserted into dfs_hosts_allow.txt for this role only.

Related Name**Default Value****API Name**

namenode_hosts_allow_safety_valve

Required

false

NameNode Advanced Configuration Snippet (Safety Valve) for dfs_hosts_exclude.txt**Description**

For advanced use only. A string to be inserted into dfs_hosts_exclude.txt for this role only.

Related Name**Default Value****API Name**

namenode_hosts_exclude_safety_valve

Required

false

Java Configuration Options for NameNode**Description**

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or greater, `{{JAVA_GC_ARGS}}` will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name

Default Value

JAVA_GC_ARGS

API Name

namenode_java_opts

Required

false

NameNode Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

NAMENODE_role_env_safety_valve

Required

false

Mount Points**Description**

Mount points that are mapped to this NameNode's nameservice.

Related Name**Default Value**

/

API Name

nameservice_mountpoints

Required

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory

Description

When set, generates a heap dump file when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory

Description

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

NameNode Advanced Configuration Snippet (Safety Valve) for ranger-hdfs-security.xml**Description**

For advanced use only. A string to be inserted into ranger-hdfs-security.xml for this role only.

Related Name**Default Value****API Name**

ranger_security_role_safety_valve

Required

false

Checkpointing**Filesystem Checkpoint Period****Description**

The time between two periodic file system checkpoints.

Related Name

dfs.namenode.checkpoint.period

Default Value

1 hour(s)

API Name

fs_checkpoint_period

Required

false

Filesystem Checkpoint Transaction Threshold**Description**

The number of transactions after which the NameNode or SecondaryNameNode will create a checkpoint of the namespace, regardless of whether the checkpoint period has expired.

Related Name

dfs.namenode.checkpoint.txns

Default Value

1000000

API Name

fs_checkpoint_txns

Required

false

Erasur Coding**Fallback Erasure Coding Policy****Description**

The fallback Erasure Coding policy that HDFS uses if no policy is specified when you run the -setPolicy command.

Related Name

dfs.namenode.ec.system.default.policy

Default Value

RS-6-3-1024k

API Name

erasure_coding_default_policy

Required

false

Logs**NameNode Logging Threshold****Description**

The minimum log level for NameNode logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

NameNode Maximum Log File Backups**Description**

The maximum number of rolled log files to keep for NameNode logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

NameNode Max Log Size**Description**

The maximum size, in megabytes, per log file for NameNode logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

NameNode Block State Change Logging Threshold**Description**

The minimum log level for NameNode block state change log messages. Setting this to WARN or higher greatly reduces the amount of log output related to block state changes.

Related Name

log4j.logger.BlockStateChange

Default Value

ERROR

API Name

namenode_blockstatechange_log_threshold

Required

false

NameNode Log Directory**Description**

Directory where NameNode will place its log files.

Related Name

hadoop.log.dir

Default Value

/var/log/hadoop-hdfs

API Name

namenode_log_dir

Required

false

NameNode State Change Logging Threshold**Description**

The minimum log level for NameNode state change log messages. Setting this to WARN or higher greatly reduces the amount of log output related to state changes.

Related Name

log4j.logger.org.apache.hadoop.hdfs.StateChange

Default Value

ERROR

API Name

namenode_statechange_log_threshold

Required

false

Monitoring**Enable Health Alerts for this Role****Description**

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

```
startDelaySeconds: 10 ssl: false lowercaseOutputName: true lowercaseOutputLabelNames: true
rules: - pattern: 'Hadoop<service=(.*)>, name=JvmMetrics<><(.*)>: (\d+)' attrNameSnakeCase:
```

true name: \$2 value: \$3 labels: hadoop_service: \$1 hadoop_metric_group: jvm_metrics - pattern: 'Hadoop<service=(.*) , name=MetricsSystem, sub=Stats><>(.*): (\d+)' attrNameSnakeCase:
true name: \$2 value: \$3 labels: hadoop_service: \$1 hadoop_metric_group: stats - pattern: 'Hadoop<service=(.*) , name=RpcActivityForPort(.*)><>(.*): (\d+)' attrNameSnakeCase: true
name: \$3 value: \$4 labels: hadoop_service: \$1 hadoop_metric_group: rpc_activity_for_port port: \$2
- pattern: 'Hadoop<service=NameNode, name=FSNamesystem><>(.*): (\d+)' attrNameSnakeCase:
true name: \$1 value: \$2 labels: hadoop_service: NameNode hadoop_metric_group: fs_namesystem
- pattern: 'Hadoop<service=(.*) , name=NameNodeActivity><>(.*): (\d+)' attrNameSnakeCase:
true name: \$2 value: \$3 labels: hadoop_service: \$1 hadoop_metric_group: name_node_activity -
pattern: 'Hadoop<service=NameNode, name=NameNodeInfo><>(.*): (\d+)' attrNameSnakeCase:
true name: \$1 value: \$2 labels: hadoop_service: NameNode hadoop_metric_group: name_node_info

API Name

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name

Default Value

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Rules to Extract Events from Log Files

Description

This file contains the rules that govern how log messages are turned into events by the custom log4j appender that this role loads. It is in JSON format, and is composed of a list of rules. Every log message is evaluated against each of these rules in turn to decide whether or not to send an event for that message. If a log message matches multiple rules, the first matching rule is used.. Each rule has some or all of the following fields:

- `alert` - whether or not events generated from this rule should be promoted to alerts. A value of "true" will cause alerts to be generated. If not specified, the default is "false".
- `rate` (mandatory) - the maximum number of log messages matching this rule that can be sent as events every minute. If more than `rate` matching log messages are received in a single minute, the extra messages are ignored. If `rate` is less than 0, the number of messages per minute is unlimited.
- `periodminutes` - the number of minutes during which the publisher will only publish `rate` events or fewer. If not specified, the default is one minute
- `threshold` - apply this rule only to messages with this log4j severity level or above. An example is "WARN" for warning level messages or higher.
- `content` - match only those messages for which contents match this regular expression.
- `exceptiontype` - match only those messages that are part of an exception message. The exception type must match this regular expression.

Example:

- `{"alert": false, "rate": 10, "exceptiontype": "java.lang.StringIndexOutOfBoundsException"}` This rule sends events to Cloudera Manager for every `StringIndexOutOfBoundsException`, up to a maximum of 10 every minute.
- `{"alert": false, "rate": 1, "periodminutes": 1, "exceptiontype": ".*"}, {"alert": true, "rate": 1, "periodminutes": 1, "threshold": "ERROR"}` In this example, an event generated may not be promoted to alert if an exception is in the ERROR log message, because the first rule with `alert = false` will match.

Related Name

Default Value

version: 0, rules: [alert: false, rate: 1, periodminutes: 1, threshold: FATAL , alert: false, rate: 0, threshold: WARN, content: .* is deprecated. Instead, use .* , alert: false, rate: 0, threshold: WARN, content: .* is deprecated. Use .* instead , alert: false, rate: 0, exceptiontype: java.io.IOException , alert: false, rate: 0, exceptiontype: java.net.SocketException , alert: false, rate: 0, exceptiontype: java.net.SocketClosedException , alert: false, rate: 0, exceptiontype: java.io.EOFException , alert: false, rate: 0, exceptiontype: java.nio.channels.CancelledKeyException , alert: false, rate: 1, periodminutes: 2, exceptiontype: .* , alert: false, rate: 0, threshold: WARN, content: Unknown job [^]+ being deleted.* , alert: false, rate: 0, threshold: WARN, content: Error executing shell command .+ No such process.+ , alert: false, rate: 0, threshold: WARN, content: .*attempt to override final parameter.+ , alert: false, rate: 0, threshold: WARN, content: [^]+ is a deprecated filesystem name. Use.* , alert: false, rate: 1, periodminutes: 1, threshold: WARN , alert: false, rate: 1, threshold: INFO, content: Triggering checkpoint.*]

API Name

`log_event_whitelist`

Required

false

Navigator Audit Failure Thresholds

Description

The health test thresholds for failures encountered when monitoring audits within a recent period specified by the `mgmt_navigator_failure_window` configuration for the role. The value that can be specified for this threshold is the number of bytes of audits data that is left to be sent to audit server.

Related Name

`mgmt.navigator.failure.thresholds`

Default Value

Warning: Never, Critical: Any

API Name

mgmt_navigator_failure_thresholds

Required

false

Monitoring Period For Audit Failures**Description**

The period to review when checking if audits are blocked and not getting processed.

Related Name

mgmt.navigators.failure.window

Default Value

20 minute(s)

API Name

mgmt_navigator_failure_window

Required

false

Navigator Audit Pipeline Health Check**Description**

Enable test of audit events processing pipeline. This will test if audit events are not getting processed by Audit Server for a role that generates audit.

Related Name

mgmt.navigators.status.check.enabled

Default Value

true

API Name

mgmt_navigator_status_check_enabled

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking [View as JSON](#). In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name

Default Value

API Name

`monitoring_metric_filter`

Required

`false`

Filesystem Checkpoint Age Monitoring Thresholds

Description

The health test thresholds of the age of the HDFS namespace checkpoint. Specified as a percentage of the configured checkpoint interval.

Related Name

Default Value

Warning: 200.0 %, Critical: 400.0 %

API Name

`namenode_checkpoint_age_thresholds`

Required

`false`

Filesystem Checkpoint Transactions Monitoring Thresholds

Description

The health test thresholds of the number of transactions since the last HDFS namespace checkpoint. Specified as a percentage of the configured checkpointing transaction limit.

Related Name

Default Value

Warning: 200.0 %, Critical: 400.0 %

API Name

`namenode_checkpoint_transactions_thresholds`

Required

`false`

NameNode Data Directories Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's NameNode Data Directories.

Related Name

Default Value

Warning: 10 GiB, Critical: 5 GiB

API Name

namenode_data_directories_free_space_absolute_thresholds

Required

false

NameNode Data Directories Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's NameNode Data Directories. Specified as a percentage of the capacity on that filesystem. This setting is not used if a NameNode Data Directories Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

namenode_data_directories_free_space_percentage_thresholds

Required

false

NameNode Directory Failures Thresholds**Description**

The health test thresholds of failed status directories in a NameNode.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

namenode_directory_failures_thresholds

Required

false

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

namenode_fd_thresholds

Required

false

NameNode Host Health Test**Description**

When computing the overall NameNode health, consider the host's health.

Related Name**Default Value**

true

API Name

namenode_host_health_enabled

Required

false

NameNode Out-Of-Sync JournalNodes Thresholds**Description**

The health check thresholds for the number of out-of-sync JournalNodes for this NameNode.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

namenode_out_of_sync_journal_nodes_thresholds

Required

false

Pause Duration Thresholds**Description**

The health test thresholds for the weighted average extra time the pause monitor spent paused. Specified as a percentage of elapsed wall clock time.

Related Name**Default Value**

Warning: 30.0, Critical: 60.0

API Name

namenode_pause_duration_thresholds

Required

false

Pause Duration Monitoring Period**Description**

The period to review when computing the moving average of extra time the pause monitor spent paused.

Related Name**Default Value**

5 minute(s)

API Name

namenode_pause_duration_window

Required

false

HDFS Rolling Metadata Upgrade Status Health Test

Description

Enables the health test of the rolling metadata upgrade status of the NameNode. This covers rolling metadata upgrades. Nonrolling metadata upgrades are covered in a separate health test.

Related Name**Default Value**

true

API Name

namenode_rolling_upgrade_status_enabled

Required

false

NameNode RPC Latency Thresholds

Description

The health check thresholds of the NameNode's RPC latency.

Related Name**Default Value**

Warning: 1 second(s), Critical: 5 second(s)

API Name

namenode_rpc_latency_thresholds

Required

false

NameNode RPC Latency Monitoring Window

Description

The period to review when computing the moving average of the NameNode's RPC latency.

Related Name**Default Value**

5 minute(s)

API Name

namenode_rpc_latency_window

Required

false

NameNode Safemode Health Test

Description

Enables the health test that the NameNode is not in safemode

Related Name**Default Value**

true

API Name

namenode_safe_mode_enabled

Required

false

NameNode Process Health Test

Description

Enables the health test that the NameNode's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

namenode_scm_health_enabled

Required

false

Health Test Startup Tolerance

Description

The amount of time allowed after this role is started that failures of health tests that rely on communication with this role will be tolerated.

Related Name**Default Value**

5 minute(s)

API Name

namenode_startup_tolerance

Required

false

HDFS Metadata Upgrade Status Health Test

Description

Enables the health test of the metadata upgrade status of the NameNode. This covers nonrolling metadata upgrades. Rolling metadata upgrades are covered in a separate health test.

Related Name**Default Value**

true

API Name

namenode_upgrade_status_enabled

Required

false

Web Metric Collection

Description

Enables the health test that the Cloudera Manager Agent can successfully contact and gather metrics from the web server.

Related Name**Default Value**

true

API Name

namenode_web_metric_collection_enabled

Required

false

Web Metric Collection Duration**Description**

The health test thresholds on the duration of the metrics request to the web server.

Related Name**Default Value**

Warning: 10 second(s), Critical: Never

API Name

namenode_web_metric_collection_thresholds

Required

false

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value

11110

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

processors: filter/\$ROLE_NAME: metrics: include: match_type: strict metric_names: #memory - jvm_buffer_pool_used_bytes - jvm_buffer_pool_capacity_bytes - jvm_buffer_pool_used_buffers - jvm_memory_bytes_used - jvm_memory_bytes_committed - jvm_memory_bytes_max - jvm_memory_bytes_init #gc - jvm_gc_collection_seconds #threads - jvm_threads_current - jvm_threads_daemon - jvm_threads_peak - jvm_threads_started_total - jvm_threads_deadlocked - jvm_threads_deadlocked_monitor - jvm_threads_state #classes - jvm_classes_currently_loaded #process - process_cpu_seconds_total - process_start_time_seconds - process_open_fds - process_virtual_memory_bytes # JvmMetrics - log_error - log_fatal - log_info - log_warn - gc_total_extra_sleep_time # RpcActivityForPort - call_queue_length - num_open_connections - received_bytes - rpc_authentication_failures - rpc_authentication_successes - rpc_authorization_failures - rpc_authorization_successes - rpc_processing_time_avg_time - rpc_queue_time_avg_time - sent_bytes # MetricsSystem, sub=Stats - dropped_pub_all - num_active_sinks - num_active_sources - num_all_sinks - num_all_sources - publish_avg_time - snapshot_avg_time # FSNamesystem - block_capacity - blocks_total - capacity_total - capacity_used - corrupt_blocks - excess_blocks - files_total - missing_blocks - pending_deletion_blocks - pending_replication_blocks - scheduled_replication_blocks - total_load - transactions_since_last_checkpoint - under_replicated_blocks # NameNodeInfo - non_dfs_used_space - percent_remaining - percent_used - total - used # NameNodeActivity - get_block_locations - syncs_avg_time

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

receivers: prometheus/\$ROLE_NAME: config: scrape_configs: - job_name: 'DMP-\$ROLE_NAME'
scrape_interval: 60s scheme: http tls_config: insecure_skip_verify: true static_configs: -
targets: ['localhost:\$ROLE_PARAM(otelcol_helper_port)'] labels: host_name: \$HOST_NAME
cm_cluster_id: \$CLUSTER_ID service_type: \$SERVICE_TYPE service: \$SERVICE_NAME
role_type: \$ROLE_TYPE role_name: \$ROLE_NAME instance: \$INFRA(instance_id) cluster_id:
\$INFRA(cluster_id) platform: \$INFRA(platform) formfactor: paas-vm relabel_configs: -
source_labels: [cluster_id] regex: 'crn:cdp:([^:]+):.*' replacement: '\$\$1' target_label: app_type
action: replace

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name

Default Value

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

service: pipelines: metrics/\$ROLE_NAME: receivers: [prometheus/\$ROLE_NAME] processors: [filter/\$ROLE_NAME] exporters: [prometheusremotewrite/\$ROLE_NAME]

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

true

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name

Default Value

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds

Description

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window

Description

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAM and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Enable Spool Directory Metric Usage for NameNode**Description**

Enables the health test for monitoring the Ranger Plugin Spool directory usage.

Related Name

Default Value

true

API Name

spool_directory_usage_enabled

Required

false

Ranger Plugin Spool Directory Usage Thresholds for NameNode

Description

The health test thresholds for monitoring the the Ranger Plugin Spool directory usage.

Related Name

Default Value

1 GiB

API Name

spool_directory_usage_threshold

Required

false

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name

Default Value

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name

Default Value

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

Backup and Disaster Log Retention

Description

Maximum age of log files related to backup and disaster recovery.

Related Name**Default Value**

90 day(s)

API Name

bdr_log_expiration_days

Required

false

Decommissioning blocks per interval

Description

The approximate number of blocks to process per decommission interval, as defined in `dfs.namenode.decommission.interval`.

Related Name

`dfs.namenode.decommission.blocks.per.interval`

Default Value

500000

API Name

`dfs_decommission_blocks_per_interval`

Required

false

Decommissioning max tracked nodes

Description

The maximum number of decommission-in-progress datanodes nodes that will be tracked at one time by the namenode. Tracking a decommission-in-progress datanode consumes additional NN memory proportional to the number of blocks on the datnode. A value of 0 means no limit will be enforced.

Related Name

`dfs.namenode.decommission.max.concurrent.tracked.nodes`

Default Value

100

API Name

`dfs_decommission_max_concurrent_tracked_nodes`

Required

false

NameNode Data Directories

Description

Determines where on the local file system the NameNode should store the name table (fsimage). For redundancy, enter a comma-delimited list of directories to replicate the name table in all of the directories. Typical values are `/data/N/dfs/nn` where `N=1..3`.

Related Name

dfs.namenode.name.dir

Default Value**API Name**

dfs_name_dir_list

Required

true

Restore NameNode Directories at Checkpoint Time**Description**

If set to false and if one of the replicas of the NameNode storage fails, such as temporarily failure of NFS, this directory is not used until the NameNode restarts. If enabled, failed storage is re-checked on every checkpoint and, if it becomes valid, the NameNode will try to restore the edits and fsimage.

Related Name

dfs.namenode.name.dir.restore

Default Value

true

API Name

dfs_name_dir_restore

Required

false

NameNode Edits Directories**Description**

Directories on the local file system to store the NameNode edits. If not set, the edits are stored in the NameNode's Data Directories. The value of this configuration is automatically generated to be the Quorum-based Storage URI if there are JournalNodes and this NameNode is not Highly Available.

Related Name

dfs.namenode.edits.dir

Default Value**API Name**

dfs_namenode_edits_dir

Required

false

Shared Edits Directory**Description**

Directory on a shared storage device, such as a Quorum-based Storage URI or a local directory that is an NFS mount from a NAS, to store the NameNode edits. The value of this configuration is automatically generated to be the Quorum Journal URI if there are JournalNodes and this NameNode is Highly Available.

Related Name

dfs.namenode.shared.edits.dir

Default Value

API Name

dfs_namenode_shared_edits_dir

Required

false

Safemode Extension**Description**

Determines extension of safemode in milliseconds after the threshold level is reached.

Related Name

dfs.namenode.safemode.extension

Default Value

30 second(s)

API Name

dfs_safemode_extension

Required

false

Safemode Minimum DataNodes**Description**

Specifies the number of DataNodes that must be live before the name node exits safemode. Enter a value less than or equal to 0 to take the number of live DataNodes into account when deciding whether to remain in safemode during startup. Values greater than the number of DataNodes in the cluster will make safemode permanent.

Related Name

dfs.namenode.safemode.min.datanodes

Default Value

1

API Name

dfs_safemode_min_datanodes

Required

false

Filesystem Trash Checkpoint Interval**Description**

Number of minutes between trash checkpoints. After a .Trash directory checkpoint is created, the Filesystem Trash Interval will define the time until permanent deletion. If set to 0, the value will be considered equal to the Filesystem Trash Interval value, which can cause the permanent deletion of entries in Trash to take over twice as long. The value for this must not exceed the Filesystem Trash Interval value.

Related Name

fs.trash.checkpoint.interval

Default Value

1 hour(s)

API Name

fs_trash_checkpoint_interval

Required

false

Filesystem Trash Interval

Description

Controls the number of minutes after which a trash checkpoint directory is deleted permanently. To disable the trash feature, enter 0. The checkpointing frequency of .Trash directory contents is separately controlled by Filesystem Trash Checkpoint Interval.

Related Name

fs.trash.interval

Default Value

1 day(s)

API Name

fs_trash_interval

Required

false

Topology Script File Name

Description

Full path to a custom topology script on the host file system. The topology script is used to determine the rack location of nodes. If left blank, a topology script will be provided that uses your hosts' rack information, visible in the "Hosts" page.

Related Name

net.topology.script.file.name

Default Value

API Name

topology_script_file_name

Required

false

Performance

NameNode Handler Count

Description

The number of server threads for the NameNode.

Related Name

dfs.namenode.handler.count

Default Value

30

API Name

dfs_namenode_handler_count

Required

false

NameNode Service Handler Count

Description

The number of server threads for the NameNode used for service calls. Only used when NameNode Service RPC Port is configured.

Related Name

dfs.namenode.service.handler.count

Default Value

30

API Name

dfs_namenode_service_handler_count

Required

false

HDFS Thrift Server Max Threadcount**Description**

Maximum number of running threads for the HDFS Thrift server running on the NameNode

Related Name

dfs.thrift.threads.max

Default Value

20

API Name

dfs_thrift_threads_max

Required

false

HDFS Thrift Server Min Threadcount**Description**

Minimum number of running threads for the HDFS Thrift server running on the NameNode

Related Name

dfs.thrift.threads.min

Default Value

10

API Name

dfs_thrift_threads_min

Required

false

HDFS Thrift Server Timeout**Description**

Timeout in seconds for the HDFS Thrift server running on the NameNode

Related Name

dfs.thrift.timeout

Default Value

60

API Name

dfs_thrift_timeout

Required

false

Maximum Process File Descriptors**Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses**NameNode Web UI Port****Description**

The base port where the DFS NameNode web UI listens. If the port number is 0, then the server starts on a free port. Combined with the NameNode's hostname to build its HTTP address.

Related Name

dfs.namenode.http-address

Default Value

9870

API Name

dfs_http_port

Required

false

Secure NameNode Web UI Port (TLS/SSL)**Description**

The base port where the secure NameNode web UI listens.

Related Name

dfs.https.port

Default Value

9871

API Name

dfs_https_port

Required

false

NameNode Service RPC Port**Description**

Optional port for the service-rpc address which can be used by HDFS daemons instead of sharing the RPC address used by the clients.

Related Name

`dfs.namenode.servicerpc-address`**Default Value****API Name**`dfs_namenode_servicerpc_address`**Required**`false`**Bind NameNode to Wildcard Address****Description**

If enabled, the NameNode binds to the wildcard address ("0.0.0.0") on all of its ports.

Related Name**Default Value**`false`**API Name**`namenode_bind_wildcard`**Required**`false`**NameNode Port****Description**

The port where the NameNode runs the HDFS protocol. Combined with the NameNode's hostname to build its address.

Related Name`fs.defaultFS`**Default Value**`8020`**API Name**`namenode_port`**Required**`false`**Replication****Safemode Threshold Percentage****Description**

Specifies the fraction of blocks that should satisfy the minimal replication requirement defined by `dfs.namenode.replication.min`. This should be set to a value between 0 and 1 inclusive. Values greater than 1 will make safe mode permanent (not recommended).

Related Name`dfs.namenode.safemode.threshold-pct`**Default Value**`0.999`**API Name**`dfs_safemode_threshold_pct`**Required**

false

Resource Management

Java Heap Size of NameNode in Bytes

Description

Maximum size in bytes for the Java Process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

4 GiB

API Name

namenode_java_heapsize

Required

false

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares

Description

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight

Description

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)

Description

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight

Description

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security

Include Caller Context in Audit Logs

Description

When enabled, additional fields are written into NameNode audit log records for auditing coarse granularity operations.

Related Name

hadoop.caller.context.enabled

Default Value

true

API Name

hadoop_caller_context_enabled

Required

false

HDFS NameNode TLS/SSL Trust Store File

Description

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that HDFS NameNode might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

Default Value

API Name

namenode_truststore_file

Required

false

HDFS NameNode TLS/SSL Trust Store Password

Description

The password for the HDFS NameNode TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name**Default Value****API Name**

namenode_truststore_password

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: NameNode Nameservice

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the NameNode Nameservice parameter.

Related Name

Default Value

false

API Name

role_config_suppression_dfs_federation_namenode_nameservice

Required

true

Suppress Parameter Validation: NameNode Web UI Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the NameNode Web UI Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_dfs_http_port

Required

true

Suppress Parameter Validation: Secure NameNode Web UI Port (TLS/SSL)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Secure NameNode Web UI Port (TLS/SSL) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_dfs_https_port

Required

true

Suppress Parameter Validation: NameNode Data Directories

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the NameNode Data Directories parameter.

Related Name

Default Value

false

API Name
role_config_suppression_dfs_name_dir_list

Required
true

Suppress Parameter Validation: NameNode Edits Directories

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the NameNode Edits Directories parameter.

Related Name

Default Value
false

API Name
role_config_suppression_dfs_namenode_edits_dir

Required
true

Suppress Configuration Validator: NameNode Handler Count Minimum Validator

Description
Whether to suppress configuration warnings produced by the NameNode Handler Count Minimum Validator configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_dfs_namenode_handler_count_minimum_validator

Required
true

Suppress Parameter Validation: Quorum-based Storage Journal name

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Quorum-based Storage Journal name parameter.

Related Name

Default Value
false

API Name
role_config_suppression_dfs_namenode_quorum_journal_name

Required
true

Suppress Configuration Validator: NameNode Service Handler Count Minimum Validator

Description

Whether to suppress configuration warnings produced by the NameNode Service Handler Count Minimum Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_dfs_namenode_service_handler_count_minimum_validator

Required

true

Suppress Parameter Validation: NameNode Service RPC Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the NameNode Service RPC Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_dfs_namenode_servicerpc_address

Required

true

Suppress Parameter Validation: Shared Edits Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Shared Edits Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_dfs_namenode_shared_edits_dir

Required

true

Suppress Configuration Validator: Filesystem Trash Interval On Validator

Description

Whether to suppress configuration warnings produced by the Filesystem Trash Interval On Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_fs_trash_interval_minimum_validator

Required

true

Suppress Parameter Validation: Hadoop Metrics2 Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hadoop Metrics2 Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hadoop_metrics2_safety_valve

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: NameNode Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the NameNode Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Rules to Extract Events from Log Files

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Rules to Extract Events from Log Files parameter.

Related Name**Default Value**

	false
API Name	role_config_suppression_log_event_whitelist
Required	true

Suppress Parameter Validation: NameNode Advanced Configuration Snippet (Safety Valve) for dfs_all_hosts.txt

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the NameNode Advanced Configuration Snippet (Safety Valve) for dfs_all_hosts.txt parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_namenode_all_hosts_safety_valve
Required	true

Suppress Parameter Validation: NameNode Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the NameNode Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_namenode_config_safety_valve
Required	true

Suppress Parameter Validation: NameNode Advanced Configuration Snippet (Safety Valve) for dfs_hosts_allow.txt

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the NameNode Advanced Configuration Snippet (Safety Valve) for dfs_hosts_allow.txt parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_namenode_hosts_allow_safety_valve
Required	true

Suppress Parameter Validation: NameNode Advanced Configuration Snippet (Safety Valve) for dfs_hosts_exclude.txt**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the NameNode Advanced Configuration Snippet (Safety Valve) for dfs_hosts_exclude.txt parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_namenode_hosts_exclude_safety_valve

Required

true

Suppress Configuration Validator: Java Heap Size of NameNode in Bytes Minimum Validator**Description**

Whether to suppress configuration warnings produced by the Java Heap Size of NameNode in Bytes Minimum Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_namenode_java_heapsize_minimum_validator

Required

true

Suppress Parameter Validation: Java Configuration Options for NameNode**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for NameNode parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_namenode_java_opts

Required

true

Suppress Parameter Validation: NameNode Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the NameNode Log Directory parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_namenode_log_dir`**Required**

true

Suppress Parameter Validation: NameNode Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the NameNode Port parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_namenode_port`**Required**

true

Suppress Parameter Validation: NameNode Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the NameNode Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_namenode_role_env_safety_valve`**Required**

true

Suppress Parameter Validation: HDFS NameNode TLS/SSL Trust Store File**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS NameNode TLS/SSL Trust Store File parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_namenode_truststore_file`**Required**

true

Suppress Parameter Validation: HDFS NameNode TLS/SSL Trust Store Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS NameNode TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_namenode_truststore_password

Required

true

Suppress Configuration Validator: Validates Nameservices do not conflict between base and compute clusters.

Description

Whether to suppress configuration warnings produced by the Validates Nameservices do not conflict between base and compute clusters. configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_nameservice_conflict_validator

Required

true

Suppress Parameter Validation: Mount Points

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Mount Points parameter.

Related Name

Default Value

false

API Name

role_config_suppression_nameservice_mountpoints

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: NameNode Advanced Configuration Snippet (Safety Valve) for ranger-hdfs-security.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the NameNode Advanced Configuration Snippet (Safety Valve) for ranger-hdfs-security.xml parameter.

Related Name

Default Value

	false
API Name	role_config_suppression_ranger_security_role_safety_valve
Required	true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Parameter Validation: Topology Script File Name

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Topology Script File Name parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_topology_script_file_name

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_name_node_audit_health

Required

true

Suppress Health Test: NameNode Data Directories Free Space**Description**

Whether to suppress the results of the NameNode Data Directories Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_name_node_data_directories_free_space

Required

true

Suppress Health Test: Name Directory Status**Description**

Whether to suppress the results of the Name Directory Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

`role_health_suppression_name_node_directory_failures`**Required**`true`**Suppress Health Test: File Descriptors****Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_name_node_file_descriptor`**Required**`true`**Suppress Health Test: Checkpoint Status****Description**

Whether to suppress the results of the Checkpoint Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_name_node_ha_checkpoint_age`**Required**`true`**Suppress Health Test: Heap Dump Directory Free Space****Description**

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_name_node_heap_dump_directory_free_space`**Required**`true`**Suppress Health Test: Host Health****Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_name_node_host_health

Required

true

Suppress Health Test: JournalNode Sync Status**Description**

Whether to suppress the results of the JournalNode Sync Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_name_node_journal_node_sync_status

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_name_node_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_name_node_otelcol_health

Required

true

Suppress Health Test: Pause Duration**Description**

Whether to suppress the results of the Pause Duration health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_name_node_pause_duration

Required

true

Suppress Health Test: Ranger Plugin Hdfs Spool Directory Size**Description**

Whether to suppress the results of the Ranger Plugin Hdfs Spool Directory Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_name_node_ranger_plugin_hdfs_spool_directory_size_health

Required

true

Suppress Health Test: Ranger Plugin Solr Spool Directory Size**Description**

Whether to suppress the results of the Ranger Plugin Solr Spool Directory Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_name_node_ranger_plugin_solr_spool_directory_size_health

Required

true

Suppress Health Test: Rolling Upgrade Status

Description

Whether to suppress the results of the Rolling Upgrade Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_name_node_rolling_upgrade_status

Required

true

Suppress Health Test: RPC Latency

Description

Whether to suppress the results of the RPC Latency health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_name_node_rpc_latency

Required

true

Suppress Health Test: Safe Mode Status

Description

Whether to suppress the results of the Safe Mode Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_name_node_safe_mode

Required

true

Suppress Health Test: Process Status

Description

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_name_node_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_name_node_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_name_node_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits**Description**

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_name_node_unexpected_exits

Required

true

Suppress Health Test: Upgrade Status

Description

Whether to suppress the results of the Upgrade Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_name_node_upgrade_status

Required

true

Suppress Health Test: Web Server Status

Description

Whether to suppress the results of the Web Server Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_name_node_web_metric_collection

Required

true

NFS Gateway

Advanced

NFS Gateway Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name

Default Value

false

API Name

metric_config_auto_refresh

Required

false

NFS Gateway Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml**Description**

For advanced use only. A string to be inserted into hdfs-site.xml for this role only.

Related Name**Default Value****API Name**

nfsgateway_config_safety_valve

Required

false

Java Configuration Options for NFS Gateway**Description**

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or greater, {{JAVA_GC_ARGS}} will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name**Default Value****API Name**

nfsgateway_java_opts

Required

false

NFS Gateway Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

NFSGATEWAY_role_env_safety_valve

Required

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when `java.lang.OutOfMemoryError` error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

`oom_heap_dump_dir`

Default Value

`/tmp`

API Name

`oom_heap_dump_dir`

Required

`false`

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

`false`

API Name

`oom_heap_dump_enabled`

Required

`true`

Kill When Out of Memory**Description**

When set, a `SIGKILL` signal is sent to the role process when `java.lang.OutOfMemoryError` is thrown.

Related Name**Default Value**

`true`

API Name

`oom_sigkill_enabled`

Required

`true`

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

`false`

API Name

process_auto_restart

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Logs

NFS Gateway Logging Threshold

Description

The minimum log level for NFS Gateway logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

NFS Gateway Maximum Log File Backups

Description

The maximum number of rolled log files to keep for NFS Gateway logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

NFS Gateway Max Log Size

Description

The maximum size, in megabytes, per log file for NFS Gateway logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

NFS Gateway Log Directory

Description

Directory where NFS Gateway will place its log files.

Related Name

hadoop.log.dir

Default Value

/var/log/hadoop-hdfs

API Name

nfsgateway_log_dir

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name

Default Value

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML**Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Rules to Extract Events from Log Files

Description

This file contains the rules that govern how log messages are turned into events by the custom log4j appender that this role loads. It is in JSON format, and is composed of a list of rules. Every log message is evaluated against each of these rules in turn to decide whether or not to send an event for that message. If a log message matches multiple rules, the first matching rule is used.. Each rule has some or all of the following fields:

- alert - whether or not events generated from this rule should be promoted to alerts. A value of "true" will cause alerts to be generated. If not specified, the default is "false".
- rate (mandatory) - the maximum number of log messages matching this rule that can be sent as events every minute. If more than rate matching log messages are received in a single minute, the extra messages are ignored. If rate is less than 0, the number of messages per minute is unlimited.
- periodminutes - the number of minutes during which the publisher will only publish rate events or fewer. If not specified, the default is one minute
- threshold - apply this rule only to messages with this log4j severity level or above. An example is "WARN" for warning level messages or higher.
- content - match only those messages for which contents match this regular expression.
- exceptiontype - match only those messages that are part of an exception message. The exception type must match this regular expression.

Example:

- {"alert": false, "rate": 10, "exceptiontype": "java.lang.StringIndexOutOfBoundsException"} This rule sends events to Cloudera Manager for every StringIndexOutOfBoundsException, up to a maximum of 10 every minute.
- {"alert": false, "rate": 1, "periodminutes": 1, "exceptiontype": ".*"}, {"alert": true, "rate": 1, "periodminutes": 1, "threshold": "ERROR"} In this example, an event generated may not be promoted to alert if an exception is in the ERROR log message, because the first rule with alert = false will match.

Related Name**Default Value**

```
version: 0, rules: [ alert: false, rate: 1, periodminutes: 1, threshold: FATAL , alert: false, rate: 1, periodminutes: 2, exceptiontype: .* , alert: false, rate: 1, periodminutes: 1, threshold: WARN ]
```

API Name

log_event_whitelist

Required

false

Navigator Audit Failure Thresholds**Description**

The health test thresholds for failures encountered when monitoring audits within a recent period specified by the `mgmt_navigator_failure_window` configuration for the role. The value that can be specified for this threshold is the number of bytes of audits data that is left to be sent to audit server.

Related Name

`mgmt.navigator.failure.thresholds`

Default Value

Warning: Never, Critical: Any

API Name

`mgmt_navigator_failure_thresholds`

Required

false

Monitoring Period For Audit Failures**Description**

The period to review when checking if audits are blocked and not getting processed.

Related Name

`mgmt.navigator.failure.window`

Default Value

20 minute(s)

API Name

`mgmt_navigator_failure_window`

Required

false

Navigator Audit Pipeline Health Check**Description**

Enable test of audit events processing pipeline. This will test if audit events are not getting processed by Audit Server for a role that generates audit.

Related Name

`mgmt.navigator.status.check.enabled`

Default Value

true

API Name

`mgmt_navigator_status_check_enabled`

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: { "includeHealthMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }

Related Name**Default Value****API Name**

monitoring_metric_filter

Required

false

Temporary Dump Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's Temporary Dump Directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

nfsgateway_dump_directory_free_space_absolute_thresholds

Required

false

Temporary Dump Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's Temporary Dump Directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Temporary Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

nfsgateway_dump_directory_free_space_percentage_thresholds

Required

false

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

nfsgateway_fd_thresholds

Required

false

NFS Gateway Host Health Test**Description**

When computing the overall NFS Gateway health, consider the host's health.

Related Name**Default Value**

true

API Name

nfsgateway_host_health_enabled

Required

false

NFS Gateway Process Health Test**Description**

Enables the health test that the NFS Gateway's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

nfsgateway_scm_health_enabled

Required

false

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

exporters: prometheusremotewrite/\$ROLE_NAME: endpoint:
\$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/\$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

extensions: basicauth/\$ROLE_NAME: client_auth: username:
\$ROLE_PARAM(otelcol_remote_write_user) password:
'\$ROLE_PARAM(otelcol_remote_write_password)'

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL**Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username**Description**

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

service: pipelines: metrics/\$ROLE_NAME: receivers: [prometheus/\$ROLE_NAME] processors: [filter/\$ROLE_NAME] exporters: [prometheusremotewrite/\$ROLE_NAME]

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

true

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name

Default Value

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds

Description

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window

Description

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

`unexpected_exits_thresholds`

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

`unexpected_exits_window`

Required

false

Other

Temporary Dump Directory

Description

NFS clients often reorder writes. As a result, sequential writes can arrive at the NFS Gateway in random order. This directory is used to temporarily save out-of-order writes before writing to HDFS. For each file, the out-of-order writes are dumped after they are accumulated to exceed certain threshold (e.g., 1MB) in memory. Please make sure this directory has enough space. For example, if the application uploads 10 files with each having 100MB, it is recommended that this directory have roughly 1GB of space in case write reorder happens (in the worst case) to every file.

Related Name

`dfs.nfs3.dump.dir`

Default Value

`/tmp/.hdfs-nfs`

API Name

`dfs_nfs3_dump_dir`

Required

false

Allowed Hosts and Privileges

Description

By default, NFS Gateway exported directories can be mounted by any client. For better access control, update this property with a list of host names and access privileges separated by whitespace

characters. Host name format can be a single host, a Java regular expression, or an IPv4 address. The access privilege uses rw to specify readwrite and ro to specify readonly access. If the access privilege is not provided, the default is read-only. Examples of host name format and access privilege: "192.168.0.0/22 rw", "host.*.example.com", "host1.test.org ro".

Related Name

dfs.nfs.exports.allowed.hosts

Default Value

* rw

API Name

dfs_nfs_exports_allowed_hosts

Required

false

NFS Gateway Export Point**Description**

The NFS Gateway export point(s). Full path is required. In federated clusters, multiple export points can be configured, and at most 1 export point per federated nameservice is allowed.

Related Name

nfs.export.point

Default Value**API Name**

nfs_export_point

Required

false

Performance**Maximum Process File Descriptors****Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses**NFS Gateway Web UI Port****Description**

The base port where the NFS Gateway server web UI listens. Combined with the NFS Gateway server hostname to build its HTTP address.

Related Name

nfs.http.port

Default Value

50079

API Name

nfs3_http_port

Required

false

Secure NFS Gateway Web UI Port (TLS/SSL)**Description**

The base port where the secure NFS Gateway server web UI listens. Combined with the NFS Gateway server's hostname to build its secure web UI address.

Related Name

nfs.https.port

Default Value

50579

API Name

nfs3_https_port

Required

false

NFS Gateway MountD Port**Description**

The port number of the mount daemon implemented inside the NFS Gateway server role.

Related Name

nfs3.mountd.port

Default Value

4242

API Name

nfs3_mountd_port

Required

false

Portmap (or Rpcbind) Port**Description**

The port number of the system portmap or rpcbind service. This configuration is used by Cloudera Manager to verify if the system portmap or rpcbind service is running before starting NFS Gateway role. Cloudera Manager does not manage the system portmap or rpcbind service.

Related Name**Default Value**

111

API Name

nfs3_portmap_port

Required

false

NFS Gateway Server Port

Description

The NFS Gateway server port.

Related Name

nfs3.server.port

Default Value

2049

API Name

nfs3_server_port

Required

false

Resource Management

Java Heap Size of NFS Gateway in Bytes

Description

Maximum size in bytes for the Java Process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

256 MiB

API Name

nfsgateway_java_heapsize

Required

false

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares

Description

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100	
API Name	rm_io_weight
Required	true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Stacks Collection**Stacks Collection Data Retention****Description**

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory**Description**

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Temporary Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Temporary Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_dfs_nfs3_dump_dir

Required

true

Suppress Parameter Validation: Allowed Hosts and Privileges

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Allowed Hosts and Privileges parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_dfs_nfs_exports_allowed_hosts

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: NFS Gateway Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the NFS Gateway Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Rules to Extract Events from Log Files

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Rules to Extract Events from Log Files parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log_event_whitelist

Required

true

Suppress Parameter Validation: NFS Gateway Web UI Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the NFS Gateway Web UI Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_nfs3_http_port

Required

true

Suppress Parameter Validation: Secure NFS Gateway Web UI Port (TLS/SSL)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Secure NFS Gateway Web UI Port (TLS/SSL) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_nfs3_https_port

Required

true

Suppress Parameter Validation: NFS Gateway MountD Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the NFS Gateway MountD Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_nfs3_mountd_port

Required

true

Suppress Parameter Validation: Portmap (or Rpcbind) Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Portmap (or Rpcbind) Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_nfs3_portmap_port

Required

true

Suppress Parameter Validation: NFS Gateway Server Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the NFS Gateway Server Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_nfs3_server_port

Required

true

Suppress Parameter Validation: NFS Gateway Export Point

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the NFS Gateway Export Point parameter.

Related Name

Default Value

false

API Name

role_config_suppression_nfs_export_point

Required

true

Suppress Parameter Validation: NFS Gateway Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the NFS Gateway Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_nfsgateway_config_safety_valve

Required

true

Suppress Parameter Validation: Java Configuration Options for NFS Gateway

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for NFS Gateway parameter.

Related Name

Default Value

false

API Name

role_config_suppression_nfsgateway_java_opts

Required

true

Suppress Parameter Validation: NFS Gateway Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the NFS Gateway Log Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_nfsgateway_log_dir

Required

true

Suppress Parameter Validation: NFS Gateway Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the NFS Gateway Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_nfsgateway_role_env_safety_valve

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Stacks Collection Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_nfsgateway_audit_health

Required

true

Suppress Health Test: Temporary Dump Directory Free Space**Description**

Whether to suppress the results of the Temporary Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_nfsgateway_dump_directory_free_space

Required

true

Suppress Health Test: File Descriptors

Description

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_nfsgateway_file_descriptor

Required

true

Suppress Health Test: Heap Dump Directory Free Space

Description

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_nfsgateway_heap_dump_directory_free_space

Required

true

Suppress Health Test: Host Health

Description

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_nfsgateway_host_health

Required

true

Suppress Health Test: Log Directory Free Space

Description

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_nfsgateway_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_nfsgateway_otelcol_health

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_nfsgateway_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_nfsgateway_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_nfsgateway_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_nfsgateway_unexpected_exits

Required

true

SecondaryNameNode

Advanced

SecondaryNameNode Nameservice

Description

Nameservice of this SecondaryNameNode

Related Name**Default Value****API Name**

dfs_secondarynamenode_nameservice

Required

false

Hadoop Metrics2 Advanced Configuration Snippet (Safety Valve)

Description

Advanced Configuration Snippet (Safety Valve) for Hadoop Metrics2. Properties will be inserted into hadoop-metrics2.properties.

Related Name

Default Value**API Name**

hadoop_metrics2_safety_valve

Required

false

SecondaryNameNode Logging Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations**Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory

Description

When set, generates a heap dump file when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory

Description

When set, a SIGKILL signal is sent to the role process when `java.lang.OutOfMemoryError` is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

SecondaryNameNode Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml**Description**

For advanced use only. A string to be inserted into hdfs-site.xml for this role only.

Related Name**Default Value****API Name**

secondarynamenode_config_safety_valve

Required

false

Java Configuration Options for Secondary NameNode**Description**

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or

greater, {{JAVA_GC_ARGS}} will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name**Default Value**

JAVA_GC_ARGS

API Name

secondarynamenode_java_opts

Required

false

SecondaryNameNode Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

SECONDARYNAMENODE_role_env_safety_valve

Required

false

Checkpointing**Filesystem Checkpoint Period****Description**

The time between two periodic file system checkpoints.

Related Name

dfs.namenode.checkpoint.period

Default Value

1 hour(s)

API Name

fs_checkpoint_period

Required

false

Filesystem Checkpoint Transaction Threshold**Description**

The number of transactions after which the NameNode or SecondaryNameNode will create a checkpoint of the namespace, regardless of whether the checkpoint period has expired.

Related Name

dfs.namenode.checkpoint.txns

Default Value

1000000

API Name

fs_checkpoint_txns

Required

false

Logs**SecondaryNameNode Logging Threshold****Description**

The minimum log level for SecondaryNameNode logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

SecondaryNameNode Maximum Log File Backups**Description**

The maximum number of rolled log files to keep for SecondaryNameNode logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

SecondaryNameNode Max Log Size**Description**

The maximum size, in megabytes, per log file for SecondaryNameNode logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

SecondaryNameNode Log Directory**Description**

Directory where SecondaryNameNode will place its log files.

Related Name

hadoop.log.dir

Default Value

/var/log/hadoop-hdfs

API Name

secondarynamenode_log_dir

Required

false

Monitoring**Enable Health Alerts for this Role****Description**

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

```
startDelaySeconds: 10 ssl: false lowercaseOutputName: true lowercaseOutputLabelNames: true
rules: - pattern: 'Hadoop<service=(.*)>, name=JvmMetrics><>(.*): (\d+)' attrNameSnakeCase:
true name: $2 value: $3 labels: hadoop_service: $1 hadoop_metric_group: jvm_metrics - pattern:
'Hadoop<service=(.*)>, name=MetricsSystem, sub=Stats><>(.*): (\d+)' attrNameSnakeCase: true
name: $2 value: $3 labels: hadoop_service: $1 hadoop_metric_group: stats
```

API Name

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name

Default Value

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Rules to Extract Events from Log Files**Description**

This file contains the rules that govern how log messages are turned into events by the custom log4j appender that this role loads. It is in JSON format, and is composed of a list of rules. Every log message is evaluated against each of these rules in turn to decide whether or not to send an event for that message. If a log message matches multiple rules, the first matching rule is used.. Each rule has some or all of the following fields:

- alert - whether or not events generated from this rule should be promoted to alerts. A value of "true" will cause alerts to be generated. If not specified, the default is "false".
- rate (mandatory) - the maximum number of log messages matching this rule that can be sent as events every minute. If more than rate matching log messages are received in a single minute, the extra messages are ignored. If rate is less than 0, the number of messages per minute is unlimited.
- periodminutes - the number of minutes during which the publisher will only publish rate events or fewer. If not specified, the default is one minute
- threshold - apply this rule only to messages with this log4j severity level or above. An example is "WARN" for warning level messages or higher.
- content - match only those messages for which contents match this regular expression.
- exceptiontype - match only those messages that are part of an exception message. The exception type must match this regular expression.

Example:

- {"alert": false, "rate": 10, "exceptiontype": "java.lang.StringIndexOutOfBoundsException"} This rule sends events to Cloudera Manager for every StringIndexOutOfBoundsException, up to a maximum of 10 every minute.
- {"alert": false, "rate": 1, "periodminutes": 1, "exceptiontype": ".*"}, {"alert": true, "rate": 1, "periodminutes": 1, "threshold": "ERROR"} In this example, an event generated may not be promoted to alert if an exception is in the ERROR log message, because the first rule with alert = false will match.

Related Name

Default Value

version: 0, rules: [alert: false, rate: 1, periodminutes: 1, threshold: FATAL , alert: false, rate: 0, threshold: WARN, content: .* is deprecated. Instead, use .* , alert: false, rate: 0, threshold: WARN, content: .* is deprecated. Use .* instead , alert: false, rate: 0, exceptiontype: java.io.IOException , alert: false, rate: 0, exceptiontype: java.net.SocketException , alert: false, rate: 0, exceptiontype: java.net.SocketClosedException , alert: false, rate: 0, exceptiontype: java.io.EOFException , alert: false, rate: 0, exceptiontype: java.nio.channels.CancelledKeyException , alert: false, rate: 1, periodminutes: 2, exceptiontype: .* , alert: false, rate: 0, threshold: WARN, content: Unknown job [^]+ being deleted.* , alert: false, rate: 0, threshold: WARN, content: Error executing shell command .+ No such process.+ , alert: false, rate: 0, threshold: WARN, content: .*attempt to override final parameter.+ , alert: false, rate: 0, threshold: WARN, content: [^]+ is a deprecated filesystem name. Use.* , alert: false, rate: 1, periodminutes: 1, threshold: WARN , alert: false, rate: 1, threshold: INFO, content: Triggering checkpoint.*]

API Name

log_event_whitelist

Required

false

Navigator Audit Failure Thresholds

Description

The health test thresholds for failures encountered when monitoring audits within a recent period specified by the mgmt_navigator_failure_window configuration for the role. The value that can be specified for this threshold is the number of bytes of audits data that is left to be sent to audit server.

Related Name

mgmt.navigator.failure.thresholds

Default Value

Warning: Never, Critical: Any

API Name

mgmt_navigator_failure_thresholds

Required

false

Monitoring Period For Audit Failures

Description

The period to review when checking if audits are blocked and not getting processed.

Related Name

mgmt.navigator.failure.window

Default Value

20 minute(s)

API Name

mgmt_navigator_failure_window

Required

false

Navigator Audit Pipeline Health Check

Description

Enable test of audit events processing pipeline. This will test if audit events are not getting processed by Audit Server for a role that generates audit.

Related Name

mgmt.navigator.status.check.enabled

Default Value

true

API Name

mgmt_navigator_status_check_enabled

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: { "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }

Related Name**Default Value****API Name**

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value

11112

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
processors: filter/$ROLE_NAME: metrics: include: match_type: strict metric_names: #memory -
jvm_buffer_pool_used_bytes - jvm_buffer_pool_capacity_bytes - jvm_buffer_pool_used_buffers
- jvm_memory_bytes_used - jvm_memory_bytes_committed - jvm_memory_bytes_max -
jvm_memory_bytes_init #gc - jvm_gc_collection_seconds #threads - jvm_threads_current -
jvm_threads_daemon - jvm_threads_peak - jvm_threads_started_total - jvm_threads_deadlocked
- jvm_threads_deadlocked_monitor - jvm_threads_state #classes - jvm_classes_currently_loaded
```

```
#process - process_cpu_seconds_total - process_start_time_seconds - process_open_fds -
process_virtual_memory_bytes # JvmMetrics - log_error - log_fatal - log_info - log_warn
# MetricsSystem, sub=Stats - dropped_pub_all - num_active_sinks - num_active_sources -
num_all_sinks - num_all_sources - publish_avg_time - snapshot_avg_time
```

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

```
receivers: prometheus/$ROLE_NAME: config: scrape_configs: - job_name: 'DMP-$ROLE_NAME'
scrape_interval: 60s scheme: http tls_config: insecure_skip_verify: true static_configs: -
targets: ['localhost:$ROLE_PARAM(otelcol_helper_port)'] labels: host_name: $HOST_NAME
cm_cluster_id: $CLUSTER_ID service_type: $SERVICE_TYPE service: $SERVICE_NAME
role_type: $ROLE_TYPE role_name: $ROLE_NAME instance: $INFRA(instance_id) cluster_id:
$INFRA(cluster_id) platform: $INFRA(platform) formfactor: paas-vm relabel_configs: -
source_labels: [cluster_id] regex: 'crn:cdp:([:^:]+):.*' replacement: '$$1' target_label: app_type
action: replace
```

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name

Default Value

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

`$INFRA(cdp_request_signer_url)`

API Name

`otelcol_remote_write_url`

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify `$INFRA(cdp_request_signer_username)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

`$INFRA(cdp_request_signer_username)`

API Name

`otelcol_remote_write_user`

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

`otelcol_rtm_logs_exporters`

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value**API Name**

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

service: pipelines: metrics/\$ROLE_NAME: receivers: [prometheus/\$ROLE_NAME] processors: [filter/\$ROLE_NAME] exporters: [prometheusremotewrite/\$ROLE_NAME]

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

true

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name

Default Value

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds

Description

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window

Description

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds

Description

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers

Description

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=\$ROLENAM and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}] See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

HDFS Checkpoint Directories Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's HDFS Checkpoint Directories.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

secondarynamenode_checkpoint_directories_free_space_absolute_thresholds

Required

false

HDFS Checkpoint Directories Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's HDFS Checkpoint Directories. Specified as a percentage of the capacity on that filesystem. This setting is not used if a HDFS Checkpoint Directories Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

secondarynamenode_checkpoint_directories_free_space_percentage_thresholds

Required

false

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name

Default Value

Warning: 50.0 %, Critical: 70.0 %

API Name

secondarynamenode_fd_thresholds

Required

false

Garbage Collection Duration Thresholds

Description

The health test thresholds for the weighted average time spent in Java garbage collection. Specified as a percentage of elapsed wall clock time.

Related Name

Default Value

Warning: 30.0, Critical: 60.0

API Name

secondarynamenode_gc_duration_thresholds

Required

false

Garbage Collection Duration Monitoring Period

Description

The period to review when computing the moving average of garbage collection time.

Related Name

Default Value

5 minute(s)

API Name

secondarynamenode_gc_duration_window

Required

false

SecondaryNameNode Host Health Test

Description

When computing the overall SecondaryNameNode health, consider the host's health.

Related Name

Default Value

true

API Name

secondarynamenode_host_health_enabled

Required

false

SecondaryNameNode Process Health Test

Description

Enables the health test that the SecondaryNameNode's process state is consistent with the role configuration

Related Name

Default Value

true

API Name

secondarynamenode_scm_health_enabled

Required

false

Web Metric Collection

Description

Enables the health test that the Cloudera Manager Agent can successfully contact and gather metrics from the web server.

Related Name

Default Value

true

API Name

secondarynamenode_web_metric_collection_enabled

Required

false

Web Metric Collection Duration

Description

The health test thresholds on the duration of the metrics request to the web server.

Related Name

Default Value

Warning: 10 second(s), Critical: Never

API Name

secondarynamenode_web_metric_collection_thresholds

Required

false

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name

Default Value

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

HDFS Checkpoint Directories

Description

Determines where on the local file system the HDFS SecondaryNameNode should store the temporary images to merge. For redundancy, enter a comma-delimited list of directories to replicate the image in all of the directories. Typical values are /data/N/dfs/snn for N = 1, 2, 3...

Related Name

dfs.namenode.checkpoint.dir

Default Value**API Name**

fs_checkpoint_dir_list

Required

true

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses

SecondaryNameNode Web UI Port

Description

The SecondaryNameNode HTTP port. If the port is 0, then the server starts on a free port. Combined with the SecondaryNameNode's hostname to build its HTTP address.

Related Name

dfs.namenode.secondary.http-address

Default Value

9868

API Name

dfs_secondary_http_port

Required

false

Secure SecondaryNameNode Web UI Port (TLS/SSL)**Description**

The base port where the secure SecondaryNameNode web UI listens.

Related Name

dfs.secondary.https.port

Default Value

9869

API Name

dfs_secondary_https_port

Required

false

Bind SecondaryNameNode to Wildcard Address**Description**

If enabled, the SecondaryNameNode binds to the wildcard address ("0.0.0.0") on all of its ports.

Related Name**Default Value**

false

API Name

secondary_namenode_bind_wildcard

Required

false

Resource Management**Cgroup V1 BLKIO Weight****Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight

Description

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Java Heap Size of Secondary NameNode in Bytes

Description

Maximum size in bytes for the Java Process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

4 GiB

API Name

secondary_namenode_java_heapsize

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency

Description

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: SecondaryNameNode Web UI Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SecondaryNameNode Web UI Port parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_dfs_secondary_http_port`**Required**`true`**Suppress Parameter Validation: Secure SecondaryNameNode Web UI Port (TLS/SSL)****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Secure SecondaryNameNode Web UI Port (TLS/SSL) parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_dfs_secondary_https_port`**Required**`true`**Suppress Parameter Validation: SecondaryNameNode Nameservice****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SecondaryNameNode Nameservice parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_dfs_secondarynamenode_nameservice`**Required**`true`**Suppress Parameter Validation: HDFS Checkpoint Directories****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS Checkpoint Directories parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_fs_checkpoint_dir_list`**Required**`true`**Suppress Parameter Validation: Hadoop Metrics2 Advanced Configuration Snippet (Safety Valve)****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hadoop Metrics2 Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_metrics2_safety_valve

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: SecondaryNameNode Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SecondaryNameNode Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Rules to Extract Events from Log Files

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Rules to Extract Events from Log Files parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log_event_whitelist

Required

true

Suppress Parameter Validation: Heap Dump Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

	false
API Name	role_config_suppression_otelcol_service
Required	true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_rm_custom_resources
Required	true

Suppress Parameter Validation: Role Triggers

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_role_triggers
Required	true

Suppress Parameter Validation: SecondaryNameNode Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the SecondaryNameNode Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_secondarynamenode_config_safety_valve
Required	true

Suppress Parameter Validation: Java Configuration Options for Secondary NameNode

Description	
--------------------	--

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for Secondary NameNode parameter.

Related Name

Default Value

false

API Name

role_config_suppression_secondarynamenode_java_opts

Required

true

Suppress Parameter Validation: SecondaryNameNode Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SecondaryNameNode Log Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_secondarynamenode_log_dir

Required

true

Suppress Parameter Validation: SecondaryNameNode Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SecondaryNameNode Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_secondarynamenode_role_env_safety_valve

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_secondary_name_node_audit_health

Required

true

Suppress Health Test: HDFS Checkpoint Directories Free Space**Description**

Whether to suppress the results of the HDFS Checkpoint Directories Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_secondary_name_node_checkpoint_directories_free_space

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_secondary_name_node_file_descriptor

Required

true

Suppress Health Test: GC Duration**Description**

Whether to suppress the results of the GC Duration health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_secondary_name_node_gc_duration

Required

true

Suppress Health Test: Heap Dump Directory Free Space**Description**

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_secondary_name_node_heap_dump_directory_free_space

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_secondary_name_node_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name`role_health_suppression_secondary_name_node_log_directory_free_space`**Required**`true`**Suppress Health Test: Otelcol Health****Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_secondary_name_node_otelcol_health`**Required**`true`**Suppress Health Test: Process Status****Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_secondary_name_node_scm_health`**Required**`true`**Suppress Health Test: Swap Memory Usage****Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_secondary_name_node_swap_memory_usage`**Required**`true`

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_secondary_name_node_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_secondary_name_node_unexpected_exits

Required

true

Suppress Health Test: Web Server Status

Description

Whether to suppress the results of the Web Server Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_secondary_name_node_web_metric_collection

Required

true

Service-Wide

Advanced

Legacy Cloudera Manager API Clients Compatibility

Description

Determines how Cloudera Manager will intercept and handle legacy clients trying to read and/or write core parameters. This can be enabled to allow for API clients to continue targeting the HDFS service for reading and/or writing values for these parameters: Cloudera Manager in this case will transparently redirect the read/write operations to the appropriate Core Settings service in the same cluster. Read and Write Compatibility will transparently handle both reading and modifications of parameters.

Related Name**Default Value**

read_write

API Name

cm_api_aliasing

Required

false

Cluster-wide Advanced Configuration Snippet (Safety Valve) for core-site.xml**Description**

For advanced use only, a string to be inserted into core-site.xml. Applies to all roles and client configurations in this HDFS service as well as all its dependent services. Any configs added here will be overridden by their default values in HDFS (which can be found in hdfs-default.xml).

Related Name**Default Value****API Name**

core_site_safety_valve

Required

false

Enable HDFS Block Metadata API**Description**

Enables DataNode support for the experimental DistributedFileSystem.getFileVBlockStorageLocations API. Applicable to CDH 4.1 and onwards.

Related Name

dfs.datanode.hdfs-blocks-metadata.enabled

Default Value

true

API Name

dfs_datanode_hdfs_blocks_metadata_enabled

Required

false

Enable Content Summary SubAccess**Description**

If "true", the ContentSummary permission checking will use subAccess. If "false", the ContentSummary permission checking will NOT use subAccess, subAccess means using recursion to check the access of all descendants.

Related Name

dfs.permissions.ContentSummary.subAccess

Default Value

true

API Name

dfs_permissions_ContentSummary_subAccess

Required

false

HDFS Service Advanced Configuration Snippet (Safety Valve) for hadoop-policy.xml**Description**

For advanced use only, a string to be inserted into hadoop-policy.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

hadoop_policy_config_safety_valve

Required

false

Block Replica Placement Policy**Description**

The policy the NameNode will use to place block replicas: The HDFS Default policy places one replica on the node where the client process writing the block resides, one on a randomly-chosen remote rack, and one on a randomly-chosen node in the same remote rack (assuming a replication factor of 3). The Upgrade Domains policy adds an additional layer of grouping based on Upgrade Domain, and must be selected in order to use Upgrade Domains for DataNode hosts.

Related Name

dfs.block.replicator.classname

Default Value

org.apache.hadoop.hdfs.server.blockmanagement.BlockPlacementPolicyDefault

API Name

hdfs_block_placement_policy

Required

true

Shared Hadoop Group Name**Description**

The name of the system group shared by all the core Hadoop services.

Related Name**Default Value**

hadoop

API Name

hdfs_hadoop_group_name

Required

true

HDFS Replication Advanced Configuration Snippet (Safety Valve) for core-site.xml**Description**

For advanced use only, a string to be inserted into core-site.xml. Applies to all HDFS Replication jobs.

Related Name**Default Value****API Name**

hdfs_replication_core_site_safety_valve

Required

false

HDFS Replication Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into the environment of HDFS replication jobs.

Related Name**Default Value****API Name**

hdfs_replication_env_safety_valve

Required

false

HDFS Replication Environment Advanced Configuration Snippet (Safety Valve) for hadoop-env.sh**Description**

For advanced use only. Key-value pairs (one on each line) to be inserted into the HDFS replication configuration for hadoop-env.sh.

Related Name**Default Value****API Name**

hdfs_replication_hadoop_env_sh_safety_valve

Required

false

HDFS Replication Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml**Description**

For advanced use only, a string to be inserted into hdfs-site.xml. Applies to all HDFS Replication jobs.

Related Name**Default Value****API Name**

hdfs_replication_hdfs_site_safety_valve

Required

false

HDFS Service Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml**Description**

For advanced use only, a string to be inserted into hdfs-site.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

hdfs_service_config_safety_valve

Required

false

HDFS Service Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

hdfs_service_env_safety_valve

Required

false

HDFS Snapshot Shell Command Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into the environment of HDFS snapshot shell command.

Related Name**Default Value****API Name**

hdfs_shell_cmd_env_safety_valve

Required

false

HDFS Service Advanced Configuration Snippet (Safety Valve) for ssl-server.xml**Description**

For advanced use only, a string to be inserted into ssl-server.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

hdfs_ssl_server_safety_valve

Required

false

System User's Home Directory

Description

The home directory of the system user on the local filesystem. This setting must reflect the system's configured value - only changing it here will not change the actual home directory.

Related Name**Default Value**

/var/lib/hadoop-hdfs

API Name

hdfs_user_home_dir

Required

true

Client Connection Maximum Idle Time

Description

The time after which a client will bring down the connection to the server if idle.

Related Name

ipc.client.connection.maxidletime

Default Value

30 second(s)

API Name

ipc_client_connection_max_idle_time

Required

false

Client Connection Maximum Retries

Description

The number of retries a client will make to establish a server connection.

Related Name

ipc.client.connect.max.retries

Default Value

50

API Name

ipc_client_connection_max_retries

Required

false

Client Idle Threshold

Description

Client connections will be inspected for idleness if the number of connections to the server reaches or exceeds this number.

Related Name

ipc.client.idlethreshold

Default Value

8000

API Name

ipc_client_idle_threshold

Required

false

HDFS Client Advanced Configuration Snippet (Safety Valve) for navigator.client.properties

Description

For advanced use only, a string to be inserted into the client configuration for navigator.client.properties.

Related Name

Default Value

API Name

navigator_client_config_safety_valve

Required

false

System Group

Description

The group that this service's processes should run as (except the HttpFS server, which has its own group)

Related Name

Default Value

hdfs

API Name

process_groupname

Required

true

System User

Description

The user that this service's processes should run as (except the HttpFS server, which has its own user)

Related Name

Default Value

hdfs

API Name

process_username

Required

true

HDFS Service Advanced Configuration Snippet (Safety Valve) for ranger-hdfs-audit.xml

Description

For advanced use only, a string to be inserted into ranger-hdfs-audit.xml. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

ranger_audit_safety_valve

Required

false

HDFS Service Advanced Configuration Snippet (Safety Valve) for ranger-hdfs-policymgr-ssl.xml

Description

For advanced use only, a string to be inserted into ranger-hdfs-policymgr-ssl.xml. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

ranger_policymgr_ssl_safety_valve

Required

false

HDFS Service Advanced Configuration Snippet (Safety Valve) for ranger-hdfs-security.xml

Description

For advanced use only, a string to be inserted into ranger-hdfs-security.xml. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

ranger_security_safety_valve

Required

false

Cloudera Navigator

Enable Audit Collection

Description

Enable collection of audit events from the service's roles.

Related Name

navigator.audit.enabled

Default Value

true

API Name

navigator_audit_enabled

Required

false

Audit Event Filter

Description

Event filters are defined in a JSON object like the following: { "defaultAction" : ("accept", "discard"), "rules" : [{ "action" : ("accept", "discard"), "fields" : [{ "name" : "fieldName", "match" : "regex" }] }] } A filter has a default action and a list of rules, in order of precedence. Each rule defines an action, and a list of fields to match against the audit event. A rule is "accepted" if all the listed field entries match the audit event. At that point, the action declared by the rule is taken. If no rules match the event, the default action is taken. Actions default to "accept" if not defined in the JSON object. The following is the list of fields that can be filtered for HDFS events:

- username: the user performing the action.
- ipAddress: the IP from where the request originated.
- command: the HDFS operation being performed.
- src: the source path for the operation.
- dest: the destination path for the operation.
- permissions: the permissions associated with the operation.

The default HDFS audit event filter accepts all denied access, delete and rename events, and discards events that affects files in any of the staging directories (Hive, Spark, Impala), events that affect files in /tmp directory, events that affect files in Cloudera Hive Canary directory, events generated by the internal Cloudera and Hadoop users (cloudera-scm, dr.who, hbase, hive, impala, mapred, solr, and spark), and 'ls' actions performed by the hdfs user.

Related Name

navigator.event.filter

Default Value

comment: [The default HDFS audit event filter accepts all denied access, delete , and rename events, and discards events that affects files in any of the , staging directories (Hive, Spark, Impala), events that affect files in /tmp , directory, events that affect files in Cloudera Hive Canary directory, , events generated by the internal Cloudera and Hadoop users (cloudera-scm, , dr.who, hbase, hive, impala, mapred, solr, and spark), and \u0027ls\u0027 actions , performed by the hdfs user.], defaultAction: accept, rules: [action: accept, fields: [name: allowed, match: (:false)] , action: discard, fields: [name: src, match: (:.*\\hive-staging(\$|.*)?|.*\\staging(\$|.*)?|.*\\sparkStaging(\$|.*)?|.*_impala_insert_staging(\$|.*)?/user/history/done_intermediate(?:.*)?/user/spark/spark2ApplicationHistory(\$|.*)/user/spark/applicationHistory(\$|.*)/user/hue/\\.cloudera_manager_hive_metastore_canary(?:.*)?/user/hue/\\.Trash/Current/user/hue/\\.cloudera_manager_hive_metastore_canary(?:.*)?/tmp(?:.*)?)] , action: accept, fields: [name: operation, match: delete|rename.*] , action: discard, fields: [name: username, match: (:cloudera-scm|dr.who|hbase|hive|impala|mapred|solr|spark)(?:/.*)?] , action: discard, fields: [name: username, match: (:hdfs)(?:/.*)? , name: operation, match: (:listStatus|listCachePools|listCacheDirectives|getFileinfo)] , action: accept, fields: [name: operation, match: (:getFileinfo)]]

API Name

navigator_audit_event_filter

Required

false

Audit Queue Policy

Description

Action to take when the audit event queue is full. Drop the event or shutdown the affected process.

Related Name

navigator.batch.queue_policy

Default Value

DROP

API Name

navigator_audit_queue_policy

Required

false

Audit Event Tracker**Description**

Configures the rules for event tracking and coalescing. This feature is used to define equivalency between different audit events. When events match, according to a set of configurable parameters, only one entry in the audit list is generated for all the matching events. Tracking works by keeping a reference to events when they first appear, and comparing other incoming events against the "tracked" events according to the rules defined here. Event trackers are defined in a JSON object like the following: { "timeToLive" : [integer], "fields" : [{ "type" : [string], "name" : [string] }] } Where:

- timeToLive: maximum amount of time an event will be tracked, in milliseconds. Must be provided. This defines how long, since it's first seen, an event will be tracked. A value of 0 disables tracking.
- fields: list of fields to compare when matching events against tracked events.

Each field has an evaluator type associated with it. The evaluator defines how the field data is to be compared. The following evaluators are available:

- value: uses the field value for comparison.
- username: treats the field value as a user name, and ignores any host-specific data. This is useful for environment using Kerberos, so that only the principal name and realm are compared.

The following is the list of fields that can be used to compare HDFS events:

- operation: the HDFS operation being performed.
- username: the user performing the action.
- ipAddress: the IP from where the request originated.
- allowed: whether the operation was allowed or denied.
- src: the source path for the operation.
- dest: the destination path for the operation.
- permissions: the permissions associated with the operation.

The default event tracker for HDFS services defines equality by comparing the username, operation, and source path of the events.

Related Name

navigator_event_tracker

Default Value

comment: [The default event tracker for HDFS services defines equality by , comparing the username, operation, and source path of the events.], timeToLive: 60000, fields: [type: value, name: src , type: value, name: operation , type: username, name: username]

API Name

navigator_event_tracker

Required

false

High Availability**Timeout for Cloudera Manager Fencing Strategy****Description**

The timeout, in milliseconds, to use with the Cloudera Manager agent-based fencer.

Related Name

dfs.ha.fencing.cloudera_manager.timeout_millis

Default Value

10000

API Name

dfs_ha_fencing_cloudera_manager_timeout_millis

Required

false

HDFS High Availability Fencing Methods**Description**

List of fencing methods to use for service fencing. Setting this to shell(true) enables the built-in HDFS fencing mechanism, which causes the NameNode to exit if it attempts a write operation when it is not active. In almost all cases, this is the best choice. The sshfence method uses SSH. If using custom fencers (that may communicate with shared store, power units, or network switches), use the shell to invoke them.

Related Name

dfs.ha.fencing.methods

Default Value

shell(true)

API Name

dfs_ha_fencing_methods

Required

false

Timeout for SSH Fencing Strategy**Description**

SSH connection timeout, in milliseconds, to use with the built-in sshfence fencer.

Related Name

dfs.ha.fencing.ssh.connect-timeout

Default Value

30 second(s)

API Name

dfs_ha_fencing_ssh_connect_timeout

Required

false

Private Keys for SSH Fencing Strategy**Description**

The SSH private key files to use with the built-in sshfence fencer. These are to be accessible to the hdfs user on the machines running the NameNodes.

Related Name

dfs.ha.fencing.ssh.private-key-files

Default Value**API Name**

`dfs_ha_fencing_ssh_private_key_files`**Required**`false`**FailoverProxyProvider Class****Description**

Enter a FailoverProxyProvider implementation to configure two URIs to connect to during fail-over. The first configured address is tried first, and on a fail-over event the other address is tried.

Related Name`dfs.client.failover.proxy.provider`**Default Value**`org.apache.hadoop.hdfs.server.namenode.ha.ConfiguredFailoverProxyProvider`**API Name**`dfs_ha_proxy_provider`**Required**`true`**Logs****Audit Log Directory****Description**

Path to the directory where audit logs will be written. The directory will be created if it doesn't exist.

Related Name`audit_event_log_dir`**Default Value**`/var/log/hadoop-hdfs/audit`**API Name**`audit_event_log_dir`**Required**`false`**Maximum Audit Log File Size****Description**

Maximum size of audit log file in MB before it is rolled over.

Related Name`navigator.audit_log_max_file_size`**Default Value**`100 MiB`**API Name**`navigator_audit_log_max_file_size`**Required**`false`**Number of Audit Logs to Retain****Description**

Maximum number of rolled-over audit logs to retain. The logs are not deleted if they contain audit events that have not yet been propagated to the Audit Server.

Related Name

navigator.client.max_num_audit_log

Default Value

10

API Name

navigator_client_max_num_audit_log

Required

false

Monitoring

Enable Log Event Capture

Description

When set, each role identifies important log events and forwards them to Cloudera Manager.

Related Name

Default Value

true

API Name

catch_events

Required

false

Enable Service Level Health Alerts

Description

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Failover Controllers Healthy**Description**

Enables the health check that verifies that the failover controllers associated with this service are healthy and running.

Related Name**Default Value**

true

API Name

failover_controllers_healthy_enabled

Required

false

HDFS Health Canary Directory**Description**

The service monitor will use this directory to create files to test if the hdfs service is healthy. The directory and files are created with permissions specified by 'HDFS Health Canary Directory Permissions'

Related Name**Default Value**

/tmp/.cloudera_health_monitoring_canary_files

API Name

firehose_hdfs_canary_directory

Required

false

HDFS Health Canary Directory Permissions**Description**

The service monitor will use these permissions to create the directory and files to test if the hdfs service is healthy. Permissions are specified using the 10-character unix-symbolic format e.g. '-rwxr-xr-x'.

Related Name**Default Value**

-rwxrwxrwx

API Name

firehose_hdfs_canary_directory_permissions

Required

false

Active NameNode Detection Window**Description**

The tolerance window that will be used in HDFS service tests that depend on detection of the active NameNode.

Related Name**Default Value**

3 minute(s)

API Name

hdfs_active_namenode_detection_window

Required

false

Blocks With Corrupt Replicas Monitoring Thresholds**Description**

The health check thresholds of the number of blocks that have at least one corrupt replica. Specified as a percentage of the total number of blocks.

Related Name**Default Value**

Warning: 0.5 %, Critical: 1.0 %

API Name

hdfs_blocks_with_corrupt_replicas_thresholds

Required

false

HDFS Canary Health Check**Description**

Enables the health check that a client can create, read, write, and delete files

Related Name**Default Value**

true

API Name

hdfs_canary_health_enabled

Required

false

Healthy DataNode Monitoring Thresholds**Description**

The health test thresholds of the overall DataNode health. The check returns "Concerning" health if the percentage of "Healthy" DataNodes falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" DataNodes falls below the critical threshold.

Related Name**Default Value**

Warning: 95.0 %, Critical: 90.0 %

API Name

hdfs_datanodes_healthy_thresholds

Required

false

HDFS Free Space Monitoring Thresholds

Description

The health check thresholds of free space in HDFS. Specified as a percentage of total HDFS capacity.

Related Name**Default Value**

Warning: 20.0 %, Critical: 10.0 %

API Name

hdfs_free_space_thresholds

Required

false

Missing Block Monitoring Thresholds

Description

The health check thresholds of the number of missing blocks. Specified as a percentage of the total number of blocks.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

hdfs_missing_blocks_thresholds

Required

false

NameNode Activation Startup Tolerance

Description

The amount of time after NameNode(s) start that the lack of an active NameNode will be tolerated. This is intended to allow either the auto-failover daemon to make a NameNode active, or a specifically issued failover command to take effect. This is an advanced option that does not often need to be changed.

Related Name**Default Value**

3 minute(s)

API Name

hdfs_namenode_activation_startup_tolerance

Required

false

Active NameNode Role Health Check

Description

When computing the overall HDFS cluster health, consider the active NameNode's health

Related Name**Default Value**

true

API Name

hdfs_namenode_health_enabled

Required

false

Standby NameNode Health Check

Description

When computing the overall HDFS cluster health, consider the health of the standby NameNode.

Related Name

Default Value

true

API Name

hdfs_standby_namenodes_health_enabled

Required

false

Under-replicated Block Monitoring Thresholds

Description

The health check thresholds of the number of under-replicated blocks. Specified as a percentage of the total number of blocks.

Related Name

Default Value

Warning: 10.0 %, Critical: 40.0 %

API Name

hdfs_under_replicated_blocks_thresholds

Required

false

Erasur Coding Policy Verification Health Check

Description

Enables the health test for verifying if the cluster topology supports all the enabled erasure coding policies.

Related Name

Default Value

false

API Name

hdfs_verify_ec_with_topology_enabled

Required

false

Log Event Retry Frequency

Description

The frequency in which the log4j event publication appender will retry sending undelivered log events to the Event server, in seconds

Related Name

Default Value

30

API Name

log_event_retry_frequency

Required

false

Service Triggers**Description**

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

service_triggers

Required

true

Service Monitor Client Config Overrides**Description**

For advanced use only, a list of configuration properties that will be used by the Service Monitor instead of the current client configuration for the service.

Related Name**Default Value**

```
<property> <name>dfs.socket.timeout</name> <value>3000</value> </property> <property>
<name>dfs.datanode.socket.write.timeout</name> <value>3000</value> </property> <property>
<name>ipc.client.connect.max.retries</name> <value>1</value> </property> <property>
<name>fs.permissions.umask-mode</name> <value>000</value> </property>
```

API Name

smon_client_config_overrides

Required

false

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name**Default Value****API Name**

smon_derived_configs_safety_valve

Required

false

Other**Core Settings Connector****Description**

Dependency on the Core Settings service for the cluster.

Related Name**Default Value****API Name**

core_connector

Required

true

HDFS Block Size**Description**

The default block size in bytes for new HDFS files. Note that this value is also used as the HBase Region Server HLog block size.

Related Name

dfs.blocksize

Default Value

128 MiB

API Name

dfs_block_size

Required

false

Check HDFS Permissions**Description**

If false, permission checking is turned off for files in HDFS.

Related Name

dfs.permissions

Default Value

true

API Name

dfs_permissions

Required

false

Default Umask**Description**

Default umask for file and directory creation, specified in an octal value (with a leading 0)

Related Name

fs.permissions.umask-mode

Default Value

022

API Name

dfs_umaskmode

Required

false

Enable WebHDFS**Description**

Enable WebHDFS interface

Related Name

dfs.webhdfs.enabled

Default Value

true

API Name

dfs_webhdfs_enabled

Required

false

Serve logs over HTTP**Description**

Whether to serve logs over HTTP from HDFS web servers. This includes listing the logs directory at the /logs endpoint, which may be a security concern.

Related Name

hadoop.http.logs.enabled

Default Value

true

API Name

http_logs_enabled

Required

false

Compression Codecs

Description

Comma-separated list of compression codecs that can be used in job or map compression.

Related Name

io.compression.codecs

Default Value

org.apache.hadoop.io.compress.DefaultCodec org.apache.hadoop.io.compress.GzipCodec
org.apache.hadoop.io.compress.BZip2Codec org.apache.hadoop.io.compress.DeflateCodec
org.apache.hadoop.io.compress.SnappyCodec org.apache.hadoop.io.compress.Lz4Codec

API Name

io_compression_codecs

Required

false

KMS Service

Description

The Key Management Server used by HDFS. This must be set to use encryption for data at rest.

Related Name

Default Value

API Name

kms_service

Required

false

Ranger Plugin Enable HDFS ACLs Fallback

Description

By default, fallback is enabled for HDFS, which mean if the access cannot be determined by Ranger policies, authorization will fallback to HDFS ACLs. If this behavior needs to be changed, you can disable the config.

Related Name

xasecure.add-hadoop-authorization

Default Value

true

API Name

ranger_plugin_enable_fallback_authorization

Required

false

Ranger Service Name

Description

Name of the Ranger service/repository where service related data will be stored

Related Name

ranger.plugin.hdfs.service.name

Default Value

GENERATED_RANGER_SERVICE_NAME

API Name

ranger_plugin_service_name

Required

false

Ranger Plugin Trusted Proxy IP Address**Description**

Accepts a list of IP addresses of proxy servers for trusting.

Related Name

ranger.plugin.hdfs.trusted.proxy.ipaddress

Default Value**API Name**

ranger_plugin_trusted_proxy_ipaddress

Required

false

Ranger Plugin Use X-Forwarded for IP Address**Description**

The parameter is used for identifying the originating IP address of a user connecting to a component through proxy for audit logs.

Related Name

ranger.plugin.hdfs.use.x-forwarded-for.ipaddress

Default Value

false

API Name

ranger_plugin_use_x_forwarded_for_ipaddress

Required

false

Ranger Service**Description**

Name of the Ranger service that this HDFS service instance depends on. This config is used for enabling Ranger authorization in the HDFS instance not used by Ranger.

Related Name**Default Value****API Name**

ranger_service

Required

false

ZooKeeper Service**Description**

Name of the ZooKeeper service that this HDFS service instance depends on

Related Name

Default Value**API Name**

zookeeper_service

Required

false

Performance**DataNode Local Path Access Users****Description**

Comma separated list of users allowed to do short circuit read. A short circuit read allows a client co-located with the data to read HDFS file blocks directly from HDFS. If empty, will default to the DataNode process' user.

Related Name

dfs.block.local-path-access.user

Default Value**API Name**

dfs_block_local_path_access_user

Required

false

HDFS File Block Storage Location Timeout**Description**

Timeout in milliseconds for the parallel RPCs made in DistributedFileSystem#getFileBlockStorageLocations(). This value is only emitted for Impala.

Related Name

dfs.client.file-block-storage-locations.timeout.millis

Default Value

10 second(s)

API Name

dfs_client_file_block_storage_locations_timeout

Required

false

Enable HDFS Short-Circuit Read**Description**

Enable HDFS short-circuit read. This allows a client colocated with the DataNode to read HDFS file blocks directly. This gives a performance boost to distributed clients that are aware of locality.

Related Name

dfs.client.read.shortcircuit

Default Value

true

API Name

dfs_datanode_read_shortcircuit

Required

false

UNIX Domain Socket path

Description

Path on the DataNode's local file system to a UNIX domain socket used for communication between the DataNode and local HDFS clients. This socket is used for Short Circuit Reads. Only the HDFS System User and "root" should have write access to the parent directory and all of its ancestors. This property is supported in CDH 4.2 or later deployments.

Related Name

dfs.domain.socket.path

Default Value

/var/run/hdfs-sockets/dn

API Name

dfs_domain_socket_path

Required

false

FsImage Transfer Bandwidth

Description

Maximum bandwidth used for image transfer in bytes per second. This can help keep normal NameNode operations responsive during checkpointing. A default value of 0 indicates that throttling is disabled.

Related Name

dfs.image.transfer.bandwidthPerSec

Default Value

50 MiB

API Name

dfs_image_transfer_bandwidthPerSec

Required

false

FsImage Transfer Socket Timeout

Description

Socket timeout for the HttpURLConnection instance used in the image transfer. This is measured in milliseconds. This timeout prevents client hangs if the connection is idle for this configured timeout, during image transfer.

Related Name

dfs.image.transfer.timeout

Default Value

1 minute(s)

API Name

dfs_image_transfer_timeout

Required

false

Access Time Precision

Description

Precision of access time for HDFS files. Setting it to 0 disables access times for HDFS.

Related Name

dfs.namenode.access.time.precision

Default Value

0 second(s)

API Name

dfs_namenode_access_time_precision

Required

false

NameNode Startup Block Deletion Delay

Description

Block deletion in NameNode is paused for this period of time after startup. The suggested delay is 1 hour to give the administrator enough time to notice a large number of blocks pending deletion and take corrective action.

Related Name

dfs.namenode.startup.delay.block.deletion.sec

Default Value

1 hour(s)

API Name

dfs_namenode_startup_delay_block_deletion_sec

Required

false

Ports and Addresses

Use DataNode Hostname

Description

Typically, HDFS clients and servers communicate by opening sockets via an IP address. In certain networking configurations, it is preferable to open sockets after doing a DNS lookup on the hostname. Enable this property to open sockets after doing a DNS lookup on the hostname. This property is supported in CDH3u4 or later deployments.

Related Name

dfs.client.use.datanode.hostname

Default Value

false

API Name

dfs_client_use_datanode_hostname

Required

false

Replication

Maintenance State Minimal Block Replication

Description

The minimum number of block replicas required to enter Maintenance State. If any block has less than the minimum number of block replicas, the DataNode cannot immediately enter Maintenance State.

Related Name

dfs.namenode.maintenance.replication.min

Default Value

1

API Name

dfs_maintenance_replication_min

Required

false

Replication Factor**Description**

Default block replication. The number of replications to make when the file is created. The default value is used if a replication number is not specified.

Related Name

dfs.replication

Default Value

3

API Name

dfs_replication

Required

false

Maximal Block Replication**Description**

The maximal block replication.

Related Name

dfs.replication.max

Default Value

512

API Name

dfs_replication_max

Required

false

Minimal Block Replication**Description**

The minimal block replication.

Related Name

dfs.namenode.replication.min

Default Value

1

API Name

`dfs_replication_min`**Required**`false`**Security****DataNode Data Transfer Protection****Description**

SASL protection mode for secured connections to the DataNodes when reading or writing data. Value is the type of SASL protection to be used for secured connections to the DataNode when reading or writing block data. Possible values are 'authentication', 'integrity' and 'privacy'. authentication means authentication only and no integrity or privacy; integrity implies that only authentication and integrity are enabled; and privacy implies all of authentication, integrity and privacy are enabled. If "Enable Data Transfer Encryption" is set to true, then it supersedes the setting for this parameter and enforces that all connections must use a specialized encrypted SASL handshake. This property is ignored for connections to a DataNode listening on a privileged port. In this case, it is assumed that the use of a privileged port establishes sufficient trust.

Related Name`dfs.data.transfer.protection`**Default Value****API Name**`dfs_data_transfer_protection`**Required**`false`**SASL Custom CallbackHandler Class****Description**

Custom CallbackHandler class for SASL Provider

Related Name`dfs.data.transfer.sasl.CustomizedCallbackHandler.class`**Default Value**`com.cloudera.sasl.common.security.scrum.ScrumCustomizedCallbackHandler`**API Name**`dfs_data_transfer_sasl_customizedcallbackhandler_class`**Required**`false`**Enable Data Transfer Encryption****Description**

Enable encryption of data transfer between DataNodes and clients, and among DataNodes. When enabled, block data that is read/written from/to HDFS will be encrypted on the wire. For effective data transfer protection, enable Kerberos authentication and pick privacy for "Hadoop RPC Protection".

Related Name`dfs.encrypt.data.transfer`**Default Value**`false`

API Name

dfs_encrypt_data_transfer

Required

false

Data Transfer Encryption Algorithm**Description**

Algorithm to encrypt data transfer between DataNodes and clients, and among DataNodes. If 3des or rc4 are chosen, the entire communication is encrypted with that algorithm. In CDH 5.4 and higher, if AES/CTR/NoPadding is chosen, 3des is used for the initial key exchange, and then AES/CTR/NoPadding is used for the transfer of data. This is the most secure option, and is recommended for clusters running CDH 5.4 or higher. It also requires that the "openssl-devel" package be installed on all machines in the cluster. When this parameter is changed, a full, nonrolling restart of the cluster must be performed.

Related Name

dfs.encrypt.data.transfer.algorithm

Default Value

rc4

API Name

dfs_encrypt_data_transfer_algorithm

Required

false

Data Transfer Cipher Suite Key Strength**Description**

If AES/CTR/NoPadding is chosen for the Data Transfer Encryption Algorithm, this specifies the length (in bits) of the AES key. When this parameter is changed, a full, non-rolling restart of the cluster must be performed.

Related Name

dfs.encrypt.data.transfer.cipher.key.bitlength

Default Value

256

API Name

dfs_encrypt_data_transfer_cipher_keybits

Required

false

Enable Access Control Lists**Description**

ACLs (Access Control Lists) enhance the existing HDFS permission model to support controlling file access for arbitrary combinations of users and groups instead of a single owner, single group, and all other users. When ACLs are disabled, the NameNode rejects all attempts to set an ACL.

Related Name

dfs.namenode.acls.enabled

Default Value

true

API Name

`dfs_namenode_acls_enabled`**Required**`false`**Superuser Group****Description**

The name of the group of superusers.

Related Name`dfs.permissions.superusergroup`**Default Value**`supergroup`**API Name**`dfs_permissions_supergroup`**Required**`false`**Enable Ranger Authorization****Description**

Enable fine-grained security using Ranger. There should be only one Ranger service installed in the same cluster as HDFS: this Ranger service should have the DFS dependency set to this HDFS service.

Related Name**Default Value**`false`**API Name**`enable_ranger_authorization`**Required**`false`**Enable Kerberos Authentication for HTTP Web-Consoles****Description**

Enables Kerberos authentication for Hadoop HTTP web consoles for all roles of this service using the SPNEGO protocol. Note: This is effective only if Kerberos is enabled.

Related Name**Default Value**`false`**API Name**`hadoop_secure_web_ui`**Required**`false`**HDFS User to Impersonate****Description**

The user the management services impersonates when connecting to HDFS. If no value is specified, the HDFS superuser is used.

Related Name**Default Value****API Name**

hdfs_user_to_impersonate

Required

false

Hue's Kerberos Principal Short Name**Description**

The short name of the Hue Kerberos principal. Normally, you do not need to specify this configuration. Cloudera Manager auto-configures this property so that Hue and Cloudera Managment Service work properly.

Related Name

hue.kerberos.principal.shortname

Default Value**API Name**

hue_kerberos_principal_shortname

Required

false

Kerberos Principal**Description**

Kerberos principal short name used by all roles of this service.

Related Name**Default Value**

hdfs

API Name

kerberos_princ_name

Required

true

Ranger DFS Audit Path**Description**

The DFS path on which Ranger audits are written. The special placeholder `'${ranger_base_audit_url}'` should be used as the prefix, in order to use the centralized location defined in the Ranger service.

Related Name

xasecure.audit.destination.hdfs.dir

Default Value`${ranger_base_audit_url}/hdfs`**API Name**

ranger_audit_hdfs_dir

Required

false

Ranger Audit DFS Spool Dir

Description

Spool directory for Ranger audits being written to DFS.

Related Name

xasecure.audit.destination.hdfs.batch.filespool.dir

Default Value

/var/log/hdfs/audit/hdfs/spool

API Name

ranger_audit_hdfs_spool_dir

Required

false

Ranger Audit Solr Spool Dir

Description

Spool directory for Ranger audits being written to Solr.

Related Name

xasecure.audit.destination.solr.batch.filespool.dir

Default Value

/var/log/hdfs/audit/solr/spool

API Name

ranger_audit_solr_spool_dir

Required

false

Ranger Policy Cache Directory

Description

The directory where Ranger security policies are cached locally.

Related Name

ranger.plugin.hdfs.policy.cache.dir

Default Value

/var/lib/ranger/hdfs/policy-cache

API Name

ranger_policy_cache_dir

Required

false

Hadoop TLS/SSL Server Keystore Key Password

Description

Password that protects the private key contained in the server keystore used for encrypted shuffle and encrypted web UIs. Applies to all configurations of daemon roles of this service.

Related Name

ssl.server.keystore.keypassword

Default Value**API Name**

`ssl_server_keystore_keypassword`**Required**

false

Hadoop TLS/SSL Server Keystore File Location**Description**

Path to the keystore file containing the server certificate and private key used for encrypted shuffle and encrypted web UIs. Applies to configurations of all daemon roles of this service.

Related Name`ssl.server.keystore.location`**Default Value****API Name**`ssl_server_keystore_location`**Required**

false

Hadoop TLS/SSL Server Keystore File Password**Description**

Password for the server keystore file used for encrypted shuffle and encrypted web UIs. Applies to configurations of all daemon roles of this service.

Related Name`ssl.server.keystore.password`**Default Value****API Name**`ssl_server_keystore_password`**Required**

false

SSL/TLS Cipher Suite**Description**

The SSL/TLS cipher suites to use. "Modern 2018" is a modern set of cipher suites as of 2018, according to the Mozilla server-side TLS recommendations. These cipher suites use strong cryptography and are preferred unless interaction with older clients is required. These modern cipher suites are compatible with Firefox 27, Chrome 22, Internet Explorer 11, Opera 14, Safari 7, Android 4.4, and Java 8. "Intermediate 2018" is an intermediate set of cipher suites as of 2018, according to the Mozilla server-side TLS recommendations. Select the Intermediate 2018 cipher suites if you require compatibility with a wider range of clients, legacy browsers, or older Linux tools.

Related Name`ssl.server.exclude.cipher.list`**Default Value**

modern2018

API Name`tls_ciphers`**Required**

false

Suppressions

Suppress Configuration Validator: Balancer Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml

Description

Whether to suppress configuration warnings produced by the Balancer Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_balancer_config_safety_valve

Required

true

Suppress Configuration Validator: Java Configuration Options for Balancer

Description

Whether to suppress configuration warnings produced by the Java Configuration Options for Balancer configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_balancer_java_opts

Required

true

Suppress Configuration Validator: Balancer Log Directory

Description

Whether to suppress configuration warnings produced by the Balancer Log Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_balancer_log_dir

Required

true

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

	false
API Name	role_config_suppression_cdh_version_validator
Required	true

Suppress Configuration Validator: Deploy Directory

Description	Whether to suppress configuration warnings produced by the Deploy Directory configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_client_config_root_dir
Required	true

Suppress Configuration Validator: DataNode Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml

Description	Whether to suppress configuration warnings produced by the DataNode Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_datanode_config_safety_valve
Required	true

Suppress Configuration Validator: DataNode Failed Volumes Tolerated Validator

Description	Whether to suppress configuration warnings produced by the DataNode Failed Volumes Tolerated Validator configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_datanode_failed_volumes_validator
Required	true

Suppress Configuration Validator: Java Heap Size of DataNode in Bytes

Description	
--------------------	--

Whether to suppress configuration warnings produced by the Java Heap Size of DataNode in Bytes configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_datanode_java_heapsize

Required

true

Suppress Configuration Validator: Java Configuration Options for DataNode**Description**

Whether to suppress configuration warnings produced by the Java Configuration Options for DataNode configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_datanode_java_opts

Required

true

Suppress Configuration Validator: DataNode Log Directory**Description**

Whether to suppress configuration warnings produced by the DataNode Log Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_datanode_log_dir

Required

true

Suppress Configuration Validator: DataNode Reserved Space Validator**Description**

Whether to suppress configuration warnings produced by the DataNode Reserved Space Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_datanode_reserved_space_validator

Required

true

Suppress Configuration Validator: DataNode Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the DataNode Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_datanode_role_env_safety_valve

Required

true

Suppress Configuration Validator: DataNode Data Directory

Description

Whether to suppress configuration warnings produced by the DataNode Data Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_dfs_data_dir_list

Required

true

Suppress Configuration Validator: DataNode Data Directory Permissions

Description

Whether to suppress configuration warnings produced by the DataNode Data Directory Permissions configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_dfs_datanode_data_dir_perm

Required

true

Suppress Configuration Validator: DataNode HTTP Web UI Port

Description

Whether to suppress configuration warnings produced by the DataNode HTTP Web UI Port configuration validator.

Related Name**Default Value**

	false
API Name	role_config_suppression_dfs_datanode_http_port
Required	true

Suppress Configuration Validator: Secure DataNode Web UI Port (TLS/SSL)

Description	Whether to suppress configuration warnings produced by the Secure DataNode Web UI Port (TLS/SSL) configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_dfs_datanode_https_port
Required	true

Suppress Configuration Validator: DataNode Protocol Port

Description	Whether to suppress configuration warnings produced by the DataNode Protocol Port configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_dfs_datanode_ipc_port
Required	true

Suppress Configuration Validator: DataNode Transceiver Port

Description	Whether to suppress configuration warnings produced by the DataNode Transceiver Port configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_dfs_datanode_port
Required	true

Suppress Configuration Validator: NameNode Nameservice

Description	
--------------------	--

Whether to suppress configuration warnings produced by the NameNode Nameservice configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_dfs_federation_namenode_nameservice

Required

true

Suppress Configuration Validator: NameNode Web UI Port

Description

Whether to suppress configuration warnings produced by the NameNode Web UI Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_dfs_http_port

Required

true

Suppress Configuration Validator: Secure NameNode Web UI Port (TLS/SSL)

Description

Whether to suppress configuration warnings produced by the Secure NameNode Web UI Port (TLS/SSL) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_dfs_https_port

Required

true

Suppress Configuration Validator: JournalNode Edits Directory

Description

Whether to suppress configuration warnings produced by the JournalNode Edits Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_dfs_journalnode_edits_dir

Required

true

Suppress Configuration Validator: JournalNode HTTP Port

Description

Whether to suppress configuration warnings produced by the JournalNode HTTP Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_dfs_journalnode_http_port

Required

true

Suppress Configuration Validator: Secure JournalNode Web UI Port (TLS/SSL)

Description

Whether to suppress configuration warnings produced by the Secure JournalNode Web UI Port (TLS/SSL) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_dfs_journalnode_https_port

Required

true

Suppress Configuration Validator: JournalNode RPC Port

Description

Whether to suppress configuration warnings produced by the JournalNode RPC Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_dfs_journalnode_rpc_port

Required

true

Suppress Configuration Validator: NameNode Data Directories

Description

Whether to suppress configuration warnings produced by the NameNode Data Directories configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_dfs_name_dir_list

Required

true

Suppress Configuration Validator: NameNode Edits Directories

Description

Whether to suppress configuration warnings produced by the NameNode Edits Directories configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_dfs_namenode_edits_dir

Required

true

Suppress Configuration Validator: NameNode Handler Count Minimum Validator

Description

Whether to suppress configuration warnings produced by the NameNode Handler Count Minimum Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_dfs_namenode_handler_count_minimum_validator

Required

true

Suppress Configuration Validator: Quorum-based Storage Journal name

Description

Whether to suppress configuration warnings produced by the Quorum-based Storage Journal name configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_dfs_namenode_quorum_journal_name

Required

true

Suppress Configuration Validator: NameNode Service Handler Count Minimum Validator

Description

Whether to suppress configuration warnings produced by the NameNode Service Handler Count Minimum Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_dfs_namenode_service_handler_count_minimum_validator

Required

true

Suppress Configuration Validator: NameNode Service RPC Port**Description**

Whether to suppress configuration warnings produced by the NameNode Service RPC Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_dfs_namenode_servicerpc_address

Required

true

Suppress Configuration Validator: Shared Edits Directory**Description**

Whether to suppress configuration warnings produced by the Shared Edits Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_dfs_namenode_shared_edits_dir

Required

true

Suppress Configuration Validator: Temporary Dump Directory**Description**

Whether to suppress configuration warnings produced by the Temporary Dump Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_dfs_nfs3_dump_dir

Required

true

Suppress Configuration Validator: Allowed Hosts and Privileges**Description**

Whether to suppress configuration warnings produced by the Allowed Hosts and Privileges configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_dfs_nfs_exports_allowed_hosts

Required

true

Suppress Configuration Validator: SecondaryNameNode Web UI Port**Description**

Whether to suppress configuration warnings produced by the SecondaryNameNode Web UI Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_dfs_secondary_http_port

Required

true

Suppress Configuration Validator: Secure SecondaryNameNode Web UI Port (TLS/SSL)**Description**

Whether to suppress configuration warnings produced by the Secure SecondaryNameNode Web UI Port (TLS/SSL) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_dfs_secondary_https_port

Required

true

Suppress Configuration Validator: SecondaryNameNode Nameservice**Description**

Whether to suppress configuration warnings produced by the SecondaryNameNode Nameservice configuration validator.

Related Name**Default Value**

false

API Name

`role_config_suppression_dfs_secondarynamenode_nameservice`**Required**`true`**Suppress Configuration Validator: Java Configuration Options for Failover Controller****Description**

Whether to suppress configuration warnings produced by the Java Configuration Options for Failover Controller configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_failover_controller_java_opts`**Required**`true`**Suppress Configuration Validator: Failover Controller Log Directory****Description**

Whether to suppress configuration warnings produced by the Failover Controller Log Directory configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_failover_controller_log_dir`**Required**`true`**Suppress Configuration Validator: Failover Controller Environment Advanced Configuration Snippet (Safety Valve)****Description**

Whether to suppress configuration warnings produced by the Failover Controller Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_failovercontroller_role_env_safety_valve`**Required**`true`**Suppress Configuration Validator: Failover Controller Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml****Description**

Whether to suppress configuration warnings produced by the Failover Controller Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_fc_config_safety_valve

Required

true

Suppress Configuration Validator: HDFS Checkpoint Directories

Description

Whether to suppress configuration warnings produced by the HDFS Checkpoint Directories configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_fs_checkpoint_dir_list

Required

true

Suppress Configuration Validator: Filesystem Trash Interval On Validator

Description

Whether to suppress configuration warnings produced by the Filesystem Trash Interval On Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_fs_trash_interval_minimum_validator

Required

true

Suppress Configuration Validator: Hadoop Metrics2 Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Hadoop Metrics2 Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_metrics2_safety_valve

Required

true

Suppress Configuration Validator: HDFS Client Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml

Description

Whether to suppress configuration warnings produced by the HDFS Client Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hdfs_client_config_safety_valve

Required

true

Suppress Configuration Validator: HDFS Client Environment Advanced Configuration Snippet (Safety Valve) for hadoop-env.sh

Description

Whether to suppress configuration warnings produced by the HDFS Client Environment Advanced Configuration Snippet (Safety Valve) for hadoop-env.sh configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hdfs_client_env_safety_valve

Required

true

Suppress Configuration Validator: Client Java Configuration Options

Description

Whether to suppress configuration warnings produced by the Client Java Configuration Options configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hdfs_client_java_opts

Required

true

Suppress Configuration Validator: Administration Port

Description

Whether to suppress configuration warnings produced by the Administration Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hdfs_https_admin_port

Required

true

Suppress Configuration Validator: REST Port

Description

Whether to suppress configuration warnings produced by the REST Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hdfs_https_http_port

Required

true

Suppress Configuration Validator: Signature Secret

Description

Whether to suppress configuration warnings produced by the Signature Secret configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hdfs_https_signature_secret

Required

true

Suppress Configuration Validator: HDFS Trash Enabled Validator

Description

Whether to suppress configuration warnings produced by the HDFS Trash Enabled Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hdfs_trash_disabled_validator

Required

true

Suppress Configuration Validator: HttpFS Advanced Configuration Snippet (Safety Valve) for httpfs-site.xml

Description

Whether to suppress configuration warnings produced by the HttpFS Advanced Configuration Snippet (Safety Valve) for httpfs-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_httpfs_config_safety_valve

Required

true

Suppress Configuration Validator: HttpFS Advanced Configuration Snippet (Safety Valve) for core-site.xml

Description

Whether to suppress configuration warnings produced by the HttpFS Advanced Configuration Snippet (Safety Valve) for core-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_httpfs_core_site_safety_valve

Required

true

Suppress Configuration Validator: HttpFS Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml

Description

Whether to suppress configuration warnings produced by the HttpFS Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_httpfs_hdfs_site_safety_valve

Required

true

Suppress Configuration Validator: HttpFS TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the HttpFS TLS/SSL Server Keystore File Location configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_httpfs_https_keystore_file

Required

true

Suppress Configuration Validator: HttpFS TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the HttpFS TLS/SSL Server Keystore File Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_httpfs_https_keystore_password

Required

true

Suppress Configuration Validator: HttpFS TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the HttpFS TLS/SSL Trust Store File configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_httpfs_https_truststore_file

Required

true

Suppress Configuration Validator: HttpFS TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the HttpFS TLS/SSL Trust Store Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_httpfs_https_truststore_password

Required

true

Suppress Configuration Validator: Java Configuration Options for HttpFS

Description

Whether to suppress configuration warnings produced by the Java Configuration Options for HttpFS configuration validator.

Related Name

Default Value

	false
API Name	role_config_suppression_httpfs_java_opts
Required	true

Suppress Configuration Validator: HttpFS Load Balancer

Description	Whether to suppress configuration warnings produced by the HttpFS Load Balancer configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_httpfs_load_balancer
Required	true

Suppress Configuration Validator: HttpFS Log Directory

Description	Whether to suppress configuration warnings produced by the HttpFS Log Directory configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_httpfs_log_dir
Required	true

Suppress Configuration Validator: System Group

Description	Whether to suppress configuration warnings produced by the System Group configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_httpfs_process_groupname
Required	true

Suppress Configuration Validator: System User

Description	Whether to suppress configuration warnings produced by the System User configuration validator.
--------------------	---

Related Name

Default Value

false

API Name

role_config_suppression_httpfs_process_username

Required

true

Suppress Configuration Validator: HttpFS Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the HttpFS Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_httpfs_role_env_safety_valve

Required

true

Suppress Configuration Validator: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Configuration Validator: JournalNode Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml

Description

Whether to suppress configuration warnings produced by the JournalNode Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_jn_config_safety_valve

Required

true

Suppress Configuration Validator: Java Configuration Options for JournalNode

Description

Whether to suppress configuration warnings produced by the Java Configuration Options for JournalNode configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_journalnode_java_opts

Required

true

Suppress Configuration Validator: JournalNode Log Directory

Description

Whether to suppress configuration warnings produced by the JournalNode Log Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_journalnode_log_dir

Required

true

Suppress Configuration Validator: JournalNode Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the JournalNode Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_journalnode_role_env_safety_valve

Required

true

Suppress Configuration Validator: Role-Specific Kerberos Principal

Description

Whether to suppress configuration warnings produced by the Role-Specific Kerberos Principal configuration validator.

Related Name**Default Value**

	false
API Name	role_config_suppression_kerberos_role_princ_name
Required	true

Suppress Configuration Validator: DataNode Logging Advanced Configuration Snippet (Safety Valve)

Description
Whether to suppress configuration warnings produced by the DataNode Logging Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_log4j_safety_valve

Required
true

Suppress Configuration Validator: Rules to Extract Events from Log Files

Description
Whether to suppress configuration warnings produced by the Rules to Extract Events from Log Files configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_log_event_whitelist

Required
true

Suppress Configuration Validator: NameNode Advanced Configuration Snippet (Safety Valve) for dfs_all_hosts.txt

Description
Whether to suppress configuration warnings produced by the NameNode Advanced Configuration Snippet (Safety Valve) for dfs_all_hosts.txt configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_namenode_all_hosts_safety_valve

Required
true

Suppress Configuration Validator: NameNode Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml

Description

Whether to suppress configuration warnings produced by the NameNode Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_namenode_config_safety_valve

Required

true

Suppress Configuration Validator: NameNode Advanced Configuration Snippet (Safety Valve) for dfs_hosts_allow.txt

Description

Whether to suppress configuration warnings produced by the NameNode Advanced Configuration Snippet (Safety Valve) for dfs_hosts_allow.txt configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_namenode_hosts_allow_safety_valve

Required

true

Suppress Configuration Validator: NameNode Advanced Configuration Snippet (Safety Valve) for dfs_hosts_exclude.txt

Description

Whether to suppress configuration warnings produced by the NameNode Advanced Configuration Snippet (Safety Valve) for dfs_hosts_exclude.txt configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_namenode_hosts_exclude_safety_valve

Required

true

Suppress Configuration Validator: Java Heap Size of NameNode in Bytes Minimum Validator

Description

Whether to suppress configuration warnings produced by the Java Heap Size of NameNode in Bytes Minimum Validator configuration validator.

Related Name

Default Value

	false
API Name	role_config_suppression_namenode_java_heapsize_minimum_validator
Required	true

Suppress Configuration Validator: Java Configuration Options for NameNode

Description	Whether to suppress configuration warnings produced by the Java Configuration Options for NameNode configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_namenode_java_opts
Required	true

Suppress Configuration Validator: NameNode Log Directory

Description	Whether to suppress configuration warnings produced by the NameNode Log Directory configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_namenode_log_dir
Required	true

Suppress Configuration Validator: NameNode Port

Description	Whether to suppress configuration warnings produced by the NameNode Port configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_namenode_port
Required	true

Suppress Configuration Validator: NameNode Environment Advanced Configuration Snippet (Safety Valve)

Description	
--------------------	--

Whether to suppress configuration warnings produced by the NameNode Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_namenode_role_env_safety_valve

Required

true

Suppress Configuration Validator: HDFS NameNode TLS/SSL Trust Store File**Description**

Whether to suppress configuration warnings produced by the HDFS NameNode TLS/SSL Trust Store File configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_namenode_truststore_file

Required

true

Suppress Configuration Validator: HDFS NameNode TLS/SSL Trust Store Password**Description**

Whether to suppress configuration warnings produced by the HDFS NameNode TLS/SSL Trust Store Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_namenode_truststore_password

Required

true

Suppress Configuration Validator: Validates Nameservices do not conflict between base and compute clusters.**Description**

Whether to suppress configuration warnings produced by the Validates Nameservices do not conflict between base and compute clusters. configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nameservice_conflict_validator

Required

true

Suppress Configuration Validator: Mount Points

Description

Whether to suppress configuration warnings produced by the Mount Points configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_nameservice_mountpoints

Required

true

Suppress Configuration Validator: NFS Gateway Web UI Port

Description

Whether to suppress configuration warnings produced by the NFS Gateway Web UI Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_nfs3_http_port

Required

true

Suppress Configuration Validator: Secure NFS Gateway Web UI Port (TLS/SSL)

Description

Whether to suppress configuration warnings produced by the Secure NFS Gateway Web UI Port (TLS/SSL) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_nfs3_https_port

Required

true

Suppress Configuration Validator: NFS Gateway MountD Port

Description

Whether to suppress configuration warnings produced by the NFS Gateway MountD Port configuration validator.

Related Name

Default Value

false

API Name
role_config_suppression_nfs3_mountd_port

Required
true

Suppress Configuration Validator: Portmap (or Rpcbind) Port

Description
Whether to suppress configuration warnings produced by the Portmap (or Rpcbind) Port configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_nfs3_portmap_port

Required
true

Suppress Configuration Validator: NFS Gateway Server Port

Description
Whether to suppress configuration warnings produced by the NFS Gateway Server Port configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_nfs3_server_port

Required
true

Suppress Configuration Validator: NFS Gateway Export Point

Description
Whether to suppress configuration warnings produced by the NFS Gateway Export Point configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_nfs_export_point

Required
true

Suppress Configuration Validator: NFS Gateway Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml

Description

Whether to suppress configuration warnings produced by the NFS Gateway Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_nfsgateway_config_safety_valve

Required

true

Suppress Configuration Validator: Java Configuration Options for NFS Gateway

Description

Whether to suppress configuration warnings produced by the Java Configuration Options for NFS Gateway configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_nfsgateway_java_opts

Required

true

Suppress Configuration Validator: NFS Gateway Log Directory

Description

Whether to suppress configuration warnings produced by the NFS Gateway Log Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_nfsgateway_log_dir

Required

true

Suppress Configuration Validator: NFS Gateway Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the NFS Gateway Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_nfsgateway_role_env_safety_valve

Required

true

Suppress Configuration Validator: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name

Default Value

	false
API Name	role_config_suppression_otelcol_helper_port
Required	true

Suppress Configuration Validator: OpenTelemetry Collector Processors Section

Description	Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_processors
Required	true

Suppress Configuration Validator: OpenTelemetry Collector Receivers Section

Description	Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_receivers
Required	true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description	Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_remote_write_password
Required	true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: NameNode Advanced Configuration Snippet (Safety Valve) for ranger-hdfs-security.xml

Description

Whether to suppress configuration warnings produced by the NameNode Advanced Configuration Snippet (Safety Valve) for ranger-hdfs-security.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_security_role_safety_valve

Required

true

Suppress Configuration Validator: Excluded Hosts

Description

Whether to suppress configuration warnings produced by the Excluded Hosts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_rebalancer_exclude_hosts

Required

true

Suppress Configuration Validator: Included Hosts

Description

Whether to suppress configuration warnings produced by the Included Hosts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_rebalancer_include_hosts

Required

true

Suppress Configuration Validator: Source Hosts**Description**

Whether to suppress configuration warnings produced by the Source Hosts configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_rebalancer_source_hosts

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: Role Triggers**Description**

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Configuration Validator: SecondaryNameNode Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml**Description**

Whether to suppress configuration warnings produced by the SecondaryNameNode Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_secondarynamenode_config_safety_valve

Required

true

Suppress Configuration Validator: Java Configuration Options for Secondary NameNode

Description

Whether to suppress configuration warnings produced by the Java Configuration Options for Secondary NameNode configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_secondarynamenode_java_opts

Required

true

Suppress Configuration Validator: SecondaryNameNode Log Directory

Description

Whether to suppress configuration warnings produced by the SecondaryNameNode Log Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_secondarynamenode_log_dir

Required

true

Suppress Configuration Validator: SecondaryNameNode Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the SecondaryNameNode Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_secondarynamenode_role_env_safety_valve

Required

true

Suppress Configuration Validator: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Configuration Validator: Topology Script File Name

Description

Whether to suppress configuration warnings produced by the Topology Script File Name configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_topology_script_file_name

Required

true

Suppress Parameter Validation: Audit Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Audit Log Directory parameter.

Related Name

Default Value

false

API Name

service_config_suppression_audit_event_log_dir

Required

true

Suppress Configuration Validator: Auto Failover Validator

Description

Whether to suppress configuration warnings produced by the Auto Failover Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_auto_failover_validator

Required

true

Suppress Configuration Validator: Balancer Count Validator

Description

Whether to suppress configuration warnings produced by the Balancer Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_balancer_count_validator

Required

true

Suppress Parameter Validation: Cluster-wide Advanced Configuration Snippet (Safety Valve) for core-site.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cluster-wide Advanced Configuration Snippet (Safety Valve) for core-site.xml parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_core_site_safety_valve

Required

true

Suppress Configuration Validator: DataNode Count Validator**Description**

Whether to suppress configuration warnings produced by the DataNode Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_datanode_count_validator

Required

true

Suppress Parameter Validation: DataNode Local Path Access Users**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the DataNode Local Path Access Users parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_dfs_block_local_path_access_user

Required

true

Suppress Parameter Validation: SASL Custom CallbackHandler Class

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SASL Custom CallbackHandler Class parameter.

Related Name

Default Value

false

API Name

service_config_suppression_dfs_data_transfer_sasl_customizedcallbackhandler_class

Required

true

Suppress Parameter Validation: UNIX Domain Socket path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the UNIX Domain Socket path parameter.

Related Name

Default Value

false

API Name

service_config_suppression_dfs_domain_socket_path

Required

true

Suppress Parameter Validation: HDFS High Availability Fencing Methods

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS High Availability Fencing Methods parameter.

Related Name

Default Value

false

API Name

service_config_suppression_dfs_ha_fencing_methods

Required

true

Suppress Parameter Validation: Private Keys for SSH Fencing Strategy

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Private Keys for SSH Fencing Strategy parameter.

Related Name

Default Value

	false
API Name	service_config_suppression_dfs_ha_fencing_ssh_private_key_files
Required	true

Suppress Parameter Validation: FailoverProxyProvider Class

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the FailoverProxyProvider Class parameter.

Related Name

Default Value
false

API Name
service_config_suppression_dfs_ha_proxy_provider

Required
true

Suppress Parameter Validation: Superuser Group

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Superuser Group parameter.

Related Name

Default Value
false

API Name
service_config_suppression_dfs_permissions_supergroup

Required
true

Suppress Parameter Validation: Replication Factor

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Replication Factor parameter.

Related Name

Default Value
false

API Name
service_config_suppression_dfs_replication

Required
true

Suppress Configuration Validator: Failover Controller Count Validator

Description

Whether to suppress configuration warnings produced by the Failover Controller Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_failovercontroller_count_validator

Required

true

Suppress Parameter Validation: HDFS Health Canary Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS Health Canary Directory parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_firehose_hdfs_canary_directory

Required

true

Suppress Parameter Validation: HDFS Health Canary Directory Permissions**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS Health Canary Directory Permissions parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_firehose_hdfs_canary_directory_permissions

Required

true

Suppress Configuration Validator: Gateway Count Validator**Description**

Whether to suppress configuration warnings produced by the Gateway Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_gateway_count_validator

Required

true

Suppress Parameter Validation: HDFS Service Advanced Configuration Snippet (Safety Valve) for `hadoop-policy.xml`

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS Service Advanced Configuration Snippet (Safety Valve) for `hadoop-policy.xml` parameter.

Related Name

Default Value

false

API Name

`service_config_suppression_hadoop_policy_config_safety_valve`

Required

true

Suppress Configuration Validator: Secure Web UI Validator

Description

Whether to suppress configuration warnings produced by the Secure Web UI Validator configuration validator.

Related Name

Default Value

false

API Name

`service_config_suppression_hadoop_secure_web_ui`

Required

true

Suppress Configuration Validator: Hadoop TLS/SSL Validator

Description

Whether to suppress configuration warnings produced by the Hadoop TLS/SSL Validator configuration validator.

Related Name

Default Value

false

API Name

`service_config_suppression_hadoop_ssl_validator`

Required

true

Suppress Configuration Validator: Data Transfer Encryption Algorithm Validator

Description

Whether to suppress configuration warnings produced by the Data Transfer Encryption Algorithm Validator configuration validator.

Related Name

Default Value

	false
API Name	service_config_suppression_hdfs_encrypt_data_transfer_algorithm_validator
Required	true

Suppress Configuration Validator: HDFS Encryption Validator

Description	Whether to suppress configuration warnings produced by the HDFS Encryption Validator configuration validator.
Related Name	
Default Value	false
API Name	service_config_suppression_hdfs_encryption_validator
Required	true

Suppress Parameter Validation: Shared Hadoop Group Name

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Shared Hadoop Group Name parameter.
Related Name	
Default Value	false
API Name	service_config_suppression_hdfs_hadoop_group_name
Required	true

Suppress Configuration Validator: Check HDFS Permissions Validator

Description	Whether to suppress configuration warnings produced by the Check HDFS Permissions Validator configuration validator.
Related Name	
Default Value	false
API Name	service_config_suppression_hdfs_permissions_validator
Required	true

Suppress Parameter Validation: HDFS Replication Advanced Configuration Snippet (Safety Valve) for core-site.xml

Description	
--------------------	--

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS Replication Advanced Configuration Snippet (Safety Valve) for core-site.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hdfs_replication_core_site_safety_valve

Required

true

Suppress Parameter Validation: HDFS Replication Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS Replication Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hdfs_replication_env_safety_valve

Required

true

Suppress Parameter Validation: HDFS Replication Environment Advanced Configuration Snippet (Safety Valve) for hadoop-env.sh

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS Replication Environment Advanced Configuration Snippet (Safety Valve) for hadoop-env.sh parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hdfs_replication_hadoop_env_sh_safety_valve

Required

true

Suppress Parameter Validation: HDFS Replication Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS Replication Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hdfs_replication_hdfs_site_safety_valve

Required

true

Suppress Parameter Validation: HDFS Service Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS Service Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hdfs_service_config_safety_valve

Required

true

Suppress Parameter Validation: HDFS Service Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hdfs_service_env_safety_valve

Required

true

Suppress Parameter Validation: HDFS Snapshot Shell Command Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS Snapshot Shell Command Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hdfs_shell_cmd_env_safety_valve

Required

true

Suppress Parameter Validation: HDFS Service Advanced Configuration Snippet (Safety Valve) for ssl-server.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS Service Advanced Configuration Snippet (Safety Valve) for ssl-server.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hdfs_ssl_server_safety_valve

Required

true

Suppress Configuration Validator: HDFS Unassigned Upgrade Domains Validator

Description

Whether to suppress configuration warnings produced by the HDFS Unassigned Upgrade Domains Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_hdfs_upgrade_domains_unassigned_validator

Required

true

Suppress Configuration Validator: HDFS Unique Upgrade Domains Validator

Description

Whether to suppress configuration warnings produced by the HDFS Unique Upgrade Domains Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_hdfs_upgrade_domains_unique_validator

Required

true

Suppress Parameter Validation: System User's Home Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User's Home Directory parameter.

Related Name

Default Value

false

API Name

`service_config_suppression_hdfs_user_home_dir`**Required**`true`**Suppress Parameter Validation: HDFS User to Impersonate****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS User to Impersonate parameter.

Related Name**Default Value**`false`**API Name**`service_config_suppression_hdfs_user_to_impersonate`**Required**`true`**Suppress Configuration Validator: HttpFS Count Validator****Description**

Whether to suppress configuration warnings produced by the HttpFS Count Validator configuration validator.

Related Name**Default Value**`false`**API Name**`service_config_suppression_httpfs_count_validator`**Required**`true`**Suppress Parameter Validation: Hue's Kerberos Principal Short Name****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue's Kerberos Principal Short Name parameter.

Related Name**Default Value**`false`**API Name**`service_config_suppression_hue_kerberos_principal_shortname`**Required**`true`**Suppress Parameter Validation: Compression Codecs****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Compression Codecs parameter.

Related Name

Default Value

false

API Name

service_config_suppression_io_compression_codecs

Required

true

Suppress Configuration Validator: JournalNode Count Validator

Description

Whether to suppress configuration warnings produced by the JournalNode Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_journalnode_count_validator

Required

true

Suppress Parameter Validation: Kerberos Principal

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Principal parameter.

Related Name

Default Value

false

API Name

service_config_suppression_kerberos_princ_name

Required

true

Suppress Configuration Validator: NameNode Count Validator

Description

Whether to suppress configuration warnings produced by the NameNode Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_namenode_count_validator

Required

true

Suppress Configuration Validator: Nameservice Checkpoint Configuration Validator

Description

Whether to suppress configuration warnings produced by the Nameservice Checkpoint Configuration Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_nameservice_checkpoint_configuration_validator

Required

true

Suppress Configuration Validator: Nameservice Mountpoints Validator

Description

Whether to suppress configuration warnings produced by the Nameservice Mountpoints Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_nameservice_mountpoints_validator

Required

true

Suppress Configuration Validator: Nameservice Heap Size Validator

Description

Whether to suppress configuration warnings produced by the Nameservice Heap Size Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_nameservice_namenodes_heap_size_validator

Required

true

Suppress Parameter Validation: Audit Event Filter

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Audit Event Filter parameter.

Related Name

Default Value

false

API Name

service_config_suppression_navigator_audit_event_filter

Required

true

Suppress Parameter Validation: HDFS Client Advanced Configuration Snippet (Safety Valve) for navigator.client.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS Client Advanced Configuration Snippet (Safety Valve) for navigator.client.properties parameter.

Related Name

Default Value

false

API Name

service_config_suppression_navigator_client_config_safety_valve

Required

true

Suppress Parameter Validation: Audit Event Tracker

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Audit Event Tracker parameter.

Related Name

Default Value

false

API Name

service_config_suppression_navigator_event_tracker

Required

true

Suppress Configuration Validator: NFS High Availability Validator

Description

Whether to suppress configuration warnings produced by the NFS High Availability Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_nfs_ha_validator

Required

true

Suppress Configuration Validator: NFS Gateway Count Validator

Description

Whether to suppress configuration warnings produced by the NFS Gateway Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_nfsgateway_count_validator

Required

true

Suppress Parameter Validation: System Group**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: System User**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_username

Required

true

Suppress Parameter Validation: Ranger DFS Audit Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger DFS Audit Path parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_audit_hdfs_dir

Required

true

Suppress Parameter Validation: Ranger Audit DFS Spool Dir**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Audit DFS Spool Dir parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_audit_hdfs_spool_dir

Required

true

Suppress Parameter Validation: HDFS Service Advanced Configuration Snippet (Safety Valve) for ranger-hdfs-audit.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS Service Advanced Configuration Snippet (Safety Valve) for ranger-hdfs-audit.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_audit_safety_valve

Required

true

Suppress Parameter Validation: Ranger Audit Solr Spool Dir

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Audit Solr Spool Dir parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_audit_solr_spool_dir

Required

true

Suppress Parameter Validation: Ranger Service Name

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Service Name parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_plugin_service_name

Required

true

Suppress Parameter Validation: Ranger Plugin Trusted Proxy IP Address**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Plugin Trusted Proxy IP Address parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_plugin_trusted_proxy_ipaddress

Required

true

Suppress Parameter Validation: Ranger Policy Cache Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Policy Cache Directory parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_policy_cache_dir

Required

true

Suppress Parameter Validation: HDFS Service Advanced Configuration Snippet (Safety Valve) for ranger-hdfs-policymgr-ssl.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS Service Advanced Configuration Snippet (Safety Valve) for ranger-hdfs-policymgr-ssl.xml parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_policymgr_ssl_safety_valve

Required

true

Suppress Parameter Validation: HDFS Service Advanced Configuration Snippet (Safety Valve) for ranger-hdfs-security.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS Service Advanced Configuration Snippet (Safety Valve) for ranger-hdfs-security.xml parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_security_safety_valve

Required

true

Suppress Configuration Validator: SecondaryNameNode Count Validator**Description**

Whether to suppress configuration warnings produced by the SecondaryNameNode Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_secondarynamenode_count_validator

Required

true

Suppress Parameter Validation: Service Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_service_triggers

Required

true

Suppress Configuration Validator: Short-Circuit Read Enabled Validator**Description**

Whether to suppress configuration warnings produced by the Short-Circuit Read Enabled Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_short_circuit_read_validator

Required

true

Suppress Parameter Validation: Service Monitor Client Config Overrides**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Client Config Overrides parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_smon_client_config_overrides

Required

true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_smon_derived_configs_safety_valve

Required

true

Suppress Parameter Validation: Hadoop TLS/SSL Server Keystore Key Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hadoop TLS/SSL Server Keystore Key Password parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ssl_server_keystore_keypassword

Required

true

Suppress Parameter Validation: Hadoop TLS/SSL Server Keystore File Location**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hadoop TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: Hadoop TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hadoop TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ssl_server_keystore_password

Required

true

Suppress Health Test: Corrupt Blocks

Description

Whether to suppress the results of the Corrupt Blocks health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

service_health_suppression_hdfs_blocks_with_corrupt_replicas

Required

true

Suppress Health Test: HDFS Canary

Description

Whether to suppress the results of the HDFS Canary health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

service_health_suppression_hdfs_canary_health

Required

true

Suppress Health Test: DataNode Health

Description

Whether to suppress the results of the DataNode Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_hdfs_data_nodes_healthy

Required

true

Suppress Health Test: Failover Controllers Health

Description

Whether to suppress the results of the Failover Controllers Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_hdfs_failover_controllers_healthy

Required

true

Suppress Health Test: Free Space

Description

Whether to suppress the results of the Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_hdfs_free_space_remaining

Required

true

Suppress Health Test: NameNode Health

Description

Whether to suppress the results of the NameNode Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

service_health_suppression_hdfs_ha_namenode_health

Required

true

Suppress Health Test: Missing Blocks**Description**

Whether to suppress the results of the Missing Blocks health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_hdfs_missing_blocks

Required

true

Suppress Health Test: Under-Replicated Blocks**Description**

Whether to suppress the results of the Under-Replicated Blocks health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_hdfs_under_replicated_blocks

Required

true

Suppress Health Test: Erasure Coding Policy Verification Test**Description**

Whether to suppress the results of the Erasure Coding Policy Verification Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_hdfs_verify_ec_with_topology

Required

true

Hive Properties in Cloudera Runtime 7.3.1

Role groups:

Gateway

Advanced

Deploy Directory

Description

The directory where the client configs will be deployed

Related Name

Default Value

/etc/hive

API Name

client_config_root_dir

Required

true

Hive Client Advanced Configuration Snippet (Safety Valve) for hive-site.xml

Description

For advanced use only, a string to be inserted into the client configuration for hive-site.xml.

Related Name

Default Value

API Name

hive_client_config_safety_valve

Required

false

Gateway Client Environment Advanced Configuration Snippet (Safety Valve) for hive-env.sh

Description

For advanced use only, key-value pairs (one on each line) to be inserted into the client configuration for hive-env.sh

Related Name

Default Value

API Name

hive_client_env_safety_valve

Required

false

Client Java Configuration Options

Description

These are Java command-line arguments. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here.

Related Name**Default Value**`-Djava.net.preferIPv4Stack=true`**API Name**`hive_client_java_opts`**Required**`false`**Hive Metastore Connection Timeout****Description**

Timeout for requests to the Hive Metastore Server. Consider increasing this if you have tables with a lot of metadata and see timeout errors. Used by most Hive Metastore clients such as Hive CLI and HiveServer2, but not by Impala. Impala has a separately configured timeout.

Related Name`hive.metastore.client.socket.timeout`**Default Value**`5 minute(s)`**API Name**`hive_metastore_timeout`**Required**`false`**Gateway Logging Advanced Configuration Snippet (Safety Valve)****Description**

For advanced use only, a string to be inserted into `log4j.properties` for this role only.

Related Name**Default Value****API Name**`log4j_safety_valve`**Required**`false`**Logs****Gateway Logging Threshold****Description**

The minimum log level for Gateway logs

Related Name**Default Value**`INFO`**API Name**`log_threshold`**Required**`false`

Monitoring

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Other

Alternatives Priority

Description

The priority level that the client configuration will have in the Alternatives system on the hosts. Higher priority levels will cause Alternatives to prefer this configuration over any others.

Related Name**Default Value**

90

API Name

client_config_priority

Required

true

Resource Management

Client Java Heap Size in Bytes

Description

Maximum size in bytes for the Java process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

2 GiB

API Name

hive_client_java_heapsize

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Deploy Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Deploy Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Parameter Validation: Hive Client Advanced Configuration Snippet (Safety Valve) for hive-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Client Advanced Configuration Snippet (Safety Valve) for hive-site.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hive_client_config_safety_valve

Required

true

Suppress Parameter Validation: Gateway Client Environment Advanced Configuration Snippet (Safety Valve) for hive-env.sh

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway Client Environment Advanced Configuration Snippet (Safety Valve) for hive-env.sh parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hive_client_env_safety_valve

Required

true

Suppress Parameter Validation: Client Java Configuration Options

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Client Java Configuration Options parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_client_java_opts

Required

true

Suppress Parameter Validation: Gateway Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Hive Metastore Server

Advanced

Turn on compactor initiator thread.

Description

When enabled, the initiator and cleaner threads will run on this Hive Metastore instance.

Related Name

hive.compactor.initiator.on

Default Value

true

API Name

hive_compactor_initiator_on

Required

true

Number of Threads Used by Compactor

Description

Number of compactor worker threads to run on this metastore instance. Can be different values on different Metastore instances.

Related Name

hive.compactor.worker.threads

Default Value

5

API Name

hive_compactor_worker_threads

Required

true

Base Directory for Hive Proto Hook**Description**

The directory where hive proto hooks should write the events, should generally be location of query_data table under sys.db database.

Related Name

hive.hook.proto.base-directory

Default Value

/warehouse/tablespace/managed/hive/sys.db/query_data/

API Name

hive_hook_proto_base_directory

Required

false

Enable additional acid related metrics**Description**

Whether to collect additional acid related metrics outside of the acid metrics service. (metastore.metrics.enabled and/or hive.server2.metrics.enabled are also required to be set to true.)

Related Name

hive.metastore.acidmetrics.ext.on

Default Value

false

API Name

hive_metastore_acid_metrics_ext_on

Required

true

Hive Metastore Server Advanced Configuration Snippet (Safety Valve) for hive-site.xml**Description**

For advanced use only. A string to be inserted into hive-site.xml for this role only.

Related Name**Default Value****API Name**

hive_metastore_config_safety_valve

Required

false

Hive Metastore Delegation Token Store

Description

The delegation token store implementation class. Use DBTokenStore for Highly Available Metastore Configuration.

Related Name

hive.cluster.delegation.token.store.class

Default Value

org.apache.hadoop.hive.thrift.DBTokenStore

API Name

hive_metastore_delegation_token_store

Required

false

Hive Metastore Server Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

hive_metastore_env_safety_valve

Required

false

Turn on Hive Metastore housekeeping threads.

Description

When enabled, the threads listed under metastore.task.threads.remote (defaults: AcidHouseKeeperService, AcidOpenTxnsCounterService, AcidCompactionHistoryService, AcidWriteSetService, MaterializationsRebuildLockCleanerTask, PartitionManagementTask) will be started when the Hive Metastore is started.

Related Name

hive.metastore.housekeeping.threads.on

Default Value

true

API Name

hive_metastore_housekeeping_threads_on

Required

true

Java Configuration Options for Hive Metastore Server

Description

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or greater, {{JAVA_GC_ARGS}} will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name

Default Value

JAVA_GC_ARGS

API Name

hive_metastore_java_opts

Required

false

Max Hive Metastore Server Threads

Description

Maximum number of worker threads in the Hive Metastore Server's thread pool

Related Name

hive.metastore.server.max.threads

Default Value

100000

API Name

hive_metastore_max_threads

Required

true

Min Hive Metastore Server Threads

Description

Minimum number of worker threads in the Hive Metastore Server's thread pool

Related Name

hive.metastore.server.min.threads

Default Value

200

API Name

hive_metastore_min_threads

Required

true

Max Message Size for Hive MetaStore

Description

Maximum message size Hive MetaStore accepts.

Related Name

hive.metastore.server.max.message.size

Default Value

100 MiB

API Name

hive_metastore_server_max_message_size

Required

false

Enable Metrics Subsystem

Description

Controls whether the Hive metrics subsystem is enabled for the role.

Related Name

hive.metastore.metrics.enabled

Default Value

true

API Name

hive_metrics_enabled

Required

false

Metrics Sample File Location**Description**

The full path to a file with a sample of metrics exposed by the role. The sample is updated at the frequency configured by Metrics Sample File Logging Frequency. By default, the sample file is logged to a directory under the role log directory, e.g., `/var/log/hive/metrics-hivemetastore/metrics.log`. The setting only has an effect if "Enable Metrics Subsystem" is set to true.

Related Name

hive.service.metrics.file.location

Default Value**API Name**

hive_metrics_sample_file_location

Required

false

Metrics Sample File Logging Frequency**Description**

The frequency at which the metrics are logged to the sample file. The setting only has an effect if "Enable Metrics Subsystem" is set to true.

Related Name

hive.service.metrics.file.frequency

Default Value

30 second(s)

API Name

hive_metrics_sample_logging_frequency

Required

false

Hive Metastore Server Advanced Configuration Snippet (Safety Valve) for core-site.xml**Description**

For advanced use only. A string to be inserted into `core-site.xml` for this role only.

Related Name**Default Value****API Name**

hms_core_site_safety_valve

Required

false

Hive Metastore Server Logging Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations**Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name

Default Value

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory

Description

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name

Default Value

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name

Default Value

false

API Name

process_auto_restart

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name

Default Value

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name

Default Value

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name

Default Value

20

API Name

process_start_secs

Required

false

Logs

Hive Metastore Server Log Directory

Description

Directory where Hive Metastore Server will place its log files.

Related Name

Default Value

/var/log/hive

API Name

hive_log_dir

Required

false

Enable Performance Logging

Description

When enabled, it captures time spent during each part of the query execution for the role.

Related Name

hive.metastore.performance.logging.enabled

Default Value

true

API Name

hive_performance_logging_enabled

Required

false

Hive Metastore Server Logging Threshold**Description**

The minimum log level for Hive Metastore Server logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Hive Metastore Server Maximum Log File Backups**Description**

The maximum number of rolled log files to keep for Hive Metastore Server logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

Hive Metastore Server Max Log Size**Description**

The maximum size, in megabytes, per log file for Hive Metastore Server logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name

Default Value

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

hivemetastore_fd_thresholds

Required

false

Hive Metastore Server Host Health Test**Description**

When computing the overall Hive Metastore Server health, consider the host's health.

Related Name**Default Value**

true

API Name

hivemetastore_host_health_enabled

Required

false

Pause Duration Thresholds**Description**

The health test thresholds for the weighted average extra time the pause monitor spent paused. Specified as a percentage of elapsed wall clock time.

Related Name**Default Value**

Warning: 30.0, Critical: 60.0

API Name

hivemetastore_pause_duration_thresholds

Required

false

Pause Duration Monitoring Period**Description**

The period to review when computing the moving average of extra time the pause monitor spent paused.

Related Name

Default Value

5 minute(s)

API Name

hivemetastore_pause_duration_window

Required

false

Hive Metastore Server Process Health Test

Description

Enables the health test that the Hive Metastore Server's process state is consistent with the role configuration

Related Name

Default Value

true

API Name

hivemetastore_scm_health_enabled

Required

false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name

Default Value

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name

Default Value

```
startDelaySeconds: 10 ssl: false lowercaseOutputName: true lowercaseOutputLabelNames: true
rules: - pattern: 'metrics<name=(compaction_num_*)><>(.*): (\d+)' name: hive_$1 value: $3
- pattern: 'metrics<name=(jvm\pause.*)><>(.*): (\d+)' name: hive_$1_$2 value: $3 - pattern:
'metrics<name=((compaction_)?oldest.*age_in_sec)><>(.*): (\d+)' name: hive_$1 value: $4 -
pattern: 'metrics<name=((total_)?num.*_transactions)><>(.*): (\d+)' name: hive_$1 value: $4
- pattern: 'metrics<name=(open_connections)><>(.*): (\d+)' name: hive_$1 value: $3 - pattern:
'metrics<name=(num_writes_to_disabled_compaction_table)><>(.*): (\d+)' name: hive_$1 value:
$3
```

API Name

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Hive Metastore Canary Health Test**Description**

Enables the health test that checks that basic Hive Metastore operations succeed

Related Name**Default Value**

true

API Name

metastore_canary_health_enabled

Required

false

Navigator Audit Failure Thresholds**Description**

The health test thresholds for failures encountered when monitoring audits within a recent period specified by the `mgmt_navigator_failure_window` configuration for the role. The value that can be specified for this threshold is the number of bytes of audits data that is left to be sent to audit server.

Related Name

`mgmt.navigators.failure.thresholds`

Default Value

Warning: Never, Critical: Any

API Name

`mgmt_navigator_failure_thresholds`

Required

false

Monitoring Period For Audit Failures**Description**

The period to review when checking if audits are blocked and not getting processed.

Related Name

`mgmt.navigators.failure.window`

Default Value

20 minute(s)

API Name

`mgmt_navigator_failure_window`

Required

false

Navigator Audit Pipeline Health Check**Description**

Enable test of audit events processing pipeline. This will test if audit events are not getting processed by Audit Server for a role that generates audit.

Related Name

`mgmt.navigators.status.check.enabled`

Default Value

true

API Name

`mgmt_navigator_status_check_enabled`

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.

- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name

Default Value

API Name

`monitoring_metric_filter`

Required

`false`

OpenTelemetry Collector Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

`otelcol_exporters`

Required

`false`

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value**

11120

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
processors: filter/$ROLE_NAME: metrics: include: match_type: strict metric_names:
#memory - jvm_buffer_pool_used_bytes - jvm_buffer_pool_capacity_bytes -
jvm_buffer_pool_used_buffers - jvm_memory_bytes_used - jvm_memory_bytes_committed -
jvm_memory_bytes_max - jvm_memory_bytes_init #gc - jvm_gc_collection_seconds #threads
- jvm_threads_current - jvm_threads_daemon - jvm_threads_peak - jvm_threads_started_total
- jvm_threads_deadlocked - jvm_threads_deadlocked_monitor - jvm_threads_state
#classes - jvm_classes_currently_loaded #process - process_cpu_seconds_total -
process_start_time_seconds - process_open_fds - process_virtual_memory_bytes
#jvm pause - hive_jvm_pause_extrasleeptime_count #compaction num -
hive_compaction_num_completed_txn_components - hive_compaction_num_did_not_initiate -
hive_compaction_num_failed - hive_compaction_num_initiated - hive_compaction_num_initiators
- hive_compaction_num_ready_for_cleaning - hive_compaction_num_succeeded -
hive_compaction_num_working #oldest age in sec - hive_oldest_open_non_repl_txn_age_in_sec
- hive_oldest_open_repl_txn_age_in_sec - hive_oldest_ready_for_cleaning_age_in_sec -
hive_compaction_oldest_enqueue_age_in_sec #num transactions - hive_num_open_transactions
- hive_total_num_aborted_transactions - hive_total_num_committed_transactions -
hive_total_num_timed_out_transactions #open connections - hive_open_connections #disabled
compaction table - hive_num_writes_to_disabled_compaction_table
```

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The

follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

receivers: prometheus/\$ROLE_NAME: config: scrape_configs: - job_name: 'DMP-\$ROLE_NAME' scrape_interval: 60s scheme: http tls_config: insecure_skip_verify: true static_configs: - targets: ['localhost:\$ROLE_PARAM(otelcol_helper_port)'] labels: host_name: \$HOST_NAME cm_cluster_id: \$CLUSTER_ID service_type: \$SERVICE_TYPE service: \$SERVICE_NAME role_type: \$ROLE_TYPE role_name: \$ROLE_NAME instance: \$INFRA(instance_id) cluster_id: \$INFRA(cluster_id) platform: \$INFRA(platform) formfactor: paas-vm relabel_configs: - source_labels: [cluster_id] regex: 'crn:cdp:([:^:]+):.*' replacement: '\$\$1' target_label: app_type action: replace

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name

Default Value

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username**Description**

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value**API Name**

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
service: pipelines: metrics/$ROLE_NAME: receivers: [prometheus/$ROLE_NAME] processors: [filter/$ROLE_NAME] exporters: [prometheusremotewrite/$ROLE_NAME]
```

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

true

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name

Default Value

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds

Description

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window

Description

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Enable Spool Directory Metric Usage for Hive Metastore Server

Description

Enables the health test for monitoring the Ranger Plugin Spool directory usage.

Related Name

Default Value

true

API Name

spool_directory_usage_enabled

Required

false

Ranger Plugin Spool Directory Usage Thresholds for Hive Metastore Server

Description

The health test thresholds for monitoring the the Ranger Plugin Spool directory usage.

Related Name

Default Value

1 GiB

API Name

spool_directory_usage_threshold

Required

false

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name

Default Value

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name

Default Value

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

Enable Stored Notifications in Database

Description

Enable stored notifications of metadata changes. When enabled, each metadata change will be stored in NOTIFICATION_LOG.

Related Name**Default Value**

true

API Name

hive_enable_db_notification

Required

false

Enable Readonly mode for databases

Description

Registers Pre-execution hook which makes database readonly.

Related Name**Default Value**

false

API Name

hive_enforce_read_only

Required

false

Time-to-live for Database Notifications

Description

Time-to-live in seconds for notifications present in NOTIFICATION_LOG. Only used when Enable Stored Notifications in Database is enabled.

Related Name

hive.metastore.event.db.listener.timetolive

Default Value

2 day(s)

API Name

hive_metastore_event_db_listener_timetolive

Required

false

Hive Metastore Server Filter Hook

Description

Class name for the Hive Metastore Server Filter Hook. The class needs to implement the org.apache.hadoop.hive.metastore.MetastoreFilterHook interface.

Related Name

hive.metastore.filter.hook

Default Value

org.apache.hadoop.hive.ql.security.authorization.plugin.metastore.HiveMetaStoreAuthorizer

API Name

hive_metastore_filter_hook

Required

false

Enable Hive Metastore Server Filter

Description

When checked, the Hive Metastore Server will filter results based on the Filter Hook.

Related Name

hive.metastore.server.filter.enabled

Default Value

true

API Name

hive_metastore_server_filter_enabled

Required

false

ChangeManager root directory

Description

Root dir for ChangeManager, used for deleted files.

Related Name

hive.repl.cmrootdir

Default Value

/user/\$user/cmroot

API Name

hive_repl_cm_rootdir

Required

false

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name

Default Value

API Name

rlimit_fds

Required

false

Ports and Addresses

Hive Metastore Server Port

Description

Port on which Hive Metastore Server will listen for connections.

Related Name

hive.metastore.port

Default Value

9083

API Name

hive_metastore_port

Required

false

Resource Management

Java Heap Size of Hive Metastore Server in Bytes

Description

Maximum size in bytes for the Java Process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

8 GiB

API Name

hive_metastore_java_heapsize

Required

false

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares

Description

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role

when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

	io.weight
Default Value	100
API Name	rm_io_weight
Required	true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as

page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

	jstack
API Name	stacks_collection_method
Required	false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description	Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_cdh_version_validator
Required	true

Suppress Configuration Validator: Hive Metastore Max Message Size Validator

Description	Whether to suppress configuration warnings produced by the Hive Metastore Max Message Size Validator configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_hive_hms_max_message_size_validator
Required	true

Suppress Parameter Validation: Base Directory for Hive Proto Hook

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Base Directory for Hive Proto Hook parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_hive_hook_proto_base_directory
Required	true

Suppress Parameter Validation: Hive Metastore Server Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Metastore Server Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_log_dir

Required

true

Suppress Parameter Validation: Hive Metastore Server Advanced Configuration Snippet (Safety Valve) for hive-site.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Metastore Server Advanced Configuration Snippet (Safety Valve) for hive-site.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_metastore_config_safety_valve

Required

true

Suppress Parameter Validation: Hive Metastore Server Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Metastore Server Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_metastore_env_safety_valve

Required

true

Suppress Parameter Validation: Hive Metastore Server Filter Hook**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Metastore Server Filter Hook parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_metastore_filter_hook

Required

true

Suppress Parameter Validation: Java Configuration Options for Hive Metastore Server

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for Hive Metastore Server parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hive_metastore_java_opts

Required

true

Suppress Parameter Validation: Hive Metastore Server Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Metastore Server Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hive_metastore_port

Required

true

Suppress Parameter Validation: Metrics Sample File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Metrics Sample File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hive_metrics_sample_file_location

Required

true

Suppress Parameter Validation: ChangeManager root directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the ChangeManager root directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_repl_cm_rootdir

Required

true

Suppress Parameter Validation: Hive Metastore Server Advanced Configuration Snippet (Safety Valve) for core-site.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Metastore Server Advanced Configuration Snippet (Safety Valve) for core-site.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hms_core_site_safety_valve

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Hive Metastore Server Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Metastore Server Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test

Description

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hivemetastore_audit_health

Required

true

Suppress Health Test: Hive Metastore Canary

Description

Whether to suppress the results of the Hive Metastore Canary health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hivemetastore_canary_health

Required

true

Suppress Health Test: File Descriptors

Description

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hivemetastore_file_descriptor

Required

true

Suppress Health Test: Heap Dump Directory Free Space

Description

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_hivemetastore_heap_dump_directory_free_space

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hivemetastore_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hivemetastore_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hivemetastore_otelcol_health

Required

true

Suppress Health Test: Pause Duration**Description**

Whether to suppress the results of the Pause Duration health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hivemetastore_pause_duration

Required

true

Suppress Health Test: Ranger Plugin Hdfs Spool Directory Size**Description**

Whether to suppress the results of the Ranger Plugin Hdfs Spool Directory Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hivemetastore_ranger_plugin_hdfs_spool_directory_size_health

Required

true

Suppress Health Test: Ranger Plugin Solr Spool Directory Size**Description**

Whether to suppress the results of the Ranger Plugin Solr Spool Directory Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hivemetastore_ranger_plugin_solr_spool_directory_size_health

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_hivemetastore_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hivemetastore_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hivemetastore_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits**Description**

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hivemetastore_unexpected_exits

Required

true

HiveServer2

Advanced

HiveServer2 Advanced Configuration Snippet (Safety Valve) for hive-site.xml

Description

For advanced use only. A string to be inserted into hive-site.xml for this role only.

Related Name**Default Value****API Name**

hive_hs2_config_safety_valve

Required

false

HiveServer2 Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

hive_hs2_env_safety_valve

Required

false

Hive Metastore Connection Retries Count

Description

Number of retries while opening a connection to the Hive Metastore Server

Related Name

hive.metastore.connect.retries

Default Value

10

API Name

hive_metastore_connection_retries

Required

false

Enable Metrics Subsystem

Description

Controls whether the Hive metrics subsystem is enabled for the role.

Related Name

hive.server2.metrics.enabled

Default Value

true

API Name

hive_metrics_enabled

Required

false

Metrics Sample File Location**Description**

The full path to a file with a sample of metrics exposed by the role. The sample is updated at the frequency configured by Metrics Sample File Logging Frequency. By default, the sample file is logged to a directory under the role log directory, e.g., /var/log/hive/metrics-hivemetastore/metrics.log. The setting only has an effect if "Enable Metrics Subsystem" is set to true.

Related Name

hive.service.metrics.file.location

Default Value**API Name**

hive_metrics_sample_file_location

Required

false

Metrics Sample File Logging Frequency**Description**

The frequency at which the metrics are logged to the sample file. The setting only has an effect if "Enable Metrics Subsystem" is set to true.

Related Name

hive.service.metrics.file.frequency

Default Value

30 second(s)

API Name

hive_metrics_sample_logging_frequency

Required

false

Hive security authorization SQL Config whitelist append**Description**

List of comma separated Java regexes, to be appended to list set in "hive.security.authorization.sqlstd.confwhitelist. Using this list instead of updating the original list means that you can append to the defaults.

Related Name

hive.security.authorization.sqlstd.confwhitelist.append

Default Value**API Name**

hive_security_authorization_sqlstd_confwhitelist_append

Required

false

Hive Downloaded Resources Directory

Description

Local directory where Hive stores jars downloaded for remote file systems (HDFS). If not specified, Hive uses a default location.

Related Name

hive.downloaded.resources.dir

Default Value**API Name**

hiveserver2_downloaded_resources_dir

Required

false

Enable Explain Logging

Description

When enabled, HiveServer2 logs EXPLAIN EXTENDED output for every query at INFO log4j level.

Related Name

hive.log.explain.output

Default Value

false

API Name

hiveserver2_enable_explain_output

Required

false

Hive Local Scratch Directory

Description

Local Directory where Hive stores jars and data when performing a MapJoin optimization. If not specified, Hive uses a default location.

Related Name

hive.exec.local.scratchdir

Default Value**API Name**

hiveserver2_exec_local_scratchdir

Required

false

Hive HDFS Scratch Directory

Description

Directory in HDFS where Hive writes intermediate data between MapReduce jobs. If not specified, Hive uses a default location.

Related Name

hive.exec.scratchdir

Default Value**API Name**

hiveserver2_exec_scratchdir

Required

false

Fair Scheduler XML Advanced Configuration Snippet (Safety Valve)**Description**

An XML string that will be inserted verbatim into the Fair Scheduler allocations file. This configuration only has effect in CDH 5.8 or later.

Related Name**Default Value****API Name**

hiveserver2_fair_scheduler_safety_valve

Required

false

Idle Operation Timeout**Description**

Operation will be closed when not accessed for this duration of time, in milliseconds; disable by setting to zero. For a positive value, checked for operations in terminal state only (FINISHED, CANCELED, CLOSED, ERROR). For a negative value, checked for all of the operations regardless of state.

Related Name

hive.server2.idle.operation.timeout

Default Value

6 hour(s)

API Name

hiveserver2_idle_operation_timeout

Required

false

Idle Session Timeout**Description**

Session will be closed when not accessed for this duration of time, in milliseconds; disable by setting to zero or a negative value.

Related Name

hive.server2.idle.session.timeout

Default Value

1 day(s)

API Name

hiveserver2_idle_session_timeout

Required

false

Exclude Live Operations From Session Idle Time**Description**

Session will be considered to be idle only if there is no activity, and there is no pending operation. This setting takes effect only if session idle timeout (`hive.server2.idle.session.timeout`) and checking (`hive.server2.session.check.interval`) are enabled.

Related Name

`hive.server2.idle.session.check.operation`

Default Value

`true`

API Name

`hiveserver2_idle_session_timeout_check_operation`

Required

`false`

Java Configuration Options for HiveServer2

Description

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or greater, `{{JAVA_GC_ARGS}}` will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name**Default Value**

`JAVA_GC_ARGS`

API Name

`hiveserver2_java_opts`

Required

`false`

Maximum Query String Length for Show Locks

Description

The maximum length allowed for the query string when the `SHOW LOCKS EXTENDED` command is executed. Important: The query string is truncated at the length set for this property. Setting this property to a large value puts pressure on ZooKeeper and might cause out-of-memory issues.

Related Name

`hive.lock.query.string.max.length`

Default Value

`10000`

API Name

`hiveserver2_lock_query_string_max_length`

Required

`false`

Max HiveServer2 Threads

Description

Maximum number of worker threads in HiveServer2's thread pool

Related Name

`hive.server2.thrift.max.worker.threads`

Default Value

500

API Name

hiveserver2_max_threads

Required

true

Min HiveServer2 Threads**Description**

Minimum number of worker threads in HiveServer2's thread pool

Related Name

hive.server2.thrift.min.worker.threads

Default Value

5

API Name

hiveserver2_min_threads

Required

true

Session Check Interval**Description**

The check interval for session/operation timeout, in milliseconds, which can be disabled by setting to zero or a negative value.

Related Name

hive.server2.session.check.interval

Default Value

15 minute(s)

API Name

hiveserver2_session_check_interval

Required

false

HiveServer2 WebUI Max Threads**Description**

The max threads for the HiveServer2 WebUI.

Related Name

hive.server2.webui.max.threads

Default Value

50

API Name

hiveserver2_webui_max_threads

Required

false

HiveServer2 Advanced Configuration Snippet (Safety Valve) for core-site.xml

Description

For advanced use only. A string to be inserted into core-site.xml for this role only.

Related Name**Default Value****API Name**

hs2_core_site_safety_valve

Required

false

HiveServer2 Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory

Description

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Logs**HiveServer2 Log Directory****Description**

Directory where HiveServer2 will place its log files.

Related Name**Default Value**

/var/log/hive

API Name

hive_log_dir

Required

false

Enable Performance Logging

Description

When enabled, it captures time spent during each part of the query execution for the role.

Related Name

hive.server2.performance.logging.enabled

Default Value

true

API Name

hive_performance_logging_enabled

Required

false

Enable HiveServer2 Operations Logging

Description

When enabled, HiveServer2 will temporarily save logs associated with ongoing operations. This enables clients like beeline and Hue to request and display logs for a particular ongoing operation. Logs are removed upon completion of operation.

Related Name

hive.server2.logging.operation.enabled

Default Value

true

API Name

hive_server2_logging_operation_enabled

Required

false

HiveServer2 Operations Log Directory

Description

Top level directory where operation logs are temporarily stored if Enable HiveServer2 Operations Logging is true. Logs are stored in session and operation level subdirectories under this location and are removed on completion of operation.

Related Name

hive.server2.logging.operation.log.location

Default Value

/var/log/hive/operation_logs

API Name

hive_server2_logging_operation_log_location

Required

false

HiveServer2 Logging Threshold

Description

The minimum log level for HiveServer2 logs

Related Name

Default Value

INFO

API Name

log_threshold

Required

false

HiveServer2 Maximum Log File Backups**Description**

The maximum number of rolled log files to keep for HiveServer2 logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

HiveServer2 Max Log Size**Description**

The maximum size, in megabytes, per log file for HiveServer2 logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring**Enable Health Alerts for this Role****Description**

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

Hive Downloaded Resources Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's Hive Downloaded Resources Directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

hiveserver2_downloaded_resources_directory_free_space_absolute_thresholds

Required

false

Hive Downloaded Resources Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's Hive Downloaded Resources Directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Hive Downloaded Resources Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

hiveserver2_downloaded_resources_directory_free_space_percentage_thresholds

Required

false

Hive Local Scratch Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's Hive Local Scratch Directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

hiveserver2_exec_local_scratch_directory_free_space_absolute_thresholds

Required

false

Hive Local Scratch Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's Hive Local Scratch Directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Hive Local Scratch Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

hiveserver2_exec_local_scratch_directory_free_space_percentage_thresholds

Required

false

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

hiveserver2_fd_thresholds

Required

false

HiveServer2 Host Health Test**Description**

When computing the overall HiveServer2 health, consider the host's health.

Related Name**Default Value**

true

API Name

hiveserver2_host_health_enabled

Required

false

Pause Duration Thresholds**Description**

The health test thresholds for the weighted average extra time the pause monitor spent paused. Specified as a percentage of elapsed wall clock time.

Related Name**Default Value**

Warning: 30.0, Critical: 60.0

API Name

hiveserver2_pause_duration_thresholds

Required

false

Pause Duration Monitoring Period**Description**

The period to review when computing the moving average of extra time the pause monitor spent paused.

Related Name**Default Value**

5 minute(s)

API Name

hiveserver2_pause_duration_window

Required

false

HiveServer2 Process Health Test

Description

Enables the health test that the HiveServer2's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

hiveserver2_scm_health_enabled

Required

false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

```
startDelaySeconds: 10 ssl: false lowercaseOutputName: true lowercaseOutputLabelNames: true
rules: - pattern: 'metrics<name=(jvm\.pause\.*)><>(.*): (\d+)' name: hive_${1}_${2} value: $3
```

API Name

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Navigator Audit Failure Thresholds**Description**

The health test thresholds for failures encountered when monitoring audits within a recent period specified by the mgmt_navigator_failure_window configuration for the role. The value that can be specified for this threshold is the number of bytes of audits data that is left to be sent to audit server.

Related Name

mgmt.navigator.failure.thresholds

Default Value

Warning: Never, Critical: Any

API Name

mgmt_navigator_failure_thresholds

Required

false

Monitoring Period For Audit Failures**Description**

The period to review when checking if audits are blocked and not getting processed.

Related Name

mgmt.navigator.failure.window

Default Value

20 minute(s)

API Name

mgmt_navigator_failure_window

Required

false

Navigator Audit Pipeline Health Check**Description**

Enable test of audit events processing pipeline. This will test if audit events are not getting processed by Audit Server for a role that generates audit.

Related Name

mgmt.navigator.status.check.enabled

Default Value

true

API Name

mgmt_navigator_status_check_enabled

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking [View as JSON](#). In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name**Default Value****API Name**

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value

11121

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
processors: filter/$ROLE_NAME: metrics: include: match_type: strict metric_names: #memory -
jvm_buffer_pool_used_bytes - jvm_buffer_pool_capacity_bytes - jvm_buffer_pool_used_buffers
- jvm_memory_bytes_used - jvm_memory_bytes_committed - jvm_memory_bytes_max -
jvm_memory_bytes_init #gc - jvm_gc_collection_seconds #threads - jvm_threads_current -
jvm_threads_daemon - jvm_threads_peak - jvm_threads_started_total - jvm_threads_deadlocked
- jvm_threads_deadlocked_monitor - jvm_threads_state #classes - jvm_classes_currently_loaded
```

```
#process - process_cpu_seconds_total - process_start_time_seconds - process_open_fds -
process_virtual_memory_bytes #jvm pause - hive_jvm_pause_extrasleeptime_count
```

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

```
receivers: prometheus/$ROLE_NAME: config: scrape_configs: - job_name: 'DMP-$ROLE_NAME'
scrape_interval: 60s scheme: http tls_config: insecure_skip_verify: true static_configs: -
targets: ['localhost:$ROLE_PARAM(otelcol_helper_port)'] labels: host_name: $HOST_NAME
cm_cluster_id: $CLUSTER_ID service_type: $SERVICE_TYPE service: $SERVICE_NAME
role_type: $ROLE_TYPE role_name: $ROLE_NAME instance: $INFRA(instance_id) cluster_id:
$INFRA(cluster_id) platform: $INFRA(platform) formfactor: paas-vm relabel_configs: -
source_labels: [cluster_id] regex: 'crn:cdp:([:^:]+):.*' replacement: '$$1' target_label: app_type
action: replace
```

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name

Default Value

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

`$INFRA(cdp_request_signer_url)`

API Name

`otelcol_remote_write_url`

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify `$INFRA(cdp_request_signer_username)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

`$INFRA(cdp_request_signer_username)`

API Name

`otelcol_remote_write_user`

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

`otelcol_rtm_logs_exporters`

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
service: pipelines: metrics:$ROLE_NAME: receivers: [prometheus:$ROLE_NAME] processors: [filter:$ROLE_NAME] exporters: [prometheusremotewrite:$ROLE_NAME]
```

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

true

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds

Description

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `{ "triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAM and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true" }` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period**Description**

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other**Hive Iceberg data files allow in the table location****Description**

If this is set to true, then all the data files being read should be within the table location

Related Name

hive.iceberg.allow.datafiles.in.table.location.only

Default Value

true

API Name

hive_iceberg_allow_datafiles_in_table_location_only

Required

false

Restrict Cross Joins (Cartesian Products)**Description**

Whether to allow queries with cross joins. If set to true, queries that contain this pattern throw a compile-time error.

Related Name

hive.strict.checks.cartesian.product

Default Value

false

API Name

hive_restrict_cross_joins

Required

false

Restrict LOAD Queries Against Bucketed Tables**Description**

Whether to allow LOAD queries against bucketed tables. If set to true, queries that contain this pattern throw a compile-time error.

Related Name

hive.strict.checks.bucketing

Default Value

true

API Name

hive_restrict_load_bucketed_table

Required

false

Restrict Queries with ORDER BY but no LIMIT clause**Description**

Whether to allow queries with an ORDER BY clause, but no LIMIT clause. If set to true, queries that contain this pattern throw a compile-time error.

Related Name

hive.strict.checks.orderby.no.limit

Default Value

false

API Name

hive_restrict_orderby_with_no_limit

Required

false

Restrict Partitioned Table Scans with no Partitioned Column Filter

Description

Whether to allow queries that scan a partitioned table but don't filter on the partition column. If set to true, queries that contain this pattern throw a compile-time error.

Related Name

hive.strict.checks.no.partition.filter

Default Value

false

API Name

hive_restrict_partitioned_scans_no_filter

Required

false

Restrict Unsafe Data Type Comparisons

Description

Whether to allow queries that compare bigints to strings or doubles. If set to true, queries that contain this pattern throw a compile-time error.

Related Name

hive.strict.checks.type.safety

Default Value

true

API Name

hive_restrict_unsafe_comparison

Required

false

HiveServer2 Enable Impersonation

Description

HiveServer2 will impersonate the beeline client user when talking to other services such as MapReduce and HDFS.

Related Name

hive.server2.enable.doAs

Default Value

true

API Name

hiveserver2_enable_impersonation

Required

false

HiveServer2 Load Balancer

Description

Address of the load balancer used for HiveServer2 roles, specified in host:port format. If port is not specified, the port used by HiveServer2 is used. Note: Changing this property regenerates Kerberos keytabs for all HiveServer2 roles.

Related Name

Default Value**API Name**

hiveserver2_load_balancer

Required

false

Performance**Hive Auto Convert Join Noconditional Size****Description**

If Hive auto convert join is on, and the sum of the size for n-1 of the tables/partitions for a n-way join is smaller than the specified size, the join is directly converted to a MapJoin (there is no conditional task).

Related Name

hive.auto.convert.join.noconditionaltask.size

Default Value

256 MiB

API Name

hiveserver2_auto_convert_join_noconditionaltask_size

Required

false

Store Intermediate Data on Blobstore**Description**

When writing data to a table on a blobstore (such as S3), whether or not the blobstore should be used to store intermediate data during Hive query execution. Setting this to true can degrade performance for queries that spawn multiple MR / Spark jobs, but is useful for queries whose intermediate data cannot fit in the allocated HDFS cluster.

Related Name

hive.blobstore.use.blobstore.as.scratchdir

Default Value

false

API Name

hiveserver2_blobstore_use_blobstore_as_scratchdir

Required

false

Enable Stats Optimization**Description**

Enable optimization that checks if a query can be answered using statistics. If so, answers the query using only statistics stored in metastore.

Related Name

hive.compute.query.using.stats

Default Value

true

API Name

hiveserver2_compute_query_using_stats

Required

false

Enable Cost-Based Optimizer for Hive**Description**

Enabled the Calcite-based Cost-Based Optimizer for HiveServer2.

Related Name

hive.cbo.enable

Default Value

true

API Name

hiveserver2_enable_cbo

Required

false

Enable MapJoin Optimization**Description**

Enable optimization that converts common join into MapJoin based on input file size.

Related Name

hive.auto.convert.join

Default Value

true

API Name

hiveserver2_enable_mapjoin

Required

false

Fetch Task Query Conversion**Description**

Some select queries can be converted to a single FETCH task instead of a MapReduce task, minimizing latency. A value of none disables all conversion, minimal converts simple queries such as SELECT * and filter on partition columns, and more converts SELECT queries including FILTERS.

Related Name

hive.fetch.task.conversion

Default Value

more

API Name

hiveserver2_fetch_task_conversion

Required

false

Fetch Task Query Conversion Threshold**Description**

Above this size, queries are converted to fetch tasks.

Related Name

hive.fetch.task.conversion.threshold

Default Value

1 GiB

API Name

hiveserver2_fetch_task_conversion_threshold

Required

false

Number of threads ORC should use to create splits in parallel**Description**

If using ORC format and you want improve the split computation time, you can set the value of this parameter to match the number of available processors. By default, this parameter is set to 10. This parameter controls the number of parallel threads involved in computing splits. For Parquet computing splits is still single-threaded, so split computations can take longer with Parquet and Cloud Object Stores.

Related Name

hive.orc.compute.splits.num.threads

Default Value

10

API Name

hiveserver2_hive_orc_compute_splits_num_threads

Required

false

Input Listing Max Threads**Description**

Maximum number of threads that Hive uses to list input files. Increasing this value can improve performance when there are a lot of partitions being read, or when running on blobstores.

Related Name

hive.exec.input.listing.max.threads

Default Value

15

API Name

hiveserver2_input_listing_max_threads

Required

false

Maximum ReduceSink Top-K Memory Usage**Description**

The maximum percentage of heap to be used for hash in ReduceSink operator for Top-K selection. 0 means the optimization is disabled. Accepted values are between 0 and 1.

Related Name

hive.limit.pushdown.memory.usage

Default Value

0.04

API Name

hiveserver2_limit_pushdown_memory_usage

Required

false

Load Dynamic Partitions Thread Count**Description**

Number of threads used to load dynamically generated partitions. Loading requires renaming the file its final location, and updating some metadata about the new partition. Increasing this can improve performance when there are a lot of partitions dynamically generated.

Related Name

hive.load.dynamic.partitions.thread

Default Value

15

API Name

hiveserver2_load_dynamic_partitions_thread_count

Required

false

Enable Map-Side Aggregation**Description**

Enable map-side partial aggregation, which cause the mapper to generate fewer rows. This reduces the data to be sorted and distributed to reducers.

Related Name

hive.map.aggr

Default Value

true

API Name

hiveserver2_map_aggr

Required

false

Ratio of Memory Usage for Map-Side Aggregation**Description**

Portion of total memory used in map-side partial aggregation. When exceeded, the partially aggregated results will be flushed from the map task to the reducers.

Related Name

hive.map.aggr.hash.percentmemory

Default Value

0.5

API Name

hiveserver2_map_aggr_hash_memory_ratio

Required

false

Enable Merging Small Files - Map-Only Job

Description

Merge small files at the end of a map-only job. When enabled, a map-only job is created to merge the files in the destination table/partitions.

Related Name

hive.merge.mapfiles

Default Value

true

API Name

hiveserver2_merge_mapfiles

Required

false

Enable Merging Small Files - Map-Reduce Job

Description

Merge small files at the end of a map-reduce job. When enabled, a map-only job is created to merge the files in the destination table/partitions.

Related Name

hive.merge.mapredfiles

Default Value

false

API Name

hiveserver2_merge_mapredfiles

Required

false

Desired File Size After Merging

Description

The desired file size after merging. This should be larger than `hive.merge.smallfiles.avgsize`.

Related Name

hive.merge.size.per.task

Default Value

256 MiB

API Name

hiveserver2_merge_size_per_task

Required

false

Small File Average Size Merge Threshold

Description

When the average output file size of a job is less than the value of this property, Hive will start an additional map-only job to merge the output files into bigger files. This is only done for map-only jobs if `hive.merge.mapfiles` is true, for map-reduce jobs if `hive.merge.mapredfiles` is true, and for Spark jobs if `hive.merge.sparkfiles` is true.

Related Name

hive.merge.smallfiles.avgsize

Default Value

16 MiB

API Name

hiveserver2_merge_smallfiles_avgsize

Required

false

MSCK Repair Batch Size**Description**

Batch size for the msck repair command (recover partitions command). If the value is greater than zero, new partition information will be sent from HiveServer2 to the Metastore in batches, which can potentially improve memory usage in the Metastore and avoid client read timeout exceptions. If this value is 0, all partition information will sent in a single Thrift call.

Related Name

hive.msck.repair.batch.size

Default Value

3000

API Name

hiveserver2_msck_repair_batch_size

Required

false

Move Files Thread Count**Description**

The number of threads used by HiveServer2 to move data from the staging directory to another location (typically to the final table location). A separate thread pool of workers of this size is used for each query, which means this configuration can be set on a per-query basis too.

Related Name

hive.mv.files.thread

Default Value

15

API Name

hiveserver2_mv_files_thread

Required

false

Hive Optimize Sorted Merge Bucket Join**Description**

Whether to try sorted merge bucket (SMB) join.

Related Name

hive.optimize.bucketmapjoin.sortedmerge

Default Value

false

API Name

hiveserver2_optimize_bucketmapjoin_sortedmerge

Required

false

Enable Automatic Use of Indexes

Description

Whether to use the indexing optimization for all queries.

Related Name

hive.optimize.index.filter

Default Value

true

API Name

hiveserver2_optimize_index_filter

Required

false

Enable ReduceDeDuplication Optimization

Description

Remove extra map-reduce jobs if the data is already clustered by the same key, eliminating the need to repartition the dataset again.

Related Name

hive.optimize.reducededuplication

Default Value

true

API Name

hiveserver2_optimize_reducededuplication

Required

false

Minimum Reducers for ReduceDeDuplication Optimization

Description

When the number of ReduceSink operators after merging is less than this number, the ReduceDeDuplication optimization will be disabled.

Related Name

hive.optimize.reducededuplication.min.reducer

Default Value

4

API Name

hiveserver2_optimize_reducededuplication_min_reducer

Required

false

Enable Sorted Dynamic Partition Optimizer

Description

When dynamic partition is enabled, reducers keep only one record writer at all times, which lowers the memory pressure on reducers.

Related Name

hive.optimize.sort.dynamic.partition

Default Value

false

API Name

hiveserver2_optimize_sort_dynamic_partition

Required

false

Enable Parallel Compilation of Queries

Description

When activated, individual sessions can compile queries simultaneously. Within each session, queries compile one at a time.

Related Name

hive.driver.parallel.compilation

Default Value

true

API Name

hiveserver2_parallel_compilation_enabled

Required

false

Query Compilation Degree of Parallelism

Description

Determines the maximum number of queries that can compile in parallel on a HiveServer2 instance. Use negative values or zero to set unlimited parallelism. Use a positive value to set the number of queries that can compile simultaneously. This setting can be fine-tuned based on the current cluster load. Monitor cluster load using the 'waiting_compile_ops' metric and the 'Waiting Compile Operations' graph in the HiveServer2 graph library.

Related Name

hive.driver.parallel.compilation.global.limit

Default Value

5

API Name

hiveserver2_parallel_compilation_global_limit

Required

false

Hive SMB Join Cache Rows

Description

The number of rows with the same key value to be cached in memory per SMB-joined table.

Related Name

hive.smbjoin.cache.rows

Default Value

10000

API Name

hiveserver2_smbjoin_cache_rows

Required

false

Load Column Statistics**Description**

Whether column stats for a table are fetched during explain.

Related Name

hive.stats.fetch.column.stats

Default Value

true

API Name

hiveserver2_stats_fetch_column_stats

Required

false

Sessions Per Queue**Description**

The number of Tez sessions that should be launched on each of the queues specified by "hive.server2.tez.default.queues". Determines the parallelism on each queue.

Related Name

hive.server2.tez.sessions.per.default.queue

Default Value

4

API Name

hiveserver2_tez_sessions_per_default_queue

Required

false

Vectorized Adaptor Usage Mode**Description**

Vectorized Adaptor Usage Mode specifies the extent to which the vectorization engine tries to vectorize UDFs that do not have native vectorized versions available. Selecting the "none" option specifies that only queries using native vectorized UDFs are vectorized. Selecting the "chosen" option specifies that Hive chooses to vectorize a subset of the UDFs based on performance benefits using the Vectorized Adaptor. Selecting the "all" option specifies that the Vectorized Adaptor be used for all UDFs even when native vectorized versions are not available.

Related Name

hive.vectorized.adaptor.usage.mode

Default Value

chosen

API Name

hiveserver2_vectorized_adaptor_usage_mode

Required

false

Enable Vectorization Optimization**Description**

Enable optimization that vectorizes query execution by streamlining operations by processing a block of 1024 rows at a time.

Related Name

hive.vectorized.execution.enabled

Default Value

true

API Name

hiveserver2_vectorized_enabled

Required

false

Vectorized GroupBy Check Interval**Description**

In vectorized group-by, the number of row entries added to the hash table before re-checking average variable size for memory usage estimation.

Related Name

hive.vectorized.groupby.checkinterval

Default Value

4096

API Name

hiveserver2_vectorized_groupby_checkinterval

Required

false

Vectorized GroupBy Flush Ratio**Description**

Ratio between 0.0 and 1.0 of entries in the vectorized group-by aggregation hash that is flushed when the memory threshold is exceeded.

Related Name

hive.vectorized.groupby.flush.percent

Default Value

0.1

API Name

hiveserver2_vectorized_groupby_flush_ratio

Required

false

Enable Vectorized Input Format**Description**

If enabled, Hive uses the native vectorized input format for vectorized query execution when it is available.

Related Name

hive.vectorized.use.vectorized.input.format

Default Value

true

API Name

hiveserver2_vectorized_input_format_enabled

Required

false

Exclude Vectorized Input Formats**Description**

Specifies a list of file input format classnames to exclude from vectorized query execution using the vectorized input format. Note that vectorized execution can still occur for an excluded input format based on whether row SerDes or vector SerDes are enabled.

Related Name

hive.vectorized.input.format.excludes

Default Value**API Name**

hiveserver2_vectorized_input_format_excludes

Required

false

Enable Reduce-Side Vectorization**Description**

Whether to vectorize the reduce side of query execution.

Related Name

hive.vectorized.execution.reduce.enabled

Default Value

true

API Name

hiveserver2_vectorized_reduce_enabled

Required

false

Enable Overflow-checked Vector Expressions**Description**

To enhance performance, vectorized expressions operate using wide data types like long and double. When wide data types are used, numeric overflows can occur during expression evaluation in a different manner for vectorized expressions than they do for non-vectorized expressions. Consequently, different query results can be returned for vectorized expressions compared to results returned for non-vectorized expressions. When this configuration is enabled, Hive uses vectorized expressions that handle numeric overflows in the same way as non-vectorized expressions are handled.

Related Name

hive.vectorized.use.checked.expressions

Default Value

true

API Name

hiveserver2_vectorized_use_checked_expressions

Required

false

Vectorize Using Vector SerDes

Description

If enabled, Hive uses built-in vector SerDes to process text and sequencefile tables for vectorized query execution.

Related Name

hive.vectorized.use.vector.serde.deserialize

Default Value

false

API Name

hiveserver2_vectorized_use_vector_serde_deserialize

Required

false

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses

Bind HiveServer2 to Wildcard Address

Description

If enabled, the HiveServer2 binds to the wildcard address ("0.0.0.0") on all of its ports.

Related Name

hive.server2.webui.host

Default Value

true

API Name

hiveserver2_webui_bind_wildcard

Required

false

HiveServer2 WebUI Port

Description

The port the HiveServer2 WebUI will listen on. This can be set to 0 to disable the WebUI.

Related Name

hive.server2.webui.port

Default Value

10002

API Name

hiveserver2_webui_port

Required

false

HiveServer2 Port

Description

Port on which HiveServer2 will listen for connections.

Related Name

hive.server2.thrift.port

Default Value

10000

API Name

hs2_thrift_address_port

Required

false

Resource Management

Java Heap Size of HiveServer2 in Bytes

Description

Maximum size in bytes for the Java Process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

4 GiB

API Name

hiveserver2_java_heapsize

Required

false

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value

API Name

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security**HiveServer2 WebUI SSL Exclude Cipher Suites****Description**

The cipher suites should be excluded from WebUI SSL.

Related Name

hive.server2.webui.exclude.ciphersuites

Default Value

modern2018

API Name

hiveserver2_webui_exclude_ciphersuites

Required

false

Enable TLS/SSL for HiveServer2 WebUI**Description**

Encrypt communication between clients and HiveServer2 WebUI using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

hive.server2.webui.use.ssl

Default Value

false

API Name

ssl_enabled

Required

false

HiveServer2 WebUI TLS/SSL Server Keystore File Location**Description**

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when HiveServer2 WebUI is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

hive.server2.webui.keystore.path

Default Value**API Name**

ssl_server_keystore_location

Required

false

HiveServer2 WebUI TLS/SSL Server Keystore File Password**Description**

The password for the HiveServer2 WebUI keystore file.

Related Name

hive.server2.webui.keystore.password

Default Value**API Name**

ssl_server_keystore_password

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency

Description

The frequency with which stacks are collected.

Related Name

`stacks_collection_frequency`**Default Value**`5.0 second(s)`**API Name**`stacks_collection_frequency`**Required**`false`**Stacks Collection Method****Description**

The method used to collect stacks. The `jstack` option involves periodically running the `jstack` command against the role's daemon process. The `servlet` method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the `servlet` method is selected, that HTTP endpoint is periodically scraped.

Related Name`stacks_collection_method`**Default Value**`jstack`**API Name**`stacks_collection_method`**Required**`false`**Suppressions****Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_cdh_version_validator`**Required**`true`**Suppress Parameter Validation: HiveServer2 Advanced Configuration Snippet (Safety Valve) for hive-site.xml****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 Advanced Configuration Snippet (Safety Valve) for `hive-site.xml` parameter.

Related Name**Default Value**`false`**API Name**

role_config_suppression_hive_hs2_config_safety_valve

Required

true

Suppress Parameter Validation: HiveServer2 Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hive_hs2_env_safety_valve

Required

true

Suppress Parameter Validation: HiveServer2 Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 Log Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hive_log_dir

Required

true

Suppress Parameter Validation: Metrics Sample File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Metrics Sample File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hive_metrics_sample_file_location

Required

true

Suppress Configuration Validator: Restrict Load Bucketed Table Validator

Description

Whether to suppress configuration warnings produced by the Restrict Load Bucketed Table Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_restrict_load_bucketed_table_validator

Required

true

Suppress Configuration Validator: Restrict Unsafe Comparison Validator**Description**

Whether to suppress configuration warnings produced by the Restrict Unsafe Comparison Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_restrict_unsafe_comparison_validator

Required

true

Suppress Parameter Validation: Hive security authorization SQL Config whitelist append**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive security authorization SQL Config whitelist append parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_security_authorization_sqlstd_confwhitelist_append

Required

true

Suppress Parameter Validation: HiveServer2 Operations Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 Operations Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_server2_logging_operation_log_location

Required

true

Suppress Parameter Validation: Hive Downloaded Resources Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Downloaded Resources Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hiveserver2_downloaded_resources_dir

Required

true

Suppress Parameter Validation: Hive Local Scratch Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Local Scratch Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hiveserver2_exec_local_scratchdir

Required

true

Suppress Parameter Validation: Hive HDFS Scratch Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive HDFS Scratch Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hiveserver2_exec_scratchdir

Required

true

Suppress Parameter Validation: Fair Scheduler XML Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Fair Scheduler XML Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_hiveserver2_fair_scheduler_safety_valve`**Required**`true`**Suppress Parameter Validation: Java Configuration Options for HiveServer2****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for HiveServer2 parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_hiveserver2_java_opts`**Required**`true`**Suppress Parameter Validation: HiveServer2 Load Balancer****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 Load Balancer parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_hiveserver2_load_balancer`**Required**`true`**Suppress Parameter Validation: Exclude Vectorized Input Formats****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Exclude Vectorized Input Formats parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_hiveserver2_vectorized_input_format_excludes`**Required**`true`**Suppress Parameter Validation: HiveServer2 WebUI Port****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 WebUI Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hiveserver2_webui_port

Required

true

Suppress Parameter Validation: HiveServer2 Advanced Configuration Snippet (Safety Valve) for core-site.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 Advanced Configuration Snippet (Safety Valve) for core-site.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hs2_core_site_safety_valve

Required

true

Suppress Parameter Validation: HiveServer2 Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hs2_thrift_address_port

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: HiveServer2 Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_otelcol_extensions`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Helper Port****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_helper_port`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Processors Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_processors`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Receivers Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_receivers`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: HiveServer2 WebUI TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 WebUI TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: HiveServer2 WebUI TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 WebUI TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test

Description

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_hiveserver2_audit_health

Required

true

Suppress Health Test: Hive Downloaded Resources Directory Free Space**Description**

Whether to suppress the results of the Hive Downloaded Resources Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hiveserver2_downloaded_resources_directory_free_space

Required

true

Suppress Health Test: Hive Local Scratch Directory Free Space**Description**

Whether to suppress the results of the Hive Local Scratch Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hiveserver2_exec_local_scratch_directory_free_space

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hiveserver2_file_descriptor

Required

true

Suppress Health Test: Heap Dump Directory Free Space**Description**

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hiveserver2_heap_dump_directory_free_space

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hiveserver2_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hiveserver2_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hiveserver2_otelcol_health

Required

true

Suppress Health Test: Pause Duration**Description**

Whether to suppress the results of the Pause Duration health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hiveserver2_pause_duration

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hiveserver2_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hiveserver2_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hiveserver2_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hiveserver2_unexpected_exits

Required

true

Service-Wide

Advanced

Hive Service Advanced Configuration Snippet (Safety Valve) for atlas-application.properties

Description

For advanced use only, a string to be inserted into atlas-application.properties. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

application_properties_safety_valve

Required

false

Hive Auxiliary JARs Directory

Description

Directory containing auxiliary JARs used by Hive. This should be a directory location and not a classpath containing one or more JARs. This directory must be created and managed manually on hosts that run the Hive Metastore Server, HiveServer2, or the Hive CLI. The directory location is set

in the environment as `HIVE_AUX_JARS_PATH` and will generally override the `hive.aux.jars.path` property set in XML files, even if `hive.aux.jars.path` is set in an advanced configuration snippet.

Related Name**Default Value****API Name**

`hive_aux_jars_path_dir`

Required

`false`

Bypass Hive Metastore Server**Description**

Instead of talking to Hive Metastore Server for Metastore information, Hive clients will talk directly to the Metastore database.

Related Name**Default Value**

`false`

API Name

`hive_bypass_metastore_server`

Required

`false`

Hive Service Advanced Configuration Snippet (Safety Valve) for core-site.xml**Description**

For advanced use only, a string to be inserted into `core-site.xml`. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

`hive_core_site_safety_valve`

Required

`false`

Hive Copy Large File Size**Description**

Smaller than this size, Hive uses a single-threaded copy; larger than this size, Hive uses DistCp.

Related Name

`hive.exec.copyfile.maxsize`

Default Value

`32 MiB`

API Name

`hive_exec_copyfile_maxsize`

Required

`false`

Hive Replication Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into the environment of Hive replication jobs.

Related Name**Default Value****API Name**

hive_replication_env_safety_valve

Required

false

Hive Service Advanced Configuration Snippet (Safety Valve) for sentry-site.xml**Description**

For advanced use only, a string to be inserted into sentry-site.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

hive_server2_sentry_safety_valve

Required

false

Hive Service Advanced Configuration Snippet (Safety Valve) for hive-site.xml**Description**

For advanced use only, a string to be inserted into hive-site.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

hive_service_config_safety_valve

Required

false

Hive Service Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

hive_service_env_safety_valve

Required

false

Hive Replication Advanced Configuration Snippet (Safety Valve) for hive-site.xml

Description

For advanced use only, a string to be inserted into hive-site.xml. Applies to all Hive Replication jobs.

Related Name

Default Value

API Name

hive_service_replication_config_safety_valve

Required

false

Hive Client Advanced Configuration Snippet (Safety Valve) for navigator.client.properties

Description

For advanced use only, a string to be inserted into the client configuration for navigator.client.properties.

Related Name

Default Value

API Name

navigator_client_config_safety_valve

Required

false

Hive Client Advanced Configuration Snippet (Safety Valve) for navigator.lineage.client.properties

Description

For advanced use only, a string to be inserted into the client configuration for navigator.lineage.client.properties.

Related Name

Default Value

API Name

navigator_lineage_client_config_safety_valve

Required

false

System Group

Description

The group that this service's processes should run as.

Related Name

Default Value

hive

API Name

process_groupname

Required

true

System User**Description**

The user that this service's processes should run as.

Related Name**Default Value**

hive

API Name

process_username

Required

true

Hive Service Advanced Configuration Snippet (Safety Valve) for ranger-hive-audit.xml**Description**

For advanced use only, a string to be inserted into ranger-hive-audit.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

ranger_audit_safety_valve

Required

false

Hive Service Advanced Configuration Snippet (Safety Valve) for ranger-hive-policymgr-ssl.xml**Description**

For advanced use only, a string to be inserted into ranger-hive-policymgr-ssl.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

ranger_policymgr_ssl_safety_valve

Required

false

Hive Service Advanced Configuration Snippet (Safety Valve) for ranger-hive-security.xml**Description**

For advanced use only, a string to be inserted into ranger-hive-security.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

ranger_security_safety_valve

Required

false

Cloudera Navigator

Enable Audit Collection

Description

Enable collection of audit events from the service's roles.

Related Name

navigator.audit.enabled

Default Value

true

API Name

navigator_audit_enabled

Required

false

Audit Event Filter

Description

Event filters are defined in a JSON object like the following: { "defaultAction": ("accept", "discard"), "rules": [{ "action": ("accept", "discard"), "fields": [{ "name": "fieldName", "match": "regex" }] }] } A filter has a default action and a list of rules, in order of precedence. Each rule defines an action, and a list of fields to match against the audit event. A rule is "accepted" if all the listed field entries match the audit event. At that point, the action declared by the rule is taken. If no rules match the event, the default action is taken. Actions default to "accept" if not defined in the JSON object. The following is the list of fields that can be filtered for Hive events:

- userName: the user performing the action.
- ipAddress: the IP from where the request originated.
- operation: the Hive operation being performed.
- databaseName: the databaseName for the operation.
- tableName: the tableName for the operation.

The default Hive audit event filter discards HDFS directory events generated by Hive jobs that reference the /tmp directory.

Related Name

navigator.event.filter

Default Value

comment: [The default Hive audit event filter discards HDFS directory events , generated by Hive jobs that reference the /tmp directory.], defaultAction: accept, rules: [action: discard, fields: [name: operation, match: QUERY , name: objectType, match: DFS_DIR , name: resourcePath, match: /tmp/hive-(?:.+)?/hive_(?:.+)?/-mr-*]]

API Name

navigator_audit_event_filter

Required

false

Audit Queue Policy

Description

Action to take when the audit event queue is full. Drop the event or shutdown the affected process.

Related Name

navigator.batch.queue_policy

Default Value

DROP

API Name

navigator_audit_queue_policy

Required

false

Audit Event Tracker**Description**

Configures the rules for event tracking and coalescing. This feature is used to define equivalency between different audit events. When events match, according to a set of configurable parameters, only one entry in the audit list is generated for all the matching events. Tracking works by keeping a reference to events when they first appear, and comparing other incoming events against the "tracked" events according to the rules defined here. Event trackers are defined in a JSON object like the following: { "timeToLive" : [integer], "fields" : [{ "type" : [string], "name" : [string] }] } Where:

- timeToLive: maximum amount of time an event will be tracked, in milliseconds. Must be provided. This defines how long, since it's first seen, an event will be tracked. A value of 0 disables tracking.
- fields: list of fields to compare when matching events against tracked events.

Each field has an evaluator type associated with it. The evaluator defines how the field data is to be compared. The following evaluators are available:

- value: uses the field value for comparison.
- userName: treats the field value as a userName, and ignores any host-specific data. This is useful for environment using Kerberos, so that only the principal name and realm are compared.

The following is the list of fields that can be used to compare Hive events:

- operation: the Hive operation being performed.
- username: the user performing the action.
- ipAddress: the IP from where the request originated.
- allowed: whether the operation was allowed or denied.
- databaseName: the database affected by the operation.
- tableName: the table or view affected by the operation.
- objectType: the type of object affected by the operation.
- resourcePath: the path of the resource affected by the operation.

Related Name

navigator_event_tracker

Default Value**API Name**

navigator_event_tracker

Required

false

Enable Lineage Collection**Description**

Enable collection of lineage from the service's roles.

Related Name

Default Value

true

API Name

navigator_lineage_enabled

Required

false

Database**Auto Create and Upgrade Hive Metastore Database Schema****Description**

Automatically create or upgrade tables in the Hive Metastore database when needed. Consider setting this to false and managing the schema manually.

Related Name

datanucleus.schema.autoCreateAll

Default Value

false

API Name

hive_metastore_database_auto_create_schema

Required

false

Hive Metastore Database DataNucleus Metadata Validation**Description**

Perform DataNucleus validation of metadata during startup. Note: when enabled, Hive will log DataNucleus warnings even though Hive will function normally.

Related Name

datanucleus.metadata.xml.validate

Default Value

false

API Name

hive_metastore_database_datanucleus_metadata_validation

Required

false

Enable Direct SQL**Description**

Whether Hive Metastore should try to use direct SQL queries instead of DataNucleus for certain read paths. This can improve metastore performance by orders of magnitude when fetching many partitions. In case of failure, execution will fall back to DataNucleus.

Related Name

hive.metastore.try.direct.sql

Default Value

true

API Name

hive_metastore_database_datanucleus_try_direct_sql

Required

false

Hive Metastore Database Host

Description

Host name of Hive Metastore database

Related Name

Default Value

localhost

API Name

hive_metastore_database_host

Required

false

Hive Metastore Database Name

Description

Name of Hive Metastore database

Related Name

Default Value

metastore

API Name

hive_metastore_database_name

Required

false

Hive Metastore Database Password

Description

Password for Hive Metastore database

Related Name

javax.jdo.option.ConnectionPassword

Default Value

API Name

hive_metastore_database_password

Required

false

Hive Metastore Database Port

Description

Port number of Hive Metastore database

Related Name

Default Value

3306

API Name

hive_metastore_database_port

Required

false

Hive Metastore Database Type**Description**

Type of Hive Metastore database. Note that Derby is not recommended and Apache Impala does not support Derby.

Related Name**Default Value**

mysql

API Name

hive_metastore_database_type

Required

false

Hive Metastore Database User**Description**

User for Hive Metastore database

Related Name

javax.jdo.option.ConnectionUserName

Default Value

hive

API Name

hive_metastore_database_user

Required

false

Hive Metastore Derby Path**Description**

Directory name where Hive Metastore's database is stored (only for Derby)

Related Name**Default Value**

/var/lib/hive/cloudera_manager/derby/metastore_db

API Name

hive_metastore_derby_path

Required

false

Strict Hive Metastore Schema Validation**Description**

Prevent Metastore operations in the event of schema version incompatibility. Consider setting this to true to reduce probability of schema corruption during Metastore operations. Note that setting this property to true will also set datanucleus.autoCreateSchema property to false and datanucleus.fixedDatastore property to true. Any values set in Cloudera Manager for these properties will be overridden.

Related Name

hive.metastore.schema.verification

Default Value

true

API Name

hive_metastore_schema_verification

Required

false

Hive Metastore Database JDBC URL Override**Description**

Custom JDBC URL to use when connecting to the Hive Metastore Database. This connection string will override all other values used to construct the JDBC URL, including Hive Metastore Database Host, Hive Metastore Database Name, and Hive Metastore Database Port.

Related Name

javax.jdo.option.ConnectionURL

Default Value**API Name**

jdbc_url_override

Required

false

Logs**Audit Log Directory****Description**

Path to the directory where audit logs will be written. The directory will be created if it doesn't exist.

Related Name

audit_event_log_dir

Default Value

/var/log/hive/audit

API Name

audit_event_log_dir

Required

false

Hive Lineage Log Directory**Description**

The directory in which Hive lineage log files are written.

Related Name

lineage_event_log_dir

Default Value

/var/log/hive/lineage

API Name

lineage_event_log_dir

Required

true

Hive Maximum Lineage Log File Size**Description**

The maximum size, in megabytes, per log file for Hive lineage logs. Typically used by log4j or logback.

Related Name

max_lineage_log_file_size

Default Value

100 MiB

API Name

max_lineage_log_file_size

Required

false

Maximum Audit Log File Size**Description**

Maximum size of audit log file in MB before it is rolled over.

Related Name

navigator.audit_log_max_file_size

Default Value

100 MiB

API Name

navigator_audit_log_max_file_size

Required

false

Number of Audit Logs to Retain**Description**

Maximum number of rolled-over audit logs to retain. The logs are not deleted if they contain audit events that have not yet been propagated to the Audit Server.

Related Name

navigator.client.max_num_audit_log

Default Value

10

API Name

navigator_client_max_num_audit_log

Required

false

Monitoring**Enable Service Level Health Alerts****Description**

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Oldest Uncleaned Aborted Transaction Thresholds

Description

The health test thresholds for the oldest uncleaned aborted transaction.

Related Name

Default Value

Warning: 1 day(s), Critical: 2 day(s)

API Name

hive_compaction_aborted_txn_not_cleaned_thresholds

Required

false

Tables/Partitions With Many Aborts Thresholds

Description

The health test thresholds for tables/partitions with many aborted transactions.

Related Name

Default Value

Warning: Never, Critical: 1.0 time(s)

API Name

hive_compaction_aborted_txn_thresholds

Required

false

Writes to Tables with Disabled Auto-Compaction Thresholds

Description

The health test thresholds for writes to tables where the auto-compaction is disabled

Related Name

Default Value

Warning: 1.0 time(s), Critical: Never

API Name

hive_compaction_disabled_thresholds

Required

false

Failed Compaction Thresholds

Description

The health test thresholds for the number of failed compactions.

Related Name

Default Value

Warning: 1.0 %, Critical: Never

API Name

hive_compaction_failed_thresholds

Required

false

Hive Compaction Health Test

Description

Enables the health test that checks whether compaction processes are properly configured and operational.

Related Name

Default Value

false

API Name

hive_compaction_health_check_enabled

Required

false

Excessive ACID metadata (CompletedTxnComponents) Thresholds

Description

The health test thresholds for excessive acid metadata in CompletedTxnComponents

Related Name

Default Value

Warning: 500000.0, Critical: 1000000.0

API Name

hive_compaction_metadata_comp_thresholds

Required

false

Excessive ACID metadata (TxnToWriteId) Thresholds

Description

The health test thresholds for excessive acid metadata in TxnToWriteId

Related Name**Default Value**

Warning: 500000.0 time(s), Critical: 1000000.0 time(s)

API Name

hive_compaction_metadata_ttw_thresholds

Required

false

Oldest Initiated Compaction Thresholds

Description

The health test thresholds for the oldest initiated compaction.

Related Name**Default Value**

Warning: 1 hour(s), Critical: 12 hour(s)

API Name

hive_compaction_oldest_initiated_thresholds

Required

false

Oldest Open replication Transaction Thresholds

Description

The health test thresholds for the oldest open replication transaction

Related Name**Default Value**

Warning: 14 day(s), Critical: 21 day(s)

API Name

hive_compaction_oldest_open_repl_txn_thresholds

Required

false

Oldest Open non replication Transaction Thresholds

Description

The health test thresholds for the oldest open non replication transaction

Related Name**Default Value**

Warning: 1 day(s), Critical: 3 day(s)

API Name

hive_compaction_oldest_open_txn_thresholds

Required

false

Oldest Uncleaned Compaction Thresholds

Description

The health test thresholds for the oldest uncleaned compaction.

Related Name**Default Value**

Warning: 1 day(s), Critical: Never

API Name

hive_compaction_oldest_ready_for_cleaning_thresholds

Required

false

Healthy Hive Metastore Server Monitoring Thresholds

Description

The health test thresholds of the overall Hive Metastore Server health. The check returns "Concerning" health if the percentage of "Healthy" Hive Metastore Servers falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" Hive Metastore Servers falls below the critical threshold.

Related Name**Default Value**

Warning: 99.0 %, Critical: 51.0 %

API Name

hive_hivemetastores_healthy_thresholds

Required

false

Healthy HiveServer2 Monitoring Thresholds

Description

The health test thresholds of the overall HiveServer2 health. The check returns "Concerning" health if the percentage of "Healthy" HiveServer2s falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" HiveServer2s falls below the critical threshold.

Related Name**Default Value**

Warning: 99.0 %, Critical: 51.0 %

API Name

hive_hiveserver2s_healthy_thresholds

Required

false

Healthy WebHCat Server Monitoring Thresholds

Description

The health test thresholds of the overall WebHCat Server health. The check returns "Concerning" health if the percentage of "Healthy" WebHCat Servers falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" WebHCat Servers falls below the critical threshold.

Related Name

Default Value

Warning: 99.0 %, Critical: 51.0 %

API Name

hive_webhcats_healthy_thresholds

Required

false

Service Triggers**Description**

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

service_triggers

Required

true

Service Monitor Client Config Overrides**Description**

For advanced use only, a list of configuration properties that will be used by the Service Monitor instead of the current client configuration for the service.

Related Name**Default Value**

<property> <name>hive.metastore.client.socket.timeout</name> <value>60</value> </property>

API Name

smon_client_config_overrides

Required

false

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name**Default Value****API Name**

smon_derived_configs_safety_valve

Required

false

Other**Atlas Service****Description**

Name of the Atlas service that this Hive service instance depends on

Related Name**Default Value****API Name**

atlas_service

Required

false

Generate HADOOP_CREDSTORE_PASSWORD**Description**

Flag to enable or disable the generation of HADOOP_CREDSTORE_PASSWORD.

Related Name

generate_jceks_password

Default Value

true

API Name

generate_jceks_password

Required

false

HBase Service**Description**

Name of the HBase service that this Hive service instance depends on.

Related Name**Default Value****API Name**

hbase_service

Required

false

HDFS Service

Description

Name of the HDFS service that this Hive service instance depends on

Related Name**Default Value****API Name**

hdfs_service

Required

true

Enable Asynchronous Logging

Description

Asynchronous Log4j2 logging can give a significant performance improvement as logging will be handled in a separate thread that uses an LMAX disruptor queue for buffering log messages. Refer to <https://logging.apache.org/log4j/2.x/manual/async.html> for benefits and drawbacks. For debugging issues we recommend setting this to false.

Related Name

hive.async.log.enabled

Default Value

false

API Name

hive_async_log_enabled

Required

false

Hive Bytes Per Reducer

Description

Size per reducer. If the input size is 10GiB and this is set to 1GiB, Hive will use 10 reducers.

Related Name

hive.exec.reducers.bytes.per.reducer

Default Value

64 MiB

API Name

hive_bytes_per_reducer

Required

false

Enable Metastore Notifications for DML Operations

Description

When set to true, DML queries from Hive (and SparkSQL for limited use-cases) which insert data into tables will fire listener notifications in the metastore.

Related Name

hive.metastore.dml.events

Default Value

true

API Name

hive_fire_events_for_dml

Required

false

Hive Max Reducers**Description**

Max number of reducers to use. If the configuration parameter Hive Reduce Tasks is negative, Hive will limit the number of reducers to the value of this parameter.

Related Name

hive.exec.reducers.max

Default Value

1009

API Name

hive_max_reducers

Required

false

Hive Reduce Tasks**Description**

Default number of reduce tasks per job. Usually set to a prime number close to the number of available hosts. Ignored when mapred.job.tracker is "local". Hadoop sets this to 1 by default, while Hive uses -1 as the default. When set to -1, Hive will automatically determine an appropriate number of reducers for each job.

Related Name

mapred.reduce.tasks

Default Value

-1

API Name

hive_reduce_tasks

Required

false

Enable ChangeManager for Hive replication**Description**

When checked, Hive replication will use change management.

Related Name

hive.repl.cm.enabled

Default Value

false

API Name

hive_repl_cm_enabled

Required

false

Support Dynamic Service Discovery

Description

Whether HiveServer2 supports dynamic service discovery for its clients. To support this, each instance of HiveServer2 currently uses ZooKeeper to register itself, when it is brought up. JDBC/ODBC clients should use the ZooKeeper ensemble: `hive.zookeeper.quorum` in their connection string.

Related Name

`hive.server2.support.dynamic.service.discovery`

Default Value

`true`

API Name

`hive_server2_support_dynamic_service_discovery`

Required

`false`

Set User and Group Information

Description

In unsecure mode, setting this property to true will cause the Metastore Server to execute DFS operations using the client's reported user and group permissions. Cloudera Manager will set this for all clients and servers.

Related Name

`hive.metastore.execute.setugi`

Default Value

`true`

API Name

`hive_set_ugi`

Required

`true`

Hive Warehouse Directory

Description

Hive warehouse directory is the location in HDFS where Hive's tables are stored. Note that Hive's default value for its warehouse directory is `'user/hive/warehouse'`.

Related Name

`hive.metastore.warehouse.dir`

Default Value

`/warehouse/tablespace/managed/hive`

API Name

`hive_warehouse_directory`

Required

`false`

Hive External Warehouse Directory

Description

Hive external warehouse directory is the location in HDFS where Hive's tables are stored. Note that Hive's default value for its warehouse directory is `'user/hive/warehouse'`.

Related Name

hive.metastore.warehouse.external.dir

Default Value

/warehouse/tablespace/external/hive

API Name

hive_warehouse_external_directory

Required

false

LDAP password**Description**

LDAP password for Hive 3 replication

Related Name**Default Value****API Name**

hiveserver2_ldap_replication_password

Required

false

LDAP username**Description**

LDAP username for Hive 3 replication

Related Name**Default Value****API Name**

hiveserver2_ldap_replication_user

Required

false

MapReduce Service**Description**

MapReduce jobs are run against this service.

Related Name**Default Value****API Name**

mapreduce_yarn_service

Required

false

Ranger Plugin Trusted Proxy IP Address**Description**

Accepts a list of IP addresses of proxy servers for trusting.

Related Name

ranger.plugin.hive.trusted.proxy.ipaddress

Default Value**API Name**

ranger_plugin_trusted_proxy_ipaddress

Required

false

Ranger Plugin URL Auth Filesystem Schemes**Description**

Set Ranger URL Auth Filesystem Schemes.

Related Name

ranger.plugin.hive.urlauth.filesystem.schemes

Default Value

hdfs:, file:, wasb:, adl:

API Name

ranger_plugin_urlauth_filesystem_schemes

Required

false

Ranger Plugin Use X-Forwarded for IP Address**Description**

The parameter is used for identifying the originating IP address of a user connecting to a component through proxy for audit logs.

Related Name

ranger.plugin.hive.use.x-forwarded-for.ipaddress

Default Value

false

API Name

ranger_plugin_use_x_forwarded_for_ipaddress

Required

false

Ranger Service**Description**

Name of the Ranger service that this Hive service instance depends on

Related Name**Default Value****API Name**

ranger_service

Required

false

ZooKeeper Service**Description**

Name of the ZooKeeper service that this Hive service instance depends on.

Related Name**Default Value****API Name**

zookeeper_service

Required

false

Performance**Metastore Bulk Partitions Thread Count****Description**

The number of threads the metastore uses when bulk adding partitions to the metastore.. Each thread performs some metadata operations for each partition added, such as collecting statistics for the partition or checking if the partition directory exists. This config is also used to control the size of the threadpool used when scanning the filesystem to look for directories that could correspond to partitions, each thread performs a list status on each possible partition directory.

Related Name

hive.metastore.fshandler.threads

Default Value

15

API Name

hive_metastore_fshandler_threads

Required

false

Policy File Based Sentry**Sentry User to Group Mapping Class****Description**

The class to use in Sentry authorization for user to group mapping. Sentry authorization may be configured to use either Hadoop user to group mapping or local groups defined in the policy file. Hadoop user to group mapping may be configured in the Cloudera Manager HDFS service configuration page under the Security section.

Related Name

hive.sentry.provider

Default Value

org.apache.sentry.provider.file.HadoopGroupResourceAuthorizationProvider

API Name

hive_sentry_provider

Required

false

Sentry Global Policy File**Description**

HDFS path to the global policy file for Sentry authorization. This should be a relative path (and not a full HDFS URL). The global policy file must be in Sentry policy file format.

Related Name

hive.sentry.provider.resource

Default Value

/user/hive/sentry/sentry-provider.ini

API Name

hive_sentry_provider_resource

Required

false

Allow URIs in Database Policy File**Description**

Allows URIs when defining privileges in per-database policy files. Warning: Typically, this configuration should be disabled. Enabling it would allow database policy file owner (which is generally not Hive admin user) to grant load privileges to any directory with read access to Hive admin user, including databases controlled by other database policy files.

Related Name

sentry.allow.uri.db.policyfile

Default Value

false

API Name

sentry_allow_uri_db_policyfile

Required

false

Proxy**Hive Metastore Access Control and Proxy User Groups Override****Description**

This configuration overrides the value set for Hive Proxy User Groups configuration in HDFS service for use by Hive Metastore Server. Specify a comma-delimited list of groups that you want to allow access to Hive Metastore metadata and allow the Hive user to impersonate. A value of '*' allows all groups. The default value of empty inherits the value set for Hive Proxy User Groups configuration in the HDFS service.

Related Name

hadoop.proxyuser.hive.groups

Default Value**API Name**

hive_proxy_user_groups_list

Required

false

Hive Metastore Access Control and Ranger RMS Proxy User Hosts**Description**

Comma-delimited list of hosts that you want to allow access to Hive Metastore metadata and allow the Ranger RMS user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host'.

Related Name

	hadoop.proxyuser.rangerrms.hosts
Default Value	*
API Name	rangerrms_proxy_user_hosts_list
Required	false

Replication

Replica functions root directory

Description	Root directory on the replica warehouse where the repl sub-system will store jars from the primary warehouse
Related Name	hive.repl.replica.functions.root.dir
Default Value	
API Name	hive_repl_replica_functions_root_dir
Required	false

Security

Atlas Kafka Messages Spool Directory

Description	Spool directory for Atlas Kafka Messages.
Related Name	atlas.hook.spool.dir
Default Value	/var/log/hive/atlas-spool
API Name	atlas_message_spool_path
Required	false

Enable LDAP Authentication for Hive Metastore

Description	When checked, LDAP-based authentication for users is enabled.
Related Name	
Default Value	false
API Name	hive_metastore_enable_ldap_auth
Required	

false

LDAP BaseDN

Description

This parameter is useful when authenticating against a non-Active Directory server, such as OpenLDAP. When set, this parameter is used to convert the username into the LDAP Distinguished Name (DN), so that the resulting DN looks like uid=username,*this parameter*. For example, if this parameter is set to "ou=People,dc=cloudera,dc=com", and the username passed in is "mike", the resulting authentication passed to the LDAP server look like "uid=mike,ou=People,dc=cloudera,dc=com". This parameter is mutually exclusive with Active Directory Domain.

Related Name

hive.metastore.authentication.ldap.baseDN

Default Value

API Name

hive_metastore_ldap_basedn

Required

false

Active Directory Domain

Description

Use this field for Active Directory configurations only, when combined with a simple username value in the "LDAP Bind User Distinguished Name" field, it will result in a UPM of user@example.com used for search/bind operations for authenticated user lookups.

Related Name

hive.metastore.authentication.ldap.Domain

Default Value

API Name

hive_metastore_ldap_domain

Required

false

LDAP URL

Description

The URL of the LDAP Server. The URL must be prefixed with ldap:// or ldaps:// . The URL can optionally specify a custom port if necessary, but by default the ldap:// will connect to port 389, and the ldaps:// will connect to port 636. Note that passwords will be in the clear if ldap:// is used, and by fall 2020 Active directory servers will no longer allow non LDAPS connections to bind to AD hosts with LDAP signing enabled. See microsoft knowledge document 935834 for more information.

Related Name

hive.metastore.authentication.ldap.url

Default Value

API Name

hive_metastore_ldap_uri

Required

false

Hive SSL Protocol Blacklist

Description

SSL Versions to disable for all Hive Servers

Related Name

hive.ssl.protocol.blacklist

Default Value

SSLv2, SSLv3, SSLv2Hello, TLSv1, TLSv1.1

API Name

hive_ssl_protocol_blacklist

Required

false

Hive Zookeeper TLS/SSL Server Keystore File Location

Description

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Hive Zookeeper is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

hive.zookeeper.ssl.keystore.location

Default Value**API Name**

hive_zookeeper_keystore_location

Required

false

Hive Zookeeper TLS/SSL Server Keystore File Password

Description

The password for the Hive Zookeeper keystore file.

Related Name

hive.zookeeper.ssl.keystore.password

Default Value**API Name**

hive_zookeeper_keystore_password

Required

false

Enable TLS/SSL for Hive Zookeeper

Description

Encrypt communication between clients and Hive Zookeeper using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

hive.zookeeper.ssl.client.enable

Default Value

false

API Name

hive_zookeeper_ssl_enable

Required

false

Hive Zookeeper TLS/SSL Trust Store File**Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Hive Zookeeper might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

hive.zookeeper.ssl.truststore.location

Default Value**API Name**

hive_zookeeper_truststore_location

Required

false

Hive Zookeeper TLS/SSL Trust Store Password**Description**

The password for the Hive Zookeeper TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

hive.zookeeper.ssl.truststore.password

Default Value**API Name**

hive_zookeeper_truststore_password

Required

false

Enable LDAP Authentication for HiveServer2**Description**

When checked, LDAP-based authentication for users is enabled.

Related Name**Default Value**

false

API Name

hiveserver2_enable_ldap_auth

Required

false

Enable TLS/SSL for HiveServer2**Description**

Encrypt communication between clients and HiveServer2 using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

hive.server2.use.SSL

Default Value

false

API Name

hiveserver2_enable_ssl

Required

false

HiveServer2 SSL Exclude Cipher Suites**Description**

The cipher suites should be excluded from Hiveserver2 SSL.

Related Name

hive.server2.http.exclude.ciphersuites

Default Value

modern2018

API Name

hiveserver2_exclude_ciphersuites

Required

false

HiveServer2 SSL Include Cipher Suites**Description**

The cipher suites should be included in Hiverserver2 SSL.

Related Name

hive.server2.binary.include.ciphersuites

Default Value

modern2018

API Name

hiveserver2_include_ciphersuites

Required

false

HiveServer2 TLS/SSL Server Keystore File Password**Description**

The password for the HiveServer2 keystore file.

Related Name

hive.server2.keystore.password

Default Value**API Name**

hiveserver2_keystore_password

Required

false

HiveServer2 TLS/SSL Server Keystore File Location

Description

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when HiveServer2 is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

hive.server2.keystore.path

Default Value

API Name

hiveserver2_keystore_path

Required

false

LDAP BaseDN

Description

This parameter is useful when authenticating against a non-Active Directory server, such as OpenLDAP. When set, this parameter is used to convert the username into the LDAP Distinguished Name (DN), so that the resulting DN looks like uid=username,*this parameter*. For example, if this parameter is set to "ou=People,dc=cloudera,dc=com", and the username passed in is "mike", the resulting authentication passed to the LDAP server look like "uid=mike,ou=People,dc=cloudera,dc=com". This parameter is mutually exclusive with Active Directory Domain.

Related Name

hive.server2.authentication.ldap.baseDN

Default Value

API Name

hiveserver2_ldap_basedn

Required

false

Active Directory Domain

Description

Use this field for Active Directory configurations only, when combined with a simple username value in the "LDAP Bind User Distinguished Name" field, it will result in a UPM of user@example.com used for search/bind operations for authenticated user lookups.

Related Name

hive.server2.authentication.ldap.Domain

Default Value

API Name

hiveserver2_ldap_domain

Required

false

LDAP URL

Description

The URL of the LDAP Server. The URL must be prefixed with `ldap://` or `ldaps://`. The URL can optionally specify a custom port if necessary, but by default the `ldap://` will connect to port 389, and the `ldaps://` will connect to port 636. Note that passwords will be in the clear if `ldap://` is used, and by fall 2020 Active directory servers will no longer allow non LDAPS connections to bind to AD hosts with LDAP signing enabled. See microsoft knowledge document 935834 for more information.

Related Name

`hive.server2.authentication.ldap.url`

Default Value**API Name**

`hiveserver2_ldap_uri`

Required

`false`

HiveServer2 TLS/SSL Trust Store File

Description

The location on disk of the trust store, in `.jks` format, used to confirm the authenticity of TLS/SSL servers that HiveServer2 might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name**Default Value****API Name**

`hiveserver2_truststore_file`

Required

`false`

HiveServer2 TLS/SSL Trust Store Password

Description

The password for the HiveServer2 TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name**Default Value****API Name**

`hiveserver2_truststore_password`

Required

`false`

Kerberos Principal

Description

Kerberos principal short name used by all roles of this service.

Related Name

Default Value

hive

API Name

kerberos_princ_name

Required

true

Ranger DFS Audit Path**Description**

The DFS path on which Ranger audits are written. The special placeholder `'${ranger_base_audit_url}'` should be used as the prefix, in order to use the centralized location defined in the Ranger service.

Related Name

xasecure.audit.destination.hdfs.dir

Default Value`${ranger_base_audit_url}/hive`**API Name**

ranger_audit_hdfs_dir

Required

false

Ranger Audit DFS Spool Dir**Description**

Spool directory for Ranger audits being written to DFS.

Related Name

xasecure.audit.destination.hdfs.batch.filespool.dir

Default Value`/var/log/hive/audit/hdfs/spool`**API Name**

ranger_audit_hdfs_spool_dir

Required

false

Ranger Audit Solr Spool Dir**Description**

Spool directory for Ranger audits being written to Solr.

Related Name

xasecure.audit.destination.solr.batch.filespool.dir

Default Value`/var/log/hive/audit/solr/spool`**API Name**

ranger_audit_solr_spool_dir

Required

false

Ranger Policy Cache Directory

Description

The directory where Ranger security policies are cached locally.

Related Name

ranger.plugin.hive.policy.cache.dir

Default Value

/var/lib/ranger/hive/policy-cache

API Name

ranger_policy_cache_dir

Required

false

Bypass Sentry Authorization Users

Description

List of users that are allowed to bypass Sentry Authorization in the Hive metastore. These are usually service users that already ensure that all activity has been authorized, such as hive and impala. Only applies when Hive is using Sentry Service.

Related Name

sentry.metastore.service.users

Default Value

hive impala hue hdfs

API Name

sentry_metastore_service_users

Required

false

Hive Metastore TLS/SSL Trust Store File

Description

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Hive Metastore might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

hive.metastore.dbaccess.ssl.truststore.path

Default Value**API Name**

ssl_client_truststore_location

Required

false

Hive Metastore TLS/SSL Trust Store Password

Description

The password for the Hive Metastore TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

hive.metastore.dbaccess.ssl.truststore.password

Default Value**API Name**

ssl_client_truststore_password

Required

false

Enable TLS/SSL to the Hive Metastore Database**Description**

Encrypt communication between Hive Metastore and the database using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)). If this is enabled, then the optionally provided Hive Metastore TLS/SSL Client Trust Store properties will be used.

Related Name

hive.metastore.dbaccess.ssl.use.SSL

Default Value

false

API Name

ssl_enabled_database

Required

false

Sentry HDFS Sync Cache**Abort on Initialization Failure****Description**

If set to true, the Hive metastore will treat a problem with cache initialization as a fatal error.

Related Name

sentry.hdfs.sync.metastore.cache.fail.on.partial.update

Default Value

true

API Name

sentry_hdfs_sync_metastore_cache_fail_on_partial_update

Required

false

Number of Threads on Initialization**Description**

The number of threads used during Hive Metastore Sentry HDFS Sync Cache Initialization.

Related Name

sentry.hdfs.sync.metastore.cache.init.threads

Default Value

10

API Name

sentry_hdfs_sync_metastore_cache_init_threads

Required

false

Number of Partitions per RPC on Initialization

Description

The number of partitions per RPC retrieved during Hive Metastore Sentry HDFS Sync Cache Initialization.

Related Name

sentry.hdfs.sync.metastore.cache.max-partitions-per-rpc

Default Value

100

API Name

sentry_hdfs_sync_metastore_cache_partitions_per_rpc

Required

false

Max Number of Retries on Initialization

Description

The maximum number of retries allowed during Hive Metastore Sentry HDFS Sync cache initialization.

Related Name

sentry.hdfs.sync.metastore.cache.retry.max.num

Default Value

1

API Name

sentry_hdfs_sync_metastore_cache_retry_max_num

Required

false

Retry Wait Time on Initialization

Description

Wait duration in milliseconds for each retry during Hive Metastore Sentry HDFS Sync Cache Initialization.

Related Name

sentry.hdfs.sync.metastore.cache.retry.wait.duration.millis

Default Value

1 second(s)

API Name

sentry_hdfs_sync_metastore_cache_retry_wait_duration_millis

Required

false

Number of Tables per RPC on Initialization

Description

The number of tables per RPC retrieved during Hive Metastore Sentry HDFS Sync Cache Initialization.

Related Name

sentry.hdfs.sync.metastore.cache.max-tables-per-rpc

Default Value

100

API Name

sentry_hdfs_sync_metastore_cache_tables_per_rpc

Required

false

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: Deploy Directory**Description**

Whether to suppress configuration warnings produced by the Deploy Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Configuration Validator: WebHCat Server Log Directory**Description**

Whether to suppress configuration warnings produced by the WebHCat Server Log Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hcatalog_log_dir

Required

true

Suppress Configuration Validator: Hive Client Advanced Configuration Snippet (Safety Valve) for hive-site.xml**Description**

Whether to suppress configuration warnings produced by the Hive Client Advanced Configuration Snippet (Safety Valve) for hive-site.xml configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_client_config_safety_valve

Required

true

Suppress Configuration Validator: Gateway Client Environment Advanced Configuration Snippet (Safety Valve) for hive-env.sh**Description**

Whether to suppress configuration warnings produced by the Gateway Client Environment Advanced Configuration Snippet (Safety Valve) for hive-env.sh configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_client_env_safety_valve

Required

true

Suppress Configuration Validator: Client Java Configuration Options**Description**

Whether to suppress configuration warnings produced by the Client Java Configuration Options configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_client_java_opts

Required

true

Suppress Configuration Validator: Hive Metastore Max Message Size Validator**Description**

Whether to suppress configuration warnings produced by the Hive Metastore Max Message Size Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_hms_max_message_size_validator

Required

true

Suppress Configuration Validator: Base Directory for Hive Proto Hook

Description

Whether to suppress configuration warnings produced by the Base Directory for Hive Proto Hook configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_hook_proto_base_directory

Required

true

Suppress Configuration Validator: HiveServer2 Advanced Configuration Snippet (Safety Valve) for hive-site.xml

Description

Whether to suppress configuration warnings produced by the HiveServer2 Advanced Configuration Snippet (Safety Valve) for hive-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_hs2_config_safety_valve

Required

true

Suppress Configuration Validator: HiveServer2 Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the HiveServer2 Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_hs2_env_safety_valve

Required

true

Suppress Configuration Validator: Hive Metastore Server Log Directory

Description

Whether to suppress configuration warnings produced by the Hive Metastore Server Log Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_log_dir

Required

true

Suppress Configuration Validator: Hive Metastore Server Advanced Configuration Snippet (Safety Valve) for hive-site.xml

Description

Whether to suppress configuration warnings produced by the Hive Metastore Server Advanced Configuration Snippet (Safety Valve) for hive-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_metastore_config_safety_valve

Required

true

Suppress Configuration Validator: Hive Metastore Server Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Hive Metastore Server Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_metastore_env_safety_valve

Required

true

Suppress Configuration Validator: Hive Metastore Server Filter Hook

Description

Whether to suppress configuration warnings produced by the Hive Metastore Server Filter Hook configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_metastore_filter_hook

Required

true

Suppress Configuration Validator: Java Configuration Options for Hive Metastore Server

Description

Whether to suppress configuration warnings produced by the Java Configuration Options for Hive Metastore Server configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_metastore_java_opts

Required

true

Suppress Configuration Validator: Hive Metastore Server Port

Description

Whether to suppress configuration warnings produced by the Hive Metastore Server Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_metastore_port

Required

true

Suppress Configuration Validator: Metrics Sample File Location

Description

Whether to suppress configuration warnings produced by the Metrics Sample File Location configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_metrics_sample_file_location

Required

true

Suppress Configuration Validator: ChangeManager root directory

Description

Whether to suppress configuration warnings produced by the ChangeManager root directory configuration validator.

Related Name

Default Value

	false
API Name	role_config_suppression_hive_repl_cm_rootdir
Required	true

Suppress Configuration Validator: Restrict Load Bucketed Table Validator

Description	Whether to suppress configuration warnings produced by the Restrict Load Bucketed Table Validator configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_hive_restrict_load_bucketed_table_validator
Required	true

Suppress Configuration Validator: Restrict Unsafe Comparison Validator

Description	Whether to suppress configuration warnings produced by the Restrict Unsafe Comparison Validator configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_hive_restrict_unsafe_comparison_validator
Required	true

Suppress Configuration Validator: Hive security authorization SQL Config whitelist append

Description	Whether to suppress configuration warnings produced by the Hive security authorization SQL Config whitelist append configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_hive_security_authorization_sqlstd_confwhitelist_append
Required	true

Suppress Configuration Validator: HiveServer2 Operations Log Directory

Description	
--------------------	--

Whether to suppress configuration warnings produced by the HiveServer2 Operations Log Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_server2_logging_operation_log_location

Required

true

Suppress Configuration Validator: WebHCat Server Port

Description

Whether to suppress configuration warnings produced by the WebHCat Server Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_webhcat_address_port

Required

true

Suppress Configuration Validator: WebHCat Server Advanced Configuration Snippet (Safety Valve) for webhcat-site.xml

Description

Whether to suppress configuration warnings produced by the WebHCat Server Advanced Configuration Snippet (Safety Valve) for webhcat-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_webhcat_config_safety_valve

Required

true

Suppress Configuration Validator: WebHCat Server Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the WebHCat Server Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_webhcat_env_safety_valve

Required

true

Suppress Configuration Validator: WebHCat Server Advanced Configuration Snippet (Safety Valve) for hive-site.xml

Description

Whether to suppress configuration warnings produced by the WebHCat Server Advanced Configuration Snippet (Safety Valve) for hive-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_webhcat_hive_config_safety_valve

Required

true

Suppress Configuration Validator: Java Configuration Options for WebHCat Server

Description

Whether to suppress configuration warnings produced by the Java Configuration Options for WebHCat Server configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_webhcat_java_opts

Required

true

Suppress Configuration Validator: Hive Downloaded Resources Directory

Description

Whether to suppress configuration warnings produced by the Hive Downloaded Resources Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hiveserver2_downloaded_resources_dir

Required

true

Suppress Configuration Validator: Hive Local Scratch Directory

Description

Whether to suppress configuration warnings produced by the Hive Local Scratch Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hiveserver2_exec_local_scratchdir

Required

true

Suppress Configuration Validator: Hive HDFS Scratch Directory

Description

Whether to suppress configuration warnings produced by the Hive HDFS Scratch Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hiveserver2_exec_scratchdir

Required

true

Suppress Configuration Validator: Fair Scheduler XML Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Fair Scheduler XML Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hiveserver2_fair_scheduler_safety_valve

Required

true

Suppress Configuration Validator: Java Configuration Options for HiveServer2

Description

Whether to suppress configuration warnings produced by the Java Configuration Options for HiveServer2 configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hiveserver2_java_opts

Required

true

Suppress Configuration Validator: HiveServer2 Load Balancer**Description**

Whether to suppress configuration warnings produced by the HiveServer2 Load Balancer configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hiveserver2_load_balancer

Required

true

Suppress Configuration Validator: Exclude Vectorized Input Formats**Description**

Whether to suppress configuration warnings produced by the Exclude Vectorized Input Formats configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hiveserver2_vectorized_input_format_excludes

Required

true

Suppress Configuration Validator: HiveServer2 WebUI Port**Description**

Whether to suppress configuration warnings produced by the HiveServer2 WebUI Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hiveserver2_webui_port

Required

true

Suppress Configuration Validator: Hive Metastore Server Advanced Configuration Snippet (Safety Valve) for core-site.xml**Description**

Whether to suppress configuration warnings produced by the Hive Metastore Server Advanced Configuration Snippet (Safety Valve) for core-site.xml configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hms_core_site_safety_valve

Required

true

Suppress Configuration Validator: HiveServer2 Advanced Configuration Snippet (Safety Valve) for core-site.xml

Description

Whether to suppress configuration warnings produced by the HiveServer2 Advanced Configuration Snippet (Safety Valve) for core-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hs2_core_site_safety_valve

Required

true

Suppress Configuration Validator: HiveServer2 Port

Description

Whether to suppress configuration warnings produced by the HiveServer2 Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hs2_thrift_address_port

Required

true

Suppress Configuration Validator: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Configuration Validator: Gateway Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Gateway Logging Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Configuration Validator: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section**Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: Role Triggers**Description**

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Configuration Validator: HiveServer2 WebUI TLS/SSL Server Keystore File Location**Description**

Whether to suppress configuration warnings produced by the HiveServer2 WebUI TLS/SSL Server Keystore File Location configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Configuration Validator: HiveServer2 WebUI TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the HiveServer2 WebUI TLS/SSL Server Keystore File Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Configuration Validator: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Configuration Validator: WebHCat Server Advanced Configuration Snippet (Safety Valve) for core-site.xml

Description

Whether to suppress configuration warnings produced by the WebHCat Server Advanced Configuration Snippet (Safety Valve) for core-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_webhcat_core_site_safety_valve

Required

true

Suppress Parameter Validation: Hive Service Advanced Configuration Snippet (Safety Valve) for atlas-application.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Service Advanced Configuration Snippet (Safety Valve) for atlas-application.properties parameter.

Related Name

Default Value

false

API Name

service_config_suppression_application_properties_safety_valve

Required

true

Suppress Parameter Validation: Atlas Kafka Messages Spool Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas Kafka Messages Spool Directory parameter.

Related Name

Default Value

false

API Name

service_config_suppression_atlas_message_spool_path

Required

true

Suppress Parameter Validation: Audit Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Audit Log Directory parameter.

Related Name

Default Value

false

API Name

service_config_suppression_audit_event_log_dir

Required

true

Suppress Configuration Validator: Gateway Count Validator

Description

Whether to suppress configuration warnings produced by the Gateway Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_gateway_count_validator

Required

true

Suppress Parameter Validation: Hive Auxiliary JARs Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Auxiliary JARs Directory parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_aux_jars_path_dir

Required

true

Suppress Configuration Validator: Hive Bypass Metastore Validator

Description

Whether to suppress configuration warnings produced by the Hive Bypass Metastore Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_hive_bypass_metastore_validator

Required

true

Suppress Configuration Validator: Client TLS/SSL In Use With LDAP Authentication Validator

Description

Whether to suppress configuration warnings produced by the Client TLS/SSL In Use With LDAP Authentication Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_hive_client_ssl_recommended_with_ldap_auth_validator

Required

true

Suppress Configuration Validator: Hive Concurrency Configuration Validator

Description

Whether to suppress configuration warnings produced by the Hive Concurrency Configuration Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_hive_concurrency_validator

Required

true

Suppress Parameter Validation: Hive Service Advanced Configuration Snippet (Safety Valve) for core-site.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Service Advanced Configuration Snippet (Safety Valve) for core-site.xml parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hive_core_site_safety_valve

Required

true

Suppress Configuration Validator: Hive Derby Validator**Description**

Whether to suppress configuration warnings produced by the Hive Derby Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_hive_derby_validator

Required

true

Suppress Parameter Validation: Hive Metastore Database Host**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Metastore Database Host parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hive_metastore_database_host

Required

true

Suppress Parameter Validation: Hive Metastore Database Name

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Metastore Database Name parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hive_metastore_database_name

Required

true

Suppress Parameter Validation: Hive Metastore Database Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Metastore Database Password parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hive_metastore_database_password

Required

true

Suppress Parameter Validation: Hive Metastore Database Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Metastore Database Port parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hive_metastore_database_port

Required

true

Suppress Configuration Validator: Database TLS with JDBC URL Override Validator

Description

Whether to suppress configuration warnings produced by the Database TLS with JDBC URL Override Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_hive_metastore_database_tls_overridden_by_jdbc_url_validator

Required

true

Suppress Parameter Validation: Hive Metastore Database User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Metastore Database User parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_metastore_database_user

Required

true

Suppress Parameter Validation: Hive Metastore Derby Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Metastore Derby Path parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_metastore_derby_path

Required

true

Suppress Parameter Validation: LDAP BaseDN

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP BaseDN parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_metastore_ldap_basedn

Required

true

Suppress Parameter Validation: Active Directory Domain

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Active Directory Domain parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_metastore_ldap_domain

Required

true

Suppress Parameter Validation: LDAP URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP URL parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_metastore_ldap_uri

Required

true

Suppress Configuration Validator: Legacy HS2 Validator

Description

Whether to suppress configuration warnings produced by the Legacy HS2 Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_hive_no_legacy_hs2_validator

Required

true

Suppress Configuration Validator: Hive Proxy Groups Validator

Description

Whether to suppress configuration warnings produced by the Hive Proxy Groups Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_hive_proxy_groups_validator

Required

true

Suppress Parameter Validation: Hive Metastore Access Control and Proxy User Groups Override

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Metastore Access Control and Proxy User Groups Override parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_proxy_user_groups_list

Required

true

Suppress Configuration Validator: Ranger Plugin Url Auth Validator for filesystem schemes

Description

Whether to suppress configuration warnings produced by the Ranger Plugin Url Auth Validator for filesystem schemes configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_hive_ranger_url_auth_validator

Required

true

Suppress Configuration Validator: Hive Ranger Validator

Description

Whether to suppress configuration warnings produced by the Hive Ranger Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_hive_ranger_validator

Required

true

Suppress Parameter Validation: Replica functions root directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Replica functions root directory parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_repl_replica_functions_root_dir

Required

true

Suppress Parameter Validation: Hive Replication Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Replication Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hive_replication_env_safety_valve

Required

true

Suppress Parameter Validation: Sentry Global Policy File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Sentry Global Policy File parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hive_sentry_provider_resource

Required

true

Suppress Configuration Validator: Hive Sentry Validator

Description

Whether to suppress configuration warnings produced by the Hive Sentry Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_hive_sentry_validator

Required

true

Suppress Parameter Validation: Hive Service Advanced Configuration Snippet (Safety Valve) for sentry-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Service Advanced Configuration Snippet (Safety Valve) for sentry-site.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_server2_sentry_safety_valve

Required

true

Suppress Parameter Validation: Hive Service Advanced Configuration Snippet (Safety Valve) for hive-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Service Advanced Configuration Snippet (Safety Valve) for hive-site.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_service_config_safety_valve

Required

true

Suppress Parameter Validation: Hive Service Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_service_env_safety_valve

Required

true

Suppress Parameter Validation: Hive Replication Advanced Configuration Snippet (Safety Valve) for hive-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Replication Advanced Configuration Snippet (Safety Valve) for hive-site.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_service_replication_config_safety_valve

Required

true

Suppress Parameter Validation: Hive SSL Protocol Blacklist

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive SSL Protocol Blacklist parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_ssl_protocol_blacklist

Required

true

Suppress Parameter Validation: Hive Warehouse Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Warehouse Directory parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_warehouse_directory

Required

true

Suppress Parameter Validation: Hive External Warehouse Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive External Warehouse Directory parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_warehouse_external_directory

Required

true

Suppress Parameter Validation: Hive Zookeeper TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Zookeeper TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_zookeeper_keystore_location

Required

true

Suppress Parameter Validation: Hive Zookeeper TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Zookeeper TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_zookeeper_keystore_password

Required

true

Suppress Parameter Validation: Hive Zookeeper TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Zookeeper TLS/SSL Trust Store File parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_zookeeper_truststore_location

Required

true

Suppress Parameter Validation: Hive Zookeeper TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Zookeeper TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_zookeeper_truststore_password

Required

true

Suppress Configuration Validator: Hive Metastore Server Count Validator

Description

Whether to suppress configuration warnings produced by the Hive Metastore Server Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_hivemetastore_count_validator

Required

true

Suppress Configuration Validator: HiveServer2 Count Validator

Description

Whether to suppress configuration warnings produced by the HiveServer2 Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_hiveserver2_count_validator

Required

true

Suppress Parameter Validation: HiveServer2 TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hiveserver2_keystore_password

Required

true

Suppress Parameter Validation: HiveServer2 TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hiveserver2_keystore_path

Required

true

Suppress Parameter Validation: LDAP BaseDN

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP BaseDN parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hiveserver2_ldap_basedn

Required

true

Suppress Parameter Validation: Active Directory Domain**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Active Directory Domain parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hiveserver2_ldap_domain

Required

true

Suppress Parameter Validation: LDAP password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP password parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hiveserver2_ldap_replication_password

Required

true

Suppress Parameter Validation: LDAP username**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP username parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hiveserver2_ldap_replication_user

Required

true

Suppress Parameter Validation: LDAP URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP URL parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hiveserver2_ldap_uri

Required

true

Suppress Parameter Validation: HiveServer2 TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 TLS/SSL Trust Store File parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hiveserver2_truststore_file

Required

true

Suppress Parameter Validation: HiveServer2 TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 TLS/SSL Trust Store Password parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hiveserver2_truststore_password

Required

true

Suppress Parameter Validation: Hive Metastore Database JDBC URL Override

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Metastore Database JDBC URL Override parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_jdbc_url_override

Required

true

Suppress Parameter Validation: Kerberos Principal

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Principal parameter.

Related Name

Default Value

false

API Name

service_config_suppression_kerberos_princ_name

Required

true

Suppress Parameter Validation: Hive Lineage Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Lineage Log Directory parameter.

Related Name

Default Value

false

API Name

service_config_suppression_lineage_event_log_dir

Required

true

Suppress Parameter Validation: Audit Event Filter

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Audit Event Filter parameter.

Related Name

Default Value

false

API Name

service_config_suppression_navigator_audit_event_filter

Required

true

Suppress Parameter Validation: Hive Client Advanced Configuration Snippet (Safety Valve) for navigator.client.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Client Advanced Configuration Snippet (Safety Valve) for navigator.client.properties parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_navigator_client_config_safety_valve

Required

true

Suppress Parameter Validation: Audit Event Tracker**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Audit Event Tracker parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_navigator_event_tracker

Required

true

Suppress Parameter Validation: Hive Client Advanced Configuration Snippet (Safety Valve) for navigator.lineage.client.properties**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Client Advanced Configuration Snippet (Safety Valve) for navigator.lineage.client.properties parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_navigator_lineage_client_config_safety_valve

Required

true

Suppress Parameter Validation: System Group**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: System User**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_username

Required

true

Suppress Parameter Validation: Ranger DFS Audit Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger DFS Audit Path parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_audit_hdfs_dir

Required

true

Suppress Parameter Validation: Ranger Audit DFS Spool Dir**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Audit DFS Spool Dir parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_audit_hdfs_spool_dir

Required

true

Suppress Parameter Validation: Hive Service Advanced Configuration Snippet (Safety Valve) for ranger-hive-audit.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Service Advanced Configuration Snippet (Safety Valve) for ranger-hive-audit.xml parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_audit_safety_valve

Required

true

Suppress Parameter Validation: Ranger Audit Solr Spool Dir**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Audit Solr Spool Dir parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_audit_solr_spool_dir

Required

true

Suppress Parameter Validation: Ranger Plugin Trusted Proxy IP Address**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Plugin Trusted Proxy IP Address parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_plugin_trusted_proxy_ipaddress

Required

true

Suppress Parameter Validation: Ranger Plugin URL Auth Filesystem Schemes**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Plugin URL Auth Filesystem Schemes parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_plugin_urlauth_filesystem_schemes

Required

true

Suppress Parameter Validation: Ranger Policy Cache Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Policy Cache Directory parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_policy_cache_dir

Required

true

Suppress Parameter Validation: Hive Service Advanced Configuration Snippet (Safety Valve) for ranger-hive-policymgr-ssl.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Service Advanced Configuration Snippet (Safety Valve) for ranger-hive-policymgr-ssl.xml parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_policymgr_ssl_safety_valve

Required

true

Suppress Parameter Validation: Hive Service Advanced Configuration Snippet (Safety Valve) for ranger-hive-security.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Service Advanced Configuration Snippet (Safety Valve) for ranger-hive-security.xml parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_security_safety_valve

Required

true

Suppress Parameter Validation: Hive Metastore Access Control and Ranger RMS Proxy User Hosts**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Metastore Access Control and Ranger RMS Proxy User Hosts parameter.

Related Name

Default Value

false

API Name

service_config_suppression_rangerrms_proxy_user_hosts_list

Required

true

Suppress Parameter Validation: Bypass Sentry Authorization Users

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Bypass Sentry Authorization Users parameter.

Related Name

Default Value

false

API Name

service_config_suppression_sentry_metastore_service_users

Required

true

Suppress Parameter Validation: Service Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name

Default Value

false

API Name

service_config_suppression_service_triggers

Required

true

Suppress Parameter Validation: Service Monitor Client Config Overrides

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Client Config Overrides parameter.

Related Name

Default Value

false

API Name

service_config_suppression_smon_client_config_overrides

Required

true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_smon_derived_configs_safety_valve

Required

true

Suppress Parameter Validation: Hive Metastore TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Metastore TLS/SSL Trust Store File parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: Hive Metastore TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Metastore TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ssl_client_truststore_password

Required

true

Suppress Configuration Validator: WebHCat Server Count Validator

Description

Whether to suppress configuration warnings produced by the WebHCat Server Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_webhcat_count_validator

Required

true

Suppress Health Test: Compaction System Health Check**Description**

Whether to suppress the results of the Compaction System Health Check health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_hive_compaction_health

Required

true

Suppress Health Test: Hive Metastore Server Health**Description**

Whether to suppress the results of the Hive Metastore Server Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_hive_hivemetastores_healthy

Required

true

Suppress Health Test: HiveServer2 Health**Description**

Whether to suppress the results of the HiveServer2 Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_hive_hiveserver2s_healthy

Required

true

Suppress Health Test: WebHCat Server Health**Description**

Whether to suppress the results of the WebHCat Server Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_hive_webhcats_healthy

Required

true

WebHCat Server

Advanced

WebHCat Server Advanced Configuration Snippet (Safety Valve) for webhcat-site.xml

Description

For advanced use only. A string to be inserted into webhcat-site.xml for this role only.

Related Name**Default Value****API Name**

hive_webhcat_config_safety_valve

Required

false

WebHCat Server Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

hive_webhcat_env_safety_valve

Required

false

WebHCat Server Advanced Configuration Snippet (Safety Valve) for hive-site.xml

Description

For advanced use only. A string to be inserted into hive-site.xml for this role only.

Related Name**Default Value****API Name**

hive_webhcat_hive_config_safety_valve

Required

false

Java Configuration Options for WebHCat Server

Description

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or greater, {{JAVA_GC_ARGS}} will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name**Default Value**

JAVA_GC_ARGS

API Name

hive_webhcat_java_opts

Required

false

WebHCat Server Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory

Description

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

WebHCat Server Advanced Configuration Snippet (Safety Valve) for core-site.xml

Description

For advanced use only. A string to be inserted into core-site.xml for this role only.

Related Name**Default Value**

API Name

webhcat_core_site_safety_valve

Required

false

Logs

WebHCat Server Log Directory

Description

Directory where WebHCat Server will place its log files.

Related Name

Default Value

/var/log/hcatalog

API Name

hcatalog_log_dir

Required

false

WebHCat Server Logging Threshold

Description

The minimum log level for WebHCat Server logs

Related Name

Default Value

INFO

API Name

log_threshold

Required

false

WebHCat Server Maximum Log File Backups

Description

The maximum number of rolled log files to keep for WebHCat Server logs. Typically used by log4j or logback.

Related Name

Default Value

10

API Name

max_log_backup_index

Required

false

WebHCat Server Max Log Size

Description

The maximum size, in megabytes, per log file for WebHCat Server logs. Typically used by log4j or logback.

Related Name

Default Value

200 MiB

API Name

max_log_size

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name

Default Value

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

```
startDelaySeconds: 10 ssl: false lowercaseOutputName: true lowercaseOutputLabelNames: true
rules: - pattern: '^nothing-should-match-this$'
```

API Name

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Navigator Audit Failure Thresholds**Description**

The health test thresholds for failures encountered when monitoring audits within a recent period specified by the mgmt_navigator_failure_window configuration for the role. The value that can be specified for this threshold is the number of bytes of audits data that is left to be sent to audit server.

Related Name

mgmt.navigator.failure.thresholds

Default Value

Warning: Never, Critical: Any

API Name

mgmt_navigator_failure_thresholds

Required

false

Monitoring Period For Audit Failures**Description**

The period to review when checking if audits are blocked and not getting processed.

Related Name

mgmt.navigator.failure.window

Default Value

20 minute(s)

API Name

mgmt_navigator_failure_window

Required

false

Navigator Audit Pipeline Health Check

Description

Enable test of audit events processing pipeline. This will test if audit events are not getting processed by Audit Server for a role that generates audit.

Related Name

mgmt.navigator.status.check.enabled

Default Value

true

API Name

mgmt_navigator_status_check_enabled

Required

false

Metric Filter

Description

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name**Default Value****API Name**

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

exporters: prometheusremotewrite/\$ROLE_NAME: endpoint:
\$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/\$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

extensions: basicauth/\$ROLE_NAME: client_auth: username:
\$ROLE_PARAM(otelcol_remote_write_user) password:
'\$ROLE_PARAM(otelcol_remote_write_password)'

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

processors: filter/\$ROLE_NAME: metrics: include: match_type: strict metric_names: #memory -
jvm_buffer_pool_used_bytes - jvm_buffer_pool_capacity_bytes - jvm_buffer_pool_used_buffers
- jvm_memory_bytes_used - jvm_memory_bytes_committed - jvm_memory_bytes_max -
jvm_memory_bytes_init #gc - jvm_gc_collection_seconds #threads - jvm_threads_current -

jvm_threads_daemon - jvm_threads_peak - jvm_threads_started_total - jvm_threads_deadlocked
- jvm_threads_deadlocked_monitor - jvm_threads_state #classes - jvm_classes_currently_loaded
#process - process_cpu_seconds_total - process_start_time_seconds - process_open_fds -
process_virtual_memory_bytes

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name

Default Value

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**`$INFRA(cdp_request_signer_url)`**API Name**`otelcol_remote_write_url`**Required**`false`**OpenTelemetry Collector Remote Write Username****Description**

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify `$INFRA(cdp_request_signer_username)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**`$INFRA(cdp_request_signer_username)`**API Name**`otelcol_remote_write_user`**Required**`false`**Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section****Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**`otelcol_rtm_logs_exporters`**Required**`false`**Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section****Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**`otelcol_rtm_logs_extensions`**Required**`false`

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

service: pipelines: metrics/\$ROLE_NAME: receivers: [prometheus/\$ROLE_NAME] processors: [filter/\$ROLE_NAME] exporters: [prometheusremotewrite/\$ROLE_NAME]

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

true

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name

Default Value

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds

Description

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window

Description

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds

Description

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers

Description

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=\$ROLENAM and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}] See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name

Default Value

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name

Default Value

5 minute(s)

API Name

unexpected_exits_window

Required

false

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name

Default Value

Warning: 50.0 %, Critical: 70.0 %

API Name

webhcat_fd_thresholds

Required

false

WebHCat Server Host Health Test

Description

When computing the overall WebHCat Server health, consider the host's health.

Related Name

Default Value

true

API Name

webhcat_host_health_enabled

Required

false

WebHCat Server Process Health Test

Description

Enables the health test that the WebHCat Server's process state is consistent with the role configuration

Related Name

Default Value

true

API Name

webhcat_scm_health_enabled

Required

false

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name

Default Value

API Name

rlimit_fds

Required

false

Ports and Addresses

WebHCat Server Port

Description

Port on which WebHCat Server will listen for connections.

Related Name

templeton.port

Default Value

50111

API Name

hive_webhcat_address_port

Required

false

Resource Management

Java Heap Size of WebHCat Server in Bytes

Description

Maximum size in bytes for the Java Process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

256 MiB

API Name

hive_webhcat_java_heapsize

Required

false

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares

Description

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight

Description

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)

Description

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2'
These settings override other cgroup settings.

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight

Description

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value

API Name

stacks_collection_directory

Required

false

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency

Description

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method

Description

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: WebHCat Server Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the WebHCat Server Log Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hcatalog_log_dir

Required

true

Suppress Parameter Validation: WebHCat Server Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the WebHCat Server Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hive_webhcat_address_port

Required

true

Suppress Parameter Validation: WebHCat Server Advanced Configuration Snippet (Safety Valve) for webhcat-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the WebHCat Server Advanced Configuration Snippet (Safety Valve) for webhcat-site.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hive_webhcat_config_safety_valve

Required

true

Suppress Parameter Validation: WebHCat Server Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the WebHCat Server Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hive_webhcat_env_safety_valve

Required

true

Suppress Parameter Validation: WebHCat Server Advanced Configuration Snippet (Safety Valve) for hive-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the WebHCat Server Advanced Configuration Snippet (Safety Valve) for hive-site.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hive_webhcat_hive_config_safety_valve

Required

true

Suppress Parameter Validation: Java Configuration Options for WebHCat Server

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for WebHCat Server parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hive_webhcat_java_opts

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: WebHCat Server Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the WebHCat Server Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

	false
API Name	role_config_suppression_otelcol_rtm_logs_exporters
Required	true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_rtm_logs_extensions
Required	true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_rtm_logs_processors
Required	true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_rtm_logs_receivers
Required	true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Parameter Validation: WebHCat Server Advanced Configuration Snippet (Safety Valve) for core-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the WebHCat Server Advanced Configuration Snippet (Safety Valve) for core-site.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_webhcat_core_site_safety_valve

Required

true

Suppress Health Test: Audit Pipeline Test

Description

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_webhcat_audit_health

Required

true

Suppress Health Test: File Descriptors

Description

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_webhcat_file_descriptor

Required

true

Suppress Health Test: Heap Dump Directory Free Space**Description**

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_webhcat_heap_dump_directory_free_space

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_webhcat_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_webhcat_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_webhcat_otelcol_health

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_webhcat_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_webhcat_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_webhcat_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_webhcat_unexpected_exits

Required

true

Hive LLAP Properties in Cloudera Runtime 7.3.1

Role groups:

Gateway

Advanced

Deploy Directory

Description

The directory where the client configs will be deployed

Related Name**Default Value**

/etc/hive

API Name

client_config_root_dir

Required

true

Hive Client Advanced Configuration Snippet (Safety Valve) for hive-site.xml

Description

For advanced use only, a string to be inserted into the client configuration for hive-site.xml.

Related Name**Default Value****API Name**

hive_client_config_safety_valve

Required

false

Gateway Client Environment Advanced Configuration Snippet (Safety Valve) for hive-env.sh

Description

For advanced use only, key-value pairs (one on each line) to be inserted into the client configuration for hive-env.sh

Related Name**Default Value****API Name**

hive_client_env_safety_valve

Required

false

Client Java Configuration Options

Description

These are Java command-line arguments. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here.

Related Name**Default Value**

-Djava.net.preferIPv4Stack=true

API Name

hive_client_java_opts

Required

false

Hive Metastore Connection Timeout

Description

Timeout for requests to the Hive Metastore Server. Consider increasing this if you have tables with a lot of metadata and see timeout errors. Used by most Hive Metastore clients such as Hive CLI and HiveServer2, but not by Impala. Impala has a separately configured timeout.

Related Name

hive.metastore.client.socket.timeout

Default Value

5 minute(s)

API Name

hive_metastore_timeout

Required

false

Gateway Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name

Default Value

API Name

log4j_safety_valve

Required

false

Logs

Gateway Logging Threshold

Description

The minimum log level for Gateway logs

Related Name

Default Value

INFO

API Name

log_threshold

Required

false

Monitoring

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Other

Alternatives Priority

Description

The priority level that the client configuration will have in the Alternatives system on the hosts. Higher priority levels will cause Alternatives to prefer this configuration over any others.

Related Name

Default Value

91

API Name

client_config_priority

Required

true

Resource Management**Client Java Heap Size in Bytes****Description**

Maximum size in bytes for the Java process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

2 GiB

API Name

hive_client_java_heapsize

Required

false

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Deploy Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Deploy Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Parameter Validation: Hive Client Advanced Configuration Snippet (Safety Valve) for hive-site.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Client Advanced Configuration Snippet (Safety Valve) for hive-site.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_client_config_safety_valve

Required

true

Suppress Parameter Validation: Gateway Client Environment Advanced Configuration Snippet (Safety Valve) for hive-env.sh**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway Client Environment Advanced Configuration Snippet (Safety Valve) for hive-env.sh parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_client_env_safety_valve

Required

true

Suppress Parameter Validation: Client Java Configuration Options**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Client Java Configuration Options parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_client_java_opts

Required

true

Suppress Parameter Validation: Gateway Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

	false
API Name	role_config_suppression_log4j_safety_valve
Required	true

HiveServer2

Advanced

HiveServer2 Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name

Default Value

API Name

hive_hs2_env_safety_valve

Required

false

Hive Metastore Connection Retries Count

Description

Number of retries while opening a connection to the Hive Metastore Server

Related Name

hive.metastore.connect.retries

Default Value

10

API Name

hive_metastore_connection_retries

Required

false

Enable Metrics Subsystem

Description

Controls whether the Hive metrics subsystem is enabled for the role.

Related Name

hive.server2.metrics.enabled

Default Value

true

API Name

hive_metrics_enabled

Required

false

Metrics Sample File Location

Description

The full path to a file with a sample of metrics exposed by the role. The sample is updated at the frequency configured by Metrics Sample File Logging Frequency. By default, the sample file is logged to a directory under the role log directory, e.g., `/var/log/hive/metrics-hivemetastore/metrics.log`. The setting only has an effect if "Enable Metrics Subsystem" is set to true.

Related Name

hive.service.metrics.file.location

Default Value**API Name**

hive_metrics_sample_file_location

Required

false

Metrics Sample File Logging Frequency

Description

The frequency at which the metrics are logged to the sample file. The setting only has an effect if "Enable Metrics Subsystem" is set to true.

Related Name

hive.service.metrics.file.frequency

Default Value

30 second(s)

API Name

hive_metrics_sample_logging_frequency

Required

false

Hive security authorization SQL Config whitelist append

Description

List of comma separated Java regexes, to be appended to list set in "hive.security.authorization.sqlstd.confwhitelist. Using this list instead of updating the original list means that you can append to the defaults.

Related Name

hive.security.authorization.sqlstd.confwhitelist.append

Default Value**API Name**

hive_security_authorization_sqlstd_confwhitelist_append

Required

false

Allow User Substitution

Description

Allow alternate user to be specified as part of HiveServer2 open connection request.

Related Name

hive.server2.allow.user.substitution

Default Value

true

API Name

hive_server2_allow_user_substitution

Required

false

HiveServer2 Transport Mode**Description**

The server transport mode.

Related Name

hive.server2.transport.mode

Default Value

binary

API Name

hive_server2_transport_mode

Required

false

HiveServer2 Advanced Configuration Snippet (Safety Valve) for hive-site.xml**Description**

For advanced use only. A string to be inserted into hive-site.xml for this role only.

Related Name**Default Value****API Name**

hivellap_hs2_config_safety_valve

Required

false

Hive Downloaded Resources Directory**Description**

Local directory where Hive stores jars downloaded for remote file systems (HDFS). If not specified, Hive uses a default location.

Related Name

hive.downloaded.resources.dir

Default Value**API Name**

hiveserver2_downloaded_resources_dir

Required

false

Enable Explain Logging**Description**

When enabled, HiveServer2 logs EXPLAIN EXTENDED output for every query at INFO log4j level.

Related Name

hive.log.explain.output

Default Value

false

API Name

hiveserver2_enable_explain_output

Required

false

Hive Local Scratch Directory**Description**

Local Directory where Hive stores jars and data when performing a MapJoin optimization. If not specified, Hive uses a default location.

Related Name

hive.exec.local.scratchdir

Default Value**API Name**

hiveserver2_exec_local_scratchdir

Required

false

Hive HDFS Scratch Directory**Description**

Directory in HDFS where Hive writes intermediate data between MapReduce jobs. If not specified, Hive uses a default location.

Related Name

hive.exec.scratchdir

Default Value**API Name**

hiveserver2_exec_scratchdir

Required

false

Fair Scheduler XML Advanced Configuration Snippet (Safety Valve)**Description**

An XML string that will be inserted verbatim into the Fair Scheduler allocations file. This configuration only has effect in CDH 5.8 or later.

Related Name**Default Value****API Name**

hiveserver2_fair_scheduler_safety_valve

Required

false

Idle Operation Timeout

Description

Operation will be closed when not accessed for this duration of time, in milliseconds; disable by setting to zero. For a positive value, checked for operations in terminal state only (FINISHED, CANCELED, CLOSED, ERROR). For a negative value, checked for all of the operations regardless of state.

Related Name

hive.server2.idle.operation.timeout

Default Value

6 hour(s)

API Name

hiveserver2_idle_operation_timeout

Required

false

Idle Session Timeout

Description

Session will be closed when not accessed for this duration of time, in milliseconds; disable by setting to zero or a negative value.

Related Name

hive.server2.idle.session.timeout

Default Value

1 day(s)

API Name

hiveserver2_idle_session_timeout

Required

false

Exclude Live Operations From Session Idle Time

Description

Session will be considered to be idle only if there is no activity, and there is no pending operation. This setting takes effect only if session idle timeout (hive.server2.idle.session.timeout) and checking (hive.server2.session.check.interval) are enabled.

Related Name

hive.server2.idle.session.check.operation

Default Value

true

API Name

hiveserver2_idle_session_timeout_check_operation

Required

false

Java Configuration Options for HiveServer2

Description

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or greater, `{{JAVA_GC_ARGS}}` will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name**Default Value**

JAVA_GC_ARGS

API Name

hiveserver2_java_opts

Required

false

Maximum Query String Length for Show Locks**Description**

The maximum length allowed for the query string when the `SHOW LOCKS EXTENDED` command is executed. Important: The query string is truncated at the length set for this property. Setting this property to a large value puts pressure on ZooKeeper and might cause out-of-memory issues.

Related Name

hive.lock.query.string.max.length

Default Value

10000

API Name

hiveserver2_lock_query_string_max_length

Required

false

Max HiveServer2 Threads**Description**

Maximum number of worker threads in HiveServer2's thread pool

Related Name

hive.server2.thrift.max.worker.threads

Default Value

500

API Name

hiveserver2_max_threads

Required

true

Min HiveServer2 Threads**Description**

Minimum number of worker threads in HiveServer2's thread pool

Related Name

hive.server2.thrift.min.worker.threads

Default Value

5

API Name

hiveserver2_min_threads

Required

true

Session Check Interval**Description**

The check interval for session/operation timeout, in milliseconds, which can be disabled by setting to zero or a negative value.

Related Name

hive.server2.session.check.interval

Default Value

15 minute(s)

API Name

hiveserver2_session_check_interval

Required

false

HiveServer2 WebUI Max Threads**Description**

The max threads for the HiveServer2 WebUI.

Related Name

hive.server2.webui.max.threads

Default Value

50

API Name

hiveserver2_webui_max_threads

Required

false

HiveServer2 Advanced Configuration Snippet (Safety Valve) for core-site.xml**Description**

For advanced use only. A string to be inserted into core-site.xml for this role only.

Related Name**Default Value****API Name**

hs2_core_site_safety_valve

Required

false

HiveServer2 Logging Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations**Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory

Description

When set, a SIGKILL signal is sent to the role process when `java.lang.OutOfMemoryError` is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name

Default Value

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Logs**HiveServer2 Log Directory****Description**

Directory where HiveServer2 will place its log files.

Related Name**Default Value**

/var/log/hive

API Name

hive_log_dir

Required

false

Enable HiveServer2 Operations Logging**Description**

When enabled, HiveServer2 will temporarily save logs associated with ongoing operations. This enables clients like beeline and Hue to request and display logs for a particular ongoing operation. Logs are removed upon completion of operation.

Related Name

hive.server2.logging.operation.enabled

Default Value

true

API Name

hive_server2_logging_operation_enabled

Required

false

HiveServer2 Operations Log Directory

Description

Top level directory where operation logs are temporarily stored if Enable HiveServer2 Operations Logging is true. Logs are stored in session and operation level subdirectories under this location and are removed on completion of operation.

Related Name

hive.server2.logging.operation.log.location

Default Value

/var/log/hive/operation_logs

API Name

hive_server2_logging_operation_log_location

Required

false

HiveServer2 Logging Threshold

Description

The minimum log level for HiveServer2 logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

HiveServer2 Maximum Log File Backups

Description

The maximum number of rolled log files to keep for HiveServer2 logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

HiveServer2 Max Log Size

Description

The maximum size, in megabytes, per log file for HiveServer2 logs. Typically used by log4j or logback.

Related Name**Default Value**

	200 MiB
API Name	
	max_log_size
Required	
	false

Monitoring

Enable Health Alerts for this Role

Description	When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold
Related Name	
Default Value	true
API Name	enable_alerts
Required	false

Enable Configuration Change Alerts

Description	When set, Cloudera Manager will send alerts when this entity's configuration changes.
Related Name	
Default Value	false
API Name	enable_config_alerts
Required	false

Heap Dump Directory Free Space Monitoring Absolute Thresholds

Description	The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.
Related Name	
Default Value	Warning: 10 GiB, Critical: 5 GiB
API Name	heap_dump_directory_free_space_absolute_thresholds
Required	false

Heap Dump Directory Free Space Monitoring Percentage Thresholds

Description	
--------------------	--

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

Hive Downloaded Resources Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's Hive Downloaded Resources Directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

hive_llap_hs2_downloaded_resources_directory_free_space_absolute_thresholds

Required

false

Hive Downloaded Resources Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's Hive Downloaded Resources Directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Hive Downloaded Resources Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

hive_llap_hs2_downloaded_resources_directory_free_space_percentage_thresholds

Required

false

Hive Local Scratch Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's Hive Local Scratch Directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

hive_llap_hs2_exec_local_scratch_directory_free_space_absolute_thresholds

Required

false

Hive Local Scratch Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's Hive Local Scratch Directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Hive Local Scratch Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

hive_llap_hs2_exec_local_scratch_directory_free_space_percentage_thresholds

Required

false

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

hiveserver2_fd_thresholds

Required

false

HiveServer2 Host Health Test**Description**

When computing the overall HiveServer2 health, consider the host's health.

Related Name**Default Value**

true

API Name

hiveserver2_host_health_enabled

Required

false

Pause Duration Thresholds**Description**

The health test thresholds for the weighted average extra time the pause monitor spent paused. Specified as a percentage of elapsed wall clock time.

Related Name**Default Value**

Warning: 30.0, Critical: 60.0

API Name

hiveserver2_pause_duration_thresholds

Required

false

Pause Duration Monitoring Period**Description**

The period to review when computing the moving average of extra time the pause monitor spent paused.

Related Name**Default Value**

5 minute(s)

API Name

hiveserver2_pause_duration_window

Required

false

HiveServer2 Process Health Test**Description**

Enables the health test that the HiveServer2's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

hiveserver2_scm_health_enabled

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

startDelaySeconds: 10 ssl: false lowercaseOutputName: true lowercaseOutputLabelNames: true
rules: - pattern: 'metrics<name=(jvm\.pause\.*)><>(.*): (\d+)' name: hive_\$1_\$2 value: \$3

API Name

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Navigator Audit Failure Thresholds

Description

The health test thresholds for failures encountered when monitoring audits within a recent period specified by the mgmt_navigator_failure_window configuration for the role. The value that can be specified for this threshold is the number of bytes of audits data that is left to be sent to audit server.

Related Name

mgmt.navigators.failure.thresholds

Default Value

Warning: Never, Critical: Any

API Name

mgmt_navigator_failure_thresholds

Required

false

Monitoring Period For Audit Failures**Description**

The period to review when checking if audits are blocked and not getting processed.

Related Name

mgmt.navigators.failure.window

Default Value

20 minute(s)

API Name

mgmt_navigator_failure_window

Required

false

Navigator Audit Pipeline Health Check**Description**

Enable test of audit events processing pipeline. This will test if audit events are not getting processed by Audit Server for a role that generates audit.

Related Name

mgmt.navigators.status.check.enabled

Default Value

true

API Name

mgmt_navigator_status_check_enabled

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking [View as JSON](#). In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name**Default Value****API Name**

`monitoring_metric_filter`

Required

`false`

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

`otelcol_exporters`

Required

`false`

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

`otelcol_extensions`

Required

`false`

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value

11121

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
processors: filter/$ROLE_NAME: metrics: include: match_type: strict metric_names: #memory -
jvm_buffer_pool_used_bytes - jvm_buffer_pool_capacity_bytes - jvm_buffer_pool_used_buffers
- jvm_memory_bytes_used - jvm_memory_bytes_committed - jvm_memory_bytes_max -
jvm_memory_bytes_init #gc - jvm_gc_collection_seconds #threads - jvm_threads_current -
jvm_threads_daemon - jvm_threads_peak - jvm_threads_started_total - jvm_threads_deadlocked
- jvm_threads_deadlocked_monitor - jvm_threads_state #classes - jvm_classes_currently_loaded
#process - process_cpu_seconds_total - process_start_time_seconds - process_open_fds -
process_virtual_memory_bytes #jvm pause - hive_jvm_pause_extrasleeptime_count
```

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

```
receivers: prometheus/$ROLE_NAME: config: scrape_configs: - job_name: 'DMP-$ROLE_NAME'
scrape_interval: 60s scheme: http tls_config: insecure_skip_verify: true static_configs: -
targets: ['localhost:$ROLE_PARAM(otelcol_helper_port)'] labels: host_name: $HOST_NAME
cm_cluster_id: $CLUSTER_ID service_type: $SERVICE_TYPE service: $SERVICE_NAME
role_type: $ROLE_TYPE role_name: $ROLE_NAME instance: $INFRA(instance_id) cluster_id:
$INFRA(cluster_id) platform: $INFRA(platform) formfactor: paas-vm relabel_configs: -
source_labels: [cluster_id] regex: 'crn:cdp:([^:]+):.*' replacement: '$$1' target_label: app_type
action: replace
```

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL**Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username**Description**

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

service: pipelines: metrics/\$ROLE_NAME: receivers: [prometheus/\$ROLE_NAME] processors: [filter/\$ROLE_NAME] exporters: [prometheusremotewrite/\$ROLE_NAME]

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

true

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds

Description

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window

Description

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds

Description

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period**Description**

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other**Restrict Cross Joins (Cartesian Products)****Description**

Whether to allow queries with cross joins. If set to true, queries that contain this pattern throw a compile-time error.

Related Name

hive.strict.checks.cartesian.product

Default Value

false

API Name

hive_restrict_cross_joins

Required

false

Restrict LOAD Queries Against Bucketed Tables**Description**

Whether to allow LOAD queries against bucketed tables. If set to true, queries that contain this pattern throw a compile-time error.

Related Name

hive.strict.checks.bucketing

Default Value

true

API Name

hive_restrict_load_bucketed_table

Required

false

Restrict Queries with ORDER BY but no LIMIT clause**Description**

Whether to allow queries with an ORDER BY clause, but no LIMIT clause. If set to true, queries that contain this pattern throw a compile-time error.

Related Name

hive.strict.checks.orderby.no.limit

Default Value

false

API Name

hive_restrict_orderby_with_no_limit

Required

false

Restrict Partitioned Table Scans with no Partitioned Column Filter**Description**

Whether to allow queries that scan a partitioned table but don't filter on the partition column. If set to true, queries that contain this pattern throw a compile-time error.

Related Name

hive.strict.checks.no.partition.filter

Default Value

false

API Name

hive_restrict_partitioned_scans_no_filter

Required

false

Restrict Unsafe Data Type Comparisons**Description**

Whether to allow queries that compare bigints to strings or doubles. If set to true, queries that contain this pattern throw a compile-time error.

Related Name

hive.strict.checks.type.safety

Default Value

true

API Name

hive_restrict_unsafe_comparison

Required

false

Support Dynamic Service Discovery**Description**

Whether HiveServer2 supports dynamic service discovery for its clients. To support this, each instance of HiveServer2 currently uses ZooKeeper to register itself, when it is brought up. JDBC/ODBC clients should use the ZooKeeper ensemble: hive.zookeeper.quorum in their connection string.

Related Name

hive.server2.support.dynamic.service.discovery

Default Value

true

API Name

hive_server2_support_dynamic_service_discovery

Required

false

Hive Server Zookeeper Namespace

Description

The parent node in ZooKeeper used by HiveServer2 when supporting dynamic service discovery.

Related Name

hive.server2.zookeeper.namespace

Default Value

hiveserver2-interactive

API Name

hive_server2_zookeeper_namespace

Required

false

Default query queues

Description

A list of comma separated values corresponding to YARN queues of the same name. When HiveServer2 is launched in Tez mode, this configuration needs to be set for multiple Tez sessions to run in parallel on the cluster.

Related Name

hive.server2.tez.default.queues

Default Value

llap

API Name

hivellap_default_query_queues

Required

false

hive.prewarm.enabled

Description

Enables container prewarm for Tez

Related Name

hive.prewarm.enabled

Default Value

false

API Name

hivellap_prewarm_enabled

Required

false

Number of Containers Held

Description

Controls the number of containers to prewarm for Tez

Related Name

hive.prewarm.numcontainers

Default Value

2

API Name

hivellap_prewarm_numcontainers

Required

false

Start Tez session at Initialization**Description**

This flag is used in HiveServer2 to enable a user to use HiveServer2 without turning on Tez for HiveServer2. The user could potentially want to run queries over Tez without the pool of sessions.

Related Name

hive.server2.tez.initialize.default.sessions

Default Value

false

API Name

hivellap_tez_initialize_default_sessions

Required

false

Allow custom queues**Description**

Whether to allow the users of this HS2 to specify custom queues - yes, no (fail if specified), ignore (use the default queues even if a custom one is specified)

Related Name

hive.server2.tez.sessions.custom.queue.allowed

Default Value

ignore

API Name

hivellap_tez_sessions_custom_queue_allowed

Required

false

HiveServer2 Enable Impersonation**Description**

HiveServer2 will impersonate the beeline client user when talking to other services such as MapReduce and HDFS.

Related Name

hive.server2.enable.doAs

Default Value

true

API Name

hiveserver2_enable_impersonation

Required

false

HiveServer2 Load Balancer

Description

Address of the load balancer used for HiveServer2 roles, specified in host:port format. If port is not specified, the port used by HiveServer2 is used. Note: Changing this property regenerates Kerberos keytabs for all HiveServer2 roles.

Related Name**Default Value****API Name**

hiveserver2_load_balancer

Required

false

Performance

Enable Dynamic Partitions

Description

Whether or not to allow dynamic partitions in DML/DDDL.

Related Name

hive.exec.dynamic.partition

Default Value

true

API Name

hive_exec_dynamic_partition

Required

false

Hive Auto Convert Join Noconditional Size

Description

If Hive auto convert join is on, and the sum of the size for n-1 of the tables/partitions for a n-way join is smaller than the specified size, the join is directly converted to a MapJoin (there is no conditional task).

Related Name

hive.auto.convert.join.noconditionaltask.size

Default Value

256 MiB

API Name

hiveserver2_auto_convert_join_noconditionaltask_size

Required

false

Store Intermediate Data on Blobstore

Description

When writing data to a table on a blobstore (such as S3), whether or not the blobstore should be used to store intermediate data during Hive query execution. Setting this to true can degrade performance for queries that spawn multiple MR / Spark jobs, but is useful for queries whose intermediate data cannot fit in the allocated HDFS cluster.

Related Name

hive.blobstore.use.blobstore.as.scratchdir

Default Value

false

API Name

hiveserver2_blobstore_use_blobstore_as_scratchdir

Required

false

Enable Stats Optimization**Description**

Enable optimization that checks if a query can be answered using statistics. If so, answers the query using only statistics stored in metastore.

Related Name

hive.compute.query.using.stats

Default Value

true

API Name

hiveserver2_compute_query_using_stats

Required

false

Enable Cost-Based Optimizer for Hive**Description**

Enabled the Calcite-based Cost-Based Optimizer for HiveServer2.

Related Name

hive.cbo.enable

Default Value

true

API Name

hiveserver2_enable_cbo

Required

false

Enable MapJoin Optimization**Description**

Enable optimization that converts common join into MapJoin based on input file size.

Related Name

hive.auto.convert.join

Default Value

true

API Name

hiveserver2_enable_mapjoin

Required

false

Fetch Task Query Conversion

Description

Some select queries can be converted to a single FETCH task instead of a MapReduce task, minimizing latency. A value of none disables all conversion, minimal converts simple queries such as SELECT * and filter on partition columns, and more converts SELECT queries including FILTERS.

Related Name

hive.fetch.task.conversion

Default Value

more

API Name

hiveserver2_fetch_task_conversion

Required

false

Fetch Task Query Conversion Threshold

Description

Above this size, queries are converted to fetch tasks.

Related Name

hive.fetch.task.conversion.threshold

Default Value

1 GiB

API Name

hiveserver2_fetch_task_conversion_threshold

Required

false

Input Listing Max Threads

Description

Maximum number of threads that Hive uses to list input files. Increasing this value can improve performance when there are a lot of partitions being read, or when running on blobstores.

Related Name

hive.exec.input.listing.max.threads

Default Value

15

API Name

hiveserver2_input_listing_max_threads

Required

false

Maximum ReduceSink Top-K Memory Usage

Description

The maximum percentage of heap to be used for hash in ReduceSink operator for Top-K selection. 0 means the optimization is disabled. Accepted values are between 0 and 1.

Related Name

hive.limit.pushdown.memory.usage

Default Value

0.04

API Name

hiveserver2_limit_pushdown_memory_usage

Required

false

Load Dynamic Partitions Thread Count**Description**

Number of threads used to load dynamically generated partitions. Loading requires renaming the file its final location, and updating some metadata about the new partition. Increasing this can improve performance when there are a lot of partitions dynamically generated.

Related Name

hive.load.dynamic.partitions.thread

Default Value

15

API Name

hiveserver2_load_dynamic_partitions_thread_count

Required

false

Enable Map-Side Aggregation**Description**

Enable map-side partial aggregation, which cause the mapper to generate fewer rows. This reduces the data to be sorted and distributed to reducers.

Related Name

hive.map.aggr

Default Value

true

API Name

hiveserver2_map_aggr

Required

false

Ratio of Memory Usage for Map-Side Aggregation**Description**

Portion of total memory used in map-side partial aggregation. When exceeded, the partially aggregated results will be flushed from the map task to the reducers.

Related Name

hive.map.aggr.hash.percentmemory

Default Value

0.5

API Name

hiveserver2_map_aggr_hash_memory_ratio

Required

false

Enable Merging Small Files - Map-Only Job**Description**

Merge small files at the end of a map-only job. When enabled, a map-only job is created to merge the files in the destination table/partitions.

Related Name

hive.merge.mapfiles

Default Value

true

API Name

hiveserver2_merge_mapfiles

Required

false

Enable Merging Small Files - Map-Reduce Job**Description**

Merge small files at the end of a map-reduce job. When enabled, a map-only job is created to merge the files in the destination table/partitions.

Related Name

hive.merge.mapredfiles

Default Value

false

API Name

hiveserver2_merge_mapredfiles

Required

false

Desired File Size After Merging**Description**

The desired file size after merging. This should be larger than `hive.merge.smallfiles.avgsize`.

Related Name

hive.merge.size.per.task

Default Value

256 MiB

API Name

hiveserver2_merge_size_per_task

Required

false

Small File Average Size Merge Threshold**Description**

When the average output file size of a job is less than the value of this property, Hive will start an additional map-only job to merge the output files into bigger files. This is only done for map-only jobs if `hive.merge.mapfiles` is true, for map-reduce jobs if `hive.merge.mapredfiles` is true, and for Spark jobs if `hive.merge.sparkfiles` is true.

Related Name

`hive.merge.smallfiles.avgsize`

Default Value

16 MiB

API Name

`hiveserver2_merge_smallfiles_avgsize`

Required

false

MSCK Repair Batch Size**Description**

Batch size for the `msck repair` command (recover partitions command). If the value is greater than zero, new partition information will be sent from HiveServer2 to the Metastore in batches, which can potentially improve memory usage in the Metastore and avoid client read timeout exceptions. If this value is 0, all partition information will be sent in a single Thrift call.

Related Name

`hive.msck.repair.batch.size`

Default Value

3000

API Name

`hiveserver2_msck_repair_batch_size`

Required

false

Move Files Thread Count**Description**

The number of threads used by HiveServer2 to move data from the staging directory to another location (typically to the final table location). A separate thread pool of workers of this size is used for each query, which means this configuration can be set on a per-query basis too.

Related Name

`hive.mv.files.thread`

Default Value

15

API Name

`hiveserver2_mv_files_thread`

Required

false

Hive Optimize Sorted Merge Bucket Join**Description**

Whether to try sorted merge bucket (SMB) join.

Related Name

hive.optimize.bucketmapjoin.sortedmerge

Default Value

false

API Name

hiveserver2_optimize_bucketmapjoin_sortedmerge

Required

false

Enable Automatic Use of Indexes**Description**

Whether to use the indexing optimization for all queries.

Related Name

hive.optimize.index.filter

Default Value

true

API Name

hiveserver2_optimize_index_filter

Required

false

Enable ReduceDeDuplication Optimization**Description**

Remove extra map-reduce jobs if the data is already clustered by the same key, eliminating the need to repartition the dataset again.

Related Name

hive.optimize.reducededuplication

Default Value

true

API Name

hiveserver2_optimize_reducededuplication

Required

false

Minimum Reducers for ReduceDeDuplication Optimization**Description**

When the number of ReduceSink operators after merging is less than this number, the ReduceDeDuplication optimization will be disabled.

Related Name

hive.optimize.reducededuplication.min.reducer

Default Value

4

API Name

hiveserver2_optimize_reducededuplication_min_reducer

Required

false

Enable Sorted Dynamic Partition Optimizer

Description

When dynamic partition is enabled, reducers keep only one record writer at all times, which lowers the memory pressure on reducers.

Related Name

hive.optimize.sort.dynamic.partition

Default Value

false

API Name

hiveserver2_optimize_sort_dynamic_partition

Required

false

Enable Parallel Compilation of Queries

Description

When activated, individual sessions can compile queries simultaneously. Within each session, queries compile one at a time.

Related Name

hive.driver.parallel.compilation

Default Value

true

API Name

hiveserver2_parallel_compilation_enabled

Required

false

Query Compilation Degree of Parallelism

Description

Determines the maximum number of queries that can compile in parallel on a HiveServer2 instance. Use negative values or zero to set unlimited parallelism. Use a positive value to set the number of queries that can compile simultaneously. This setting can be fine-tuned based on the current cluster load. Monitor cluster load using the 'waiting_compile_ops' metric and the 'Waiting Compile Operations' graph in the HiveServer2 graph library.

Related Name

hive.driver.parallel.compilation.global.limit

Default Value

5

API Name

hiveserver2_parallel_compilation_global_limit

Required

false

Hive SMB Join Cache Rows

Description

The number of rows with the same key value to be cached in memory per SMB-joined table.

Related Name

hive.smbjoin.cache.rows

Default Value

10000

API Name

hiveserver2_smbjoin_cache_rows

Required

false

Load Column Statistics**Description**

Whether column stats for a table are fetched during explain.

Related Name

hive.stats.fetch.column.stats

Default Value

true

API Name

hiveserver2_stats_fetch_column_stats

Required

false

Sessions Per Queue**Description**

The number of Tez sessions that should be launched on each of the queues specified by "hive.server2.tez.default.queues". Determines the parallelism on each queue.

Related Name

hive.server2.tez.sessions.per.default.queue

Default Value

4

API Name

hiveserver2_tez_sessions_per_default_queue

Required

false

Vectorized Adaptor Usage Mode**Description**

Vectorized Adaptor Usage Mode specifies the extent to which the vectorization engine tries to vectorize UDFs that do not have native vectorized versions available. Selecting the "none" option specifies that only queries using native vectorized UDFs are vectorized. Selecting the "chosen" option specifies that Hive chooses to vectorize a subset of the UDFs based on performance benefits using the Vectorized Adaptor. Selecting the "all" option specifies that the Vectorized Adaptor be used for all UDFs even when native vectorized versions are not available.

Related Name

hive.vectorized.adaptor.usage.mode

Default Value

chosen

API Name

hiveserver2_vectorized_adaptor_usage_mode

Required

false

Enable Vectorization Optimization**Description**

Enable optimization that vectorizes query execution by streamlining operations by processing a block of 1024 rows at a time.

Related Name

hive.vectorized.execution.enabled

Default Value

true

API Name

hiveserver2_vectorized_enabled

Required

false

Vectorized GroupBy Check Interval**Description**

In vectorized group-by, the number of row entries added to the hash table before re-checking average variable size for memory usage estimation.

Related Name

hive.vectorized.groupby.checkinterval

Default Value

4096

API Name

hiveserver2_vectorized_groupby_checkinterval

Required

false

Vectorized GroupBy Flush Ratio**Description**

Ratio between 0.0 and 1.0 of entries in the vectorized group-by aggregation hash that is flushed when the memory threshold is exceeded.

Related Name

hive.vectorized.groupby.flush.percent

Default Value

0.1

API Name

hiveserver2_vectorized_groupby_flush_ratio

Required

false

Enable Vectorized Input Format

Description

If enabled, Hive uses the native vectorized input format for vectorized query execution when it is available.

Related Name

hive.vectorized.use.vectorized.input.format

Default Value

true

API Name

hiveserver2_vectorized_input_format_enabled

Required

false

Exclude Vectorized Input Formats

Description

Specifies a list of file input format classnames to exclude from vectorized query execution using the vectorized input format. Note that vectorized execution can still occur for an excluded input format based on whether row SerDes or vector SerDes are enabled.

Related Name

hive.vectorized.input.format.excludes

Default Value**API Name**

hiveserver2_vectorized_input_format_excludes

Required

false

Enable Reduce-Side Vectorization

Description

Whether to vectorize the reduce side of query execution.

Related Name

hive.vectorized.execution.reduce.enabled

Default Value

true

API Name

hiveserver2_vectorized_reduce_enabled

Required

false

Enable Overflow-checked Vector Expressions

Description

To enhance performance, vectorized expressions operate using wide data types like long and double. When wide data types are used, numeric overflows can occur during expression evaluation in a different manner for vectorized expressions than they do for non-vectorized expressions. Consequently, different query results can be returned for vectorized expressions compared to results returned for non-vectorized expressions. When this configuration is enabled, Hive uses vectorized

expressions that handle numeric overflows in the same way as non-vectorized expressions are handled.

Related Name

hive.vectorized.use.checked.expressions

Default Value

true

API Name

hiveserver2_vectorized_use_checked_expressions

Required

false

Vectorize Using Vector SerDes

Description

If enabled, Hive uses built-in vector SerDes to process text and sequencefile tables for vectorized query execution.

Related Name

hive.vectorized.use.vector.serde.deserialize

Default Value

false

API Name

hiveserver2_vectorized_use_vector_serde_deserialize

Required

false

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses

Thrift port

Description

TCP port number to listen on.

Related Name

hive.server2.thrift.http.port

Default Value

10501

API Name

hive_server2_thrift_http_port

Required

false

Bind HiveServer2 to Wildcard Address**Description**

If enabled, the HiveServer2 binds to the wildcard address ("0.0.0.0") on all of its ports.

Related Name

hive.server2.webui.host

Default Value

true

API Name

hiveserver2_webui_bind_wildcard

Required

false

HiveServer2 WebUI Port**Description**

The port the HiveServer2 WebUI will listen on. This can be set to 0 to disable the WebUI.

Related Name

hive.server2.webui.port

Default Value

10502

API Name

hiveserver2_webui_port

Required

false

HiveServer2 Port**Description**

Port on which HiveServer2 will listen for connections.

Related Name

hive.server2.thrift.port

Default Value

10500

API Name

hs2_thrift_address_port

Required

false

Resource Management**Java Heap Size of HiveServer2 in Bytes****Description**

Maximum size in bytes for the Java Process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

4 GiB

API Name

hiveserver2_java_heapsize

Required

false

Cgroup V1 BLKIO Weight**Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100	
API Name	rm_cpu_weight
Required	true

Custom Control Group Resources (overrides Cgroup settings)

Description

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value

API Name

rm_custom_resources

Required

false

Cgroup V2 I/O Weight

Description

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security**HiveServer2 WebUI SSL Exclude Cipher Suites****Description**

The cipher suites should be excluded from WebUI SSL.

Related Name

hive.server2.webui.exclude.ciphersuites

Default Value

modern2018

API Name

hiveserver2_webui_exclude_ciphersuites

Required

false

Enable TLS/SSL for HiveServer2 WebUI**Description**

Encrypt communication between clients and HiveServer2 WebUI using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

hive.server2.webui.use.ssl

Default Value

false

API Name

ssl_enabled

Required

false

HiveServer2 WebUI TLS/SSL Server Keystore File Location**Description**

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when HiveServer2 WebUI is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

hive.server2.webui.keystore.path

Default Value**API Name**

ssl_server_keystore_location

Required

false

HiveServer2 WebUI TLS/SSL Server Keystore File Password**Description**

The password for the HiveServer2 WebUI keystore file.

Related Name

hive.server2.webui.keystore.password

Default Value**API Name**

ssl_server_keystore_password

Required

false

Stacks Collection**Stacks Collection Data Retention****Description**

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory**Description**

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: HiveServer2 Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hive_hs2_env_safety_valve

Required

true

Suppress Parameter Validation: HiveServer2 Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 Log Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hive_log_dir

Required

true

Suppress Parameter Validation: Metrics Sample File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Metrics Sample File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hive_metrics_sample_file_location

Required

true

Suppress Configuration Validator: Restrict Load Bucketed Table Validator

Description

Whether to suppress configuration warnings produced by the Restrict Load Bucketed Table Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_restrict_load_bucketed_table_validator

Required

true

Suppress Configuration Validator: Restrict Unsafe Comparison Validator

Description

Whether to suppress configuration warnings produced by the Restrict Unsafe Comparison Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_restrict_unsafe_comparison_validator

Required

true

Suppress Parameter Validation: Hive security authorization SQL Config whitelist append

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive security authorization SQL Config whitelist append parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hive_security_authorization_sqlstd_confwhitelist_append

Required

true

Suppress Parameter Validation: HiveServer2 Operations Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 Operations Log Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hive_server2_logging_operation_log_location

Required

true

Suppress Parameter Validation: Thrift port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Thrift port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hive_server2_thrift_http_port

Required

true

Suppress Parameter Validation: Hive Server Zookeeper Namespace

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Server Zookeeper Namespace parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hive_server2_zookeeper_namespace

Required

true

Suppress Parameter Validation: Default query queues

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Default query queues parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hivellap_default_query_queues

Required

true

Suppress Parameter Validation: HiveServer2 Advanced Configuration Snippet (Safety Valve) for hive-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 Advanced Configuration Snippet (Safety Valve) for hive-site.xml parameter.

Related Name

Default Value

false

API Name
role_config_suppression_hivellap_hs2_config_safety_valve

Required
true

Suppress Parameter Validation: Allow custom queues

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Allow custom queues parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hivellap_tez_sessions_custom_queue_allowed

Required

true

Suppress Parameter Validation: Hive Downloaded Resources Directory

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Downloaded Resources Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hiveserver2_downloaded_resources_dir

Required

true

Suppress Parameter Validation: Hive Local Scratch Directory

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Local Scratch Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hiveserver2_exec_local_scratchdir

Required

true

Suppress Parameter Validation: Hive HDFS Scratch Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive HDFS Scratch Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hiveserver2_exec_scratchdir

Required

true

Suppress Parameter Validation: Fair Scheduler XML Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Fair Scheduler XML Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hiveserver2_fair_scheduler_safety_valve

Required

true

Suppress Parameter Validation: Java Configuration Options for HiveServer2

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for HiveServer2 parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hiveserver2_java_opts

Required

true

Suppress Parameter Validation: HiveServer2 Load Balancer

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 Load Balancer parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hiveserver2_load_balancer

Required

true

Suppress Parameter Validation: Exclude Vectorized Input Formats**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Exclude Vectorized Input Formats parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hiveserver2_vectorized_input_format_excludes

Required

true

Suppress Parameter Validation: HiveServer2 WebUI Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 WebUI Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hiveserver2_webui_port

Required

true

Suppress Parameter Validation: HiveServer2 Advanced Configuration Snippet (Safety Valve) for core-site.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 Advanced Configuration Snippet (Safety Valve) for core-site.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hs2_core_site_safety_valve

Required

true

Suppress Parameter Validation: HiveServer2 Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hs2_thrift_address_port

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: HiveServer2 Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Heap Dump Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: HiveServer2 WebUI TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 WebUI TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: HiveServer2 WebUI TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 WebUI TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Parameter Validation: tez.history.logging.taskattempt-filters**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the `tez.history.logging.taskattempt-filters` parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_tez_interactive_history_logging_taskattempt_filters

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hive_llap_hiveserver2_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hive_llap_hiveserver2_file_descriptor

Required

true

Suppress Health Test: Heap Dump Directory Free Space

Description

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hive_llap_hiveserver2_heap_dump_directory_free_space

Required

true

Suppress Health Test: Host Health

Description

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hive_llap_hiveserver2_host_health

Required

true

Suppress Health Test: Log Directory Free Space

Description

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hive_llap_hiveserver2_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health

Description

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hive_llap_hiveserver2_otelcol_health

Required

true

Suppress Health Test: Pause Duration**Description**

Whether to suppress the results of the Pause Duration health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hive_llap_hiveserver2_pause_duration

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hive_llap_hiveserver2_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hive_llap_hiveserver2_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_hive_llap_hiveserver2_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_hive_llap_hiveserver2_unexpected_exits

Required

true

Suppress Health Test: Hive Downloaded Resources Directory Free Space

Description

Whether to suppress the results of the Hive Downloaded Resources Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_hive_llap_hs2_downloaded_resources_directory_free_space

Required

true

Suppress Health Test: Hive Local Scratch Directory Free Space

Description

Whether to suppress the results of the Hive Local Scratch Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_hive_llap_hs2_exec_local_scratch_directory_free_space

Required

true

Tez interactive

tez.am.am-rm.heartbeat.interval-ms.max

Description

The heartbeat interval between the tez AM and YARN RM

Related Name

tez.am.am-rm.heartbeat.interval-ms.max

Default Value

10 second(s)

API Name

tez_interactive_am_am_rm_heartbeat_interval_ms_max

Required

false

tez.am.client.heartbeat.poll.interval.millis

Description

The interval at which the AM checks for a client heartbeat timeout

Related Name

tez.am.client.heartbeat.poll.interval.millis

Default Value

6 second(s)

API Name

tez_interactive_am_client_heartbeat_poll_interval_millis

Required

false

tez.am.client.heartbeat.timeout.secs

Description

The time interval, after which an AM will kill itself, if it does not receive a heartbeat from the client.

Related Name

tez.am.client.heartbeat.timeout.secs

Default Value

1 minute(s), 30 second(s)

API Name

tez_interactive_am_client_heartbeat_timeout_secs

Required

false

tez.am.node-blacklisting.enabled

Description

Whether to enable blacklisting in Tez AMs. Disable for LLAP

Related Name

tez.am.node-blacklisting.enabled

Default Value

false

API Name

tez_interactive_am_node_blacklisting_enabled

Required

false

tez.am.resource.memory.mb

Description

The amount of memory to be used by the AppMaster

Related Name

tez.am.resource.memory.mb

Default Value

1 GiB

API Name

tez_interactive_am_resource_memory_mb

Required

false

tez.am.task.listener.thread-count

Description

Number of IPC server thread for Tez task listener. Should be minimized for LLAP

Related Name

tez.am.task.listener.thread-count

Default Value

1

API Name

tez_interactive_am_task_listener_thread_count

Required

false

tez.am.task.reschedule.higher.priority

Description

Whether rescheduled tasks should be treated at higher priority

Related Name

tez.am.task.reschedule.higher.priority

Default Value

false

API Name

tez_interactive_am_task_reschedule_higher_priority

Required

false

tez.container.max.java.heap.fraction

Description

Setting this to -1 so that Tez can auto determine different Xmx for different container size

Related Name

tez.container.max.java.heap.fraction

Default Value

-1.0

API Name

tez_interactive_container_max_java_heap_fraction

Required

false

tez.dag.recovery.enabled

Description

tez.dag.recovery.enabled

Related Name

tez.dag.recovery.enabled

Default Value

false

API Name

tez_interactive_dag_recovery_enabled

Required

false

tez.grouping.node.local.only

Description

tez.grouping.node.local.only

Related Name

tez.grouping.node.local.only

Default Value

true

API Name

tez_interactive_grouping_node_local_only

Required

false

tez.history.logging.log.level

Description

Set the log level to TASK_ATTEMPT.

Related Name

tez.history.logging.log.level

Default Value

TASK_ATTEMPT

API Name

tez_interactive_history_logging_log_level

Required

false

tez.history.logging.taskattempt-filters**Description**

TASK_ATTEMPT events to be ignored.

Related Name

tez.history.logging.taskattempt-filters

Default Value

SERVICE_BUSY, EXTERNAL_PREEMPTION

API Name

tez_interactive_history_logging_taskattempt_filters

Required

false

tez.history.logging.timeline.num-dags-per-group**Description**

Maximum number of dags per group.

Related Name

tez.history.logging.timeline.num-dags-per-group

Default Value

5

API Name

tez_interactive_history_logging_timeline_num_dags_per_group

Required

false

tez.runtime.enable.final-merge.in.output**Description**

Whether to enable a map side merge of outputs

Related Name

tez.runtime.enable.final-merge.in.output

Default Value

false

API Name

tez_interactive_runtime_enable_final_merge_in_output

Required

false

tez.runtime.io.sort.mb

Description

The size of the sort buffer when output needs to be sorted

Related Name

tez.runtime.io.sort.mb

Default Value

512 MiB

API Name

tez_interactive_runtime_io_sort_mb

Required

false

tez.runtime.pipelined-shuffle.enabled

Description

tez.runtime.pipelined-shuffle.enabled

Related Name

tez.runtime.pipelined-shuffle.enabled

Default Value

false

API Name

tez_interactive_runtime_pipelined_shuffle_enabled

Required

false

tez.runtime.pipelined.sorter.lazy-allocate.memory

Description

tez.runtime.pipelined.sorter.lazy-allocate.memory

Related Name

tez.runtime.pipelined.sorter.lazy-allocate.memory

Default Value

true

API Name

tez_interactive_runtime_pipelined_sorter_lazy_allocate_memory

Required

false

tez.runtime.report.partition.stats

Description

tez.runtime.report.partition.stats

Related Name

tez.runtime.report.partition.stats

Default Value

true

API Name

tez_interactive_runtime_report_partition_stats

Required

false

tez.runtime.shuffle.connect.timeout**Description**

Shuffle connect timeouts (ms)

Related Name

tez.runtime.shuffle.connect.timeout

Default Value

30 second(s)

API Name

tez_interactive_runtime_shuffle_connect_timeout

Required

false

tez.runtime.shuffle.fetch.buffer.percent**Description**

Fraction (0-1) of the available memory which can be used to retain shuffled data

Related Name

tez.runtime.shuffle.fetch.buffer.percent

Default Value

0.6

API Name

tez_interactive_runtime_shuffle_fetch_buffer_percent

Required

false

tez.runtime.shuffle.fetch.verify-disk-checksum**Description**

tez.runtime.shuffle.fetch.verify-disk-checksum

Related Name

tez.runtime.shuffle.fetch.verify-disk-checksum

Default Value

false

API Name

tez_interactive_runtime_shuffle_fetch_verify_disk_checksum

Required

false

tez.runtime.shuffle.keep-alive.enabled**Description**

Connection keep-alive for shuffle

Related Name

tez.runtime.shuffle.keep-alive.enabled

Default Value

true

API Name

tez_interactive_runtime_shuffle_keep_alive_enabled

Required

false

tez.runtime.shuffle.memory.limit.percent**Description**

This property determines the maximum size of a shuffle segment which can be fetched to memory. Fraction (0-1) of shuffle memory (after applying tez.runtime.shuffle.fetch.buffer.percent)

Related Name

tez.runtime.shuffle.memory.limit.percent

Default Value

0.25

API Name

tez_interactive_runtime_shuffle_memory_limit_percent

Required

false

tez.runtime.shuffle.parallel.copies**Description**

tez.runtime.shuffle.parallel.copies

Related Name

tez.runtime.shuffle.parallel.copies

Default Value

8

API Name

tez_interactive_runtime_shuffle_parallel_copies

Required

false

tez.runtime.shuffle.read.timeout**Description**

Shuffle read timeout (ms)

Related Name

tez.runtime.shuffle.read.timeout

Default Value

30 second(s)

API Name

tez_interactive_runtime_shuffle_read_timeout

Required

false

tez.runtime.shuffle.ssl.enable**Description**

tez.runtime.shuffle.ssl.enable

Related Name

tez.runtime.shuffle.ssl.enable

Default Value

false

API Name

tez_interactive_runtime_shuffle_ssl_enable

Required

false

tez.runtime.unordered.output.buffer.size-mb**Description**

The size of the buffer when output does not require to be sorted

Related Name

tez.runtime.unordered.output.buffer.size-mb

Default Value

100 MiB

API Name

tez_interactive_runtime_unordered_output_buffer_size_mb

Required

false

tez.runtime.unordered.output.max-per-buffer.size-bytes**Description**

tez.runtime.unordered.output.max-per-buffer.size-bytes

Related Name

tez.runtime.unordered.output.max-per-buffer.size-bytes

Default Value

128 MiB

API Name

tez_interactive_runtime_unordered_output_max_per_buffer_size_bytes

Required

false

tez.session.am.dag.submit.timeout.secs**Description**

The amount of time an AM will wait, before killing itself, if not DAG is submitted.

Related Name

tez.session.am.dag.submit.timeout.secs

Default Value

14 day(s)

API Name

`tez_interactive_session_am_dag_submit_timeout_secs`**Required**

false

tez.task.heartbeat.timeout.check-ms**Description**

The time interval, in milliseconds, at which the AM will check for timed out tasks

Related Name`tez.task.heartbeat.timeout.check-ms`**Default Value**

15 second(s)

API Name`tez_interactive_task_heartbeat_timeout_check_ms`**Required**

false

tez.task.timeout-ms**Description**

mount of time the Tez AM waits before marking a task which has not sent in a heartbeat, as timed out

Related Name`tez.task.timeout-ms`**Default Value**

1 minute(s), 30 second(s)

API Name`tez_interactive_task_timeout_ms`**Required**

false

LLAP Proxy

Advanced

Metrics Sample File Location**Description**

The full path to a file with a sample of metrics exposed by the role. The sample is updated at the frequency configured by Metrics Sample File Logging Frequency. By default, the sample file is logged to a directory under the role log directory, e.g., `/var/log/hive/metrics-hivemetastore/metrics.log`. The setting only has an effect if "Enable Metrics Subsystem" is set to true.

Related Name`hive.service.metrics.file.location`**Default Value****API Name**`hive_metrics_sample_file_location`**Required**

false

LLAP Daemon Java Options

Description

Extra Java options that will be applied on the JVM processes of LLAP Daemons.

Related Name**Default Value****API Name**

hivellap_daemon_opts

Required

false

LLAP Proxy Advanced Configuration Snippet (Safety Valve) for hive-site.xml

Description

For advanced use only. A string to be inserted into hive-site.xml for this role only.

Related Name**Default Value****API Name**

hivellap_llaproxy_config_safety_valve

Required

false

LLAP Proxy Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

LLAPPROXY_role_env_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory

Description

Path to directory where heap dumps are generated when `java.lang.OutOfMemoryError` error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

`oom_heap_dump_dir`

Default Value

`/tmp`

API Name

`oom_heap_dump_dir`

Required

`false`

Dump Heap When Out of Memory

Description

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

`false`

API Name

`oom_heap_dump_enabled`

Required

`true`

Kill When Out of Memory

Description

When set, a `SIGKILL` signal is sent to the role process when `java.lang.OutOfMemoryError` is thrown.

Related Name**Default Value**

`true`

API Name

`oom_sigkill_enabled`

Required

`true`

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name

Default Value

false

API Name

process_auto_restart

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Logs

LLAP Proxy Log Directory

Description

Directory where LLAP Proxy will place its log files.

Related Name**Default Value**

/var/log/hive

API Name

hive_log_dir

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name

Default Value

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML**Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Hive LLAP Daemons Ready Status Startup Tolerance**Description**

Bad health state will be shown if, after this amount of time (after starting LLAP proxy role), 0 LLAP daemons are running.

Related Name

Default Value

5 minute(s)

API Name

llapd_ready_status_check_daemon_startup_tolerance

Required

false

Hive LLAP Proxy Role Ready Status Startup Tolerance

Description

Startup Tolerance time of the LLAP proxy role in which no health test is run. This is recommended to be kept minimal.

Related Name

Default Value

1 second(s)

API Name

llapd_ready_status_check_role_startup_tolerance

Required

false

Hive LLAP Daemons Ready Status Thresholds

Description

The health test thresholds for monitoring the number of active LLAP daemons.

Related Name

Default Value

Warning: 75.0, Critical: 25.0

API Name

llapd_ready_status_thresholds

Required

false

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name

Default Value

Warning: 50.0 %, Critical: 70.0 %

API Name

llaproxy_fd_thresholds

Required

false

LLAP Proxy Host Health Test

Description

When computing the overall LLAP Proxy health, consider the host's health.

Related Name**Default Value**

true

API Name

llaproxy_host_health_enabled

Required

false

Pause Duration Thresholds

Description

The health test thresholds for the weighted average extra time the pause monitor spent paused. Specified as a percentage of elapsed wall clock time.

Related Name**Default Value**

Warning: 30.0, Critical: 60.0

API Name

llaproxy_pause_duration_thresholds

Required

false

Pause Duration Monitoring Period

Description

The period to review when computing the moving average of extra time the pause monitor spent paused.

Related Name**Default Value**

5 minute(s)

API Name

llaproxy_pause_duration_window

Required

false

LLAP Proxy Process Health Test

Description

Enables the health test that the LLAP Proxy's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

llaproxy_scm_health_enabled

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Navigator Audit Failure Thresholds

Description

The health test thresholds for failures encountered when monitoring audits within a recent period specified by the `mgmt_navigator_failure_window` configuration for the role. The value that can be specified for this threshold is the number of bytes of audits data that is left to be sent to audit server.

Related Name

mgmt.navigator.failure.thresholds

Default Value

Warning: Never, Critical: Any

API Name

mgmt_navigator_failure_thresholds

Required

false

Monitoring Period For Audit Failures

Description

The period to review when checking if audits are blocked and not getting processed.

Related Name

mgmt.navigator.failure.window

Default Value

20 minute(s)

API Name

mgmt_navigator_failure_window

Required

false

Navigator Audit Pipeline Health Check**Description**

Enable test of audit events processing pipeline. This will test if audit events are not getting processed by Audit Server for a role that generates audit.

Related Name

mgmt.navigator.status.check.enabled

Default Value

true

API Name

mgmt_navigator_status_check_enabled

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: { "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }

Related Name**Default Value****API Name**

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=\$ROLENAM and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}] See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name

Default Value

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name

Default Value

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

hive.llap.auto.allow.uber

Description

Whether or not to allow the planner to run vertices in the AM

Related Name

hive.llap.auto.allow.uber

Default Value

false

API Name

hivellap_auto_allow_uber

Required

false

In-Memory Cache per Daemon

Description

The amount of memory reserved for Hive's optimized in-memory cache.

Related Name

hive.llap.io.memory.size

Default Value

512 MiB

API Name

hivellap_cache_per_llap_daemon

Required

false

hive.llap.client.consistent.splits**Description**

Whether to setup split locations to match nodes on which llap daemons are running, instead of using the locations provided by the split itself.

Related Name

hive.llap.client.consistent.splits

Default Value

true

API Name

hivellap_client_consistent_splits

Required

false

hive.llap.daemon.am.liveness.heartbeat.interval.ms**Description**

Tez AM-LLAP heartbeat interval. This should be below the task timeout.

Related Name

hive.llap.daemon.am.liveness.heartbeat.interval.ms

Default Value

10 second(s)

API Name

hivellap_daemon_am_heartbeat_interval

Required

false

Number of nodes used by Hive's LLAP**Description**

Number of nodes used by Hive's LLAP, which includes LLAP nodes running. Yarn native service container and Tez App Master(s) are not part of this.

Related Name

num_llap_nodes

Default Value

1

API Name

hivellap_daemon_count

Required

false

hive.llap.daemon.logger

Description

Logger to be used by LLAP. (query-routing, RFA)

Related Name

hive.llap.daemon.logger

Default Value

llap

API Name

hivellap_daemon_logger

Required

false

hive.llap.daemon.rpc.port

Description

The LLAP daemon RPC port.

Related Name

hive.llap.daemon.rpc.port

Default Value

0

API Name

hivellap_daemon_rpc_port

Required

false

hive.llap.daemon.task.scheduler.enable.preemption

Description

hive.llap.daemon.task.scheduler.enable.preemption

Related Name

hive.llap.daemon.task.scheduler.enable.preemption

Default Value

true

API Name

hivellap_daemon_task_scheduler_enable_preemption

Required

false

hive.llap.daemon.vcpus.per.instance

Description

The total number of vcpus to use for the executors inside LLAP.

Related Name

hive.llap.daemon.vcpus.per.instance

Default Value

0

API Name

hivellap_daemon_vcpus_per_instance

Required

false

hive.llap.daemon.yarn.shuffle.port

Description

YARN shuffle port for LLAP-daemon-hosted shuffle.

Related Name

hive.llap.daemon.yarn.shuffle.port

Default Value

15551

API Name

hivellap_daemon_yarn_shuffle_port

Required

false

dfs.client.mmap.enabled

Description

Disable HDFS caching fo LLAP

Related Name

dfs.client.mmap.enabled

Default Value

false

API Name

hivellap_dfs_client_mmap_enabled

Required

false

dfs.short.circuit.shared.memory.watcher.interrupt.check.ms

Description

Disable HDFS caching fo LLAP

Related Name

dfs.short.circuit.shared.memory.watcher.interrupt.check.ms

Default Value

0 second(s)

API Name

hivellap_dfs_shared_mem_watcher_interrupt

Required

false

hive.llap.enable.grace.join.in.llap

Description

Override if grace join should be allowed to run in llap for regular map joins. Dynamic partitioned joins will honor the hive.mapjoin.hybridgrace.hashtable property in LLAP

Related Name

hive.llap.enable.grace.join.in.llap

Default Value

false

API Name

hivellap_enable_grace_join_in_llap

Required

false

hive.execution.mode**Description**

Chooses whether query fragments will run in container or in llap

Related Name

hive.execution.mode

Default Value

llap

API Name

hivellap_execution_mode

Required

false

Number of executors per LLAP Daemon**Description**

The number of fragments that a single LLAP daemon will run concurrently. Usually, this will be the same as the number of available CPUs

Related Name

hive.llap.daemon.num.executors

Default Value

2

API Name

hivellap_executors_per_llap_daemon

Required

false

LLAP Daemon Heap Size in MB.**Description**

LLAP Daemon Heap Size in MB.

Related Name

llap_heap_size

Default Value

1280 MiB

API Name

hivellap_heap_per_llap_daemon

Required

false

hive.llap.io.enabled

Description

Whether the LLAP IO layer is enabled.

Related Name

hive.llap.io.enabled

Default Value

true

API Name

hivellap_io_enabled

Required

false

hive.llap.io.memory.mode

Description

LLAP IO memory usage; 'cache' (the default) uses data and metadata cache with a custom off-heap allocator, 'allocator' uses the custom allocator without the caches, 'none' doesn't use either (this mode may result in significant performance degradation)

Related Name

hive.llap.io.memory.mode

Default Value

cache

API Name

hivellap_io_memory_mode

Required

false

hive.llap.io.threadpool.size

Description

Specify the number of threads to use for low-level IO thread pool.

Related Name

hive.llap.io.threadpool.size

Default Value

2

API Name

hivellap_io_threadpool_size

Required

false

hive.llap.io.use.lrfu

Description

Whether ORC low-level cache should use LRFU cache policy instead of default (FIFO).

Related Name

hive.llap.io.use.lrfu

Default Value

true

API Name

hivellap_io_use_lrfu

Required

false

hive.llap.execution.mode

Description

Chooses which fragments of a query will run in llap

Related Name

hive.llap.execution.mode

Default Value

only

API Name

hivellap_llap_execution_mode

Required

false

hive.llap.management.rpc.port

Description

RPC port for LLAP daemon management service.

Related Name

hive.llap.management.rpc.port

Default Value

15004

API Name

hivellap_management_rpc_port

Required

false

hive.llap.mapjoin.memory.oversubscribe.factor

Description

hive.llap.mapjoin.memory.oversubscribe.factor

Related Name

hive.llap.mapjoin.memory.oversubscribe.factor

Default Value

0.3

API Name

hivellap_mapjoin_memory_oversubscribe_factor

Required

false

Maximum Total Concurrent Queries

Description

The maximum number of queries the Hive Interactive cluster will be able to handle concurrently.

Related Name

hive.server2.tez.sessions.per.default.queue

Default Value

1

API Name

hivellap_max_total_concurrent_queries

Required

false

Memory per Daemon**Description**

Total memory used by individual LLAP daemons (YARN Container size). This includes memory for the cache as well as for the query execution. Should be larger than the sum of the Daemon cache size and the daemon heap size, and should leave some headroom after this (In most cases: cache size + heap size + headroom = Memory Per Daemon).

Related Name

hive.llap.daemon.yarn.container.mb

Default Value

2 GiB

API Name

hivellap_memory_per_llap_daemon

Required

false

hive.llap.object.cache.enabled**Description**

Cache objects (plans, hashtables, etc) in llap.

Related Name

hive.llap.object.cache.enabled

Default Value

true

API Name

hivellap_object_cache_enabled

Required

false

Interactive Query Queue**Description**

Choose the YARN queue in this cluster that is dedicated to interactive query.

Related Name

hive.llap.daemon.queue.name

Default Value

llap

API Name

hivellap_queue_name

Required

false

llap.shuffle.connection-keep-alive.enable

Description

llap.shuffle.connection-keep-alive.enable

Related Name

llap.shuffle.connection-keep-alive.enable

Default Value

true

API Name

hivellap_shuffle_connection_keep_alive_enable

Required

false

llap.shuffle.connection-keep-alive.timeout

Description

llap.shuffle.connection-keep-alive.timeout

Related Name

llap.shuffle.connection-keep-alive.timeout

Default Value

1 minute(s)

API Name

hivellap_shuffle_connection_keep_alive_timeout

Required

false

Turn SSD Cache On?

Description

Turn SSD Cache On?

Related Name

hive.llap.io allocator.mmap

Default Value

false

API Name

hivellap_ssd_cache_on

Required

false

hive.llap.task.scheduler.locality.delay

Description

Amount of time to wait before allocating a request which contains location information, to a location other than the ones requested. Set to -1 for an infinite delay, 0 for no delay.

Related Name

`hive.llap.task.scheduler.locality.delay`**Default Value**

1

API Name`hivellap_task_scheduler_locality_delay`**Required**

false

Performance**Maximum Process File Descriptors****Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**`rlimit_fds`**Required**

false

Resource Management**Cgroup V1 BLKIO Weight****Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name`blkio.weight`**Default Value**

500

API Name`rm_blkio_weight`**Required**

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name`cpu.shares`

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2'
These settings override other cgroup settings.

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

`rm_io_weight`**Required**`true`**Cgroup V1 Memory Hard Limit****Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name`memory.limit_in_bytes`**Default Value**`-1 MiB`**API Name**`rm_memory_hard_limit_v1`**Required**`true`**Cgroup V2 Memory Hard Limit****Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name`memory.max`**Default Value**`-1 MiB`**API Name**`rm_memory_hard_limit_v2`**Required**`true`**Cgroup V1 Memory Soft Limit****Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name`memory.soft_limit_in_bytes`

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Stacks Collection**Stacks Collection Data Retention****Description**

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory**Description**

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: LLAP Proxy Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the LLAP Proxy Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_log_dir

Required

true

Suppress Parameter Validation: Metrics Sample File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Metrics Sample File Location parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_metrics_sample_file_location

Required

true

Suppress Parameter Validation: hive.llap.daemon.logger

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the hive.llap.daemon.logger parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hivellap_daemon_logger

Required

true

Suppress Parameter Validation: LLAP Daemon Java Options**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LLAP Daemon Java Options parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hivellap_daemon_opts

Required

true

Suppress Parameter Validation: hive.execution.mode**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the hive.execution.mode parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hivellap_execution_mode

Required

true

Suppress Parameter Validation: hive.llap.io.memory.mode**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the hive.llap.io.memory.mode parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hivellap_io_memory_mode

Required

true

Suppress Parameter Validation: hive.llap.execution.mode**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the hive.llap.execution.mode parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hivellap_llap_execution_mode

Required

true

Suppress Parameter Validation: LLAP Proxy Advanced Configuration Snippet (Safety Valve) for hive-site.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LLAP Proxy Advanced Configuration Snippet (Safety Valve) for hive-site.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hivellap_llaproxy_config_safety_valve

Required

true

Suppress Parameter Validation: Interactive Query Queue**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Interactive Query Queue parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hivellap_queue_name

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: LLAP Proxy Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LLAP Proxy Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_llaproxy_role_env_safety_valve

Required

true

Suppress Parameter Validation: Heap Dump Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hive_llap_llapprox_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hive_llap_llapprox_file_descriptor

Required

true

Suppress Health Test: Heap Dump Directory Free Space**Description**

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

`role_health_suppression_hive_llap_llaproxy_heap_dump_directory_free_space`**Required**

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name`role_health_suppression_hive_llap_llaproxy_host_health`**Required**

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name`role_health_suppression_hive_llap_llaproxy_log_directory_free_space`**Required**

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name`role_health_suppression_hive_llap_llaproxy_otelcol_health`**Required**

true

Suppress Health Test: Pause Duration**Description**

Whether to suppress the results of the Pause Duration health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hive_llap_llapprox_pause_duration

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hive_llap_llapprox_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hive_llap_llapprox_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hive_llap_llaproxy_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits**Description**

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hive_llap_llaproxy_unexpected_exits

Required

true

Suppress Health Test: LLAP Daemons Ready Check**Description**

Whether to suppress the results of the LLAP Daemons Ready Check health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_llapd_ready_status

Required

true

Service-Wide**Advanced****Hive Auxiliary JARs Directory****Description**

Directory containing auxiliary JARs used by Hive. This should be a directory location and not a classpath containing one or more JARs. This directory must be created and managed manually on hosts that run the Hive Metastore Server, HiveServer2, or the Hive CLI. The directory location is set in the environment as HIVE_AUX_JARS_PATH and will generally override the hive.aux.jars.path property set in XML files, even if hive.aux.jars.path is set in an advanced configuration snippet.

Related Name**Default Value****API Name**

hive_aux_jars_path_dir

Required

false

Bypass Hive Metastore Server**Description**

Instead of talking to Hive Metastore Server for Metastore information, Hive clients will talk directly to the Metastore database.

Related Name**Default Value**

false

API Name

hive_bypass_metastore_server

Required

false

Aborted Transaction Threshold**Description**

Number of aborted transactions involving a particular table or partition before major compaction is initiated.

Related Name

hive.compactor.abortedtxn.threshold

Default Value

1000

API Name

hive_compactor_abortedtxn_threshold

Required

true

Number of Threads Used by Compactor**Description**

Number of compactor worker threads to run on this metastore instance. Can be different values on different Metastore instances.

Related Name

hive.compactor.worker.threads

Default Value

5

API Name

hive_compactor_worker_threads

Required

true

Hive Service Advanced Configuration Snippet (Safety Valve) for core-site.xml**Description**

For advanced use only, a string to be inserted into core-site.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

hive_core_site_safety_valve

Required

false

Default Table Format - Create Tables as Full ACID**Description**

Whether the eligible tables should be created as full ACID by default. Does not apply to external tables, the ones using storage handlers, etc.

Related Name

hive.create.as.acid

Default Value

true

API Name

hive_create_as_acid

Required

false

Default Table Format - Create Tables as ACID Insert Only**Description**

Whether the eligible tables should be created as ACID insert-only by default. Does not apply to external tables, the ones using storage handlers, etc.

Related Name

hive.create.as.insert.only

Default Value

true

API Name

hive_create_as_insert_only

Required

false

Hive Copy Large File Size**Description**

Smaller than this size, Hive uses a single-threaded copy; larger than this size, Hive uses DistCp.

Related Name

hive.exec.copyfile.maxsize

Default Value

32 MiB

API Name

hive_exec_copyfile_maxsize

Required

false

Base Directory for Hive Proto Hook

Description

The directory where hive proto hooks should write the events, should generally be location of query_data table under sys.db database.

Related Name

hive.hook.proto.base-directory

Default Value

/warehouse/tablespace/managed/hive/sys.db/query_data/

API Name

hive_hook_proto_base_directory

Required

false

Hive LLAP Service Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

HIVE_LLAP_service_env_safety_valve

Required

false

Metastore Transactional Listener List

Description

A comma separated list of Java classes that implement the org.apache.hadoop.hive.metastore.MetaStoreEventListener interface. Both the metastore event and corresponding listener method will be invoked in the same JDO transaction.

Related Name

hive.metastore.transactional.event.listeners

Default Value

org.apache.hive.hcatalog.listener.DbNotificationListener

API Name

hive_metastore_transactional_event_listeners

Required

false

Hive Replication Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into the environment of Hive replication jobs.

Related Name**Default Value****API Name**

hive_replication_env_safety_valve

Required

false

Hive Service Advanced Configuration Snippet (Safety Valve) for hive-site.xml**Description**

For advanced use only, a string to be inserted into hive-site.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

hive_service_config_safety_valve

Required

false

Hive Replication Advanced Configuration Snippet (Safety Valve) for hive-site.xml**Description**

For advanced use only, a string to be inserted into hive-site.xml. Applies to all Hive Replication jobs.

Related Name**Default Value****API Name**

hive_service_replication_config_safety_valve

Required

false

Use Locking**Description**

Support concurrency and use locks, needed for Transactions. Requires Zookeeper.

Related Name

hive.support.concurrency

Default Value

true

API Name

hive_support_concurrency

Required

false

Transaction Manager**Description**

HiveTxnManager implementation used for managing transactions.

Related Name

hive.txn.manager

Default Value

```
org.apache.hadoop.hive.ql.lockmgr.DbTxnManager
```

API Name

```
hive_txn_manager
```

Required

```
true
```

Transaction Maximum Open Batch**Description**

Maximum number of transactions that can be fetched in one call to `open_txns()`. Increasing this will decrease the number of delta files created when streaming data into Hive. But it will also increase the number of open transactions at any given time, possibly impacting read performance.

Related Name

```
hive.txn.max.open.batch
```

Default Value

```
1000
```

API Name

```
hive_txn_max_open_batch
```

Required

```
true
```

Transaction Strict Locking Mode**Description**

In strict locking non-ACID resources use standard R/W lock semantics.

Related Name

```
hive.txn.strict.locking.mode
```

Default Value

```
false
```

API Name

```
hive_txn_strict_locking_mode
```

Required

```
false
```

Transaction Timeout**Description**

Time after which transactions are declared aborted if the client has not sent a heartbeat.

Related Name

```
hive.txn.timeout
```

Default Value

```
5 minute(s)
```

API Name

```
hive_txn_timeout
```

Required

```
true
```

Hive Client Advanced Configuration Snippet (Safety Valve) for navigator.client.properties

Description

For advanced use only, a string to be inserted into the client configuration for navigator.client.properties.

Related Name

Default Value

API Name

navigator_client_config_safety_valve

Required

false

Hive Client Advanced Configuration Snippet (Safety Valve) for navigator.lineage.client.properties

Description

For advanced use only, a string to be inserted into the client configuration for navigator.lineage.client.properties.

Related Name

Default Value

API Name

navigator_lineage_client_config_safety_valve

Required

false

System Group

Description

The group that this service's processes should run as.

Related Name

Default Value

hive

API Name

process_groupname

Required

true

System User

Description

The user that this service's processes should run as.

Related Name

Default Value

hive

API Name

process_username

Required

true

Hive Service Advanced Configuration Snippet (Safety Valve) for ranger-hive-audit.xml

Description

For advanced use only, a string to be inserted into ranger-hive-audit.xml. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

ranger_audit_safety_valve

Required

false

Hive Service Advanced Configuration Snippet (Safety Valve) for ranger-hive-policymgr-ssl.xml

Description

For advanced use only, a string to be inserted into ranger-hive-policymgr-ssl.xml. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

ranger_policymgr_ssl_safety_valve

Required

false

Hive Service Advanced Configuration Snippet (Safety Valve) for ranger-hive-security.xml

Description

For advanced use only, a string to be inserted into ranger-hive-security.xml. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

ranger_security_safety_valve

Required

false

Cloudera Navigator

Enable Audit Collection

Description

Enable collection of audit events from the service's roles.

Related Name

navigator.audit.enabled

Default Value

true

API Name

navigator_audit_enabled

Required

false

Audit Event Filter**Description**

Event filters are defined in a JSON object like the following: { "defaultAction" : ("accept", "discard"), "rules" : [{ "action" : ("accept", "discard"), "fields" : [{ "name" : "fieldName", "match" : "regex" }] }] } A filter has a default action and a list of rules, in order of precedence. Each rule defines an action, and a list of fields to match against the audit event. A rule is "accepted" if all the listed field entries match the audit event. At that point, the action declared by the rule is taken. If no rules match the event, the default action is taken. Actions default to "accept" if not defined in the JSON object. The following is the list of fields that can be filtered for Hive events:

- `userName`: the user performing the action.
- `ipAddress`: the IP from where the request originated.
- `operation`: the Hive operation being performed.
- `databaseName`: the databaseName for the operation.
- `tableName`: the tableName for the operation.

The default Hive audit event filter discards HDFS directory events generated by Hive jobs that reference the `/tmp` directory.

Related Name

navigator.event.filter

Default Value

comment: [The default Hive audit event filter discards HDFS directory events , generated by Hive jobs that reference the /tmp directory.], defaultAction: accept, rules: [action: discard, fields: [name: operation, match: QUERY , name: objectType, match: DFS_DIR , name: resourcePath, match: /tmp/hive-(?:.+)?/hive_(?:.+)?/-mr-.*]]

API Name

navigator_audit_event_filter

Required

false

Audit Queue Policy**Description**

Action to take when the audit event queue is full. Drop the event or shutdown the affected process.

Related Name

navigator.batch.queue_policy

Default Value

DROP

API Name

navigator_audit_queue_policy

Required

false

Audit Event Tracker**Description**

Configures the rules for event tracking and coalescing. This feature is used to define equivalency between different audit events. When events match, according to a set of configurable parameters,

only one entry in the audit list is generated for all the matching events. Tracking works by keeping a reference to events when they first appear, and comparing other incoming events against the "tracked" events according to the rules defined here. Event trackers are defined in a JSON object like the following: { "timeToLive" : [integer], "fields" : [{ "type" : [string], "name" : [string] }] } Where:

- **timeToLive**: maximum amount of time an event will be tracked, in milliseconds. Must be provided. This defines how long, since it's first seen, an event will be tracked. A value of 0 disables tracking.
- **fields**: list of fields to compare when matching events against tracked events.

Each field has an evaluator type associated with it. The evaluator defines how the field data is to be compared. The following evaluators are available:

- **value**: uses the field value for comparison.
- **userName**: treats the field value as a userName, and ignores any host-specific data. This is useful for environment using Kerberos, so that only the principal name and realm are compared.

The following is the list of fields that can be used to compare Hive events:

- **operation**: the Hive operation being performed.
- **username**: the user performing the action.
- **ipAddress**: the IP from where the request originated.
- **allowed**: whether the operation was allowed or denied.
- **databaseName**: the database affected by the operation.
- **tableName**: the table or view affected by the operation.
- **objectType**: the type of object affected by the operation.
- **resourcePath**: the path of the resource affected by the operation.

Related Name

navigator_event_tracker

Default Value

API Name

navigator_event_tracker

Required

false

Enable Lineage Collection

Description

Enable collection of lineage from the service's roles.

Related Name

Default Value

true

API Name

navigator_lineage_enabled

Required

false

Logs

Audit Log Directory

Description

Path to the directory where audit logs will be written. The directory will be created if it doesn't exist.

Related Name

audit_event_log_dir

Default Value

/var/log/hive/audit

API Name

audit_event_log_dir

Required

false

Hive Lineage Log Directory

Description

The directory in which Hive lineage log files are written.

Related Name

lineage_event_log_dir

Default Value

/var/log/hive/lineage

API Name

lineage_event_log_dir

Required

true

Hive Maximum Lineage Log File Size

Description

The maximum size, in megabytes, per log file for Hive lineage logs. Typically used by log4j or logback.

Related Name

max_lineage_log_file_size

Default Value

100 MiB

API Name

max_lineage_log_file_size

Required

false

Maximum Audit Log File Size

Description

Maximum size of audit log file in MB before it is rolled over.

Related Name

navigator.audit_log_max_file_size

Default Value

100 MiB

API Name

navigator_audit_log_max_file_size

Required

false

Number of Audit Logs to Retain

Description

Maximum number of rolled-over audit logs to retain. The logs are not deleted if they contain audit events that have not yet been propagated to the Audit Server.

Related Name

navigator.client.max_num_audit_log

Default Value

10

API Name

navigator_client_max_num_audit_log

Required

false

Monitoring

Enable Service Level Health Alerts

Description

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Healthy HiveServer2 Monitoring Thresholds

Description

The health test thresholds of the overall HiveServer2 health. The check returns "Concerning" health if the percentage of "Healthy" HiveServer2s falls below the warning threshold. The check

is unhealthy if the total percentage of "Healthy" and "Concerning" HiveServer2s falls below the critical threshold.

Related Name**Default Value**

Warning: 99.0 %, Critical: 51.0 %

API Name

hive_llap_hiveserver2s_healthy_thresholds

Required

false

LLAP Proxy Role Health Test**Description**

When computing the overall HIVE_LLAP health, consider LLAP Proxy's health

Related Name**Default Value**

true

API Name

hive_llap_llaproxy_health_enabled

Required

false

Service Triggers**Description**

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

service_triggers

Required

true

Service Monitor Client Config Overrides**Description**

For advanced use only, a list of configuration properties that will be used by the Service Monitor instead of the current client configuration for the service.

Related Name**Default Value**

```
<property> <name>hive.metastore.client.socket.timeout</name> <value>60</value> </property>
```

API Name

smon_client_config_overrides

Required

false

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name**Default Value****API Name**

smon_derived_configs_safety_valve

Required

false

Other**HBase Service****Description**

Name of the HBase service that this Hive service instance depends on.

Related Name**Default Value****API Name**

hbase_service

Required

false

HDFS Service**Description**

Name of the HDFS service that this Hive service instance depends on

Related Name**Default Value**

API Name

hdfs_service

Required

true

Enable Asynchronous Logging**Description**

Asynchronous Log4j2 logging can give a significant performance improvement as logging will be handled in a separate thread that uses an LMAX disruptor queue for buffering log messages. Refer to <https://logging.apache.org/log4j/2.x/manual/async.html> for benefits and drawbacks. For debugging issues we recommend setting this to false.

Related Name

hive.async.log.enabled

Default Value

false

API Name

hive_async_log_enabled

Required

false

Hive Bytes Per Reducer**Description**

Size per reducer. If the input size is 10GiB and this is set to 1GiB, Hive will use 10 reducers.

Related Name

hive.exec.reducers.bytes.per.reducer

Default Value

64 MiB

API Name

hive_bytes_per_reducer

Required

false

Default File Format**Description**

Default file format for CREATE TABLE statement.

Related Name

hive.default.fileformat

Default Value

TextFile

API Name

hive_default_fileformat

Required

true

Default File Format for Managed Tables

Description

Default file format for CREATE TABLE statement applied to managed tables only. External tables will be created with default file format. Leaving this null will result in using the default file format for all tables.

Related Name

hive.default.fileformat.managed

Default Value

ORC

API Name

hive_default_fileformat_managed

Required

false

Hive Max Reducers

Description

Max number of reducers to use. If the configuration parameter Hive Reduce Tasks is negative, Hive will limit the number of reducers to the value of this parameter.

Related Name

hive.exec.reducers.max

Default Value

1009

API Name

hive_max_reducers

Required

false

Hive Reduce Tasks

Description

Default number of reduce tasks per job. Usually set to a prime number close to the number of available hosts. Ignored when mapred.job.tracker is "local". Hadoop sets this to 1 by default, while Hive uses -1 as the default. When set to -1, Hive will automatically determine an appropriate number of reducers for each job.

Related Name

mapred.reduce.tasks

Default Value

-1

API Name

hive_reduce_tasks

Required

false

Set User and Group Information

Description

In unsecure mode, setting this property to true will cause the Metastore Server to execute DFS operations using the client's reported user and group permissions. Cloudera Manager will set this for all clients and servers.

Related Name

hive.metastore.execute.setugi

Default Value

true

API Name

hive_set_ugi

Required

true

LLAP app name

Description

LLAP app name

Related Name

llap_app_name

Default Value

llap0

API Name

hivellap_app_name

Required

false

hive.llap.daemon.service.hosts

Description

Explicitly specified hosts to use for LLAP scheduling. If it's left empty, LLAP app name will be used instead with a ZooKeeper based registry.

Related Name

hive.llap.daemon.service.hosts

Default Value

API Name

hivellap_daemon_service_hosts

Required

false

Hive Metastore Connector

Description

Name of the Hive Metastore Connector from the data context that this service instance depends on.

Related Name

Default Value

API Name

hms_connector

Required

true

MapReduce Service

Description

MapReduce jobs are run against this service.

Related Name**Default Value****API Name**

mapreduce_yarn_service

Required

true

Ranger Plugin Trusted Proxy IP Address

Description

Accepts a list of IP addresses of proxy servers for trusting.

Related Name

ranger.plugin.hive.trusted.proxy.ipaddress

Default Value**API Name**

ranger_plugin_trusted_proxy_ipaddress

Required

false

Ranger Plugin Use X-Forwarded for IP Address

Description

The parameter is used for identifying the originating IP address of a user connecting to a component through proxy for audit logs.

Related Name

ranger.plugin.hive.use.x-forwarded-for.ipaddress

Default Value

false

API Name

ranger_plugin_use_x_forwarded_for_ipaddress

Required

false

Ranger Service

Description

Name of the Ranger service that this Hive service instance depends on

Related Name**Default Value****API Name**

ranger_service

Required

false

Tez Service

Description

Tez Service that the Hive on Tez uses for execution

Related Name

Default Value

API Name

tez_service

Required

true

ZooKeeper Service

Description

Name of the ZooKeeper service that this Hive service instance depends on.

Related Name

Default Value

API Name

zookeeper_service

Required

false

Proxy

Hive Metastore Access Control and Proxy User Groups Override

Description

This configuration overrides the value set for Hive Proxy User Groups configuration in HDFS service for use by Hive Metastore Server. Specify a comma-delimited list of groups that you want to allow access to Hive Metastore metadata and allow the Hive user to impersonate. A value of '*' allows all groups. The default value of empty inherits the value set for Hive Proxy User Groups configuration in the HDFS service.

Related Name

hadoop.proxyuser.hive.groups

Default Value

API Name

hive_proxy_user_groups_list

Required

false

Replication

Replica functions root directory

Description

Root directory on the replica warehouse where the repl sub-system will store jars from the primary warehouse

Related Name

hive.repl.replica.functions.root.dir

Default Value**API Name**

hive_repl_replica_functions_root_dir

Required

false

Security**Enable LDAP Authentication for HiveServer2****Description**

When checked, LDAP-based authentication for users is enabled.

Related Name**Default Value**

false

API Name

hiveserver2_enable_ldap_auth

Required

false

Enable TLS/SSL for HiveServer2**Description**

Encrypt communication between clients and HiveServer2 using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

hive.server2.use.SSL

Default Value

false

API Name

hiveserver2_enable_ssl

Required

false

HiveServer2 SSL Exclude Cipher Suites**Description**

The cipher suites should be excluded from Hiveserver2 SSL.

Related Name

hive.server2.http.exclude.ciphersuites

Default Value

modern2018

API Name

hiveserver2_exclude_ciphersuites

Required

false

HiveServer2 SSL Include Cipher Suites

Description

The cipher suites should be included in Hiverserver2 SSL.

Related Name

hive.server2.binary.include.ciphersuites

Default Value

modern2018

API Name

hiveserver2_include_ciphersuites

Required

false

HiveServer2 TLS/SSL Server Keystore File Password

Description

The password for the HiveServer2 keystore file.

Related Name

hive.server2.keystore.password

Default Value**API Name**

hiveserver2_keystore_password

Required

false

HiveServer2 TLS/SSL Server Keystore File Location

Description

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when HiveServer2 is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

hive.server2.keystore.path

Default Value**API Name**

hiveserver2_keystore_path

Required

false

LDAP BaseDN

Description

This parameter is useful when authenticating against a non-Active Directory server, such as OpenLDAP. When set, this parameter is used to convert the username into the LDAP Distinguished Name (DN), so that the resulting DN looks like uid=username,*this parameter*. For example, if this parameter is set to "ou=People,dc=cloudera,dc=com", and the username passed in is "mike", the resulting authentication passed to the LDAP server look like "uid=mike,ou=People,dc=cloudera,dc=com". This parameter is mutually exclusive with Active Directory Domain.

Related Name

hive.server2.authentication.ldap.baseDN

Default Value**API Name**

hiveserver2_ldap_basedn

Required

false

Active Directory Domain**Description**

Use this field for Active Directory configurations only, when combined with a simple username value in the "LDAP Bind User Distinguished Name" field, it will result in a UPM of user@example.com used for search/bind operations for authenticated user lookups.

Related Name

hive.server2.authentication.ldap.Domain

Default Value**API Name**

hiveserver2_ldap_domain

Required

false

LDAP URL**Description**

The URL of the LDAP Server. The URL must be prefixed with ldap:// or ldaps:// . The URL can optionally specify a custom port if necessary, but by default the ldap:// will connect to port 389, and the ldaps:// will connect to port 636. Note that passwords will be in the clear if ldap:// is used, and by fall 2020 Active directory servers will no longer allow non LDAPS connections to bind to AD hosts with LDAP signing enabled. See microsoft knowledge document 935834 for more information.

Related Name

hive.server2.authentication.ldap.url

Default Value**API Name**

hiveserver2_ldap_uri

Required

false

HiveServer2 TLS/SSL Trust Store File**Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that HiveServer2 might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name**Default Value****API Name**

hiveserver2_truststore_file

Required

false

HiveServer2 TLS/SSL Trust Store Password**Description**

The password for the HiveServer2 TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name**Default Value****API Name**

hiveserver2_truststore_password

Required

false

Kerberos Principal**Description**

Kerberos principal short name used by all roles of this service.

Related Name**Default Value**

hive

API Name

kerberos_princ_name

Required

true

Ranger DFS Audit Path**Description**

The DFS path on which Ranger audits are written. The special placeholder `'${ranger_base_audit_url}'` should be used as the prefix, in order to use the centralized location defined in the Ranger service.

Related Name

xasecure.audit.destination.hdfs.dir

Default Value

`$ranger_base_audit_url/hive`

API Name

ranger_audit_hdfs_dir

Required

false

Ranger Audit DFS Spool Dir**Description**

Spool directory for Ranger audits being written to DFS.

Related Name

xasecure.audit.destination.hdfs.batch.filespool.dir

Default Value

/var/log/hive/audit/hdfs/spool

API Name

ranger_audit_hdfs_spool_dir

Required

false

Ranger Audit Solr Spool Dir

Description

Spool directory for Ranger audits being written to Solr.

Related Name

xasecure.audit.destination.solr.batch.filespool.dir

Default Value

/var/log/hive/audit/solr/spool

API Name

ranger_audit_solr_spool_dir

Required

false

Ranger Policy Cache Directory

Description

The directory where Ranger security policies are cached locally.

Related Name

ranger.plugin.hive.policy.cache.dir

Default Value

/var/lib/ranger/hive/policy-cache

API Name

ranger_policy_cache_dir

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: Deploy Directory

Description

Whether to suppress configuration warnings produced by the Deploy Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Configuration Validator: Hive Client Advanced Configuration Snippet (Safety Valve) for hive-site.xml

Description

Whether to suppress configuration warnings produced by the Hive Client Advanced Configuration Snippet (Safety Valve) for hive-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_client_config_safety_valve

Required

true

Suppress Configuration Validator: Gateway Client Environment Advanced Configuration Snippet (Safety Valve) for hive-env.sh

Description

Whether to suppress configuration warnings produced by the Gateway Client Environment Advanced Configuration Snippet (Safety Valve) for hive-env.sh configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_client_env_safety_valve

Required

true

Suppress Configuration Validator: Client Java Configuration Options

Description

Whether to suppress configuration warnings produced by the Client Java Configuration Options configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_client_java_opts

Required

true

Suppress Configuration Validator: HiveServer2 Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the HiveServer2 Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_hs2_env_safety_valve

Required

true

Suppress Configuration Validator: HiveServer2 Log Directory

Description

Whether to suppress configuration warnings produced by the HiveServer2 Log Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_log_dir

Required

true

Suppress Configuration Validator: Metrics Sample File Location

Description

Whether to suppress configuration warnings produced by the Metrics Sample File Location configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_metrics_sample_file_location

Required

true

Suppress Configuration Validator: Restrict Load Bucketed Table Validator

Description

Whether to suppress configuration warnings produced by the Restrict Load Bucketed Table Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_restrict_load_bucketed_table_validator

Required

true

Suppress Configuration Validator: Restrict Unsafe Comparison Validator

Description

Whether to suppress configuration warnings produced by the Restrict Unsafe Comparison Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_restrict_unsafe_comparison_validator

Required

true

Suppress Configuration Validator: Hive security authorization SQL Config whitelist append

Description

Whether to suppress configuration warnings produced by the Hive security authorization SQL Config whitelist append configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_security_authorization_sqlstd_confwhitelist_append

Required

true

Suppress Configuration Validator: HiveServer2 Operations Log Directory

Description

Whether to suppress configuration warnings produced by the HiveServer2 Operations Log Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_server2_logging_operation_log_location

Required

true

Suppress Configuration Validator: Thrift port

Description

Whether to suppress configuration warnings produced by the Thrift port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_server2_thrift_http_port

Required

true

Suppress Configuration Validator: Hive Server Zookeeper Namespace

Description

Whether to suppress configuration warnings produced by the Hive Server Zookeeper Namespace configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_server2_zookeeper_namespace

Required

true

Suppress Configuration Validator: hive.llap.daemon.logger

Description

Whether to suppress configuration warnings produced by the hive.llap.daemon.logger configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hivellap_daemon_logger

Required

true

Suppress Configuration Validator: LLAP Daemon Java Options

Description

Whether to suppress configuration warnings produced by the LLAP Daemon Java Options configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hivellap_daemon_opts

Required

true

Suppress Configuration Validator: Default query queues

Description

Whether to suppress configuration warnings produced by the Default query queues configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hivellap_default_query_queues

Required

true

Suppress Configuration Validator: hive.execution.mode

Description

Whether to suppress configuration warnings produced by the hive.execution.mode configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hivellap_execution_mode

Required

true

Suppress Configuration Validator: HiveServer2 Advanced Configuration Snippet (Safety Valve) for hive-site.xml

Description

Whether to suppress configuration warnings produced by the HiveServer2 Advanced Configuration Snippet (Safety Valve) for hive-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hivellap_hs2_config_safety_valve

Required

true

Suppress Configuration Validator: hive.llap.io.memory.mode

Description

Whether to suppress configuration warnings produced by the hive.llap.io.memory.mode configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hivellap_io_memory_mode

Required

true

Suppress Configuration Validator: hive.llap.execution.mode**Description**

Whether to suppress configuration warnings produced by the hive.llap.execution.mode configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hivellap_llap_execution_mode

Required

true

Suppress Configuration Validator: LLAP Proxy Advanced Configuration Snippet (Safety Valve) for hive-site.xml**Description**

Whether to suppress configuration warnings produced by the LLAP Proxy Advanced Configuration Snippet (Safety Valve) for hive-site.xml configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hivellap_llaproxy_config_safety_valve

Required

true

Suppress Configuration Validator: Interactive Query Queue**Description**

Whether to suppress configuration warnings produced by the Interactive Query Queue configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hivellap_queue_name

Required

true

Suppress Configuration Validator: Allow custom queues

Description

Whether to suppress configuration warnings produced by the Allow custom queues configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hivellap_tez_sessions_custom_queue_allowed

Required

true

Suppress Configuration Validator: Hive Downloaded Resources Directory

Description

Whether to suppress configuration warnings produced by the Hive Downloaded Resources Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hiveserver2_downloaded_resources_dir

Required

true

Suppress Configuration Validator: Hive Local Scratch Directory

Description

Whether to suppress configuration warnings produced by the Hive Local Scratch Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hiveserver2_exec_local_scratchdir

Required

true

Suppress Configuration Validator: Hive HDFS Scratch Directory

Description

Whether to suppress configuration warnings produced by the Hive HDFS Scratch Directory configuration validator.

Related Name

Default Value

	false
API Name	role_config_suppression_hiveserver2_exec_scratchdir
Required	true

Suppress Configuration Validator: Fair Scheduler XML Advanced Configuration Snippet (Safety Valve)

Description
Whether to suppress configuration warnings produced by the Fair Scheduler XML Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_hiveserver2_fair_scheduler_safety_valve

Required
true

Suppress Configuration Validator: Java Configuration Options for HiveServer2

Description
Whether to suppress configuration warnings produced by the Java Configuration Options for HiveServer2 configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_hiveserver2_java_opts

Required
true

Suppress Configuration Validator: HiveServer2 Load Balancer

Description
Whether to suppress configuration warnings produced by the HiveServer2 Load Balancer configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_hiveserver2_load_balancer

Required
true

Suppress Configuration Validator: Exclude Vectorized Input Formats

Description

Whether to suppress configuration warnings produced by the Exclude Vectorized Input Formats configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hiveserver2_vectorized_input_format_excludes

Required

true

Suppress Configuration Validator: HiveServer2 WebUI Port

Description

Whether to suppress configuration warnings produced by the HiveServer2 WebUI Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hiveserver2_webui_port

Required

true

Suppress Configuration Validator: HiveServer2 Advanced Configuration Snippet (Safety Valve) for core-site.xml

Description

Whether to suppress configuration warnings produced by the HiveServer2 Advanced Configuration Snippet (Safety Valve) for core-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hs2_core_site_safety_valve

Required

true

Suppress Configuration Validator: HiveServer2 Port

Description

Whether to suppress configuration warnings produced by the HiveServer2 Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hs2_thrift_address_port

Required

true

Suppress Configuration Validator: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Configuration Validator: LLAP Proxy Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the LLAP Proxy Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_llaproxy_role_env_safety_valve

Required

true

Suppress Configuration Validator: HiveServer2 Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the HiveServer2 Logging Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Configuration Validator: Heap Dump Directory**Description**

Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: Role Triggers**Description**

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Configuration Validator: HiveServer2 WebUI TLS/SSL Server Keystore File Location**Description**

Whether to suppress configuration warnings produced by the HiveServer2 WebUI TLS/SSL Server Keystore File Location configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Configuration Validator: HiveServer2 WebUI TLS/SSL Server Keystore File Password**Description**

Whether to suppress configuration warnings produced by the HiveServer2 WebUI TLS/SSL Server Keystore File Password configuration validator.

Related Name**Default Value**

	false
API Name	role_config_suppression_ssl_server_keystore_password
Required	true

Suppress Configuration Validator: Stacks Collection Directory

Description	Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_stacks_collection_directory
Required	true

Suppress Configuration Validator: tez.history.logging.taskattempt-filters

Description	Whether to suppress configuration warnings produced by the tez.history.logging.taskattempt-filters configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_tez_interactive_history_logging_taskattempt_filters
Required	true

Suppress Parameter Validation: Audit Log Directory

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Audit Log Directory parameter.
Related Name	
Default Value	false
API Name	service_config_suppression_audit_event_log_dir
Required	true

Suppress Configuration Validator: Gateway Count Validator

Description	
--------------------	--

Whether to suppress configuration warnings produced by the Gateway Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_gateway_count_validator

Required

true

Suppress Parameter Validation: Hive Auxiliary JARs Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Auxiliary JARs Directory parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hive_aux_jars_path_dir

Required

true

Suppress Configuration Validator: Client TLS/SSL In Use With LDAP Authentication Validator**Description**

Whether to suppress configuration warnings produced by the Client TLS/SSL In Use With LDAP Authentication Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_hive_client_ssl_recommended_with_ldap_auth_validator

Required

true

Suppress Parameter Validation: Hive Service Advanced Configuration Snippet (Safety Valve) for core-site.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Service Advanced Configuration Snippet (Safety Valve) for core-site.xml parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hive_core_site_safety_valve

Required

true

Suppress Parameter Validation: Default File Format for Managed Tables**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Default File Format for Managed Tables parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hive_default_fileformat_managed

Required

true

Suppress Parameter Validation: Base Directory for Hive Proto Hook**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Base Directory for Hive Proto Hook parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hive_hook_proto_base_directory

Required

true

Suppress Parameter Validation: Hive LLAP Service Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive LLAP Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hive_llap_service_env_safety_valve

Required

true

Suppress Parameter Validation: Metastore Transactional Listener List**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Metastore Transactional Listener List parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_metastore_transactional_event_listeners

Required

true

Suppress Configuration Validator: Hive Proxy Groups Validator

Description

Whether to suppress configuration warnings produced by the Hive Proxy Groups Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_hive_proxy_groups_validator

Required

true

Suppress Parameter Validation: Hive Metastore Access Control and Proxy User Groups Override

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Metastore Access Control and Proxy User Groups Override parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_proxy_user_groups_list

Required

true

Suppress Configuration Validator: Hive Ranger Validator

Description

Whether to suppress configuration warnings produced by the Hive Ranger Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_hive_ranger_validator

Required

true

Suppress Parameter Validation: Replica functions root directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Replica functions root directory parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_repl_replica_functions_root_dir

Required

true

Suppress Parameter Validation: Hive Replication Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Replication Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_replication_env_safety_valve

Required

true

Suppress Configuration Validator: Hive Sentry Validator

Description

Whether to suppress configuration warnings produced by the Hive Sentry Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_hive_sentry_validator

Required

true

Suppress Parameter Validation: Hive Service Advanced Configuration Snippet (Safety Valve) for hive-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Service Advanced Configuration Snippet (Safety Valve) for hive-site.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_service_config_safety_valve

Required

true

Suppress Parameter Validation: Hive Replication Advanced Configuration Snippet (Safety Valve) for hive-site.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Replication Advanced Configuration Snippet (Safety Valve) for hive-site.xml parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hive_service_replication_config_safety_valve

Required

true

Suppress Parameter Validation: LLAP app name**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LLAP app name parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hivellap_app_name

Required

true

Suppress Parameter Validation: hive.llap.daemon.service.hosts**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the hive.llap.daemon.service.hosts parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hivellap_daemon_service_hosts

Required

true

Suppress Configuration Validator: HiveServer2 Count Validator**Description**

Whether to suppress configuration warnings produced by the HiveServer2 Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_hiveserver2_count_validator

Required

true

Suppress Parameter Validation: HiveServer2 TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hiveserver2_keystore_password

Required

true

Suppress Parameter Validation: HiveServer2 TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hiveserver2_keystore_path

Required

true

Suppress Parameter Validation: LDAP BaseDN

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP BaseDN parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hiveserver2_ldap_basedn

Required

true

Suppress Parameter Validation: Active Directory Domain

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Active Directory Domain parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hiveserver2_ldap_domain

Required

true

Suppress Parameter Validation: LDAP URL**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP URL parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hiveserver2_ldap_uri

Required

true

Suppress Parameter Validation: HiveServer2 TLS/SSL Trust Store File**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 TLS/SSL Trust Store File parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hiveserver2_truststore_file

Required

true

Suppress Parameter Validation: HiveServer2 TLS/SSL Trust Store Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 TLS/SSL Trust Store Password parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hiveserver2_truststore_password

Required

true

Suppress Parameter Validation: Kerberos Principal**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Principal parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_kerberos_princ_name

Required

true

Suppress Parameter Validation: Hive Lineage Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Lineage Log Directory parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_lineage_event_log_dir

Required

true

Suppress Configuration Validator: LLAP Proxy Count Validator**Description**

Whether to suppress configuration warnings produced by the LLAP Proxy Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_llaproxy_count_validator

Required

true

Suppress Parameter Validation: Audit Event Filter**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Audit Event Filter parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_navigator_audit_event_filter

Required

true

Suppress Parameter Validation: Hive Client Advanced Configuration Snippet (Safety Valve) for navigator.client.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Client Advanced Configuration Snippet (Safety Valve) for navigator.client.properties parameter.

Related Name

Default Value

false

API Name

service_config_suppression_navigator_client_config_safety_valve

Required

true

Suppress Parameter Validation: Audit Event Tracker

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Audit Event Tracker parameter.

Related Name

Default Value

false

API Name

service_config_suppression_navigator_event_tracker

Required

true

Suppress Parameter Validation: Hive Client Advanced Configuration Snippet (Safety Valve) for navigator.lineage.client.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Client Advanced Configuration Snippet (Safety Valve) for navigator.lineage.client.properties parameter.

Related Name

Default Value

false

API Name

service_config_suppression_navigator_lineage_client_config_safety_valve

Required

true

Suppress Parameter Validation: System Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name

Default Value

false

API Name

service_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: System User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name

Default Value

false

API Name

service_config_suppression_process_username

Required

true

Suppress Parameter Validation: Ranger DFS Audit Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger DFS Audit Path parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_audit_hdfs_dir

Required

true

Suppress Parameter Validation: Ranger Audit DFS Spool Dir

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Audit DFS Spool Dir parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_audit_hdfs_spool_dir

Required

true

Suppress Parameter Validation: Hive Service Advanced Configuration Snippet (Safety Valve) for ranger-hive-audit.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Service Advanced Configuration Snippet (Safety Valve) for ranger-hive-audit.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_audit_safety_valve

Required

true

Suppress Parameter Validation: Ranger Audit Solr Spool Dir

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Audit Solr Spool Dir parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_audit_solr_spool_dir

Required

true

Suppress Parameter Validation: Ranger Plugin Trusted Proxy IP Address

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Plugin Trusted Proxy IP Address parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_plugin_trusted_proxy_ipaddress

Required

true

Suppress Parameter Validation: Ranger Policy Cache Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Policy Cache Directory parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_policy_cache_dir

Required

true

Suppress Parameter Validation: Hive Service Advanced Configuration Snippet (Safety Valve) for ranger-hive-policymgr-ssl.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Service Advanced Configuration Snippet (Safety Valve) for ranger-hive-policymgr-ssl.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_policymgr_ssl_safety_valve

Required

true

Suppress Parameter Validation: Hive Service Advanced Configuration Snippet (Safety Valve) for ranger-hive-security.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Service Advanced Configuration Snippet (Safety Valve) for ranger-hive-security.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_security_safety_valve

Required

true

Suppress Parameter Validation: Service Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name

Default Value

false

API Name

service_config_suppression_service_triggers

Required

true

Suppress Parameter Validation: Service Monitor Client Config Overrides**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Client Config Overrides parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_smon_client_config_overrides

Required

true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_smon_derived_configs_safety_valve

Required

true

Suppress Health Test: LLAP Proxy Health**Description**

Whether to suppress the results of the LLAP Proxy Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_hive_llap_hive_llap_llaproxy_health

Required

true

Suppress Health Test: HiveServer2 Health**Description**

Whether to suppress the results of the HiveServer2 Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name	
Default Value	false
API Name	service_health_suppression_hive_llap_hiveserver2s_healthy
Required	true

Hive on Tez Properties in Cloudera Runtime 7.3.1

Role groups:

Gateway

Advanced

Deploy Directory

Description	The directory where the client configs will be deployed
Related Name	
Default Value	/etc/hive
API Name	client_config_root_dir
Required	true

Hive Client Advanced Configuration Snippet (Safety Valve) for hive-site.xml

Description	For advanced use only, a string to be inserted into the client configuration for hive-site.xml.
Related Name	
Default Value	
API Name	hive_client_config_safety_valve
Required	false

Gateway Client Environment Advanced Configuration Snippet (Safety Valve) for hive-env.sh

Description	For advanced use only, key-value pairs (one on each line) to be inserted into the client configuration for hive-env.sh
Related Name	
Default Value	
API Name	

hive_client_env_safety_valve

Required

false

Client Java Configuration Options

Description

These are Java command-line arguments. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here.

Related Name

Default Value

-Djava.net.preferIPv4Stack=true

API Name

hive_client_java_opts

Required

false

Hive Metastore Connection Timeout

Description

Timeout for requests to the Hive Metastore Server. Consider increasing this if you have tables with a lot of metadata and see timeout errors. Used by most Hive Metastore clients such as Hive CLI and HiveServer2, but not by Impala. Impala has a separately configured timeout.

Related Name

hive.metastore.client.socket.timeout

Default Value

5 minute(s)

API Name

hive_metastore_timeout

Required

false

Gateway Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name

Default Value

API Name

log4j_safety_valve

Required

false

Logs

Gateway Logging Threshold

Description

The minimum log level for Gateway logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Monitoring**Enable Configuration Change Alerts****Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Other**Alternatives Priority****Description**

The priority level that the client configuration will have in the Alternatives system on the hosts. Higher priority levels will cause Alternatives to prefer this configuration over any others.

Related Name**Default Value**

92

API Name

client_config_priority

Required

true

Resource Management**Client Java Heap Size in Bytes****Description**

Maximum size in bytes for the Java process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

2 GiB

API Name

hive_client_java_heapsize

Required

false

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Deploy Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Deploy Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Parameter Validation: Hive Client Advanced Configuration Snippet (Safety Valve) for hive-site.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Client Advanced Configuration Snippet (Safety Valve) for hive-site.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_client_config_safety_valve

Required

true

Suppress Parameter Validation: Gateway Client Environment Advanced Configuration Snippet (Safety Valve) for hive-env.sh**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway Client Environment Advanced Configuration Snippet (Safety Valve) for hive-env.sh parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_client_env_safety_valve

Required

true

Suppress Parameter Validation: Client Java Configuration Options**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Client Java Configuration Options parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_client_java_opts

Required

true

Suppress Parameter Validation: Gateway Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

HiveServer2**Advanced****HiveServer2 Advanced Configuration Snippet (Safety Valve) for hive-site.xml****Description**

For advanced use only. A string to be inserted into hive-site.xml for this role only.

Related Name**Default Value****API Name**

hive_hs2_config_safety_valve

Required

false

HiveServer2 Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name

Default Value

API Name

hive_hs2_env_safety_valve

Required

false

Enable additional acid related metrics

Description

Whether to collect additional acid related metrics outside of the acid metrics service. (metastore.metrics.enabled and/or hive.server2.metrics.enabled are also required to be set to true.)

Related Name

hive.metastore.acidmetrics.ext.on

Default Value

false

API Name

hive_metastore_acid_metrics_ext_on

Required

true

Hive Metastore Connection Retries Count

Description

Number of retries while opening a connection to the Hive Metastore Server

Related Name

hive.metastore.connect.retries

Default Value

10

API Name

hive_metastore_connection_retries

Required

false

Enable Metrics Subsystem

Description

Controls whether the Hive metrics subsystem is enabled for the role.

Related Name

hive.server2.metrics.enabled

Default Value

true

API Name

hive_metrics_enabled

Required

false

Metrics Sample File Location**Description**

The full path to a file with a sample of metrics exposed by the role. The sample is updated at the frequency configured by Metrics Sample File Logging Frequency. By default, the sample file is logged to a directory under the role log directory, e.g., /var/log/hive/metrics-hivemetastore/metrics.log. The setting only has an effect if "Enable Metrics Subsystem" is set to true.

Related Name

hive.service.metrics.file.location

Default Value**API Name**

hive_metrics_sample_file_location

Required

false

Metrics Sample File Logging Frequency**Description**

The frequency at which the metrics are logged to the sample file. The setting only has an effect if "Enable Metrics Subsystem" is set to true.

Related Name

hive.service.metrics.file.frequency

Default Value

30 second(s)

API Name

hive_metrics_sample_logging_frequency

Required

false

Hive security authorization SQL Config whitelist append**Description**

List of comma separated Java regexes, to be appended to list set in "hive.security.authorization.sqlstd.confwhitelist. Using this list instead of updating the original list means that you can append to the defaults.

Related Name

hive.security.authorization.sqlstd.confwhitelist.append

Default Value**API Name**

hive_security_authorization_sqlstd_confwhitelist_append

Required

false

Allow User Substitution

Description

Allow alternate user to be specified as part of HiveServer2 open connection request.

Related Name

hive.server2.allow.user.substitution

Default Value

true

API Name

hive_server2_allow_user_substitution

Required

false

HiveServer2 Transport Mode

Description

The server transport mode.

Related Name

hive.server2.transport.mode

Default Value

binary

API Name

hive_server2_transport_mode

Required

false

Hive Downloaded Resources Directory

Description

Local directory where Hive stores jars downloaded for remote file systems (HDFS). If not specified, Hive uses a default location.

Related Name

hive.downloaded.resources.dir

Default Value**API Name**

hiveserver2_downloaded_resources_dir

Required

false

Enable Explain Logging

Description

When enabled, HiveServer2 logs EXPLAIN EXTENDED output for every query at INFO log4j level.

Related Name

hive.log.explain.output

Default Value

false

API Name

hiveserver2_enable_explain_output

Required

false

Hive Local Scratch Directory**Description**

Local Directory where Hive stores jars and data when performing a MapJoin optimization. If not specified, Hive uses a default location.

Related Name

hive.exec.local.scratchdir

Default Value**API Name**

hiveserver2_exec_local_scratchdir

Required

false

Hive HDFS Scratch Directory**Description**

Directory in HDFS where Hive writes intermediate data between MapReduce jobs. If not specified, Hive uses a default location.

Related Name

hive.exec.scratchdir

Default Value**API Name**

hiveserver2_exec_scratchdir

Required

false

Fair Scheduler XML Advanced Configuration Snippet (Safety Valve)**Description**

An XML string that will be inserted verbatim into the Fair Scheduler allocations file. This configuration only has effect in CDH 5.8 or later.

Related Name**Default Value****API Name**

hiveserver2_fair_scheduler_safety_valve

Required

false

Idle Operation Timeout**Description**

Operation will be closed when not accessed for this duration of time, in milliseconds; disable by setting to zero. For a positive value, checked for operations in terminal state only (FINISHED,

CANCELED, CLOSED, ERROR). For a negative value, checked for all of the operations regardless of state.

Related Name

hive.server2.idle.operation.timeout

Default Value

6 hour(s)

API Name

hiveserver2_idle_operation_timeout

Required

false

Idle Session Timeout**Description**

Session will be closed when not accessed for this duration of time, in milliseconds; disable by setting to zero or a negative value.

Related Name

hive.server2.idle.session.timeout

Default Value

1 day(s)

API Name

hiveserver2_idle_session_timeout

Required

false

Exclude Live Operations From Session Idle Time**Description**

Session will be considered to be idle only if there is no activity, and there is no pending operation. This setting takes effect only if session idle timeout (hive.server2.idle.session.timeout) and checking (hive.server2.session.check.interval) are enabled.

Related Name

hive.server2.idle.session.check.operation

Default Value

true

API Name

hiveserver2_idle_session_timeout_check_operation

Required

false

Java Configuration Options for HiveServer2**Description**

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or greater, {{JAVA_GC_ARGS}} will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name

Default Value

JAVA_GC_ARGS

API Name

hiveserver2_java_opts

Required

false

Maximum Query String Length for Show Locks**Description**

The maximum length allowed for the query string when the SHOW LOCKS EXTENDED command is executed. Important: The query string is truncated at the length set for this property. Setting this property to a large value puts pressure on ZooKeeper and might cause out-of-memory issues.

Related Name

hive.lock.query.string.max.length

Default Value

10000

API Name

hiveserver2_lock_query_string_max_length

Required

false

Max HiveServer2 Threads**Description**

Maximum number of worker threads in HiveServer2's thread pool

Related Name

hive.server2.thrift.max.worker.threads

Default Value

500

API Name

hiveserver2_max_threads

Required

true

Min HiveServer2 Threads**Description**

Minimum number of worker threads in HiveServer2's thread pool

Related Name

hive.server2.thrift.min.worker.threads

Default Value

5

API Name

hiveserver2_min_threads

Required

true

Session Check Interval

Description

The check interval for session/operation timeout, in milliseconds, which can be disabled by setting to zero or a negative value.

Related Name

hive.server2.session.check.interval

Default Value

15 minute(s)

API Name

hiveserver2_session_check_interval

Required

false

HiveServer2 WebUI Max Threads

Description

The max threads for the HiveServer2 WebUI.

Related Name

hive.server2.webui.max.threads

Default Value

50

API Name

hiveserver2_webui_max_threads

Required

false

HiveServer2 Advanced Configuration Snippet (Safety Valve) for core-site.xml

Description

For advanced use only. A string to be inserted into core-site.xml for this role only.

Related Name**Default Value****API Name**

hs2_core_site_safety_valve

Required

false

HiveServer2 Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory

Description

Path to directory where heap dumps are generated when `java.lang.OutOfMemoryError` error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory

Description

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory

Description

When set, a SIGKILL signal is sent to the role process when `java.lang.OutOfMemoryError` is thrown.

Related Name

Default Value

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Logs

HiveServer2 Log Directory

Description

Directory where HiveServer2 will place its log files.

Related Name**Default Value**

/var/log/hive

API Name

hive_log_dir

Required

false

Enable Performance Logging

Description

When enabled, it captures time spent during each part of the query execution for the role.

Related Name

hive.server2.performance.logging.enabled

Default Value

true

API Name

hive_performance_logging_enabled

Required

false

Enable HiveServer2 Operations Logging

Description

When enabled, HiveServer2 will temporarily save logs associated with ongoing operations. This enables clients like beeline and Hue to request and display logs for a particular ongoing operation. Logs are removed upon completion of operation.

Related Name

hive.server2.logging.operation.enabled

Default Value

true

API Name

hive_server2_logging_operation_enabled

Required

false

HiveServer2 Operations Log Directory**Description**

Top level directory where operation logs are temporarily stored if Enable HiveServer2 Operations Logging is true. Logs are stored in session and operation level subdirectories under this location and are removed on completion of operation.

Related Name

hive.server2.logging.operation.log.location

Default Value

/var/log/hive/operation_logs

API Name

hive_server2_logging_operation_log_location

Required

false

HiveServer2 Logging Threshold**Description**

The minimum log level for HiveServer2 logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

HiveServer2 Maximum Log File Backups**Description**

The maximum number of rolled log files to keep for HiveServer2 logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

HiveServer2 Max Log Size

Description

The maximum size, in megabytes, per log file for HiveServer2 logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

Hive Downloaded Resources Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's Hive Downloaded Resources Directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

hive_on_tez_hs2_downloaded_resources_directory_free_space_absolute_thresholds

Required

false

Hive Downloaded Resources Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's Hive Downloaded Resources Directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Hive Downloaded Resources Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

hive_on_tez_hs2_downloaded_resources_directory_free_space_percentage_thresholds

Required

false

Hive Local Scratch Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's Hive Local Scratch Directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

hive_on_tez_hs2_exec_local_scratch_directory_free_space_absolute_thresholds

Required

false

Hive Local Scratch Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's Hive Local Scratch Directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Hive Local Scratch Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

hive_on_tez_hs2_exec_local_scratch_directory_free_space_percentage_thresholds

Required

false

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

hiveserver2_fd_thresholds

Required

false

HiveServer2 Host Health Test**Description**

When computing the overall HiveServer2 health, consider the host's health.

Related Name**Default Value**

true

API Name

hiveserver2_host_health_enabled

Required

false

Pause Duration Thresholds**Description**

The health test thresholds for the weighted average extra time the pause monitor spent paused. Specified as a percentage of elapsed wall clock time.

Related Name**Default Value**

Warning: 30.0, Critical: 60.0

API Name

hiveserver2_pause_duration_thresholds

Required

false

Pause Duration Monitoring Period**Description**

The period to review when computing the moving average of extra time the pause monitor spent paused.

Related Name**Default Value**

5 minute(s)

API Name

hiveserver2_pause_duration_window

Required

false

HiveServer2 Process Health Test**Description**

Enables the health test that the HiveServer2's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

hiveserver2_scm_health_enabled

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML**Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

startDelaySeconds: 10 ssl: false lowercaseOutputName: true lowercaseOutputLabelNames: true
rules: - pattern: 'metrics<name=(jvm\,pause.*)><>(.*): (\d+)' name: hive_\${1}_\${2} value: \$3

API Name

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name

Default Value

API Name

`monitoring_metric_filter`

Required

`false`

OpenTelemetry Collector Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

`otelcol_exporters`

Required

`false`

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

extensions: basicauth/\$ROLE_NAME: client_auth: username:
\$ROLE_PARAM(otelcol_remote_write_user) password:
'\$ROLE_PARAM(otelcol_remote_write_password)'

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value

11121

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

processors: filter/\$ROLE_NAME: metrics: include: match_type: strict metric_names: #memory - jvm_buffer_pool_used_bytes - jvm_buffer_pool_capacity_bytes - jvm_buffer_pool_used_buffers - jvm_memory_bytes_used - jvm_memory_bytes_committed - jvm_memory_bytes_max - jvm_memory_bytes_init #gc - jvm_gc_collection_seconds #threads - jvm_threads_current - jvm_threads_daemon - jvm_threads_peak - jvm_threads_started_total - jvm_threads_deadlocked - jvm_threads_deadlocked_monitor - jvm_threads_state #classes - jvm_classes_currently_loaded #process - process_cpu_seconds_total - process_start_time_seconds - process_open_fds - process_virtual_memory_bytes #jvm pause - hive_jvm_pause_extrasleeptime_count

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics,

\$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

receivers: prometheus/\$ROLE_NAME: config: scrape_configs: - job_name: 'DMP-\$ROLE_NAME'
scrape_interval: 60s scheme: http tls_config: insecure_skip_verify: true static_configs: -
targets: ['localhost:\$ROLE_PARAM(otelcol_helper_port)'] labels: host_name: \$HOST_NAME
cm_cluster_id: \$CLUSTER_ID service_type: \$SERVICE_TYPE service: \$SERVICE_NAME
role_type: \$ROLE_TYPE role_name: \$ROLE_NAME instance: \$INFRA(instance_id) cluster_id:
\$INFRA(cluster_id) platform: \$INFRA(platform) formfactor: paas-vm relabel_configs: -
source_labels: [cluster_id] regex: 'crn:cdp:([^\:]+):.*' replacement: '\$\$1' target_label: app_type
action: replace

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name

Default Value

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: dbus/$ROLE_NAME: endpoint: '$DBUS_ENDPOINT'
cloudprovider_name: '$DBUS_HEADER_PARAM(cloudprovider_name)'
cloudprovider_region: '$DBUS_HEADER_PARAM(cloudprovider_region)'
cluster_display_name: '$DBUS_HEADER_PARAM(cluster_display_name)'
cluster_id: '$CLUSTER_ID' cm_version: '$DBUS_HEADER_PARAM(cm_version)'
data_service_type: '$DBUS_HEADER_PARAM(data_service_type)'
datahub_resource_crn: '$DBUS_HEADER_PARAM(datahub_crn)'
datalake_crn: '$DBUS_HEADER_PARAM(datalake_crn)' environment_crn:
'$DBUS_HEADER_PARAM(environment_crn)' environment_name:
'$DBUS_HEADER_PARAM(environment_name)' partition_key: '$CLUSTER_ID' sdx_id:
'$DBUS_HEADER_PARAM(sdx_id)' sdx_name: '$DBUS_HEADER_PARAM(sdx_name)'
stream_name: 'RealTimeMonitoringData' time_zone: '$DBUS_HEADER_PARAM(time_zone)'
exporter_timeout: timeout: '45s' retry_on_failure: enabled: false auth: authenticator: cdpauth/dbus-
$ROLE_NAME
```

API Name

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: cdpauth/dbus-$ROLE_NAME: cdp_access_key_id: '$CDP_ACCESS_KEY_ID'
send_token: true token_valid_for_sec: 3600 cdp_private_key: '$CDP_PRIVATE_KEY'
```

```
cdp_authentication_method: 'rsav1' spnegoauth/$ROLE_NAME: enabled:
$ROLE_BOOLEAN_PARAM(hadoop_secure_web_ui, true, false) realm: '$KRB_REALM'
principal: 'HTTP/$HOST_NAME' krb5_conf_path: '$KRB_CONF_PATH' keytab_path:
$TARGET_PROC_DIR/hive.keytab
```

API Name

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
processors: clouderalogredactor/$ROLE_NAME: redaction_rules_json_file_path:
$TARGET_PROC_DIR/redaction-rules.json
```

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value**

```
receivers: hivereceiver/$ROLE_NAME: max_response_size_bytes: 5242880
scraper: collection_interval: 60s initial_delay: 30s timeout: 45s http: endpoint:
'$SSL_PARAM(http_or_https)://$HOST_NAME:$ROLE_PARAM(hiveserver2_webui_port)'
tls: ca_file: '$SSL_PARAM(ssl_server_keystore_location) insecure_skip_verify: true auth:
authenticator: spnegoauth/$ROLE_NAME
```

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

service: pipelines: logs/\$ROLE_NAME: receivers: - 'hivereceiver/\$ROLE_NAME' exporters: - 'dbus/\$ROLE_NAME' processors: - 'clouderalogredactor/\$ROLE_NAME'

API Name

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

service: pipelines: metrics/\$ROLE_NAME: receivers: [prometheus/\$ROLE_NAME] processors: [filter/\$ROLE_NAME] exporters: [prometheusremotewrite/\$ROLE_NAME]

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

true

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name

Default Value

true

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `{ "triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true" }` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Enable Spool Directory Metric Usage for HiveServer2**Description**

Enables the health test for monitoring the Ranger Plugin Spool directory usage.

Related Name**Default Value**

true

API Name

spool_directory_usage_enabled

Required

false

Ranger Plugin Spool Directory Usage Thresholds for HiveServer2**Description**

The health test thresholds for monitoring the the Ranger Plugin Spool directory usage.

Related Name**Default Value**

1 GiB

API Name

spool_directory_usage_threshold

Required

false

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

`unexpected_exits_thresholds`

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

`unexpected_exits_window`

Required

false

Other

Hive Iceberg data files allow in the table location

Description

If this is set to true, then all the data files being read should be within the table location

Related Name

`hive.iceberg.allow.datafiles.in.table.location.only`

Default Value

true

API Name

`hive_iceberg_allow_datafiles_in_table_location_only`

Required

false

Restrict Cross Joins (Cartesian Products)

Description

Whether to allow queries with cross joins. If set to true, queries that contain this pattern throw a compile-time error.

Related Name

`hive.strict.checks.cartesian.product`

Default Value

false

API Name

hive_restrict_cross_joins

Required

false

Restrict LOAD Queries Against Bucketed Tables**Description**

Whether to allow LOAD queries against bucketed tables. If set to true, queries that contain this pattern throw a compile-time error.

Related Name

hive.strict.checks.bucketing

Default Value

true

API Name

hive_restrict_load_bucketed_table

Required

false

Restrict Queries with ORDER BY but no LIMIT clause**Description**

Whether to allow queries with an ORDER BY clause, but no LIMIT clause. If set to true, queries that contain this pattern throw a compile-time error.

Related Name

hive.strict.checks.orderby.no.limit

Default Value

false

API Name

hive_restrict_orderby_with_no_limit

Required

false

Restrict Partitioned Table Scans with no Partitioned Column Filter**Description**

Whether to allow queries that scan a partitioned table but don't filter on the partition column. If set to true, queries that contain this pattern throw a compile-time error.

Related Name

hive.strict.checks.no.partition.filter

Default Value

false

API Name

hive_restrict_partitioned_scans_no_filter

Required

false

Restrict Unsafe Data Type Comparisons

Description

Whether to allow queries that compare bigints to strings or doubles. If set to true, queries that contain this pattern throw a compile-time error.

Related Name

hive.strict.checks.type.safety

Default Value

true

API Name

hive_restrict_unsafe_comparison

Required

false

HiveServer2 Graceful Shutdown Deadline

Description

Maximum time to wait for ongoing queries to complete before forcing a shutdown of HiveServer2

Related Name

hive.server2.graceful.stop.timeout

Default Value

5 minute(s)

API Name

hive_server2_graceful_stop_timeout

Required

false

HiveServer2 Load Balancer

Description

Address of the load balancer used for HiveServer2 roles, specified in host:port format. If port is not specified, the port used by HiveServer2 is used. Note: Changing this property regenerates Kerberos keytabs for all HiveServer2 roles.

Related Name**Default Value****API Name**

hiveserver2_load_balancer

Required

false

Performance

Enable Dynamic Partitions

Description

Whether or not to allow dynamic partitions in DML/DDDL.

Related Name

hive.exec.dynamic.partition

Default Value

true

API Name

hive_exec_dynamic_partition

Required

false

Hive Auto Convert Join Noconditional Size**Description**

If Hive auto convert join is on, and the sum of the size for n-1 of the tables/partitions for a n-way join is smaller than the specified size, the join is directly converted to a MapJoin (there is no conditional task).

Related Name

hive.auto.convert.join.noconditionaltask.size

Default Value

256 MiB

API Name

hiveserver2_auto_convert_join_noconditionaltask_size

Required

false

Store Intermediate Data on Blobstore**Description**

When writing data to a table on a blobstore (such as S3), whether or not the blobstore should be used to store intermediate data during Hive query execution. Setting this to true can degrade performance for queries that spawn multiple MR / Spark jobs, but is useful for queries whose intermediate data cannot fit in the allocated HDFS cluster.

Related Name

hive.blobstore.use.blobstore.as.scratchdir

Default Value

false

API Name

hiveserver2_blobstore_use_blobstore_as_scratchdir

Required

false

Enable Stats Optimization**Description**

Enable optimization that checks if a query can be answered using statistics. If so, answers the query using only statistics stored in metastore.

Related Name

hive.compute.query.using.stats

Default Value

true

API Name

hiveserver2_compute_query_using_stats

Required

false

Enable Cost-Based Optimizer for Hive**Description**

Enabled the Calcite-based Cost-Based Optimizer for HiveServer2.

Related Name

hive.cbo.enable

Default Value

true

API Name

hiveserver2_enable_cbo

Required

false

Enable MapJoin Optimization**Description**

Enable optimization that converts common join into MapJoin based on input file size.

Related Name

hive.auto.convert.join

Default Value

true

API Name

hiveserver2_enable_mapjoin

Required

false

Fetch Task Query Conversion**Description**

Some select queries can be converted to a single FETCH task instead of a MapReduce task, minimizing latency. A value of none disables all conversion, minimal converts simple queries such as SELECT * and filter on partition columns, and more converts SELECT queries including FILTERS.

Related Name

hive.fetch.task.conversion

Default Value

more

API Name

hiveserver2_fetch_task_conversion

Required

false

Fetch Task Query Conversion Threshold**Description**

Above this size, queries are converted to fetch tasks.

Related Name

hive.fetch.task.conversion.threshold

Default Value

1 GiB

API Name

hiveserver2_fetch_task_conversion_threshold

Required

false

Number of threads ORC should use to create splits in parallel**Description**

If using ORC format and you want improve the split computation time, you can set the value of this parameter to match the number of available processors. By default, this parameter is set to 10. This parameter controls the number of parallel threads involved in computing splits. For Parquet computing splits is still single-threaded, so split computations can take longer with Parquet and Cloud Object Stores.

Related Name

hive.orc.compute.splits.num.threads

Default Value

10

API Name

hiveserver2_hive_orc_compute_splits_num_threads

Required

false

Input Listing Max Threads**Description**

Maximum number of threads that Hive uses to list input files. Increasing this value can improve performance when there are a lot of partitions being read, or when running on blobstores.

Related Name

hive.exec.input.listing.max.threads

Default Value

15

API Name

hiveserver2_input_listing_max_threads

Required

false

Maximum ReduceSink Top-K Memory Usage**Description**

The maximum percentage of heap to be used for hash in ReduceSink operator for Top-K selection. 0 means the optimization is disabled. Accepted values are between 0 and 1.

Related Name

hive.limit.pushdown.memory.usage

Default Value

0.04

API Name

hiveserver2_limit_pushdown_memory_usage

Required

false

Load Dynamic Partitions Thread Count**Description**

Number of threads used to load dynamically generated partitions. Loading requires renaming the file its final location, and updating some metadata about the new partition. Increasing this can improve performance when there are a lot of partitions dynamically generated.

Related Name

hive.load.dynamic.partitions.thread

Default Value

15

API Name

hiveserver2_load_dynamic_partitions_thread_count

Required

false

Enable Map-Side Aggregation**Description**

Enable map-side partial aggregation, which cause the mapper to generate fewer rows. This reduces the data to be sorted and distributed to reducers.

Related Name

hive.map.aggr

Default Value

true

API Name

hiveserver2_map_aggr

Required

false

Ratio of Memory Usage for Map-Side Aggregation**Description**

Portion of total memory used in map-side partial aggregation. When exceeded, the partially aggregated results will be flushed from the map task to the reducers.

Related Name

hive.map.aggr.hash.percentmemory

Default Value

0.5

API Name

hiveserver2_map_aggr_hash_memory_ratio

Required

false

Enable Merging Small Files - Map-Only Job

Description

Merge small files at the end of a map-only job. When enabled, a map-only job is created to merge the files in the destination table/partitions.

Related Name

hive.merge.mapfiles

Default Value

true

API Name

hiveserver2_merge_mapfiles

Required

false

Enable Merging Small Files - Map-Reduce Job

Description

Merge small files at the end of a map-reduce job. When enabled, a map-only job is created to merge the files in the destination table/partitions.

Related Name

hive.merge.mapredfiles

Default Value

false

API Name

hiveserver2_merge_mapredfiles

Required

false

Desired File Size After Merging

Description

The desired file size after merging. This should be larger than hive.merge.smallfiles.avgsize.

Related Name

hive.merge.size.per.task

Default Value

256 MiB

API Name

hiveserver2_merge_size_per_task

Required

false

Small File Average Size Merge Threshold

Description

When the average output file size of a job is less than the value of this property, Hive will start an additional map-only job to merge the output files into bigger files. This is only done for map-only jobs if hive.merge.mapfiles is true, for map-reduce jobs if hive.merge.mapredfiles is true, and for Spark jobs if hive.merge.sparkfiles is true.

Related Name

hive.merge.smallfiles.avgsize

Default Value

16 MiB

API Name

hiveserver2_merge_smallfiles_avgsize

Required

false

MSCK Repair Batch Size**Description**

Batch size for the msck repair command (recover partitions command). If the value is greater than zero, new partition information will be sent from HiveServer2 to the Metastore in batches, which can potentially improve memory usage in the Metastore and avoid client read timeout exceptions. If this value is 0, all partition information will be sent in a single Thrift call.

Related Name

hive.msck.repair.batch.size

Default Value

3000

API Name

hiveserver2_msck_repair_batch_size

Required

false

Move Files Thread Count**Description**

The number of threads used by HiveServer2 to move data from the staging directory to another location (typically to the final table location). A separate thread pool of workers of this size is used for each query, which means this configuration can be set on a per-query basis too.

Related Name

hive.mv.files.thread

Default Value

15

API Name

hiveserver2_mv_files_thread

Required

false

Hive Optimize Sorted Merge Bucket Join**Description**

Whether to try sorted merge bucket (SMB) join.

Related Name

hive.optimize.bucketmapjoin.sortedmerge

Default Value

false

API Name

hiveserver2_optimize_bucketmapjoin_sortedmerge

Required

false

Enable Automatic Use of Indexes**Description**

Whether to use the indexing optimization for all queries.

Related Name

hive.optimize.index.filter

Default Value

true

API Name

hiveserver2_optimize_index_filter

Required

false

Enable ReduceDeDuplication Optimization**Description**

Remove extra map-reduce jobs if the data is already clustered by the same key, eliminating the need to repartition the dataset again.

Related Name

hive.optimize.reducededuplication

Default Value

true

API Name

hiveserver2_optimize_reducededuplication

Required

false

Minimum Reducers for ReduceDeDuplication Optimization**Description**

When the number of ReduceSink operators after merging is less than this number, the ReduceDeDuplication optimization will be disabled.

Related Name

hive.optimize.reducededuplication.min.reducer

Default Value

4

API Name

hiveserver2_optimize_reducededuplication_min_reducer

Required

false

Enable Sorted Dynamic Partition Optimizer**Description**

When dynamic partition is enabled, reducers keep only one record writer at all times, which lowers the memory pressure on reducers.

Related Name

hive.optimize.sort.dynamic.partition

Default Value

false

API Name

hiveserver2_optimize_sort_dynamic_partition

Required

false

Enable Parallel Compilation of Queries**Description**

When activated, individual sessions can compile queries simultaneously. Within each session, queries compile one at a time.

Related Name

hive.driver.parallel.compilation

Default Value

true

API Name

hiveserver2_parallel_compilation_enabled

Required

false

Query Compilation Degree of Parallelism**Description**

Determines the maximum number of queries that can compile in parallel on a HiveServer2 instance. Use negative values or zero to set unlimited parallelism. Use a positive value to set the number of queries that can compile simultaneously. This setting can be fine-tuned based on the current cluster load. Monitor cluster load using the 'waiting_compile_ops' metric and the 'Waiting Compile Operations' graph in the HiveServer2 graph library.

Related Name

hive.driver.parallel.compilation.global.limit

Default Value

5

API Name

hiveserver2_parallel_compilation_global_limit

Required

false

Hive SMB Join Cache Rows**Description**

The number of rows with the same key value to be cached in memory per SMB-joined table.

Related Name

hive.smbjoin.cache.rows

Default Value

10000

API Name

hiveserver2_smbjoin_cache_rows

Required

false

Load Column Statistics**Description**

Whether column stats for a table are fetched during explain.

Related Name

hive.stats.fetch.column.stats

Default Value

true

API Name

hiveserver2_stats_fetch_column_stats

Required

false

Sessions Per Queue**Description**

The number of Tez sessions that should be launched on each of the queues specified by "hive.server2.tez.default.queues". Determines the parallelism on each queue.

Related Name

hive.server2.tez.sessions.per.default.queue

Default Value

4

API Name

hiveserver2_tez_sessions_per_default_queue

Required

false

Vectorized Adaptor Usage Mode**Description**

Vectorized Adaptor Usage Mode specifies the extent to which the vectorization engine tries to vectorize UDFs that do not have native vectorized versions available. Selecting the "none" option specifies that only queries using native vectorized UDFs are vectorized. Selecting the "chosen" option specifies that Hive chooses to vectorize a subset of the UDFs based on performance benefits using the Vectorized Adaptor. Selecting the "all" option specifies that the Vectorized Adaptor be used for all UDFs even when native vectorized versions are not available.

Related Name

hive.vectorized.adaptor.usage.mode

Default Value

chosen

API Name

hiveserver2_vectorized_adaptor_usage_mode

Required

false

Enable Vectorization Optimization

Description

Enable optimization that vectorizes query execution by streamlining operations by processing a block of 1024 rows at a time.

Related Name

hive.vectorized.execution.enabled

Default Value

true

API Name

hiveserver2_vectorized_enabled

Required

false

Vectorized GroupBy Check Interval

Description

In vectorized group-by, the number of row entries added to the hash table before re-checking average variable size for memory usage estimation.

Related Name

hive.vectorized.groupby.checkinterval

Default Value

4096

API Name

hiveserver2_vectorized_groupby_checkinterval

Required

false

Vectorized GroupBy Flush Ratio

Description

Ratio between 0.0 and 1.0 of entries in the vectorized group-by aggregation hash that is flushed when the memory threshold is exceeded.

Related Name

hive.vectorized.groupby.flush.percent

Default Value

0.1

API Name

hiveserver2_vectorized_groupby_flush_ratio

Required

false

Enable Vectorized Input Format

Description

If enabled, Hive uses the native vectorized input format for vectorized query execution when it is available.

Related Name

hive.vectorized.use.vectorized.input.format

Default Value

true

API Name

hiveserver2_vectorized_input_format_enabled

Required

false

Exclude Vectorized Input Formats**Description**

Specifies a list of file input format classnames to exclude from vectorized query execution using the vectorized input format. Note that vectorized execution can still occur for an excluded input format based on whether row SerDes or vector SerDes are enabled.

Related Name

hive.vectorized.input.format.excludes

Default Value**API Name**

hiveserver2_vectorized_input_format_excludes

Required

false

Enable Reduce-Side Vectorization**Description**

Whether to vectorize the reduce side of query execution.

Related Name

hive.vectorized.execution.reduce.enabled

Default Value

true

API Name

hiveserver2_vectorized_reduce_enabled

Required

false

Enable Overflow-checked Vector Expressions**Description**

To enhance performance, vectorized expressions operate using wide data types like long and double. When wide data types are used, numeric overflows can occur during expression evaluation in a different manner for vectorized expressions than they do for non-vectorized expressions. Consequently, different query results can be returned for vectorized expressions compared to results returned for non-vectorized expressions. When this configuration is enabled, Hive uses vectorized expressions that handle numeric overflows in the same way as non-vectorized expressions are handled.

Related Name

hive.vectorized.use.checked.expressions

Default Value

true

API Name

hiveserver2_vectorized_use_checked_expressions

Required

false

Vectorize Using Vector SerDes**Description**

If enabled, Hive uses built-in vector SerDes to process text and sequencefile tables for vectorized query execution.

Related Name

hive.vectorized.use.vector.serde.deserialize

Default Value

false

API Name

hiveserver2_vectorized_use_vector_serde_deserialize

Required

false

Maximum Process File Descriptors**Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses**Thrift port****Description**

TCP port number to listen on.

Related Name

hive.server2.thrift.http.port

Default Value

10001

API Name

hive_server2_thrift_http_port

Required

false

Bind HiveServer2 to Wildcard Address**Description**

If enabled, the HiveServer2 binds to the wildcard address ("0.0.0.0") on all of its ports.

Related Name

hive.server2.webui.host

Default Value

true

API Name

hiveserver2_webui_bind_wildcard

Required

false

HiveServer2 WebUI Port**Description**

The port the HiveServer2 WebUI will listen on. This can be set to 0 to disable the WebUI.

Related Name

hive.server2.webui.port

Default Value

10002

API Name

hiveserver2_webui_port

Required

false

HiveServer2 Port**Description**

Port on which HiveServer2 will listen for connections.

Related Name

hive.server2.thrift.port

Default Value

10000

API Name

hs2_thrift_address_port

Required

false

Resource Management**Java Heap Size of HiveServer2 in Bytes****Description**

Maximum size in bytes for the Java Process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

2 GiB

API Name

hiveserver2_java_heapsize

Required

false

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares

Description

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight

Description

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)

Description

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight

Description

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

`rm_memory_soft_limit_v2`**Required**`true`**Security****HiveServer2 WebUI SSL Exclude Cipher Suites****Description**

The cipher suites should be excluded from WebUI SSL.

Related Name`hive.server2.webui.exclude.ciphersuites`**Default Value**`modern2018`**API Name**`hiveserver2_webui_exclude_ciphersuites`**Required**`false`**Enable TLS/SSL for HiveServer2 WebUI****Description**

Encrypt communication between clients and HiveServer2 WebUI using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name`hive.server2.webui.use.ssl`**Default Value**`false`**API Name**`ssl_enabled`**Required**`false`**HiveServer2 WebUI TLS/SSL Server Keystore File Location****Description**

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when HiveServer2 WebUI is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name`hive.server2.webui.keystore.path`**Default Value****API Name**`ssl_server_keystore_location`**Required**`false`**HiveServer2 WebUI TLS/SSL Server Keystore File Password****Description**

The password for the HiveServer2 WebUI keystore file.

Related Name

hive.server2.webui.keystore.password

Default Value**API Name**

ssl_server_keystore_password

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: HiveServer2 Advanced Configuration Snippet (Safety Valve) for hive-site.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 Advanced Configuration Snippet (Safety Valve) for hive-site.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_hs2_config_safety_valve

Required

true

Suppress Parameter Validation: HiveServer2 Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_hs2_env_safety_valve

Required

true

Suppress Parameter Validation: HiveServer2 Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_log_dir

Required

true

Suppress Parameter Validation: Metrics Sample File Location**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Metrics Sample File Location parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_metrics_sample_file_location

Required

true

Suppress Configuration Validator: Restrict Load Bucketed Table Validator

Description

Whether to suppress configuration warnings produced by the Restrict Load Bucketed Table Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_restrict_load_bucketed_table_validator

Required

true

Suppress Configuration Validator: Restrict Unsafe Comparison Validator

Description

Whether to suppress configuration warnings produced by the Restrict Unsafe Comparison Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_restrict_unsafe_comparison_validator

Required

true

Suppress Parameter Validation: Hive security authorization SQL Config whitelist append

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive security authorization SQL Config whitelist append parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hive_security_authorization_sqlstd_confwhitelist_append

Required

true

Suppress Parameter Validation: HiveServer2 Operations Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 Operations Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_server2_logging_operation_log_location

Required

true

Suppress Parameter Validation: Thrift port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Thrift port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_server2_thrift_http_port

Required

true

Suppress Parameter Validation: Hive Downloaded Resources Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Downloaded Resources Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hiveserver2_downloaded_resources_dir

Required

true

Suppress Parameter Validation: Hive Local Scratch Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Local Scratch Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hiveserver2_exec_local_scratchdir

Required

true

Suppress Parameter Validation: Hive HDFS Scratch Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive HDFS Scratch Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hiveserver2_exec_scratchdir

Required

true

Suppress Parameter Validation: Fair Scheduler XML Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Fair Scheduler XML Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hiveserver2_fair_scheduler_safety_valve

Required

true

Suppress Parameter Validation: Java Configuration Options for HiveServer2**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for HiveServer2 parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hiveserver2_java_opts

Required

true

Suppress Parameter Validation: HiveServer2 Load Balancer**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 Load Balancer parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_hiveserver2_load_balancer`**Required**`true`**Suppress Parameter Validation: Exclude Vectorized Input Formats****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Exclude Vectorized Input Formats parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_hiveserver2_vectorized_input_format_excludes`**Required**`true`**Suppress Parameter Validation: HiveServer2 WebUI Port****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 WebUI Port parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_hiveserver2_webui_port`**Required**`true`**Suppress Parameter Validation: HiveServer2 Advanced Configuration Snippet (Safety Valve) for core-site.xml****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 Advanced Configuration Snippet (Safety Valve) for core-site.xml parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_hs2_core_site_safety_valve`**Required**`true`**Suppress Parameter Validation: HiveServer2 Port****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hs2_thrift_address_port

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: HiveServer2 Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Heap Dump Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_otelcol_processors`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Receivers Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_receivers`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_remote_write_password`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_remote_write_url`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: HiveServer2 WebUI TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 WebUI TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: HiveServer2 WebUI TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 WebUI TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hive_on_tez_hiveserver2_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hive_on_tez_hiveserver2_file_descriptor

Required

true

Suppress Health Test: Heap Dump Directory Free Space**Description**

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hive_on_tez_hiveserver2_heap_dump_directory_free_space

Required

true

Suppress Health Test: Host Health

Description

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_hive_on_tez_hiveserver2_host_health

Required

true

Suppress Health Test: Log Directory Free Space

Description

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_hive_on_tez_hiveserver2_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health

Description

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_hive_on_tez_hiveserver2_otelcol_health

Required

true

Suppress Health Test: Pause Duration

Description

Whether to suppress the results of the Pause Duration health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hive_on_tez_hiveserver2_pause_duration

Required

true

Suppress Health Test: Ranger Plugin Hdfs Spool Directory Size**Description**

Whether to suppress the results of the Ranger Plugin Hdfs Spool Directory Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hive_on_tez_hiveserver2_ranger_plugin_hdfs_spool_directory_size_health

Required

true

Suppress Health Test: Ranger Plugin Solr Spool Directory Size**Description**

Whether to suppress the results of the Ranger Plugin Solr Spool Directory Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hive_on_tez_hiveserver2_ranger_plugin_solr_spool_directory_size_health

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hive_on_tez_hiveserver2_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hive_on_tez_hiveserver2_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hive_on_tez_hiveserver2_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits**Description**

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hive_on_tez_hiveserver2_unexpected_exits

Required

true

Suppress Health Test: Hive Downloaded Resources Directory Free Space**Description**

Whether to suppress the results of the Hive Downloaded Resources Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_hive_on_tez_hs2_downloaded_resources_directory_free_space

Required

true

Suppress Health Test: Hive Local Scratch Directory Free Space

Description

Whether to suppress the results of the Hive Local Scratch Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_hive_on_tez_hs2_exec_local_scratch_directory_free_space

Required

true

Service-Wide

Advanced

Hive Service Advanced Configuration Snippet (Safety Valve) for atlas-application.properties

Description

For advanced use only, a string to be inserted into atlas-application.properties. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

application_properties_safety_valve

Required

false

Hive Auxiliary JARs Directory

Description

Directory containing auxiliary JARs used by Hive. This should be a directory location and not a classpath containing one or more JARs. This directory must be created and managed manually on hosts that run the Hive Metastore Server, HiveServer2, or the Hive CLI. The directory location is set in the environment as HIVE_AUX_JARS_PATH and will generally override the hive.aux.jars.path property set in XML files, even if hive.aux.jars.path is set in an advanced configuration snippet.

Related Name**Default Value****API Name**

hive_aux_jars_path_dir

Required

false

Bypass Hive Metastore Server**Description**

Instead of talking to Hive Metastore Server for Metastore information, Hive clients will talk directly to the Metastore database.

Related Name**Default Value**

false

API Name

hive_bypass_metastore_server

Required

false

Aborted Transaction Threshold**Description**

Number of aborted transactions involving a particular table or partition before major compaction is initiated.

Related Name

hive.compactor.abortedtxn.threshold

Default Value

1000

API Name

hive_compactor_abortedtxn_threshold

Required

true

Number of Threads Used by Compactor**Description**

Number of compactor worker threads to run on this metastore instance. Can be different values on different Metastore instances.

Related Name

hive.compactor.worker.threads

Default Value

5

API Name

hive_compactor_worker_threads

Required

true

Hive Service Advanced Configuration Snippet (Safety Valve) for core-site.xml

Description

For advanced use only, a string to be inserted into core-site.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

hive_core_site_safety_valve

Required

false

Default Table Format - Create Tables as Full ACID

Description

Whether the eligible tables should be created as full ACID by default. Does not apply to external tables, the ones using storage handlers, etc.

Related Name

hive.create.as.acid

Default Value

true

API Name

hive_create_as_acid

Required

false

Default Table Format - Create Tables as ACID Insert Only

Description

Whether the eligible tables should be created as ACID insert-only by default. Does not apply to external tables, the ones using storage handlers, etc.

Related Name

hive.create.as.insert.only

Default Value

true

API Name

hive_create_as_insert_only

Required

false

Hive Copy Large File Size

Description

Smaller than this size, Hive uses a single-threaded copy; larger than this size, Hive uses DistCp.

Related Name

hive.exec.copyfile.maxsize

Default Value

32 MiB

API Name

hive_exec_copyfile_maxsize

Required

false

Base Directory for Hive Proto Hook**Description**

The directory where hive proto hooks should write the events, should generally be location of query_data table under sys.db database.

Related Name

hive.hook.proto.base-directory

Default Value

/warehouse/tablespace/managed/hive/sys.db/query_data/

API Name

hive_hook_proto_base_directory

Required

false

Metastore Transactional Listener List**Description**

A comma separated list of Java classes that implement the org.apache.hadoop.hive.metastore.MetaStoreEventListener interface. Both the metastore event and corresponding listener method will be invoked in the same JDO transaction.

Related Name

hive.metastore.transactional.event.listeners

Default Value

org.apache.hive.hcatalog.listener.DbNotificationListener

API Name

hive_metastore_transactional_event_listeners

Required

false

Hive on Tez Service Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

HIVE_ON_TEZ_service_env_safety_valve

Required

false

Hive Replication Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into the environment of Hive replication jobs.

Related Name**Default Value****API Name**

hive_replication_env_safety_valve

Required

false

Hive Service Advanced Configuration Snippet (Safety Valve) for hive-site.xml**Description**

For advanced use only, a string to be inserted into hive-site.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

hive_service_config_safety_valve

Required

false

Hive Replication Advanced Configuration Snippet (Safety Valve) for hive-site.xml**Description**

For advanced use only, a string to be inserted into hive-site.xml. Applies to all Hive Replication jobs.

Related Name**Default Value****API Name**

hive_service_replication_config_safety_valve

Required

false

Use Locking**Description**

Support concurrency and use locks, needed for Transactions. Requires Zookeeper.

Related Name

hive.support.concurrency

Default Value

true

API Name

hive_support_concurrency

Required

false

Transaction Manager

Description

HiveTxnManager implementation used for managing transactions.

Related Name

hive.txn.manager

Default Value

org.apache.hadoop.hive.ql.lockmgr.DbTxnManager

API Name

hive_txn_manager

Required

true

Transaction Maximum Open Batch

Description

Maximum number of transactions that can be fetched in one call to `open_txns()`. Increasing this will decrease the number of delta files created when streaming data into Hive. But it will also increase the number of open transactions at any given time, possibly impacting read performance.

Related Name

hive.txn.max.open.batch

Default Value

1000

API Name

hive_txn_max_open_batch

Required

true

Transaction Strict Locking Mode

Description

In strict locking non-ACID resources use standard R/W lock semantics.

Related Name

hive.txn.strict.locking.mode

Default Value

false

API Name

hive_txn_strict_locking_mode

Required

false

Transaction Timeout

Description

Time after which transactions are declared aborted if the client has not sent a heartbeat.

Related Name

hive.txn.timeout

Default Value

5 minute(s)

API Name

hive_txn_timeout

Required

true

System Group**Description**

The group that this service's processes should run as.

Related Name**Default Value**

hive

API Name

process_groupname

Required

true

System User**Description**

The user that this service's processes should run as.

Related Name**Default Value**

hive

API Name

process_username

Required

true

Hive Service Advanced Configuration Snippet (Safety Valve) for ranger-hive-audit.xml**Description**

For advanced use only, a string to be inserted into ranger-hive-audit.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

ranger_audit_safety_valve

Required

false

Hive Service Advanced Configuration Snippet (Safety Valve) for ranger-hive-policymgr-ssl.xml**Description**

For advanced use only, a string to be inserted into ranger-hive-policymgr-ssl.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value**

API Name

ranger_policymgr_ssl_safety_valve

Required

false

Hive Service Advanced Configuration Snippet (Safety Valve) for ranger-hive-security.xml

Description

For advanced use only, a string to be inserted into ranger-hive-security.xml. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

ranger_security_safety_valve

Required

false

Logs

Audit Log Directory

Description

Path to the directory where audit logs will be written. The directory will be created if it doesn't exist.

Related Name

audit_event_log_dir

Default Value

/var/log/hive/audit

API Name

audit_event_log_dir

Required

false

Hive Lineage Log Directory

Description

The directory in which Hive lineage log files are written.

Related Name

lineage_event_log_dir

Default Value

/var/log/hive/lineage

API Name

lineage_event_log_dir

Required

true

Hive Maximum Lineage Log File Size

Description

The maximum size, in megabytes, per log file for Hive lineage logs. Typically used by log4j or logback.

Related Name

max_lineage_log_file_size

Default Value

100 MiB

API Name

max_lineage_log_file_size

Required

false

Maximum Audit Log File Size

Description

Maximum size of audit log file in MB before it is rolled over.

Related Name

navigator.audit_log_max_file_size

Default Value

100 MiB

API Name

navigator_audit_log_max_file_size

Required

false

Number of Audit Logs to Retain

Description

Maximum number of rolled-over audit logs to retain. The logs are not deleted if they contain audit events that have not yet been propagated to the Audit Server.

Related Name

navigator.client.max_num_audit_log

Default Value

10

API Name

navigator_client_max_num_audit_log

Required

false

Monitoring

Enable Service Level Health Alerts

Description

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Tables/Partitions with Large Number of Active Delta Directories Thresholds

Description

The health test thresholds for table/partition with large number of active delta directories.

Related Name

Default Value

Warning: 200.0 time(s), Critical: Never

API Name

hive_compaction_active_delta_thresholds

Required

false

Hive Compaction Health Test

Description

Enables the health test that checks whether compaction processes are properly configured and operational.

Related Name

Default Value

false

API Name

hive_compaction_health_check_enabled

Required

false

Tables/Partitions with Large Number of Small Delta Directories Thresholds

Description

The health test thresholds for table/partition with large number of small delta directories

Related Name

Default Value

Warning: 200.0 time(s), Critical: Never

API Name

hive_compaction_small_delta_thresholds

Required

false

Healthy HiveServer2 Monitoring Thresholds**Description**

The health test thresholds of the overall HiveServer2 health. The check returns "Concerning" health if the percentage of "Healthy" HiveServer2s falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" HiveServer2s falls below the critical threshold.

Related Name**Default Value**

Warning: 99.0 %, Critical: 51.0 %

API Name

hive_on_tez_hiveserver2s_healthy_thresholds

Required

false

Service Triggers**Description**

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

service_triggers

Required

true

Service Monitor Client Config Overrides

Description

For advanced use only, a list of configuration properties that will be used by the Service Monitor instead of the current client configuration for the service.

Related Name

Default Value

```
<property> <name>hive.metastore.client.socket.timeout</name> <value>60</value> </property>
```

API Name

smon_client_config_overrides

Required

false

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name

Default Value

API Name

smon_derived_configs_safety_valve

Required

false

Other

Atlas Service

Description

Name of the Atlas service that this Hive service instance depends on

Related Name

Default Value

API Name

atlas_service

Required

false

Generate HADOOP_CREDSTORE_PASSWORD

Description

Flag to enable or disable the generation of HADOOP_CREDSTORE_PASSWORD.

Related Name

generate_jceks_password

Default Value

true

API Name

generate_jceks_password

Required

false

HBase Service**Description**

Name of the HBase service that this Hive service instance depends on.

Related Name**Default Value****API Name**

hbase_service

Required

false

HDFS Service**Description**

Name of the HDFS service that this Hive service instance depends on

Related Name**Default Value****API Name**

hdfs_service

Required

true

Enable Asynchronous Logging**Description**

Asynchronous Log4j2 logging can give a significant performance improvement as logging will be handled in a separate thread that uses an LMAX disruptor queue for buffering log messages. Refer to <https://logging.apache.org/log4j/2.x/manual/async.html> for benefits and drawbacks. For debugging issues we recommend setting this to false.

Related Name

hive.async.log.enabled

Default Value

false

API Name

hive_async_log_enabled

Required

false

Hive Bytes Per Reducer**Description**

Size per reducer. If the input size is 10GiB and this is set to 1GiB, Hive will use 10 reducers.

Related Name

hive.exec.reducers.bytes.per.reducer

Default Value

64 MiB

API Name

hive_bytes_per_reducer

Required

false

Default File Format**Description**

Default file format for CREATE TABLE statement.

Related Name

hive.default.fileformat

Default Value

TextFile

API Name

hive_default_fileformat

Required

true

Default File Format for Managed Tables**Description**

Default file format for CREATE TABLE statement applied to managed tables only. External tables will be created with default file format. Leaving this null will result in using the default file format for all tables.

Related Name

hive.default.fileformat.managed

Default Value

ORC

API Name

hive_default_fileformat_managed

Required

false

Hive Max Reducers**Description**

Max number of reducers to use. If the configuration parameter Hive Reduce Tasks is negative, Hive will limit the number of reducers to the value of this parameter.

Related Name

hive.exec.reducers.max

Default Value

1009

API Name

hive_max_reducers

Required

false

Hive Reduce Tasks

Description

Default number of reduce tasks per job. Usually set to a prime number close to the number of available hosts. Ignored when `mapred.job.tracker` is "local". Hadoop sets this to 1 by default, while Hive uses -1 as the default. When set to -1, Hive will automatically determine an appropriate number of reducers for each job.

Related Name

`mapred.reduce.tasks`

Default Value

-1

API Name

`hive_reduce_tasks`

Required

false

Support Dynamic Service Discovery

Description

Whether HiveServer2 supports dynamic service discovery for its clients. To support this, each instance of HiveServer2 currently uses ZooKeeper to register itself, when it is brought up. JDBC/ODBC clients should use the ZooKeeper ensemble: `hive.zookeeper.quorum` in their connection string.

Related Name

`hive.server2.support.dynamic.service.discovery`

Default Value

true

API Name

`hive_server2_support_dynamic_service_discovery`

Required

false

Hive Server Zookeeper Namespace

Description

The parent node in ZooKeeper used by HiveServer2 when supporting dynamic service discovery.

Related Name

`hive.server2.zookeeper.namespace`

Default Value

`hiveserver2`

API Name

`hive_server2_zookeeper_namespace`

Required

false

Set User and Group Information

Description

In unsecure mode, setting this property to true will cause the Metastore Server to execute DFS operations using the client's reported user and group permissions. Cloudera Manager will set this for all clients and servers.

Related Name

hive.metastore.execute.setugi

Default Value

true

API Name

hive_set_ugi

Required

true

Table migration control file URL**Description**

Applicable for upgrade. If set, migration tool will expect either a YAML file on this URL, or a directory with YAML files in it. Such YAML file(s) shall contain which tables in which databases should the tool care about. The value here will be parsed and handled by Hadoop filesystem, therefore absolute paths with schemes are required (e.g hdfs:/path or file:/path). HDFS paths are recommended so that locality wouldn't cause any surprises.

Related Name**Default Value****API Name**

hive_table_migration_control_file_url

Required

false

HiveServer2 Enable Impersonation**Description**

HiveServer2 will impersonate the beeline client user when talking to other services such as MapReduce and HDFS.

Related Name

hive.server2.enable.doAs

Default Value

false

API Name

hiveserver2_enable_impersonation

Required

false

LDAP password**Description**

LDAP password for Hive 3 replication

Related Name**Default Value****API Name**

hiveserver2_ldap_replication_password

Required

false

LDAP username

Description

LDAP username for Hive 3 replication

Related Name

Default Value

API Name

hiveserver2_ldap_replication_user

Required

false

Hive Metastore Connector

Description

Name of the Hive Metastore Connector from the data context that this service instance depends on.

Related Name

Default Value

API Name

hms_connector

Required

true

MapReduce Service

Description

MapReduce jobs are run against this service.

Related Name

Default Value

API Name

mapreduce_yarn_service

Required

false

Ranger Plugin Trusted Proxy IP Address

Description

Accepts a list of IP addresses of proxy servers for trusting.

Related Name

ranger.plugin.hive.trusted.proxy.ipaddress

Default Value

API Name

ranger_plugin_trusted_proxy_ipaddress

Required

false

Ranger Plugin URL Auth Filesystem Schemes

Description

Set Ranger URL Auth Filesystem Schemes.

Related Name

ranger.plugin.hive.urlauth.filesystem.schemes

Default Value

hdfs:, file:, wasb:, adl:

API Name

ranger_plugin_urlauth_filesystem_schemes

Required

false

Ranger Plugin Use X-Forwarded for IP Address

Description

The parameter is used for identifying the originating IP address of a user connecting to a component through proxy for audit logs.

Related Name

ranger.plugin.hive.use.x-forwarded-for.ipaddress

Default Value

false

API Name

ranger_plugin_use_x_forwarded_for_ipaddress

Required

false

Ranger Service

Description

Name of the Ranger service that this Hive service instance depends on

Related Name**Default Value****API Name**

ranger_service

Required

false

Enable Dynamic Numbers of Reducers

Description

Turn on Tez' auto reducer parallelism feature. When enabled, Hive will still estimate data sizes and set parallelism estimates. Tez will sample source vertices' output sizes and adjust the estimates at runtime as necessary.

Related Name

hive.tez.auto.reducer.parallelism

Default Value

true

API Name

tez_auto_reducer_parallelism

Required

false

Tez Bucket Pruning

Description

When pruning is enabled, filters on bucket columns will be processed by filtering the splits against a bitset of included buckets. This needs predicates produced by hive.optimize.ppd and hive.optimize.index.filters.

Related Name

hive.tez.bucket.pruning

Default Value

true

API Name

tez_bucket_pruning

Required

false

Tez Cartesian-product Enabled

Description

Use Tez cartesian product edge for Hive cartesian product

Related Name

hive.tez.cartesian-product.enabled

Default Value

true

API Name

tez_cartesian_product_enabled

Required

false

Tez Container Size

Description

By default, Tez uses the java options from map tasks. Use this property to override that value.

Related Name

hive.tez.container.size

Default Value

4096

API Name

tez_container_size

Required

false

Tez CPU vCores

Description

By default Tez will ask for however many cpus map-reduce is configured to use per container. This can be used to overwrite.

Related Name

hive.tez.cpu.vcores

Default Value

-1

API Name

tez_cpu_vcores

Required

false

Tez Dynamic Partition Pruning Max Event Size

Description

Maximum size of events sent by processors in dynamic pruning. If this size is crossed no pruning will take place.

Related Name

hive.tez.dynamic.partition.pruning.max.event.size

Default Value

1048576

API Name

tez_dynamic_partition_max_event_size

Required

false

Enable Dynamic Partition Pruning

Description

When dynamic pruning is enabled, joins on partition keys will be processed by sending events from the processing vertices to the tez application master. These events will be used to prune unnecessary partitions.

Related Name

hive.tez.dynamic.partition.pruning

Default Value

true

API Name

tez_dynamic_partition_pruning

Required

false

Tez Dynamic Partition Pruning Max Data Size

Description

Maximum total data size of events in dynamic pruning.

Related Name

hive.tez.dynamic.partition.pruning.max.data.size

Default Value

104857600

API Name

tez_dynamic_partition_pruning_max_data_size

Required

false

Tez Exec Print Summary**Description**

Display breakdown of execution steps, for every query executed by the shell.

Related Name

hive.tez.exec.print.summary

Default Value

true

API Name

tez_exec_print_summary

Required

false

Tez Input Format**Description**

The default input format for Tez. Tez groups splits in the Application Master.

Related Name

hive.tez.input.format

Default Value

org.apache.hadoop.hive ql.io.HiveInputFormat

API Name

tez_input_format

Required

false

Tez Input Generate Consistent Splits**Description**

Whether to generate consistent split locations when generating splits in the AM

Related Name

hive.tez.input.generate.consistent.splits

Default Value

true

API Name

tez_input_generate_consistent_splits

Required

false

Tez Java Options**Description**

Java command line options for Tez.

Related Name

hive.tez.java.opts

Default Value

-server -Djava.net.preferIPv4Stack=true -XX:NewRatio=8 -XX:+UseNUMA -XX:+UseG1GC -XX:+ResizeTLAB -XX:+PrintGCDetails -verbose:gc

API Name

tez_java_opts

Required

false

Tez Log Level**Description**

The log level to use for tasks executing as part of the DAG. Used only if hive.tez.java.opts is used to configure Java options.

Related Name

hive.tez.log.level

Default Value

INFO

API Name

tez_log_level

Required

false

Tez Max Partition Factor**Description**

When auto reducer parallelism is enabled this factor will be used to over-partition data in shuffle edges.

Related Name

hive.tez.max.partition.factor

Default Value

2.0

API Name

tez_max_partition_factor

Required

false

Tez Min Partition Factor**Description**

When auto reducer parallelism is enabled this factor will be used to put a lower limit to the number of reducers that tez specifies.

Related Name

hive.tez.min.partition.factor

Default Value

0.25

API Name

tez_min_partition_factor

Required

false

Tez Service**Description**

Tez Service that the Hive on Tez uses for execution

Related Name**Default Value****API Name**

tez_service

Required

true

Tez SMB Number of Waves**Description**

The number of waves in which to run the SMB join. Account for cluster being occupied. Ideally should be 1 wave.

Related Name

hive.tez.smb.number.waves

Default Value

0.5

API Name

tez_smb_number_waves

Required

false

ZooKeeper Service**Description**

Name of the ZooKeeper service that this Hive service instance depends on.

Related Name**Default Value****API Name**

zookeeper_service

Required

false

Proxy**Hive Metastore Access Control and Proxy User Groups Override****Description**

This configuration overrides the value set for Hive Proxy User Groups configuration in HDFS service for use by Hive Metastore Server. Specify a comma-delimited list of groups that you want to allow access to Hive Metastore metadata and allow the Hive user to impersonate. A value of '*'

allows all groups. The default value of empty inherits the value set for Hive Proxy User Groups configuration in the HDFS service.

Related Name

hadoop.proxyuser.hive.groups

Default Value**API Name**

hive_proxy_user_groups_list

Required

false

Replication**Replica functions root directory****Description**

Root directory on the replica warehouse where the repl sub-system will store jars from the primary warehouse

Related Name

hive.repl.replica.functions.root.dir

Default Value**API Name**

hive_repl_replica_functions_root_dir

Required

false

Security**Atlas Kafka Messages Spool Directory****Description**

Spool directory for Atlas Kafka Messages.

Related Name

atlas.hook.spool.dir

Default Value

/var/log/hive/atlas-spool

API Name

atlas_message_spool_path

Required

false

Hive SSL Protocol Blacklist**Description**

SSL Versions to disable for all Hive Servers

Related Name

hive.ssl.protocol.blacklist

Default Value

SSLv2, SSLv3, SSLv2Hello, TLSv1, TLSv1.1

API Name

hive_ssl_protocol_blacklist

Required

false

Hive Zookeeper TLS/SSL Server Keystore File Location**Description**

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Hive Zookeeper is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

hive.zookeeper.ssl.keystore.location

Default Value**API Name**

hive_zookeeper_keystore_location

Required

false

Hive Zookeeper TLS/SSL Server Keystore File Password**Description**

The password for the Hive Zookeeper keystore file.

Related Name

hive.zookeeper.ssl.keystore.password

Default Value**API Name**

hive_zookeeper_keystore_password

Required

false

Enable TLS/SSL for Hive Zookeeper**Description**

Encrypt communication between clients and Hive Zookeeper using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

hive.zookeeper.ssl.client.enable

Default Value

false

API Name

hive_zookeeper_ssl_enable

Required

false

Hive Zookeeper TLS/SSL Trust Store File**Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Hive Zookeeper might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

hive.zookeeper.ssl.truststore.location

Default Value**API Name**

hive_zookeeper_truststore_location

Required

false

Hive Zookeeper TLS/SSL Trust Store Password**Description**

The password for the Hive Zookeeper TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

hive.zookeeper.ssl.truststore.password

Default Value**API Name**

hive_zookeeper_truststore_password

Required

false

Enable LDAP Authentication for HiveServer2**Description**

When checked, LDAP-based authentication for users is enabled.

Related Name**Default Value**

false

API Name

hiveserver2_enable_ldap_auth

Required

false

Enable TLS/SSL for HiveServer2**Description**

Encrypt communication between clients and HiveServer2 using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

hive.server2.use.SSL

Default Value

false

API Name

hiveserver2_enable_ssl

Required

false

HiveServer2 SSL Exclude Cipher Suites**Description**

The cipher suites should be excluded from Hiveserver2 SSL.

Related Name

hive.server2.http.exclude.ciphersuites

Default Value

modern2018

API Name

hiveserver2_exclude_ciphersuites

Required

false

HiveServer2 SSL Include Cipher Suites**Description**

The cipher suites should be included in Hiverserver2 SSL.

Related Name

hive.server2.binary.include.ciphersuites

Default Value

modern2018

API Name

hiveserver2_include_ciphersuites

Required

false

HiveServer2 TLS/SSL Server Keystore File Password**Description**

The password for the HiveServer2 keystore file.

Related Name

hive.server2.keystore.password

Default Value**API Name**

hiveserver2_keystore_password

Required

false

HiveServer2 TLS/SSL Server Keystore File Location**Description**

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when HiveServer2 is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

hive.server2.keystore.path

Default Value**API Name**

hiveserver2_keystore_path

Required

false

LDAP BaseDN**Description**

This parameter is useful when authenticating against a non-Active Directory server, such as OpenLDAP. When set, this parameter is used to convert the username into the LDAP Distinguished Name (DN), so that the resulting DN looks like uid=username,*this parameter*. For example, if this parameter is set to "ou=People,dc=cloudera,dc=com", and the username passed in is "mike", the resulting authentication passed to the LDAP server look like "uid=mike,ou=People,dc=cloudera,dc=com". This parameter is mutually exclusive with Active Directory Domain.

Related Name

hive.server2.authentication.ldap.baseDN

Default Value**API Name**

hiveserver2_ldap_basedn

Required

false

Active Directory Domain**Description**

Use this field for Active Directory configurations only, when combined with a simple username value in the "LDAP Bind User Distinguished Name" field, it will result in a UPM of user@example.com used for search/bind operations for authenticated user lookups.

Related Name

hive.server2.authentication.ldap.Domain

Default Value**API Name**

hiveserver2_ldap_domain

Required

false

LDAP URL**Description**

The URL of the LDAP Server. The URL must be prefixed with ldap:// or ldaps:// . The URL can optionally specify a custom port if necessary, but by default the ldap:// will connect to port 389, and the ldaps:// will connect to port 636. Note that passwords will be in the clear if ldap:// is used, and by fall 2020 Active directory servers will no longer allow non LDAPS connections to bind to AD hosts with LDAP signing enabled. See microsoft knowledge document 935834 for more information.

Related Name

hive.server2.authentication.ldap.url

Default Value**API Name**

hiveserver2_ldap_uri

Required

false

HiveServer2 TLS/SSL Trust Store File**Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that HiveServer2 might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name**Default Value****API Name**

hiveserver2_truststore_file

Required

false

HiveServer2 TLS/SSL Trust Store Password**Description**

The password for the HiveServer2 TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name**Default Value****API Name**

hiveserver2_truststore_password

Required

false

Kerberos Principal**Description**

Kerberos principal short name used by all roles of this service.

Related Name**Default Value**

hive

API Name

kerberos_princ_name

Required

true

Ranger DFS Audit Path**Description**

The DFS path on which Ranger audits are written. The special placeholder `'${ranger_base_audit_url}'` should be used as the prefix, in order to use the centralized location defined in the Ranger service.

Related Name

`xasecure.audit.destination.hdfs.dir`

Default Value

`$ranger_base_audit_url/hive`

API Name

`ranger_audit_hdfs_dir`

Required

`false`

Ranger Audit DFS Spool Dir**Description**

Spool directory for Ranger audits being written to DFS.

Related Name

`xasecure.audit.destination.hdfs.batch.filespool.dir`

Default Value

`/var/log/hive/audit/hdfs/spool`

API Name

`ranger_audit_hdfs_spool_dir`

Required

`false`

Ranger Audit Solr Spool Dir**Description**

Spool directory for Ranger audits being written to Solr.

Related Name

`xasecure.audit.destination.solr.batch.filespool.dir`

Default Value

`/var/log/hive/audit/solr/spool`

API Name

`ranger_audit_solr_spool_dir`

Required

`false`

Ranger Policy Cache Directory**Description**

The directory where Ranger security policies are cached locally.

Related Name

`ranger.plugin.hive.policy.cache.dir`

Default Value

`/var/lib/ranger/hive/policy-cache`

API Name

`ranger_policy_cache_dir`

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: Deploy Directory

Description

Whether to suppress configuration warnings produced by the Deploy Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Configuration Validator: Hive Client Advanced Configuration Snippet (Safety Valve) for hive-site.xml

Description

Whether to suppress configuration warnings produced by the Hive Client Advanced Configuration Snippet (Safety Valve) for hive-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_client_config_safety_valve

Required

true

Suppress Configuration Validator: Gateway Client Environment Advanced Configuration Snippet (Safety Valve) for hive-env.sh

Description

Whether to suppress configuration warnings produced by the Gateway Client Environment Advanced Configuration Snippet (Safety Valve) for hive-env.sh configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_client_env_safety_valve

Required

true

Suppress Configuration Validator: Client Java Configuration Options

Description

Whether to suppress configuration warnings produced by the Client Java Configuration Options configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_client_java_opts

Required

true

Suppress Configuration Validator: HiveServer2 Advanced Configuration Snippet (Safety Valve) for hive-site.xml

Description

Whether to suppress configuration warnings produced by the HiveServer2 Advanced Configuration Snippet (Safety Valve) for hive-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_hs2_config_safety_valve

Required

true

Suppress Configuration Validator: HiveServer2 Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the HiveServer2 Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hive_hs2_env_safety_valve

Required

true

Suppress Configuration Validator: HiveServer2 Log Directory**Description**

Whether to suppress configuration warnings produced by the HiveServer2 Log Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_log_dir

Required

true

Suppress Configuration Validator: Metrics Sample File Location**Description**

Whether to suppress configuration warnings produced by the Metrics Sample File Location configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_metrics_sample_file_location

Required

true

Suppress Configuration Validator: Restrict Load Bucketed Table Validator**Description**

Whether to suppress configuration warnings produced by the Restrict Load Bucketed Table Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hive_restrict_load_bucketed_table_validator

Required

true

Suppress Configuration Validator: Restrict Unsafe Comparison Validator**Description**

Whether to suppress configuration warnings produced by the Restrict Unsafe Comparison Validator configuration validator.

Related Name**Default Value**

	false
API Name	role_config_suppression_hive_restrict_unsafe_comparison_validator
Required	true

Suppress Configuration Validator: Hive security authorization SQL Config whitelist append

Description	Whether to suppress configuration warnings produced by the Hive security authorization SQL Config whitelist append configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_hive_security_authorization_sqlstd_confwhitelist_append
Required	true

Suppress Configuration Validator: HiveServer2 Operations Log Directory

Description	Whether to suppress configuration warnings produced by the HiveServer2 Operations Log Directory configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_hive_server2_logging_operation_log_location
Required	true

Suppress Configuration Validator: Thrift port

Description	Whether to suppress configuration warnings produced by the Thrift port configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_hive_server2_thrift_http_port
Required	true

Suppress Configuration Validator: Hive Downloaded Resources Directory

Description	Whether to suppress configuration warnings produced by the Hive Downloaded Resources Directory configuration validator.
--------------------	---

Related Name**Default Value**

false

API Name

role_config_suppression_hiveserver2_downloaded_resources_dir

Required

true

Suppress Configuration Validator: Hive Local Scratch Directory**Description**

Whether to suppress configuration warnings produced by the Hive Local Scratch Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hiveserver2_exec_local_scratchdir

Required

true

Suppress Configuration Validator: Hive HDFS Scratch Directory**Description**

Whether to suppress configuration warnings produced by the Hive HDFS Scratch Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hiveserver2_exec_scratchdir

Required

true

Suppress Configuration Validator: Fair Scheduler XML Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the Fair Scheduler XML Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hiveserver2_fair_scheduler_safety_valve

Required

true

Suppress Configuration Validator: Java Configuration Options for HiveServer2

Description

Whether to suppress configuration warnings produced by the Java Configuration Options for HiveServer2 configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hiveserver2_java_opts

Required

true

Suppress Configuration Validator: HiveServer2 Load Balancer

Description

Whether to suppress configuration warnings produced by the HiveServer2 Load Balancer configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hiveserver2_load_balancer

Required

true

Suppress Configuration Validator: Exclude Vectorized Input Formats

Description

Whether to suppress configuration warnings produced by the Exclude Vectorized Input Formats configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hiveserver2_vectorized_input_format_excludes

Required

true

Suppress Configuration Validator: HiveServer2 WebUI Port

Description

Whether to suppress configuration warnings produced by the HiveServer2 WebUI Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hiveserver2_webui_port

Required

true

Suppress Configuration Validator: HiveServer2 Advanced Configuration Snippet (Safety Valve) for core-site.xml

Description

Whether to suppress configuration warnings produced by the HiveServer2 Advanced Configuration Snippet (Safety Valve) for core-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hs2_core_site_safety_valve

Required

true

Suppress Configuration Validator: HiveServer2 Port

Description

Whether to suppress configuration warnings produced by the HiveServer2 Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hs2_thrift_address_port

Required

true

Suppress Configuration Validator: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Configuration Validator: Gateway Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Gateway Logging Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Configuration Validator: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: Role Triggers

Description

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Configuration Validator: HiveServer2 WebUI TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the HiveServer2 WebUI TLS/SSL Server Keystore File Location configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Configuration Validator: HiveServer2 WebUI TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the HiveServer2 WebUI TLS/SSL Server Keystore File Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Configuration Validator: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Parameter Validation: Hive Service Advanced Configuration Snippet (Safety Valve) for atlas-application.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Service Advanced Configuration Snippet (Safety Valve) for atlas-application.properties parameter.

Related Name

Default Value

false

API Name

service_config_suppression_application_properties_safety_valve

Required

true

Suppress Parameter Validation: Atlas Kafka Messages Spool Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas Kafka Messages Spool Directory parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_atlas_message_spool_path

Required

true

Suppress Parameter Validation: Audit Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Audit Log Directory parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_audit_event_log_dir

Required

true

Suppress Configuration Validator: Gateway Count Validator**Description**

Whether to suppress configuration warnings produced by the Gateway Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_gateway_count_validator

Required

true

Suppress Parameter Validation: Hive Auxiliary JARs Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Auxiliary JARs Directory parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hive_aux_jars_path_dir

Required

true

Suppress Configuration Validator: Client TLS/SSL In Use With LDAP Authentication Validator

Description

Whether to suppress configuration warnings produced by the Client TLS/SSL In Use With LDAP Authentication Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_hive_client_ssl_recommended_with_ldap_auth_validator

Required

true

Suppress Parameter Validation: Hive Service Advanced Configuration Snippet (Safety Valve) for core-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Service Advanced Configuration Snippet (Safety Valve) for core-site.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_core_site_safety_valve

Required

true

Suppress Parameter Validation: Default File Format for Managed Tables

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Default File Format for Managed Tables parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_default_fileformat_managed

Required

true

Suppress Parameter Validation: Base Directory for Hive Proto Hook

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Base Directory for Hive Proto Hook parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_hook_proto_base_directory

Required

true

Suppress Parameter Validation: Metastore Transactional Listener List

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Metastore Transactional Listener List parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_metastore_transactional_event_listeners

Required

true

Suppress Parameter Validation: Hive on Tez Service Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive on Tez Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_on_tez_service_env_safety_valve

Required

true

Suppress Configuration Validator: Hive Proxy Groups Validator

Description

Whether to suppress configuration warnings produced by the Hive Proxy Groups Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_hive_proxy_groups_validator

Required

true

Suppress Parameter Validation: Hive Metastore Access Control and Proxy User Groups Override**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Metastore Access Control and Proxy User Groups Override parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hive_proxy_user_groups_list

Required

true

Suppress Configuration Validator: Ranger Plugin Url Auth Validator for filesystem schemes**Description**

Whether to suppress configuration warnings produced by the Ranger Plugin Url Auth Validator for filesystem schemes configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_hive_ranger_url_auth_validator

Required

true

Suppress Configuration Validator: Hive Ranger Validator**Description**

Whether to suppress configuration warnings produced by the Hive Ranger Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_hive_ranger_validator

Required

true

Suppress Parameter Validation: Replica functions root directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Replica functions root directory parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hive_repl_replica_functions_root_dir

Required

true

Suppress Parameter Validation: Hive Replication Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Replication Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_replication_env_safety_valve

Required

true

Suppress Configuration Validator: Hive Sentry Validator

Description

Whether to suppress configuration warnings produced by the Hive Sentry Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_hive_sentry_validator

Required

true

Suppress Parameter Validation: Hive Server Zookeeper Namespace

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Server Zookeeper Namespace parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_server2_zookeeper_namespace

Required

true

Suppress Parameter Validation: Hive Service Advanced Configuration Snippet (Safety Valve) for hive-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Service Advanced Configuration Snippet (Safety Valve) for hive-site.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_service_config_safety_valve

Required

true

Suppress Parameter Validation: Hive Replication Advanced Configuration Snippet (Safety Valve) for hive-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Replication Advanced Configuration Snippet (Safety Valve) for hive-site.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_service_replication_config_safety_valve

Required

true

Suppress Parameter Validation: Hive SSL Protocol Blacklist

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive SSL Protocol Blacklist parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_ssl_protocol_blacklist

Required

true

Suppress Parameter Validation: Table migration control file URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Table migration control file URL parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_table_migration_control_file_url

Required

true

Suppress Parameter Validation: Hive Zookeeper TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Zookeeper TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_zookeeper_keystore_location

Required

true

Suppress Parameter Validation: Hive Zookeeper TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Zookeeper TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_zookeeper_keystore_password

Required

true

Suppress Parameter Validation: Hive Zookeeper TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Zookeeper TLS/SSL Trust Store File parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hive_zookeeper_truststore_location

Required

true

Suppress Parameter Validation: Hive Zookeeper TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Zookeeper TLS/SSL Trust Store Password parameter.

Related Name

Default Value

	false
API Name	service_config_suppression_hive_zookeeper_truststore_password
Required	true

Suppress Configuration Validator: HiveServer2 Count Validator

Description
Whether to suppress configuration warnings produced by the HiveServer2 Count Validator configuration validator.

Related Name

Default Value
false

API Name
service_config_suppression_hiveserver2_count_validator

Required
true

Suppress Parameter Validation: HiveServer2 TLS/SSL Server Keystore File Password

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value
false

API Name
service_config_suppression_hiveserver2_keystore_password

Required
true

Suppress Parameter Validation: HiveServer2 TLS/SSL Server Keystore File Location

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value
false

API Name
service_config_suppression_hiveserver2_keystore_path

Required
true

Suppress Parameter Validation: LDAP BaseDN

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP BaseDN parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hiveserver2_ldap_basedn

Required

true

Suppress Parameter Validation: Active Directory Domain**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Active Directory Domain parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hiveserver2_ldap_domain

Required

true

Suppress Parameter Validation: LDAP password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP password parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hiveserver2_ldap_replication_password

Required

true

Suppress Parameter Validation: LDAP username**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP username parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hiveserver2_ldap_replication_user

Required

true

Suppress Parameter Validation: LDAP URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP URL parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hiveserver2_ldap_uri

Required

true

Suppress Parameter Validation: HiveServer2 TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 TLS/SSL Trust Store File parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hiveserver2_truststore_file

Required

true

Suppress Parameter Validation: HiveServer2 TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HiveServer2 TLS/SSL Trust Store Password parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hiveserver2_truststore_password

Required

true

Suppress Parameter Validation: Kerberos Principal

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Principal parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_kerberos_princ_name

Required

true

Suppress Parameter Validation: Hive Lineage Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Lineage Log Directory parameter.

Related Name

Default Value

false

API Name

service_config_suppression_lineage_event_log_dir

Required

true

Suppress Parameter Validation: System Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name

Default Value

false

API Name

service_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: System User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name

Default Value

false

API Name

service_config_suppression_process_username

Required

true

Suppress Parameter Validation: Ranger DFS Audit Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger DFS Audit Path parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_audit_hdfs_dir

Required

true

Suppress Parameter Validation: Ranger Audit DFS Spool Dir**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Audit DFS Spool Dir parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_audit_hdfs_spool_dir

Required

true

Suppress Parameter Validation: Hive Service Advanced Configuration Snippet (Safety Valve) for ranger-hive-audit.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Service Advanced Configuration Snippet (Safety Valve) for ranger-hive-audit.xml parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_audit_safety_valve

Required

true

Suppress Parameter Validation: Ranger Audit Solr Spool Dir**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Audit Solr Spool Dir parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_audit_solr_spool_dir

Required

true

Suppress Parameter Validation: Ranger Plugin Trusted Proxy IP Address**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Plugin Trusted Proxy IP Address parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_plugin_trusted_proxy_ipaddress

Required

true

Suppress Parameter Validation: Ranger Plugin URL Auth Filesystem Schemes**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Plugin URL Auth Filesystem Schemes parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_plugin_urlauth_filesystem_schemes

Required

true

Suppress Parameter Validation: Ranger Policy Cache Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Policy Cache Directory parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_policy_cache_dir

Required

true

Suppress Parameter Validation: Hive Service Advanced Configuration Snippet (Safety Valve) for ranger-hive-policymgr-ssl.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Service Advanced Configuration Snippet (Safety Valve) for ranger-hive-policymgr-ssl.xml parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_policymgr_ssl_safety_valve

Required

true

Suppress Parameter Validation: Hive Service Advanced Configuration Snippet (Safety Valve) for ranger-hive-security.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Service Advanced Configuration Snippet (Safety Valve) for ranger-hive-security.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_security_safety_valve

Required

true

Suppress Parameter Validation: Service Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name

Default Value

false

API Name

service_config_suppression_service_triggers

Required

true

Suppress Parameter Validation: Service Monitor Client Config Overrides

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Client Config Overrides parameter.

Related Name

Default Value

false

API Name

service_config_suppression_smon_client_config_overrides

Required

true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_smon_derived_configs_safety_valve

Required

true

Suppress Parameter Validation: Tez Input Format

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Tez Input Format parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_tez_input_format

Required

true

Suppress Parameter Validation: Tez Java Options

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Tez Java Options parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_tez_java_opts

Required

true

Suppress Parameter Validation: Tez Log Level

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Tez Log Level parameter.

Related Name**Default Value**

false

API Name

`service_config_suppression_tez_log_level`**Required**`true`**Suppress Health Test: Compaction System Health Check****Description**

Whether to suppress the results of the Compaction System Health Check health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`service_health_suppression_hive_on_tez_compaction_health`**Required**`true`**Suppress Health Test: HiveServer2 Health****Description**

Whether to suppress the results of the HiveServer2 Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`service_health_suppression_hive_on_tez_hiveserver2s_healthy`**Required**`true`

Hue Properties in Cloudera Runtime 7.3.1

Role groups:

Hue Server

Advanced

Top Banner Custom HTML

Description

An optional, custom one-line HTML code to display as a banner on top of all Hue Server web pages. Useful in displaying cluster identity of the Hue Server.

Related Name`banner_top_html`**Default Value**

API Name

banner_html

Required

false

Hue Server Advanced Configuration Snippet (Safety Valve) for impalad_flags**Description**

For advanced use only, key-value pairs (one on each line) to be added (verbatim) to `impalad_flags` for this role only. Key names should begin with a hyphen(-). For example: `-log_filename=foo.log`

Related Name**Default Value****API Name**

hue_impalad_flags_safety_valve

Required

false

Metrics Sample File Location**Description**

The full path to a file with a sample of metrics exposed by the role. The sample is updated at the frequency configured by Metrics Sample File Logging Frequency. By default, the sample file is logged to a directory under the role log directory, e.g., `/var/log/hue/metrics-hue_server/metrics.log`.

Related Name

location

Default Value**API Name**

hue_metrics_sample_file_location

Required

false

Metrics Sample File Logging Frequency**Description**

The frequency at which the metrics are logged to the sample file.

Related Name

collection_interval

Default Value

30 second(s)

API Name

hue_metrics_sample_logging_frequency

Required

false

Hue Server Advanced Configuration Snippet (Safety Valve) for hive-site.xml**Description**

For advanced use only. A string to be inserted into `hive-site.xml` for this role only.

Related Name

Default Value

API Name

hue_server_hive_safety_valve

Required

false

Hue Server Advanced Configuration Snippet (Safety Valve) for hue_safety_valve_server.ini

Description

For advanced use only. A string to be inserted into hue_safety_valve_server.ini for this role only.

Related Name

Default Value

API Name

hue_server_hue_safety_valve

Required

false

Hue Server Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name

Default Value

API Name

HUE_SERVER_role_env_safety_valve

Required

false

Hue Server Advanced Configuration Snippet (Safety Valve) for sqoop.properties

Description

For advanced use only, key-value pairs (one on each line) to be added (verbatim) to sqoop.properties for this role only. Used in the Sqoop App for connecting to the Sqoop Service.

Related Name

Default Value

API Name

hue_sqoop2_properties_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name

Default Value

false

API Name

metric_config_auto_refresh

Required

false

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

40

API Name

process_start_secs

Required

false

Logs

Hue Server Log Directory

Description

Directory where Hue Server will place its log files.

Related Name**Default Value**

/var/log/hue

API Name

hue_server_log_dir

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

hue_server_fd_thresholds

Required

false

Hue Server Host Health Test**Description**

When computing the overall Hue Server health, consider the host's health.

Related Name

Default Value

true

API Name

hue_server_host_health_enabled

Required

false

Hue Server Process Health Test

Description

Enables the health test that the Hue Server's process state is consistent with the role configuration

Related Name

Default Value

true

API Name

hue_server_scm_health_enabled

Required

false

Web Metric Collection

Description

Enables the health test that the Cloudera Manager Agent can successfully contact and gather metrics from the web server.

Related Name

Default Value

true

API Name

hue_server_web_metric_collection_enabled

Required

false

Web Metric Collection Duration

Description

The health test thresholds on the duration of the metrics request to the web server.

Related Name

Default Value

Warning: 10 second(s), Critical: Never

API Name

hue_server_web_metric_collection_thresholds

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Navigator Audit Failure Thresholds

Description

The health test thresholds for failures encountered when monitoring audits within a recent period specified by the mgmt_navigator_failure_window configuration for the role. The value that can be specified for this threshold is the number of bytes of audits data that is left to be sent to audit server.

Related Name

mgmt.navigator.failure.thresholds

Default Value

Warning: Never, Critical: Any

API Name

mgmt_navigator_failure_thresholds

Required

false

Monitoring Period For Audit Failures

Description

The period to review when checking if audits are blocked and not getting processed.

Related Name

mgmt.navigator.failure.window

Default Value

20 minute(s)

API Name

mgmt_navigator_failure_window

Required

false

Navigator Audit Pipeline Health Check**Description**

Enable test of audit events processing pipeline. This will test if audit events are not getting processed by Audit Server for a role that generates audit.

Related Name

mgmt.navigators.status.check.enabled

Default Value

true

API Name

mgmt_navigator_status_check_enabled

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: { "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }

Related Name**Default Value****API Name**

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL**Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=\$ROLENAM and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}] See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name

Default Value

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name

Default Value

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

HiveServer2 and Impala Thrift Connection Timeout

Description

Timeout in seconds for Thrift calls to HiveServer2 and Impala.

Related Name

server_conn_timeout

Default Value

2 minute(s)

API Name

hs2_conn_timeout

Required

false

Jobsub Examples and Templates Directory

Description

Location on HDFS where the jobsub examples and templates are stored.

Related Name

remote_data_dir

Default Value

/user/hue/jobsub

API Name

hue_server_remote_data_dir

Required

true

Secret Key**Description**

Random string used for secure hashing in the session store.

Related Name

secret_key

Default Value**API Name**

secret_key

Required

false

Performance**Maximum Process File Descriptors****Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses**Hue HTTP Port****Description**

Port to use to connect to the Hue server.

Related Name

http_port

Default Value

8888

API Name

hue_http_port

Required

false

Bind Hue Server to Wildcard Address

Description

If enabled, the Hue server binds to the wildcard address ("0.0.0.0") for its ports.

Related Name

Default Value

false

API Name

hue_server_bind_wildcard

Required

false

Resource Management

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares

Description

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight

Description

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)

Description

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight

Description

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security

Enable Log and Query Redaction (Hue Only)

Description

Enable/Disable the Log and Query Redaction Policy for Hue. If enabled, and "Enable Log and Query Redaction" in HDFS is also enabled, Hue logs will be redacted using the defined Log and Query Redaction Policy. If disabled, log redaction will not take place even if "Enable Log and Query Redaction" is enabled in HDFS. Uncheck this property if Hue is unresponsive when custom redaction rules are in place.

Related Name

redaction_policy_enabled

Default Value

true

API Name

hue_server_redaction_policy_enabled

Required

false

Hue TLS/SSL Server CA Certificate (PEM Format)

Description

The path to the TLS/SSL file containing the certificate of the certificate authority (CA) and any intermediate certificates used to sign the server certificate. Used when Hue is acting as a TLS/SSL server. The certificate file must be in PEM format, and is usually created by concatenating all of the appropriate root and intermediate certificates.

Related Name

ssl_cacerts

Default Value

API Name

`ssl_cacerts`**Required**`false`**Hue TLS/SSL Server Certificate File (PEM Format)****Description**

The path to the TLS/SSL file containing the server certificate key used for TLS/SSL. Used when Hue is acting as a TLS/SSL server. The certificate file must be in PEM format.

Related Name`ssl_certificate`**Default Value****API Name**`ssl_certificate`**Required**`false`**Enable TLS/SSL for Hue****Description**

Encrypt communication between clients and Hue using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name**Default Value**`false`**API Name**`ssl_enable`**Required**`false`**Hue TLS/SSL Server Private Key File (PEM Format)****Description**

The path to the TLS/SSL file containing the private key used for TLS/SSL. Used when Hue is acting as a TLS/SSL server. The certificate file must be in PEM format.

Related Name`ssl_private_key`**Default Value****API Name**`ssl_private_key`**Required**`false`**Hue TLS/SSL Private Key Password****Description**

The password for the private key in the Hue TLS/SSL Server Certificate and Private Key file. If left blank, the private key is not protected by a password.

Related Name

ssl_password

Default Value**API Name**

ssl_private_key_password

Required

false

Suppressions**Suppress Parameter Validation: Top Banner Custom HTML****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Top Banner Custom HTML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_banner_html

Required

true

Suppress Configuration Validator: CDH Version Validator**Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Hue HTTP Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue HTTP Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hue_http_port

Required

true

Suppress Parameter Validation: Hue Server Advanced Configuration Snippet (Safety Valve) for impalad_flags**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue Server Advanced Configuration Snippet (Safety Valve) for impalad_flags parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hue_impalad_flags_safety_valve

Required

true

Suppress Parameter Validation: Metrics Sample File Location**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Metrics Sample File Location parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hue_metrics_sample_file_location

Required

true

Suppress Parameter Validation: Hue Server Advanced Configuration Snippet (Safety Valve) for hive-site.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue Server Advanced Configuration Snippet (Safety Valve) for hive-site.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hue_server_hive_safety_valve

Required

true

Suppress Parameter Validation: Hue Server Advanced Configuration Snippet (Safety Valve) for hue_safety_valve_server.ini**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue Server Advanced Configuration Snippet (Safety Valve) for hue_safety_valve_server.ini parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hue_server_hue_safety_valve

Required

true

Suppress Parameter Validation: Hue Server Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue Server Log Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hue_server_log_dir

Required

true

Suppress Parameter Validation: Jobsub Examples and Templates Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Jobsub Examples and Templates Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hue_server_remote_data_dir

Required

true

Suppress Parameter Validation: Hue Server Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue Server Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hue_server_role_env_safety_valve

Required

true

Suppress Configuration Validator: Hue Server Safety Valve Format Validator

Description

Whether to suppress configuration warnings produced by the Hue Server Safety Valve Format Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hue_server_safety_valve_format_validator

Required

true

Suppress Parameter Validation: Hue Server Advanced Configuration Snippet (Safety Valve) for sqoop.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue Server Advanced Configuration Snippet (Safety Valve) for sqoop.properties parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hue_sqoop2_properties_safety_valve

Required

true

Suppress Configuration Validator: Hue TLS/SSL Validator

Description

Whether to suppress configuration warnings produced by the Hue TLS/SSL Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hue_ssl_validator

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_otelcol_exporters`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Extensions Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_extensions`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Helper Port****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_helper_port`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Processors Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_processors`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Receivers Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Secret Key

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Secret Key parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_secret_key

Required

true

Suppress Parameter Validation: Hue TLS/SSL Server CA Certificate (PEM Format)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue TLS/SSL Server CA Certificate (PEM Format) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_cacerts

Required

true

Suppress Parameter Validation: Hue TLS/SSL Server Certificate File (PEM Format)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue TLS/SSL Server Certificate File (PEM Format) parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_ssl_certificate`**Required**`true`**Suppress Parameter Validation: Hue TLS/SSL Server Private Key File (PEM Format)****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue TLS/SSL Server Private Key File (PEM Format) parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ssl_private_key`**Required**`true`**Suppress Parameter Validation: Hue TLS/SSL Private Key Password****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue TLS/SSL Private Key Password parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ssl_private_key_password`**Required**`true`**Suppress Health Test: Audit Pipeline Test****Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_hue_server_audit_health`**Required**`true`**Suppress Health Test: File Descriptors****Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hue_server_file_descriptor

Required

true

Suppress Health Test: Heap Dump Directory Free Space**Description**

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hue_server_heap_dump_directory_free_space

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hue_server_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name`role_health_suppression_hue_server_log_directory_free_space`**Required**`true`**Suppress Health Test: Otelcol Health****Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_hue_server_otelcol_health`**Required**`true`**Suppress Health Test: Process Status****Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_hue_server_scm_health`**Required**`true`**Suppress Health Test: Swap Memory Usage****Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_hue_server_swap_memory_usage`**Required**`true`

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hue_server_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hue_server_unexpected_exits

Required

true

Suppress Health Test: Web Server Status

Description

Whether to suppress the results of the Web Server Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hue_server_web_metric_collection

Required

true

Kerberos Ticket Renewer

Advanced

Kerberos Ticket Renewer Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

KT_RENEWER_role_env_safety_valve

Required

false

Enable auto refresh for metric configurations**Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Logs**Kerberos Ticket Renewer Log Directory****Description**

Directory where Kerberos Ticket Renewer will place its log files.

Related Name**Default Value**

/var/log/hue

API Name

kt_renewer_log_dir

Required

false

Monitoring**Enable Health Alerts for this Role****Description**

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name

Default Value

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

kt_renewer_fd_thresholds

Required

false

Kerberos Ticket Renewer Host Health Test

Description

When computing the overall Kerberos Ticket Renewer health, consider the host's health.

Related Name**Default Value**

true

API Name

kt_renewer_host_health_enabled

Required

false

Kerberos Ticket Renewer Process Health Test

Description

Enables the health test that the Kerberos Ticket Renewer's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

kt_renewer_scm_health_enabled

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Navigator Audit Failure Thresholds**Description**

The health test thresholds for failures encountered when monitoring audits within a recent period specified by the mgmt_navigator_failure_window configuration for the role. The value that can be specified for this threshold is the number of bytes of audits data that is left to be sent to audit server.

Related Name

mgmt.navigator.failure.thresholds

Default Value

Warning: Never, Critical: Any

API Name

mgmt_navigator_failure_thresholds

Required

false

Monitoring Period For Audit Failures**Description**

The period to review when checking if audits are blocked and not getting processed.

Related Name

mgmt.navigator.failure.window

Default Value

20 minute(s)

API Name

mgmt_navigator_failure_window

Required

false

Navigator Audit Pipeline Health Check

Description

Enable test of audit events processing pipeline. This will test if audit events are not getting processed by Audit Server for a role that generates audit.

Related Name

mgmt.navigator.status.check.enabled

Default Value

true

API Name

mgmt_navigator_status_check_enabled

Required

false

Metric Filter

Description

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name**Default Value****API Name**

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:  
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:  
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s  
max_elapsed_time: 300s
```

API Name

```
otelcol_exporters
```

Required

```
false
```

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:  
$ROLE_PARAM(otelcol_remote_write_user) password:  
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

```
otelcol_extensions
```

Required

```
false
```

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

```
otelcol_helper_port
```

Required

```
false
```

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

```
otelcol_processors
```

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: `$HOST_NAME`, `$CLUSTER_NAME`, `$CLUSTER_ID`, `$SERVICE_TYPE`, `$SERVICE_NAME`, `$ROLE_NAME`, `$ROLE_TYPE`, `$ROLE_PARAM(my_parameter_name)` - e.g.: a port parameter for the role's metrics, `$DECODE_B64(...)` and `$DECODE_URL(...)` to decode encoded parameters, `$ENV_PARAM(name)` to fetch params from the process' environment, `$SYS_PARAM(name)` to fetch java system properties.

Related Name

Default Value

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name

Default Value

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

`$INFRA(cdp_request_signer_url)`

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

`otelcol_rtm_logs_processors`**Required**

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: `$HOST_NAME`, `$CLUSTER_NAME`, `$CLUSTER_ID`, `$SERVICE_TYPE`, `$SERVICE_NAME`, `$ROLE_NAME`, `$ROLE_TYPE`, `$ROLE_PARAM(my_parameter_name)` - e.g.: a port parameter for the role's metrics, `$DECODE_B64(...)` and `$DECODE_URL(...)` to decode encoded parameters, `$ENV_PARAM(name)` to fetch params from the process' environment, `$SYS_PARAM(name)` to fetch java system properties.

Related Name**Default Value****API Name**`otelcol_rtm_logs_receivers`**Required**

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**`otelcol_rtm_logs_service`**Required**

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**`otelcol_service`**Required**

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name

Default Value

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds

Description

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window

Description

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

`unexpected_exits_thresholds`

Required

false

Unexpected Exits Monitoring Period**Description**

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

`unexpected_exits_window`

Required

false

Other**Hue Keytab Renewal Interval****Description**

Interval in seconds with which Hue's Kerberos ticket will get renewed.

Related Name

`reinit_frequency`

Default Value

1 hour(s)

API Name

`keytab_reinit_frequency`

Required

false

Performance**Maximum Process File Descriptors****Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

`rlimit_fds`

Required

false

Resource Management**Cgroup V1 BLKIO Weight****Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)

Description

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight

Description

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Kerberos Ticket Renewer Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Ticket Renewer Log Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_kt_renewer_log_dir

Required

true

Suppress Parameter Validation: Kerberos Ticket Renewer Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Ticket Renewer Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_kt_renewer_role_env_safety_valve

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kt_renewer_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kt_renewer_file_descriptor

Required

true

Suppress Health Test: Heap Dump Directory Free Space**Description**

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kt_renewer_heap_dump_directory_free_space

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kt_renewer_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kt_renewer_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kt_renewer_otelcol_health

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kt_renewer_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kt_renewer_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kt_renewer_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kt_renewer_unexpected_exits

Required

true

Load Balancer

Advanced

Load Balancer Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

HUE_LOAD_BALANCER_role_env_safety_valve

Required

false

Load Balancer Advanced Configuration Snippet (Safety Valve) for httpd.conf

Description

For advanced use only, a string to be inserted into httpd.conf for this role only. This can only add options to the configuration, and cannot override previously defined options.

Related Name**Default Value****API Name**

hue_load_balancer_safety_valve

Required

false

Hue Load Balancer Cookie Refresh

Description

Force refresh the Apache BalancerMember cookie value to rebalance Hue backend connections.

Related Name

huelb_cookie_refresh

Default Value

false

API Name

huelb_cookie_refresh

Required

true

Enable auto refresh for metric configurations**Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

SSLCipherSuite

Description

This directive uses a colon-separated cipher-spec string consisting of OpenSSL cipher specifications to configure the Cipher Suite the client is permitted to negotiate in the SSL handshake phase.

Related Name

SSLCipherSuite

Default Value

ECDHE-ECDSA-AES128-GCM-SHA256 ECDHE-RSA-AES128-GCM-SHA256 ECDHE-ECDSA-AES256-GCM-SHA384 ECDHE-RSA-AES256-GCM-SHA384 ECDHE-ECDSA-CHACHA20-POLY1305 ECDHE-RSA-CHACHA20-POLY1305 DHE-RSA-AES128-GCM-SHA256 DHE-RSA-AES256-GCM-SHA384 !DSS

API Name

ssl_cipher_suite

Required

false

SSLProtocol

Description

This directive can be used to control which versions of the SSL/TLS protocol will be accepted in new connections by Hue Load Balancer.

Related Name

SSLProtocol

Default Value

+TLSv1.2

API Name

ssl_protocol

Required

false

Logs**Hue Load Balancer Log Directory****Description**

Directory where Hue Load Balancer will place its log files.

Related Name**Default Value**

/var/log/hue-httpd

API Name

hue_load_balancer_log_dir

Required

false

Monitoring**Enable Health Alerts for this Role****Description**When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`**Related Name****Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

hue_load_balancer_fd_thresholds

Required

false

Load Balancer Host Health Test

Description

When computing the overall Load Balancer health, consider the host's health.

Related Name**Default Value**

true

API Name

hue_load_balancer_host_health_enabled

Required

false

Load Balancer Process Health Test**Description**

Enables the health test that the Load Balancer's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

hue_load_balancer_scm_health_enabled

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Navigator Audit Failure Thresholds**Description**

The health test thresholds for failures encountered when monitoring audits within a recent period specified by the `mgmt_navigator_failure_window` configuration for the role. The value that can be specified for this threshold is the number of bytes of audits data that is left to be sent to audit server.

Related Name

`mgmt.navigator.failure.thresholds`

Default Value

Warning: Never, Critical: Any

API Name

`mgmt_navigator_failure_thresholds`

Required

false

Monitoring Period For Audit Failures**Description**

The period to review when checking if audits are blocked and not getting processed.

Related Name

`mgmt.navigator.failure.window`

Default Value

20 minute(s)

API Name

`mgmt_navigator_failure_window`

Required

false

Navigator Audit Pipeline Health Check**Description**

Enable test of audit events processing pipeline. This will test if audit events are not getting processed by Audit Server for a role that generates audit.

Related Name

`mgmt.navigator.status.check.enabled`

Default Value

true

API Name

`mgmt_navigator_status_check_enabled`

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.

- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name**Default Value****API Name**

`monitoring_metric_filter`

Required

`false`

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

`otelcol_exporters`

Required

`false`

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: `$HOST_NAME`, `$CLUSTER_NAME`, `$CLUSTER_ID`, `$SERVICE_TYPE`, `$SERVICE_NAME`, `$ROLE_NAME`, `$ROLE_TYPE`, `$ROLE_PARAM(my_parameter_name)` - e.g.: a port parameter for the role's metrics, `$DECODE_B64(...)` and `$DECODE_URL(...)` to decode encoded parameters, `$ENV_PARAM(name)` to fetch params from the process' environment, `$SYS_PARAM(name)` to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

`$INFRA(cdp_request_signer_url)`

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify `$INFRA(cdp_request_signer_username)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

`$INFRA(cdp_request_signer_username)`

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name

Default Value

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger

condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `{ "triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAM and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true" }` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period**Description**

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

unexpected_exits_window

Required

false

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name

Default Value

API Name

rlimit_fds

Required

false

Ports and Addresses

Hue Load Balancer Port

Description

Port to use to connect to the Hue through the Load Balancer.

Related Name

Listen

Default Value

8889

API Name

listen

Required

true

Resource Management

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares

Description

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight

Description

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)

Description

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight

Description

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security

Hue Load Balancer TLS/SSL Server SSLPassPhraseDialog

Description

The path to the file containing the passphrase used to encrypt the private key of the Hue Load Balancer server. The passphrase file is optional.

Related Name

SSLPassPhraseDialog

Default Value**API Name**

passphrasefile_location

Required

false

Hue Load Balancer TLS/SSL Server Certificate File (PEM Format)

Description

The path to the TLS/SSL file containing the server certificate key used for TLS/SSL. Used when Hue Load Balancer is acting as a TLS/SSL server. The certificate file must be in PEM format.

Related Name

SSLCertificateFile

Default Value**API Name**

ssl_certificate

Required

false

Hue Load Balancer TLS/SSL Server Private Key File (PEM Format)

Description

The path to the TLS/SSL file containing the private key used for TLS/SSL. Used when Hue Load Balancer is acting as a TLS/SSL server. The certificate file must be in PEM format.

Related Name

SSLCertificateKeyFile

Default Value**API Name**

ssl_certificate_key

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Hue Load Balancer Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue Load Balancer Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hue_load_balancer_log_dir

Required

true

Suppress Parameter Validation: Load Balancer Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Load Balancer Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hue_load_balancer_role_env_safety_valve

Required

true

Suppress Parameter Validation: Load Balancer Advanced Configuration Snippet (Safety Valve) for httpd.conf

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Load Balancer Advanced Configuration Snippet (Safety Valve) for httpd.conf parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hue_load_balancer_safety_valve

Required

true

Suppress Parameter Validation: Hue Load Balancer Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue Load Balancer Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_listen

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Hue Load Balancer TLS/SSL Server SSLPassPhraseDialog**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue Load Balancer TLS/SSL Server SSLPassPhraseDialog parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_passphrasefile_location

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Hue Load Balancer TLS/SSL Server Certificate File (PEM Format)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue Load Balancer TLS/SSL Server Certificate File (PEM Format) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_certificate

Required

true

Suppress Parameter Validation: Hue Load Balancer TLS/SSL Server Private Key File (PEM Format)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue Load Balancer TLS/SSL Server Private Key File (PEM Format) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_certificate_key

Required

true

Suppress Parameter Validation: SSLCipherSuite**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SSLCipherSuite parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_cipher_suite

Required

true

Suppress Parameter Validation: SSLProtocol**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SSLProtocol parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_protocol

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hue_load_balancer_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hue_load_balancer_file_descriptor

Required

true

Suppress Health Test: Heap Dump Directory Free Space**Description**

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hue_load_balancer_heap_dump_directory_free_space

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hue_load_balancer_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_hue_load_balancer_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hue_load_balancer_otelcol_health

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hue_load_balancer_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hue_load_balancer_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hue_load_balancer_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hue_load_balancer_unexpected_exits

Required

true

Service-Wide

Advanced

Enable Django Debug Mode

Description

In debug mode, Django displays a detailed traceback when an exception occurs. Debugging information may contain sensitive data. Django remembers every SQL query it executes in debug mode, which will rapidly consume memory.

Related Name

django_debug_mode

Default Value

false

API Name

django_debug_enable

Required

false

Enable Debugging of Internal Server Error Responses

Description

Enable debug output in HTTP Internal Server Error (status 500) responses. Debugging information may contain sensitive data. If Enable Django Debug Mode is set, this is automatically enabled.

Related Name

http_500_debug_mode

Default Value

false

API Name

http_500_debug_enable

Required

false

Hue Service Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

hue_service_env_safety_valve

Required

false

Hue Service Advanced Configuration Snippet (Safety Valve) for hue_safety_valve.ini

Description

For advanced use only, a string to be inserted into hue_safety_valve.ini. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

hue_service_safety_valve

Required

false

Allowed size of an HTTP request header

Description

Specifies the number of bytes that will be allowed in an HTTP request header.

Related Name

limit_request_field_size

Default Value

API Name

limit_request_field_size

Required

false

Maximum number of HTTP headers**Description**

Limits the number of HTTP request header fields that will be accepted from the client.

Related Name

limit_request_fields

Default Value**API Name**

limit_request_fields

Required

false

Maximum size of HTTP request line**Description**

Limits the size of the HTTP request line that will be accepted from the client.

Related Name

limit_request_line

Default Value**API Name**

limit_request_line

Required

false

System Group**Description**

The group that this service's processes should run as.

Related Name**Default Value**

hue

API Name

process_groupname

Required

true

System User**Description**

The user that this service's processes should run as.

Related Name**Default Value**

hue

API Name

process_username

Required

true

Enable Usage Data Collection

Description

When you enable anonymous usage data collection Hue tracks anonymised pages and application versions in order to gather information about each application's usage levels. The data collected does not include any hostnames or IDs. Data collection option is available on CDH 4.4 and later deployments.

Related Name

collect_usage

Default Value

true

API Name

usage_data_collection_enable

Required

false

Cloudera Navigator Optimizer

Auto Upload Queries to Cloudera Navigator Optimizer

Description

Automatically upload queries after their execution in order to improve recommendations.

Related Name

auto_upload_queries

Default Value

true

API Name

auto_upload_queries

Required

false

Enable Cloudera Navigator Optimizer integration with Hue

Description

Enable Cloudera Navigator Optimizer integration with Hue.

Related Name

enable_navopt

Default Value

false

API Name

enable_navopt

Required

false

Cloudera Altus Access Key

Description

Credentials for accessing Cloudera cloud services.

Related Name

Default Value**API Name**

navopt_altus_account

Required

false

Query History Upload Limit**Description**

Allow admins to upload the last N executed queries in the quick start wizard. Use 0 to disable.

Related Name

query_history_upload_limit

Default Value

10000

API Name

query_history_upload_limit

Required

false

Database**Hue Database Directory****Description**

If the database is SQLite3, this is the filename of the database to use, and the directory of this file must be writable by the 'hue' user.

Related Name

dir

Default Value

/var/lib/hue/desktop.db

API Name

database_dir

Required

false

Database Dump File**Description**

File where the database gets dumped to or loaded from.

Related Name**Default Value**

/tmp/hue_database_dump.json

API Name

database_dump_file

Required

true

Hue Database Hostname

Description

Name of host where the Hue database is running. Not necessary for SQLite3.

Related Name

host

Default Value

localhost

API Name

database_host

Required

false

Hue Database Name

Description

Name of Hue database.

Related Name

name

Default Value

hue

API Name

database_name

Required

false

Hue Database Password

Description

Password for Hue database. Not necessary for SQLite3.

Related Name

password

Default Value**API Name**

database_password

Required

false

Hue Database Port

Description

Port on host where the Hue database is running. Not necessary for SQLite3.

Related Name

port

Default Value

3306

API Name

database_port

Required

false

Hue Database Type

Description

Type of database used for Hue

Related Name

engine

Default Value

sqlite3

API Name

database_type

Required

false

Hue Database Username

Description

The username to use to log into the Hue database. Not necessary for SQLite3.

Related Name

user

Default Value

hue

API Name

database_user

Required

false

Monitoring

Enable Service Level Health Alerts

Description

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Healthy Hue Server Monitoring Thresholds**Description**

The health test thresholds of the overall Hue Server health. The check returns "Concerning" health if the percentage of "Healthy" Hue Servers falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" Hue Servers falls below the critical threshold.

Related Name**Default Value**

Warning: 99.0 %, Critical: 51.0 %

API Name

hue_hue_servers_healthy_thresholds

Required

false

Healthy Kerberos Ticket Renewer Monitoring Thresholds**Description**

The health test thresholds of the overall Kerberos Ticket Renewer health. The check returns "Concerning" health if the percentage of "Healthy" Kerberos Ticket Renewers falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" Kerberos Ticket Renewers falls below the critical threshold.

Related Name**Default Value**

Warning: 99.0 %, Critical: 51.0 %

API Name

hue_kt_renewers_healthy_thresholds

Required

false

Healthy Load Balancer Monitoring Thresholds**Description**

The health test thresholds of the overall Load Balancer health. The check returns "Concerning" health if the percentage of "Healthy" Load Balancers falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" Load Balancers falls below the critical threshold.

Related Name**Default Value**

Warning: 99.0 %, Critical: 51.0 %

API Name

hue_load_balancer_healthy_thresholds

Required

false

Service Triggers**Description**

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

service_triggers

Required

true

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name**Default Value****API Name**

smon_derived_configs_safety_valve

Required

false

Other**Atlas Service****Description**

Name of the Atlas service that this Hue service instance depends on

Related Name**Default Value****API Name**

atlas_service

Required

false

Blacklist**Description**

Comma-separated list of regular expressions, which match any prefix of 'host:port/path' of requested proxy target. This does not support matching GET parameters.

Related Name

blacklist

Default Value

()

API Name

blacklist

Required

false

Hue Web Server Threads**Description**

Number of threads used by the Hue web server.

Related Name

cherrypy_server_threads

Default Value

2

API Name

cherrypy_server_threads

Required

false

Default Site Encoding**Description**

Default encoding for site data.

Related Name

default_site_encoding

Default Value

utf

API Name

default_site_encoding

Required

false

Default User Group

Description

The name of a default group that users will be added to at creation time.

Related Name

default_user_group

Default Value**API Name**

default_user_group

Required

false

Hue Server Worker Processes

Description

Number of worker processes to be spawned by the Hue web server.

Related Name

unicorn_number_of_workers

Default Value

32

API Name

unicorn_number_of_workers

Required

false

HBase Service

Description

Name of the HBase service that this Hue service instance depends on

Related Name**Default Value****API Name**

hbase_service

Required

false

HDFS Service

Description

Name of the HDFS service that this Hue service instance depends on

Related Name**Default Value****API Name**

hdfs_service

Required

true

HDFS Temporary Directory

Description

HDFS directory used for storing temporary files.

Related Name

temp_dir

Default Value

/tmp

API Name

hdfs_tmp_dir

Required

false

HiveServer2 Service

Description

Name of the HiveServer2 service that this Hue service instance depends on

Related Name**Default Value****API Name**

hive_service

Required

false

HMS Service

Description

Name of the HMS service that this Hue service instance depends on

Related Name**Default Value****API Name**

hms_service

Required

true

Hue Kerberos Credentials Cache Directory

Description

Directory where Hue stores cached Kerberos credentials

Related Name

ccache_path

Default Value

/var/run/hue

API Name

hue_ccache_path

Required

false

HBase Thrift Server

Description

Thrift server to use for HBase app.

Related Name**Default Value****API Name**

hue_hbase_thrift

Required

false

Override Phoenix Query Server for Hue

Description

Override Phoenix Query Server to use for Phoenix DB connection. If None selected CM will try to pick one automatically.

Related Name**Default Value****API Name**

hue_phoenix_queryserver

Required

false

HDFS Web Interface Role

Description

HTTPFS role or Namenode (if webhdfs is enabled) that hue can use to communicate with HDFS.

Related Name

webhdfs_url

Default Value**API Name**

hue_webhdfs

Required

false

Impala Service

Description

Name of the Impala service that this Hue service instance depends on

Related Name**Default Value****API Name**

impala_service

Required

false

Knox Proxy Hosts

Description

List of hosts that Knox proxy requests can come from.

Related Name

knox_proxyhosts

Default Value**API Name**

knox_proxyhosts

Required

false

Oozie Service

Description

Name of the Oozie service that this Hue service instance depends on

Related Name**Default Value****API Name**

oozie_service

Required

false

Phoenix Service

Description

Name of the Phoenix service that this Hue service instance depends on

Related Name**Default Value****API Name**

phoenix_service

Required

false

Query Processor Service

Description

Name of the Query Processor service that this Hue service instance depends on

Related Name**Default Value****API Name**

query_processor_service

Required

false

Solr Service

Description

Name of the Solr service that this Hue service instance depends on

Related Name

Default Value

API Name

solr_service

Required

false

Time Zone

Description

Time zone name.

Related Name

time_zone

Default Value

America/Los_Angeles

API Name

time_zone

Required

false

User Augmentor

Description

Class that defines extra accessor methods for user objects.

Related Name

user_augmentor

Default Value

desktop.auth.backend.DefaultUserAugmentor

API Name

user_augmentor

Required

false

Whitelist

Description

Comma-separated list of regular expressions, which match 'host:port' of requested proxy target.

Related Name

whitelist

Default Value

(localhost|127\.\.0\.\.0\.\.1):(50030|50070|50060|50075)

API Name

whitelist

Required

false

ZooKeeper Service

Description

Name of the ZooKeeper service that this Hue service instance depends on

Related Name**Default Value****API Name**

zookeeper_service

Required

false

Security

Authentication Backend

Description

Mode of authenticating login credentials. Select `desktop.auth.backend.LdapBackend` to use LDAP to authenticate login credentials. LDAP requires you to also set the LDAP URL, Active Directory Domain, and optionally LDAP certificate if you are using secure LDAP. Select `desktop.auth.backend.PamBackend` to use PAM to authenticate login credentials.

Related Name

backend

Default Value

`desktop.auth.backend.AllowFirstUserDjangoBackend`

API Name

auth_backend

Required

false

LDAP Search Base

Description

The distinguished name to use as a search base for finding users and groups. This should be similar to `'dc=hadoop,dc=mycompany,dc=com'`.

Related Name

base_dn

Default Value**API Name**

base_dn

Required

false

LDAP Bind User Distinguished Name

Description

Distinguished name of the user to bind to AD as for user authentication search/bind and group lookup for role authorization. For openLDAP based directories this should be a DN string, for Active Directory this can be just a username, combined with the "Active Directory Domain" value for login. For example username in the field and example.com in the active directory domain will result in the User Principal Name value of `username@example.com` being used to bind. If you put a

UPM value here, do not over-configure the "active directory domain" field otherwise you will end up presenting username@example.com@example.com for binds. AD will accept a UPN value or the DN value as a valid Bind DN; An example of a Distinguished Name (DN): CN=cdh admin,OU=svcaccount,DC=example,DC=com An example of a UPN value: cdhadmin@example.com

Related Name

bind_dn

Default Value

API Name

bind_dn

Required

false

LDAP Bind Password

Description

The password of the bind user.

Related Name

bind_password

Default Value

API Name

bind_password

Required

false

Create LDAP users on login

Description

Create users in Hue when they try to login with their LDAP credentials. For use when using LdapBackend for Hue authentication.

Related Name

create_users_on_login

Default Value

true

API Name

create_users_on_login

Required

false

LDAP Group Filter

Description

Base filter for searching for groups. For Active Directory, this is typically '(objectClass=group)'.

Related Name

group_filter

Default Value

API Name

group_filter

Required

false

LDAP Group Membership Attribute**Description**

The attribute of the group object that identifies the members of the group. For Active Directory, this is typically 'member'.

Related Name

group_member_attr

Default Value**API Name**

group_member_attr

Required

false

LDAP Group Name Attribute**Description**

The group name attribute in the LDAP schema. For Active Directory, this is typically 'cn'.

Related Name

group_name_attr

Default Value**API Name**

group_name_attr

Required

false

Auto Logout Timeout**Description**

Auto logout/idle session timeout in seconds, -1 second is equivalent to no automatic logout.

Related Name

idle_session_timeout

Default Value

-1 second(s)

API Name

idle_session_timeout

Required

false

Kerberos Principal**Description**

Kerberos principal short name used by all roles of this service.

Related Name**Default Value**

hue

API Name

kerberos_princ_name

Required

true

LDAP Server CA Certificate**Description**

The location on disk of the certificate, in .pem format, used to confirm the authenticity of the LDAP server certificate. This is the Certificate Authority (CA) certificate, and it was used to sign the LDAP server certificate. If not set, all certificates are trusted, which means that an attacker could potentially intercept otherwise encrypted usernames and passwords.

Related Name

ldap_cert

Default Value**API Name**

ldap_cert

Required

false

LDAP URL**Description**

The URL of the LDAP Server. The URL must be prefixed with ldap:// or ldaps:// . The URL can optionally specify a custom port if necessary, but by default the ldap:// will connect to port 389, and the ldaps:// will connect to port 636. Note that passwords will be in the clear if ldap:// is used, and by fall 2020 Active directory servers will no longer allow non LDAPS connections to bind to AD hosts with LDAP signing enabled. See microsoft knowledge document 935834 for more information.

Related Name

ldap_url

Default Value**API Name**

ldap_url

Required

false

LDAP Username Pattern**Description**

LDAP Username Pattern for use with non-Active Directory LDAP implementations. Must contain the special '*username*' string for replacement during authentication.

Related Name

ldap_username_pattern

Default Value**API Name**

ldap_username_pattern

Required

false

Active Directory Domain

Description

Use this field for Active Directory configurations only, when combined with a simple username value in the "LDAP Bind User Distinguished Name" field, it will result in a UPM of user@example.com used for search/bind operations for authenticated user lookups.

Related Name

nt_domain

Default Value**API Name**

nt_domain

Required

false

PAM Backend Service Name

Description

The PAM service name to use when authenticating over desktop.auth.backend.PamBackend. This is typically the name of a file under /etc/pam.d/ on the Hue host.

Related Name

pam_service

Default Value

login

API Name

pam_auth_service

Required

false

Use Search Bind Authentication

Description

Search Bind Authentication connects to the LDAP server using credentials provided in the 'bind_dn' and 'bind_password' configurations. If these configurations are not set, then an anonymous search is performed.

Related Name

search_bind_authentication

Default Value

false

API Name

search_bind_authentication

Required

false

LDAP Group Name for Test LDAP Configuration

Description

An optional group name for validating LDAP group configurations. If a test group name is provided, Hue's LDAP library uses it as a search parameter when running the command, Test Hue LDAP Configuration (under Hue * Actions). For example, (&(objectClass=*))

(sAMAccountName=test_ldap_group)). If test group name is not provided then Hue LDAP Configuration action will check only LDAP server connectivity.

Related Name

test_ldap_group

Default Value**API Name**

test_ldap_group

Required

false

LDAP Username for Test LDAP Configuration

Description

An optional user name for validating LDAP user configurations. If a test user name is provided, Hue's LDAP library uses it as a search parameter when running the command, Test Hue LDAP Configuration (under Hue * Actions). For example, (&(objectClass=*)(sAMAccountName=test_ldap_user)). If "*" is provided, then all user attributes are returned. If test user name is not provided then Test Hue LDAP Configuration action will check only LDAP server connectivity.

Related Name

test_ldap_user

Default Value**API Name**

test_ldap_user

Required

false

Enable LDAP TLS

Description

If true, attempts to establish a TLS (Transport Layer Security) connection with an LDAP server that was specified with ldap://. Not required when using an LDAP URL with prefix ldaps://, because that already specifies TLS. This option is also known as "Use StartTLS".

Related Name

use_start_tls

Default Value

true

API Name

use_start_tls

Required

false

LDAP User Filter

Description

The base filter for searching for users. For Active Directory, this is typically '(objectClass=user)'.

Related Name

user_filter

Default Value**API Name**

user_filter

Required

false

LDAP Username Attribute**Description**

The username attribute in the LDAP schema. For Active Directory, this is typically 'sAMAccountName'.

Related Name

user_name_attr

Default Value**API Name**

user_name_attr

Required

false

Suppressions**Suppress Configuration Validator: Top Banner Custom HTML****Description**

Whether to suppress configuration warnings produced by the Top Banner Custom HTML configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_banner_html

Required

true

Suppress Configuration Validator: CDH Version Validator**Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: Hue HTTP Port**Description**

Whether to suppress configuration warnings produced by the Hue HTTP Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hue_http_port

Required

true

Suppress Configuration Validator: Hue Server Advanced Configuration Snippet (Safety Valve) for impalad_flags**Description**

Whether to suppress configuration warnings produced by the Hue Server Advanced Configuration Snippet (Safety Valve) for impalad_flags configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hue_impalad_flags_safety_valve

Required

true

Suppress Configuration Validator: Hue Load Balancer Log Directory**Description**

Whether to suppress configuration warnings produced by the Hue Load Balancer Log Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hue_load_balancer_log_dir

Required

true

Suppress Configuration Validator: Load Balancer Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the Load Balancer Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hue_load_balancer_role_env_safety_valve

Required

true

Suppress Configuration Validator: Load Balancer Advanced Configuration Snippet (Safety Valve) for httpd.conf

Description

Whether to suppress configuration warnings produced by the Load Balancer Advanced Configuration Snippet (Safety Valve) for httpd.conf configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hue_load_balancer_safety_valve

Required

true

Suppress Configuration Validator: Metrics Sample File Location

Description

Whether to suppress configuration warnings produced by the Metrics Sample File Location configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hue_metrics_sample_file_location

Required

true

Suppress Configuration Validator: Hue Server Advanced Configuration Snippet (Safety Valve) for hive-site.xml

Description

Whether to suppress configuration warnings produced by the Hue Server Advanced Configuration Snippet (Safety Valve) for hive-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hue_server_hive_safety_valve

Required

true

Suppress Configuration Validator: Hue Server Advanced Configuration Snippet (Safety Valve) for hue_safety_valve_server.ini**Description**

Whether to suppress configuration warnings produced by the Hue Server Advanced Configuration Snippet (Safety Valve) for hue_safety_valve_server.ini configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hue_server_hue_safety_valve

Required

true

Suppress Configuration Validator: Hue Server Log Directory**Description**

Whether to suppress configuration warnings produced by the Hue Server Log Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hue_server_log_dir

Required

true

Suppress Configuration Validator: Jobsub Examples and Templates Directory**Description**

Whether to suppress configuration warnings produced by the Jobsub Examples and Templates Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hue_server_remote_data_dir

Required

true

Suppress Configuration Validator: Hue Server Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the Hue Server Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hue_server_role_env_safety_valve

Required

true

Suppress Configuration Validator: Hue Server Safety Valve Format Validator

Description

Whether to suppress configuration warnings produced by the Hue Server Safety Valve Format Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hue_server_safety_valve_format_validator

Required

true

Suppress Configuration Validator: Hue Server Advanced Configuration Snippet (Safety Valve) for sqoop.properties

Description

Whether to suppress configuration warnings produced by the Hue Server Advanced Configuration Snippet (Safety Valve) for sqoop.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hue_sqoop2_properties_safety_valve

Required

true

Suppress Configuration Validator: Hue TLS/SSL Validator

Description

Whether to suppress configuration warnings produced by the Hue TLS/SSL Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hue_ssl_validator

Required

true

Suppress Configuration Validator: Kerberos Ticket Renewer Log Directory

Description

Whether to suppress configuration warnings produced by the Kerberos Ticket Renewer Log Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_kt_renewer_log_dir

Required

true

Suppress Configuration Validator: Kerberos Ticket Renewer Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Kerberos Ticket Renewer Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_kt_renewer_role_env_safety_valve

Required

true

Suppress Configuration Validator: Hue Load Balancer Port

Description

Whether to suppress configuration warnings produced by the Hue Load Balancer Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_listen

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name

Default Value

	false
API Name	role_config_suppression_otelcol_receivers
Required	true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description	Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_remote_write_password
Required	true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description	Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_remote_write_url
Required	true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description	Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_remote_write_user
Required	true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description	
--------------------	--

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: Hue Load Balancer TLS/SSL Server SSLPassPhraseDialog

Description

Whether to suppress configuration warnings produced by the Hue Load Balancer TLS/SSL Server SSLPassPhraseDialog configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_passphrasefile_location

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: Role Triggers

Description

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Configuration Validator: Secret Key

Description

Whether to suppress configuration warnings produced by the Secret Key configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_secret_key

Required

true

Suppress Configuration Validator: Hue TLS/SSL Server CA Certificate (PEM Format)

Description

Whether to suppress configuration warnings produced by the Hue TLS/SSL Server CA Certificate (PEM Format) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_cacerts

Required

true

Suppress Configuration Validator: Hue TLS/SSL Server Certificate File (PEM Format)

Description

Whether to suppress configuration warnings produced by the Hue TLS/SSL Server Certificate File (PEM Format) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_certificate

Required

true

Suppress Configuration Validator: Hue Load Balancer TLS/SSL Server Private Key File (PEM Format)

Description

Whether to suppress configuration warnings produced by the Hue Load Balancer TLS/SSL Server Private Key File (PEM Format) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_certificate_key

Required

true

Suppress Configuration Validator: SSLCipherSuite

Description

Whether to suppress configuration warnings produced by the SSLCipherSuite configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_cipher_suite

Required

true

Suppress Configuration Validator: Hue TLS/SSL Server Private Key File (PEM Format)

Description

Whether to suppress configuration warnings produced by the Hue TLS/SSL Server Private Key File (PEM Format) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_private_key

Required

true

Suppress Configuration Validator: Hue TLS/SSL Private Key Password**Description**

Whether to suppress configuration warnings produced by the Hue TLS/SSL Private Key Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_private_key_password

Required

true

Suppress Configuration Validator: SSLProtocol**Description**

Whether to suppress configuration warnings produced by the SSLProtocol configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_protocol

Required

true

Suppress Parameter Validation: LDAP Search Base**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP Search Base parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_base_dn

Required

true

Suppress Parameter Validation: LDAP Bind User Distinguished Name**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP Bind User Distinguished Name parameter.

Related Name**Default Value**

	false
API Name	service_config_suppression_bind_dn
Required	true

Suppress Parameter Validation: LDAP Bind Password

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP Bind Password parameter.
Related Name	
Default Value	false
API Name	service_config_suppression_bind_password
Required	true

Suppress Parameter Validation: Blacklist

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Blacklist parameter.
Related Name	
Default Value	false
API Name	service_config_suppression_blacklist
Required	true

Suppress Parameter Validation: Hue Database Directory

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue Database Directory parameter.
Related Name	
Default Value	false
API Name	service_config_suppression_database_dir
Required	true

Suppress Parameter Validation: Database Dump File

Description	
--------------------	--

Whether to suppress configuration warnings produced by the built-in parameter validation for the Database Dump File parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_database_dump_file

Required

true

Suppress Parameter Validation: Hue Database Hostname**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue Database Hostname parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_database_host

Required

true

Suppress Parameter Validation: Hue Database Name**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue Database Name parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_database_name

Required

true

Suppress Parameter Validation: Hue Database Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue Database Password parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_database_password

Required

true

Suppress Parameter Validation: Hue Database Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue Database Port parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_database_port

Required

true

Suppress Parameter Validation: Hue Database Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue Database Username parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_database_user

Required

true

Suppress Parameter Validation: Default Site Encoding

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Default Site Encoding parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_default_site_encoding

Required

true

Suppress Parameter Validation: Default User Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Default User Group parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_default_user_group

Required

true

Suppress Parameter Validation: LDAP Group Filter

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP Group Filter parameter.

Related Name

Default Value

false

API Name

service_config_suppression_group_filter

Required

true

Suppress Parameter Validation: LDAP Group Membership Attribute

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP Group Membership Attribute parameter.

Related Name

Default Value

false

API Name

service_config_suppression_group_member_attr

Required

true

Suppress Parameter Validation: LDAP Group Name Attribute

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP Group Name Attribute parameter.

Related Name

Default Value

false

API Name

service_config_suppression_group_name_attr

Required

true

Suppress Configuration Validator: HDFS HTTPFS Usage Validator

Description

Whether to suppress configuration warnings produced by the HDFS HTTPFS Usage Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_hdfs_httpfs_present_validator

Required

true

Suppress Parameter Validation: HDFS Temporary Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS Temporary Directory parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hdfs_tmp_dir

Required

true

Suppress Parameter Validation: Hue Kerberos Credentials Cache Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue Kerberos Credentials Cache Directory parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hue_ccache_path

Required

true

Suppress Configuration Validator: HBase Thrift Usage Validator**Description**

Whether to suppress configuration warnings produced by the HBase Thrift Usage Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_hue_hbase_thrift_server_validator

Required

true

Suppress Configuration Validator: Knox Proxy Hosts validator for Hue

Description

Whether to suppress configuration warnings produced by the Knox Proxy Hosts validator for Hue configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_hue_knox_proxyhosts_validator

Required

true

Suppress Configuration Validator: Load Balancer Count Validator

Description

Whether to suppress configuration warnings produced by the Load Balancer Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_hue_load_balancer_count_validator

Required

true

Suppress Configuration Validator: Phoenix Query Server

Description

Whether to suppress configuration warnings produced by the Phoenix Query Server configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_hue_phoenix_query_server_validator

Required

true

Suppress Configuration Validator: Hue Server Count Validator

Description

Whether to suppress configuration warnings produced by the Hue Server Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_hue_server_count_validator

Required

true

Suppress Configuration Validator: Hue Service Config Safety Valve Format Validator

Description

Whether to suppress configuration warnings produced by the Hue Service Config Safety Valve Format Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_hue_service_config_safety_valve_format_validator

Required

true

Suppress Parameter Validation: Hue Service Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hue_service_env_safety_valve

Required

true

Suppress Parameter Validation: Hue Service Advanced Configuration Snippet (Safety Valve) for hue_safety_valve.ini

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue Service Advanced Configuration Snippet (Safety Valve) for hue_safety_valve.ini parameter.

Related Name

Default Value

false

API Name

service_config_suppression_hue_service_safety_valve

Required

true

Suppress Parameter Validation: HDFS Web Interface Role

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS Web Interface Role parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hue_webhdfs

Required

true

Suppress Parameter Validation: Kerberos Principal**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Principal parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_kerberos_princ_name

Required

true

Suppress Parameter Validation: Knox Proxy Hosts**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Proxy Hosts parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_knox_proxyhosts

Required

true

Suppress Configuration Validator: Kerberos Ticket Renewer Count Validator**Description**

Whether to suppress configuration warnings produced by the Kerberos Ticket Renewer Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_kt_renewer_count_validator

Required

true

Suppress Parameter Validation: LDAP Server CA Certificate

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP Server CA Certificate parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ldap_cert

Required

true

Suppress Parameter Validation: LDAP URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP URL parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ldap_url

Required

true

Suppress Parameter Validation: LDAP Username Pattern

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP Username Pattern parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ldap_username_pattern

Required

true

Suppress Parameter Validation: Active Directory Domain

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Active Directory Domain parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_nt_domain

Required

true

Suppress Parameter Validation: PAM Backend Service Name

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the PAM Backend Service Name parameter.

Related Name

Default Value

false

API Name

service_config_suppression_pam_auth_service

Required

true

Suppress Parameter Validation: System Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name

Default Value

false

API Name

service_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: System User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name

Default Value

false

API Name

service_config_suppression_process_username

Required

true

Suppress Parameter Validation: Service Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_service_triggers

Required

true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_smon_derived_configs_safety_valve

Required

true

Suppress Parameter Validation: LDAP Group Name for Test LDAP Configuration**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP Group Name for Test LDAP Configuration parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_test_ldap_group

Required

true

Suppress Parameter Validation: LDAP Username for Test LDAP Configuration**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP Username for Test LDAP Configuration parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_test_ldap_user

Required

true

Suppress Parameter Validation: Time Zone**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Time Zone parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_time_zone

Required

true

Suppress Parameter Validation: User Augmentor**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the User Augmentor parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_user_augmentor

Required

true

Suppress Parameter Validation: LDAP User Filter**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP User Filter parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_user_filter

Required

true

Suppress Parameter Validation: LDAP Username Attribute**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP Username Attribute parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_user_name_attr

Required

true

Suppress Parameter Validation: Whitelist**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Whitelist parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_whitelist

Required

true

Suppress Health Test: Hue Server Health**Description**

Whether to suppress the results of the Hue Server Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_hue_hue_servers_healthy

Required

true

Suppress Health Test: Kerberos Ticket Renewer Health**Description**

Whether to suppress the results of the Kerberos Ticket Renewer Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_hue_kt_renewers_healthy

Required

true

Suppress Health Test: Load Balancer Health**Description**

Whether to suppress the results of the Load Balancer Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

service_health_suppression_hue_load_balancer_healthy

Required

true

Iceberg Replication Properties in Cloudera Runtime 7.3.1

Role groups:

Admin Server

Advanced

Admin Server Advanced Configuration Snippet (Safety Valve) for iceberg_replication.xml

Description

For advanced use only. A string to be inserted into iceberg_replication.xml for this role only.

Related Name

Default Value

API Name

iceberg_replication.xml_role_safety_valve

Required

false

Admin Server Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name

Default Value

API Name

ICEBERG_REPLICATION_ADMINSERVER_role_env_safety_valve

Required

false

Admin Server Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j2.properties for this role only.

Related Name

Default Value**API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations**Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory

Description

When set, a SIGKILL signal is sent to the role process when `java.lang.OutOfMemoryError` is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name

Default Value

20

API Name

process_start_secs

Required

false

Logs

Admin Server Log Directory

Description

The log directory for log files of the role Admin Server.

Related Name

log_dir

Default Value

/var/log/iceberg_replication/admin_server

API Name

log_dir

Required

false

Admin Server Logging Threshold

Description

The minimum log level for Admin Server logs

Related Name

Default Value

INFO

API Name

log_threshold

Required

false

Admin Server Maximum Log File Backups

Description

The maximum number of rolled log files to keep for Admin Server logs. Typically used by log4j or logback.

Related Name

Default Value

10

API Name

max_log_backup_index

Required

false

Admin Server Max Log Size

Description

The maximum size, in megabytes, per log file for Admin Server logs. Typically used by log4j or logback.

Related Name

Default Value

200 MiB

API Name

max_log_size

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

iceberg_replication_adminserver_fd_thresholds

Required

false

Admin Server Host Health Test**Description**

When computing the overall Admin Server health, consider the host's health.

Related Name**Default Value**

true

API Name

iceberg_replication_adminserver_host_health_enabled

Required

false

Admin Server Process Health Test**Description**

Enables the health test that the Admin Server's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

iceberg_replication_adminserver_scm_health_enabled

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name

Default Value

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name

Default Value

API Name

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name

Default Value

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter

Description

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name

Default Value

API Name

`monitoring_metric_filter`

Required

`false`

OpenTelemetry Collector Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

`otelcol_exporters`

Required

`false`

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

extensions: basicauth/\$ROLE_NAME: client_auth: username:
\$ROLE_PARAM(otelcol_remote_write_user) password:
'\$ROLE_PARAM(otelcol_remote_write_password)'

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL**Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**`$INFRA(cdp_request_signer_url)`**API Name**

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username**Description**

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify `$INFRA(cdp_request_signer_username)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**`$INFRA(cdp_request_signer_username)`**API Name**

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers

Description

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name

Default Value

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name

Default Value

5 minute(s)

API Name

unexpected_exits_window

Required

false

Performance**Maximum Process File Descriptors****Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses**Admin Server Port Number****Description**

The port number on which admin server runs

Related Name

admin_server_port_number

Default Value

2288

API Name

admin_server_port_number

Required

true

Resource Management**Cgroup V1 BLKIO Weight****Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight

Description

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value

API Name

stacks_collection_directory

Required

false

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency

Description

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method

Description

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions**Suppress Parameter Validation: Admin Server Port Number****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin Server Port Number parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_admin_server_port_number

Required

true

Suppress Configuration Validator: CDH Version Validator**Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Admin Server Advanced Configuration Snippet (Safety Valve) for iceberg_replication.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin Server Advanced Configuration Snippet (Safety Valve) for iceberg_replication.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_iceberg_replication.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Admin Server Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin Server Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_iceberg_replication_adminserver_role_env_safety_valve

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Admin Server Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin Server Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Admin Server Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin Server Log Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

`role_config_suppression_otelcol_rtm_logs_service`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Service Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_service`**Required**`true`**Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_rm_custom_resources`**Required**`true`**Suppress Parameter Validation: Role Triggers****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_role_triggers`**Required**`true`**Suppress Parameter Validation: Stacks Collection Directory****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_iceberg_replication_iceberg_replication_adminserver_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_iceberg_replication_iceberg_replication_adminserver_file_descriptor

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_iceberg_replication_iceberg_replication_adminserver_host_health

Required

true

Suppress Health Test: Log Directory Free Space

Description

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_iceberg_replication_iceberg_replication_adminserver_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health

Description

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_iceberg_replication_iceberg_replication_adminserver_otelcol_health

Required

true

Suppress Health Test: Process Status

Description

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_iceberg_replication_iceberg_replication_adminserver_scm_health

Required

true

Suppress Health Test: Swap Memory Usage

Description

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_iceberg_replication_iceberg_replication_adminserver_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_iceberg_replication_iceberg_replication_adminserver_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits**Description**

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_iceberg_replication_iceberg_replication_adminserver_unexpected_exits

Required

true

Service-Wide**Advanced****Iceberg Replication Service Environment Advanced Configuration Snippet (Safety Valve)****Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

ICEBERG_REPLICATION_service_env_safety_valve

Required

false

Advanced log4j properties for "export" step of iceberg replication.**Description**

Add log4j properties that will be referred by "export" step of iceberg replication. Property added here will be appended in the log4j.properties file generated in run directory of this step.

Related Name**Default Value****API Name**

log4j_safety_valve_for_export

Required

false

Advanced log4j properties for "get checkpoint" names step of iceberg replication.**Description**

Add log4j properties that will be referred by "get checkpoint" step of iceberg replication. Property added here will be appended in the log4j.properties file generated in run directory of this step.

Related Name**Default Value****API Name**

log4j_safety_valve_for_get_checkpoint

Required

false

Advanced log4j properties for "get identity" step of iceberg replication.**Description**

Add log4j properties that will be referred by "get identity" step of iceberg replication. Property added here will be appended in the log4j.properties file generated in run directory of this step.

Related Name**Default Value****API Name**

log4j_safety_valve_for_get_identity

Required

false

Advanced log4j properties for "get table names" step of iceberg replication.**Description**

Add log4j properties that will be referred by "get table names" step of iceberg replication. Property added here will be appended in the log4j.properties file generated in run directory of this step.

Related Name**Default Value****API Name**

log4j_safety_valve_for_get_table_names

Required

false

Advanced log4j properties for "set origin" step of iceberg replication.**Description**

Add log4j properties that will be referred by "set origin" step of iceberg replication. Property added here will be appended in the log4j.properties file generated in run directory of this step.

Related Name**Default Value****API Name**

log4j_safety_valve_for_set_origin

Required

false

Advanced log4j properties for "sync" step of iceberg replication.**Description**

Add log4j properties that will be referred by "sync" step of iceberg replication. Property added here will be appended in the log4j.properties file generated in run directory of this step.

Related Name**Default Value****API Name**

log4j_safety_valve_for_sync

Required

false

Advanced log4j properties for "transfer(distcp)" step of iceberg replication.**Description**

Add log4j properties that will be referred by "transfer(distcp)" step of iceberg replication. Property added here will be appended in the log4j.properties file generated in run directory of this step.

Related Name**Default Value****API Name**

log4j_safety_valve_for_xfer

Required

false

System Group**Description**

The group that this service's processes should run as.

Related Name**Default Value**

hdfs

API Name

process_groupname

Required

true

System User

Description

The user that this service's processes should run as.

Related Name

Default Value

hdfs

API Name

process_username

Required

true

Monitoring

Enable Service Level Health Alerts

Description

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Service Triggers

Description

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

service_triggers

Required

true

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name

Default Value

API Name

smon_derived_configs_safety_valve

Required

false

Other

HDFS Service

Description

Name of the HDFS service that this Iceberg Replication service instance depends on

Related Name

Default Value

API Name

hdfs_service

Required

true

HMS Service

Description

Name of the HMS service that this Iceberg Replication service instance depends on

Related Name

Default Value

API Name

hms_service

Required

true

Iceberg Replication Cloud Data Root

Description

The root directory for cloud data

Related Name

iceberg_replication_cloud_data_root

Default Value

API Name

iceberg_replication_cloud_data_root

Required

false

Iceberg Replication Home Directory

Description

The user directory for Iceberg Replication.

Related Name

iceberg_replication_hdfs_dir

Default Value

/user/iceberg_replication

API Name

iceberg_replication_hdfs_dir

Required

true

Advanced command line options for distcp used in Iceberg Replication.

Description

Add command line option(s) to the distcp invocation of Iceberg Replication. Separate command line options with a space. These options will be appended to all distcp invocations during Iceberg Replication by all policies.

Related Name

Default Value

API Name

iceberg_replication_safety_valve_for_xfer_options

Required

false

YARN Service

Description

Name of the YARN service that this Iceberg Replication service instance depends on

Related Name

Default Value

API Name

yarn_service

Required

true

Suppressions

Suppress Configuration Validator: Admin Server Port Number

Description

Whether to suppress configuration warnings produced by the Admin Server Port Number configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_admin_server_port_number

Required

true

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: Admin Server Advanced Configuration Snippet (Safety Valve) for iceberg_replication.xml

Description

Whether to suppress configuration warnings produced by the Admin Server Advanced Configuration Snippet (Safety Valve) for iceberg_replication.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_iceberg_replication.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Admin Server Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Admin Server Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_iceberg_replication_adminserver_role_env_safety_valve

Required

true

Suppress Configuration Validator: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Configuration Validator: Admin Server Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Admin Server Logging Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Configuration Validator: Admin Server Log Directory

Description

Whether to suppress configuration warnings produced by the Admin Server Log Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Configuration Validator: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: Role Triggers

Description

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Configuration Validator: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Configuration Validator: Admin Server Count Validator

Description

Whether to suppress configuration warnings produced by the Admin Server Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_iceberg_replication_adminserver_count_validator

Required

true

Suppress Parameter Validation: Iceberg Replication Cloud Data Root

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Iceberg Replication Cloud Data Root parameter.

Related Name

Default Value

false

API Name

service_config_suppression_iceberg_replication_cloud_data_root

Required

true

Suppress Parameter Validation: Iceberg Replication Home Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Iceberg Replication Home Directory parameter.

Related Name

Default Value

false

API Name

service_config_suppression_iceberg_replication_hdfs_dir

Required

true

Suppress Parameter Validation: Advanced command line options for distcp used in Iceberg Replication.

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Advanced command line options for distcp used in Iceberg Replication. parameter.

Related Name

Default Value

false

API Name

service_config_suppression_iceberg_replication_safety_valve_for_xfer_options

Required

true

Suppress Parameter Validation: Iceberg Replication Service Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Iceberg Replication Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_iceberg_replication_service_env_safety_valve

Required

true

Suppress Parameter Validation: Advanced log4j properties for "export" step of iceberg replication.

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Advanced log4j properties for "export" step of iceberg replication. parameter.

Related Name

Default Value

false

API Name

service_config_suppression_log4j_safety_valve_for_export

Required

true

Suppress Parameter Validation: Advanced log4j properties for "get checkpoint" names step of iceberg replication.

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Advanced log4j properties for "get checkpoint" names step of iceberg replication. parameter.

Related Name

Default Value

false

API Name

service_config_suppression_log4j_safety_valve_for_get_checkpoint

Required

true

Suppress Parameter Validation: Advanced log4j properties for "get identity" step of iceberg replication.

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Advanced log4j properties for "get identity" step of iceberg replication. parameter.

Related Name

Default Value

false

API Name

service_config_suppression_log4j_safety_valve_for_get_identity

Required

true

Suppress Parameter Validation: Advanced log4j properties for "get table names" step of iceberg replication.

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Advanced log4j properties for "get table names" step of iceberg replication. parameter.

Related Name

Default Value

false

API Name

service_config_suppression_log4j_safety_valve_for_get_table_names

Required

true

Suppress Parameter Validation: Advanced log4j properties for "set origin" step of iceberg replication.

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Advanced log4j properties for "set origin" step of iceberg replication. parameter.

Related Name

Default Value

false

API Name

service_config_suppression_log4j_safety_valve_for_set_origin

Required

true

Suppress Parameter Validation: Advanced log4j properties for "sync" step of iceberg replication.

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Advanced log4j properties for "sync" step of iceberg replication. parameter.

Related Name

Default Value

false

API Name

service_config_suppression_log4j_safety_valve_for_sync

Required

true

Suppress Parameter Validation: Advanced log4j properties for "transfer(distcp)" step of iceberg replication.

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Advanced log4j properties for "transfer(distcp)" step of iceberg replication. parameter.

Related Name

Default Value

false

API Name

service_config_suppression_log4j_safety_valve_for_xfer

Required

true

Suppress Parameter Validation: System Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name

Default Value

false

API Name

service_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: System User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name

Default Value

false

API Name

`service_config_suppression_process_username`**Required**`true`**Suppress Parameter Validation: Service Triggers****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name**Default Value**`false`**API Name**`service_config_suppression_service_triggers`**Required**`true`**Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**`false`**API Name**`service_config_suppression_smon_derived_configs_safety_valve`**Required**`true`

Impala Properties in Cloudera Runtime 7.3.1

Role groups:

Impala Catalog Server

Advanced**Catalog Server Command Line Argument Advanced Configuration Snippet (Safety Valve)****Description**

For advanced use only, key-value pairs (one on each line) to be added (verbatim) to Catalog Server command line flags. Key names should begin with a hyphen(-). For example: `-log_filename=foo.log`

Related Name**Default Value****API Name**`catalogd_cmd_args_safety_valve`

Required

false

Impala Catalog Server Advanced Configuration Snippet (Safety Valve) for core-site.xml**Description**

For advanced use only. A string to be inserted into core-site.xml for this role only.

Related Name**Default Value****API Name**

catalogd_core_site_safety_valve

Required

false

Catalog Server HBase Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a string to be inserted into hbase-site.xml for this role only.

Related Name**Default Value****API Name**

catalogd_hbase_conf_safety_valve

Required

false

Catalog Server HDFS Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a string to be inserted into hdfs-site.xml for this role only.

Related Name**Default Value****API Name**

catalogd_hdfs_site_conf_safety_valve

Required

false

Catalog Server Hive Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a string to be inserted into hive-site.xml for this role only.

Related Name**Default Value****API Name**

catalogd_hive_conf_safety_valve

Required

false

Java Configuration Options for Catalog Server

Description

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or greater, {{JAVA_GC_ARGS}} will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name**Default Value****API Name**

catalogd_java_opts

Required

false

Impala Catalog Server Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

CATALOGSERVER_role_env_safety_valve

Required

false

Catalog Server Core Dump Directory

Description

Directory where the Catalog Server core dump is placed.

Related Name

core_dump_dir

Default Value

/var/log/catalogd

API Name

core_dump_dir

Required

false

Catalog Server Hive Metastore Connection Retries

Description

Number of retry attempts the Catalog Server will make when connecting to the Hive Metastore Server. By default, the Catalog Server waits one second between retries.

Related Name

hive.metastore.connect.retries

Default Value

5

API Name

hive_metastore_connect_retries

Required

false

Catalog Server Hive Metastore Connection Timeout**Description**

Timeout for requests to the Hive Metastore Server from Catalog Server. Consider increasing this if you have tables with a lot of metadata and see timeout errors.

Related Name

hive.metastore.client.socket.timeout

Default Value

1 hour(s)

API Name

hive_metastore_timeout

Required

false

Metastore Notification Polling Interval**Description**

The value of this configuration determines the interval with which the Catalog Server fetches new notifications from Hive Metastore. The feature is disabled when it is set to 0.

Related Name

hms_event_polling_interval_s

Default Value

2 second(s)

API Name

hms_event_polling_interval_s

Required

false

Load Catalog in Background**Description**

If true, loads catalog metadata in the background. If false, metadata is loaded lazily (on access). Only effective in CDH 5 and Impala 1.2.4 and higher.

Related Name

load_catalog_in_background

Default Value

false

API Name

load_catalog_in_background

Required

false

Catalog Server Max Breakpad Dump Files**Description**

Maximum number of Breakpad dump files stored by Catalog Server Role.

Related Name

max_minidumps

Default Value

9

API Name

max_minidumps

Required

false

Enable auto refresh for metric configurations**Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Catalog Server Breakpad Dump Directory**Description**

Directory for storing Catalog Server Breakpad dumps.

Related Name

minidump_path

Default Value

/var/log/impala-minidumps

API Name

minidump_path

Required

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory

Description

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name

Default Value

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory

Description

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name

Default Value

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name

Default Value

true

API Name

process_auto_restart

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from

publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Logs

Catalog Server Log Directory

Description

Directory where Catalog Server will place its log files.

Related Name

log_dir

Default Value

/var/log/catalogd

API Name

log_dir

Required

false

Impala Catalog Server Logging Threshold

Description

The minimum log level for Impala Catalog Server logs

Related Name

Default Value

INFO

API Name

log_threshold

Required

false

Catalog Server Verbose Log Level

Description

Verbose logging level for the GLog logger. These messages are always logged at 'INFO' log level, so this setting has no effect if Logging Threshold is set to 'WARN' or above.

Related Name

GLOG_v

Default Value

1

API Name

log_verbose_level

Required

false

Catalog Server Log Buffer Level

Description

Buffer log messages logged at this level or lower (-1 means don't buffer; 0 means buffer INFO only; 1 means buffer WARNING only, ...)

Related Name

logbuflevel

Default Value

0

API Name

logbuflevel

Required

false

Catalog Server Maximum Log Files

Description

The number of log files that are kept for each severity level before all older log files are removed. The number has to be greater than 1 to keep at least the current log file open. If set to 0, all log files are retained and log rotation is effectively disabled.

Related Name

max_log_files

Default Value

10

API Name

max_log_files

Required

false

Impala Catalog Server Max Log Size**Description**

The maximum size, in megabytes, per log file for Impala Catalog Server logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring**Catalog Server Connectivity Health Test****Description**

Enables the health test that verifies the Catalog Server is connected to the StateStore

Related Name**Default Value**

true

API Name

catalogserver_connectivity_health_enabled

Required

false

Catalog Server Connectivity Tolerance at Startup**Description**

The amount of time to wait for the Catalog Server to fully start up and connect to the StateStore before enforcing the connectivity check.

Related Name**Default Value**

3 minute(s)

API Name

catalogserver_connectivity_tolerance

Required

false

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name

Default Value

Warning: 50.0 %, Critical: 70.0 %

API Name

catalogserver_fd_thresholds

Required

false

Impala Catalog Server Host Health Test

Description

When computing the overall Impala Catalog Server health, consider the host's health.

Related Name

Default Value

true

API Name

catalogserver_host_health_enabled

Required

false

Impala Catalog Server Process Health Test

Description

Enables the health test that the Impala Catalog Server's process state is consistent with the role configuration

Related Name

Default Value

true

API Name

catalogserver_scm_health_enabled

Required

false

Health Test Startup Tolerance

Description

The amount of time allowed after this role is started that failures of health tests that rely on communication with this role will be tolerated.

Related Name

Default Value

5 minute(s)

API Name

catalogserver_startup_tolerance

Required

false

Web Metric Collection

Description

Enables the health test that the Cloudera Manager Agent can successfully contact and gather metrics from the web server.

Related Name

Default Value

true

API Name

catalogserver_web_metric_collection_enabled

Required

false

Web Metric Collection Duration

Description

The health test thresholds on the duration of the metrics request to the web server.

Related Name

Default Value

Warning: 10 second(s), Critical: Never

API Name

catalogserver_web_metric_collection_thresholds

Required

false

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML**Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Navigator Audit Failure Thresholds**Description**

The health test thresholds for failures encountered when monitoring audits within a recent period specified by the `mgmt_navigator_failure_window` configuration for the role. The value that can be specified for this threshold is the number of bytes of audits data that is left to be sent to audit server.

Related Name

mgmt.navigator.failure.thresholds

Default Value

Warning: Never, Critical: Any

API Name

mgmt_navigator_failure_thresholds

Required

false

Monitoring Period For Audit Failures**Description**

The period to review when checking if audits are blocked and not getting processed.

Related Name

mgmt.navigator.failure.window

Default Value

20 minute(s)

API Name

mgmt_navigator_failure_window

Required

false

Navigator Audit Pipeline Health Check**Description**

Enable test of audit events processing pipeline. This will test if audit events are not getting processed by Audit Server for a role that generates audit.

Related Name

mgmt.navigator.status.check.enabled

Default Value

true

API Name

mgmt_navigator_status_check_enabled

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior).For example, the following

configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name**Default Value****API Name**

`monitoring_metric_filter`

Required

`false`

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

`exporters: prometheusremotewrite/$ROLE_NAME: endpoint: $ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls: insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s max_elapsed_time: 300s`

API Name

`otelcol_exporters`

Required

`false`

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

`extensions: basicauth/$ROLE_NAME: client_auth: username: $ROLE_PARAM(otelcol_remote_write_user) password: '$ROLE_PARAM(otelcol_remote_write_password)' spnegoauth/$ROLE_NAME: enabled: $ROLE_BOOLEAN_PARAM(hadoop_secure_web_ui, true, false) realm: '$KRB_REALM' principal: 'HTTP/$HOST_NAME' krb5_conf_path: '$KRB_CONF_PATH' keytab_path: $TARGET_PROC_DIR/impala.keytab http_forwarder/$ROLE_NAME: ingress: endpoint: localhost:$ROLE_PARAM(otelcol_helper_port) egress: endpoint: $ROLE_BOOLEAN_PARAM(client_services_ssl_enabled, https, http)://$HOST_NAME: $ROLE_PARAM(catalogserver_webserver_port)/ auth: authenticator: spnegoauth/$ROLE_NAME tls: insecure_skip_verify: true headers: otel_http_forwarder: dev timeout: 5s`

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value**

11151

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
processors: filter/$ROLE_NAME: metrics: include: match_type: strict metric_names: -
impala_rpc_method_catalog_server_CatalogService_GetPartialCatalogObject_call_duration
- impala_thrift_server_CatalogService_svc_thread_wait_time -
impala_thrift_server_CatalogService_connection_setup_time -
impala_thrift_server_CatalogService_timedout_cnxn_requests -
impala_statestore_subscriber_statestore_client_cache_clients_in_use -
impala_tcmalloc_pageheap_unmapped_bytes - impala_tcmalloc_pageheap_free_bytes
- impala_jvm_heap_committed_usage_bytes - impala_jvm_heap_current_usage_bytes
- impala_jvm_heap_init_usage_bytes - impala_jvm_heap_max_usage_bytes -
impala_statestore_subscriber_heartbeat_interval_time_total
```

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

```
receivers: prometheus/$ROLE_NAME: config: scrape_configs: - job_name: 'DMP-
$ROLE_NAME' scrape_interval: 60s scheme: http metrics_path: '/metrics_prometheus'
tls_config: insecure_skip_verify: true static_configs: - targets: ['localhost:
$ROLE_PARAM(otelcol_helper_port)'] labels: host_name: $HOST_NAME cm_cluster_id:
$CLUSTER_ID service_type: $SERVICE_TYPE service: $SERVICE_NAME role_type:
$ROLE_TYPE role_name: $ROLE_NAME instance: $INFRA(instance_id) cluster_id:
$INFRA(cluster_id) platform: $INFRA(platform) formfactor: paas-vm relabel_configs: -
source_labels: [cluster_id] regex: 'crn:cdp:([^\:]+):.*' replacement: '$$1' target_label: app_type
action: replace
```

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name

Default Value

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings

using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

service: pipelines: metrics/\$ROLE_NAME: receivers: [prometheus/\$ROLE_NAME] processors: [filter/\$ROLE_NAME] exporters: [prometheusremotewrite/\$ROLE_NAME]

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

true

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Resident Set Size Thresholds**Description**

The health test thresholds on the resident size of the process.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_resident_set_size_thresholds

Required

false

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window

Description

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds

Description

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers

Description

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=\$ROLENAM and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}] See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Enable Spool Directory Metric Usage for Impala Catalog Server

Description

Enables the health test for monitoring the Ranger Plugin Spool directory usage.

Related Name

Default Value

true

API Name

spool_directory_usage_enabled

Required

false

Ranger Plugin Spool Directory Usage Thresholds for Impala Catalog Server

Description

The health test thresholds for monitoring the the Ranger Plugin Spool directory usage.

Related Name

Default Value

1 GiB

API Name

spool_directory_usage_threshold

Required

false

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name

Default Value

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name

Default Value

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other**Enable Catalog Server Web Server****Description**

Enable/Disable Catalog Server web server. This web server contains useful information about Catalog Server daemon.

Related Name

enable_webserver

Default Value

true

API Name

catalogd_enable_webserver

Required

false

Force the Catalog Server active**Description**

Force the Catalog Server to be always active under HA mode if it is online.

Related Name

force_catalogd_active

Default Value

false

API Name

force_catalogd_active

Required

false

Performance**Maximum Process File Descriptors****Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses

Catalog Server Service Port

Description

Port where Catalog Server is exported.

Related Name

catalog_service_port

Default Value

26000

API Name

catalog_service_port

Required

false

Catalog Server HTTP Server Port

Description

Port where Catalog Server debug web server runs.

Related Name

webservice_port

Default Value

25020

API Name

catalogserver_webservice_port

Required

false

Resource Management

Java Heap Size of Catalog Server in Bytes

Description

Maximum size in bytes for the Java Process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

4 GiB

API Name

catalogd_embedded_jvm_heapsize

Required

false

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/

O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security**Catalog Server Webserver TLS/SSL Server Certificate File (PEM Format)****Description**

The path to the TLS/SSL file containing the server certificate key used for TLS/SSL. Used when Catalog Server Webserver is acting as a TLS/SSL server. The certificate file must be in PEM format.

Related Name

webservice_certificate_file

Default Value**API Name**

webservice_certificate_file

Required

false

Catalog Server Web Server User Password**Description**

Password for Catalog Server web server authentication.

Related Name

webservice_htpasswd_password

Default Value**API Name**

webservice_htpasswd_password

Required

false

Catalog Server Web Server Username**Description**

Username for Catalog Server web server authentication.

Related Name

webservice_htpasswd_user

Default Value**API Name**

webservice_htpasswd_user

Required

false

Catalog Server Webserver TLS/SSL Server Private Key File (PEM Format)**Description**

The path to the TLS/SSL file containing the private key used for TLS/SSL. Used when Catalog Server Webserver is acting as a TLS/SSL server. The certificate file must be in PEM format.

Related Name

webservice_private_key_file

Default Value**API Name**

webservice_private_key_file

Required

false

Catalog Server Webserver TLS/SSL Private Key Password

Description

The password for the private key in the Catalog Server Webserver TLS/SSL Server Certificate and Private Key file. If left blank, the private key is not protected by a password.

Related Name

webserver_private_key_password_cmd

Default Value**API Name**

webserver_private_key_password_cmd

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions**Suppress Parameter Validation: Catalog Server Service Port****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Catalog Server Service Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_catalog_service_port

Required

true

Suppress Parameter Validation: Catalog Server Command Line Argument Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Catalog Server Command Line Argument Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_catalogd_cmd_args_safety_valve

Required

true

Suppress Parameter Validation: Impala Catalog Server Advanced Configuration Snippet (Safety Valve) for core-site.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Catalog Server Advanced Configuration Snippet (Safety Valve) for core-site.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_catalogd_core_site_safety_valve

Required

true

Suppress Parameter Validation: Catalog Server HBase Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Catalog Server HBase Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_catalogd_hbase_conf_safety_valve

Required

true

Suppress Parameter Validation: Catalog Server HDFS Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Catalog Server HDFS Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_catalogd_hdfs_site_conf_safety_valve

Required

true

Suppress Parameter Validation: Catalog Server Hive Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Catalog Server Hive Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_catalogd_hive_conf_safety_valve

Required

true

Suppress Parameter Validation: Java Configuration Options for Catalog Server

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for Catalog Server parameter.

Related Name

Default Value

false

API Name

role_config_suppression_catalogd_java_opts

Required

true

Suppress Parameter Validation: Impala Catalog Server Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Catalog Server Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_catalogserver_role_env_safety_valve

Required

true

Suppress Parameter Validation: Catalog Server HTTP Server Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Catalog Server HTTP Server Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_catalogserver_webserver_port

Required

true

Suppress Configuration Validator: CDH Version Validator**Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Catalog Server Core Dump Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Catalog Server Core Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_core_dump_dir

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name
role_config_suppression_jmx_exporter_yaml

Required
true

Suppress Parameter Validation: Catalog Server Log Directory

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Catalog Server Log Directory parameter.

Related Name

Default Value
false

API Name
role_config_suppression_log_dir

Required
true

Suppress Parameter Validation: Catalog Server Breakpad Dump Directory

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Catalog Server Breakpad Dump Directory parameter.

Related Name

Default Value
false

API Name
role_config_suppression_minidump_path

Required
true

Suppress Parameter Validation: Heap Dump Directory

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value
false

API Name
role_config_suppression_oom_heap_dump_dir

Required
true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Parameter Validation: Catalog Server Webserver TLS/SSL Server Certificate File (PEM Format)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Catalog Server Webserver TLS/SSL Server Certificate File (PEM Format) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_webserver_certificate_file

Required

true

Suppress Parameter Validation: Catalog Server Web Server User Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Catalog Server Web Server User Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_webserver_htpassword_password

Required

true

Suppress Parameter Validation: Catalog Server Web Server Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Catalog Server Web Server Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_webserver_htpassword_user

Required

true

Suppress Parameter Validation: Catalog Server Webserver TLS/SSL Server Private Key File (PEM Format)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Catalog Server Webserver TLS/SSL Server Private Key File (PEM Format) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_webserver_private_key_file

Required

true

Suppress Parameter Validation: Catalog Server Webserver TLS/SSL Private Key Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Catalog Server Webserver TLS/SSL Private Key Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_webserver_private_key_password_cmd

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_catalogserver_audit_health

Required

true

Suppress Health Test: StateStore Connectivity**Description**

Whether to suppress the results of the StateStore Connectivity health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_catalogserver_connectivity

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_catalogserver_file_descriptor

Required

true

Suppress Health Test: Heap Dump Directory Free Space**Description**

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_catalogserver_heap_dump_directory_free_space

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_catalogserver_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_catalogserver_log_directory_free_space

Required

true

Suppress Health Test: Resident Set Size**Description**

Whether to suppress the results of the Resident Set Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_catalogserver_memory_rss_health

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_catalogserver_otelcol_health

Required

true

Suppress Health Test: Ranger Plugin Hdfs Spool Directory Size**Description**

Whether to suppress the results of the Ranger Plugin Hdfs Spool Directory Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_catalogserver_ranger_plugin_hdfs_spool_directory_size_health

Required

true

Suppress Health Test: Ranger Plugin Solr Spool Directory Size**Description**

Whether to suppress the results of the Ranger Plugin Solr Spool Directory Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_catalogserver_ranger_plugin_solr_spool_directory_size_health

Required

true

Suppress Health Test: Process Status

Description

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_catalogserver_scm_health

Required

true

Suppress Health Test: Swap Memory Usage

Description

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_catalogserver_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_catalogserver_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_catalogserver_unexpected_exits

Required

true

Suppress Health Test: Web Server Status**Description**

Whether to suppress the results of the Web Server Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_catalogserver_web_metric_collection

Required

true

Impala Daemon**Advanced****Abort on Config Error****Description**

Abort Impala startup if there are improper configs or running on unsupported hardware.

Related Name

abort_on_config_error

Default Value

true

API Name

abort_on_config_error

Required

false

Impala Daemon Core Dump Directory**Description**

Directory where an Impala Daemon core dump is placed.

Related Name

core_dump_dir

Default Value

/var/log/impalad

API Name

core_dump_dir

Required

false

Impala Daemon Max Client Connections**Description**

Maximum number of concurrent client connections allowed. This determines how many queries can run simultaneously. When more clients try to connect to Impala than the value of this setting, the later arriving clients have to wait until previous clients disconnect. Setting this value too high could negatively impact query latency.

Related Name

fe_service_threads

Default Value

64

API Name

fe_service_threads

Required

false

Impala Daemon Hive Metastore Connection Retries**Description**

Number of retry attempts the Impala Daemon will make when connecting to the Hive Metastore Server. By default, the Impala Daemon waits one second between retries.

Related Name

hive.metastore.connect.retries

Default Value

5

API Name

hive_metastore_connect_retries

Required

false

Impala Daemon Hive Metastore Connection Timeout**Description**

Timeout for requests to the Hive Metastore Server from Impala. Consider increasing this if you have tables with a lot of metadata and see timeout errors.

Related Name

hive.metastore.client.socket.timeout

Default Value

1 hour(s)

API Name

hive_metastore_timeout

Required

false

Impala Daemon HDFS Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a string to be inserted into hdfs-site.xml for this role only.

Related Name**Default Value****API Name**

impala_hdfs_site_conf_safety_valve

Required

false

Impala Daemon Hive Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a string to be inserted into hive-site.xml for this role only.

Related Name**Default Value****API Name**

impala_hive_conf_safety_valve

Required

false

Impala Daemon Llama Site Advanced Configuration Snippet (Safety Valve)**Description**

An XML snippet to append to llama-site.xml for Impala Daemons. This configuration only has effect on Impala versions 1.3 or greater.

Related Name**Default Value****API Name**

impala_llama_site_conf_safety_valve

Required

false

Impala Daemon Command Line Argument Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be added (verbatim) to Impala Daemon command-line flags. Key names should begin with a hyphen(-). For example: -log_filename=foo.log

Related Name**Default Value****API Name**

impalad_cmd_args_safety_valve

Required

false

Impala Daemon Advanced Configuration Snippet (Safety Valve) for core-site.xml**Description**

For advanced use only. A string to be inserted into core-site.xml for this role only.

Related Name**Default Value****API Name**

impalad_core_site_safety_valve

Required

false

Java Configuration Options for Impala Daemon

Description

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or greater, {{JAVA_GC_ARGS}} will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name

Impala Daemon Java Options

Default Value**API Name**

impalad_embedded_java_opts

Required

false

Impala Daemon Fair Scheduler Advanced Configuration Snippet (Safety Valve)

Description

An XML string to use verbatim for the contents of fair-scheduler.xml for Impala Daemons. This configuration only has effect on Impala versions 1.3 or greater.

Related Name**Default Value****API Name**

impalad_fair_scheduler_safety_valve

Required

false

Impala Daemon HBase Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into hbase-site.xml for this role only.

Related Name**Default Value****API Name**

impalad_hbase_conf_safety_valve

Required

false

Result Cache Maximum Size

Description

Maximum number of query results a client may request to be cached on a per-query basis to support restarting fetches. This option guards against unreasonably large result caches requested by clients. Requests exceeding this maximum will be rejected.

Related Name

max_result_cache_size

Default Value

100000

API Name

impalad_result_cache_max_size

Required

false

Impala Daemon Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

IMPALAD_role_env_safety_valve

Required

false

Llama Maximum Request Attempts

Description

Maximum number of times a request to reserve, expand, or release resources is attempted until the request is cancelled.

Related Name

llama_max_request_attempts

Default Value

5

API Name

llama_max_request_attempts

Required

false

Llama Registration Timeout Seconds

Description

Maximum number of seconds that Impala attempts to register or re-register with Llama. If registration is unsuccessful, Impala cancels the action with an error, which could result in an impalad startup failure or a cancelled query. A setting of -1 seconds means try indefinitely.

Related Name

llama_registration_timeout_secs

Default Value

30 second(s)

API Name

llama_registration_timeout_secs

Required

false

Llama Registration Wait Seconds

Description

Number of seconds to wait between attempts during Llama registration.

Related Name

llama_registration_wait_secs

Default Value

3 second(s)

API Name

llama_registration_wait_secs

Required

false

Impala Daemon Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name

Default Value

API Name

log4j_safety_valve

Required

false

Impala Daemon Max Breakpad Dump Files

Description

Maximum number of Breakpad dump files stored by Impala Daemon Role.

Related Name

max_minidumps

Default Value

9

API Name

max_minidumps

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Impala Daemon Breakpad Dump Directory

Description

Directory for storing Impala Daemon Breakpad dumps.

Related Name

minidump_path

Default Value

/var/log/impala-minidumps

API Name

minidump_path

Required

false

Heap Dump Directory

Description

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory

Description

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

true

API Name

process_auto_restart

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Logs**Impala Daemon Audit Log Directory****Description**

The directory in which Impala daemon audit event log files are written. If "Impala Audit Event Generation" property is enabled, Impala will generate its audit logs in this directory.

Related Name

audit_event_log_dir

Default Value

/var/log/impalad/audit

API Name

audit_event_log_dir

Required

true

Enable Impala Audit Event Generation**Description**

Enables audit event generation by Impala daemons. The audit log file will be placed in the directory specified by 'Impala Daemon Audit Log Directory' parameter.

Related Name

enable_audit_event_log

Default Value

	false
API Name	enable_audit_event_log
Required	false

Enable Impala Lineage Generation

Description	Enables lineage generation by Impala daemons. The lineage log file is placed in the directory specified by the 'Impala Daemon Lineage Log Directory' parameter.
Related Name	enable_lineage_log
Default Value	true
API Name	enable_lineage_log
Required	false

Impala Daemon Lineage Log Directory

Description	The directory in which Impala daemon lineage log files are written. If "Impala Lineage Generation" property is enabled, Impala generates its lineage logs in this directory.
Related Name	lineage_event_log_dir
Default Value	/var/log/impalad/lineage
API Name	lineage_event_log_dir
Required	true

Impala Daemon Log Directory

Description	Directory where Impala Daemon will place its log files.
Related Name	log_dir
Default Value	/var/log/impalad
API Name	log_dir
Required	false

Impala Daemon Logging Threshold

Description

The minimum log level for Impala Daemon logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Impala Daemon Verbose Log Level

Description

Verbose logging level for the GLog logger. These messages are always logged at 'INFO' log level, so this setting has no effect if Logging Threshold is set to 'WARN' or above.

Related Name

GLOG_v

Default Value

1

API Name

log_verbose_level

Required

false

Impala Daemon Log Buffer Level

Description

Buffer log messages logged at this level or lower (-1 means don't buffer; 0 means buffer INFO only; 1 means buffer WARNING only, ...)

Related Name

logbuflevel

Default Value

0

API Name

logbuflevel

Required

false

Impala Daemon Maximum Audit Log File Size

Description

The maximum size (in queries) of the Impala Daemon audit event log file before a new one is created.

Related Name

max_audit_event_log_file_size

Default Value

5000 line(s)

API Name

max_audit_event_log_file_size

Required

false

Impala Daemon Maximum Lineage Log File Size**Description**

The maximum size (in entries) of the Impala daemon lineage log file before a new one is created.

Related Name

max_lineage_log_file_size

Default Value

5000 line(s)

API Name

max_lineage_log_file_size

Required

false

Impala Maximum Log Files**Description**

The number of log files that are kept for each severity level before all older log files are removed. The number has to be greater than 1 to keep at least the current log file open. If set to 0, all log files are retained and log rotation is effectively disabled.

Related Name

max_log_files

Default Value

10

API Name

max_log_files

Required

false

Impala Daemon Max Log Size**Description**

The maximum size, in megabytes, per log file for Impala Daemon logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Query Monitoring Timeout

Description

The timeout used by the Cloudera Manager Agent's query monitor when communicating with the Impala Daemon web server, specified in seconds.

Related Name**Default Value**

15.0 second(s)

API Name

executing_queries_timeout_seconds

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

Query Monitoring Failures Thresholds**Description**

The health test thresholds for failures encountered when monitoring queries within a recent period specified by the impala_query_monitoring_failure_window configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

impala_query_monitoring_failure_thresholds

Required

false

Monitoring Period For Query Monitoring Failures**Description**

The period to review when computing query monitoring failures.

Related Name**Default Value**

5 minute(s)

API Name

impala_query_monitoring_failure_window

Required

false

Impala Daemon Query Collection Status Health Check**Description**

Enables the health check that determines if query collection for the Impala Daemon is successful.

Related Name

Default Value

true

API Name

impala_query_monitoring_status_check_enabled

Required

false

Impala Daemon Connectivity Health Test

Description

Enables the health test that verifies the Impala Daemon is connected to the StateStore.

Related Name

Default Value

true

API Name

impalad_connectivity_health_enabled

Required

false

Impala Daemon Connectivity Tolerance at Startup

Description

The amount of time to wait for the Impala Daemon to fully start up and connect to the StateStore before enforcing the connectivity check.

Related Name

Default Value

3 minute(s)

API Name

impalad_connectivity_tolerance

Required

false

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name

Default Value

Warning: 50.0 %, Critical: 70.0 %

API Name

impalad_fd_thresholds

Required

false

Impala Daemon Concurrent Client Connections Monitoring Percentage Thresholds

Description

The health check thresholds for monitoring of the number of concurrent client connections to Impala Daemon. Specified as a percentage of the maximum client connections parameter.

Related Name**Default Value**

Warning: 80.0 %, Critical: 95.0 %

API Name

impalad_frontend_connections_thresholds

Required

false

Impala Daemon Host Health Test**Description**

When computing the overall Impala Daemon health, consider the host's health.

Related Name**Default Value**

true

API Name

impalad_host_health_enabled

Required

false

Pause Duration Thresholds**Description**

The health test thresholds for the weighted average extra time the pause monitor spent paused. Specified as a percentage of elapsed wall clock time.

Related Name**Default Value**

Warning: 30.0, Critical: 60.0

API Name

impalad_pause_duration_thresholds

Required

false

Pause Duration Monitoring Period**Description**

The period to review when computing the moving average of extra time the pause monitor spent paused.

Related Name**Default Value**

5 minute(s)

API Name

impalad_pause_duration_window

Required

false

Impala Daemon Ready Status Health Check

Description

Enables the health check that determines if the Impala daemon is ready to process queries.

Related Name**Default Value**

true

API Name

impalad_ready_status_check_enabled

Required

false

Impala Daemon Ready Status Startup Tolerance

Description

The amount of time at Impala Daemon startup allowed for the Impala Daemon to start accepting new queries for processing.

Related Name**Default Value**

3 minute(s)

API Name

impalad_ready_status_check_startup_tolerance

Required

false

Impala Daemon Process Health Test

Description

Enables the health test that the Impala Daemon's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

impalad_scm_health_enabled

Required

false

Impala Daemon Scratch Directories Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's Impala Daemon Scratch Directories.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

impalad_scratch_directories_free_space_absolute_thresholds

Required

false

Impala Daemon Scratch Directories Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's Impala Daemon Scratch Directories. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Impala Daemon Scratch Directories Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

impalad_scratch_directories_free_space_percentage_thresholds

Required

false

Web Metric Collection**Description**

Enables the health test that the Cloudera Manager Agent can successfully contact and gather metrics from the web server.

Related Name**Default Value**

true

API Name

impalad_web_metric_collection_enabled

Required

false

Web Metric Collection Duration**Description**

The health test thresholds on the duration of the metrics request to the web server.

Related Name**Default Value**

Warning: 10 second(s), Critical: Never

API Name

impalad_web_metric_collection_thresholds

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML**Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Navigator Audit Failure Thresholds

Description

The health test thresholds for failures encountered when monitoring audits within a recent period specified by the `mgmt_navigator_failure_window` configuration for the role. The value that can be specified for this threshold is the number of bytes of audits data that is left to be sent to audit server.

Related Name

`mgmt.navigator.failure.thresholds`

Default Value

Warning: Never, Critical: Any

API Name

`mgmt_navigator_failure_thresholds`

Required

false

Monitoring Period For Audit Failures

Description

The period to review when checking if audits are blocked and not getting processed.

Related Name

`mgmt.navigator.failure.window`

Default Value

20 minute(s)

API Name

`mgmt_navigator_failure_window`

Required

false

Navigator Audit Pipeline Health Check

Description

Enable test of audit events processing pipeline. This will test if audit events are not getting processed by Audit Server for a role that generates audit.

Related Name

`mgmt.navigator.status.check.enabled`

Default Value

true

API Name

`mgmt_navigator_status_check_enabled`

Required

false

Metric Filter

Description

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.

- **Default Dashboard Metric Set** - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- **Include/Exclude Custom Metrics** - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- **Metric Name** - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- **Include only Health Test Metric Set:** Selected.
- **Include/Exclude Custom Metrics:** Set to Include.
- **Metric Name:** `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name

Default Value

API Name

`monitoring_metric_filter`

Required

`false`

OpenTelemetry Collector Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

`otelcol_exporters`

Required

`false`

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```

extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)' spnegoauth/$ROLE_NAME:
enabled: $ROLE_BOOLEAN_PARAM(hadoop_secure_web_ui, true, false) realm:
'$KRB_REALM' principal: 'HTTP/$HOST_NAME' krb5_conf_path: '$KRB_CONF_PATH'
keytab_path: $TARGET_PROC_DIR/impala.keytab http_forwarder/$ROLE_NAME:
ingress: endpoint: localhost:$ROLE_PARAM(otelcol_helper_port) egress: endpoint:
$ROLE_BOOLEAN_PARAM(client_services_ssl_enabled, https, http)://$HOST_NAME:
$ROLE_PARAM(impalad_webserver_port)/ auth: authenticator: spnegoauth/$ROLE_NAME tls:
insecure_skip_verify: true headers: otel_http_forwarder: dev timeout: 5s

```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value

11150

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```

processors: filter/$ROLE_NAME: metrics: include: match_type: strict metric_names: -
impala_tmp_file_mgr_active_scratch_dirs - impala_thread_manager_running_threads -
impala_catalog_cache_average_load_time - impala_catalog_cache_load_exception_rate -
impala_thrift_server_beeswax_frontend_timedout_cnxn_requests - impala_server_num_queries
- impala_server_num_fragments - impala_server_scan_ranges_num_missing_volume_id
- impala_thrift_server_beeswax_frontend_connections_in_use -
impala_thrift_server_hiveserver2_frontend_connections_in_use -
impala_tcmalloc_pageheap_unmapped_bytes - impala_tcmalloc_pageheap_free_bytes -
impala_buffer_pool_limit - impala_buffer_pool_system_allocated - impala_buffer_pool_reserved
- impala_buffer_pool_free_buffers - impala_buffer_pool_free_buffer_bytes -
impala_buffer_pool_clean_pages - impala_buffer_pool_clean_page_bytes -
impala_memory_total_used - impala_memory_num_maps - impala_memory_mapped_bytes
- impala_memory_rss - impala_memory_anon_huge_page_bytes -
impala_jvm_heap_committed_usage_bytes - impala_jvm_heap_current_usage_bytes
- impala_jvm_heap_init_usage_bytes - impala_jvm_heap_max_usage_bytes -
impala_jvm_gc_time_millis - impala_jvm_gc_total_extra_sleep_time_millis
- impala_server_hedged_read_ops - impala_server_hedged_read_ops_win

```

- impala_rpc_impala_DataStreamService_rpcs_queue_overflow
 - impala_mem_tracker_DataStreamService_current_usage_bytes
 - impala_mem_tracker_DataStreamService_peak_usage_bytes -
 impala_server_num_fragments_in_flight - impala_server_num_queries_registered -
 impala_statestore_subscriber_heartbeat_interval_time_total

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

```
receivers: prometheus/$ROLE_NAME: config: scrape_configs: - job_name: 'DMP-
$ROLE_NAME' scrape_interval: 60s scheme: http metrics_path: '/metrics_prometheus'
tls_config: insecure_skip_verify: true static_configs: - targets: ['localhost:
$ROLE_PARAM(otelcol_helper_port)'] labels: host_name: $HOST_NAME cm_cluster_id:
$CLUSTER_ID service_type: $SERVICE_TYPE service: $SERVICE_NAME role_type:
$ROLE_TYPE role_name: $ROLE_NAME instance: $INFRA(instance_id) cluster_id:
$INFRA(cluster_id) platform: $INFRA(platform) formfactor: paas-vm relabel_configs: -
source_labels: [cluster_id] regex: 'crn:cdp:([^:]+):.*' replacement: '$$1' target_label: app_type
action: replace
```

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name

Default Value

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL**Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username**Description**

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: dbus/$ROLE_NAME: endpoint: '$DBUS_ENDPOINT'
cloudprovider_name: '$DBUS_HEADER_PARAM(cloudprovider_name)'
cloudprovider_region: '$DBUS_HEADER_PARAM(cloudprovider_region)'
cluster_display_name: '$DBUS_HEADER_PARAM(cluster_display_name)'
cluster_id: '$CLUSTER_ID' cm_version: '$DBUS_HEADER_PARAM(cm_version)'
data_service_type: '$DBUS_HEADER_PARAM(data_service_type)'
datahub_resource_crn: '$DBUS_HEADER_PARAM(datahub_crn)'
datalake_crn: '$DBUS_HEADER_PARAM(datalake_crn)' environment_crn:
'$DBUS_HEADER_PARAM(environment_crn)' environment_name:
'$DBUS_HEADER_PARAM(environment_name)' partition_key: '$CLUSTER_ID' sd_x_id:
'$DBUS_HEADER_PARAM(sd_x_id)' sd_x_name: '$DBUS_HEADER_PARAM(sd_x_name)'
```

```
stream_name: 'RealTimeMonitoringData' time_zone: '$DBUS_HEADER_PARAM(time_zone)'
exporter_timeout: timeout: '45s' retry_on_failure: enabled: false auth: authenticator: cdpath/dbus-
$ROLE_NAME
```

API Name

```
otelcol_rtm_logs_exporters
```

Required

```
false
```

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: cdpath/dbus-$ROLE_NAME: cdp_access_key_id: '$CDP_ACCESS_KEY_ID'
send_token: true token_valid_for_sec: 3600 cdp_private_key: '$CDP_PRIVATE_KEY'
cdp_authentication_method: 'rsavl' spnegoauth/$ROLE_NAME: enabled:
$ROLE_BOOLEAN_PARAM(hadoop_secure_web_ui, true, false) realm: '$KRB_REALM'
principal: 'HTTP/$HOST_NAME' krb5_conf_path: '$KRB_CONF_PATH' keytab_path:
$TARGET_PROC_DIR/impala.keytab
```

API Name

```
otelcol_rtm_logs_extensions
```

Required

```
false
```

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
processors: clouderalogredactor/$ROLE_NAME: redaction_rules_json_file_path:
$TARGET_PROC_DIR/redaction-rules.json
```

API Name

```
otelcol_rtm_logs_processors
```

Required

```
false
```

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

receivers: impalareceiver/\$ROLE_NAME: max_response_size_bytes: 5242880 scraper:
collection_interval: 60s timeout: 45s http: endpoint: '\$SSL_PARAM(http_or_https)://
\$HOST_NAME:\$ROLE_PARAM(impalad_webserver_port)' tls: ca_file:
\$SSL_PARAM(ssl_client_ca_certificate) insecure_skip_verify: true auth: authenticator:
spnegoauth/\$ROLE_NAME

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards.
Variable substitution available, see the receivers' help.

Related Name

Default Value

service: pipelines: logs/\$ROLE_NAME: receivers: - 'impalareceiver/\$ROLE_NAME' exporters: -
'dbus/\$ROLE_NAME' processors: - 'clouderalogredactor/\$ROLE_NAME'

API Name

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards.
Variable substitution available, see the receivers' help.

Related Name

Default Value

service: pipelines: metrics/\$ROLE_NAME: receivers: [prometheus/\$ROLE_NAME] processors:
[filter/\$ROLE_NAME] exporters: [prometheusremotewrite/\$ROLE_NAME]

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can
run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a
Prometheus like storage.

Related Name

Default Value

true

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name

Default Value

true

API Name

otelcol_should_collect_rtm_logs

Required

true

Resident Set Size Thresholds

Description

The health test thresholds on the resident size of the process.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

process_resident_set_size_thresholds

Required

false

Swap Memory Usage Rate Thresholds

Description

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window

Description

The period to review when computing unexpected swap memory usage change of the process.

Related Name

`common.process.swap_memory_rate_window`**Default Value**

5 minute(s)

API Name`process_swap_memory_rate_window`**Required**

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: Any, Critical: Any

API Name`process_swap_memory_thresholds`**Required**

false

Query Monitoring Full Sync Period**Description**

The full sync period of the Impala query monitor in the Cloudera Manager Agent, specified in minutes. When a full sync is happening, all query profiles are sent over regardless of having been updated or not. If set to zero, a full sync is performed at each polling period.

Related Name**Default Value**

3.0 minute(s)

API Name`query_monitoring_full_sync_period_minutes`**Required**

false

Query Monitoring Period**Description**

The polling period of the Impala query monitor in the Cloudera Manager Agent, specified in seconds. If set to zero, query monitoring is disabled.

Related Name**Default Value**

120.0 second(s)

API Name`query_monitoring_period_seconds`**Required**

false

Role Triggers

Description

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

role_triggers

Required

true

Enable Spool Directory Metric Usage for Impala Daemon

Description

Enables the health test for monitoring the Ranger Plugin Spool directory usage.

Related Name

Default Value

true

API Name

spool_directory_usage_enabled

Required

false

Ranger Plugin Spool Directory Usage Thresholds for Impala Daemon

Description

The health test thresholds for monitoring the the Ranger Plugin Spool directory usage.

Related Name

Default Value

1 GiB

API Name

spool_directory_usage_threshold

Required

false

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name

Default Value

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name

Default Value

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

Impala Daemon Data Cache Per Directory Capacity

Description

Maximum amount of local disk space Impala will use per daemon in each of the configured directories for caching of remote read data.

Related Name

Default Value

API Name

datacache_capacity

Required

false

Impala Daemon Data Cache Directories

Description

Directories Impala Daemon will use for caching of remote read data.

Related Name

Default Value**API Name**

datacache_dirs

Required

false

Enable Local Data Cache**Description**

Enable the local Impala Daemon data cache for caching of remote reads.

Related Name**Default Value**

false

API Name

datacache_enabled

Required

false

Default File Format**Description**

Default file format for CREATE TABLE statement.

Related Name

default_file_format

Default Value

parquet

API Name

default_file_format

Required

true

Impala Daemon Default Query Options**Description**

A list of key-value pairs of additional query options to pass to the Impala Daemon command line, separated by ','.

Related Name

default_query_options

Default Value**API Name**

default_query_options

Required

false

Default Table Format**Description**

Whether tables should be created as ACID insert-only by default. Does not apply to external tables.

Related Name

default_transactional_type

Default Value

insert_only

API Name

default_transactional_type

Required

true

Impala Graceful Shutdown Deadline**Description**

Deadline (in seconds) for the graceful shutdown process of Impala Daemons. Once this deadline is reached, the daemon shuts down regardless of any running queries. A value of 0 means immediate shutdown.

Related Name**Default Value**

1 minute(s)

API Name

impala_graceful_shutdown_deadline

Required

false

Impala Daemons Load Balancer**Description**

Address of the load balancer used for Impala daemons. Should be specified in host:port format, where the port corresponds to the Beeswax protocol. If this is specified and Kerberos is enabled, Cloudera Manager adds a principal for 'impala/*load_balancer_host*@*realm*' to the keytab for all Impala daemons.

Related Name**Default Value****API Name**

impalad_load_balancer

Required

false

Maximum Cached File Handles**Description**

Maximum number of cached HDFS file handles. Caching HDFS file handles reduces the number of new file handles opened and thus reduces the load on the HDFS NameNode. Each cached file handle consumes a small amount of memory on the Impala Daemon. If set to zero, the file handle caching is disabled.

Related Name

max_cached_file_handles

Default Value

20000

API Name

impalad_max_cached_file_handles

Required

false

Impala Daemon Specialization**Description**

Configures Impala daemons to only execute queries or perform query coordination. When this setting is in use, daemons specializing in both tasks must exist.

Related Name**Default Value**

NO_SPECIALIZATION

API Name

impalad_specialization

Required

false

Unused Cached File Handle Timeout**Description**

Maximum time, in seconds, that an unused HDFS file handle will remain in the HDFS file handle cache. When the underlying file for a cached file handle is deleted, the disk space may not be freed until the cached file handle is removed from the cache. Specifying this timeout allows the disk space of deleted files to be freed in a predictable period of time. If set to zero, unused cached HDFS file handles do not time out.

Related Name

unused_file_handle_timeout_sec

Default Value

21600

API Name

impalad_unused_file_handle_timeout_sec

Required

false

Local UDF Library Dir**Description**

User-defined function (UDF) libraries are copied from HDFS into this local directory.

Related Name

local_library_dir

Default Value

/var/lib/impala/udfs

API Name

local_library_dir

Required

false

Impala Daemon Scratch Directories

Description

Directories where Impala Daemon will write data such as spilling information to disk to free up memory. This can potentially be large amounts of data.

Related Name

scratch_dirs

Default Value**API Name**

scratch_dirs

Required

false

Impala Shutdown Grace Period

Description

When the shutdown process is started for this daemon, it will wait for at least the startup grace period before shutting down. This gives time for updated cluster membership information to propagate to all coordinators and for fragment instances that were scheduled based on old cluster membership to start executing (and therefore be reflected in the metrics used to detect quiescence)

Related Name

shutdown_grace_period_s

Default Value

2 minute(s)

API Name

shutdown_grace_period_s

Required

false

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses

Impala Daemon Backend Port

Description

Port on which thrift-based ImpalaInternalService is exported.

Related Name

	be_port
Default Value	22000
API Name	be_port
Required	false

Impala Daemon Beeswax Port

Description	Port on which Beeswax client requests are served by Impala Daemons.
Related Name	beeswax_port
Default Value	21000
API Name	beeswax_port
Required	false

Impala Daemon HiveServer2 HTTP Port

Description	Port on which HiveServer2 client requests are served by Impala Daemons via HTTP.
Related Name	hs2_http_port
Default Value	28000
API Name	hs2_http_port
Required	false

Impala Daemon HiveServer2 Port

Description	Port on which HiveServer2 client requests are served by Impala Daemons via the thrift binary protocol.
Related Name	hs2_port
Default Value	21050
API Name	hs2_port
Required	false

Impala Daemons Load Balancer Hiveserver2 Port

Description

The load balancer port corresponding to the Hiveserver2 protocol.

Related Name**Default Value**

0

API Name

impala_load_balancer_hs2_port

Required

false

Enable Impala Daemon Web Server

Description

Enable or disable the Impala Daemon web server. This web server contains useful information about Impala Daemon.

Related Name

enable_webserver

Default Value

true

API Name

impalad_enable_webserver

Required

false

Impala Daemon HTTP Server Port

Description

Port where Impala debug web server runs.

Related Name

webserver_port

Default Value

25000

API Name

impalad_webserver_port

Required

false

Impala Daemon KRPC Port

Description

Port on which KRPC-based ImpalaInternalService is exported.

Related Name

krpc_port

Default Value

27000

API Name

krpc_port

Required

false

Llama Callback Port

Description

Port where Llama notification callback should be started

Related Name

llama_callback_port

Default Value

0

API Name

llama_callback_port

Required

false

Second Statestore Host Name

Description

The hostname of the second statestore instance. Valid when statestore HA enabled.

Related Name

state_store_2_host

Default Value

API Name

state_store_2_host

Required

false

Second Statestore Port

Description

The port of statestore service running on the second statestore instance. Valid when statestore HA enabled.

Related Name

state_store_2_port

Default Value

24000

API Name

state_store_2_port

Required

false

Statestore Host Name

Description

The hostname of the statestore instance. When statestore HA is enabled, this stands for the first statestore instance.

Related Name

state_store_host

Default Value**API Name**

state_store_host

Required

false

Statestore Port**Description**

The port of statestore service running on the statestore instance. When statestore HA is enabled, this stands for the first statestore instance.

Related Name

state_store_port

Default Value

24000

API Name

state_store_port

Required

false

StateStoreSubscriber Service Port**Description**

Port where StateStoreSubscriberService is running.

Related Name

state_store_subscriber_port

Default Value

23000

API Name

state_store_subscriber_port

Required

false

Resource Management**Java Heap Size of Impala Daemon in Bytes****Description**

Maximum size in bytes for the Java Process heap memory. Passed to Java -Xmx.

Related Name

Impala Daemon JVM Heap

Default Value

4 GiB

API Name

impalad_embedded_jvm_heapsize

Required

false

Idle Query Timeout

Description

The time that a query may be idle (i.e. no processing work is done and no updates are received from the client) before it is cancelled. If 0, idle queries are never expired.

Related Name

idle_query_timeout

Default Value

0 second(s)

API Name

impalad_idle_query_timeout

Required

false

Idle Session Timeout

Description

The time that a session may be idle before it is closed (and all running queries cancelled) by Impala. If 0, idle sessions are never expired.

Related Name

idle_session_timeout

Default Value

0 second(s)

API Name

impalad_idle_session_timeout

Required

false

Impala Daemon Memory Limit

Description

Memory limit for Impala Daemon, enforced by the daemon itself. This limit does not include memory consumed by the daemon's embedded JVM. The Impala Daemon uses up to this amount of memory for query processing, cached data, network buffers, background operations, etc. If exceeded, queries running on the Impala Daemon will be killed until the Impala Daemon is under the memory limit.

Related Name

mem_limit

Default Value**API Name**

impalad_memory_limit

Required

false

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/

O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security**Disk Spill Encryption****Description**

Encrypt and verify the integrity of all data spilled to disk as part of a query. This feature is only supported for Impala 2.0 and higher and CDH 5.2 and higher (which includes Impala 2.0).

Related Name

disk_spill_encryption

Default Value

false

API Name

disk_spill_encryption

Required

false

LDAP Server CA Certificate**Description**

The location on disk of the certificate, in .pem format, used to confirm the authenticity of the LDAP server certificate. This is the Certificate Authority (CA) certificate, and it was used to sign the LDAP server certificate. If not set, all certificates are trusted, which means that an attacker could potentially intercept otherwise encrypted usernames and passwords.

Related Name

ldap_ca_certificate

Default Value**API Name**

impalad_ldap_ca_certificate

Required

false

JWKS Pull Timeout**Description**

The time in seconds to wait for the JWKS to be downloaded from the specified URL before timing out.

Related Name

jwks_pulling_timeout_s

Default Value

10 second(s)

API Name

jwks_pulling_timeout_s

Required

false

JWKS Update Frequency**Description**

The time in seconds to wait between re-downloading the JWKS from the specified URL.

Related Name

jwks_update_frequency_s

Default Value

10 second(s)

API Name

jwtks_update_frequency_s

Required

false

JWKS URL

Description

URL where the JSON Web Key Set (JWKS) can be downloaded for JWT verification.

Related Name

jwtks_url

Default Value

API Name

jwtks_url

Required

false

Verify JWKS Server Certificate

Description

Specifies if the TLS certificate of the JWKS server is verified when retrieving the JWKS from the specified JWKS URL. This should only be set to false for development / testing.

Related Name

jwtks_verify_server_certificate

Default Value

true

API Name

jwtks_verify_server_certificate

Required

false

JWT Allow Without TLS

Description

Determines if JWT authentication is allowed without TLS being enabled on connections to the Impala daemon.

Related Name

jwt_allow_without_tls

Default Value

false

API Name

jwt_allow_without_tls

Required

false

Username JWT Custom Claim

Description

JWT claim that contains the username to use when authenticating with Impala.

Related Name

jwt_custom_claim_username

Default Value

API Name

jwt_custom_claim_username

Required

false

JWT Token Authentication

Description

Determines if JWT token authentication is enabled.

Related Name

jwt_token_auth

Default Value

false

API Name

jwt_token_auth

Required

false

JWT Validate Signature

Description

Determines if the signatures on incoming JWTs are validated against the JWKS.

Related Name

jwt_validate_signature

Default Value

true

API Name

jwt_validate_signature

Required

false

Impala Daemon Webserver TLS/SSL Server Certificate File (PEM Format)

Description

The path to the TLS/SSL file containing the server certificate key used for TLS/SSL. Used when Impala Daemon Webserver is acting as a TLS/SSL server. The certificate file must be in PEM format.

Related Name

webserver_certificate_file

Default Value

API Name

webserver_certificate_file

Required

false

Impala Daemon Web Server User Password

Description

Password for Impala Daemon webserver authentication.

Related Name

webserver_htpassword_password

Default Value**API Name**

webserver_htpassword_password

Required

false

Impala Daemon Web Server Username

Description

Username for Impala Daemon webserver authentication.

Related Name

webserver_htpassword_user

Default Value**API Name**

webserver_htpassword_user

Required

false

Impala Daemon Webserver TLS/SSL Server Private Key File (PEM Format)

Description

The path to the TLS/SSL file containing the private key used for TLS/SSL. Used when Impala Daemon Webserver is acting as a TLS/SSL server. The certificate file must be in PEM format.

Related Name

webserver_private_key_file

Default Value**API Name**

webserver_private_key_file

Required

false

Impala Daemon Webserver TLS/SSL Private Key Password

Description

The password for the private key in the Impala Daemon Webserver TLS/SSL Server Certificate and Private Key file. If left blank, the private key is not protected by a password.

Related Name

webserver_private_key_password_cmd

Default Value**API Name**

webserver_private_key_password_cmd

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency

Description

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions**Suppress Parameter Validation: Impala Daemon Audit Log Directory****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Daemon Audit Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_audit_event_log_dir

Required

true

Suppress Parameter Validation: Impala Daemon Backend Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Daemon Backend Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_be_port

Required

true

Suppress Parameter Validation: Impala Daemon Beeswax Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Daemon Beeswax Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_beeswax_port

Required

true

Suppress Configuration Validator: CDH Version Validator**Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Impala Daemon Core Dump Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Daemon Core Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_core_dump_dir

Required

true

Suppress Parameter Validation: Impala Daemon Data Cache Directories**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Daemon Data Cache Directories parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_datacache_dirs

Required

true

Suppress Configuration Validator: Impala Daemon Default Memory Limit Validator**Description**

Whether to suppress configuration warnings produced by the Impala Daemon Default Memory Limit Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_default_impalad_memory_limit_validator

Required

true

Suppress Parameter Validation: Impala Daemon Default Query Options**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Daemon Default Query Options parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_default_query_options

Required

true

Suppress Parameter Validation: Impala Daemon HiveServer2 HTTP Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Daemon HiveServer2 HTTP Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hs2_http_port

Required

true

Suppress Parameter Validation: Impala Daemon HiveServer2 Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Daemon HiveServer2 Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hs2_port

Required

true

Suppress Configuration Validator: Impala Audit Enabled Validator**Description**

Whether to suppress configuration warnings produced by the Impala Audit Enabled Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_impala_audit_enabled_validator

Required

true

Suppress Parameter Validation: Impala Daemon HDFS Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Daemon HDFS Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_impala_hdfs_site_conf_safety_valve

Required

true

Suppress Parameter Validation: Impala Daemon Hive Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Daemon Hive Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_impala_hive_conf_safety_valve

Required

true

Suppress Configuration Validator: Impala Lineage Enabled Validator

Description

Whether to suppress configuration warnings produced by the Impala Lineage Enabled Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_impala_lineage_enabled_validator

Required

true

Suppress Parameter Validation: Impala Daemon Llama Site Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Daemon Llama Site Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_impala_llama_site_conf_safety_valve

Required

true

Suppress Parameter Validation: Impala Daemons Load Balancer Hiveserver2 Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Daemons Load Balancer Hiveserver2 Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_impala_load_balancer_hs2_port

Required

true

Suppress Parameter Validation: Impala Daemon Command Line Argument Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Daemon Command Line Argument Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_impalad_cmd_args_safety_valve

Required

true

Suppress Configuration Validator: Impala Daemon Command Line Arguments Safety Valve Validator

Description

Whether to suppress configuration warnings produced by the Impala Daemon Command Line Arguments Safety Valve Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_impalad_cmd_args_safety_valve_validator

Required

true

Suppress Parameter Validation: Impala Daemon Advanced Configuration Snippet (Safety Valve) for core-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Daemon Advanced Configuration Snippet (Safety Valve) for core-site.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_impalad_core_site_safety_valve

Required

true

Suppress Parameter Validation: Java Configuration Options for Impala Daemon

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for Impala Daemon parameter.

Related Name

Default Value

false

API Name

role_config_suppression_impalad_embedded_java_opts

Required

true

Suppress Parameter Validation: Impala Daemon Fair Scheduler Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Daemon Fair Scheduler Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_impalad_fair_scheduler_safety_valve

Required

true

Suppress Parameter Validation: Impala Daemon HBase Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Daemon HBase Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_impalad_hbase_conf_safety_valve

Required

true

Suppress Parameter Validation: LDAP Server CA Certificate

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP Server CA Certificate parameter.

Related Name

Default Value

false

API Name

role_config_suppression_impalad_ldap_ca_certificate

Required

true

Suppress Parameter Validation: Impala Daemons Load Balancer

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Daemons Load Balancer parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_impalad_load_balancer

Required

true

Suppress Parameter Validation: Impala Daemon Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Daemon Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_impalad_role_env_safety_valve

Required

true

Suppress Parameter Validation: Impala Daemon HTTP Server Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Daemon HTTP Server Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_impalad_webserver_port

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: JWKS URL**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JWKS URL parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jwks_url

Required

true

Suppress Parameter Validation: Username JWT Custom Claim**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Username JWT Custom Claim parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jwt_custom_claim_username

Required

true

Suppress Parameter Validation: Impala Daemon KRPC Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Daemon KRPC Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_krpc_port

Required

true

Suppress Parameter Validation: Impala Daemon Lineage Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Daemon Lineage Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_lineage_event_log_dir

Required

true

Suppress Parameter Validation: Llama Callback Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Llama Callback Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_llama_callback_port

Required

true

Suppress Parameter Validation: Local UDF Library Dir**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Local UDF Library Dir parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_local_library_dir

Required

true

Suppress Parameter Validation: Impala Daemon Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Daemon Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Impala Daemon Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Daemon Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: Impala Daemon Breakpad Dump Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Daemon Breakpad Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_minidump_path

Required

true

Suppress Parameter Validation: Heap Dump Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Impala Daemon Scratch Directories**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Daemon Scratch Directories parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_scratch_dirs

Required

true

Suppress Parameter Validation: Stacks Collection Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Parameter Validation: Second Statestore Host Name**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Second Statestore Host Name parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_state_store_2_host

Required

true

Suppress Parameter Validation: Statestore Host Name**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Statestore Host Name parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_state_store_host

Required

true

Suppress Parameter Validation: StateStoreSubscriber Service Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the StateStoreSubscriber Service Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_state_store_subscriber_port

Required

true

Suppress Configuration Validator: Impala Daemon Unlimited Memory Limit Validator**Description**

Whether to suppress configuration warnings produced by the Impala Daemon Unlimited Memory Limit Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_unlimited_impalad_memory_limit_validator

Required

true

Suppress Parameter Validation: Impala Daemon Webserver TLS/SSL Server Certificate File (PEM Format)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Daemon Webserver TLS/SSL Server Certificate File (PEM Format) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_webserver_certificate_file

Required

true

Suppress Parameter Validation: Impala Daemon Web Server User Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Daemon Web Server User Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_webserver_htpassword_password

Required

true

Suppress Parameter Validation: Impala Daemon Web Server Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Daemon Web Server Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_webserver_htpassword_user

Required

true

Suppress Parameter Validation: Impala Daemon Webserver TLS/SSL Server Private Key File (PEM Format)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Daemon Webserver TLS/SSL Server Private Key File (PEM Format) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_webserver_private_key_file

Required

true

Suppress Parameter Validation: Impala Daemon Webserver TLS/SSL Private Key Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Daemon Webserver TLS/SSL Private Key Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_webserver_private_key_password_cmd

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_impalad_audit_health

Required

true

Suppress Health Test: StateStore Connectivity**Description**

Whether to suppress the results of the StateStore Connectivity health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_impalad_connectivity

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_impalad_file_descriptor

Required

true

Suppress Health Test: Impala Concurrent Client Connections

Description

Whether to suppress the results of the Impala Concurrent Client Connections health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_impalad_frontend_connections

Required

true

Suppress Health Test: Heap Dump Directory Free Space

Description

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_impalad_heap_dump_directory_free_space

Required

true

Suppress Health Test: Host Health

Description

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_impalad_host_health

Required

true

Suppress Health Test: Log Directory Free Space

Description

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_impalad_log_directory_free_space

Required

true

Suppress Health Test: Resident Set Size**Description**

Whether to suppress the results of the Resident Set Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_impalad_memory_rss_health

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_impalad_otelcol_health

Required

true

Suppress Health Test: Pause Duration**Description**

Whether to suppress the results of the Pause Duration health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_impalad_pause_duration

Required

true

Suppress Health Test: Query Monitoring Status Check

Description

Whether to suppress the results of the Query Monitoring Status Check health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_impalad_query_monitoring_status

Required

true

Suppress Health Test: Ranger Plugin Hdfs Spool Directory Size

Description

Whether to suppress the results of the Ranger Plugin Hdfs Spool Directory Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_impalad_ranger_plugin_hdfs_spool_directory_size_health

Required

true

Suppress Health Test: Ranger Plugin Solr Spool Directory Size

Description

Whether to suppress the results of the Ranger Plugin Solr Spool Directory Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_impalad_ranger_plugin_solr_spool_directory_size_health

Required

true

Suppress Health Test: Impala Daemon Ready Check

Description

Whether to suppress the results of the Impala Daemon Ready Check health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_impalad_ready_status

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_impalad_scm_health

Required

true

Suppress Health Test: Impala Daemon Scratch Directories Free Space**Description**

Whether to suppress the results of the Impala Daemon Scratch Directories Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_impalad_scratch_directories_free_space

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_impalad_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_impalad_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_impalad_unexpected_exits

Required

true

Suppress Health Test: Web Server Status

Description

Whether to suppress the results of the Web Server Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_impalad_web_metric_collection

Required

true

Impala StateStore

Advanced

StateStore Core Dump Directory

Description

Directory where a StateStore core dump is placed.

Related Name

core_dump_dir

Default Value

/var/log/statestore

API Name

core_dump_dir

Required

false

Statestore Max Breakpad Dump Files

Description

Maximum number of Breakpad dump files stored by Statestore Role.

Related Name

max_minidumps

Default Value

9

API Name

max_minidumps

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Statestore Breakpad Dump Directory

Description

Directory for storing Statestore Breakpad dumps.

Related Name

minidump_path

Default Value`/var/log/impala-minidumps`**API Name**`minidump_path`**Required**`false`**Automatically Restart Process****Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**`true`**API Name**`process_auto_restart`**Required**`true`**Enable Metric Collection****Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**`true`**API Name**`process_should_monitor`**Required**`true`**Process Start Retry Attempts****Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**`3`**API Name**`process_start_retries`**Required**`false`

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Statestore Command Line Argument Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be added (verbatim) to StateStore command line flags.

Related Name**Default Value****API Name**

statestore_cmd_args_safety_valve

Required

false

Impala StateStore Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

STATESTORE_role_env_safety_valve

Required

false

Logs

StateStore Log Directory

Description

Directory where StateStore will place its log files.

Related Name

log_dir

Default Value

/var/log/statestore

API Name

log_dir

Required

false

Impala StateStore Logging Threshold

Description

The minimum log level for Impala StateStore logs

Related Name

Default Value

INFO

API Name

log_threshold

Required

false

StateStore Verbose Log Level

Description

Verbose logging level for the GLog logger. These messages are always logged at 'INFO' log level, so this setting has no effect if Logging Threshold is set to 'WARN' or above.

Related Name

GLOG_v

Default Value

1

API Name

log_verbose_level

Required

false

StateStore Log Buffer Level

Description

Buffer log messages logged at this level or lower (-1 means don't buffer; 0 means buffer INFO only; 1 means buffer WARNING only, ...)

Related Name

logbuflevel

Default Value

0

API Name

logbuflevel

Required

false

StateStore Maximum Log Files

Description

The number of log files that are kept for each severity level before all older log files are removed. The number has to be greater than 1 to keep at least the current log file open. If set to 0, all log files are retained and log rotation is effectively disabled.

Related Name

max_log_files

Default Value

10

API Name

max_log_files

Required

false

Impala StateStore Max Log Size**Description**

The maximum size, in megabytes, per log file for Impala StateStore logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring**Enable Health Alerts for this Role****Description**

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Navigator Audit Failure Thresholds

Description

The health test thresholds for failures encountered when monitoring audits within a recent period specified by the `mgmt_navigator_failure_window` configuration for the role. The value that can be specified for this threshold is the number of bytes of audits data that is left to be sent to audit server.

Related Name

`mgmt.navigator.failure.thresholds`

Default Value

Warning: Never, Critical: Any

API Name

`mgmt_navigator_failure_thresholds`

Required

false

Monitoring Period For Audit Failures

Description

The period to review when checking if audits are blocked and not getting processed.

Related Name

`mgmt.navigator.failure.window`

Default Value

20 minute(s)

API Name

`mgmt_navigator_failure_window`

Required

false

Navigator Audit Pipeline Health Check

Description

Enable test of audit events processing pipeline. This will test if audit events are not getting processed by Audit Server for a role that generates audit.

Related Name

`mgmt.navigator.status.check.enabled`

Default Value

true

API Name

mgmt_navigator_status_check_enabled

Required

false

Metric Filter

Description

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name

Default Value

API Name

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)' spnegoauth/$ROLE_NAME:
enabled: $ROLE_BOOLEAN_PARAM(hadoop_secure_web_ui, true, false) realm:
'$KRB_REALM' principal: 'HTTP/$HOST_NAME' krb5_conf_path: '$KRB_CONF_PATH'
keytab_path: $TARGET_PROC_DIR/impala.keytab http_forwarder/$ROLE_NAME:
ingress: endpoint: localhost:$ROLE_PARAM(otelcol_helper_port) egress: endpoint:
$ROLE_BOOLEAN_PARAM(client_services_ssl_enabled, https, http)://$HOST_NAME:
$ROLE_PARAM(statestore_webserver_port)/ auth: authenticator: spnegoauth/$ROLE_NAME tls:
insecure_skip_verify: true headers: otel_http_forwarder: dev timeout: 5s
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value**

11152

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
processors: filter/$ROLE_NAME: metrics: include: match_type: strict metric_names:
- impala_rpc_method_statestore_StatestoreService_RegisterSubscriber_call_duration
- impala_thrift_server_StatestoreService_timedout_cnxn_requests
- impala_thrift_server_StatestoreService_total_connections -
impala_thrift_server_StatestoreService_connections_in_use
- impala_subscriber_heartbeat_client_cache_clients_in_use -
```

impala_tcmalloc_pageheap_unmapped_bytes - impala_tcmalloc_pageheap_free_bytes -
impala_statestore_live_backends

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

```
receivers: prometheus/$ROLE_NAME: config: scrape_configs: - job_name: 'DMP-
$ROLE_NAME' scrape_interval: 60s scheme: http metrics_path: '/metrics_prometheus'
tls_config: insecure_skip_verify: true static_configs: - targets: ['localhost:
$ROLE_PARAM(otelcol_helper_port)'] labels: host_name: $HOST_NAME cm_cluster_id:
$CLUSTER_ID service_type: $SERVICE_TYPE service: $SERVICE_NAME role_type:
$ROLE_TYPE role_name: $ROLE_NAME instance: $INFRA(instance_id) cluster_id:
$INFRA(cluster_id) platform: $INFRA(platform) formfactor: paas-vm relabel_configs: -
source_labels: [cluster_id] regex: 'crn:cdp:([:]+):.*' replacement: '$$1' target_label: app_type
action: replace
```

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name

Default Value

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

`$INFRA(cdp_request_signer_url)`

API Name

`otelcol_remote_write_url`

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify `$INFRA(cdp_request_signer_username)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

`$INFRA(cdp_request_signer_username)`

API Name

`otelcol_remote_write_user`

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

`otelcol_rtm_logs_exporters`

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value**API Name**

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

service: pipelines: metrics/\$ROLE_NAME: receivers: [prometheus/\$ROLE_NAME] processors: [filter/\$ROLE_NAME] exporters: [prometheusremotewrite/\$ROLE_NAME]

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

true

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name

Default Value

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Resident Set Size Thresholds

Description

The health test thresholds on the resident size of the process.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

process_resident_set_size_thresholds

Required

false

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger

condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `{ "triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true" }` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

role_triggers

Required

true

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name

Default Value

Warning: 50.0 %, Critical: 70.0 %

API Name

statestore_fd_thresholds

Required

false

Impala StateStore Host Health Test

Description

When computing the overall Impala StateStore health, consider the host's health.

Related Name

Default Value

true

API Name

statestore_host_health_enabled

Required

false

Impala StateStore Process Health Test

Description

Enables the health test that the Impala StateStore's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

statestore_scm_health_enabled

Required

false

Health Test Startup Tolerance

Description

The amount of time allowed after this role is started that failures of health tests that rely on communication with this role will be tolerated.

Related Name**Default Value**

5 minute(s)

API Name

statestore_startup_tolerance

Required

false

Web Metric Collection

Description

Enables the health test that the Cloudera Manager Agent can successfully contact and gather metrics from the web server.

Related Name**Default Value**

true

API Name

statestore_web_metric_collection_enabled

Required

false

Web Metric Collection Duration

Description

The health test thresholds on the duration of the metrics request to the web server.

Related Name**Default Value**

Warning: 10 second(s), Critical: Never

API Name

statestore_web_metric_collection_thresholds

Required

false

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name

Default Value

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name

Default Value

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

Catalog HA Preemption Wait Period

Description

Wait period before choosing the primary catalog server.

Related Name

catalogd_ha_preemption_wait_period_ms

Default Value

10 second(s)

API Name

statestore_catalogd_ha_preemption_wait_period_ms

Required

false

Enable StateStore Web Server

Description

Enable/Disable StateStore web server. This web server contains useful information about StateStore daemon.

Related Name

enable_webserver

Default Value

true

API Name

statestore_enable_webserver

Required

false

Force the Statestore active

Description

Set to true to force the statestored instance to take active role. Valid when statestore HA enabled.

Related Name

statestore_force_active

Default Value

false

API Name

statestore_force_active

Required

false

Statestore HA Preemption Wait Period

Description

The time after which statestored designates itself in active role if the statestore does not receive negotiation request from its peer statestore during start up.

Related Name

statestore_ha_preemption_wait_period_ms

Default Value

10 second(s)

API Name

statestore_ha_preemption_wait_period_ms

Required

false

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name

Default Value

API Name

`rlimit_fds`**Required**`false`**StateStore Worker Threads****Description**

Number of worker threads for the thread manager underlying the StateStore Thrift server.

Related Name`state_store_num_server_worker_threads`**Default Value**`4`**API Name**`state_store_num_server_worker_threads`**Required**`false`**Maximum StateStore Pending Tasks****Description**

Maximum number of tasks allowed to be pending at the thread manager underlying the StateStore Thrift server (0 allows infinitely many pending tasks)

Related Name`state_store_pending_task_count_max`**Default Value**`0`**API Name**`state_store_pending_task_count_max`**Required**`false`**Ports and Addresses****Statestore HA Port****Description**

The port of Thrift service for communication between two statestore instances in HA pair. Valid when statestore HA enabled.

Related Name`state_store_ha_port`**Default Value**`24020`**API Name**`state_store_ha_port`**Required**`false`**Peer Statestore Port****Description**

The port of Thrift service of peer statestore instance for statestore HA. Valid when statestore HA enabled.

Related Name

state_store_peer_ha_port

Default Value

24020

API Name

state_store_peer_ha_port

Required

false

Peer Statestore Host Name**Description**

The hostname of peer statestore instance in HA pair. Valid when statestore HA enabled.

Related Name

state_store_peer_host

Default Value**API Name**

state_store_peer_host

Required

false

StateStore Service Port**Description**

Port where StateStoreService is exported.

Related Name

state_store_port

Default Value

24000

API Name

state_store_port

Required

false

StateStore HTTP Server Port**Description**

Port where StateStore debug web server runs.

Related Name

webserver_port

Default Value

25010

API Name

statestore_webserver_port

Required

false

Resource Management

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares

Description

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight

Description

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)

Description

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight

Description

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security

StateStore Webserver TLS/SSL Server Certificate File (PEM Format)

Description

The path to the TLS/SSL file containing the server certificate key used for TLS/SSL. Used when StateStore Webserver is acting as a TLS/SSL server. The certificate file must be in PEM format.

Related Name

webserver_certificate_file

Default Value

API Name

webserver_certificate_file

Required

false

Statestore Web Server User Password

Description

Password for Statestore webserver authentication.

Related Name

webserver_htpassword_password

Default Value

API Name

webserver_htpassword_password

Required

false

Statestore Web Server Username

Description

Username for Statestore webserver authentication.

Related Name

webserver_htpassword_user

Default Value

API Name

webserver_htpassword_user

Required

false

StateStore Webserver TLS/SSL Server Private Key File (PEM Format)

Description

The path to the TLS/SSL file containing the private key used for TLS/SSL. Used when StateStore Webserver is acting as a TLS/SSL server. The certificate file must be in PEM format.

Related Name

webservice_private_key_file

Default Value**API Name**

webservice_private_key_file

Required

false

StateStore Webserver TLS/SSL Private Key Password**Description**

The password for the private key in the StateStore Webserver TLS/SSL Server Certificate and Private Key file. If left blank, the private key is not protected by a password.

Related Name

webservice_private_key_password_cmd

Default Value**API Name**

webservice_private_key_password_cmd

Required

false

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: StateStore Core Dump Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the StateStore Core Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_core_dump_dir

Required

true

Suppress Parameter Validation: StateStore Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the StateStore Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: Statestore Breakpad Dump Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Statestore Breakpad Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_minidump_path

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Statestore HA Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Statestore HA Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_state_store_ha_port

Required

true

Suppress Parameter Validation: Peer Statestore Host Name**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Peer Statestore Host Name parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_state_store_peer_host

Required

true

Suppress Parameter Validation: StateStore Service Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the StateStore Service Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_state_store_port

Required

true

Suppress Parameter Validation: Statestore Command Line Argument Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Statestore Command Line Argument Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_statestore_cmd_args_safety_valve

Required

true

Suppress Parameter Validation: Impala StateStore Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala StateStore Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_statestore_role_env_safety_valve

Required

true

Suppress Parameter Validation: StateStore HTTP Server Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the StateStore HTTP Server Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_statestore_webserver_port

Required

true

Suppress Parameter Validation: StateStore Webserver TLS/SSL Server Certificate File (PEM Format)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the StateStore Webserver TLS/SSL Server Certificate File (PEM Format) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_webserver_certificate_file

Required

true

Suppress Parameter Validation: Statestore Web Server User Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Statestore Web Server User Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_webserver_htpassword_password

Required

true

Suppress Parameter Validation: Statestore Web Server Username**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Statestore Web Server Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_webserver_htpassword_user

Required

true

Suppress Parameter Validation: StateStore Webserver TLS/SSL Server Private Key File (PEM Format)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the StateStore Webserver TLS/SSL Server Private Key File (PEM Format) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_webserver_private_key_file

Required

true

Suppress Parameter Validation: StateStore Webserver TLS/SSL Private Key Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the StateStore Webserver TLS/SSL Private Key Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_webserver_private_key_password_cmd

Required

true

Suppress Health Test: Audit Pipeline Test

Description

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_statestore_audit_health

Required

true

Suppress Health Test: File Descriptors

Description

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_statestore_file_descriptor

Required

true

Suppress Health Test: Heap Dump Directory Free Space

Description

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_statestore_heap_dump_directory_free_space

Required

true

Suppress Health Test: Host Health

Description

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_statestore_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_statestore_log_directory_free_space

Required

true

Suppress Health Test: Resident Set Size**Description**

Whether to suppress the results of the Resident Set Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_statestore_memory_rss_health

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_statestore_otelcol_health

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_statestore_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_statestore_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_statestore_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits**Description**

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_statestore_unexpected_exits

Required

true

Suppress Health Test: Web Server Status**Description**

Whether to suppress the results of the Web Server Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_statestore_web_metric_collection

Required

true

Service-Wide**Admission Control****Enable Dynamic Resource Pools****Description**

Use Dynamic Resource Pools to configure Impala admission control or RM for this Impala service. These features are only supported in Impala 1.3 or higher deployments.

Related Name**Default Value**

true

API Name

admission_control_enabled

Required

false

Admission Control Queue Timeout**Description**

Maximum amount of time (in milliseconds) that a request waits to be admitted before timing out. Must be a positive integer.

Related Name

queue_wait_timeout_ms

Default Value

1 minute(s)

API Name

admission_control_queue_timeout

Required

false

Single Pool Max Queued Queries**Description**

Configures the maximum number of queued queries for admission control when using a single pool. -1 or 0 disables queuing, i.e. incoming requests are rejected if they can not be executed immediately. Ignored when Dynamic Resource Pools for Admission Control is enabled.

Related Name

default_pool_max_queued

Default Value

200

API Name

admission_control_single_pool_max_queued

Required

false

Single Pool Max Running Queries**Description**

Configures the maximum number of concurrently running queries for admission control when using a single pool. -1 indicates no limit and 0 indicates all incoming requests will be rejected. Ignored when Dynamic Resource Pools for Admission Control is enabled.

Related Name

default_pool_max_requests

Default Value

200

API Name

admission_control_single_pool_max_requests

Required

false

Single Pool Mem Limit**Description**

Configures the max memory of running queries for admission control when using a single pool. -1 or 0 indicates no limit. Ignored when Dynamic Resource Pools for Admission Control is enabled.

Related Name

default_pool_mem_limit

Default Value

-1 B

API Name

admission_control_single_pool_mem_limit

Required

false

Enable Impala Admission Control

Description

Use Impala Admission Control to throttle Impala requests. Unless 'Enable Dynamic Resource Pools' is enabled, Impala uses a single, default pool that is configured using the Single Pool configurations below. These features are only supported in Impala 1.3 or higher deployments.

Related Name**Default Value**

true

API Name

all_admission_control_enabled

Required

false

Advanced

Impala Service Advanced Configuration Snippet (Safety Valve) for atlas-application.properties

Description

For advanced use only, a string to be inserted into atlas-application.properties. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

application_properties_safety_valve

Required

false

Enable Core Dump

Description

Used to generate a core dump to get more information about an Impala crash. Unless otherwise configured systemwide using /proc/sys/kernel/core_pattern, the dump is generated in the 'current directory' of the Impala process (usually a subdirectory of the /var/run/cloudera-scm-agent/process directory). The core file can be very large.

Related Name**Default Value**

false

API Name

enable_core_dump

Required

false

Maximum HBase Client Retries

Description

Maximum number of HBase client retries for Impala. Used as a maximum for all operations such as fetching of the root region from the root RegionServer, getting a cell's value, and starting a row update. Overrides configuration in the HBase service.

Related Name

`hbase.client.retries.number`**Default Value**

3

API Name`hbase_client_retries_number`**Required**

false

HBase RPC Timeout**Description**

Timeout in milliseconds for all HBase RPCs made by Impala. Overrides configuration in HBase service.

Related Name`hbase.rpc.timeout`**Default Value**

3 second(s)

API Name`hbase_rpc_timeout`**Required**

false

Impala Command Line Argument Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be added (verbatim) to Impala Daemon command-line flags. Applies to all roles in this service. Key names should begin with a hyphen(-). For example: `-log_filename=foo.log`

Related Name**Default Value****API Name**`impala_cmd_args_safety_valve`**Required**

false

Fair Scheduler Configuration Rules (Deployed)**Description**

A list specifying the rules to run to determine which Fair Scheduler configuration to use. The value specified here is deployed to all hosts. This configuration has effect only on Impala versions 1.3 or greater.

Related Name**Default Value**

[]

API Name`impala_schedule_rules`**Required**

false

Fair Scheduler Configuration Rules (Staged)

Description

A list specifying the rules to run to determine which Fair Scheduler configuration to use. Typically edited using the Rules configuration UI. This configuration only has effect on Impala versions 1.3 or greater.

Related Name**Default Value****API Name**

impala_schedule_rules_draft

Required

false

Fair Scheduler Allocations (Deployed)

Description

JSON representation of all the configurations that the Fair Scheduler can take across all schedules. This configuration has effect only on Impala versions 1.3 or greater.

Related Name**Default Value**

```
queues: [ name: root, queues: [ name: default, queues: [], schedulablePropertiesList:
[ scheduleName: default ] ], schedulablePropertiesList: [ scheduleName: default ] ], users: []
```

API Name

impala_scheduled_allocations

Required

false

Fair Scheduler Allocations (Staged)

Description

JSON representation of all the configurations that the Fair Scheduler can take across all schedules. Typically edited using the Pools configuration UI. This configuration only has effect on Impala versions 1.3 or greater.

Related Name**Default Value****API Name**

impala_scheduled_allocations_draft

Required

false

Impala Service Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

impala_service_env_safety_valve

Required

false

Impala Service Advanced Configuration Snippet (Safety Valve) for sentry-site.xml**Description**

For advanced use only, a string to be inserted into sentry-site.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

impalad_sentry_safety_valve

Required

false

Use HDFS Rules to Map Kerberos Principals to Short Names**Description**

If checked and Impala is using Kerberos, Impala will use the hadoop.security.auth_to_local rules from HDFS configuration. The relevant HDFS configuration is derived from Additional Rules to Map Kerberos Principals to Short Names.

Related Name

load_auth_to_local_rules

Default Value

false

API Name

load_hdfs_auth_to_local_rules

Required

false

Impala Client Advanced Configuration Snippet (Safety Valve) for navigator.client.properties**Description**

For advanced use only, a string to be inserted into the client configuration for navigator.client.properties.

Related Name**Default Value****API Name**

navigator_client_config_safety_valve

Required

false

Impala Client Advanced Configuration Snippet (Safety Valve) for navigator.lineage.client.properties**Description**

For advanced use only, a string to be inserted into the client configuration for navigator.lineage.client.properties.

Related Name

Default Value

API Name

navigator_lineage_client_config_safety_valve

Required

false

Impala System Group (except Llama)

Description

The group that this Impala's processes should run as (except Llama, which has its own group).

Related Name

Default Value

impala

API Name

process_groupname

Required

true

Impala System User (except Llama)

Description

The user that this Impala's processes should run as (except Llama, which has its own user).

Related Name

Default Value

impala

API Name

process_username

Required

true

Impala Service Advanced Configuration Snippet (Safety Valve) for ranger-impala-audit.xml

Description

For advanced use only, a string to be inserted into ranger-impala-audit.xml. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

ranger_audit_safety_valve

Required

false

Impala Service Advanced Configuration Snippet (Safety Valve) for ranger-impala-policymgr-ssl.xml

Description

For advanced use only, a string to be inserted into ranger-impala-policymgr-ssl.xml. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

ranger_policymgr_ssl_safety_valve

Required

false

Impala Service Advanced Configuration Snippet (Safety Valve) for ranger-impala-security.xml

Description

For advanced use only, a string to be inserted into ranger-impala-security.xml. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

ranger_security_safety_valve

Required

false

Use Debug Build

Description

Use debug build of Impala binaries when starting roles. Useful when performing diagnostic activities to get more information in the stacktrace or core dump.

Related Name

Default Value

false

API Name

use_debug_build

Required

false

Cloudera Navigator

Enable Audit Collection

Description

Enable collection of audit events from the service's roles.

Related Name

navigator.audit.enabled

Default Value

true

API Name

navigator_audit_enabled

Required

false

Audit Event Filter

Description

Event filters are defined in a JSON object like the following: { "defaultAction" : ("accept", "discard"), "rules" : [{ "action" : ("accept", "discard"), "fields" : [{ "name" : "fieldName", "match" : "regex" }] }] } A filter has a default action and a list of rules, in order of precedence. Each rule defines an action, and a list of fields to match against the audit event. A rule is "accepted" if all the listed field entries match the audit event. At that point, the action declared by the rule is taken. If no rules match the event, the default action is taken. Actions default to "accept" if not defined in the JSON object. The following is the list of fields that can be filtered for Impala events:

- `userName`: the user performing the action.
- `ipAddress`: the IP from where the request originated.
- `operation`: the Impala operation being performed.
- `databaseName`: the databaseName for the operation.
- `tableName`: the tableName for the operation.

Related Name

`navigator.event.filter`

Default Value**API Name**

`navigator_audit_event_filter`

Required

false

Audit Queue Policy**Description**

Action to take when the audit event queue is full. Drop the event or shutdown the affected process.

Related Name

`navigator.batch.queue_policy`

Default Value

DROP

API Name

`navigator_audit_queue_policy`

Required

false

Audit Event Tracker**Description**

Configures the rules for event tracking and coalescing. This feature is used to define equivalency between different audit events. When events match, according to a set of configurable parameters, only one entry in the audit list is generated for all the matching events. Tracking works by keeping a reference to events when they first appear, and comparing other incoming events against the "tracked" events according to the rules defined here. Event trackers are defined in a JSON object like the following: { "timeToLive" : [integer], "fields" : [{ "type" : [string], "name" : [string] }] } Where:

- `timeToLive`: maximum amount of time an event will be tracked, in milliseconds. Must be provided. This defines how long, since it's first seen, an event will be tracked. A value of 0 disables tracking.
- `fields`: list of fields to compare when matching events against tracked events.

Each field has an evaluator type associated with it. The evaluator defines how the field data is to be compared. The following evaluators are available:

- value: uses the field value for comparison.
- userName: treats the field value as a userName, and ignores any host-specific data. This is useful for environment using Kerberos, so that only the principal name and realm are compared.

The following is the list of fields that can be used to compare Impala events:

- operation: the Impala operation being performed.
- username: the user performing the action.
- ipAddress: the IP from where the request originated.
- allowed: whether the operation was allowed or denied.
- databaseName: the database affected by the operation.
- tableName: the table affected by the operation.
- objectType: the type of object affected by the operation.
- privilege: the privilege associated with the operation.

Related Name

navigator_event_tracker

Default Value**API Name**

navigator_event_tracker

Required

false

Enable Lineage Collection

Description

Enable collection of lineage from the service's roles.

Related Name**Default Value**

true

API Name

navigator_lineage_enabled

Required

false

Monitoring

Admin Users Query List Visibility Settings

Description

Controls which queries admin users can see in the queries list view

Related Name**Default Value**

ALL

API Name

admin_query_list_settings

Required

true

Enable Service Level Health Alerts

Description

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Healthy Impala Catalog Server Monitoring Thresholds

Description

The health test thresholds of the overall Impala Catalog Server health. The check returns "Concerning" health if the percentage of "Healthy" Impala Catalog Servers falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" Impala Catalog Servers falls below the critical threshold.

Related Name**Default Value**

Warning: 99.0 %, Critical: 1.0 %

API Name

impala_catalogserver_healthy_thresholds

Required

false

Healthy Impala Daemon Monitoring Thresholds

Description

The health test thresholds of the overall Impala Daemon health. The check returns "Concerning" health if the percentage of "Healthy" Impala Daemons falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" Impala Daemons falls below the critical threshold.

Related Name**Default Value**

Warning: 95.0 %, Critical: 90.0 %

API Name

impala_impalads_healthy_thresholds

Required

false

Healthy Impala Llama ApplicationMaster Monitoring Thresholds**Description**

The health test thresholds of the overall Impala Llama ApplicationMaster health. The check returns "Concerning" health if the percentage of "Healthy" Impala Llama ApplicationMasters falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" Impala Llama ApplicationMasters falls below the critical threshold.

Related Name**Default Value**

Warning: 99.0 %, Critical: 51.0 %

API Name

impala_llamas_healthy_thresholds

Required

false

Impala Query Aggregates**Description**

Controls the aggregate metrics generated for Impala queries. The structure is a JSON list of the attributes to aggregate and the entities to aggregate to. For example, if the attributeName is 'hdfs_bytes_read' and the aggregationTargets is ['USER'] then the Service Monitor will create the metric 'impala_query_hdfs_bytes_read_rate' and, every ten minutes, will record the total hdfs bytes read for each user across all their Impala queries. By default it will also record the number of queries issues ('num_impala_queries_rate') for both users and pool. For a full list of the supported attributes see the Impala search page. Note that the valid aggregation targets are USER, YARN_POOL, and IMPALA (the service), and that these aggregate metrics can be viewed on both the reports and charts search pages.

Related Name**Default Value**

```
[ attributeName: hdfs_bytes_read, aggregationTargets: [USER, IMPALA_POOL_USER,
IMPALA_POOL, IMPALA, CLUSTER] , attributeName: hdfs_bytes_written, aggregationTargets:
[USER, IMPALA_POOL_USER, IMPALA_POOL, IMPALA, CLUSTER] , attributeName:
thread_cpu_time, aggregationTargets: [USER, IMPALA_POOL_USER, IMPALA_POOL,
IMPALA, CLUSTER] , attributeName: bytes_streamed, aggregationTargets: [USER,
IMPALA_POOL_USER, IMPALA_POOL, IMPALA, CLUSTER] , attributeName:
cm_cpu_milliseconds, aggregationTargets: [USER, IMPALA_POOL_USER, IMPALA_POOL,
IMPALA, CLUSTER] , attributeName: query_duration, aggregationTargets: [USER,
IMPALA_POOL_USER, IMPALA_POOL, IMPALA, CLUSTER] , attributeName:
admission_wait, aggregationTargets: [USER, IMPALA_POOL_USER, IMPALA_POOL,
IMPALA, CLUSTER] , attributeName: memory_accrual, aggregationTargets: [USER,
IMPALA_POOL_USER, IMPALA_POOL, IMPALA, CLUSTER] , attributeName:
thread_cpu_time, aggregationTargets: [USER, IMPALA_POOL_USER, IMPALA_POOL,
IMPALA, CLUSTER] , attributeName: memory_spilled, aggregationTargets: [USER,
IMPALA_POOL_USER, IMPALA_POOL, IMPALA, CLUSTER] ]
```

API Name

`impala_query_aggregates`**Required**`false`**Healthy Impala StateStore Monitoring Thresholds****Description**

The health test thresholds of the overall Impala StateStore health. The check returns "Concerning" health if the percentage of "Healthy" Impala StateStores falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" Impala StateStores falls below the critical threshold.

Related Name**Default Value**`Warning: 99.0 %, Critical: 1.0 %`**API Name**`impala_statestore_healthy_thresholds`**Required**`false`**Service Triggers****Description**

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**`[]`**API Name**`service_triggers`**Required**`true`

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name**Default Value****API Name**

smon_derived_configs_safety_valve

Required

false

Non-Admin Users Query List Visibility Settings

Description

Controls which queries a non-admin user can see in the queries list view

Related Name**Default Value**

ALL

API Name

user_query_list_settings

Required

true

Other

Atlas Service

Description

Name of the Atlas service that this Impala service instance depends on

Related Name**Default Value****API Name**

atlas_service

Required

false

Enable Profile Collection

Description

Enable collection of profile from the service's roles.

Related Name**Default Value**

true

API Name

enable_telepub_profile_collection

Required

false

HBase Service

Description

Name of the HBase service that this Impala service instance depends on

Related Name**Default Value****API Name**

hbase_service

Required

false

HDFS Service

Description

Name of the HDFS service that this Impala service instance depends on

Related Name**Default Value****API Name**

hdfs_service

Required

true

Hive Service

Description

Name of the Hive service that this Impala service instance depends on

Related Name**Default Value****API Name**

hive_service

Required

true

Kudu Service

Description

Name of the Kudu service that this Impala service instance depends on

Related Name**Default Value****API Name**

kudu_service

Required

false

Enable Local Catalog

Description

With local catalog enabled, the coordinators pull metadata as needed from catalog and cache it locally.

Related Name**Default Value**

true

API Name

local_catalog_enabled

Required

false

Ranger Plugin Trusted Proxy IP Address**Description**

Accepts a list of IP addresses of proxy servers for trusting.

Related Name

ranger.plugin.hive.trusted.proxy.ipaddress

Default Value**API Name**

ranger_plugin_trusted_proxy_ipaddress

Required

false

Ranger Plugin URL Auth Filesystem Schemes**Description**

Set Ranger URL Auth Filesystem Schemes.

Related Name

ranger.plugin.hive.urlauth.filesystem.schemes

Default Value

hdfs:, file:, wasb:, adl:

API Name

ranger_plugin_urlauth_filesystem_schemes

Required

false

Ranger Plugin Use X-Forwarded for IP Address**Description**

The parameter is used for identifying the originating IP address of a user connecting to a component through proxy for audit logs.

Related Name

ranger.plugin.hive.use.x-forwarded-for.ipaddress

Default Value

false

API Name

ranger_plugin_use_x_forwarded_for_ipaddress

Required

false

Ranger Service

Description

Name of the Ranger service that this Impala service instance depends on

Related Name**Default Value****API Name**

ranger_service

Required

false

YARN Service for Resource Management

Description

Name of YARN service to use for resource management integration between Impala and YARN. This service dependency and the existence of a Llama role is required for using said integration.

Related Name**Default Value****API Name**

yarn_service

Required

false

ZooKeeper Service for Llama HA

Description

Name of the ZooKeeper service to use for leader election and fencing when Llama is configured for high availability. This service dependency is required when more than one Llama role is present.

Related Name**Default Value****API Name**

zookeeper_service

Required

false

Performance

Enable HDFS Short-Circuit Read

Description

Enable HDFS short-circuit read. This allows a client colocated with the DataNode to read HDFS file blocks directly. This gives a performance boost to distributed clients that are aware of locality.

Related Name

dfs.client.read.shortcircuit

Default Value

true

API Name

dfs_client_read_shortcircuit

Required

false

Enable Iceberg manifest caching

Description

This option enables Iceberg manifest caching for Impala Coordinator and Catalog Server.

Related Name

iceberg_manifest_cache_enabled

Default Value

true

API Name

iceberg_manifest_cache_enabled

Required

false

StateStoreSubscriber Timeout

Description

Time in seconds before Impala Daemon or Catalog Server times out with the StateStore.

Related Name

statestore_subscriber_timeout_seconds

Default Value

30 second(s)

API Name

statestore_subscriber_timeout

Required

false

Security

Atlas Kafka Messages Spool Directory

Description

Spool directory for Atlas Kafka Messages.

Related Name

atlas.hook.spool.dir

Default Value

/var/log/impala/atlas-spool

API Name

atlas_message_spool_path

Required

false

Enable TLS/SSL for Impala

Description

Encrypt communication between clients and Impala using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

client_services_ssl_enabled

Default Value

false

API Name

client_services_ssl_enabled

Required

false

Enable LDAP Authentication**Description**

When checked, LDAP-based authentication for users is enabled.

Related Name

enable_ldap_auth

Default Value

false

API Name

enable_ldap_auth

Required

false

Enable LDAP TLS**Description**

If true, attempts to establish a TLS (Transport Layer Security) connection with an LDAP server that was specified with ldap://. Not required when using an LDAP URL with prefix ldaps://, because that already specifies TLS. This option is also known as "Use StartTLS".

Related Name

ldap_tls

Default Value

false

API Name

enable_ldap_tls

Required

false

Enable Kerberos Authentication for HTTP Web-Consoles**Description**

Enables Kerberos authentication for Hadoop HTTP web consoles for all roles of this service using the SPNEGO protocol. Note: This is effective only if Kerberos is enabled.

Related Name**Default Value**

false

API Name

`hadoop_secure_web_ui`**Required**`false`**Proxy Group Configuration****Description**

Specifies the set of authorized proxy groups (users who can impersonate other users belonging to the specified groups during authorization) and whom they are allowed to impersonate. Input is a semicolon-separated list of key=value pairs of authorized proxy users to the group(s) they can impersonate. These groups are specified as a comma separated list of groups, or '*' to indicate all groups. For example: joe=group1,group2;hue=*;admin=*. Only valid when Sentry is enabled.

Related Name`authorized_proxy_group_config`**Default Value****API Name**`impala_authorized_proxy_group_config`**Required**`false`**Proxy User Configuration****Description**

Specifies the set of authorized proxy users (users who can impersonate other users during authorization) and whom they are allowed to impersonate. Input is a semicolon-separated list of key=value pairs of authorized proxy users to the user(s) they can impersonate. These users are specified as a comma separated list of short usernames, or '*' to indicate all users. For example: joe=alice,bob;hue=*;admin=*. Only valid when Sentry is enabled.

Related Name`authorized_proxy_user_config`**Default Value**`hue=*;knox=*`**API Name**`impala_authorized_proxy_user_config`**Required**`false`**LDAP URL****Description**

The URL of the LDAP Server. The URL must be prefixed with ldap:// or ldaps:// . The URL can optionally specify a custom port if necessary, but by default the ldap:// will connect to port 389, and the ldaps:// will connect to port 636. Note that passwords will be in the clear if ldap:// is used, and by fall 2020 Active directory servers will no longer allow non LDAPS connections to bind to AD hosts with LDAP signing enabled. See microsoft knowledge document 935834 for more information.

Related Name`ldap_uri`**Default Value****API Name**

`impala_ldap_uri`**Required**`false`**impala TLS/SSL Trust Store File****Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that impala might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name**Default Value****API Name**`impala_truststore_file`**Required**`false`**impala TLS/SSL Trust Store Password****Description**

The password for the impala TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name**Default Value****API Name**`impala_truststore_password`**Required**`false`**Kerberos Principal****Description**

Kerberos principal short name used by all roles of this service.

Related Name**Default Value**`impala`**API Name**`kerberos_princ_name`**Required**`true`**Kerberos Re-init Interval****Description**

Number of minutes between reestablishing our ticket with the Kerberos server.

Related Name`kerberos_reinit_interval`

Default Value

1 hour(s)

API Name

kerberos_reinit_interval

Required

false

LDAP BaseDN**Description**

This parameter is useful when authenticating against a non-Active Directory server, such as OpenLDAP. When set, this parameter is used to convert the username into the LDAP Distinguished Name (DN), so that the resulting DN looks like uid=username,*this parameter*. For example, if this parameter is set to "ou=People,dc=cloudera,dc=com", and the username passed in is "mike", the resulting authentication passed to the LDAP server look like "uid=mike,ou=People,dc=cloudera,dc=com". This parameter is mutually exclusive with Active Directory Domain.

Related Name

ldap_baseDN

Default Value**API Name**

ldap_baseDN

Required

false

LDAP Pattern**Description**

When set, this parameter allows arbitrary mapping from usernames into a Distinguished Name (DN). The string specified must have a placeholder named "#UID" inside it, and that #UID is replaced with the username. For example, you could mimic the behavior of LDAP BaseDN by specifying "uid=#UID,ou=People,dc=cloudera,dc=com". When the username of "mike" comes in, it replaces the #UID and the result is "uid=mike,ou=People,dc=cloudera,dc=com". This option should be used when more control over the DN is needed. This parameter is mutually exclusive with LDAP Domain and LDAP BaseDN.

Related Name

ldap_bind_pattern

Default Value**API Name**

ldap_bind_pattern

Required

false

Impala Client LDAP Password**Description**

The password for connecting to Impala when using LDAP authentication. This is used by Cloudera Manager to execute Impala APIs like cancelling a query.

Related Name

ldap_cm_password

Default Value**API Name**

ldap_cm_password

Required

false

Impala Client LDAP Username**Description**

The username for connecting to Impala when using LDAP authentication. This is used by Cloudera Manager to execute Impala APIs like cancelling a query.

Related Name

ldap_cm_user

Default Value**API Name**

ldap_cm_user

Required

false

Active Directory Domain**Description**

Use this field for Active Directory configurations only, when combined with a simple username value in the "LDAP Bind User Distinguished Name" field, it will result in a UPM of user@example.com used for search/bind operations for authenticated user lookups.

Related Name

ldap_domain

Default Value**API Name**

ldap_domain

Required

false

Ranger DFS Audit Path**Description**

The DFS path on which Ranger audits are written. The special placeholder '\${ranger_base_audit_url}' should be used as the prefix, in order to use the centralized location defined in the Ranger service.

Related Name

xasecure.audit.destination.hdfs.dir

Default Value

\$ranger_base_audit_url/impala

API Name

ranger_audit_hdfs_dir

Required

false

Ranger Audit DFS Spool Dir

Description

Spool directory for Ranger audits being written to DFS.

Related Name

xasecure.audit.destination.hdfs.batch.filespool.dir

Default Value

/var/log/impala/audit/hdfs/spool

API Name

ranger_audit_hdfs_spool_dir

Required

false

Ranger Audit Solr Spool Dir

Description

Spool directory for Ranger audits being written to Solr.

Related Name

xasecure.audit.destination.solr.batch.filespool.dir

Default Value

/var/log/impala/audit/solr/spool

API Name

ranger_audit_solr_spool_dir

Required

false

Ranger Policy Cache Directory

Description

The directory where Ranger security policies are cached locally.

Related Name

ranger.plugin.hive.policy.cache.dir

Default Value

/var/lib/ranger/impala/policy-cache

API Name

ranger_policy_cache_dir

Required

false

The allowed set of OpenSSL ciphers

Description

A list of OpenSSL ciphers, optionally including other notation. See the output of 'man ciphers' for the full set of keywords and notation allowed in the arguments.

Related Name

ssl_cipher_list

Default Value**API Name**

`ssl_cipher_list`**Required**`false`**Impala TLS/SSL CA Certificate****Description**

The location on disk of the certificate, in PEM format, used to confirm the authenticity of SSL/TLS servers that the Impala daemons might connect to. Because the Impala daemons connect to each other, this should also include the CA certificate used to sign all the SSL/TLS Certificates. Without this parameter, SSL/TLS between Impala daemons will not be enabled.

Related Name`ssl_client_ca_certificate`**Default Value****API Name**`ssl_client_ca_certificate`**Required**`false`**Impala TLS/SSL Server Private Key File (PEM Format)****Description**

The path to the TLS/SSL file containing the private key used for TLS/SSL. Used when Impala is acting as a TLS/SSL server. The certificate file must be in PEM format.

Related Name`ssl_private_key`**Default Value****API Name**`ssl_private_key`**Required**`false`**Impala TLS/SSL Private Key Password****Description**

The password for the private key in the Impala TLS/SSL Server Certificate and Private Key file. If left blank, the private key is not protected by a password.

Related Name`ssl_private_key_password_cmd`**Default Value****API Name**`ssl_private_key_password`**Required**`false`**Impala TLS/SSL Server Certificate File (PEM Format)****Description**

The path to the TLS/SSL file containing the server certificate key used for TLS/SSL. Used when Impala is acting as a TLS/SSL server. The certificate file must be in PEM format.

Related Name

ssl_server_certificate

Default Value**API Name**

ssl_server_certificate

Required

false

Suppressions**Suppress Configuration Validator: Impala Daemon Audit Log Directory****Description**

Whether to suppress configuration warnings produced by the Impala Daemon Audit Log Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_audit_event_log_dir

Required

true

Suppress Configuration Validator: Impala Daemon Backend Port**Description**

Whether to suppress configuration warnings produced by the Impala Daemon Backend Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_be_port

Required

true

Suppress Configuration Validator: Impala Daemon Beeswax Port**Description**

Whether to suppress configuration warnings produced by the Impala Daemon Beeswax Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_beeswax_port

Required

true

Suppress Configuration Validator: Catalog Server Service Port

Description

Whether to suppress configuration warnings produced by the Catalog Server Service Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_catalog_service_port

Required

true

Suppress Configuration Validator: Catalog Server Command Line Argument Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Catalog Server Command Line Argument Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_catalogd_cmd_args_safety_valve

Required

true

Suppress Configuration Validator: Impala Catalog Server Advanced Configuration Snippet (Safety Valve) for core-site.xml

Description

Whether to suppress configuration warnings produced by the Impala Catalog Server Advanced Configuration Snippet (Safety Valve) for core-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_catalogd_core_site_safety_valve

Required

true

Suppress Configuration Validator: Catalog Server HBase Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Catalog Server HBase Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_catalogd_hbase_conf_safety_valve

Required

true

Suppress Configuration Validator: Catalog Server HDFS Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the Catalog Server HDFS Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_catalogd_hdfs_site_conf_safety_valve

Required

true

Suppress Configuration Validator: Catalog Server Hive Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the Catalog Server Hive Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_catalogd_hive_conf_safety_valve

Required

true

Suppress Configuration Validator: Java Configuration Options for Catalog Server**Description**

Whether to suppress configuration warnings produced by the Java Configuration Options for Catalog Server configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_catalogd_java_opts

Required

true

Suppress Configuration Validator: Impala Catalog Server Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Impala Catalog Server Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_catalogserver_role_env_safety_valve

Required

true

Suppress Configuration Validator: Catalog Server HTTP Server Port

Description

Whether to suppress configuration warnings produced by the Catalog Server HTTP Server Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_catalogserver_webserver_port

Required

true

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: Impala Daemon Core Dump Directory

Description

Whether to suppress configuration warnings produced by the Impala Daemon Core Dump Directory configuration validator.

Related Name**Default Value**

	false
API Name	role_config_suppression_core_dump_dir
Required	true

Suppress Configuration Validator: Impala Daemon Data Cache Directories

Description	Whether to suppress configuration warnings produced by the Impala Daemon Data Cache Directories configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_datacache_dirs
Required	true

Suppress Configuration Validator: Impala Daemon Default Memory Limit Validator

Description	Whether to suppress configuration warnings produced by the Impala Daemon Default Memory Limit Validator configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_default_impalad_memory_limit_validator
Required	true

Suppress Configuration Validator: Impala Daemon Default Query Options

Description	Whether to suppress configuration warnings produced by the Impala Daemon Default Query Options configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_default_query_options
Required	true

Suppress Configuration Validator: Impala Daemon HiveServer2 HTTP Port

Description	
--------------------	--

Whether to suppress configuration warnings produced by the Impala Daemon HiveServer2 HTTP Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hs2_http_port

Required

true

Suppress Configuration Validator: Impala Daemon HiveServer2 Port

Description

Whether to suppress configuration warnings produced by the Impala Daemon HiveServer2 Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hs2_port

Required

true

Suppress Configuration Validator: Impala Audit Enabled Validator

Description

Whether to suppress configuration warnings produced by the Impala Audit Enabled Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_impala_audit_enabled_validator

Required

true

Suppress Configuration Validator: Impala Daemon HDFS Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Impala Daemon HDFS Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_impala_hdfs_site_conf_safety_valve

Required

true

Suppress Configuration Validator: Impala Daemon Hive Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Impala Daemon Hive Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_impala_hive_conf_safety_valve

Required

true

Suppress Configuration Validator: Impala Lineage Enabled Validator

Description

Whether to suppress configuration warnings produced by the Impala Lineage Enabled Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_impala_lineage_enabled_validator

Required

true

Suppress Configuration Validator: Impala Daemon Llama Site Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Impala Daemon Llama Site Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_impala_llama_site_conf_safety_valve

Required

true

Suppress Configuration Validator: Impala Daemons Load Balancer Hiveserver2 Port

Description

Whether to suppress configuration warnings produced by the Impala Daemons Load Balancer Hiveserver2 Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_impala_load_balancer_hs2_port

Required

true

Suppress Configuration Validator: Impala Daemon Command Line Argument Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Impala Daemon Command Line Argument Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_impalad_cmd_args_safety_valve

Required

true

Suppress Configuration Validator: Impala Daemon Command Line Arguments Safety Valve Validator

Description

Whether to suppress configuration warnings produced by the Impala Daemon Command Line Arguments Safety Valve Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_impalad_cmd_args_safety_valve_validator

Required

true

Suppress Configuration Validator: Impala Daemon Advanced Configuration Snippet (Safety Valve) for core-site.xml

Description

Whether to suppress configuration warnings produced by the Impala Daemon Advanced Configuration Snippet (Safety Valve) for core-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_impalad_core_site_safety_valve

Required

true

Suppress Configuration Validator: Java Configuration Options for Impala Daemon

Description

Whether to suppress configuration warnings produced by the Java Configuration Options for Impala Daemon configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_impalad_embedded_java_opts

Required

true

Suppress Configuration Validator: Impala Daemon Fair Scheduler Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Impala Daemon Fair Scheduler Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_impalad_fair_scheduler_safety_valve

Required

true

Suppress Configuration Validator: Impala Daemon HBase Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Impala Daemon HBase Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_impalad_hbase_conf_safety_valve

Required

true

Suppress Configuration Validator: LDAP Server CA Certificate

Description

Whether to suppress configuration warnings produced by the LDAP Server CA Certificate configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_impalad_ldap_ca_certificate

Required

true

Suppress Configuration Validator: Impala Daemons Load Balancer

Description

Whether to suppress configuration warnings produced by the Impala Daemons Load Balancer configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_impalad_load_balancer

Required

true

Suppress Configuration Validator: Impala Daemon Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Impala Daemon Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_impalad_role_env_safety_valve

Required

true

Suppress Configuration Validator: Impala Daemon HTTP Server Port

Description

Whether to suppress configuration warnings produced by the Impala Daemon HTTP Server Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_impalad_webserver_port

Required

true

Suppress Configuration Validator: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Configuration Validator: JWKS URL

Description

Whether to suppress configuration warnings produced by the JWKS URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_jwks_url

Required

true

Suppress Configuration Validator: Username JWT Custom Claim

Description

Whether to suppress configuration warnings produced by the Username JWT Custom Claim configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_jwt_custom_claim_username

Required

true

Suppress Configuration Validator: Impala Daemon KRPC Port

Description

Whether to suppress configuration warnings produced by the Impala Daemon KRPC Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_krpc_port

Required

true

Suppress Configuration Validator: Impala Daemon Lineage Log Directory**Description**

Whether to suppress configuration warnings produced by the Impala Daemon Lineage Log Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_lineage_event_log_dir

Required

true

Suppress Configuration Validator: Llama Callback Port**Description**

Whether to suppress configuration warnings produced by the Llama Callback Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_llama_callback_port

Required

true

Suppress Configuration Validator: Local UDF Library Dir**Description**

Whether to suppress configuration warnings produced by the Local UDF Library Dir configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_local_library_dir

Required

true

Suppress Configuration Validator: Impala Daemon Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the Impala Daemon Logging Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Configuration Validator: Impala Daemon Log Directory

Description

Whether to suppress configuration warnings produced by the Impala Daemon Log Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Configuration Validator: Impala Daemon Breakpad Dump Directory

Description

Whether to suppress configuration warnings produced by the Impala Daemon Breakpad Dump Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_minidump_path

Required

true

Suppress Configuration Validator: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: Role Triggers

Description

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Configuration Validator: Impala Daemon Scratch Directories

Description

Whether to suppress configuration warnings produced by the Impala Daemon Scratch Directories configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_scratch_dirs

Required

true

Suppress Configuration Validator: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Configuration Validator: Second Statestore Host Name

Description

Whether to suppress configuration warnings produced by the Second Statestore Host Name configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_state_store_2_host

Required

true

Suppress Configuration Validator: Statestore HA Port

Description

Whether to suppress configuration warnings produced by the Statestore HA Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_state_store_ha_port

Required

true

Suppress Configuration Validator: Statestore Host Name

Description

Whether to suppress configuration warnings produced by the Statestore Host Name configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_state_store_host

Required

true

Suppress Configuration Validator: Peer Statestore Host Name

Description

Whether to suppress configuration warnings produced by the Peer Statestore Host Name configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_state_store_peer_host

Required

true

Suppress Configuration Validator: StateStoreSubscriber Service Port**Description**

Whether to suppress configuration warnings produced by the StateStoreSubscriber Service Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_state_store_subscriber_port

Required

true

Suppress Configuration Validator: Statestore Command Line Argument Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the Statestore Command Line Argument Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_statestore_cmd_args_safety_valve

Required

true

Suppress Configuration Validator: Impala StateStore Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the Impala StateStore Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_statestore_role_env_safety_valve

Required

true

Suppress Configuration Validator: StateStore HTTP Server Port**Description**

Whether to suppress configuration warnings produced by the StateStore HTTP Server Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_statestore_webserver_port

Required

true

Suppress Configuration Validator: Impala Daemon Unlimited Memory Limit Validator

Description

Whether to suppress configuration warnings produced by the Impala Daemon Unlimited Memory Limit Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_unlimited_impalad_memory_limit_validator

Required

true

Suppress Configuration Validator: Impala Daemon Webserver TLS/SSL Server Certificate File (PEM Format)

Description

Whether to suppress configuration warnings produced by the Impala Daemon Webserver TLS/SSL Server Certificate File (PEM Format) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_webserver_certificate_file

Required

true

Suppress Configuration Validator: Impala Daemon Web Server User Password

Description

Whether to suppress configuration warnings produced by the Impala Daemon Web Server User Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_webserver_htpassword_password

Required

true

Suppress Configuration Validator: Impala Daemon Web Server Username

Description

Whether to suppress configuration warnings produced by the Impala Daemon Web Server Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_webserver_htpassword_user

Required

true

Suppress Configuration Validator: Impala Daemon Webserver TLS/SSL Server Private Key File (PEM Format)

Description

Whether to suppress configuration warnings produced by the Impala Daemon Webserver TLS/SSL Server Private Key File (PEM Format) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_webserver_private_key_file

Required

true

Suppress Configuration Validator: Impala Daemon Webserver TLS/SSL Private Key Password

Description

Whether to suppress configuration warnings produced by the Impala Daemon Webserver TLS/SSL Private Key Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_webserver_private_key_password_cmd

Required

true

Suppress Parameter Validation: Impala Service Advanced Configuration Snippet (Safety Valve) for atlas-application.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Service Advanced Configuration Snippet (Safety Valve) for atlas-application.properties parameter.

Related Name

Default Value

false

API Name

service_config_suppression_application_properties_safety_valve

Required

true

Suppress Parameter Validation: Atlas Kafka Messages Spool Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas Kafka Messages Spool Directory parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_atlas_message_spool_path

Required

true

Suppress Configuration Validator: Impala Catalog Server Count Validator**Description**

Whether to suppress configuration warnings produced by the Impala Catalog Server Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_catalogserver_count_validator

Required

true

Suppress Configuration Validator: Secure Web UI Validator**Description**

Whether to suppress configuration warnings produced by the Secure Web UI Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_hadoop_secure_web_ui

Required

true

Suppress Configuration Validator: Ranger Plugin Url Auth Validator for filesystem schemes**Description**

Whether to suppress configuration warnings produced by the Ranger Plugin Url Auth Validator for filesystem schemes configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_hive_ranger_url_auth_validator

Required

true

Suppress Parameter Validation: Proxy Group Configuration**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Proxy Group Configuration parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_impala_authorized_proxy_group_config

Required

true

Suppress Parameter Validation: Proxy User Configuration**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Proxy User Configuration parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_impala_authorized_proxy_user_config

Required

true

Suppress Configuration Validator: Bypass Hive Metastore Validator**Description**

Whether to suppress configuration warnings produced by the Bypass Hive Metastore Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_impala_bypass_hms_validator

Required

true

Suppress Parameter Validation: Impala Command Line Argument Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Command Line Argument Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_impala_cmd_args_safety_valve

Required

true

Suppress Configuration Validator: Impala Command Line Arguments Safety Valve Validator

Description

Whether to suppress configuration warnings produced by the Impala Command Line Arguments Safety Valve Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_impala_cmd_args_safety_valve_validator

Required

true

Suppress Configuration Validator: Impala Short-Circuit Read Validator

Description

Whether to suppress configuration warnings produced by the Impala Short-Circuit Read Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_impala_dfs_client_read_shortcircuit_validator

Required

true

Suppress Configuration Validator: Enable HDFS Block Metadata API Configuration Validator

Description

Whether to suppress configuration warnings produced by the Enable HDFS Block Metadata API Configuration Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_impala_hdfs_dfs_datanode_hdfs_blocks_metadata_enabled_set_validator

Required

true

Suppress Parameter Validation: LDAP URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP URL parameter.

Related Name

Default Value

false

API Name

service_config_suppression_impala_ldap_uri

Required

true

Suppress Configuration Validator: LDAP Configuration Validator

Description

Whether to suppress configuration warnings produced by the LDAP Configuration Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_impala_ldap_validator

Required

true

Suppress Configuration Validator: Impala Llama Supported Validator

Description

Whether to suppress configuration warnings produced by the Impala Llama Supported Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_impala_llama_supported_validator

Required

true

Suppress Parameter Validation: Impala Query Aggregates

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Query Aggregates parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_impala_query_aggregates

Required

true

Suppress Parameter Validation: Impala Service Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_impala_service_env_safety_valve

Required

true

Suppress Configuration Validator: Impala Specialization Validator**Description**

Whether to suppress configuration warnings produced by the Impala Specialization Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_impala_specialization_validator

Required

true

Suppress Parameter Validation: impala TLS/SSL Trust Store File**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the impala TLS/SSL Trust Store File parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_impala_truststore_file

Required

true

Suppress Parameter Validation: impala TLS/SSL Trust Store Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the impala TLS/SSL Trust Store Password parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_impala_truststore_password

Required

true

Suppress Configuration Validator: Impala Daemon Count Validator**Description**

Whether to suppress configuration warnings produced by the Impala Daemon Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_impalad_count_validator

Required

true

Suppress Parameter Validation: Impala Service Advanced Configuration Snippet (Safety Valve) for sentry-site.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Service Advanced Configuration Snippet (Safety Valve) for sentry-site.xml parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_impalad_sentry_safety_valve

Required

true

Suppress Parameter Validation: Kerberos Principal**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Principal parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_kerberos_princ_name

Required

true

Suppress Parameter Validation: LDAP BaseDN**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP BaseDN parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ldap_basedn

Required

true

Suppress Parameter Validation: LDAP Pattern**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP Pattern parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ldap_bind_pattern

Required

true

Suppress Parameter Validation: Impala Client LDAP Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Client LDAP Password parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ldap_cm_password

Required

true

Suppress Parameter Validation: Impala Client LDAP Username**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Client LDAP Username parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ldap_cm_user

Required

true

Suppress Parameter Validation: Active Directory Domain

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Active Directory Domain parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ldap_domain

Required

true

Suppress Parameter Validation: Audit Event Filter

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Audit Event Filter parameter.

Related Name

Default Value

false

API Name

service_config_suppression_navigator_audit_event_filter

Required

true

Suppress Parameter Validation: Impala Client Advanced Configuration Snippet (Safety Valve) for navigator.client.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Client Advanced Configuration Snippet (Safety Valve) for navigator.client.properties parameter.

Related Name

Default Value

false

API Name

service_config_suppression_navigator_client_config_safety_valve

Required

true

Suppress Parameter Validation: Audit Event Tracker**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Audit Event Tracker parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_navigator_event_tracker

Required

true

Suppress Parameter Validation: Impala Client Advanced Configuration Snippet (Safety Valve) for navigator.lineage.client.properties**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Client Advanced Configuration Snippet (Safety Valve) for navigator.lineage.client.properties parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_navigator_lineage_client_config_safety_valve

Required

true

Suppress Configuration Validator: CA Certificate File Validator**Description**

Whether to suppress configuration warnings produced by the CA Certificate File Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_pem_ca_cert_recommended_for_ssl

Required

true

Suppress Parameter Validation: Impala System Group (except Llama)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala System Group (except Llama) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: Impala System User (except Llama)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala System User (except Llama) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_process_username

Required

true

Suppress Parameter Validation: Ranger DFS Audit Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger DFS Audit Path parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_audit_hdfs_dir

Required

true

Suppress Parameter Validation: Ranger Audit DFS Spool Dir

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Audit DFS Spool Dir parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_audit_hdfs_spool_dir

Required

true

Suppress Parameter Validation: Impala Service Advanced Configuration Snippet (Safety Valve) for ranger-impala-audit.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Service Advanced Configuration Snippet (Safety Valve) for ranger-impala-audit.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_audit_safety_valve

Required

true

Suppress Parameter Validation: Ranger Audit Solr Spool Dir

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Audit Solr Spool Dir parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_audit_solr_spool_dir

Required

true

Suppress Parameter Validation: Ranger Plugin Trusted Proxy IP Address

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Plugin Trusted Proxy IP Address parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_plugin_trusted_proxy_ipaddress

Required

true

Suppress Parameter Validation: Ranger Plugin URL Auth Filesystem Schemes

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Plugin URL Auth Filesystem Schemes parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_plugin_urlauth_filesystem_schemes

Required

true

Suppress Parameter Validation: Ranger Policy Cache Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Policy Cache Directory parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_policy_cache_dir

Required

true

Suppress Parameter Validation: Impala Service Advanced Configuration Snippet (Safety Valve) for ranger-impala-policymgr-ssl.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Service Advanced Configuration Snippet (Safety Valve) for ranger-impala-policymgr-ssl.xml parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_policymgr_ssl_safety_valve

Required

true

Suppress Parameter Validation: Impala Service Advanced Configuration Snippet (Safety Valve) for ranger-impala-security.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Service Advanced Configuration Snippet (Safety Valve) for ranger-impala-security.xml parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_security_safety_valve

Required

true

Suppress Parameter Validation: Service Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name

Default Value

false

API Name

service_config_suppression_service_triggers

Required

true

Suppress Configuration Validator: Short-Circuit Read Enabled Validator

Description

Whether to suppress configuration warnings produced by the Short-Circuit Read Enabled Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_short_circuit_read_validator

Required

true

Suppress Configuration Validator: Short-Circuit Read Permissions Validator

Description

Whether to suppress configuration warnings produced by the Short-Circuit Read Permissions Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_short_circuit_reads_data_directory_permissions_validator

Required

true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_smon_derived_configs_safety_valve

Required

true

Suppress Parameter Validation: The allowed set of OpenSSL ciphers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the The allowed set of OpenSSL ciphers parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ssl_cipher_list

Required

true

Suppress Parameter Validation: Impala TLS/SSL CA Certificate**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala TLS/SSL CA Certificate parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ssl_client_ca_certificate

Required

true

Suppress Parameter Validation: Impala TLS/SSL Server Private Key File (PEM Format)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala TLS/SSL Server Private Key File (PEM Format) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ssl_private_key

Required

true

Suppress Parameter Validation: Impala TLS/SSL Private Key Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala TLS/SSL Private Key Password parameter.

Related Name**Default Value**

	false
API Name	service_config_suppression_ssl_private_key_password
Required	true

Suppress Parameter Validation: Impala TLS/SSL Server Certificate File (PEM Format)

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala TLS/SSL Server Certificate File (PEM Format) parameter.
Related Name	
Default Value	false
API Name	service_config_suppression_ssl_server_certificate
Required	true

Suppress Configuration Validator: Impala StateStore Count Validator

Description	Whether to suppress configuration warnings produced by the Impala StateStore Count Validator configuration validator.
Related Name	
Default Value	false
API Name	service_config_suppression_statestore_count_validator
Required	true

Suppress Health Test: Impala Catalog Server Health

Description	Whether to suppress the results of the Impala Catalog Server Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.
Related Name	
Default Value	false
API Name	service_health_suppression_impala_catalogserver_healthy
Required	true

Suppress Health Test: Impala Daemon Health

Description	
--------------------	--

Whether to suppress the results of the Impala Daemon Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_impala_impalads_healthy

Required

true

Suppress Health Test: Impala Llama ApplicationMaster Health**Description**

Whether to suppress the results of the Impala Llama ApplicationMaster Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_impala_llamas_healthy

Required

true

Suppress Health Test: Impala StateStore Health**Description**

Whether to suppress the results of the Impala StateStore Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_impala_statestore_healthy

Required

true

Java KeyStore KMS Properties in Cloudera Runtime 7.3.1

Role groups:

Key Management Server

Advanced

Key Management Server Advanced Configuration Snippet (Safety Valve) for core-site.xml

Description

For advanced use only. A string to be inserted into core-site.xml for this role only.

Related Name**Default Value****API Name**

core-site.xml_role_safety_valve

Required

false

Key Management Server Advanced Configuration Snippet (Safety Valve) for kms-acls.xml

Description

For advanced use only. A string to be inserted into kms-acls.xml for this role only.

Related Name**Default Value****API Name**

kms-acls.xml_role_safety_valve

Required

false

Key Management Server Advanced Configuration Snippet (Safety Valve) for kms-site.xml

Description

For advanced use only. A string to be inserted into kms-site.xml for this role only.

Related Name**Default Value****API Name**

kms-site.xml_role_safety_valve

Required

false

Key Management Server Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

KMS_role_env_safety_valve

Required

false

Key Management Server Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory

Description

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory

Description

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name

Default Value

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Key Management Server Advanced Configuration Snippet (Safety Valve) for ssl-server.xml

Description

For advanced use only. A string to be inserted into ssl-server.xml for this role only.

Related Name**Default Value****API Name**

ssl-server.xml_role_safety_valve

Required

false

Logs

Key Management Server Log Directory

Description

The log directory for log files of the role Key Management Server.

Related Name

log.dir

Default Value

/var/log/hadoop-kms

API Name

log_dir

Required

false

Key Management Server Logging Threshold

Description

The minimum log level for Key Management Server logs

Related Name

Default Value

INFO

API Name

log_threshold

Required

false

Key Management Server Maximum Log File Backups

Description

The maximum number of rolled log files to keep for Key Management Server logs. Typically used by log4j or logback.

Related Name

Default Value

10

API Name

max_log_backup_index

Required

false

Key Management Server Max Log Size

Description

The maximum size, in megabytes, per log file for Key Management Server logs. Typically used by log4j or logback.

Related Name

Default Value

200 MiB

API Name

max_log_size

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name

Default Value

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name

Default Value

API Name

jmx_exporter_yaml

Required

false

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

kms_fd_thresholds

Required

false

Key Management Server Host Health Test

Description

When computing the overall Key Management Server health, consider the host's health.

Related Name**Default Value**

true

API Name

kms_host_health_enabled

Required

false

Key Management Server Process Health Test

Description

Enables the health test that the Key Management Server's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

kms_scm_health_enabled

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: { "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }

Related Name**Default Value****API Name**

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

exporters: prometheusremotewrite/\$ROLE_NAME: endpoint:
\$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/\$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

extensions: basicauth/\$ROLE_NAME: client_auth: username:
\$ROLE_PARAM(otelcol_remote_write_user) password:
'\$ROLE_PARAM(otelcol_remote_write_password)'

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL**Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username**Description**

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value**API Name**

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds

Description

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window

Description

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=\$ROLENAM and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}] See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

`unexpected_exits_thresholds`

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

`unexpected_exits_window`

Required

false

Other

Flume Proxy User Groups

Description

Allows the flume superuser to impersonate any members of a comma-delimited list of groups. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as `'_no_group_'`.

Related Name

`hadoop.kms.proxyuser.flume.groups`

Default Value

*

API Name

`hadoop_kms_proxyuser_flume_groups`

Required

false

Flume Proxy User Hosts

Description

Comma-delimited list of hosts where you want to allow the flume user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as `'_no_host'`.

Related Name

`hadoop.kms.proxyuser.flume.hosts`

Default Value

*

API Name

hadoop_kms_proxyuser_flume_hosts

Required

false

HDFS Proxy User Groups**Description**

Allows the hdfs superuser to impersonate any members of a comma-delimited list of groups. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name

hadoop.kms.proxyuser.hdfs.groups

Default Value

*

API Name

hadoop_kms_proxyuser_hdfs_groups

Required

false

HDFS Proxy User Hosts**Description**

Comma-delimited list of hosts where you want to allow the hdfs user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host_'.

Related Name

hadoop.kms.proxyuser.hdfs.hosts

Default Value

*

API Name

hadoop_kms_proxyuser_hdfs_hosts

Required

false

Hive Proxy User Groups**Description**

Allows the hive superuser to impersonate any members of a comma-delimited list of groups. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name

hadoop.kms.proxyuser.hive.groups

Default Value

*

API Name

hadoop_kms_proxyuser_hive_groups

Required

false

Hive Proxy User Hosts**Description**

Comma-delimited list of hosts where you want to allow the hive user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host'.

Related Name

hadoop.kms.proxyuser.hive.hosts

Default Value

*

API Name

hadoop_kms_proxyuser_hive_hosts

Required

false

HTTP Proxy User Groups**Description**

Allows the HTTP superuser to impersonate any members of a comma-delimited list of groups. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name

hadoop.kms.proxyuser.HTTP.groups

Default Value

*

API Name

hadoop_kms_proxyuser_HTTP_groups

Required

false

HTTP Proxy User Hosts**Description**

Comma-delimited list of hosts where you want to allow the HTTP user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host'.

Related Name

hadoop.kms.proxyuser.HTTP.hosts

Default Value

*

API Name

hadoop_kms_proxyuser_HTTP_hosts

Required

false

HttpFS Proxy User Groups

Description

Allows the httpfs superuser to impersonate any members of a comma-delimited list of groups. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name

hadoop.kms.proxyuser.httpfs.groups

Default Value

*

API Name

hadoop_kms_proxyuser_httpfs_groups

Required

false

HttpFS Proxy User Hosts

Description

Comma-delimited list of hosts where you want to allow the httpfs user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host_'.

Related Name

hadoop.kms.proxyuser.httpfs.hosts

Default Value

*

API Name

hadoop_kms_proxyuser_httpfs_hosts

Required

false

Hue Proxy User Groups

Description

Allows the hue superuser to impersonate any members of a comma-delimited list of groups. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name

hadoop.kms.proxyuser.hue.groups

Default Value

*

API Name

hadoop_kms_proxyuser_hue_groups

Required

false

Hue Proxy User Hosts

Description

Comma-delimited list of hosts where you want to allow the hue user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host'.

Related Name

hadoop.kms.proxyuser.hue.hosts

Default Value

*

API Name

hadoop_kms_proxyuser_hue_hosts

Required

false

Mapred Proxy User Groups

Description

Allows the mapred superuser to impersonate any members of a comma-delimited list of groups. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name

hadoop.kms.proxyuser.mapred.groups

Default Value

*

API Name

hadoop_kms_proxyuser_mapred_groups

Required

false

Mapred Proxy User Hosts

Description

Comma-delimited list of hosts where you want to allow the mapred user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host'.

Related Name

hadoop.kms.proxyuser.mapred.hosts

Default Value

*

API Name

hadoop_kms_proxyuser_mapred_hosts

Required

false

Oozie Proxy User Groups

Description

Allows the oozie superuser to impersonate any members of a comma-delimited list of groups. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name

`hadoop.kms.proxyuser.oozie.groups`**Default Value**

*

API Name`hadoop_kms_proxyuser_oozie_groups`**Required**

false

Oozie Proxy User Hosts**Description**

Comma-delimited list of hosts where you want to allow the oozie user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host'.

Related Name`hadoop.kms.proxyuser.oozie.hosts`**Default Value**

*

API Name`hadoop_kms_proxyuser_oozie_hosts`**Required**

false

YARN Proxy User Groups**Description**

Allows the yarn superuser to impersonate any members of a comma-delimited list of groups. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name`hadoop.kms.proxyuser.yarn.groups`**Default Value**

*

API Name`hadoop_kms_proxyuser_yarn_groups`**Required**

false

YARN Proxy User Hosts**Description**

Comma-delimited list of hosts where you want to allow the yarn user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host'.

Related Name`hadoop.kms.proxyuser.yarn.hosts`**Default Value**

*

API Name

hadoop_kms_proxyuser_yarn_hosts

Required

false

JavaKeyStoreProvider Directory**Description**

Directory of the keystore file kms.keystore used by JavaKeyStoreProvider that backs the KMS.

Related Name

hadoop.kms.key.provider.uri

Default Value

/var/lib/kms

API Name

hadoop_security_key_provider_dir

Required

true

KMS Accept Count**Description**

The maximum queue length for incoming connection requests when all possible request processing threads are in use. Any requests received when the queue is full will be refused. This configuration is only supported in CDH 5.11 and up.

Related Name

hadoop.http.accept.queue.size

Default Value

500

API Name

kms_accept_count

Required

false

KMS Blacklist Users**Description**

A comma-separated list of users (no spaces) for whom to disallow access to key material. These users can still fetch key metadata and create encrypted encryption keys, but are unable to do any other KMS operations. Typically, HDFS superusers will be specified here.

Related Name

kms_blacklist_users

Default Value**API Name**

kms_blacklist_users

Required

false

KMS Heap Size

Description

Maximum heap size of the KMS.

Related Name

kms_heap_size

Default Value

1 GiB

API Name

kms_heap_size

Required

true

Additional Java Configuration Options for KMS

Description

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here.

Related Name

kms_java_opts

Default Value**API Name**

kms_java_opts

Required

false

KMS Max Threads

Description

Maximum number of threads used to handle KMS requests.

Related Name

hadoop.http.max.threads

Default Value

250

API Name

kms_max_threads

Required

false

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

`rlimit_fds`**Required**`false`**Ports and Addresses****KMS HTTP Port****Description**

Port used by clients to interact with the KMS.

Related Name`hadoop.kms.http.port`**Default Value**`16000`**API Name**`kms_http_port`**Required**`true`**Resource Management****Cgroup V1 BLKIO Weight****Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name`blkio.weight`**Default Value**`500`**API Name**`rm_blkio_weight`**Required**`true`**Cgroup V1 CPU Shares****Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name`cpu.shares`**Default Value**`1024`**API Name**`rm_cpu_shares`

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

`rm_memory_soft_limit_v1`**Required**`true`**Cgroup V2 Memory Soft Limit****Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name`memory.high`**Default Value**`-1 MiB`**API Name**`rm_memory_soft_limit_v2`**Required**`true`**Security****Key Management Server TLS/SSL Trust Store File****Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Key Management Server might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name`ssl.server.truststore.location`**Default Value****API Name**`ssl_client_truststore_location`**Required**`false`**Key Management Server TLS/SSL Trust Store Password****Description**

The password for the Key Management Server TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name`ssl.server.truststore.password`**Default Value****API Name**

ssl_client_truststore_password

Required

false

Enable TLS/SSL for Key Management Server

Description

Encrypt communication between clients and Key Management Server using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

hadoop.kms.ssl.enabled

Default Value

false

API Name

ssl_enabled

Required

false

Key Management Server TLS/SSL Server Keystore Key Password

Description

The password that protects the private key contained in the keystore used when Key Management Server is acting as a TLS/SSL server.

Related Name

ssl.server.keystore.keypassword

Default Value

API Name

ssl_server_keystore_keypassword

Required

false

Key Management Server TLS/SSL Server Keystore File Location

Description

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Key Management Server is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

ssl.server.keystore.location

Default Value

API Name

ssl_server_keystore_location

Required

false

Key Management Server TLS/SSL Server Keystore File Password

Description

The password for the Key Management Server keystore file.

Related Name

ssl.server.keystore.password

Default Value**API Name**

ssl_server_keystore_password

Required

false

Stacks Collection**Stacks Collection Data Retention****Description**

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory**Description**

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

`stacks_collection_enabled`**Required**`true`**Stacks Collection Frequency****Description**

The frequency with which stacks are collected.

Related Name`stacks_collection_frequency`**Default Value**`5.0 second(s)`**API Name**`stacks_collection_frequency`**Required**`false`**Stacks Collection Method****Description**

The method used to collect stacks. The `jstack` option involves periodically running the `jstack` command against the role's daemon process. The `servlet` method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the `servlet` method is selected, that HTTP endpoint is periodically scraped.

Related Name`stacks_collection_method`**Default Value**`jstack`**API Name**`stacks_collection_method`**Required**`false`**Suppressions****Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_cdh_version_validator`**Required**`true`

Suppress Parameter Validation: Key Management Server Advanced Configuration Snippet (Safety Valve) for core-site.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Key Management Server Advanced Configuration Snippet (Safety Valve) for core-site.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_core-site.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Flume Proxy User Groups**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Flume Proxy User Groups parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hadoop_kms_proxyuser_flume_groups

Required

true

Suppress Parameter Validation: Flume Proxy User Hosts**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Flume Proxy User Hosts parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hadoop_kms_proxyuser_flume_hosts

Required

true

Suppress Parameter Validation: HDFS Proxy User Groups**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS Proxy User Groups parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hadoop_kms_proxyuser_hdfs_groups

Required

true

Suppress Parameter Validation: HDFS Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS Proxy User Hosts parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_hdfs_hosts

Required

true

Suppress Parameter Validation: Hive Proxy User Groups

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Proxy User Groups parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_hive_groups

Required

true

Suppress Parameter Validation: Hive Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Proxy User Hosts parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_hive_hosts

Required

true

Suppress Parameter Validation: HTTP Proxy User Groups

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HTTP Proxy User Groups parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_http_groups

Required

true

Suppress Parameter Validation: HTTP Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HTTP Proxy User Hosts parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_http_hosts

Required

true

Suppress Parameter Validation: HttpFS Proxy User Groups

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HttpFS Proxy User Groups parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_httpfs_groups

Required

true

Suppress Parameter Validation: HttpFS Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HttpFS Proxy User Hosts parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_httpfs_hosts

Required

true

Suppress Parameter Validation: Hue Proxy User Groups

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue Proxy User Groups parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_hue_groups

Required

true

Suppress Parameter Validation: Hue Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue Proxy User Hosts parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_hue_hosts

Required

true

Suppress Parameter Validation: Mapred Proxy User Groups

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Mapred Proxy User Groups parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_mapred_groups

Required

true

Suppress Parameter Validation: Mapred Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Mapred Proxy User Hosts parameter.

Related Name

Default Value

false

API Name

`role_config_suppression_hadoop_kms_proxyuser_mapred_hosts`**Required**`true`**Suppress Parameter Validation: Oozie Proxy User Groups****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie Proxy User Groups parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_hadoop_kms_proxyuser_oozie_groups`**Required**`true`**Suppress Parameter Validation: Oozie Proxy User Hosts****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie Proxy User Hosts parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_hadoop_kms_proxyuser_oozie_hosts`**Required**`true`**Suppress Parameter Validation: YARN Proxy User Groups****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Proxy User Groups parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_hadoop_kms_proxyuser_yarn_groups`**Required**`true`**Suppress Parameter Validation: YARN Proxy User Hosts****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Proxy User Hosts parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_yarn_hosts

Required

true

Suppress Parameter Validation: JavaKeyStoreProvider Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JavaKeyStoreProvider Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_security_key_provider_dir

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Key Management Server Advanced Configuration Snippet (Safety Valve) for kms-acls.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Key Management Server Advanced Configuration Snippet (Safety Valve) for kms-acls.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_kms-acls.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Key Management Server Advanced Configuration Snippet (Safety Valve) for kms-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Key Management Server Advanced Configuration Snippet (Safety Valve) for kms-site.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_kms-site.xml_role_safety_valve

Required

true

Suppress Parameter Validation: KMS Blacklist Users

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the KMS Blacklist Users parameter.

Related Name

Default Value

false

API Name

role_config_suppression_kms_blacklist_users

Required

true

Suppress Parameter Validation: KMS HTTP Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the KMS HTTP Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_kms_http_port

Required

true

Suppress Parameter Validation: Additional Java Configuration Options for KMS

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Additional Java Configuration Options for KMS parameter.

Related Name

Default Value

false

API Name

role_config_suppression_kms_java_opts

Required

true

Suppress Parameter Validation: Key Management Server Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Key Management Server Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_kms_role_env_safety_valve

Required

true

Suppress Parameter Validation: Key Management Server Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Key Management Server Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Key Management Server Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Key Management Server Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: Heap Dump Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**

	false
API Name	role_config_suppression_otelcol_service
Required	true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_rm_custom_resources
Required	true

Suppress Parameter Validation: Role Triggers

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_role_triggers
Required	true

Suppress Parameter Validation: Key Management Server Advanced Configuration Snippet (Safety Valve) for ssl-server.xml

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Key Management Server Advanced Configuration Snippet (Safety Valve) for ssl-server.xml parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_ssl-server.xml_role_safety_valve
Required	true

Suppress Parameter Validation: Key Management Server TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Key Management Server TLS/SSL Trust Store File parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: Key Management Server TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Key Management Server TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Parameter Validation: Key Management Server TLS/SSL Server Keystore Key Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Key Management Server TLS/SSL Server Keystore Key Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_keypassword

Required

true

Suppress Parameter Validation: Key Management Server TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Key Management Server TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

`role_config_suppression_ssl_server_keystore_location`**Required**`true`**Suppress Parameter Validation: Key Management Server TLS/SSL Server Keystore File Password****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Key Management Server TLS/SSL Server Keystore File Password parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ssl_server_keystore_password`**Required**`true`**Suppress Parameter Validation: Stacks Collection Directory****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_stacks_collection_directory`**Required**`true`**Suppress Health Test: Audit Pipeline Test****Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_kms_kms_audit_health`**Required**`true`**Suppress Health Test: File Descriptors****Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kms_kms_file_descriptor

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kms_kms_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kms_kms_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kms_kms_otelcol_health

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kms_kms_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kms_kms_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kms_kms_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_kms_kms_unexpected_exits

Required

true

Service-Wide

Advanced

Java KeyStore KMS Service Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

KMS_service_env_safety_valve

Required

false

System Group

Description

The group that this service's processes should run as.

Related Name

Default Value

kms

API Name

process_groupname

Required

true

System User

Description

The user that this service's processes should run as.

Related Name

Default Value

kms

API Name

process_username

Required

true

Monitoring**Enable Service Level Health Alerts****Description**

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Service Triggers**Description**

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `{ "triggerName": "sample-trigger", "triggerExpression": "I`

F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}}See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

service_triggers

Required

true

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name

Default Value

API Name

smon_derived_configs_safety_valve

Required

false

Other

Authentication Type

Description

Authentication type for the KMS. Can either be "simple" or "kerberos".

Related Name

hadoop.kms.authentication.type

Default Value

simple

API Name

hadoop_kms_authentication_type

Required

true

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: Key Management Server Advanced Configuration Snippet (Safety Valve) for core-site.xml**Description**

Whether to suppress configuration warnings produced by the Key Management Server Advanced Configuration Snippet (Safety Valve) for core-site.xml configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_core-site.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Flume Proxy User Groups**Description**

Whether to suppress configuration warnings produced by the Flume Proxy User Groups configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hadoop_kms_proxyuser_flume_groups

Required

true

Suppress Configuration Validator: Flume Proxy User Hosts**Description**

Whether to suppress configuration warnings produced by the Flume Proxy User Hosts configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hadoop_kms_proxyuser_flume_hosts

Required

true

Suppress Configuration Validator: HDFS Proxy User Groups**Description**

Whether to suppress configuration warnings produced by the HDFS Proxy User Groups configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_hdfs_groups

Required

true

Suppress Configuration Validator: HDFS Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the HDFS Proxy User Hosts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_hdfs_hosts

Required

true

Suppress Configuration Validator: Hive Proxy User Groups

Description

Whether to suppress configuration warnings produced by the Hive Proxy User Groups configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_hive_groups

Required

true

Suppress Configuration Validator: Hive Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the Hive Proxy User Hosts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_hive_hosts

Required

true

Suppress Configuration Validator: HTTP Proxy User Groups

Description

Whether to suppress configuration warnings produced by the HTTP Proxy User Groups configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_http_groups

Required

true

Suppress Configuration Validator: HTTP Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the HTTP Proxy User Hosts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_http_hosts

Required

true

Suppress Configuration Validator: HttpFS Proxy User Groups

Description

Whether to suppress configuration warnings produced by the HttpFS Proxy User Groups configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_httpfs_groups

Required

true

Suppress Configuration Validator: HttpFS Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the HttpFS Proxy User Hosts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_httpfs_hosts

Required

true

Suppress Configuration Validator: Hue Proxy User Groups

Description

Whether to suppress configuration warnings produced by the Hue Proxy User Groups configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_hue_groups

Required

true

Suppress Configuration Validator: Hue Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the Hue Proxy User Hosts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_hue_hosts

Required

true

Suppress Configuration Validator: Mapred Proxy User Groups

Description

Whether to suppress configuration warnings produced by the Mapred Proxy User Groups configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_mapred_groups

Required

true

Suppress Configuration Validator: Mapred Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the Mapred Proxy User Hosts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_mapred_hosts

Required

true

Suppress Configuration Validator: Oozie Proxy User Groups

Description

Whether to suppress configuration warnings produced by the Oozie Proxy User Groups configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_oozie_groups

Required

true

Suppress Configuration Validator: Oozie Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the Oozie Proxy User Hosts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_oozie_hosts

Required

true

Suppress Configuration Validator: YARN Proxy User Groups

Description

Whether to suppress configuration warnings produced by the YARN Proxy User Groups configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_yarn_groups

Required

true

Suppress Configuration Validator: YARN Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the YARN Proxy User Hosts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_yarn_hosts

Required

true

Suppress Configuration Validator: JavaKeyStoreProvider Directory

Description

Whether to suppress configuration warnings produced by the JavaKeyStoreProvider Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_security_key_provider_dir

Required

true

Suppress Configuration Validator: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Configuration Validator: Key Management Server Advanced Configuration Snippet (Safety Valve) for kms-acls.xml

Description

Whether to suppress configuration warnings produced by the Key Management Server Advanced Configuration Snippet (Safety Valve) for kms-acls.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_kms-acls.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Key Management Server Advanced Configuration Snippet (Safety Valve) for kms-site.xml

Description

Whether to suppress configuration warnings produced by the Key Management Server Advanced Configuration Snippet (Safety Valve) for kms-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_kms-site.xml_role_safety_valve

Required

true

Suppress Configuration Validator: KMS Blacklist Users

Description

Whether to suppress configuration warnings produced by the KMS Blacklist Users configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_kms_blacklist_users

Required

true

Suppress Configuration Validator: KMS HTTP Port

Description

Whether to suppress configuration warnings produced by the KMS HTTP Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_kms_http_port

Required

true

Suppress Configuration Validator: Additional Java Configuration Options for KMS

Description

Whether to suppress configuration warnings produced by the Additional Java Configuration Options for KMS configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_kms_java_opts

Required

true

Suppress Configuration Validator: Key Management Server Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Key Management Server Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_kms_role_env_safety_valve

Required

true

Suppress Configuration Validator: Key Management Server Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Key Management Server Logging Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Configuration Validator: Key Management Server Log Directory

Description

Whether to suppress configuration warnings produced by the Key Management Server Log Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Configuration Validator: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_otelcol_remote_write_url

Required
true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description
Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_otelcol_remote_write_user

Required
true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description
Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_otelcol_rtm_logs_exporters

Required
true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description
Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: Role Triggers

Description

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Configuration Validator: Key Management Server Advanced Configuration Snippet (Safety Valve) for ssl-server.xml

Description

Whether to suppress configuration warnings produced by the Key Management Server Advanced Configuration Snippet (Safety Valve) for ssl-server.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl-server.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Key Management Server TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the Key Management Server TLS/SSL Trust Store File configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Configuration Validator: Key Management Server TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the Key Management Server TLS/SSL Trust Store Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Configuration Validator: Key Management Server TLS/SSL Server Keystore Key Password

Description

Whether to suppress configuration warnings produced by the Key Management Server TLS/SSL Server Keystore Key Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_keypassword

Required

true

Suppress Configuration Validator: Key Management Server TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the Key Management Server TLS/SSL Server Keystore File Location configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Configuration Validator: Key Management Server TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the Key Management Server TLS/SSL Server Keystore File Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Configuration Validator: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Configuration Validator: Key Management Server Count Validator

Description

Whether to suppress configuration warnings produced by the Key Management Server Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_kms_count_validator

Required

true

Suppress Parameter Validation: Java KeyStore KMS Service Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java KeyStore KMS Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_kms_service_env_safety_valve

Required

true

Suppress Parameter Validation: System Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name

Default Value

false

API Name

service_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: System User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name

Default Value

false

API Name

service_config_suppression_process_username

Required

true

Suppress Parameter Validation: Service Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name

Default Value

false

API Name

service_config_suppression_service_triggers

Required

true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_smon_derived_configs_safety_valve

Required

true

Kafka Properties in Cloudera Runtime 7.3.1

Role groups:

Gateway

Advanced

Deploy Directory

Description

The directory where the client configs will be deployed

Related Name

Default Value

/etc/kafka

API Name

client_config_root_dir

Required

true

Kafka Client Advanced Configuration Snippet (Safety Valve) for kafka-conf/kafka-client.conf

Description

For advanced use only, a string to be inserted into the client configuration for kafka-conf/kafka-client.conf.

Related Name

Default Value

API Name

kafka-conf/kafka-client.conf_client_config_safety_valve

Required

false

Kafka Client Advanced Configuration Snippet (Safety Valve) for kafka-conf/kafka-ranger-repo.properties

Description

For advanced use only, a string to be inserted into the client configuration for kafka-conf/kafka-ranger-repo.properties.

Related Name

Default Value

API Name

kafka-conf/kafka-ranger-repo.properties_client_config_safety_valve

Required

false

Gateway Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j2.properties for this role only.

Related Name

Default Value

API Name

log4j_safety_valve

Required

false

Logs

Gateway Logging Threshold

Description

The minimum log level for Gateway logs

Related Name

Default Value

INFO

API Name

log_threshold

Required

false

Monitoring

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Other**Alternatives Priority****Description**

The priority level that the client configuration will have in the Alternatives system on the hosts. Higher priority levels will cause Alternatives to prefer this configuration over any others.

Related Name**Default Value**

50

API Name

client_config_priority

Required

true

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Deploy Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Deploy Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Parameter Validation: Kafka Client Advanced Configuration Snippet (Safety Valve) for kafka-conf/kafka-client.conf**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Client Advanced Configuration Snippet (Safety Valve) for kafka-conf/kafka-client.conf parameter.

Related Name

Default Value

false

API Name

role_config_suppression_kafka-conf/kafka-client.conf_client_config_safety_valve

Required

true

Suppress Parameter Validation: Kafka Client Advanced Configuration Snippet (Safety Valve) for kafka-conf/kafka-ranger-repo.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Client Advanced Configuration Snippet (Safety Valve) for kafka-conf/kafka-ranger-repo.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_kafka-conf/kafka-ranger-repo.properties_client_config_safety_valve

Required

true

Suppress Parameter Validation: Gateway Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Kafka Broker

Advanced

Kafka Broker Advanced Configuration Snippet (Safety Valve) for atlas-application.properties

Description

For advanced use only. A string to be inserted into atlas-application.properties for this role only.

Related Name

Default Value

API Name

atlas-application.properties_role_safety_valve

Required

false

Kafka Broker Advanced Configuration Snippet (Safety Valve) for kafka-monitoring.properties

Description

For advanced use only. A string to be inserted into kafka-monitoring.properties for this role only.

Related Name

Default Value

API Name

kafka-monitoring.properties_role_safety_valve

Required

false

Kafka Broker Advanced Configuration Snippet (Safety Valve) for kafka.properties

Description

For advanced use only. A string to be inserted into kafka.properties for this role only.

Related Name

Default Value

API Name

kafka.properties_role_safety_valve

Required

false

Kafka Broker Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name

Default Value

API Name

KAFKA_BROKER_role_env_safety_valve

Required

false

Kafka Broker Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j2.properties for this role only.

Related Name

Default Value

API Name

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations**Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Kafka Broker Advanced Configuration Snippet (Safety Valve) for oauth_jwks.json**Description**

For advanced use only. A string to be inserted into oauth_jwks.json for this role only.

Related Name**Default Value****API Name**

oauth_jwks.json_role_safety_valve

Required

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Kafka Broker Advanced Configuration Snippet (Safety Valve) for ranger-kafka-audit.xml**Description**

For advanced use only. A string to be inserted into ranger-kafka-audit.xml for this role only.

Related Name**Default Value****API Name**

ranger-kafka-audit.xml_role_safety_valve

Required

false

Kafka Broker Advanced Configuration Snippet (Safety Valve) for ranger-kafka-policymgr-ssl.xml**Description**

For advanced use only. A string to be inserted into ranger-kafka-policymgr-ssl.xml for this role only.

Related Name**Default Value**

API Name

ranger-kafka-policymgr-ssl.xml_role_safety_valve

Required

false

Kafka Broker Advanced Configuration Snippet (Safety Valve) for ranger-kafka-security.xml

Description

For advanced use only. A string to be inserted into ranger-kafka-security.xml for this role only.

Related Name

Default Value

API Name

ranger-kafka-security.xml_role_safety_valve

Required

false

Kafka Broker Advanced Configuration Snippet (Safety Valve) for rolling_restart_check_after_start_admin_client_configs.properties

Description

For advanced use only. A string to be inserted into rolling_restart_check_after_start_admin_client_configs.properties for this role only.

Related Name

Default Value

API Name

rolling_restart_check_after_start_admin_client_configs.properties_role_safety_valve

Required

false

Kafka Broker Advanced Configuration Snippet (Safety Valve) for rolling_restart_check_before_stop_admin_client_configs.properties

Description

For advanced use only. A string to be inserted into rolling_restart_check_before_stop_admin_client_configs.properties for this role only.

Related Name

Default Value

API Name

rolling_restart_check_before_stop_admin_client_configs.properties_role_safety_valve

Required

false

Kafka Broker Advanced Configuration Snippet (Safety Valve) for ssl.properties

Description

For advanced use only. A string to be inserted into ssl.properties for this role only.

Related Name

Default Value

API Name

ssl.properties_role_safety_valve

Required

false

Kafka Broker Advanced Configuration Snippet (Safety Valve) for zookeeper-ssl.properties

Description

For advanced use only. A string to be inserted into zookeeper-ssl.properties for this role only.

Related Name

Default Value

API Name

zookeeper-ssl.properties_role_safety_valve

Required

false

Logs

Kafka Broker Log Directory

Description

The log directory for log files of the role Kafka Broker.

Related Name

kafka.log4j.dir

Default Value

/var/log/kafka

API Name

log_dir

Required

false

Kafka Broker Logging Threshold

Description

The minimum log level for Kafka Broker logs

Related Name

Default Value

INFO

API Name

log_threshold

Required

false

Kafka Broker Maximum Log File Backups

Description

The maximum number of rolled log files to keep for Kafka Broker logs. Typically used by log4j or logback.

Related Name

Default Value

10

API Name

max_log_backup_index

Required

false

Kafka Broker Max Log Size

Description

The maximum size, in megabytes, per log file for Kafka Broker logs. Typically used by log4j or logback.

Related Name

Default Value

200 MiB

API Name

max_log_size

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name

Default Value

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name

Default Value

API Name

jmx_exporter_yaml

Required

false

Enable Lagging Replicas Test

Description

Enables or disables the health test. When disabled, the test does not run at all, nor generate health history.

Related Name

Default Value

true

API Name

KAFKA-KAFKA_BROKER-7.2.19-LAGGING_REPLICAS_test_enable

Required

false

Enable Network Processor Capacity Test

Description

Enables or disables the health test. When disabled, the test does not run at all, nor generate health history.

Related Name

Default Value

true

API Name

KAFKA-KAFKA_BROKER-7.2.19-NETWORK_PROCESSOR_CAPACITY_test_enable

Required

false

Enable Offline Directory Test**Description**

Enables or disables the health test. When disabled, the test does not run at all, nor generate health history.

Related Name**Default Value**

true

API Name

KAFKA-KAFKA_BROKER-7.2.19-OFFLINE_DIRECTORIES_test_enable

Required

false

Enable Offline Partitions Test**Description**

Enables or disables the health test. When disabled, the test does not run at all, nor generate health history.

Related Name**Default Value**

true

API Name

KAFKA-KAFKA_BROKER-7.2.19-OFFLINE_PARTITIONS_test_enable

Required

false

Enable Request Handler Capacity Test**Description**

Enables or disables the health test. When disabled, the test does not run at all, nor generate health history.

Related Name**Default Value**

true

API Name

KAFKA-KAFKA_BROKER-7.2.19-REQUEST_HANDLER_CAPACITY_test_enable

Required

false

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

kafka_broker_fd_thresholds

Required

false

Kafka Broker Host Health Test

Description

When computing the overall Kafka Broker health, consider the host's health.

Related Name

Default Value

true

API Name

kafka_broker_host_health_enabled

Required

false

Kafka Broker Process Health Test

Description

Enables the health test that the Kafka Broker's process state is consistent with the role configuration

Related Name

Default Value

true

API Name

kafka_broker_scm_health_enabled

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name

Default Value

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name**Default Value****API Name**

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
```

insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

extensions: basicauth/\$ROLE_NAME: client_auth: username:
\$ROLE_PARAM(otelcol_remote_write_user) password:
'\$ROLE_PARAM(otelcol_remote_write_password)'

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: `$HOST_NAME`, `$CLUSTER_NAME`, `$CLUSTER_ID`, `$SERVICE_TYPE`, `$SERVICE_NAME`, `$ROLE_NAME`, `$ROLE_TYPE`, `$ROLE_PARAM(my_parameter_name)` - e.g.: a port parameter for the role's metrics, `$DECODE_B64(...)` and `$DECODE_URL(...)` to decode encoded parameters, `$ENV_PARAM(name)` to fetch params from the process' environment, `$SYS_PARAM(name)` to fetch java system properties.

Related Name**Default Value****API Name**`otelcol_receivers`**Required**`false`**OpenTelemetry Collector Remote Write Password****Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**`*****`**API Name**`otelcol_remote_write_password`**Required**`false`**OpenTelemetry Collector Remote Write URL****Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**`$INFRA(cdp_request_signer_url)`**API Name**`otelcol_remote_write_url`**Required**`false`**OpenTelemetry Collector Remote Write Username****Description**

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds

Description

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name

Default Value

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers

Description

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=\$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}] See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

role_triggers

Required

true

Enable Spool Directory Metric Usage for Kafka Broker

Description

Enables the health test for monitoring the Ranger Plugin Spool directory usage.

Related Name

Default Value

true

API Name

spool_directory_usage_enabled

Required

false

Ranger Plugin Spool Directory Usage Thresholds for Kafka Broker

Description

The health test thresholds for monitoring the the Ranger Plugin Spool directory usage.

Related Name

Default Value

1 GiB

API Name

spool_directory_usage_threshold

Required

false

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name

Default Value

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name

Default Value

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

Enable Auditing to Atlas

Description

When enabled, Kafka will audit Kafka Topics, Producers and Consumers to Atlas

Related Name

	atlas.audit.enabled
Default Value	false
API Name	atlas.audit.enabled
Required	false

Authenticate Zookeeper Connection

Description	Enables authentication of SASL connections with zookeeper, if Kerberos authentication is enabled. It also allows a broker to set SASL ACL on zookeeper nodes, which locks these nodes down so that only a Kafka broker can modify it.
Related Name	authenticate.zookeeper.connection
Default Value	true
API Name	authenticate.zookeeper.connection
Required	false

Broker Heartbeat Interval

Description	The length of time in milliseconds between broker heartbeats. Used when running in KRaft mode.
Related Name	broker.heartbeat.interval.ms
Default Value	2 second(s)
API Name	broker.heartbeat.interval.ms
Required	false

Broker ID

Description	ID uniquely identifying each broker. Never set this property at the group level; it should always be overridden on instance level.
Related Name	broker.id
Default Value	
API Name	broker.id
Required	false

Broker Rack ID

Description

Specifies a user defined ID that represents the rack and/or data center that this broker is located in. For example: `Rack1`. If rack IDs are specified, the broker becomes rack aware. This means that partition replicas will be assigned among the specified racks in a fault tolerant manner. The rack IDs specified in this property override the IDs configured by the Enable Rack Awareness property. Specifying multiple levels of racks is possible. This is done by starting and separating the rack IDs with slashes. For example: `/DataCenter1/Rack1`. If you specify multi-level rack IDs, ensure that you also select the Enable multi-level rack awareness property. All Kafka brokers must have the same level of racks. Deployments that have differing rack levels per broker are not supported.

Related Name

broker.rack

Default Value

API Name

broker.rack

Required

false

Broker Session Timeout

Description

The length of time in milliseconds that a broker lease lasts if no heartbeats are made. Used when running in KRaft mode.

Related Name

broker.session.timeout.ms

Default Value

9 second(s)

API Name

broker.session.timeout.ms

Required

false

Additional Broker Java Options

Description

These arguments are passed as part of the Java command line. Commonly, garbage collection flags or extra debugging flags are passed here.

Related Name

broker_java_opts

Default Value

-server -XX:+UseG1GC -XX:MaxGCPauseMillis=20 -XX:InitiatingHeapOccupancyPercent=35 -XX:G1HeapRegionSize=16M -XX:MinMetaspaceFreeRatio=50 -XX:MaxMetaspaceFreeRatio=80 -XX:+DisableExplicitGC -Djava.awt.headless=true -Djava.net.preferIPv4Stack=true -Dcom.sun.management.jmxremote.host=127.0.0.1 -Dcom.sun.management.jmxremote.local.only=true -Djava.rmi.server.hostname=127.0.0.1

API Name

broker_java_opts

Required

false

Java Heap Size of Broker

Description

Maximum size for the Java process heap memory. Passed to Java -Xmx. Measured in megabytes. Kafka does not generally require setting large heap sizes. It is better to let the file system cache utilize the available memory.

Related Name

broker_max_heap_size

Default Value

1 GiB

API Name

broker_max_heap_size

Required

false

Default API Timeout For Kafka Topics Client Used In Kafka Broker Rolling Restart Check

Description

Specifies the timeout (in milliseconds) for kafka-topics client APIs.

Related Name

default.api.timeout.ms

Default Value

1 minute(s)

API Name

broker_rolling_restart_check_kafka_topics_default_api_timeout_ms

Required

false

Cluster Health Guarantee During Rolling Restart

Description

Defines what type of checks are performed during a Rolling Restart on the restarted broker.. Each setting guarantees a different level of cluster health during Rolling Restarts. "none" no checks are performed. This setting does not guarantee any level of cluster health. "ready for requests" ensures that the restarted broker is accepting requests on its service port before restarting the next broker. "healthy partitions stay healthy" ensures that no partitions go into an under-min-isr state when a broker is stopped. This is achieved by waiting before each broker is stopped so that all other brokers can catch up with all replicas that are in an at-min-isr state. Additionally, ensures that the restarted broker is accepting requests on its service port before restarting the next broker. This setting ignores partitions which are already in an under-min-isr state. "all partitions stay healthy" ensures that no partitions are in an under-min-isr or at-min-isr state when a broker is stopped. This is achieved by waiting before each broker is stopped so that all other brokers can catch up with all replicas that are in an at-min-isr or under-min-isr state. Additionally, ensures that the restarted broker is accepting requests on its service port before the next broker is restarted. "all partitions fully replicated" ensures that all partitions are in a fully synchronized state when a broker is stopped. This is achieved by waiting before each broker is stopped so that all other brokers can catch up with all replicas that are out of sync. Additionally, ensures that the restarted broker is accepting requests on its service port before the next broker is restarted.

Related Name

broker_rolling_restart_check_option

Default Value

healthy partitions stay healthy

API Name

broker_rolling_restart_check_option

Required

false

Retry Interval For Kafka Broker Rolling Restart Check**Description**

Specifies the interval (in seconds) at which the Kafka Broker Rolling Restart Check polls topic and replica information. If replicas are not caught up after a poll is made, the Kafka Broker Rolling Restart Check will wait for the amount specified in this property before initiating another poll.

Related Name

broker_rolling_restart_check_retry_interval_sec

Default Value

30 second(s)

API Name

broker_rolling_restart_check_retry_interval_sec

Required

false

Maximum Allowed Runtime For Kafka Broker Rolling Restart Check**Description**

Specifies the maximum amount of time (in seconds) that a Kafka Broker Rolling Restart Check can take. When "Cluster Health Guarantee During Rolling Restart" is enabled (not set to "none"), configuring this property can shorten or lengthen the time required to complete a Rolling Restart.

Related Name

broker_rolling_restart_check_time_limit_sec

Default Value

15 minute(s)

API Name

broker_rolling_restart_check_time_limit_sec

Required

false

Enable multi-level rack awareness**Description**

Enables support for multi-level racks. When enabled, Kafka performs partition assignment in a multi-level rack-aware mode and uses a multi-level rack-aware ReplicaSelector implementation. This mode of rack awareness respects nested racks and ensures that racks are spread evenly across data centers, racks, and/or subracks.

Related Name

cloudera.enable.multi.level.rack.awareness

Default Value

false

API Name

cloudera.enable.multi.level.rack.awareness

Required

false

Kafka Broker Diagnostics Collection Timeout**Description**

The timeout in milliseconds to wait for diagnostics collection to complete.

Related Name**Default Value**

5 minute(s)

API Name

csd_role_diagnostics_timeout

Required

false

Enable Rack Awareness**Description**

Enables rack awareness. If this property is selected, the 'broker.rack' property is set for each broker based on the rack assignment configured for the hosts in Cloudera Manager. This property is ignored if rack IDs are specified in the Broker Rack ID property.

Related Name

enable.rack.awareness

Default Value

false

API Name

enable.rack.awareness

Required

false

Graceful Shutdown Timeout**Description**

The timeout in milliseconds to wait for graceful shutdown to complete.

Related Name**Default Value**

2 minute(s)

API Name

graceful_stop_timeout

Required

false

Enable Authenticated Communication with the JMX Agent**Description**

Enables Authenticated Communication with the JMX Agent.

Related Name

jmx.auth.enabled

Default Value

	true
API Name	jmx.auth.enabled
Required	false

Name of User with Read-Write Access to the JMX Agent

Description	Specifies the name of the user that has read-write privileges when using password file-based authentication for JMX access. JMX authentication must be enabled for this setting to take effect.
Related Name	jmx.control.user
Default Value	controlRole
API Name	jmx.control.user
Required	false

Password of user with read-write access to the JMX agent

Description	Specifies the password of the user that has read-write privileges when using password file-based authentication for JMX access. JMX authentication must be enabled for this setting to take effect.
Related Name	jmx.control.user.passwd
Default Value	*****
API Name	jmx.control.user.passwd
Required	false

Name of User with read-only access to the JMX Agent

Description	Specifies the name of the user that has read-only privileges when using password file-based authentication for JMX access. JMX authentication must be enabled for this setting to take effect.
Related Name	jmx.monitor.user
Default Value	monitorRole
API Name	jmx.monitor.user
Required	false

Password of User with read-only Access to the JMX agent

Description

Specifies the password of the user that has read-only privileges when using password file-based authentication for JMX access. JMX authentication must be enabled for this setting to take effect.

Related Name

jmx.monitor.user.passwd

Default Value

API Name

jmx.monitor.user.passwd

Required

false

Enable TLS client authentication for JMX port

Description

If enabled, a valid client certificate must be presented by the JMX client in order to connect to the JMX port. Ensure that the trusted CA certificates are present in either the Kafka JMX TLS/SSL Server Trust Store file or the global trust store.

Related Name

jmx.ssl.client.auth.enabled

Default Value

false

API Name

jmx.ssl.client.auth.enabled

Required

false

Enable TLS/SSL for Kafka JMX

Description

Encrypt communication between clients and Kafka JMX using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

jmx.ssl.enabled

Default Value

false

API Name

jmx.ssl.enabled

Required

false

Enable HTTP Metric Report Basic Authentication

Description

Enable Basic Authentication for Kafka Metric HTTP Endpoint.

Related Name

kafka.http.metrics.authentication.enabled

Default Value

false

API Name

kafka.http.metrics.authentication.enabled

Required

false

HTTP Metric Report Host

Description

The host that the HTTP metric reporter binds to.

Related Name

kafka.http.metrics.host

Default Value

0.0.0.0

API Name

kafka.http.metrics.host

Required

false

HTTP Metric Report Password

Description

The password used for Basic Authentication.

Related Name

kafka.http.metrics.password

Default Value

API Name

kafka.http.metrics.password

Required

false

Http Metrics Report Exclude Filter

Description

Regex of MetricNames that will not be reported by the HttpMetricsReporter. Use upstream JMX-based MetricNames.

Related Name

http.metrics.exclude

Default Value

API Name

kafka.http.metrics.reporter.exclude.filter

Required

false

SSL Encryption For HTTP Metric Reporter

Description

Enable SSL Encryption for HTTP Metrics Endpoint. IMPORTANT: SSL encryption will be enabled if `ssl_enabled` config is enabled as well!

Related Name

`kafka.http.metrics.ssl.enabled`

Default Value

`false`

API Name

`kafka.http.metrics.ssl.enabled`

Required

`false`

HTTP Metric Report User

Description

The username used for Basic Authentication.

Related Name

`kafka.http.metrics.user`

Default Value**API Name**

`kafka.http.metrics.user`

Required

`false`

Kafka Broker Load Balancer Host

Description

The host of the load balancer that is used to balance connection bootstraps between multiple brokers. If you set this value, a listener will be automatically configured that can accept forwarded connections from a load balancer in a kerberized environment. You can change the default listener port by setting another value for `kafka_broker_load_balancer_listener_port`.

Related Name

`kafka_broker_load_balancer_host`

Default Value**API Name**

`kafka_broker_load_balancer_host`

Required

`false`

Data Directories

Description

A list of one or more directories in which Kafka data is stored.. Each new partition created is placed in the directory that currently has the least amount of partitions.. Each directory should be on its own separate drive.

Related Name

`log.dirs`

Default Value

`/var/local/kafka/data`

API Name

log.dirs

Required

true

Data Retention Size**Description**

The amount of data to retain in the log for each topic-partition. This is the limit per partition. Multiply it by the number of partitions to get the total amount of data retained for the topic. This property can take -1 as a value, which is interpreted as unlimited. If both log.retention.ms and log.retention.bytes are set, a segment is deleted when either limit is exceeded.

Related Name

log.retention.bytes

Default Value

-1 B

API Name

log.retention.bytes

Required

false

Data Retention Check Interval**Description**

The frequency, in milliseconds, that the log cleaner checks whether any log segment is eligible for deletion, per retention policies.

Related Name

log.retention.check.interval.ms

Default Value

5 minute(s)

API Name

log.retention.check.interval.ms

Required

false

Data Retention Time**Description**

The maximum time before a new log segment is rolled out. If both log.retention.ms and log.retention.bytes are set, a segment is deleted when either limit is exceeded. This property can take -1 as a value, which is interpreted as unlimited.

Related Name

log.retention.ms

Default Value

7 day(s)

API Name

log.retention.ms

Required

true

Data Log Roll Time

Description

The maximum time before a new log segment is rolled out.

Related Name

log.roll.ms

Default Value**API Name**

log.roll.ms

Required

false

Segment File Size

Description

The log for a topic partition is stored as a directory of segment files. This setting controls the size to which a segment file can grow before a new segment is rolled over in the log. This value has to be larger than message.max.bytes.

Related Name

log.segment.bytes

Default Value

1 GiB

API Name

log.segment.bytes

Required

false

Maximum Connections per IP Address

Description

Maximum number of connections allowed from each IP address.

Related Name

max.connections.per.ip

Default Value**API Name**

max.connections.per.ip

Required

false

Kafka Metadata Store Service

Description

Metadata service to use. Can be either Zookeeper or KRaft.

Related Name

metadata.store

Default Value

Zookeeper

API Name

`metadata.store`**Required**`false`**Number of I/O Threads****Description**

The number of I/O threads that the server uses for executing requests. You should have at least as many threads as you have disks.

Related Name`num.io.threads`**Default Value**`8`**API Name**`num.io.threads`**Required**`false`**Number of Network Threads****Description**

Number of threads that the server uses to handle incoming requests and outgoing responses.

Related Name`num.network.threads`**Default Value**`8`**API Name**`num.network.threads`**Required**`false`**Number of Recovery Threads per data directory****Description**

Number of threads per data directory that the server uses for log recovery during startup and log flushing during shutdown. Increasing this value may improve broker startup performance if you have a high number of segments. The total number of recovery threads (number of threads per data dir * number of data dirs) should not exceed the number of CPU cores. The default value is 1.

Related Name`num.recovery.threads.per.data.dir`**Default Value**`1`**API Name**`num.recovery.threads.per.data.dir`**Required**`false`**Number of Alter Log Dir Threads****Description**

Number of threads that the server uses to move data between log directories. The default value of this property is the same as the number of log directories.

Related Name

num.replica.alter.log.dirs.threads

Default Value**API Name**

num.replica.alter.log.dirs.threads

Required

false

Ranger Kafka Plugin Audit Hdfs Spool Directory Path**Description**

Spool directory for Ranger audits being written to DFS.

Related Name

xasecure.audit.destination.hdfs.batch.filespool.dir

Default Value

/var/log/kafka/audit/hdfs/spool

API Name

ranger_audit_hdfs_spool_dir

Required

true

Ranger Kafka Plugin Audit Solr Spool Directory Path**Description**

Spool directory for Ranger audits being written to Solr.

Related Name

xasecure.audit.destination.solr.batch.filespool.dir

Default Value

/var/log/kafka/audit/solr/spool

API Name

ranger_audit_solr_spool_dir

Required

true

Ranger Kafka Plugin Conf Path**Description**

Staging directory for Ranger Kafka Plugin Configuration. This should generally not be changed.

Related Name

ranger_kafka_plugin_conf_path

Default Value

/etc/ranger/kafka-plugin

API Name

ranger_kafka_plugin_conf_path

Required

true

Ranger Kafka Plugin Policy Cache Directory Path

Description

The directory where Ranger security policies are cached locally.

Related Name

ranger.plugin.kafka.policy.cache.dir

Default Value

/var/lib/ranger/kafka/policy-cache

API Name

ranger_kafka_plugin_policy_cache_directory

Required

true

Ranger Plugin Trusted Proxy IP Address

Description

Accepts a list of IP addresses of proxy servers for trusting.

Related Name

ranger.plugin.kafka.trusted.proxy.ipaddress

Default Value**API Name**

ranger_plugin_trusted_proxy_ipaddress

Required

false

Ranger Plugin Use X-Forwarded For IP Address

Description

The parameter is used for identifying the originating IP address of a user connecting to a component through proxy for audit logs.

Related Name

ranger.plugin.kafka.use.x-forwarded-for.ipaddress

Default Value

false

API Name

ranger_plugin_use_x_forwarded_for_ipaddress

Required

false

Inter Broker Protocol

Description

Protocol to be used for inter-broker communication. INFERRED uses the same protocol that is configured for external clients.

Related Name

security.inter.broker.protocol

Default Value

INFERRED

API Name

security.inter.broker.protocol

Required

false

Service Safe Stop timeout

Description

Maximum time allowed for safe-stopping the role. Safe-stop will ensure the service maintains cluster integrity and consistency.

Related Name

Default Value

17 minute(s)

API Name

service_safe_stop_timeout

Required

false

Socket receive buffer size.

Description

The SO_RCVBUF buffer of the socket server sockets. If the value is -1, the OS default will be used.

Related Name

socket.receive.buffer.bytes

Default Value

100 KiB

API Name

socket.receive.buffer.bytes

Required

false

Socket receive buffer size.

Description

The maximum number of bytes in a socket request

Related Name

socket.request.max.bytes

Default Value

100 MiB

API Name

socket.request.max.bytes

Required

false

Socket send buffer size.

Description

The SO_SNDBUF buffer of the socket server sockets. If the value is -1, the OS default will be used.

Related Name

socket.send.buffer.bytes

Default Value

100 KiB

API Name

socket.send.buffer.bytes

Required

false

SSL Client Authentication**Description**

Client authentication mode for SSL connections. This configuration has three valid values, "required", "requested" and "none". If set to "required", client authentication is required. If set to "requested", client authentication is requested and clients without certificates can still connect. If set to "none", which is the default value, no client authentication is required.

Related Name

ssl.client.auth

Default Value

none

API Name

ssl.client.auth

Required

false

Enable Zookeeper ACL**Description**

Enables brokers to set SASL ACL on zookeeper nodes if `authenticate.zookeeper.connection` is enabled.

Related Name

zookeeper.set.acl

Default Value

true

API Name

zookeeper.set.acl

Required

false

Performance**Maximum Process File Descriptors****Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value**

API Name

rlimit_fds

Required

false

Ports and Addresses

JMX Port

Description

Port for JMX.

Related Name

jmx_port

Default Value

9393

API Name

jmx_port

Required

false

HTTP Metric Report Port

Description

The port that the HTTP metric reporter listens on.

Related Name

kafka.http.metrics.port

Default Value

24042

API Name

kafka.http.metrics.port

Required

false

Kafka Broker Load Balancer Listener Port

Description

Port for the load balancer listener of the kafka brokers.

Related Name

kafka_broker_load_balancer_listener_port

Default Value

9094

API Name

kafka_broker_load_balancer_listener_port

Required

false

TCP Port

Description

Kafka broker port.

Related Name

port

Default Value

9092

API Name

port

Required

false

TLS/SSL Port

Description

Kafka broker secure port.

Related Name

ssl_port

Default Value

9093

API Name

ssl_port

Required

false

Resource Management

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares

Description

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares
Default Value
1024
API Name
rm_cpu_shares
Required
true

Cgroup V2 CPU Weight

Description
Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.
Related Name
cpu.weight
Default Value
100
API Name
rm_cpu_weight
Required
true

Custom Control Group Resources (overrides Cgroup settings)

Description
Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path' ***These settings override other cgroup settings.***
Related Name
custom.cgroups
Default Value
API Name
rm_custom_resources
Required
false

Cgroup V2 I/O Weight

Description
Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.
Related Name
io.weight
Default Value
100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

`memory.soft_limit_in_bytes`**Default Value**`-1 MiB`**API Name**`rm_memory_soft_limit_v1`**Required**`true`**Cgroup V2 Memory Soft Limit****Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name`memory.high`**Default Value**`-1 MiB`**API Name**`rm_memory_soft_limit_v2`**Required**`true`**Security****Kafka Broker TLS/SSL Trust Store File****Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Kafka Broker might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name`ssl.truststore.location`**Default Value****API Name**`ssl_client_truststore_location`**Required**`false`**Kafka Broker TLS/SSL Trust Store Password****Description**

The password for the Kafka Broker TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

ssl.truststore.password.generator

Default Value

API Name

ssl_client_truststore_password

Required

false

Enable TLS/SSL for Kafka Broker

Description

Encrypt communication between clients and Kafka Broker using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

ssl_enabled

Default Value

false

API Name

ssl_enabled

Required

false

Kafka Broker TLS/SSL Server Keystore Key Password

Description

The password that protects the private key contained in the keystore used when Kafka Broker is acting as a TLS/SSL server.

Related Name

ssl.key.password.generator

Default Value

API Name

ssl_server_keystore_keypassword

Required

false

Kafka Broker TLS/SSL Server Keystore File Location

Description

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Kafka Broker is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

ssl.keystore.location

Default Value

API Name

ssl_server_keystore_location

Required

false

Kafka Broker TLS/SSL Server Keystore File Password

Description

The password for the Kafka Broker keystore file.

Related Name

ssl.keystore.password.generator

Default Value**API Name**

ssl_server_keystore_password

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions**Suppress Parameter Validation: Kafka Broker Advanced Configuration Snippet (Safety Valve) for atlas-application.properties****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Broker Advanced Configuration Snippet (Safety Valve) for atlas-application.properties parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_atlas-application.properties_role_safety_valve`**Required**`true`**Suppress Parameter Validation: Broker ID****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Broker ID parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_broker.id`**Required**`true`**Suppress Parameter Validation: Broker Rack ID****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Broker Rack ID parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_broker.rack`**Required**`true`**Suppress Parameter Validation: Additional Broker Java Options****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Additional Broker Java Options parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_broker_java_opts`**Required**`true`**Suppress Parameter Validation: Java Heap Size of Broker****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Heap Size of Broker parameter.

Related Name

Default Value

false

API Name

role_config_suppression_broker_max_heap_size

Required

true

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Name of User with Read-Write Access to the JMX Agent

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Name of User with Read-Write Access to the JMX Agent parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx.control.user

Required

true

Suppress Parameter Validation: Password of user with read-write access to the JMX agent

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Password of user with read-write access to the JMX agent parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx.control.user.passwd

Required

true

Suppress Parameter Validation: Name of User with read-only access to the JMX Agent

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Name of User with read-only access to the JMX Agent parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx.monitor.user

Required

true

Suppress Parameter Validation: Password of User with read-only Access to the JMX agent**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Password of User with read-only Access to the JMX agent parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx.monitor.user.passwd

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: JMX Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_port

Required

true

Suppress Parameter Validation: Kafka Broker Advanced Configuration Snippet (Safety Valve) for kafka-monitoring.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Broker Advanced Configuration Snippet (Safety Valve) for kafka-monitoring.properties parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_kafka-monitoring.properties_role_safety_valve

Required

true

Suppress Parameter Validation: HTTP Metric Report Host

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HTTP Metric Report Host parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_kafka.http.metrics.host

Required

true

Suppress Parameter Validation: HTTP Metric Report Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HTTP Metric Report Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_kafka.http.metrics.password

Required

true

Suppress Parameter Validation: HTTP Metric Report Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HTTP Metric Report Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_kafka.http.metrics.port

Required

true

Suppress Parameter Validation: Http Metrics Report Exclude Filter

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Http Metrics Report Exclude Filter parameter.

Related Name

Default Value

false

API Name

role_config_suppression_kafka.http.metrics.reporter.exclude.filter

Required

true

Suppress Parameter Validation: HTTP Metric Report User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HTTP Metric Report User parameter.

Related Name

Default Value

false

API Name

role_config_suppression_kafka.http.metrics.user

Required

true

Suppress Parameter Validation: Kafka Broker Advanced Configuration Snippet (Safety Valve) for kafka.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Broker Advanced Configuration Snippet (Safety Valve) for kafka.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_kafka.properties_role_safety_valve

Required

true

Suppress Parameter Validation: Kafka Broker Load Balancer Host**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Broker Load Balancer Host parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_kafka_broker_load_balancer_host

Required

true

Suppress Parameter Validation: Kafka Broker Load Balancer Listener Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Broker Load Balancer Listener Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_kafka_broker_load_balancer_listener_port

Required

true

Suppress Parameter Validation: Kafka Broker Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Broker Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_kafka_broker_role_env_safety_valve

Required

true

Suppress Parameter Validation: Data Directories**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Data Directories parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log.dirs

Required

true

Suppress Parameter Validation: Segment File Size**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Segment File Size parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log.segment.bytes

Required

true

Suppress Parameter Validation: Kafka Broker Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Broker Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Kafka Broker Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Broker Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: Number of I/O Threads**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Number of I/O Threads parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_num.io.threads

Required

true

Suppress Parameter Validation: Number of Network Threads**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Number of Network Threads parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_num.network.threads

Required

true

Suppress Parameter Validation: Number of Recovery Threads per data directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Number of Recovery Threads per data directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_num.recovery.threads.per.data.dir

Required

true

Suppress Parameter Validation: Number of Alter Log Dir Threads**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Number of Alter Log Dir Threads parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_num.replica.alter.log.dirs.threads

Required

true

Suppress Parameter Validation: Kafka Broker Advanced Configuration Snippet (Safety Valve) for oauth_jwks.json

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Broker Advanced Configuration Snippet (Safety Valve) for oauth_jwks.json parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oauth_jwks.json_role_safety_valve

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

`role_config_suppression_otelcol_extensions`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Helper Port****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_helper_port`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Processors Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_processors`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Receivers Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_receivers`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: TCP Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the TCP Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_port

Required

true

Suppress Parameter Validation: Kafka Broker Advanced Configuration Snippet (Safety Valve) for ranger-kafka-audit.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Broker Advanced Configuration Snippet (Safety Valve) for ranger-kafka-audit.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger-kafka-audit.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Kafka Broker Advanced Configuration Snippet (Safety Valve) for ranger-kafka-policymgr-ssl.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Broker Advanced Configuration Snippet (Safety Valve) for ranger-kafka-policymgr-ssl.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger-kafka-policymgr-ssl.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Kafka Broker Advanced Configuration Snippet (Safety Valve) for ranger-kafka-security.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Broker Advanced Configuration Snippet (Safety Valve) for ranger-kafka-security.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger-kafka-security.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Ranger Kafka Plugin Audit Hdfs Spool Directory Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Kafka Plugin Audit Hdfs Spool Directory Path parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_audit_hdfs_spool_dir

Required

true

Suppress Parameter Validation: Ranger Kafka Plugin Audit Solr Spool Directory Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Kafka Plugin Audit Solr Spool Directory Path parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_audit_solr_spool_dir

Required

true

Suppress Parameter Validation: Ranger Kafka Plugin Conf Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Kafka Plugin Conf Path parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kafka_plugin_conf_path

Required

true

Suppress Parameter Validation: Ranger Kafka Plugin Policy Cache Directory Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Kafka Plugin Policy Cache Directory Path parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kafka_plugin_policy_cache_directory

Required

true

Suppress Parameter Validation: Ranger Plugin Trusted Proxy IP Address

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Plugin Trusted Proxy IP Address parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_plugin_trusted_proxy_ipaddress

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Kafka Broker Advanced Configuration Snippet (Safety Valve) for rolling_restart_check_after_start_admin_client_configs.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Broker Advanced Configuration Snippet (Safety Valve) for rolling_restart_check_after_start_admin_client_configs.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rolling_restart_check_after_start_admin_client_configs.properties_role_safety_valve

Required

true

Suppress Parameter Validation: Kafka Broker Advanced Configuration Snippet (Safety Valve) for rolling_restart_check_before_stop_admin_client_configs.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Broker Advanced Configuration Snippet (Safety Valve) for rolling_restart_check_before_stop_admin_client_configs.properties parameter.

Related Name

Default Value

	false
API Name	role_config_suppression_rolling_restart_check_before_stop_admin_client_configs.properties_role_safety_valve
Required	true

Suppress Parameter Validation: Kafka Broker Advanced Configuration Snippet (Safety Valve) for ssl.properties

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Broker Advanced Configuration Snippet (Safety Valve) for ssl.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl.properties_role_safety_valve

Required

true

Suppress Parameter Validation: Kafka Broker TLS/SSL Trust Store File

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Broker TLS/SSL Trust Store File parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: Kafka Broker TLS/SSL Trust Store Password

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Broker TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Parameter Validation: TLS/SSL Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the TLS/SSL Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_port

Required

true

Suppress Parameter Validation: Kafka Broker TLS/SSL Server Keystore Key Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Broker TLS/SSL Server Keystore Key Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_keypassword

Required

true

Suppress Parameter Validation: Kafka Broker TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Broker TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: Kafka Broker TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Broker TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Parameter Validation: Kafka Broker Advanced Configuration Snippet (Safety Valve) for zookeeper-ssl.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Broker Advanced Configuration Snippet (Safety Valve) for zookeeper-ssl.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_zookeeper-ssl.properties_role_safety_valve

Required

true

Suppress Health Test: Lagging Replicas Test

Description

Whether to suppress the results of the Lagging Replicas Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_kafka-kafka_broker-7.2.19-lagging_replicas

Required

true

Suppress Health Test: Network Processor Capacity Test

Description

Whether to suppress the results of the Network Processor Capacity Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka-kafka_broker-7.2.19-network_processor_capacity

Required

true

Suppress Health Test: Offline Directory Test**Description**

Whether to suppress the results of the Offline Directory Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka-kafka_broker-7.2.19-offline_directories

Required

true

Suppress Health Test: Offline Partitions Test**Description**

Whether to suppress the results of the Offline Partitions Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka-kafka_broker-7.2.19-offline_partitions

Required

true

Suppress Health Test: Request Handler Capacity Test**Description**

Whether to suppress the results of the Request Handler Capacity Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka-kafka_broker-7.2.19-request_handler_capacity

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka_kafka_broker_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka_kafka_broker_file_descriptor

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka_kafka_broker_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka_kafka_broker_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka_kafka_broker_otelcol_health

Required

true

Suppress Health Test: Ranger Plugin Hdfs Spool Directory Size**Description**

Whether to suppress the results of the Ranger Plugin Hdfs Spool Directory Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka_kafka_broker_ranger_plugin_hdfs_spool_directory_size_health

Required

true

Suppress Health Test: Ranger Plugin Solr Spool Directory Size**Description**

Whether to suppress the results of the Ranger Plugin Solr Spool Directory Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_kafka_kafka_broker_ranger_plugin_solr_spool_directory_size_health

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka_kafka_broker_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka_kafka_broker_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka_kafka_broker_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka_kafka_broker_unexpected_exits

Required

true

Kafka Connect

Advanced

Kafka Connect Advanced Configuration Snippet (Safety Valve) for connect-distributed.properties

Description

For advanced use only. A string to be inserted into connect-distributed.properties for this role only.

Related Name**Default Value****API Name**

connect-distributed.properties_role_safety_valve

Required

false

Kafka Connect Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

KAFKA_CONNECT_role_env_safety_valve

Required

false

Kafka Connect Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j2.properties for this role only.

Related Name**Default Value****API Name**

`log4j_safety_valve`**Required**`false`**Enable auto refresh for metric configurations****Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**`false`**API Name**`metric_config_auto_refresh`**Required**`false`**Heap Dump Directory****Description**

Path to directory where heap dumps are generated when `java.lang.OutOfMemoryError` error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name`oom_heap_dump_dir`**Default Value**`/tmp`**API Name**`oom_heap_dump_dir`**Required**`false`**Dump Heap When Out of Memory****Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**`false`**API Name**`oom_heap_dump_enabled`**Required**`true`**Kill When Out of Memory****Description**

When set, a SIGKILL signal is sent to the role process when `java.lang.OutOfMemoryError` is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name

Default Value

20

API Name

process_start_secs

Required

false

Kafka Connect Advanced Configuration Snippet (Safety Valve) for ranger-kafka-connect-audit.xml

Description

For advanced use only. A string to be inserted into ranger-kafka-connect-audit.xml for this role only.

Related Name

Default Value

API Name

ranger-kafka-connect-audit.xml_role_safety_valve

Required

false

Kafka Connect Advanced Configuration Snippet (Safety Valve) for ranger-kafka-connect-policymgr-ssl.xml

Description

For advanced use only. A string to be inserted into ranger-kafka-connect-policymgr-ssl.xml for this role only.

Related Name

Default Value

API Name

ranger-kafka-connect-policymgr-ssl.xml_role_safety_valve

Required

false

Kafka Connect Advanced Configuration Snippet (Safety Valve) for ranger-kafka-connect-security.xml

Description

For advanced use only. A string to be inserted into ranger-kafka-connect-security.xml for this role only.

Related Name

Default Value

API Name

ranger-kafka-connect-security.xml_role_safety_valve

Required

false

Logs

Kafka Connect Log Directory

Description

The log directory for log files of the role Kafka Connect.

Related Name

kafka_connect.log4j.dir

Default Value

/var/log/kafka

API Name

log_dir

Required

false

Kafka Connect Logging Threshold

Description

The minimum log level for Kafka Connect logs

Related Name

Default Value

INFO

API Name

log_threshold

Required

false

Kafka Connect Maximum Log File Backups

Description

The maximum number of rolled log files to keep for Kafka Connect logs. Typically used by log4j or logback.

Related Name

Default Value

10

API Name

max_log_backup_index

Required

false

Kafka Connect Max Log Size

Description

The maximum size, in megabytes, per log file for Kafka Connect logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name

Default Value

API Name

jmx_exporter_yaml

Required

false

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name

Default Value

Warning: 50.0 %, Critical: 70.0 %

API Name

kafka_connect_fd_thresholds

Required

false

Kafka Connect Host Health Test

Description

When computing the overall Kafka Connect health, consider the host's health.

Related Name

Default Value

true

API Name

kafka_connect_host_health_enabled

Required

false

Kafka Connect Process Health Test

Description

Enables the health test that the Kafka Connect's process state is consistent with the role configuration

Related Name

Default Value

true

API Name

kafka_connect_scm_health_enabled

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking [View as JSON](#). In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name**Default Value****API Name**

`monitoring_metric_filter`

Required

`false`

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

`otelcol_exporters`

Required

`false`

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

`otelcol_extensions`

Required

`false`

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name

Default Value

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds

Description

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window

Description

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds

Description

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers

Description

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.

- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `{ "triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true" }` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name

Default Value

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name

Default Value

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

Bootstrap Servers

Description

A comma-separated list of IP:port or hostname:port pairs of the brokers that Kafka Connect should connect to. If this config is left empty, Kafka Connect will connect to co-located Kafka Brokers.

Related Name

bootstrap.servers

Default Value**API Name**

bootstrap.servers

Required

false

Configuration Storage Topic Replication Factor**Description**

Replication factor used when creating the configuration storage topic.

Related Name

config.storage.replication.factor

Default Value

3

API Name

config.storage.replication.factor

Required

true

Configuration Storage Topic Name**Description**

The name of the Kafka topic which stores connector and task configurations.

Related Name

config.storage.topic

Default Value

connect-configs

API Name

config.storage.topic

Required

true

Retry Interval For Kafka Connect Rolling Restart Check**Description**

Specifies the interval (in seconds) at which the Kafka Connect Rolling Restart Check tests the Kafka Connect instance's availability.

Related Name

connect_rolling_restart_check_retry_interval_sec

Default Value

5 second(s)

API Name

connect_rolling_restart_check_retry_interval_sec

Required

false

Maximum Allowed Runtime For Kafka Connect Rolling Restart Check

Description

Specifies the maximum amount of time (in seconds) that a Kafka Connect Rolling Restart Check can take.

Related Name

connect_rolling_restart_check_time_limit_sec

Default Value

2 minute(s)

API Name

connect_rolling_restart_check_time_limit_sec

Required

false

Connector Kafka Client Configuration Override Policy

Description

The class name or alias of the ConnectorClientConfigOverridePolicy implementation. Defines what client configurations can be overridden by the connector. The default implementation is `None`. The other possible policies in the framework include `All` and `Principal`. 'None' forbids any kind of overrides for the Connect-managed consumers, producers or admins, 'Principal' allows overriding the sasl configurations, 'All' allows overriding any configurations. After changing this property, existing Connectors that violate the new policy will fail to start.

Related Name

connector.client.config.override.policy

Default Value

None

API Name

connector.client.config.override.policy

Required

false

Kafka Connect Diagnostics Collection Timeout

Description

The timeout in milliseconds to wait for diagnostics collection to complete.

Related Name**Default Value**

5 minute(s)

API Name

csd_role_diagnostics_timeout

Required

false

JDBC Driver Jars Path For Debezium

Description

Path to directory containing JDBC driver jars for Debezium connectors (required jar names: mysql-connector-java.jar, postgresql-connector-java.jar, oracle-connector-java.jar, xstreams.jar, mssql-connector-java.jar, db2-connector-java.jar).

Related Name

debezium.jdbc.jars.path

Default Value

/var/lib/kafka_connect_jdbc

API Name

debezium.jdbc.jars.path

Required

false

Non-Modifiable directory of Kafka Connect**Description**

Do not modify the default value: /etc/kafka_connect_ext

Related Name

etc.kafka_connect_ext.dir

Default Value

/etc/kafka_connect_ext

API Name

etc.kafka_connect_ext.dir

Required

false

Exactly-once support for source connectors in the cluster**Description**

Whether to enable exactly-once support for source connectors in the cluster by writing source records and their offsets in a Kafka transaction, and by proactively fencing out old task generations before bringing up new ones. Permitted values are 'disabled', 'preparing', and 'enabled'. In order to safely enable exactly-once support for source connectors, all workers in the cluster must first be updated to use the 'preparing' value for this property. Once this has been done, a second update of all of the workers in the cluster should be performed to change the value of this property to 'enabled'. Note that some source connectors may still not be able to provide exactly-once delivery guarantees even with this support enabled.

Related Name

exactly.once.source.support

Default Value

disabled

API Name

exactly.once.source.support

Required

false

Cluster Group Id**Description**

A unique name used to identify the Connect cluster group. The name specified here cannot conflict with consumer group IDs.

Related Name

group.id

Default Value

connect-cluster

API Name

group.id

Required

true

Include Connector Context In Logs**Description**

If this is enabled, the log layout includes connector-specific and task-specific information in the log message, where appropriate. This makes it easier to identify those log messages that apply to a specific connector.

Related Name

include.connector.context

Default Value

true

API Name

include.connector.context

Required

false

List Of Allowed Nexus Repository Urls**Description**

Defines a list of allowed nexus repository urls for Stateless Nifi connectors. The nexus.url set for the connector will be validated against this list.

Related Name

kafka.connect.allowed.nexus.urls

Default Value**API Name**

kafka.connect.allowed.nexus.urls

Required

false

Require Connectors To Override Kafka Client JAAS Configuration**Description**

Specifies whether Connector configurations should override the sasl.jaas.config property of the Kafka clients used by the Connector. If set to true, Connector configurations must override the client's sasl.jaas.config property. The override must also not match the Kerberos credentials of the Connect Worker. Additionally, if set to true, a 'UnionComposite' policy is installed under the 'connector.client.config.override.policy' configuration. If the existing policy configuration is 'None', it is upgraded to 'Principal'. Otherwise, the existing policy is also applied by the composite policy. After enabling this property, existing Connectors that violate the new policy will fail to start. Enabling this property will only take effect in secured clusters. Enabling this property will randomize the keytab file name and will make all \${cm-agent:keytab} references in the Connector configurations invalid. Enabling this policy will omit the producer.sasl.* and consumer.sasl.* prefixed authentication configs.

Related Name

kafka.connect.jaas.policy.restrict.connector.jaas

Default Value

true

API Name

kafka.connect.jaas.policy.restrict.connector.jaas

Required

false

Java Home Path Override

Description

Java Home Path Override for Kafka Connect.

Related Name

kafka.connect.jdk.home

Default Value

API Name

kafka.connect.jdk.home

Required

false

Enable Kafka Connect Secrets Storage

Description

Enables the Kafka Connect Secrets Storage feature. If this property is enabled, Kafka Connect Connector configurations will be able to store and reference sensitive information (secrets) in a secure manner.

Related Name

kafka.connect.secret.enabled

Default Value

true

API Name

kafka.connect.secret.enabled

Required

false

Kafka Connect Secrets Storage Global Key Local Location

Description

The local path where the global key is saved.

Related Name

kafka.connect.secret.global.key.location

Default Value

/var/local/kafka-connect/global-keys

API Name

kafka.connect.secret.global.key.location

Required

false

Kafka Connect Secrets Storage Global Password

Description

The global password for the Kafka Connect secrets storage. The default password is randomly generated. The password can be changed at any time to re-wrap the encryption key with the new global key.

Related Name

kafka.connect.secret.global.password

Default Value

API Name

kafka.connect.secret.global.password

Required

false

Kafka Connect Secrets Storage PBE Salt

Description

The salt value used during password based global key derivation. The default salt value is randomly generated. The salt can be changed at any time to re-wrap the encryption key with the new global key. Must be at least 20 characters long.

Related Name

kafka.connect.secret.pbe.salt

Default Value

SECRET_STORAGE_DEFAULT_PBE_SALT

API Name

kafka.connect.secret.pbe.salt

Required

false

Kafka Connect Secrets Storage Topic Name

Description

The name of the Kafka topic that the Kafka Connect Secrets Storage feature uses to store sensitive information (secrets). Changing the topic after the feature has been set up and enabled results in a creation of new topic which is empty. Existing secrets are not automatically migrated to the new topic.

Related Name

kafka.connect.secret.storage.topic

Default Value

connect-secrets

API Name

kafka.connect.secret.storage.topic

Required

false

Kafka Connect Secrets Storage Topic Minimum In-Sync Replicas

Description

The minimum in-sync replicas (ISR) of the topic specified in the 'Kafka Connect Secrets Storage Topic Name' property. Cloudera recommends that you set this property to 'replication factor divided by 2 (rounded down to the nearest whole number) + 1'. For example, if the replication factor of the secrets storage topic is 7, the recommended minimum ISR is 4. This configuration is applied when the topic is created. The topic configuration is not updated if you change this value after the topic was created.

Related Name

kafka.connect.secret.storage.topic.configs.min.insync.replicas

Default Value

2

API Name

kafka.connect.secret.storage.topic.configs.min.insync.replicas

Required

false

Kafka Connect Secrets Storage Topic Replication Factor**Description**

The replication factor of the topic specified in the 'Kafka Connect Secrets Storage Topic Name' property. This configuration is applied when the topic is created. The topic configuration is not updated if you change this value after the topic was created.

Related Name

kafka.connect.secret.storage.topic.replication.factor

Default Value

3

API Name

kafka.connect.secret.storage.topic.replication.factor

Required

false

Enable SPNEGO Authentication For Kafka Connect**Description**

If this is enabled, Kafka Connect Rest Server will use SPNEGO to authenticate clients. This requires Kerberos to be enabled.

Related Name

kafka.connect.spnego.enabled

Default Value

true

API Name

kafka.connect.spnego.enabled

Required

false

Kafka Connect SPNEGO Auth To Local Rules**Description**

SPNEGO name rules for Kafka Connect to transform full Kerberos principal names to usernames. If left empty, the cluster wide rules will be applied.

Related Name`kafka.connect.spnego.kerberos.principal.to.local.rules`**Default Value****API Name**`kafka.connect.spnego.kerberos.principal.to.local.rules`**Required**`false`**List Of Trusted Proxy Services****Description**

Defines a list of trusted proxy services for Kafka Connect SPNEGO authentication. These services are identified by their kerberos short principal name. If left empty, the Knox and the Streams Messaging Manager principal will be automatically added.

Related Name`kafka.connect.spnego.trusted.proxies`**Default Value****API Name**`kafka.connect.spnego.trusted.proxies`**Required**`false`**Kafka Connect Heap Java Options****Description**

Memory heap params while using Kafka Connect.

Related Name`KAFKA_HEAP_OPTS`**Default Value**`-Xms256M -Xmx2G`**API Name**`KAFKA_HEAP_OPTS`**Required**`false`**Key Converter****Description**

The key converter class used to convert between the Kafka Connect format and the serialized form that is written to Kafka. The key converter controls the format of the keys in the messages written to or read from Kafka. Since the key converter is independent of the connectors, it allows any connector to work with any serialization format. Examples of common formats include JSON and Avro.

Related Name`key.converter`**Default Value**`org.apache.kafka.connect.json.JsonConverter`**API Name**

key.converter

Required

true

Enable Key Converter Schema

Description

Enables the key converter to include schemas within each of the serialized keys.

Related Name

key.converter.schemas.enable

Default Value

true

API Name

key.converter.schemas.enable

Required

true

Jetty Metrics Password

Description

Password used for the authentication on HTTP(S) metrics reporter endpoint.

Related Name

metrics.jetty.server.auth.password

Default Value

API Name

metrics.jetty.server.auth.password

Required

false

Jetty Metrics User Name

Description

User name used for the authentication on HTTP(S) metrics reporter endpoint.

Related Name

metrics.jetty.server.auth.username

Default Value

API Name

metrics.jetty.server.auth.username

Required

false

Enable Basic Authentication for Metrics Reporter

Description

Enable HTTP basic authentication for Kafka Connect's metrics reporter HTTP(S) endpoint.

Related Name

metrics.jetty.server.authentication.enabled

Default Value

	false
API Name	metrics.jetty.server.authentication.enabled
Required	false

Offset Flush Interval

Description	The interval, in milliseconds, at which Kafka Connect attempts to commit task offsets.
Related Name	offset.flush.interval.ms
Default Value	1 minute(s)
API Name	offset.flush.interval.ms
Required	true

Offset Storage Topic Replication Factor

Description	Replication factor used when creating the offset storage topic.
Related Name	offset.storage.replication.factor
Default Value	3
API Name	offset.storage.replication.factor
Required	true

Offset Storage Topic Name

Description	The name of the Kafka topic which stores connector offsets. If this topic does not exist, Kafka Connect will attempt to create it. Alternatively, you can also choose to create the topic manually before starting Kafka Connect.
Related Name	offset.storage.topic
Default Value	connect-offsets
API Name	offset.storage.topic
Required	true

Plugin Path

Description

Path to directories immediately containing jars with plugins and their dependencies, uber-jars with plugins and their dependencies and classes of plugins and their dependencies.

Related Name

plugin.path

Default Value

/var/lib/kafka

API Name

plugin.path

Required

false

Ranger Kafka Connect Plugin Hdfs Audit Directory

Description

The DFS path on which Ranger audits are written.

Related Name

ranger_kafka_connect_plugin_hdfs_audit_directory

Default Value

\$ranger_base_audit_url/kafka

API Name

ranger_kafka_connect_plugin_hdfs_audit_directory

Required

false

Ranger Kafka Connect Plugin Audit Hdfs Spool Directory Path

Description

Spool directory for Ranger audits being written to DFS.

Related Name

xasecure.audit.destination.hdfs.batch.filespool.dir

Default Value

/var/log/kafka/audit/hdfs/spool

API Name

ranger_kafka_connect_plugin_hdfs_audit_spool_directory

Required

true

Ranger Kafka Connect Plugin Audit Solr Spool Directory Path

Description

Spool directory for Ranger audits being written to Solr.

Related Name

xasecure.audit.destination.solr.batch.filespool.dir

Default Value

/var/log/kafka/audit/solr/spool

API Name

ranger_kafka_connect_plugin_solr_audit_spool_directory

Required

true

Ranger Kafka Plugin Policy Cache Directory Path**Description**

The directory where Ranger security policies are cached locally.

Related Name

ranger.plugin.kafka-connect.policy.cache.dir

Default Value

/var/lib/ranger/kafka-connect/policy-cache

API Name

ranger_plugin_kafka_connect_policy_cache_directory

Required

true

Ranger Kafka Connect Plugin Policy Rest Client Max Retry Attempts**Description**

Kafka Connect Ranger Plugin Rest client max retry attempts count.

Related Name

ranger.plugin.kafka-connect.policy.rest.client.max.retry.attempts

Default Value

12

API Name

ranger_plugin_kafka_connect_policy_rest_client_max_retry_attempts

Required

false

Ranger Kafka Connect Plugin Policy Rest Client Retry Interval Ms**Description**

Kafka Connect Ranger Plugin Rest client retry wait interval in milliseconds.

Related Name

ranger.plugin.kafka-connect.policy.rest.client.retry.interval.ms

Default Value

10 second(s)

API Name

ranger_plugin_kafka_connect_policy_rest_client_retry_interval_ms

Required

false

'Ranger service' name for the Kafka Connect service**Description**

Name of the 'Ranger service', that is used for authorization by this Kafka Connect service. If this parameter is set to the placeholder value '{{GENERATED_RANGER_SERVICE_NAME}}', a generated service name will be used, and if necessary, created. The generated service name will

refer to the name of the cluster and the name of this Kafka Connect service. The name can consist of alphanumeric and '_' characters.

Related Name

ranger.plugin.kafka-connect.service.name

Default Value

cm_kafka_connect

API Name

ranger_plugin_kafka_connect_service_name

Required

false

Ranger Plugin Trusted Proxy IP Address**Description**

Accepts a list of IP addresses of proxy servers for trusting.

Related Name

ranger.plugin.kafka-connect.trusted.proxy.ipaddress

Default Value**API Name**

ranger_plugin_kafka_connect_trusted_proxy_ipaddress

Required

false

Ranger Plugin Use X-Forwarded For IP Address**Description**

The parameter is used for identifying the originating IP address of a user connecting to a component through proxy for audit logs.

Related Name

ranger.plugin.kafka-connect.use.x-forwarded-for.ipaddress

Default Value

false

API Name

ranger_plugin_kafka_connect_use_x_forwarded_for_ipaddress

Required

false

Rest Extension Classes**Description**

Comma-separated names of ConnectRestExtension classes, loaded and called in the order specified. Typically used to add custom capability like logging, security, etc.

Related Name

rest.extension.classes

Default Value

com.cloudera.dim.kafka.metrics.JmxJsonMetricsRestExtension

API Name

rest.extension.classes

Required

true

Kafka Connect Rest Port**Description**

The port that the REST API listens on for connection requests. This port is used by Kafka Connect if TLS/SSL is disabled.

Related Name

rest.port

Default Value

28083

API Name

rest.port

Required

true

Secure Kafka Connect Rest Port**Description**

The secure port that the REST API listens on for connection requests. This port is used by Kafka Connect if TLS/SSL is enabled.

Related Name

secure.rest.port

Default Value

28085

API Name

secure.rest.port

Required

true

SSL Client Authentication**Description**

Client authentication mode for SSL connections. If set to "required", client authentication is required. If set to "requested", client authentication is requested and clients without certificates can still connect. If set to "none", which is the default value, no client authentication is required.

Related Name

ssl.client.auth

Default Value

none

API Name

ssl.client.auth

Required

false

Status Storage Topic Replication Factor**Description**

Replication factor used when creating the offset storage topic.

Related Name

status.storage.replication.factor

Default Value

3

API Name

status.storage.replication.factor

Required

true

Status Storage Topic Name**Description**

The name of the Kafka topic which stores connector and task status.

Related Name

status.storage.topic

Default Value

connect-status

API Name

status.storage.topic

Required

true

Add Use Subject Credentials Only JVM Option With True Value**Description**

Enable -Djavax.security.auth.useSubjectCredsOnly=true JVM flag or leave it as cluster default (in this case, the flag will be not added to the JVM options).

Related Name

use.subject.creds.only

Default Value

true

API Name

use.subject.creds.only

Required

false

Value Converter**Description**

The value converter class used to convert between the Kafka Connect format and the serialized form that is written to Kafka. The value converter controls the format of the values in the messages written to or read from Kafka. Since the value converter is independent of the connectors, it allows any connector to work with any serialization format. Examples of common formats include JSON and Avro.

Related Name

value.converter

Default Value

org.apache.kafka.connect.json.JsonConverter

API Name

value.converter

Required

true

Enable Value Converter Schema

Description

Enables the value converter to include schemas within each of the serialized values.

Related Name

value.converter.schemas.enable

Default Value

true

API Name

value.converter.schemas.enable

Required

true

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name

Default Value

API Name

rlimit_fds

Required

false

Ports and Addresses

Jetty Metrics Port

Description

Jetty Metrics port to expose JMX Json.

Related Name

metrics.jetty.server.port

Default Value

28084

API Name

metrics.jetty.server.port

Required

true

Secure Jetty Metrics Port

Description

Secure Jetty Metrics port to expose JMX Json.

Related Name

metrics.jetty.server.secureport

Default Value

28087

API Name

metrics.jetty.server.secureport

Required

true

Resource Management

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares

Description

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight

Description

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

`memory.limit_in_bytes`**Default Value**`-1 MiB`**API Name**`rm_memory_hard_limit_v1`**Required**`true`**Cgroup V2 Memory Hard Limit****Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name`memory.max`**Default Value**`-1 MiB`**API Name**`rm_memory_hard_limit_v2`**Required**`true`**Cgroup V1 Memory Soft Limit****Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name`memory.soft_limit_in_bytes`**Default Value**`-1 MiB`**API Name**`rm_memory_soft_limit_v1`**Required**`true`**Cgroup V2 Memory Soft Limit****Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page

cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security**Kafka Connect TLS/SSL Trust Store File****Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Kafka Connect might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

ssl.truststore.location

Default Value**API Name**

ssl_client_truststore_location

Required

false

Kafka Connect TLS/SSL Trust Store Password**Description**

The password for the Kafka Connect TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

ssl.truststore.password.generator

Default Value**API Name**

ssl_client_truststore_password

Required

false

Enable TLS/SSL for Kafka Connect**Description**

Encrypt communication between clients and Kafka Connect using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

	ssl_enabled
Default Value	false
API Name	ssl_enabled
Required	false

Kafka Connect TLS/SSL Server Keystore Key Password

Description	The password that protects the private key contained in the keystore used when Kafka Connect is acting as a TLS/SSL server.
Related Name	ssl.key.password.generator
Default Value	
API Name	ssl_server_keystore_keypassword
Required	false

Kafka Connect TLS/SSL Server Keystore File Location

Description	The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Kafka Connect is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.
Related Name	ssl.keystore.location
Default Value	
API Name	ssl_server_keystore_location
Required	false

Kafka Connect TLS/SSL Server Keystore File Password

Description	The password for the Kafka Connect keystore file.
Related Name	ssl.keystore.password.generator
Default Value	
API Name	ssl_server_keystore_password
Required	false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency

Description

The frequency with which stacks are collected.

Related Name

`stacks_collection_frequency`**Default Value**

5.0 second(s)

API Name`stacks_collection_frequency`**Required**

false

Stacks Collection Method**Description**

The method used to collect stacks. The `jstack` option involves periodically running the `jstack` command against the role's daemon process. The `servlet` method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the `servlet` method is selected, that HTTP endpoint is periodically scraped.

Related Name`stacks_collection_method`**Default Value**`jstack`**API Name**`stacks_collection_method`**Required**

false

Suppressions**Suppress Parameter Validation: Bootstrap Servers****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Bootstrap Servers parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_bootstrap.servers`**Required**

true

Suppress Configuration Validator: CDH Version Validator**Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Configuration Storage Topic Replication Factor

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Configuration Storage Topic Replication Factor parameter.

Related Name

Default Value

false

API Name

role_config_suppression_config.storage.replication.factor

Required

true

Suppress Parameter Validation: Configuration Storage Topic Name

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Configuration Storage Topic Name parameter.

Related Name

Default Value

false

API Name

role_config_suppression_config.storage.topic

Required

true

Suppress Parameter Validation: Kafka Connect Advanced Configuration Snippet (Safety Valve) for connect-distributed.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Connect Advanced Configuration Snippet (Safety Valve) for connect-distributed.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_connect-distributed.properties_role_safety_valve

Required

true

Suppress Parameter Validation: Connector Kafka Client Configuration Override Policy

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Connector Kafka Client Configuration Override Policy parameter.

Related Name

Default Value

false

API Name

role_config_suppression_connector.client.config.override.policy

Required

true

Suppress Parameter Validation: JDBC Driver Jars Path For Debezium

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JDBC Driver Jars Path For Debezium parameter.

Related Name

Default Value

false

API Name

role_config_suppression_debezium.jdbc.jars.path

Required

true

Suppress Parameter Validation: Non-Modifiable directory of Kafka Connect

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Non-Modifiable directory of Kafka Connect parameter.

Related Name

Default Value

false

API Name

role_config_suppression_etc.kafka_connect_ext.dir

Required

true

Suppress Parameter Validation: Cluster Group Id

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cluster Group Id parameter.

Related Name

Default Value

false

API Name

role_config_suppression_group.id

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: List Of Allowed Nexus Repository Urls

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the List Of Allowed Nexus Repository Urls parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_kafka.connect.allowed.nexus.urls

Required

true

Suppress Parameter Validation: Java Home Path Override

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Home Path Override parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_kafka.connect.jdk.home

Required

true

Suppress Parameter Validation: Kafka Connect Secrets Storage Global Key Local Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Connect Secrets Storage Global Key Local Location parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_kafka.connect.secret.global.key.location

Required

true

Suppress Parameter Validation: Kafka Connect Secrets Storage Global Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Connect Secrets Storage Global Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_kafka.connect.secret.global.password

Required

true

Suppress Parameter Validation: Kafka Connect Secrets Storage PBE Salt

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Connect Secrets Storage PBE Salt parameter.

Related Name

Default Value

false

API Name

role_config_suppression_kafka.connect.secret.pbe.salt

Required

true

Suppress Parameter Validation: Kafka Connect Secrets Storage Topic Name

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Connect Secrets Storage Topic Name parameter.

Related Name

Default Value

false

API Name

role_config_suppression_kafka.connect.secret.storage.topic

Required

true

Suppress Parameter Validation: Kafka Connect SPNEGO Auth To Local Rules

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Connect SPNEGO Auth To Local Rules parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_kafka.connect.spnego.kerberos.principal.to.local.rules

Required

true

Suppress Parameter Validation: List Of Trusted Proxy Services**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the List Of Trusted Proxy Services parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_kafka.connect.spnego.trusted.proxies

Required

true

Suppress Parameter Validation: Kafka Connect Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Connect Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_kafka_connect_role_env_safety_valve

Required

true

Suppress Parameter Validation: Kafka Connect Heap Java Options**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Connect Heap Java Options parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_kafka_heap_opts

Required

true

Suppress Parameter Validation: Key Converter**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Key Converter parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_key.converter

Required

true

Suppress Parameter Validation: Kafka Connect Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Connect Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Kafka Connect Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Connect Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: Jetty Metrics Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Jetty Metrics Password parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_metrics.jetty.server.auth.password`**Required**

true

Suppress Parameter Validation: Jetty Metrics User Name**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Jetty Metrics User Name parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_metrics.jetty.server.auth.username`**Required**

true

Suppress Parameter Validation: Jetty Metrics Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Jetty Metrics Port parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_metrics.jetty.server.port`**Required**

true

Suppress Parameter Validation: Secure Jetty Metrics Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Secure Jetty Metrics Port parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_metrics.jetty.server.secureport`**Required**

true

Suppress Parameter Validation: Offset Storage Topic Replication Factor**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Offset Storage Topic Replication Factor parameter.

Related Name

Default Value

false

API Name

role_config_suppression_offset.storage.replication.factor

Required

true

Suppress Parameter Validation: Offset Storage Topic Name

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Offset Storage Topic Name parameter.

Related Name

Default Value

false

API Name

role_config_suppression_offset.storage.topic

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name**Default Value**

	false
API Name	role_config_suppression_otelcol_rtm_logs_exporters
Required	true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_rtm_logs_extensions
Required	true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_rtm_logs_processors
Required	true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_rtm_logs_receivers
Required	true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Plugin Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Plugin Path parameter.

Related Name

Default Value

false

API Name

role_config_suppression_plugin.path

Required

true

Suppress Parameter Validation: Kafka Connect Advanced Configuration Snippet (Safety Valve) for ranger-kafka-connect-audit.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Connect Advanced Configuration Snippet (Safety Valve) for ranger-kafka-connect-audit.xml parameter.

Related Name

Default Value

	false
API Name	role_config_suppression_ranger-kafka-connect-audit.xml_role_safety_valve
Required	true

Suppress Parameter Validation: Kafka Connect Advanced Configuration Snippet (Safety Valve) for ranger-kafka-connect-policymgr-ssl.xml

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Connect Advanced Configuration Snippet (Safety Valve) for ranger-kafka-connect-policymgr-ssl.xml parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_ranger-kafka-connect-policymgr-ssl.xml_role_safety_valve
Required	true

Suppress Parameter Validation: Kafka Connect Advanced Configuration Snippet (Safety Valve) for ranger-kafka-connect-security.xml

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Connect Advanced Configuration Snippet (Safety Valve) for ranger-kafka-connect-security.xml parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_ranger-kafka-connect-security.xml_role_safety_valve
Required	true

Suppress Parameter Validation: Ranger Kafka Connect Plugin Hdfs Audit Directory

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Kafka Connect Plugin Hdfs Audit Directory parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_ranger_kafka_connect_plugin_hdfs_audit_directory
Required	true

Suppress Parameter Validation: Ranger Kafka Connect Plugin Audit Hdfs Spool Directory Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Kafka Connect Plugin Audit Hdfs Spool Directory Path parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_kafka_connect_plugin_hdfs_audit_spool_directory

Required

true

Suppress Parameter Validation: Ranger Kafka Connect Plugin Audit Solr Spool Directory Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Kafka Connect Plugin Audit Solr Spool Directory Path parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_kafka_connect_plugin_solr_audit_spool_directory

Required

true

Suppress Parameter Validation: Ranger Kafka Plugin Policy Cache Directory Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Kafka Plugin Policy Cache Directory Path parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_plugin_kafka_connect_policy_cache_directory

Required

true

Suppress Parameter Validation: 'Ranger service' name for the Kafka Connect service**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the 'Ranger service' name for the Kafka Connect service parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_plugin_kafka_connect_service_name

Required

true

Suppress Parameter Validation: Ranger Plugin Trusted Proxy IP Address

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Plugin Trusted Proxy IP Address parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_plugin_kafka_connect_trusted_proxy_ipaddress

Required

true

Suppress Parameter Validation: Rest Extension Classes

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Rest Extension Classes parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rest.extension.classes

Required

true

Suppress Parameter Validation: Kafka Connect Rest Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Connect Rest Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rest.port

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Secure Kafka Connect Rest Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Secure Kafka Connect Rest Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_secure.rest.port

Required

true

Suppress Parameter Validation: Kafka Connect TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Connect TLS/SSL Trust Store File parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: Kafka Connect TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Connect TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Parameter Validation: Kafka Connect TLS/SSL Server Keystore Key Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Connect TLS/SSL Server Keystore Key Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_keypassword

Required

true

Suppress Parameter Validation: Kafka Connect TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Connect TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: Kafka Connect TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Connect TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Parameter Validation: Status Storage Topic Replication Factor

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Status Storage Topic Replication Factor parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_status.storage.replication.factor

Required

true

Suppress Parameter Validation: Status Storage Topic Name

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Status Storage Topic Name parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_status.storage.topic

Required

true

Suppress Parameter Validation: Value Converter

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Value Converter parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_value.converter

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka_kafka_connect_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka_kafka_connect_file_descriptor

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka_kafka_connect_host_health

Required

true

Suppress Health Test: Log Directory Free Space

Description

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka_kafka_connect_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health

Description

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka_kafka_connect_otelcol_health

Required

true

Suppress Health Test: Process Status

Description

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka_kafka_connect_scm_health

Required

true

Suppress Health Test: Swap Memory Usage

Description

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_kafka_kafka_connect_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_kafka_kafka_connect_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_kafka_kafka_connect_unexpected_exits

Required

true

Kafka MirrorMaker

Advanced

Kafka MirrorMaker Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name

Default Value

API Name

KAFKA_MIRROR_MAKER_role_env_safety_valve

Required

false

Kafka MirrorMaker Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j2.properties for this role only.

Related Name

Default Value

API Name

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name

Default Value

false

API Name

metric_config_auto_refresh

Required

false

Kafka MirrorMaker Advanced Configuration Snippet (Safety Valve) for mirror_maker_consumers.properties

Description

For advanced use only. A string to be inserted into mirror_maker_consumers.properties for this role only.

Related Name

Default Value

API Name

mirror_maker_consumers.properties_role_safety_valve

Required

false

Kafka MirrorMaker Advanced Configuration Snippet (Safety Valve) for mirror_maker_producers.properties

Description

For advanced use only. A string to be inserted into mirror_maker_producers.properties for this role only.

Related Name

Default Value

API Name

mirror_maker_producers.properties_role_safety_valve

Required

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when `java.lang.OutOfMemoryError` error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when `java.lang.OutOfMemoryError` is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Role Specific System Group

Description

The group that this role's processes should run as.

Related Name**Default Value**

kafka

API Name

process_groupname

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name

Default Value

20

API Name

process_start_secs

Required

false

Role Specific System User

Description

The user that this role's processes should run as.

Related Name

Default Value

kafka

API Name

process_username

Required

true

Kafka MirrorMaker Advanced Configuration Snippet (Safety Valve) for ssl_client.properties

Description

For advanced use only. A string to be inserted into ssl_client.properties for this role only.

Related Name

Default Value

API Name

ssl_client.properties_role_safety_valve

Required

false

Kafka MirrorMaker Advanced Configuration Snippet (Safety Valve) for ssl_server.properties

Description

For advanced use only. A string to be inserted into ssl_server.properties for this role only.

Related Name

Default Value

API Name

ssl_server.properties_role_safety_valve

Required

false

Logs

Kafka MirrorMaker Log Directory

Description

The log directory for log files of the role Kafka MirrorMaker.

Related Name

kafka_mirrormaker.log4j.dir

Default Value

/var/log/kafka

API Name

log_dir

Required

false

Kafka MirrorMaker Logging Threshold

Description

The minimum log level for Kafka MirrorMaker logs

Related Name

Default Value

INFO

API Name

log_threshold

Required

false

Kafka MirrorMaker Maximum Log File Backups

Description

The maximum number of rolled log files to keep for Kafka MirrorMaker logs. Typically used by log4j or logback.

Related Name

Default Value

10

API Name

max_log_backup_index

Required

false

Kafka MirrorMaker Max Log Size

Description

The maximum size, in megabytes, per log file for Kafka MirrorMaker logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring**Enable Health Alerts for this Role****Description**

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML**Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

kafka_mirror_maker_fd_thresholds

Required

false

Kafka MirrorMaker Host Health Test**Description**

When computing the overall Kafka MirrorMaker health, consider the host's health.

Related Name**Default Value**

true

API Name

kafka_mirror_maker_host_health_enabled

Required

false

Kafka MirrorMaker Process Health Test**Description**

Enables the health test that the Kafka MirrorMaker's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

`kafka_mirror_maker_scm_health_enabled`**Required**

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name`log_directory_free_space_absolute_thresholds`**Required**

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name`log_directory_free_space_percentage_thresholds`**Required**

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.

- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking [View as JSON](#). In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name**Default Value****API Name**

`monitoring_metric_filter`

Required

`false`

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

`otelcol_exporters`

Required

`false`

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

`otelcol_extensions`

Required

`false`

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value**API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: `$HOST_NAME`, `$CLUSTER_NAME`, `$CLUSTER_ID`, `$SERVICE_TYPE`, `$SERVICE_NAME`, `$ROLE_NAME`, `$ROLE_TYPE`, `$ROLE_PARAM(my_parameter_name)` - e.g.: a port parameter for the role's metrics, `$DECODE_B64(...)` and `$DECODE_URL(...)` to decode encoded parameters, `$ENV_PARAM(name)` to fetch params from the process' environment, `$SYS_PARAM(name)` to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=\$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}] See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period**Description**

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other**Abort on Send Failure****Description**

Stop the entire mirror maker when a send failure occurs.

Related Name

abort.on.send.failure

Default Value

true

API Name

abort.on.send.failure

Required

false

Producer Batch Size**Description**

This configuration controls the batch size in bytes. The producer will attempt to batch records together into fewer requests whenever multiple records are being sent to the same partition. This helps performance on both the client and the server.

Related Name

batch.size

Default Value

16 KiB

API Name

batch.size

Required

false

Destination Broker List**Description**

Comma-separated list of IP:port (or hostname:port) pairs of brokers on destination cluster. This should be more than one, for high availability, but there's no need to list all brokers.

Related Name

bootstrap.servers

Default Value**API Name**

bootstrap.servers

Required

true

Producer Buffer Memory**Description**

The total bytes of memory the producer can use to buffer records waiting to be sent to the server.

Related Name

buffer.memory

Default Value

32 MiB

API Name

buffer.memory

Required

false

Producer Compression Type

Description

The compression type for all data generated by the producer.

Related Name

compression.type

Default Value

none

API Name

compression.type

Required

false

MirrorMaker Consumer Rebalance Listener

Description

A consumer rebalance listener of the ConsumerRebalanceListener type. Invoked when MirrorMaker's consumer rebalances.

Related Name

consumer.rebalance.listener

Default Value**API Name**

consumer.rebalance.listener

Required

false

MirrorMaker Consumer Rebalance Listener Arguments

Description

Arguments used by MirrorMaker consumer rebalance listener.

Related Name

consumer.rebalance.listener.args

Default Value**API Name**

consumer.rebalance.listener.args

Required

false

Consumer Request Timeout

Description

The maximum amount of time the consumer will wait for the response of a request. If the response is not received before the timeout elapses, the consumer will resend the request if necessary or fail the request if retries are exhausted.

Related Name

consumer.request.timeout.ms

Default Value

40 second(s)

API Name

consumer.request.timeout.ms

Required

false

Destination Kafka Cluster's Security Protocol

Description

Protocol used for communication with destination Kafka cluster.

Related Name

destination.security.protocol

Default Value

PLAINTEXT

API Name

destination.security.protocol

Required

false

Destination Kafka Cluster's Client Auth

Description

Only required if destination Kafka cluster requires client authentication.

Related Name

destination.ssl.client.auth

Default Value

false

API Name

destination.ssl.client.auth

Required

false

Consumer Minimum Fetch Size

Description

The minimum amount of data the server should return for a fetch request. If insufficient data is available, the request will wait for that much data to accumulate before answering the request. Setting this property to something greater than 1 will cause the server to wait for larger amounts of data to accumulate which can improve server throughput a bit at the cost of some additional latency.

Related Name

fetch.min.bytes

Default Value

1 B

API Name

fetch.min.bytes

Required

false

Consumer Group ID

Description

Name of the consumer group used by MirrorMaker. When multiple role instances are configured with the same topics and same group ID, the role instances load-balance replication for the topics. When multiple role instances are configured with the same topics but different group ID, each role instance replicates all the events for those topics - this can be used to replicate the source cluster into multiple destination clusters.

Related Name

group.id

Default Value

cloudera_mirrormaker

API Name

group.id

Required

false

Enable Authenticated Communication with the JMX Agent**Description**

Enables Authenticated Communication with the JMX Agent.

Related Name

jmx.auth.enabled

Default Value

false

API Name

jmx.auth.enabled

Required

false

Name of User with Read-Write Access to the JMX Agent**Description**

Specifies the name of the user that has read-write privileges when using password file-based authentication for JMX access. JMX authentication must be enabled for this setting to take effect.

Related Name

jmx.control.user

Default Value

controlRole

API Name

jmx.control.user

Required

false

Password of user with read-write access to the JMX agent**Description**

Specifies the password of the user that has read-write privileges when using password file-based authentication for JMX access. JMX authentication must be enabled for this setting to take effect.

Related Name

jmx.control.user.passwd

Default Value

API Name

jmx.control.user.passwd

Required

false

Name of User with read-only access to the JMX Agent

Description

Specifies the name of the user that has read-only privileges when using password file-based authentication for JMX access. JMX authentication must be enabled for this setting to take effect.

Related Name

jmx.monitor.user

Default Value

monitorRole

API Name

jmx.monitor.user

Required

false

Password of User with read-only Access to the JMX agent

Description

Specifies the password of the user that has read-only privileges when using password file-based authentication for JMX access. JMX authentication must be enabled for this setting to take effect.

Related Name

jmx.monitor.user.passwd

Default Value

API Name

jmx.monitor.user.passwd

Required

false

Enable TLS client authentication for JMX port

Description

If enabled, a valid client certificate must be presented by the JMX client in order to connect to the JMX port. Ensure that the trusted CA certificates are present in either the ZooKeeper JMX TLS/SSL Server Trust Store file or the global trust store.

Related Name

jmx.ssl.client.auth.enabled

Default Value

false

API Name

jmx.ssl.client.auth.enabled

Required

false

Enable TLS/SSL for Kafka JMX

Description

Encrypt communication between clients and Kafka JMX using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

jmx.ssl.enabled

Default Value

false

API Name

jmx.ssl.enabled

Required

false

Producer Linger Time

Description

The upper bound on the delay for batching. Once the producer gets a batch.size worth of records for a partition it will be sent immediately regardless of this setting. However, if fewer than this many bytes accumulated for this partition the producer will 'linger' for the specified time waiting for more records to show up.

Related Name

linger.ms

Default Value

0 second(s)

API Name

linger.ms

Required

false

MirrorMaker Message Handler

Description

A MirrorMaker message handler of the MirrorMakerMessageHandler type that will process every record in-between producer and consumer.

Related Name

message.handler

Default Value**API Name**

message.handler

Required

false

MirrorMaker Message Handler Arguments

Description

Arguments used by MirrorMaker message handler.

Related Name

message.handler.args

Default Value**API Name**

message.handler.args

Required

false

Additional MirrorMaker Java Options**Description**

These arguments are passed as part of the Java command line. Commonly, garbage collection flags or extra debugging flags are passed here.

Related Name

mirror_maker_java_opts

Default Value

```
-server -XX:+UseG1GC -XX:MaxGCPauseMillis=20 -XX:InitiatingHeapOccupancyPercent=35  
-XX:G1HeapRegionSize=16M -XX:MinMetaspaceFreeRatio=50 -  
XX:MaxMetaspaceFreeRatio=80 -XX:+DisableExplicitGC -Djava.awt.headless=true -  
Djava.net.preferIPv4Stack=true -Dcom.sun.management.jmxremote.host=127.0.0.1 -  
Dcom.sun.management.jmxremote.local.only=true -Djava.rmi.server.hostname=127.0.0.1
```

API Name

mirror_maker_java_opts

Required

false

Java Heap Size of MirrorMaker**Description**

Maximum size for the Java process heap memory. Passed to Java -Xmx. Measured in megabytes.

Related Name

mirror_maker_max_heap_size

Default Value

1 GiB

API Name

mirror_maker_max_heap_size

Required

false

Number of Consumer Threads**Description**

Number of consumer threads.

Related Name

num.streams

Default Value

1

API Name

num.streams

Required

false

Offset Commit Interval

Description

Offset commit interval in milliseconds.

Related Name

offset.commit.interval.ms

Default Value

60000

API Name

offset.commit.interval.ms

Required

false

Producer Request Timeout

Description

The maximum amount of time the producer will wait for the response of a request. If the response is not received before the timeout elapses, the producer will resend the request if necessary or fail the request if retries are exhausted.

Related Name

producer.request.timeout.ms

Default Value

30 second(s)

API Name

producer.request.timeout.ms

Required

false

Consumer Session Timeout

Description

The timeout used to detect failures when using the group management facilities of Kafka. When the heartbeat of a consumer is not received within the session timeout, the broker will mark the consumer as failed and rebalance the group. Note that the value must be in the allowable range as configured in the broker by `group.min.session.timeout.ms` and `group.max.session.timeout.ms`.

Related Name

session.timeout.ms

Default Value

30 second(s)

API Name

session.timeout.ms

Required

false

Source Broker List

Description

Comma-separated list of IP:port (or hostname:port) pairs of brokers on source cluster. This should be more than one, for high availability, but there's no need to list all brokers.

Related Name

source.bootstrap.servers

Default Value

API Name

source.bootstrap.servers

Required

true

Source Kafka Cluster's Security Protocol

Description

Protocol used for communication with source Kafka cluster.

Related Name

source.security.protocol

Default Value

PLAINTEXT

API Name

source.security.protocol

Required

false

Source Kafka Cluster's Client Auth

Description

Only required if the source Kafka cluster requires client authentication.

Related Name

source.ssl.client.auth

Default Value

false

API Name

source.ssl.client.auth

Required

false

Topic Whitelist

Description

Regular expression that represents a set of topics to mirror.

Related Name

whitelist

Default Value

API Name

whitelist

Required

true

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses

JMX Port

Description

Port for JMX.

Related Name

jmx_port

Default Value

9394

API Name

jmx_port

Required

false

Resource Management

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares

Description

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing

memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security**Role-Specific Kerberos Principal****Description**

Kerberos principal used by the Kafka MirrorMaker roles.

Related Name**Default Value**

kafka_mirror_maker

API Name

kerberos_role_princ_name

Required

true

Kafka MirrorMaker TLS/SSL Trust Store File**Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Kafka MirrorMaker might connect to. This trust store must contain the certificate(s)

used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

ssl.truststore.location

Default Value**API Name**

ssl_client_truststore_location

Required

false

Kafka MirrorMaker TLS/SSL Trust Store Password**Description**

The password for the Kafka MirrorMaker TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

ssl.truststore.password.generator

Default Value**API Name**

ssl_client_truststore_password

Required

false

Enable TLS/SSL for Kafka MirrorMaker**Description**

Encrypt communication between clients and Kafka MirrorMaker using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

ssl_enabled

Default Value

false

API Name

ssl_enabled

Required

false

Kafka MirrorMaker TLS/SSL Server Keystore Key Password**Description**

The password that protects the private key contained in the keystore used when Kafka MirrorMaker is acting as a TLS/SSL server.

Related Name

ssl.key.password.generator

Default Value**API Name**

ssl_server_keystore_keypassword

Required

false

Kafka MirrorMaker TLS/SSL Server Keystore File Location

Description

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Kafka MirrorMaker is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

ssl.keystore.location

Default Value

API Name

ssl_server_keystore_location

Required

false

Kafka MirrorMaker TLS/SSL Server Keystore File Password

Description

The password for the Kafka MirrorMaker keystore file.

Related Name

ssl.keystore.password.generator

Default Value

API Name

ssl_server_keystore_password

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions**Suppress Parameter Validation: Destination Broker List****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Destination Broker List parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_bootstrap.servers

Required

true

Suppress Configuration Validator: CDH Version Validator**Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: MirrorMaker Consumer Rebalance Listener**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the MirrorMaker Consumer Rebalance Listener parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_consumer.rebalance.listener

Required

true

Suppress Parameter Validation: MirrorMaker Consumer Rebalance Listener Arguments**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the MirrorMaker Consumer Rebalance Listener Arguments parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_consumer.rebalance.listener.args

Required

true

Suppress Parameter Validation: Consumer Group ID**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Consumer Group ID parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_group.id

Required

true

Suppress Parameter Validation: Name of User with Read-Write Access to the JMX Agent**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Name of User with Read-Write Access to the JMX Agent parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx.control.user

Required

true

Suppress Parameter Validation: Password of user with read-write access to the JMX agent**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Password of user with read-write access to the JMX agent parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx.control.user.passwd

Required

true

Suppress Parameter Validation: Name of User with read-only access to the JMX Agent

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Name of User with read-only access to the JMX Agent parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx.monitor.user

Required

true

Suppress Parameter Validation: Password of User with read-only Access to the JMX agent

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Password of User with read-only Access to the JMX agent parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx.monitor.user.passwd

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: JMX Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_port

Required

true

Suppress Parameter Validation: Kafka MirrorMaker Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka MirrorMaker Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_kafka_mirror_maker_role_env_safety_valve

Required

true

Suppress Parameter Validation: Role-Specific Kerberos Principal

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role-Specific Kerberos Principal parameter.

Related Name

Default Value

false

API Name

role_config_suppression_kerberos_role_princ_name

Required

true

Suppress Parameter Validation: Kafka MirrorMaker Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka MirrorMaker Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Kafka MirrorMaker Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka MirrorMaker Log Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: MirrorMaker Message Handler

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the MirrorMaker Message Handler parameter.

Related Name

Default Value

false

API Name

role_config_suppression_message.handler

Required

true

Suppress Parameter Validation: MirrorMaker Message Handler Arguments

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the MirrorMaker Message Handler Arguments parameter.

Related Name

Default Value

false

API Name

role_config_suppression_message.handler.args

Required

true

Suppress Parameter Validation: Kafka MirrorMaker Advanced Configuration Snippet (Safety Valve) for mirror_maker_consumers.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka MirrorMaker Advanced Configuration Snippet (Safety Valve) for mirror_maker_consumers.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_mirror_maker_consumers.properties_role_safety_valve

Required

true

Suppress Parameter Validation: Additional MirrorMaker Java Options

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Additional MirrorMaker Java Options parameter.

Related Name

Default Value

false

API Name

role_config_suppression_mirror_maker_java_opts

Required

true

Suppress Parameter Validation: Java Heap Size of MirrorMaker

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Heap Size of MirrorMaker parameter.

Related Name

Default Value

false

API Name

role_config_suppression_mirror_maker_max_heap_size

Required

true

Suppress Parameter Validation: Kafka MirrorMaker Advanced Configuration Snippet (Safety Valve) for mirror_maker_producers.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka MirrorMaker Advanced Configuration Snippet (Safety Valve) for mirror_maker_producers.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_mirror_maker_producers.properties_role_safety_valve

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**

	false
API Name	role_config_suppression_otelcol_service
Required	true

Suppress Parameter Validation: Role Specific System Group

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Specific System Group parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_process_groupname
Required	true

Suppress Parameter Validation: Role Specific System User

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Specific System User parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_process_username
Required	true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_rm_custom_resources
Required	true

Suppress Parameter Validation: Role Triggers

Description	
--------------------	--

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Source Broker List

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Source Broker List parameter.

Related Name

Default Value

false

API Name

role_config_suppression_source.bootstrap.servers

Required

true

Suppress Parameter Validation: Kafka MirrorMaker Advanced Configuration Snippet (Safety Valve) for ssl_client.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka MirrorMaker Advanced Configuration Snippet (Safety Valve) for ssl_client.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client.properties_role_safety_valve

Required

true

Suppress Parameter Validation: Kafka MirrorMaker TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka MirrorMaker TLS/SSL Trust Store File parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: Kafka MirrorMaker TLS/SSL Trust Store Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka MirrorMaker TLS/SSL Trust Store Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Parameter Validation: Kafka MirrorMaker Advanced Configuration Snippet (Safety Valve) for ssl_server.properties**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka MirrorMaker Advanced Configuration Snippet (Safety Valve) for ssl_server.properties parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server.properties_role_safety_valve

Required

true

Suppress Parameter Validation: Kafka MirrorMaker TLS/SSL Server Keystore Key Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka MirrorMaker TLS/SSL Server Keystore Key Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_keypassword

Required

true

Suppress Parameter Validation: Kafka MirrorMaker TLS/SSL Server Keystore File Location**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka MirrorMaker TLS/SSL Server Keystore File Location parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: Kafka MirrorMaker TLS/SSL Server Keystore File Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka MirrorMaker TLS/SSL Server Keystore File Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Parameter Validation: Topic Whitelist**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Topic Whitelist parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_whitelist

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka_kafka_mirror_maker_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka_kafka_mirror_maker_file_descriptor

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka_kafka_mirror_maker_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_kafka_kafka_mirror_maker_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka_kafka_mirror_maker_otelcol_health

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka_kafka_mirror_maker_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka_kafka_mirror_maker_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka_kafka_mirror_maker_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka_kafka_mirror_maker_unexpected_exits

Required

true

KRaft Controller

Advanced

KRaft Controller Advanced Configuration Snippet (Safety Valve) for kafka-monitoring.properties

Description

For advanced use only. A string to be inserted into kafka-monitoring.properties for this role only.

Related Name**Default Value****API Name**

kafka-monitoring.properties_role_safety_valve

Required

false

KRaft Controller Advanced Configuration Snippet (Safety Valve) for kraft.properties

Description

For advanced use only. A string to be inserted into kraft.properties for this role only.

Related Name**Default Value**

API Name

kraft.properties_role_safety_valve

Required

false

KRaft Controller Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

KRAFT_role_env_safety_valve

Required

false

KRaft Controller Logging Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a string to be inserted into log4j2.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations**Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions

and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Role Specific System Group

Description

The group that this role's processes should run as.

Related Name**Default Value**

kraft

API Name

process_groupname

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name

Default Value

20

API Name

process_start_secs

Required

false

Role Specific System User**Description**

The user that this role's processes should run as.

Related Name**Default Value**

kraft

API Name

process_username

Required

true

KRaft Controller Advanced Configuration Snippet (Safety Valve) for ranger-kafka-audit.xml**Description**

For advanced use only. A string to be inserted into ranger-kafka-audit.xml for this role only.

Related Name**Default Value****API Name**

ranger-kafka-audit.xml_role_safety_valve

Required

false

KRaft Controller Advanced Configuration Snippet (Safety Valve) for ranger-kafka-policymgr-ssl.xml**Description**

For advanced use only. A string to be inserted into ranger-kafka-policymgr-ssl.xml for this role only.

Related Name**Default Value****API Name**

ranger-kafka-policymgr-ssl.xml_role_safety_valve

Required

false

KRaft Controller Advanced Configuration Snippet (Safety Valve) for ranger-kafka-security.xml**Description**

For advanced use only. A string to be inserted into ranger-kafka-security.xml for this role only.

Related Name

Default Value

API Name

ranger-kafka-security.xml_role_safety_valve

Required

false

KRaft Controller Advanced Configuration Snippet (Safety Valve) for ssl.properties

Description

For advanced use only. A string to be inserted into ssl.properties for this role only.

Related Name

Default Value

API Name

ssl.properties_role_safety_valve

Required

false

Logs

KRaft Controller Log Directory

Description

The log directory for log files of the role KRaft Controller.

Related Name

kafka.log4j.dir

Default Value

/var/log/kraft

API Name

log_dir

Required

false

KRaft Controller Logging Threshold

Description

The minimum log level for KRaft Controller logs

Related Name

Default Value

INFO

API Name

log_threshold

Required

false

KRaft Controller Maximum Log File Backups

Description

The maximum number of rolled log files to keep for KRaft Controller logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

KRaft Controller Max Log Size**Description**

The maximum size, in megabytes, per log file for KRaft Controller logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring**Enable Health Alerts for this Role****Description**

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

kraft_fd_thresholds

Required

false

KRaft Controller Host Health Test

Description

When computing the overall KRaft Controller health, consider the host's health.

Related Name**Default Value**

true

API Name

kraft_host_health_enabled

Required

false

KRaft Controller Process Health Test

Description

Enables the health test that the KRaft Controller's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

kraft_scm_health_enabled

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter

Description

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.

- **Default Dashboard Metric Set** - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- **Include/Exclude Custom Metrics** - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- **Metric Name** - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- **Include only Health Test Metric Set:** Selected.
- **Include/Exclude Custom Metrics:** Set to Include.
- **Metric Name:** `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name

Default Value

API Name

`monitoring_metric_filter`

Required

`false`

OpenTelemetry Collector Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

`otelcol_exporters`

Required

`false`

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**`$INFRA(cdp_request_signer_url)`**API Name**

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify `$INFRA(cdp_request_signer_username)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**`$INFRA(cdp_request_signer_username)`**API Name**

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers

Description

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name

Default Value

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name

Default Value

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

Graceful Shutdown Timeout

Description

The timeout in milliseconds to wait for graceful shutdown to complete.

Related Name

Default Value

2 minute(s)

API Name

graceful_stop_timeout

Required

false

Enable Authenticated Communication with the JMX Agent

Description

Enables Authenticated Communication with the JMX Agent.

Related Name

jmx.auth.enabled

Default Value

true

API Name

jmx.auth.enabled

Required

false

Name of User with Read-Write Access to the JMX Agent

Description

Specifies the name of the user that has read-write privileges when using password file-based authentication for JMX access. JMX authentication must be enabled for this setting to take effect.

Related Name

jmx.control.user

Default Value

controlRole

API Name

jmx.control.user

Required

false

Password of user with read-write access to the JMX agent

Description

Specifies the password of the user that has read-write privileges when using password file-based authentication for JMX access. JMX authentication must be enabled for this setting to take effect.

Related Name

jmx.control.user.passwd

Default Value

API Name

jmx.control.user.passwd

Required

false

Name of User with read-only access to the JMX Agent

Description

Specifies the name of the user that has read-only privileges when using password file-based authentication for JMX access. JMX authentication must be enabled for this setting to take effect.

Related Name

jmx.monitor.user

Default Value

monitorRole

API Name

jmx.monitor.user

Required

false

Password of User with read-only Access to the JMX agent

Description

Specifies the password of the user that has read-only privileges when using password file-based authentication for JMX access. JMX authentication must be enabled for this setting to take effect.

Related Name

jmx.monitor.user.passwd

Default Value

API Name

jmx.monitor.user.passwd

Required

false

Enable TLS client authentication for JMX port

Description

If enabled, a valid client certificate must be presented by the JMX client in order to connect to the JMX port. Ensure that the trusted CA certificates are present in either the KRaft JMX TLS/SSL Server Trust Store file or the global trust store.

Related Name

jmx.ssl.client.auth.enabled

Default Value

	false
API Name	jmx.ssl.client.auth.enabled
Required	false

Enable TLS/SSL for KRaft JMX

Description	Encrypt communication between clients and KRaft JMX using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).
Related Name	jmx.ssl.enabled
Default Value	false
API Name	jmx.ssl.enabled
Required	false

Enable HTTP Metric Report Basic Authentication

Description	Enable Basic Authentication for Kafka Metric HTTP Endpoint.
Related Name	kafka.http.metrics.authentication.enabled
Default Value	false
API Name	kafka.http.metrics.authentication.enabled
Required	false

HTTP Metric Report Host

Description	The host that the HTTP metric reporter binds to.
Related Name	kafka.http.metrics.host
Default Value	0.0.0.0
API Name	kafka.http.metrics.host
Required	false

HTTP Metric Report Password

Description	
--------------------	--

The password used for Basic Authentication.

Related Name

kafka.http.metrics.password

Default Value**API Name**

kafka.http.metrics.password

Required

false

Http Metrics Report Exclude Filter**Description**

Regex of MetricNames that will not be reported by the HttpMetricsReporter. Use upstream JMX-based MetricNames.

Related Name

http.metrics.exclude

Default Value**API Name**

kafka.http.metrics.reporter.exclude.filter

Required

false

SSL Encryption For HTTP Metric Reporter**Description**

Enable SSL Encryption for HTTP Metrics Endpoint. IMPORTANT: SSL encryption will be enabled if ssl_enabled config is enabled as well!

Related Name

kafka.http.metrics.ssl.enabled

Default Value

false

API Name

kafka.http.metrics.ssl.enabled

Required

false

HTTP Metric Report User**Description**

The username used for Basic Authentication.

Related Name

kafka.http.metrics.user

Default Value**API Name**

kafka.http.metrics.user

Required

false

Additional KRaft Controller Java Options

Description

These arguments are passed as part of the Java command line. Commonly, garbage collection flags or extra debugging flags are passed here.

Related Name

kraft_java_opts

Default Value

```
-server -XX:+UseG1GC -XX:MaxGCPauseMillis=20 -XX:InitiatingHeapOccupancyPercent=35  
-XX:G1HeapRegionSize=16M -XX:MinMetaspaceFreeRatio=50 -  
XX:MaxMetaspaceFreeRatio=80 -XX:+DisableExplicitGC -Djava.awt.headless=true -  
Djava.net.preferIPv4Stack=true -Dcom.sun.management.jmxremote.host=127.0.0.1 -  
Dcom.sun.management.jmxremote.local.only=true -Djava.rmi.server.hostname=127.0.0.1
```

API Name

kraft_java_opts

Required

false

Metadata Log Directory

Description

A single directory that stores the logs of KRaft's metadata.

Related Name

metadata.log.dir

Default Value

/var/local/kraft/data

API Name

metadata.log.dir

Required

true

Node ID

Description

ID uniquely identifying each broker or controller. Never set this property at the group level; it should always be overridden on instance level.

Related Name

node.id

Default Value**API Name**

node.id

Required

false

Ranger KRaft Plugin Audit Hdfs Spool Directory Path

Description

Spool directory for Ranger audits being written to DFS.

Related Name

xasecure.audit.destination.hdfs.batch.filespool.dir

Default Value

/var/log/kraft/audit/hdfs/spool

API Name

ranger_kraft_plugin_hdfs_audit_spool_directory

Required

true

Ranger KRaft Plugin Policy Cache Directory Path

Description

The directory where Ranger security policies are cached locally.

Related Name

ranger.plugin.kraft.policy.cache.dir

Default Value

/var/lib/ranger/kraft/policy-cache

API Name

ranger_kraft_plugin_policy_cache_directory

Required

true

Ranger KRaft Plugin Audit Solr Spool Directory Path

Description

Spool directory for Ranger audits being written to Solr.

Related Name

xasecure.audit.destination.solr.batch.filespool.dir

Default Value

/var/log/kraft/audit/solr/spool

API Name

ranger_kraft_plugin_solr_audit_spool_directory

Required

true

Ranger Plugin Trusted Proxy IP Address

Description

Accepts a list of IP addresses of proxy servers for trusting.

Related Name

ranger.plugin.kafka.trusted.proxy.ipaddress

Default Value

API Name

ranger_plugin_kraft_trusted_proxy_ipaddress

Required

false

Ranger Plugin Use X-Forwarded For IP Address

Description

The parameter is used for identifying the originating IP address of a user connecting to a component through proxy for audit logs.

Related Name

ranger.plugin.kafka.use.x-forwarded-for.ipaddress

Default Value

false

API Name

ranger_plugin_kraft_use_x_forwarded_for_ipaddress

Required

false

Inter Broker Protocol**Description**

Protocol to be used for inter-broker communication. INFERRED uses the same protocol that is configured for external clients.

Related Name

security.inter.broker.protocol

Default Value

INFERRED

API Name

security.inter.broker.protocol

Required

false

SSL Client Authentication**Description**

Client authentication mode for SSL connections. This configuration has three valid values, "required", "requested" and "none". If set to "required", client authentication is required. If set to "requested", client authentication is requested and clients without certificates can still connect. If set to "none", which is the default value, no client authentication is required.

Related Name

ssl.client.auth

Default Value

none

API Name

ssl.client.auth

Required

false

Performance**Maximum Process File Descriptors****Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name

Default Value

API Name

rlimit_fds

Required

false

Ports and Addresses

JMX Port

Description

Port for JMX.

Related Name

jmx_port

Default Value

9395

API Name

jmx_port

Required

false

HTTP Metric Report Port

Description

The port that the HTTP metric reporter listens on.

Related Name

kafka.http.metrics.port

Default Value

24043

API Name

kafka.http.metrics.port

Required

false

TCP Port

Description

KRaft server port.

Related Name

port

Default Value

9192

API Name

port

Required

false

TLS/SSL Port

Description

KRaft server secure port.

Related Name

ssl_port

Default Value

9193

API Name

ssl_port

Required

false

Resource Management

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares

Description

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight

Description

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path'
These settings override other cgroup settings.

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no

limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security**Role-Specific Kerberos Principal****Description**

Kerberos principal used by the KRaft Controller roles.

Related Name**Default Value**

kraft

API Name

kerberos_role_princ_name

Required

true

KRaft Controller TLS/SSL Trust Store File**Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that KRaft Controller might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

ssl.truststore.location

Default Value**API Name**

ssl_client_truststore_location

Required

false

KRaft Controller TLS/SSL Trust Store Password**Description**

The password for the KRaft Controller TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

ssl.truststore.password.generator

Default Value**API Name**

ssl_client_truststore_password

Required

false

Enable TLS/SSL for KRaft Controller**Description**

Encrypt communication between clients and KRaft Controller using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

ssl_enabled

Default Value

false

API Name

ssl_enabled

Required

false

KRaft Controller TLS/SSL Server Keystore Key Password**Description**

The password that protects the private key contained in the keystore used when KRaft Controller is acting as a TLS/SSL server.

Related Name

ssl.key.password.generator

Default Value**API Name**

ssl_server_keystore_keypassword

Required

false

KRaft Controller TLS/SSL Server Keystore File Location**Description**

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when KRaft Controller is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

ssl.keystore.location

Default Value**API Name**

ssl_server_keystore_location

Required

false

KRaft Controller TLS/SSL Server Keystore File Password

Description

The password for the KRaft Controller keystore file.

Related Name

ssl.keystore.password.generator

Default Value**API Name**

ssl_server_keystore_password

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

`stacks_collection_enabled`**Default Value**`false`**API Name**`stacks_collection_enabled`**Required**`true`**Stacks Collection Frequency****Description**

The frequency with which stacks are collected.

Related Name`stacks_collection_frequency`**Default Value**`5.0 second(s)`**API Name**`stacks_collection_frequency`**Required**`false`**Stacks Collection Method****Description**

The method used to collect stacks. The `jstack` option involves periodically running the `jstack` command against the role's daemon process. The `servlet` method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the `servlet` method is selected, that HTTP endpoint is periodically scraped.

Related Name`stacks_collection_method`**Default Value**`jstack`**API Name**`stacks_collection_method`**Required**`false`**Suppressions****Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**`false`**API Name**

`role_config_suppression_cdh_version_validator`**Required**`true`**Suppress Parameter Validation: Name of User with Read-Write Access to the JMX Agent****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Name of User with Read-Write Access to the JMX Agent parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_jmx.control.user`**Required**`true`**Suppress Parameter Validation: Password of user with read-write access to the JMX agent****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Password of user with read-write access to the JMX agent parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_jmx.control.user.passwd`**Required**`true`**Suppress Parameter Validation: Name of User with read-only access to the JMX Agent****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Name of User with read-only access to the JMX Agent parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_jmx.monitor.user`**Required**`true`**Suppress Parameter Validation: Password of User with read-only Access to the JMX agent****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Password of User with read-only Access to the JMX agent parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx.monitor.user.passwd

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: JMX Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_port

Required

true

Suppress Parameter Validation: KRaft Controller Advanced Configuration Snippet (Safety Valve) for kafka-monitoring.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the KRaft Controller Advanced Configuration Snippet (Safety Valve) for kafka-monitoring.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_kafka-monitoring.properties_role_safety_valve

Required

true

Suppress Parameter Validation: HTTP Metric Report Host**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HTTP Metric Report Host parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_kafka.http.metrics.host

Required

true

Suppress Parameter Validation: HTTP Metric Report Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HTTP Metric Report Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_kafka.http.metrics.password

Required

true

Suppress Parameter Validation: HTTP Metric Report Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HTTP Metric Report Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_kafka.http.metrics.port

Required

true

Suppress Parameter Validation: Http Metrics Report Exclude Filter**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Http Metrics Report Exclude Filter parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_kafka.http.metrics.reporter.exclude.filter

Required

true

Suppress Parameter Validation: HTTP Metric Report User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HTTP Metric Report User parameter.

Related Name

Default Value

false

API Name

role_config_suppression_kafka.http.metrics.user

Required

true

Suppress Parameter Validation: Role-Specific Kerberos Principal

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role-Specific Kerberos Principal parameter.

Related Name

Default Value

false

API Name

role_config_suppression_kerberos_role_princ_name

Required

true

Suppress Parameter Validation: KRaft Controller Advanced Configuration Snippet (Safety Valve) for kraft.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the KRaft Controller Advanced Configuration Snippet (Safety Valve) for kraft.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_kraft.properties_role_safety_valve

Required

true

Suppress Parameter Validation: Additional KRaft Controller Java Options

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Additional KRaft Controller Java Options parameter.

Related Name

Default Value

false

API Name

role_config_suppression_kraft_java_opts

Required

true

Suppress Parameter Validation: KRaft Controller Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the KRaft Controller Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_kraft_role_env_safety_valve

Required

true

Suppress Parameter Validation: KRaft Controller Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the KRaft Controller Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: KRaft Controller Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the KRaft Controller Log Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: Metadata Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Metadata Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_metadata.log.dir

Required

true

Suppress Parameter Validation: Node ID

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Node ID parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_node.id

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: TCP Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the TCP Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_port

Required

true

Suppress Parameter Validation: Role Specific System Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Specific System Group parameter.

Related Name

Default Value

false

API Name

role_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: Role Specific System User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Specific System User parameter.

Related Name

Default Value

false

API Name

role_config_suppression_process_username

Required

true

Suppress Parameter Validation: KRaft Controller Advanced Configuration Snippet (Safety Valve) for ranger-kafka-audit.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the KRaft Controller Advanced Configuration Snippet (Safety Valve) for ranger-kafka-audit.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger-kafka-audit.xml_role_safety_valve

Required

true

Suppress Parameter Validation: KRaft Controller Advanced Configuration Snippet (Safety Valve) for ranger-kafka-policymgr-ssl.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the KRaft Controller Advanced Configuration Snippet (Safety Valve) for ranger-kafka-policymgr-ssl.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger-kafka-policymgr-ssl.xml_role_safety_valve

Required

true

Suppress Parameter Validation: KRaft Controller Advanced Configuration Snippet (Safety Valve) for ranger-kafka-security.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the KRaft Controller Advanced Configuration Snippet (Safety Valve) for ranger-kafka-security.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger-kafka-security.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Ranger KRaft Plugin Audit Hdfs Spool Directory Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KRaft Plugin Audit Hdfs Spool Directory Path parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kraft_plugin_hdfs_audit_spool_directory

Required

true

Suppress Parameter Validation: Ranger KRaft Plugin Policy Cache Directory Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KRaft Plugin Policy Cache Directory Path parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kraft_plugin_policy_cache_directory

Required

true

Suppress Parameter Validation: Ranger KRaft Plugin Audit Solr Spool Directory Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KRaft Plugin Audit Solr Spool Directory Path parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_kraft_plugin_solr_audit_spool_directory

Required

true

Suppress Parameter Validation: Ranger Plugin Trusted Proxy IP Address**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Plugin Trusted Proxy IP Address parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_plugin_kraft_trusted_proxy_ipaddress

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: KRaft Controller Advanced Configuration Snippet (Safety Valve) for ssl.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the KRaft Controller Advanced Configuration Snippet (Safety Valve) for ssl.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl.properties_role_safety_valve

Required

true

Suppress Parameter Validation: KRaft Controller TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the KRaft Controller TLS/SSL Trust Store File parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: KRaft Controller TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the KRaft Controller TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Parameter Validation: TLS/SSL Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the TLS/SSL Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_port

Required

true

Suppress Parameter Validation: KRaft Controller TLS/SSL Server Keystore Key Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the KRaft Controller TLS/SSL Server Keystore Key Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_keypassword

Required

true

Suppress Parameter Validation: KRaft Controller TLS/SSL Server Keystore File Location**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the KRaft Controller TLS/SSL Server Keystore File Location parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: KRaft Controller TLS/SSL Server Keystore File Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the KRaft Controller TLS/SSL Server Keystore File Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test

Description

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka_kraft_audit_health

Required

true

Suppress Health Test: File Descriptors

Description

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka_kraft_file_descriptor

Required

true

Suppress Health Test: Host Health

Description

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka_kraft_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka_kraft_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka_kraft_otelcol_health

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka_kraft_scm_health

Required

true

Suppress Health Test: Swap Memory Usage

Description

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka_kraft_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka_kraft_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_kafka_kraft_unexpected_exits

Required

true

Service-Wide

Advanced

Kafka Service Advanced Configuration Snippet (Safety Valve) for kafka-monitoring.properties

Description

For advanced use only, a string to be inserted into kafka-monitoring.properties. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

kafka-monitoring.properties_service_safety_valve

Required

false

Kafka Service Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

KAFKA_service_env_safety_valve

Required

false

System Group

Description

The group that this service's processes should run as.

Related Name

Default Value

kafka

API Name

process_groupname

Required

true

System User

Description

The user that this service's processes should run as.

Related Name

Default Value

kafka

API Name

process_username

Required

true

Kafka Service Advanced Configuration Snippet (Safety Valve) for ranger-kafka-audit.xml

Description

For advanced use only, a string to be inserted into ranger-kafka-audit.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

ranger-kafka-audit.xml_service_safety_valve

Required

false

Kafka Service Advanced Configuration Snippet (Safety Valve) for ranger-kafka-policymgr-ssl.xml**Description**

For advanced use only, a string to be inserted into ranger-kafka-policymgr-ssl.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

ranger-kafka-policymgr-ssl.xml_service_safety_valve

Required

false

Kafka Service Advanced Configuration Snippet (Safety Valve) for ranger-kafka-security.xml**Description**

For advanced use only, a string to be inserted into ranger-kafka-security.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

ranger-kafka-security.xml_service_safety_valve

Required

false

Kafka Service Advanced Configuration Snippet (Safety Valve) for ssl.properties**Description**

For advanced use only, a string to be inserted into ssl.properties. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

ssl.properties_service_safety_valve

Required

false

Monitoring

Enable Service Level Health Alerts

Description

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Healthy Kafka Broker Monitoring Thresholds

Description

The health test thresholds of the overall Kafka Broker health. The check returns "Concerning" health if the percentage of "Healthy" Kafka Brokers falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" Kafka Brokers falls below the critical threshold.

Related Name

Default Value

Warning: 94.99 %, Critical: 49.99 %

API Name

KAFKA_KAFKA_BROKER_healthy_thresholds

Required

false

Healthy Kafka Connect Monitoring Thresholds

Description

The health test thresholds of the overall Kafka Connect health. The check returns "Concerning" health if the percentage of "Healthy" Kafka Connects falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" Kafka Connects falls below the critical threshold.

Related Name

Default Value

Warning: 94.99 %, Critical: 49.99 %

API Name

KAFKA_KAFKA_CONNECT_healthy_thresholds

Required

false

Healthy KRaft Controller Monitoring Thresholds**Description**

The health test thresholds of the overall KRaft Controller health. The check returns "Concerning" health if the percentage of "Healthy" KRaft Controllers falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" KRaft Controllers falls below the critical threshold.

Related Name**Default Value**

Warning: 94.99 %, Critical: 50.0 %

API Name

KAFKA_KRAFT_healthy_thresholds

Required

false

Service Triggers**Description**

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

service_triggers

Required

true

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name**Default Value****API Name**

smon_derived_configs_safety_valve

Required

false

Other**Atlas metadata namespace for Kafka Clients****Description**

Metadata Namespace used in Atlas for Kafka clients (Producers, Consumers). It may be different from the topic namespace when clients used across clusters.

Related Name

atlas.metadata.namespace.client

Default Value

cm

API Name

atlas.metadata.namespace.client

Required

false

Atlas metadata namespace for Kafka Topics**Description**

Metadata Namespace used in Atlas for Kafka topics.

Related Name

atlas.metadata.namespace.topic

Default Value

cm

API Name

atlas.metadata.namespace.topic

Required

false

Topic Auto Creation**Description**

Enables auto creation of topics on the server. If set to true, it attempts to produce, consume, or fetch metadata for a non-existent topic automatically create the topic with the default replication factor and number of partitions.

Related Name

auto.create.topics.enable

Default Value

true

API Name

auto.create.topics.enable

Required

false

Enable Automatic Leader Rebalancing

Description

If automatic leader rebalancing is enabled, the controller tries to balance leadership for partitions among the brokers by periodically returning leadership for each partition to the preferred replica, if that replica is available.

Related Name

auto.leader.rebalance.enable

Default Value

true

API Name

auto.leader.rebalance.enable

Required

false

Enable Controlled Shutdown

Description

Enables controlled shutdown of the broker. If enabled, the broker moves all leaders on it to other brokers before shutting itself down. This reduces the unavailability window during shutdown.

Related Name

controlled.shutdown.enable

Default Value

true

API Name

controlled.shutdown.enable

Required

false

Controlled Shutdown Maximum Attempts

Description

Number of unsuccessful controlled shutdown attempts before executing an unclean shutdown. For example, the default value of 3 means that the system will attempt a controlled shutdown 3 times before executing an unclean shutdown.

Related Name

controlled.shutdown.max.retries

Default Value

3

API Name

controlled.shutdown.max.retries

Required

false

Default Replication Factor**Description**

The default replication factor for automatically created topics.

Related Name

default.replication.factor

Default Value

1

API Name

default.replication.factor

Required

false

Enable Delegation Tokens**Description**

Enables authentication with delegation tokens for this Kafka service. When enabled, a secure password is automatically generated and used as the "delegation.token.secret.key" property for Kafka Brokers. Only allowed if Kerberos authentication is enabled.

Related Name

delegation.token.enable

Default Value

true

API Name

delegation.token.enable

Required

false

Delegation Token Expiry Time**Description**

The expiry time of a delegation token. A delegation token can be renewed before its expiry time to extend its validity up to its maximum lifetime. If it is not renewed, it will expire even if it has time remaining from its maximum lifetime.

Related Name

delegation.token.expiry.time.ms

Default Value

1 day(s)

API Name

delegation.token.expiry.time.ms

Required

false

Delegation Token Maximum Lifetime

Description

The maximum amount of time that a delegation token can be valid for.

Related Name

delegation.token.max.lifetime.ms

Default Value

7 day(s)

API Name

delegation.token.max.lifetime.ms

Required

false

Enable Delete Topic

Description

Enables topic deletion using admin tools. When delete topic is disabled, deleting topics through the admin tools has no effect.

Related Name

delete.topic.enable

Default Value

true

API Name

delete.topic.enable

Required

false

Consumer Group Maximum Session Timeout

Description

The minimum allowed session timeout for registered consumers. Shorter timeouts result in quicker failure detection at the cost of more frequent consumer heartbeating, which can overwhelm broker resources.

Related Name

group.max.session.timeout.ms

Default Value

30 minute(s)

API Name

group.max.session.timeout.ms

Required

false

Consumer Group Minimum Session Timeout

Description

The minimum allowed session timeout for registered consumers. Shorter timeouts result in quicker failure detection at the cost of more frequent consumer heartbeating, which can overwhelm broker resources.

Related Name

group.min.session.timeout.ms

Default Value

6 second(s)

API Name

group.min.session.timeout.ms

Required

false

HDFS Service

Description

Name of the HDFS service that this Kafka service instance depends on

Related Name

Default Value

API Name

hdfs_service

Required

false

Enable Kafka Decommission

Description

Kafka decommission flag only takes affect when there is no Cruise Control. In other case the decommission will be always enabled.

Related Name

kafka.decommission.hook.enabled

Default Value

false

API Name

kafka.decommission.hook.enabled

Required

false

List of Metric Reporters

Description

List of metric reporter class names. HTTP reporter is included by default.

Related Name

kafka.metrics.reporters

Default Value

nl.techop.kafka.KafkaHttpMetricsReporter

API Name

kafka.metrics.reporters

Required

false

Enable Kerberos Authentication

Description

Enables Kerberos authentication for this Kafka service.

Related Name

kerberos.auth.enable

Default Value

false

API Name

kerberos.auth.enable

Required

false

LDAP URL

Description

The URL of LDAP for authenticating Kafka clients.

Related Name

ldap.auth.url

Default Value

API Name

ldap.auth.url

Required

false

LDAP User DN Template

Description

The LDAP user DN template for authenticating Kafka clients.

Related Name

ldap.auth.user.dn.template

Default Value

API Name

ldap.auth.user.dn.template

Required

false

Leader Imbalance Check Interval

Description

Defines the frequency of leader imbalance checks.

Related Name

leader.imbalance.check.interval.seconds

Default Value

5 minute(s)

API Name

leader.imbalance.check.interval.seconds

Required

false

Leader Imbalance Allowed Per Broker

Description

The percentage of leader imbalance allowed per broker. The controller rebalances leadership if the leader imbalance ratio goes above the configured value per broker.

Related Name

leader.imbalance.per.broker.percentage

Default Value

10 %

API Name

leader.imbalance.per.broker.percentage

Required

false

Log Cleaner Deduplication Buffer Size

Description

The total memory used for log deduplication across all cleaner threads. This memory is statically allocated and will not cause GC problems.

Related Name

log.cleaner.dedupe.buffer.size

Default Value

128 MiB

API Name

log.cleaner.dedupe.buffer.size

Required

false

Log Compaction Delete Record Retention Time

Description

The amount of time to retain delete messages for log compacted topics. Once a consumer has seen an original message, it has to be ensured that it also sees the delete message. If the delete message is removed too quickly, this might not happen. The configurable delete retention time helps to circumvent this issue.

Related Name

log.cleaner.delete.retention.ms

Default Value

7 day(s)

API Name

log.cleaner.delete.retention.ms

Required

false

Enable Log Compaction

Description

Enables the log cleaner to compact topics with cleanup.policy=compact on this cluster.

Related Name

log.cleaner.enable

Default Value

true

API Name

log.cleaner.enable

Required

false

Log Cleaner Clean Ratio**Description**

Controls how frequently the log cleaner will attempt to clean the log. This ratio restricts the maximum space wasted by duplicates in the log. For example, if set to 0.5, then at most 50% of the log can be populated by duplicates. A higher ratio results in fewer, more efficient cleaning processes, but more wasted space in the log.

Related Name

log.cleaner.min.cleanable.ratio

Default Value

0.5

API Name

log.cleaner.min.cleanable.ratio

Required

false

Number of Log Cleaner Threads**Description**

The number of background threads used for log cleaning.

Related Name

log.cleaner.threads

Default Value

1

API Name

log.cleaner.threads

Required

false

Log Flush Message Interval**Description**

The number of messages written to a log partition before triggering an fsync on the log. Setting this property to a low value results in more frequent data to disk synchronization, but also has major impact on performance. For durability, Cloudera recommends the use of replication rather than depending on a single-server fsync. However, this setting can be used as an extra safety measure. If used in conjunction with log.flush.interval.ms, the log is flushed when either criteria is met.

Related Name

log.flush.interval.messages

Default Value**API Name**

log.flush.interval.messages

Required

false

Log Flush Time Interval**Description**

The maximum time between fsync calls on the log. If used in conjunction with `log.flush.interval.messages`, the log is flushed when either criteria is met.

Related Name`log.flush.interval.ms`**Default Value****API Name**`log.flush.interval.ms`**Required**

false

Log Flush Scheduler Interval**Description**

The frequency, in milliseconds, with which the log flusher checks whether any log is eligible to be flushed to disk.

Related Name`log.flush.scheduler.interval.ms`**Default Value****API Name**`log.flush.scheduler.interval.ms`**Required**

false

Maximum Message Size**Description**

The maximum size of a message that the server can receive. This property has to be in sync with the maximum fetch size the consumers use. Otherwise, an unruly producer could publish messages that are too large for consumption.

Related Name`message.max.bytes`**Default Value**

1000000 B

API Name`message.max.bytes`**Required**

false

Cruise Control Metric Reporter Principal Name**Description**

Principal name of the Cruise Control metric reporter to authenticate with the Kafka cluster.

Related Name

metric.reporter.principal.name

Default Value

cc_metric_reporter

API Name

metric.reporter.principal.name

Required

true

Minimum Number of Replicas in ISR

Description

The minimum number of replicas in the in-sync replica needed to satisfy a produce request where required.acks=-1 (that is, all).

Related Name

min.insync.replicas

Default Value

1

API Name

min.insync.replicas

Required

false

Enable Kafka Monitoring

Description

Enables Kafka monitoring.

Related Name

monitoring.enabled

Default Value

true

API Name

monitoring.enabled

Required

false

Default Number of Partitions

Description

The default number of partitions for automatically created topics.

Related Name

num.partitions

Default Value

1

API Name

num.partitions

Required

false

Number of Replica Fetchers

Description

Number of threads used to replicate messages from leaders. Increasing this value increases the degree of I/O parallelism in the follower broker.

Related Name

num.replica.fetchers

Default Value

4

API Name

num.replica.fetchers

Required

false

Enable OAuth Authentication

Description

Enables authentication using the SASL OAUTHBEARER mechanism for this Kafka service. Clients must present a signed JSON Web Token (JWT) when authenticating with OAuth2. This feature requires Kerberos to be enabled as well.

Related Name

oauth.enabled

Default Value

false

API Name

oauth.enabled

Required

false

JWT Expected Audience For OAuth2

Description

The JWT token can optionally contain an audience aud claim. When this claim is present then the same audience value needs to be expected on the server side, otherwise the token will be considered invalid.

Related Name

oauth.expected.audience

Default Value**API Name**

oauth.expected.audience

Required

false

JWT Expected Issuer For OAuth2

Description

The JWT token can optionally contain an issuer iss claim. We can configure the broker to only accept tokens issued by a specific issuer.

Related Name

oauth.expected.issuer

Default Value**API Name**

oauth.expected.issuer

Required

false

JWKS URL For OAuth2**Description**

The endpoint URL that returns the authorization server's public keys in JSON Web Key Set format. The public keys are used to verify the JSON Web Tokens issued by the authorization server. Note that this can also be a local file if the URL starts with file://.

Related Name

oauth.jwks.url

Default Value**API Name**

oauth.jwks.url

Required

false

JWT Principal Claim Name For OAuth2**Description**

A JSON Web Token (JWT) must contain a user ID (principal) that can be used for Ranger authorization. This property specifies the name (or key) of the claim in the JWT that contains the user ID. The 'sub' claim is used if this property is left empty.

Related Name

oauth.principal.claim.name

Default Value**API Name**

oauth.principal.claim.name

Required

false

Offset Retention Time**Description**

After a consumer group loses all its consumers (i.e. becomes empty) its offsets will be kept for this retention period before getting discarded. For standalone consumers (using manual assignment), offsets will be expired after the time of last commit plus this retention period.

Related Name

offsets.retention.minutes

Default Value

7 day(s)

API Name

offsets.retention.minutes

Required

false

Offset Commit Topic Number of Partitions

Description

The number of partitions for the offset commit topic. Changing this value after deployment is currently unsupported, therefore, Cloudera recommends using a higher number of partitions (for example, 100-200) for production.

Related Name

offsets.topic.num.partitions

Default Value

50

API Name

offsets.topic.num.partitions

Required

false

Offset Commit Topic Replication Factor

Description

The replication factor for the offset commit topic. A higher setting (for example, 3 or 4) is recommended in order to ensure higher availability. If the offsets topic is created when there are fewer brokers than the replication factor, then the offsets topic is created with fewer replicas.

Related Name

offsets.topic.replication.factor

Default Value

3

API Name

offsets.topic.replication.factor

Required

false

PAM Service

Description

The PAM service name for authenticating Kafka clients. This corresponds to the service name in the PAM configuration.

Related Name

pam.auth.service

Default Value

login

API Name

pam.auth.service

Required

false

Enable Producer Metrics

Description

Enables producer metrics

Related Name

producer.metrics.enable

Default Value

true

API Name

producer.metrics.enable

Required

false

Ranger Kafka Plugin Hdfs Audit Directory

Description

The DFS path on which Ranger audits are written.

Related Name

ranger_kafka_plugin_hdfs_audit_directory

Default Value

\$ranger_base_audit_url/kafka

API Name

ranger_kafka_plugin_hdfs_audit_directory

Required

false

Ranger Kafka Plugin Policy Rest Client Max Retry Attempts

Description

Kafka Ranger Plugin Rest client max retry attempts count.

Related Name

ranger.plugin.kafka.policy.rest.client.max.retry.attempts

Default Value

12

API Name

ranger_plugin_kafka_policy_rest_client_max_retry_attempts

Required

false

Ranger Kafka Plugin Policy Rest Client Retry Interval Ms

Description

Kafka Ranger Plugin Rest client retry wait interval in milliseconds.

Related Name

ranger.plugin.kafka.policy.rest.client.retry.interval.ms

Default Value

10 second(s)

API Name

ranger_plugin_kafka_policy_rest_client_retry_interval_ms

Required

false

'Ranger service' name for this Kafka service

Description

Name of the 'Ranger service', that is used for authorization by this Kafka service. If this parameter is set to the placeholder value '{GENERATED_RANGER_SERVICE_NAME}', a generated service name will be used, and if necessary, created. The generated service name will refer to the name of the cluster and the name of this Kafka service. The name can consist of alphanumeric and '_' characters.

Related Name

ranger.plugin.kafka.service.name

Default Value

cm_kafka

API Name

ranger_plugin_kafka_service_name

Required

false

RANGER Service**Description**

Name of the RANGER service that this Kafka service instance depends on

Related Name**Default Value****API Name**

ranger_service

Required

false

Replica Maximum Fetch Size**Description**

The maximum number of bytes to fetch for each partition in fetch requests that replicas send to the leader. This value should be larger than message.max.bytes.

Related Name

replica.fetch.max.bytes

Default Value

1 MiB

API Name

replica.fetch.max.bytes

Required

false

Allowed Replica Time Lag**Description**

If a follower has not sent any fetch requests, nor has it consumed up to the leader's log end offset during this time, the leader removes the follower from the ISR set.

Related Name

replica.lag.time.max.ms

Default Value

30 second(s)

API Name

replica.lag.time.max.ms

Required

false

SASL/PLAIN Authentication

Description

Authentication method that the SASL/PLAIN mechanism uses to authenticate clients.

Related Name

sasl.plain.auth

Default Value

none

API Name

sasl.plain.auth

Required

false

Minimum Number of Replicas in ISR for Transaction State Log

Description

Overridden min.insync.replicas config for the transaction topic.

Related Name

transaction.state.log.min.isr

Default Value

2

API Name

transaction.state.log.min.isr

Required

false

Transaction State Log Replication Factor

Description

The replication factor for the transaction topic (set higher to ensure availability). Internal topic creation will fail until the cluster size meets this replication factor requirement.

Related Name

transaction.state.log.replication.factor

Default Value

3

API Name

transaction.state.log.replication.factor

Required

false

Enable Unclean Leader Election

Description

Enables replicas not in the ISR set to be elected as leader as a last resort, even though doing so might result in data loss.

Related Name

unclean.leader.election.enable

Default Value

false

API Name

unclean.leader.election.enable

Required

false

ZooKeeper Root

Description

The znode in ZooKeeper used as a root for this Kafka cluster. **WARNING:** Do not change this property following the initial launch of the Kafka service. Only configure this property during the initial setup phase, before starting the Kafka service for the first time. Updating the root znode on a Kafka service that has already been started does not copy over the original znodes to the new root. This causes Kafka to lose its operational metadata.

Related Name

zookeeper.chroot

Default Value

/kafka

API Name

zookeeper.chroot

Required

false

Enable Secure Connection to ZooKeeper

Description

Enables SSL/TLS for all connections to ZooKeeper. This applies only if 'Enable TLS/SSL for ZooKeeper' is enabled on the ZooKeeper service.

Related Name

zookeeper.secure.connection.enable

Default Value

true

API Name

zookeeper.secure.connection.enable

Required

false

ZooKeeper Session Timeout

Description

If the server fails to send a heartbeat to ZooKeeper within this period of time, it is considered dead. If set to a too low value, ZooKeeper might falsely consider a server dead. If set to a too high value, ZooKeeper might take too long to recognize a dead server.

Related Name

zookeeper.session.timeout.ms

Default Value

18 second(s)

API Name

zookeeper.session.timeout.ms

Required

false

ZooKeeper Service

Description

Name of the ZooKeeper service that this Kafka service instance depends on

Related Name

Default Value

API Name

zookeeper_service

Required

false

Security

Kerberos Principal

Description

Kerberos principal short name used by all roles of this service.

Related Name

Default Value

kafka

API Name

kerberos_princ_name

Required

true

Suppressions

Suppress Configuration Validator: Kafka Broker Advanced Configuration Snippet (Safety Valve) for atlas-application.properties

Description

Whether to suppress configuration warnings produced by the Kafka Broker Advanced Configuration Snippet (Safety Valve) for atlas-application.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas-application.properties_role_safety_valve

Required

true

Suppress Configuration Validator: Destination Broker List

Description

Whether to suppress configuration warnings produced by the Destination Broker List configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_bootstrap.servers

Required

true

Suppress Configuration Validator: Broker ID

Description

Whether to suppress configuration warnings produced by the Broker ID configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_broker.id

Required

true

Suppress Configuration Validator: Broker Rack ID

Description

Whether to suppress configuration warnings produced by the Broker Rack ID configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_broker.rack

Required

true

Suppress Configuration Validator: Additional Broker Java Options

Description

Whether to suppress configuration warnings produced by the Additional Broker Java Options configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_broker_java_opts

Required

true

Suppress Configuration Validator: Java Heap Size of Broker**Description**

Whether to suppress configuration warnings produced by the Java Heap Size of Broker configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_broker_max_heap_size

Required

true

Suppress Configuration Validator: CDH Version Validator**Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: Deploy Directory**Description**

Whether to suppress configuration warnings produced by the Deploy Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Configuration Validator: Configuration Storage Topic Replication Factor**Description**

Whether to suppress configuration warnings produced by the Configuration Storage Topic Replication Factor configuration validator.

Related Name**Default Value**

	false
API Name	role_config_suppression_config.storage.replication.factor
Required	true

Suppress Configuration Validator: Configuration Storage Topic Name

Description	Whether to suppress configuration warnings produced by the Configuration Storage Topic Name configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_config.storage.topic
Required	true

Suppress Configuration Validator: Kafka Connect Advanced Configuration Snippet (Safety Valve) for connect-distributed.properties

Description	Whether to suppress configuration warnings produced by the Kafka Connect Advanced Configuration Snippet (Safety Valve) for connect-distributed.properties configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_connect-distributed.properties_role_safety_valve
Required	true

Suppress Configuration Validator: Connector Kafka Client Configuration Override Policy

Description	Whether to suppress configuration warnings produced by the Connector Kafka Client Configuration Override Policy configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_connector.client.config.override.policy
Required	true

Suppress Configuration Validator: MirrorMaker Consumer Rebalance Listener

Description	
--------------------	--

Whether to suppress configuration warnings produced by the MirrorMaker Consumer Rebalance Listener configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_consumer.rebalance.listener

Required

true

Suppress Configuration Validator: MirrorMaker Consumer Rebalance Listener Arguments**Description**

Whether to suppress configuration warnings produced by the MirrorMaker Consumer Rebalance Listener Arguments configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_consumer.rebalance.listener.args

Required

true

Suppress Configuration Validator: JDBC Driver Jars Path For Debezium**Description**

Whether to suppress configuration warnings produced by the JDBC Driver Jars Path For Debezium configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_debezium.jdbc.jars.path

Required

true

Suppress Configuration Validator: Non-Modifiable directory of Kafka Connect**Description**

Whether to suppress configuration warnings produced by the Non-Modifiable directory of Kafka Connect configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_etc.kafka_connect_ext.dir

Required

true

Suppress Configuration Validator: Consumer Group ID

Description

Whether to suppress configuration warnings produced by the Consumer Group ID configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_group.id

Required

true

Suppress Configuration Validator: Name of User with Read-Write Access to the JMX Agent

Description

Whether to suppress configuration warnings produced by the Name of User with Read-Write Access to the JMX Agent configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx.control.user

Required

true

Suppress Configuration Validator: Password of user with read-write access to the JMX agent

Description

Whether to suppress configuration warnings produced by the Password of user with read-write access to the JMX agent configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx.control.user.passwd

Required

true

Suppress Configuration Validator: Name of User with read-only access to the JMX Agent

Description

Whether to suppress configuration warnings produced by the Name of User with read-only access to the JMX Agent configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx.monitor.user

Required

true

Suppress Configuration Validator: Password of User with read-only Access to the JMX agent

Description

Whether to suppress configuration warnings produced by the Password of User with read-only Access to the JMX agent configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_jmx.monitor.user.passwd

Required

true

Suppress Configuration Validator: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Configuration Validator: JMX Port

Description

Whether to suppress configuration warnings produced by the JMX Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_port

Required

true

Suppress Configuration Validator: Kafka Client Advanced Configuration Snippet (Safety Valve) for kafka-conf/kafka-client.conf

Description

Whether to suppress configuration warnings produced by the Kafka Client Advanced Configuration Snippet (Safety Valve) for kafka-conf/kafka-client.conf configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_kafka-conf/kafka-client.conf_client_config_safety_valve

Required

true

Suppress Configuration Validator: Kafka Client Advanced Configuration Snippet (Safety Valve) for kafka-conf/kafka-ranger-repo.properties

Description

Whether to suppress configuration warnings produced by the Kafka Client Advanced Configuration Snippet (Safety Valve) for kafka-conf/kafka-ranger-repo.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_kafka-conf/kafka-ranger-repo.properties_client_config_safety_valve

Required

true

Suppress Configuration Validator: Kafka Broker Advanced Configuration Snippet (Safety Valve) for kafka-monitoring.properties

Description

Whether to suppress configuration warnings produced by the Kafka Broker Advanced Configuration Snippet (Safety Valve) for kafka-monitoring.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_kafka-monitoring.properties_role_safety_valve

Required

true

Suppress Configuration Validator: List Of Allowed Nexus Repository Urls

Description

Whether to suppress configuration warnings produced by the List Of Allowed Nexus Repository Urls configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_kafka.connect.allowed.nexus.urls

Required

true

Suppress Configuration Validator: Java Home Path Override

Description

Whether to suppress configuration warnings produced by the Java Home Path Override configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_kafka.connect.jdk.home

Required

true

Suppress Configuration Validator: Kafka Connect Secrets Storage Global Key Local Location

Description

Whether to suppress configuration warnings produced by the Kafka Connect Secrets Storage Global Key Local Location configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_kafka.connect.secret.global.key.location

Required

true

Suppress Configuration Validator: Kafka Connect Secrets Storage Global Password

Description

Whether to suppress configuration warnings produced by the Kafka Connect Secrets Storage Global Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_kafka.connect.secret.global.password

Required

true

Suppress Configuration Validator: Kafka Connect Secrets Storage PBE Salt

Description

Whether to suppress configuration warnings produced by the Kafka Connect Secrets Storage PBE Salt configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_kafka.connect.secret.pbe.salt

Required

true

Suppress Configuration Validator: Kafka Connect Secrets Storage Topic Name

Description

Whether to suppress configuration warnings produced by the Kafka Connect Secrets Storage Topic Name configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_kafka.connect.secret.storage.topic

Required

true

Suppress Configuration Validator: Kafka Connect SPNEGO Auth To Local Rules

Description

Whether to suppress configuration warnings produced by the Kafka Connect SPNEGO Auth To Local Rules configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_kafka.connect.spnego.kerberos.principal.to.local.rules

Required

true

Suppress Configuration Validator: List Of Trusted Proxy Services

Description

Whether to suppress configuration warnings produced by the List Of Trusted Proxy Services configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_kafka.connect.spnego.trusted.proxies

Required

true

Suppress Configuration Validator: HTTP Metric Report Host

Description

Whether to suppress configuration warnings produced by the HTTP Metric Report Host configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_kafka.http.metrics.host

Required

true

Suppress Configuration Validator: HTTP Metric Report Password**Description**

Whether to suppress configuration warnings produced by the HTTP Metric Report Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_kafka.http.metrics.password

Required

true

Suppress Configuration Validator: HTTP Metric Report Port**Description**

Whether to suppress configuration warnings produced by the HTTP Metric Report Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_kafka.http.metrics.port

Required

true

Suppress Configuration Validator: Http Metrics Report Exclude Filter**Description**

Whether to suppress configuration warnings produced by the Http Metrics Report Exclude Filter configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_kafka.http.metrics.reporter.exclude.filter

Required

true

Suppress Configuration Validator: HTTP Metric Report User**Description**

Whether to suppress configuration warnings produced by the HTTP Metric Report User configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_kafka.http.metrics.user

Required

true

Suppress Configuration Validator: Kafka Broker Advanced Configuration Snippet (Safety Valve) for kafka.properties**Description**

Whether to suppress configuration warnings produced by the Kafka Broker Advanced Configuration Snippet (Safety Valve) for kafka.properties configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_kafka.properties_role_safety_valve

Required

true

Suppress Configuration Validator: Kafka Broker Load Balancer Host**Description**

Whether to suppress configuration warnings produced by the Kafka Broker Load Balancer Host configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_kafka_broker_load_balancer_host

Required

true

Suppress Configuration Validator: Kafka Broker Load Balancer Listener Port**Description**

Whether to suppress configuration warnings produced by the Kafka Broker Load Balancer Listener Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_kafka_broker_load_balancer_listener_port

Required

true

Suppress Configuration Validator: Kafka Broker Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Kafka Broker Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_kafka_broker_role_env_safety_valve

Required

true

Suppress Configuration Validator: Kafka Connect Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Kafka Connect Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_kafka_connect_role_env_safety_valve

Required

true

Suppress Configuration Validator: Kafka Connect Heap Java Options

Description

Whether to suppress configuration warnings produced by the Kafka Connect Heap Java Options configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_kafka_heap_opts

Required

true

Suppress Configuration Validator: Kafka MirrorMaker Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Kafka MirrorMaker Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_kafka_mirror_maker_role_env_safety_valve

Required

true

Suppress Configuration Validator: Role-Specific Kerberos Principal

Description

Whether to suppress configuration warnings produced by the Role-Specific Kerberos Principal configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_kerberos_role_princ_name

Required

true

Suppress Configuration Validator: Key Converter

Description

Whether to suppress configuration warnings produced by the Key Converter configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_key.converter

Required

true

Suppress Configuration Validator: KRaft Controller Advanced Configuration Snippet (Safety Valve) for kraft.properties

Description

Whether to suppress configuration warnings produced by the KRaft Controller Advanced Configuration Snippet (Safety Valve) for kraft.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_kraft.properties_role_safety_valve

Required

true

Suppress Configuration Validator: Additional KRaft Controller Java Options**Description**

Whether to suppress configuration warnings produced by the Additional KRaft Controller Java Options configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_kraft_java_opts

Required

true

Suppress Configuration Validator: KRaft Controller Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the KRaft Controller Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_kraft_role_env_safety_valve

Required

true

Suppress Configuration Validator: Data Directories**Description**

Whether to suppress configuration warnings produced by the Data Directories configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_log_dirs

Required

true

Suppress Configuration Validator: Segment File Size**Description**

Whether to suppress configuration warnings produced by the Segment File Size configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_log.segment.bytes

Required

true

Suppress Configuration Validator: Kafka Broker Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Kafka Broker Logging Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Configuration Validator: Kafka Broker Log Directory

Description

Whether to suppress configuration warnings produced by the Kafka Broker Log Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Configuration Validator: MirrorMaker Message Handler

Description

Whether to suppress configuration warnings produced by the MirrorMaker Message Handler configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_message.handler

Required

true

Suppress Configuration Validator: MirrorMaker Message Handler Arguments

Description

Whether to suppress configuration warnings produced by the MirrorMaker Message Handler Arguments configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_message.handler.args

Required

true

Suppress Configuration Validator: Metadata Log Directory

Description

Whether to suppress configuration warnings produced by the Metadata Log Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_metadata.log.dir

Required

true

Suppress Configuration Validator: Jetty Metrics Password

Description

Whether to suppress configuration warnings produced by the Jetty Metrics Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_metrics.jetty.server.auth.password

Required

true

Suppress Configuration Validator: Jetty Metrics User Name

Description

Whether to suppress configuration warnings produced by the Jetty Metrics User Name configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_metrics.jetty.server.auth.username

Required

true

Suppress Configuration Validator: Jetty Metrics Port

Description

Whether to suppress configuration warnings produced by the Jetty Metrics Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_metrics.jetty.server.port

Required

true

Suppress Configuration Validator: Secure Jetty Metrics Port

Description

Whether to suppress configuration warnings produced by the Secure Jetty Metrics Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_metrics.jetty.server.secureport

Required

true

Suppress Configuration Validator: Kafka MirrorMaker Advanced Configuration Snippet (Safety Valve) for mirror_maker_consumers.properties

Description

Whether to suppress configuration warnings produced by the Kafka MirrorMaker Advanced Configuration Snippet (Safety Valve) for mirror_maker_consumers.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_mirror_maker_consumers.properties_role_safety_valve

Required

true

Suppress Configuration Validator: Additional MirrorMaker Java Options

Description

Whether to suppress configuration warnings produced by the Additional MirrorMaker Java Options configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_mirror_maker_java_opts

Required

true

Suppress Configuration Validator: Java Heap Size of MirrorMaker

Description

Whether to suppress configuration warnings produced by the Java Heap Size of MirrorMaker configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_mirror_maker_max_heap_size

Required

true

Suppress Configuration Validator: Kafka MirrorMaker Advanced Configuration Snippet (Safety Valve) for mirror_maker_producers.properties

Description

Whether to suppress configuration warnings produced by the Kafka MirrorMaker Advanced Configuration Snippet (Safety Valve) for mirror_maker_producers.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_mirror_maker_producers.properties_role_safety_valve

Required

true

Suppress Configuration Validator: Node ID

Description

Whether to suppress configuration warnings produced by the Node ID configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_node.id

Required

true

Suppress Configuration Validator: Number of I/O Threads**Description**

Whether to suppress configuration warnings produced by the Number of I/O Threads configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_num.io.threads

Required

true

Suppress Configuration Validator: Number of Network Threads**Description**

Whether to suppress configuration warnings produced by the Number of Network Threads configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_num.network.threads

Required

true

Suppress Configuration Validator: Number of Recovery Threads per data directory**Description**

Whether to suppress configuration warnings produced by the Number of Recovery Threads per data directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_num.recovery.threads.per.data.dir

Required

true

Suppress Configuration Validator: Number of Alter Log Dir Threads**Description**

Whether to suppress configuration warnings produced by the Number of Alter Log Dir Threads configuration validator.

Related Name**Default Value**

	false
API Name	role_config_suppression_num.replica.alter.log.dirs.threads
Required	true

Suppress Configuration Validator: Kafka Broker Advanced Configuration Snippet (Safety Valve) for oauth_jwks.json

Description	Whether to suppress configuration warnings produced by the Kafka Broker Advanced Configuration Snippet (Safety Valve) for oauth_jwks.json configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_oauth_jwks.json_role_safety_valve
Required	true

Suppress Configuration Validator: Offset Storage Topic Replication Factor

Description	Whether to suppress configuration warnings produced by the Offset Storage Topic Replication Factor configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_offset.storage.replication.factor
Required	true

Suppress Configuration Validator: Offset Storage Topic Name

Description	Whether to suppress configuration warnings produced by the Offset Storage Topic Name configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_offset.storage.topic
Required	true

Suppress Configuration Validator: Heap Dump Directory

Description	
--------------------	--

Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name**Default Value**

	false
API Name	role_config_suppression_otelcol_service
Required	true

Suppress Configuration Validator: Plugin Path

Description	Whether to suppress configuration warnings produced by the Plugin Path configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_plugin.path
Required	true

Suppress Configuration Validator: TCP Port

Description	Whether to suppress configuration warnings produced by the TCP Port configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_port
Required	true

Suppress Configuration Validator: Role Specific System Group

Description	Whether to suppress configuration warnings produced by the Role Specific System Group configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_process_groupname
Required	true

Suppress Configuration Validator: Role Specific System User

Description	Whether to suppress configuration warnings produced by the Role Specific System User configuration validator.
--------------------	---

Related Name

Default Value

false

API Name

role_config_suppression_process_username

Required

true

Suppress Configuration Validator: Kafka Broker Advanced Configuration Snippet (Safety Valve) for ranger-kafka-audit.xml

Description

Whether to suppress configuration warnings produced by the Kafka Broker Advanced Configuration Snippet (Safety Valve) for ranger-kafka-audit.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger-kafka-audit.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Kafka Connect Advanced Configuration Snippet (Safety Valve) for ranger-kafka-connect-audit.xml

Description

Whether to suppress configuration warnings produced by the Kafka Connect Advanced Configuration Snippet (Safety Valve) for ranger-kafka-connect-audit.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger-kafka-connect-audit.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Kafka Connect Advanced Configuration Snippet (Safety Valve) for ranger-kafka-connect-policymgr-ssl.xml

Description

Whether to suppress configuration warnings produced by the Kafka Connect Advanced Configuration Snippet (Safety Valve) for ranger-kafka-connect-policymgr-ssl.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger-kafka-connect-policymgr-ssl.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Kafka Connect Advanced Configuration Snippet (Safety Valve) for ranger-kafka-connect-security.xml**Description**

Whether to suppress configuration warnings produced by the Kafka Connect Advanced Configuration Snippet (Safety Valve) for ranger-kafka-connect-security.xml configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger-kafka-connect-security.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Kafka Broker Advanced Configuration Snippet (Safety Valve) for ranger-kafka-policymgr-ssl.xml**Description**

Whether to suppress configuration warnings produced by the Kafka Broker Advanced Configuration Snippet (Safety Valve) for ranger-kafka-policymgr-ssl.xml configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger-kafka-policymgr-ssl.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Kafka Broker Advanced Configuration Snippet (Safety Valve) for ranger-kafka-security.xml**Description**

Whether to suppress configuration warnings produced by the Kafka Broker Advanced Configuration Snippet (Safety Valve) for ranger-kafka-security.xml configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger-kafka-security.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Ranger Kafka Plugin Audit Hdfs Spool Directory Path**Description**

Whether to suppress configuration warnings produced by the Ranger Kafka Plugin Audit Hdfs Spool Directory Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_audit_hdfs_spool_dir

Required

true

Suppress Configuration Validator: Ranger Kafka Plugin Audit Solr Spool Directory Path

Description

Whether to suppress configuration warnings produced by the Ranger Kafka Plugin Audit Solr Spool Directory Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_audit_solr_spool_dir

Required

true

Suppress Configuration Validator: Ranger Kafka Connect Plugin Hdfs Audit Directory

Description

Whether to suppress configuration warnings produced by the Ranger Kafka Connect Plugin Hdfs Audit Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kafka_connect_plugin_hdfs_audit_directory

Required

true

Suppress Configuration Validator: Ranger Kafka Connect Plugin Audit Hdfs Spool Directory Path

Description

Whether to suppress configuration warnings produced by the Ranger Kafka Connect Plugin Audit Hdfs Spool Directory Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kafka_connect_plugin_hdfs_audit_spool_directory

Required

true

Suppress Configuration Validator: Ranger Kafka Connect Plugin Audit Solr Spool Directory Path

Description

Whether to suppress configuration warnings produced by the Ranger Kafka Connect Plugin Audit Solr Spool Directory Path configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_kafka_connect_plugin_solr_audit_spool_directory

Required

true

Suppress Configuration Validator: Ranger Kafka Plugin Conf Path

Description

Whether to suppress configuration warnings produced by the Ranger Kafka Plugin Conf Path configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_kafka_plugin_conf_path

Required

true

Suppress Configuration Validator: Ranger Kafka Plugin Policy Cache Directory Path

Description

Whether to suppress configuration warnings produced by the Ranger Kafka Plugin Policy Cache Directory Path configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_kafka_plugin_policy_cache_directory

Required

true

Suppress Configuration Validator: Ranger KRaft Plugin Audit Hdfs Spool Directory Path

Description

Whether to suppress configuration warnings produced by the Ranger KRaft Plugin Audit Hdfs Spool Directory Path configuration validator.

Related Name**Default Value**

false

API Name

`role_config_suppression_ranger_kraft_plugin_hdfs_audit_spool_directory`**Required**

true

Suppress Configuration Validator: Ranger KRaft Plugin Policy Cache Directory Path**Description**

Whether to suppress configuration warnings produced by the Ranger KRaft Plugin Policy Cache Directory Path configuration validator.

Related Name**Default Value**

false

API Name`role_config_suppression_ranger_kraft_plugin_policy_cache_directory`**Required**

true

Suppress Configuration Validator: Ranger KRaft Plugin Audit Solr Spool Directory Path**Description**

Whether to suppress configuration warnings produced by the Ranger KRaft Plugin Audit Solr Spool Directory Path configuration validator.

Related Name**Default Value**

false

API Name`role_config_suppression_ranger_kraft_plugin_solr_audit_spool_directory`**Required**

true

Suppress Configuration Validator: Ranger Kafka Plugin Policy Cache Directory Path**Description**

Whether to suppress configuration warnings produced by the Ranger Kafka Plugin Policy Cache Directory Path configuration validator.

Related Name**Default Value**

false

API Name`role_config_suppression_ranger_plugin_kafka_connect_policy_cache_directory`**Required**

true

Suppress Configuration Validator: 'Ranger service' name for the Kafka Connect service**Description**

Whether to suppress configuration warnings produced by the 'Ranger service' name for the Kafka Connect service configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_plugin_kafka_connect_service_name

Required

true

Suppress Configuration Validator: Ranger Plugin Trusted Proxy IP Address

Description

Whether to suppress configuration warnings produced by the Ranger Plugin Trusted Proxy IP Address configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_plugin_kafka_connect_trusted_proxy_ipaddress

Required

true

Suppress Configuration Validator: Ranger Plugin Trusted Proxy IP Address

Description

Whether to suppress configuration warnings produced by the Ranger Plugin Trusted Proxy IP Address configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_plugin_kraft_trusted_proxy_ipaddress

Required

true

Suppress Configuration Validator: Ranger Plugin Trusted Proxy IP Address

Description

Whether to suppress configuration warnings produced by the Ranger Plugin Trusted Proxy IP Address configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_plugin_trusted_proxy_ipaddress

Required

true

Suppress Configuration Validator: Rest Extension Classes

Description

Whether to suppress configuration warnings produced by the Rest Extension Classes configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_rest.extension.classes

Required

true

Suppress Configuration Validator: Kafka Connect Rest Port

Description

Whether to suppress configuration warnings produced by the Kafka Connect Rest Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_rest.port

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: Role Triggers

Description

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Configuration Validator: Kafka Broker Advanced Configuration Snippet (Safety Valve) for rolling_restart_check_after_start_admin_client_configs.properties

Description

Whether to suppress configuration warnings produced by the Kafka Broker Advanced Configuration Snippet (Safety Valve) for rolling_restart_check_after_start_admin_client_configs.properties configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_rolling_restart_check_after_start_admin_client_configs.properties_role_safety_valve

Required

true

Suppress Configuration Validator: Kafka Broker Advanced Configuration Snippet (Safety Valve) for rolling_restart_check_before_stop_admin_client_configs.properties

Description

Whether to suppress configuration warnings produced by the Kafka Broker Advanced Configuration Snippet (Safety Valve) for rolling_restart_check_before_stop_admin_client_configs.properties configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_rolling_restart_check_before_stop_admin_client_configs.properties_role_safety_valve

Required

true

Suppress Configuration Validator: Secure Kafka Connect Rest Port

Description

Whether to suppress configuration warnings produced by the Secure Kafka Connect Rest Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_secure.rest.port

Required

true

Suppress Configuration Validator: Source Broker List

Description

Whether to suppress configuration warnings produced by the Source Broker List configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_source.bootstrap.servers

Required

true

Suppress Configuration Validator: Kafka Broker Advanced Configuration Snippet (Safety Valve) for ssl.properties

Description

Whether to suppress configuration warnings produced by the Kafka Broker Advanced Configuration Snippet (Safety Valve) for ssl.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl.properties_role_safety_valve

Required

true

Suppress Configuration Validator: Kafka MirrorMaker Advanced Configuration Snippet (Safety Valve) for ssl_client.properties

Description

Whether to suppress configuration warnings produced by the Kafka MirrorMaker Advanced Configuration Snippet (Safety Valve) for ssl_client.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client.properties_role_safety_valve

Required

true

Suppress Configuration Validator: Kafka Broker TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the Kafka Broker TLS/SSL Trust Store File configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Configuration Validator: Kafka Broker TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the Kafka Broker TLS/SSL Trust Store Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Configuration Validator: TLS/SSL Port

Description

Whether to suppress configuration warnings produced by the TLS/SSL Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_port

Required

true

Suppress Configuration Validator: Kafka MirrorMaker Advanced Configuration Snippet (Safety Valve) for ssl_server.properties

Description

Whether to suppress configuration warnings produced by the Kafka MirrorMaker Advanced Configuration Snippet (Safety Valve) for ssl_server.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server.properties_role_safety_valve

Required

true

Suppress Configuration Validator: Kafka Broker TLS/SSL Server Keystore Key Password

Description

Whether to suppress configuration warnings produced by the Kafka Broker TLS/SSL Server Keystore Key Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_keypassword

Required

true

Suppress Configuration Validator: Kafka Broker TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the Kafka Broker TLS/SSL Server Keystore File Location configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Configuration Validator: Kafka Broker TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the Kafka Broker TLS/SSL Server Keystore File Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Configuration Validator: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Configuration Validator: Status Storage Topic Replication Factor

Description

Whether to suppress configuration warnings produced by the Status Storage Topic Replication Factor configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_status.storage.replication.factor

Required

true

Suppress Configuration Validator: Status Storage Topic Name

Description

Whether to suppress configuration warnings produced by the Status Storage Topic Name configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_status.storage.topic

Required

true

Suppress Configuration Validator: Value Converter

Description

Whether to suppress configuration warnings produced by the Value Converter configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_value.converter

Required

true

Suppress Configuration Validator: Topic Whitelist

Description

Whether to suppress configuration warnings produced by the Topic Whitelist configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_whitelist

Required

true

Suppress Configuration Validator: Kafka Broker Advanced Configuration Snippet (Safety Valve) for zookeeper-ssl.properties

Description

Whether to suppress configuration warnings produced by the Kafka Broker Advanced Configuration Snippet (Safety Valve) for zookeeper-ssl.properties configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_zookeeper-ssl.properties_role_safety_valve

Required

true

Suppress Parameter Validation: Atlas metadata namespace for Kafka Clients

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas metadata namespace for Kafka Clients parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_atlas.metadata.namespace.client

Required

true

Suppress Parameter Validation: Atlas metadata namespace for Kafka Topics

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas metadata namespace for Kafka Topics parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_atlas.metadata.namespace.topic

Required

true

Suppress Parameter Validation: Controlled Shutdown Maximum Attempts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Controlled Shutdown Maximum Attempts parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_controlled.shutdown.max.retries

Required

true

Suppress Parameter Validation: Default Replication Factor

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Default Replication Factor parameter.

Related Name

Default Value

false

API Name

service_config_suppression_default.replication.factor

Required

true

Suppress Configuration Validator: Gateway Count Validator

Description

Whether to suppress configuration warnings produced by the Gateway Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_gateway_count_validator

Required

true

Suppress Parameter Validation: Kafka Service Advanced Configuration Snippet (Safety Valve) for kafka-monitoring.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Service Advanced Configuration Snippet (Safety Valve) for kafka-monitoring.properties parameter.

Related Name

Default Value

false

API Name

service_config_suppression_kafka-monitoring.properties_service_safety_valve

Required

true

Suppress Parameter Validation: List of Metric Reporters

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the List of Metric Reporters parameter.

Related Name

Default Value

false

API Name

service_config_suppression_kafka.metrics.reporters

Required

true

Suppress Configuration Validator: Kafka Broker Count Validator

Description

Whether to suppress configuration warnings produced by the Kafka Broker Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_kafka_broker_count_validator

Required

true

Suppress Configuration Validator: Kafka Connect Count Validator

Description

Whether to suppress configuration warnings produced by the Kafka Connect Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_kafka_connect_count_validator

Required

true

Suppress Configuration Validator: Kafka MirrorMaker Count Validator

Description

Whether to suppress configuration warnings produced by the Kafka MirrorMaker Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_kafka_mirror_maker_count_validator

Required

true

Suppress Parameter Validation: Kafka Service Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_kafka_service_env_safety_valve

Required

true

Suppress Parameter Validation: Kerberos Principal

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Principal parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_kerberos_princ_name

Required

true

Suppress Configuration Validator: KRaft Controller Count Validator

Description

Whether to suppress configuration warnings produced by the KRaft Controller Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_kraft_count_validator

Required

true

Suppress Parameter Validation: LDAP URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP URL parameter.

Related Name**Default Value**

	false
API Name	service_config_suppression_ldap.auth.url
Required	true

Suppress Parameter Validation: LDAP User DN Template

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP User DN Template parameter.
Related Name	
Default Value	false
API Name	service_config_suppression_ldap.auth.user.dn.template
Required	true

Suppress Parameter Validation: Leader Imbalance Check Interval

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Leader Imbalance Check Interval parameter.
Related Name	
Default Value	false
API Name	service_config_suppression_leader.imbalance.check.interval.seconds
Required	true

Suppress Parameter Validation: Leader Imbalance Allowed Per Broker

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Leader Imbalance Allowed Per Broker parameter.
Related Name	
Default Value	false
API Name	service_config_suppression_leader.imbalance.per.broker.percentage
Required	true

Suppress Parameter Validation: Maximum Message Size

Description	
--------------------	--

Whether to suppress configuration warnings produced by the built-in parameter validation for the Maximum Message Size parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_message.max.bytes

Required

true

Suppress Parameter Validation: Cruise Control Metric Reporter Principal Name**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cruise Control Metric Reporter Principal Name parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_metric.reporter.principal.name

Required

true

Suppress Parameter Validation: Minimum Number of Replicas in ISR**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Minimum Number of Replicas in ISR parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_min.insync.replicas

Required

true

Suppress Parameter Validation: Default Number of Partitions**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Default Number of Partitions parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_num.partitions

Required

true

Suppress Parameter Validation: Number of Replica Fetchers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Number of Replica Fetchers parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_num.replica.fetchers

Required

true

Suppress Parameter Validation: JWT Expected Audience For OAuth2

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JWT Expected Audience For OAuth2 parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_oauth.expected.audience

Required

true

Suppress Parameter Validation: JWT Expected Issuer For OAuth2

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JWT Expected Issuer For OAuth2 parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_oauth.expected.issuer

Required

true

Suppress Parameter Validation: JWKS URL For OAuth2

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JWKS URL For OAuth2 parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_oauth.jwks.url

Required

true

Suppress Parameter Validation: JWT Principal Claim Name For OAuth2

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JWT Principal Claim Name For OAuth2 parameter.

Related Name

Default Value

false

API Name

service_config_suppression_oauth.principal.claim.name

Required

true

Suppress Parameter Validation: Offset Commit Topic Number of Partitions

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Offset Commit Topic Number of Partitions parameter.

Related Name

Default Value

false

API Name

service_config_suppression_offsets.topic.num.partitions

Required

true

Suppress Parameter Validation: Offset Commit Topic Replication Factor

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Offset Commit Topic Replication Factor parameter.

Related Name

Default Value

false

API Name

service_config_suppression_offsets.topic.replication.factor

Required

true

Suppress Parameter Validation: PAM Service

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the PAM Service parameter.

Related Name

Default Value

false

API Name

service_config_suppression_pam.auth.service

Required

true

Suppress Parameter Validation: System Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name

Default Value

false

API Name

service_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: System User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name

Default Value

false

API Name

service_config_suppression_process_username

Required

true

Suppress Parameter Validation: Kafka Service Advanced Configuration Snippet (Safety Valve) for ranger-kafka-audit.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Service Advanced Configuration Snippet (Safety Valve) for ranger-kafka-audit.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger-kafka-audit.xml_service_safety_valve

Required

true

Suppress Parameter Validation: Kafka Service Advanced Configuration Snippet (Safety Valve) for ranger-kafka-policymgr-ssl.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Service Advanced Configuration Snippet (Safety Valve) for ranger-kafka-policymgr-ssl.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger-kafka-policymgr-ssl.xml_service_safety_valve

Required

true

Suppress Parameter Validation: Kafka Service Advanced Configuration Snippet (Safety Valve) for ranger-kafka-security.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Service Advanced Configuration Snippet (Safety Valve) for ranger-kafka-security.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger-kafka-security.xml_service_safety_valve

Required

true

Suppress Parameter Validation: Ranger Kafka Plugin Hdfs Audit Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Kafka Plugin Hdfs Audit Directory parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_kafka_plugin_hdfs_audit_directory

Required

true

Suppress Parameter Validation: 'Ranger service' name for this Kafka service

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the 'Ranger service' name for this Kafka service parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_plugin_kafka_service_name

Required

true

Suppress Parameter Validation: Replica Maximum Fetch Size

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Replica Maximum Fetch Size parameter.

Related Name

Default Value

false

API Name

service_config_suppression_replica.fetch.max.bytes

Required

true

Suppress Parameter Validation: Service Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name

Default Value

false

API Name

service_config_suppression_service_triggers

Required

true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_smon_derived_configs_safety_valve

Required

true

Suppress Parameter Validation: Kafka Service Advanced Configuration Snippet (Safety Valve) for ssl.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Service Advanced Configuration Snippet (Safety Valve) for ssl.properties parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ssl.properties_service_safety_valve

Required

true

Suppress Parameter Validation: Transaction State Log Replication Factor

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Transaction State Log Replication Factor parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_transaction.state.log.replication.factor

Required

true

Suppress Parameter Validation: ZooKeeper Root

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the ZooKeeper Root parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_zookeeper.chroot

Required

true

Suppress Parameter Validation: ZooKeeper Session Timeout

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the ZooKeeper Session Timeout parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_zookeeper.session.timeout.ms

Required

true

Suppress Health Test: Kafka Broker Health**Description**

Whether to suppress the results of the Kafka Broker Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_kafka_kafka_broker_healthy

Required

true

Suppress Health Test: Kafka Connect Health**Description**

Whether to suppress the results of the Kafka Connect Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_kafka_kafka_connect_healthy

Required

true

Suppress Health Test: KRaft Controller Health**Description**

Whether to suppress the results of the KRaft Controller Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_kafka_kraft_healthy

Required

true

Key-Value Store Indexer Properties in Cloudera Runtime 7.3.1

Role groups:

Lily HBase Indexer

Advanced

Lily HBase Indexer Advanced Configuration Snippet (Safety Valve) for hbase-indexer-site.xml

Description

For advanced use only. A string to be inserted into hbase-indexer-site.xml for this role only.

Related Name**Default Value****API Name**

hbase_indexer_config_safety_valve

Required

false

Java Configuration Options for Lily HBase Indexer

Description

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or greater, {{JAVA_GC_ARGS}} will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name**Default Value**

JAVA_GC_ARGS

API Name

hbase_indexer_java_opts

Required

false

System Group

Description

The group that the HBase Indexer process should run as.

Related Name**Default Value**

hbase

API Name

hbase_indexer_process_groupname

Required

true

System User

Description

The user that the HBase Indexer process should run as.

Related Name**Default Value**

hbase

API Name

hbase_indexer_process_username

Required

true

Lily HBase Indexer Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

HBASE_INDEXER_role_env_safety_valve

Required

false

HBase Indexer ZooKeeper Session Timeout**Description**

ZooKeeper session timeout. Controls the amount of time the HBase Indexer will attempt to connect to ZooKeeper before timing out.

Related Name

hbaseindexer.zookeeper.session.timeout

Default Value

1 minute(s)

API Name

hbase_indexer_zk_session_timeout

Required

false

Lily HBase Indexer Logging Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory

Description

Path to directory where heap dumps are generated when `java.lang.OutOfMemoryError` error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory

Description

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory

Description

When set, a SIGKILL signal is sent to the role process when `java.lang.OutOfMemoryError` is thrown.

Related Name

Default Value

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Logs

HBase Indexer Log Directory

Description

Directory where HBase Indexer will place its log files.

Related Name**Default Value**

/var/log/hbase-solr

API Name

hbase_indexer_log_dir

Required

true

Lily HBase Indexer Logging Threshold

Description

The minimum log level for Lily HBase Indexer logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Lily HBase Indexer Maximum Log File Backups

Description

The maximum number of rolled log files to keep for Lily HBase Indexer logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

Lily HBase Indexer Max Log Size**Description**

The maximum size, in megabytes, per log file for Lily HBase Indexer logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring**Enable Health Alerts for this Role****Description**

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

hbase_indexer_fd_thresholds

Required

false

Lily HBase Indexer Host Health Test**Description**

When computing the overall Lily HBase Indexer health, consider the host's health.

Related Name**Default Value**

true

API Name

hbase_indexer_host_health_enabled

Required

false

Lily HBase Indexer Process Health Test**Description**

Enables the health test that the Lily HBase Indexer's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

hbase_indexer_scm_health_enabled

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the jvm_heap_used_mb metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: jvm_heap_used_mb

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: { "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }

Related Name**Default Value****API Name**

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value**API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL**Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

`$INFRA(cdp_request_signer_url)`

API Name

`otelcol_remote_write_url`

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify `$INFRA(cdp_request_signer_username)` when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

`$INFRA(cdp_request_signer_username)`

API Name

`otelcol_remote_write_user`

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

`otelcol_rtm_logs_exporters`

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

`otelcol_rtm_logs_extensions`

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name

Default Value

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds

Description

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window

Description

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period**Description**

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other**Netty native library working directory****Description**

The local working directory used for Netty native libraries.

Related Name**Default Value**

/var/hbase-solr/netty-workdir

API Name

keystore_indexer_netty_native_workdir

Required

false

Snappy temporary directory**Description**

The local temporary directory used for Snappy.

Related Name**Default Value**

/var/hbase-solr/snappy-tempdir

API Name

keystore_indexer_snappy_tempdir

Required

false

Performance**Maximum Process File Descriptors****Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses**HBase Indexer HTTP Port****Description**

HTTP port used by HBase Indexer.

Related Name

hbaseindexer.http.port

Default Value

11060

API Name

hbase_indexer_http_port

Required

true

Resource Management**Java Heap Size of Lily HBase Indexer in Bytes****Description**

Maximum size in bytes for the Java Process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

1 GiB

API Name

hbase_indexer_java_heapsize

Required

false

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares

Description

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight

Description

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)

Description

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security

Role-Specific Kerberos Principal

Description

Kerberos principal used by the Lily HBase Indexer roles.

Related Name

Default Value

hbase

API Name

kerberos_role_princ_name

Required

true

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value

API Name

stacks_collection_directory

Required

false

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency

Description

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method

Description

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

	false
API Name	role_config_suppression_cdh_version_validator
Required	true

Suppress Parameter Validation: Lily HBase Indexer Advanced Configuration Snippet (Safety Valve) for hbase-indexer-site.xml

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Lily HBase Indexer Advanced Configuration Snippet (Safety Valve) for hbase-indexer-site.xml parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_hbase_indexer_config_safety_valve
Required	true

Suppress Parameter Validation: HBase Indexer HTTP Port

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Indexer HTTP Port parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_hbase_indexer_http_port
Required	true

Suppress Parameter Validation: Java Configuration Options for Lily HBase Indexer

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for Lily HBase Indexer parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_hbase_indexer_java_opts
Required	true

Suppress Parameter Validation: HBase Indexer Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Indexer Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_indexer_log_dir

Required

true

Suppress Parameter Validation: System Group**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_indexer_process_groupname

Required

true

Suppress Parameter Validation: System User**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_indexer_process_username

Required

true

Suppress Parameter Validation: Lily HBase Indexer Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Lily HBase Indexer Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_hbase_indexer_role_env_safety_valve`**Required**`true`**Suppress Parameter Validation: JMX Exporter configuration YAML****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_jmx_exporter_yaml`**Required**`true`**Suppress Parameter Validation: Role-Specific Kerberos Principal****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role-Specific Kerberos Principal parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_kerberos_role_princ_name`**Required**`true`**Suppress Parameter Validation: Netty native library working directory****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Netty native library working directory parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_keystore_indexer_netty_native_workdir`**Required**`true`**Suppress Parameter Validation: Snappy temporary directory****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Snappy temporary directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_keystore_indexer_snappy_tempdir

Required

true

Suppress Parameter Validation: Lily HBase Indexer Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Lily HBase Indexer Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_otelcol_receivers`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_remote_write_password`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_remote_write_url`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_remote_write_user`**Required**`true`**Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Stacks Collection Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hbase_indexer_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hbase_indexer_file_descriptor

Required

true

Suppress Health Test: Heap Dump Directory Free Space

Description

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hbase_indexer_heap_dump_directory_free_space

Required

true

Suppress Health Test: Host Health

Description

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hbase_indexer_host_health

Required

true

Suppress Health Test: Log Directory Free Space

Description

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hbase_indexer_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health

Description

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_hbase_indexer_otelcol_health

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hbase_indexer_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hbase_indexer_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hbase_indexer_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hbase_indexer_unexpected_exits

Required

true

Service-Wide

Advanced

Key-Value Store Indexer Service Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

ks_indexer_env_safety_valve

Required

false

Monitoring

Enable Service Level Health Alerts

Description

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Healthy Lily HBase Indexer Monitoring Thresholds**Description**

The health test thresholds of the overall Lily HBase Indexer health. The check returns "Concerning" health if the percentage of "Healthy" Lily HBase Indexers falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" Lily HBase Indexers falls below the critical threshold.

Related Name**Default Value**

Warning: 95.0 %, Critical: 90.0 %

API Name

ks_indexer_indexers_healthy_thresholds

Required

false

Service Triggers**Description**

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

service_triggers

Required

true

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name**Default Value****API Name**

smon_derived_configs_safety_valve

Required

false

Morphlines**Custom Mime-types File****Description**

Text that goes verbatim into custom-mimetypes.xml file used by HBase Indexers.

Related Name**Default Value**

```
<!-- Licensed to the Apache Software Foundation (ASF) under one or more contributor license
agreements. See the NOTICE file distributed with this work for additional information regarding
copyright ownership. The ASF licenses this file to You under the Apache License, Version
2.0 (the License); you may not use this file except in compliance with the License. You may
obtain a copy of the License at http://www.apache.org/licenses/LICENSE-2.0 Unless required
by applicable law or agreed to in writing, software distributed under the License is distributed
on an AS IS BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express or implied. See the License for the specific language governing permissions and limitations
under the License. --><mime-info> <mime-type type=text/space-separated-values> <glob
pattern=*.ssv/> </mime-type> <mime-type type=avro/binary> <magic priority=50> <match
offset=0 type=string value=0x4f626a01/> </magic> <glob pattern=*.avro/> </mime-type>
<mime-type type=mytwittertest/json+delimited+length> <magic priority=50> <match offset=0:16
type=regex value=[0-9]+(r)?\n\&quot;/> </magic> </mime-type> <mime-type type=application/
hadoop-sequence-file> <magic priority=50> <match offset=0 type=regex value=SEQ[0-6]/> </
magic> </mime-type> </mime-info>
```

API Name

custom_mimetypes_file

Required

false

Grok Dictionary File**Description**

Text that goes verbatim into grok-dictionary.conf file used by HBase Indexers.

Related Name**Default Value**

```
USERNAME [a-zA-Z0-9._-]+ USER %USERNAME INT (?:[+]?(?:[0-9]+)) BASE10NUM
(?:![0-9.-+])(?>[+]?(?:[0-9]+(?:\.[0-9]+)?))(?:\.[0-9]+)) NUMBER (?:%BASE10NUM)
```

```

BASE16NUM (?<![0-9A-Fa-f])(?:[+]?(?0x)?(?:[0-9A-Fa-f]+)) BASE16FLOAT \b(?<![0-9A-Fa-f.])?(?:[+]?(?0x)?(?:[0-9A-Fa-f]+(?:\.[0-9A-Fa-f]*)?)|(?:\.[0-9A-Fa-f]+))\b POSINT
\b(?:[1-9][0-9]*)\b NONNEGINT \b(?:[0-9]+)\b WORD \b[w+]\b NOTSPACE \S+ SPACE \s*
DATA .*? GREEDYDATA .* #QUOTEDSTRING (?:(<!\|)(?:\.[^\|])*(?:'(\.[^\|])*)|
(?:'(\.[^\|])*)')) QUOTEDSTRING (>(<!\|)(?>(>\|.\[^\|]+)|(>'(\.[^\|]+)')|(>'(>
\.[^\|]+)')|`)) UUID [A-Fa-f0-9]8-(?:[A-Fa-f0-9]4-)?3[A-Fa-f0-9]12 # Networking MAC (?:
% CISCOMAC|% WINDOWSMAC|% COMMONMAC) CISCOMAC (?:([A-Fa-f0-9]4).)2[A-Fa-f0-9]4)
WINDOWSMAC (?:([A-Fa-f0-9]2-).)5[A-Fa-f0-9]2) COMMONMAC (?:([A-Fa-f0-9]2-).)5[A-Fa-f0-9]2)
IP (?<![0-9])(?:(:?25[0-5][0-4][0-9][0-1]?[0-9]1, 2)|\.(?:25[0-5][0-4][0-9][0-1]?
[0-9]1, 2)|\.[0-9])? HOSTNAME \b(?:[0-9A-Za-z][0-9A-Za-z-]0, 62)(?:\.(?:[0-9A-Za-z][0-9A-Za-
z-]0, 62))*(\.\b) HOST %HOSTNAME IPORHOST (?:%HOSTNAME|%IP) #HOSTPORT (?:
%IPORHOST=~\./:% POSINT) # WH # paths PATH (?:%UNIXPATH|%WINPATH) UNIXPATH
(?>(>[\w_!$@.,-]+|\.)*)+ #UNIXPATH (?<![w\|])(?:/[^\s?]*)+ LINUXTTY (?>/dev/
pts/%NONNEGINT) BSDTTY (?>/dev/tty[pg][a-z0-9]) TTY (?:%BSDTTY|%LINUXTTY)
WINPATH (?>[A-Za-z]+:\|)(?:/[^\|]*)+ URIPROTO [A-Za-z]+(\+[A-Za-z]+)? URIHOST
%IPORHOST(?::% POSINT:port)? # uripath comes loosely from RFC1738, but mostly from what
Firefox # doesn't turn into %XX URIPATH (?:/[A-Za-z0-9$.+!*'(), ~;=#% _-]*)+ #URIPARAM
\?(?:[A-Za-z0-9]+(?:=(?:[^\&]*))?(?:&([A-Za-z0-9]+(?:=(?:[^\&]*))?)?)*)? URIPARAM \?[A-
Za-z0-9$.+!*'(), ~#%&/=-;_?-\[ ]* URIPATHPARAM %URIPATH(?:%URIPARAM)? URI
%URIPROTO://(?:%USER(?::[^\@]*)?@)?(?:%URHOST)?(?:%URIPATHPARAM)? # Months:
January, Feb, 3, 03, 12, December MONTH \b(?:Jan(?:uary)?|Feb(?:ruary)?|Mar(?:ch)?|Apr(?:il)?|
May|Jun(?:e)?|Jul(?:y)?|Aug(?:ust)?|Sep(?:tember)?|Oct(?:ober)?|Nov(?:ember)?|Dec(?:ember)?)\b
MONTHNUM (?:0?[1-9]|1[0-2]) MONTHDAY (?:(?:0[1-9])|(?:[12][0-9])|(?:3[01])|[1-9]) # Days:
Monday, Tue, Thu, etc... DAY (?:Mon(?:day)?|Tue(?:sday)?|Wed(?:nesday)?|Thu(?:rsday)?|
Fri(?:day)?|Sat(?:urday)?|Sun(?:day)?) # Years? YEAR (?>\d\d)1, 2 # Time: HH:MM:SS #TIME
\d2:\d2(?::\d2(?:\.\d+))?)? # I'm still on the fence about using grok to perform the time match, # since
it's probably slower. # TIME %POSINT<24:% POSINT<60(?::% POSINT<60(?:\.% POSINT)?)?
HOUR (?:2[0123]|[01]?[0-9]) MINUTE (?:[0-5][0-9]) # '60' is a leap second in most time standards
and thus is valid. SECOND (?:([0-5][0-9]|60)(?:[:., ][0-9]+)?) TIME (?!<[0-9])% HOUR:
% MINUTE(?::% SECOND)(?![0-9]) # timestamp is YYYY/MM/DD-HH:MM:SS.UUUU
(or something like it) DATE_US %MONTHNUM[/-]%MONTHDAY[/-]% YEAR
DATE_EU %MONTHDAY[/-]%MONTHNUM[/-]% YEAR ISO8601_TIMEZONE (?:Z|
[+-%]HOUR(?::% MINUTE)) ISO8601_SECOND (?:%SECOND|60) TIMESTAMP_ISO8601
% YEAR-%MONTHNUM-%MONTHDAY[T ]% HOUR:% MINUTE(?::% SECOND)?
% ISO8601_TIMEZONE? DATE %DATE_US|%DATE_EU DATEESTAMP %DATE[- ]% TIME
TZ (?:[PMCE][SD]T) DATEESTAMP_RFC822 %DAY %MONTH %MONTHDAY % YEAR
% TIME % TZ DATEESTAMP_OTHER %DAY %MONTH %MONTHDAY % TIME % TZ
% YEAR # Syslog Dates: Month Day HH:MM:SS SYSLOGTIMESTAMP %MONTH +
%MONTHDAY % TIME PROG (?:[w_./%-%]+) SYSLOGPROG %PROG:program(?:
\[ %POSINT:pid\])? SYSLOGHOST %IPORHOST SYSLOGFACILITY <%NONNEGINT:facility.
%NONNEGINT:priority> HTTPDATE %MONTHDAY/%MONTH/% YEAR:
% TIME % INT # Shortcuts QS %QUOTEDSTRING # Log formats SYSLOGBASE
%SYSLOGTIMESTAMP:timestamp (?:%SYSLOGFACILITY )?%SYSLOGHOST:logsource
%SYSLOGPROG: COMBINEDAPACHELOG %IPORHOST:clientip %USER:ident
%USER:auth \[%HTTPDATE:timestamp\] (?:% WORD:verb %NOTSPACE:request(?: HTTP/
%NUMBER:httpversion)?%DATA:rawrequest) %NUMBER:response (?:%NUMBER:bytes|-)
%QS:referrer %QS:agent # Log Levels LOGLEVEL ([Tt]race|TRACE|[Dd]ebug|DEBUG|[Nn]
otice|NOTICE|[Ii]nfo|INFO|[Ww]arn(?::ing)?|WARN(?::ING)?|[Ee]rr(?::or)?|ERR(?::OR)?|
[Cc]rit(?::ical)?|CRIT(?::ICAL)?|[Ff]atal|FATAL|[Ss]evere|SEVERE|EMERG(?::ENCY)?|
[Ee]merg(?::ency)?)

```

API Name

grok_dictionary_conf_file

Required

false

Morphlines File

Description

Text that goes into morphlines.conf file used by HBase Indexers. The text goes verbatim into the config file except that \$ZK_HOST is replaced by the ZooKeeper quorum of the Solr service.

Related Name

Default Value

```
SOLR_LOCATOR : # Name of solr collection collection : collection # ZooKeeper ensemble
zkHost : $ZK_HOST morphlines : [ id : morphline importCommands : [org.kitesdk.**
com.ngdata.**] commands : [ extractHBaseCells mappings : [ inputColumn : data:* outputField :
data type : string source : value ] logDebug format : output record: , args : [ @ ] ] ]
```

API Name

morphlines_conf_file

Required

false

Other

HBase Service

Description

Name of the HBase service that this Key-Value Store Indexer service instance depends on

Related Name

Default Value

API Name

hbase_service

Required

true

Solr Service

Description

Name of the Solr service that this Key-Value Store Indexer service instance depends on

Related Name

Default Value

API Name

solr_service

Required

true

Security

HBase Indexer Secure Authentication

Description

Authentication mechanism used by HBase Indexer.

Related Name

hbaseindexer.authentication.type

Default Value

simple

API Name

hbase_indexer_security_authentication

Required

false

Enable TLS/SSL for HBase Indexer Zookeeper**Description**

Encrypt communication between clients and HBase Indexer Zookeeper using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

hbaseindexer.zookeeper.ssl.client.enable

Default Value

false

API Name

hbaseindexer_zookeeper_ssl_enable

Required

false

HBase Indexer TLS/SSL Trust Store File**Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that HBase Indexer might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name**Default Value****API Name**

keystore_indexer_truststore_file

Required

false

HBase Indexer TLS/SSL Trust Store Password**Description**

The password for the HBase Indexer TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name**Default Value****API Name**

keystore_indexer_truststore_password

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: Lily HBase Indexer Advanced Configuration Snippet (Safety Valve) for hbase-indexer-site.xml

Description

Whether to suppress configuration warnings produced by the Lily HBase Indexer Advanced Configuration Snippet (Safety Valve) for hbase-indexer-site.xml configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_indexer_config_safety_valve

Required

true

Suppress Configuration Validator: HBase Indexer HTTP Port

Description

Whether to suppress configuration warnings produced by the HBase Indexer HTTP Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_indexer_http_port

Required

true

Suppress Configuration Validator: Java Configuration Options for Lily HBase Indexer

Description

Whether to suppress configuration warnings produced by the Java Configuration Options for Lily HBase Indexer configuration validator.

Related Name**Default Value**

false

API Name
role_config_suppression_hbase_indexer_java_opts

Required
true

Suppress Configuration Validator: HBase Indexer Log Directory

Description
Whether to suppress configuration warnings produced by the HBase Indexer Log Directory configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_hbase_indexer_log_dir

Required
true

Suppress Configuration Validator: System Group

Description
Whether to suppress configuration warnings produced by the System Group configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_hbase_indexer_process_groupname

Required
true

Suppress Configuration Validator: System User

Description
Whether to suppress configuration warnings produced by the System User configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_hbase_indexer_process_username

Required
true

Suppress Configuration Validator: Lily HBase Indexer Environment Advanced Configuration Snippet (Safety Valve)

Description
Whether to suppress configuration warnings produced by the Lily HBase Indexer Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase_indexer_role_env_safety_valve

Required

true

Suppress Configuration Validator: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Configuration Validator: Role-Specific Kerberos Principal**Description**

Whether to suppress configuration warnings produced by the Role-Specific Kerberos Principal configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_kerberos_role_princ_name

Required

true

Suppress Configuration Validator: Netty native library working directory**Description**

Whether to suppress configuration warnings produced by the Netty native library working directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_keystore_indexer_netty_native_workdir

Required

true

Suppress Configuration Validator: Snappy temporary directory**Description**

Whether to suppress configuration warnings produced by the Snappy temporary directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_keystore_indexer_snappy_tempdir

Required

true

Suppress Configuration Validator: Lily HBase Indexer Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the Lily HBase Indexer Logging Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Configuration Validator: Heap Dump Directory**Description**

Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Exporters Section**Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.

Related Name**Default Value**

false

API Name

`role_config_suppression_otelcol_exporters`**Required**`true`**Suppress Configuration Validator: OpenTelemetry Collector Extensions Section****Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_extensions`**Required**`true`**Suppress Configuration Validator: OpenTelemetry Collector Helper Port****Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_helper_port`**Required**`true`**Suppress Configuration Validator: OpenTelemetry Collector Processors Section****Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_processors`**Required**`true`**Suppress Configuration Validator: OpenTelemetry Collector Receivers Section****Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section**Description**

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: Role Triggers

Description

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Configuration Validator: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Parameter Validation: Custom Mime-types File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Mime-types File parameter.

Related Name

Default Value

false

API Name

service_config_suppression_custom_mimetypes_file

Required

true

Suppress Parameter Validation: Grok Dictionary File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Grok Dictionary File parameter.

Related Name

Default Value

false

API Name

service_config_suppression_grok_dictionary_conf_file

Required

true

Suppress Configuration Validator: Lily HBase Indexer Count Validator**Description**

Whether to suppress configuration warnings produced by the Lily HBase Indexer Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_hbase_indexer_count_validator

Required

true

Suppress Parameter Validation: HBase Indexer TLS/SSL Trust Store File**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Indexer TLS/SSL Trust Store File parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_keystore_indexer_truststore_file

Required

true

Suppress Parameter Validation: HBase Indexer TLS/SSL Trust Store Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HBase Indexer TLS/SSL Trust Store Password parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_keystore_indexer_truststore_password

Required

true

Suppress Parameter Validation: Key-Value Store Indexer Service Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Key-Value Store Indexer Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ks_indexer_env_safety_valve

Required

true

Suppress Parameter Validation: Morphlines File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Morphlines File parameter.

Related Name

Default Value

false

API Name

service_config_suppression_morphlines_conf_file

Required

true

Suppress Parameter Validation: Service Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name

Default Value

false

API Name

service_config_suppression_service_triggers

Required

true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_smon_derived_configs_safety_valve

Required

true

Suppress Health Test: Lily HBase Indexer Health

Description

Whether to suppress the results of the Lily HBase Indexer Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

service_health_suppression_ks_indexer_hbase_indexers_healthy

Required

true

Knox Properties in Cloudera Runtime 7.3.1

Role groups:

Gateway

Advanced

Deploy Directory

Description

The directory where the client configs will be deployed

Related Name

Default Value

/etc/knox

API Name

client_config_root_dir

Required

true

Monitoring

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Other

Alternatives Priority

Description

The priority level that the client configuration will have in the Alternatives system on the hosts. Higher priority levels will cause Alternatives to prefer this configuration over any others.

Related Name**Default Value**

50

API Name

client_config_priority

Required

true

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Deploy Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Deploy Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Knox Gateway

Advanced

Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/auto-discovery-advanced-configuration-cdp-proxy-api.properties

Description

For advanced use only. A string to be inserted into conf/auto-discovery-advanced-configuration-cdp-proxy-api.properties for this role only.

Related Name

Default Value

API Name

conf/auto-discovery-advanced-configuration-cdp-proxy-api.properties_role_safety_valve

Required

false

Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/auto-discovery-advanced-configuration-cdp-proxy-token.properties

Description

For advanced use only. A string to be inserted into conf/auto-discovery-advanced-configuration-cdp-proxy-token.properties for this role only.

Related Name

Default Value

API Name

conf/auto-discovery-advanced-configuration-cdp-proxy-token.properties_role_safety_valve

Required

false

Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/auto-discovery-advanced-configuration-cdp-proxy.properties

Description

For advanced use only. A string to be inserted into conf/auto-discovery-advanced-configuration-cdp-proxy.properties for this role only.

Related Name

Default Value

API Name

conf/auto-discovery-advanced-configuration-cdp-proxy.properties_role_safety_valve

Required

false

Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/cdp-resources.xml

Description

For advanced use only. A string to be inserted into conf/cdp-resources.xml for this role only.

Related Name

Default Value

API Name

conf/cdp-resources.xml_role_safety_valve

Required

false

Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/gateway-site.xml**Description**

For advanced use only. A string to be inserted into conf/gateway-site.xml for this role only.

Related Name**Default Value****API Name**

conf/gateway-site.xml_role_safety_valve

Required

false

Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/kerberos_auth_to_local_rules.properties**Description**

For advanced use only. A string to be inserted into conf/kerberos_auth_to_local_rules.properties for this role only.

Related Name**Default Value****API Name**

conf/kerberos_auth_to_local_rules.properties_role_safety_valve

Required

false

Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/ranger-knox-audit.xml**Description**

For advanced use only. A string to be inserted into conf/ranger-knox-audit.xml for this role only.

Related Name**Default Value****API Name**

conf/ranger-knox-audit.xml_role_safety_valve

Required

false

Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/ranger-knox-policymgr-ssl.xml**Description**

For advanced use only. A string to be inserted into conf/ranger-knox-policymgr-ssl.xml for this role only.

Related Name**Default Value**

API Name`conf/ranger-knox-policymgr-ssl.xml_role_safety_valve`**Required**

false

Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/ranger-knox-security.xml**Description**

For advanced use only. A string to be inserted into `conf/ranger-knox-security.xml` for this role only.

Related Name**Default Value****API Name**`conf/ranger-knox-security.xml_role_safety_valve`**Required**

false

Knox Gateway Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**`KNOX_GATEWAY_role_env_safety_valve`**Required**

false

Enable auto refresh for metric configurations**Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name`metric_config_auto_refresh`**Required**

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when `java.lang.OutOfMemoryError` error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions

and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name

Default Value

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name

Default Value

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name

Default Value

20

API Name

process_start_secs

Required

false

Logs

Knox Gateway Log Directory

Description

The log directory for log files of the role Knox Gateway.

Related Name

log_dir

Default Value

/var/log/knox/gateway

API Name

log_dir

Required

false

Monitoring**Enable Health Alerts for this Role****Description**

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML**Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

knox_gateway_fd_thresholds

Required

false

Knox Gateway Host Health Test**Description**

When computing the overall Knox Gateway health, consider the host's health.

Related Name**Default Value**

true

API Name

knox_gateway_host_health_enabled

Required

false

Knox Gateway Process Health Test**Description**

Enables the health test that the Knox Gateway's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

`knox_gateway_scm_health_enabled`**Required**

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name`log_directory_free_space_absolute_thresholds`**Required**

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name`log_directory_free_space_percentage_thresholds`**Required**

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.

- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name**Default Value****API Name**

`monitoring_metric_filter`

Required

`false`

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

`otelcol_exporters`

Required

`false`

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

`otelcol_extensions`

Required

`false`

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value**API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: `$HOST_NAME`, `$CLUSTER_NAME`, `$CLUSTER_ID`, `$SERVICE_TYPE`, `$SERVICE_NAME`, `$ROLE_NAME`, `$ROLE_TYPE`, `$ROLE_PARAM(my_parameter_name)` - e.g.: a port parameter for the role's metrics, `$DECODE_B64(...)` and `$DECODE_URL(...)` to decode encoded parameters, `$ENV_PARAM(name)` to fetch params from the process' environment, `$SYS_PARAM(name)` to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=\$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}] See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Enable Spool Directory Metric Usage for Knox Gateway**Description**

Enables the health test for monitoring the Ranger Plugin Spool directory usage.

Related Name**Default Value**

true

API Name

spool_directory_usage_enabled

Required

false

Ranger Plugin Spool Directory Usage Thresholds for Knox Gateway**Description**

The health test thresholds for monitoring the the Ranger Plugin Spool directory usage.

Related Name**Default Value**

1 GiB

API Name

spool_directory_usage_threshold

Required

false

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name

Default Value

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

Knox Gateway Diagnostics Collection Timeout

Description

The timeout in milliseconds to wait for diagnostics collection to complete.

Related Name

Default Value

5 minute(s)

API Name

csd_role_diagnostics_timeout

Required

false

Knox Simplified Topology Management - API Authentication Provider

Description

Authentication provider declaration used by pre-deinfed topologies such as admin, metadata or cdp-proxy-api.

Related Name

gateway_api_authentication_provider

Default Value

role=authentication authentication.name=ShiroProvider authentication.param.sessionTimeout=30
authentication.param.main.pamRealm=org.apache.knox.gateway.shirorealm.KnoxPamRealm
authentication.param.main.pamRealm.service=login authentication.param.urls./**=authcBasic

API Name

gateway_api_authentication_provider

Required

false

Auto Discovery - Advanced Configuration Monitoring Interval

Description

Defines the frequency of Knox's service auto-discovery advanced configuration files (auto-discovery-advanced-configuration-[cdp-proxy|cdp-proxy-api].properties) monitoring.

Related Name

gateway.cloudera.manager.advanced.service.discovery.config.monitor.interval

Default Value

10 second(s)

API Name

gateway_auto_discovery_advanced_configuration_monitor_interval

Required

false

Enable Auto Discovery (cdp-proxy-api) - Atlas API

Description

Enables Knox auto-discovery for the Atlas API in the cdp-proxy-api topology.

Related Name

gateway.auto.discovery.cdp-proxy-api.enabled.atlas-api

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_api_enabled_atlas

Required

false

Enable Auto Discovery (cdp-proxy-api) - Phoenix/Avatica

Description

Enables Knox auto-discovery for the Phoenix/Avatica API in the cdp-proxy-api topology.

Related Name

gateway.auto.discovery.cdp-proxy-api.enabled.avatica

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_api_enabled_avatica

Required

false

Enable Auto Discovery (cdp-proxy-api) - Cloudera Manager API

Description

Enables Knox auto-discovery for the Cloudera Manager API in the cdp-proxy-api topology.

Related Name

gateway.auto.discovery.cdp-proxy-api.enabled.cm-api

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_api_enabled_cm_api

Required

false

Enable Auto Discovery (cdp-proxy-api) - Cruise Control API

Description

Enables Knox auto-discovery for the Cruise Control API in the cdp-proxy-api topology.

Related Name

gateway.auto.discovery.cdp-proxy-api.enabled.cruise-control

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_api_enabled_cruise_control

Required

false

Enable Auto Discovery (cdp-proxy-api) - Hive Server

Description

Enables Knox auto-discovery for the Hive Server in the cdp-proxy-api topology.

Related Name

gateway.auto.discovery.cdp-proxy-api.enabled.hive

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_api_enabled_hive

Required

false

Enable Auto Discovery (cdp-proxy-api) - Impala Catalog Server

Description

Enables Knox auto-discovery for the Impala Catalog Server in the cdp-proxy-api topology.

Related Name

gateway.auto.discovery.cdp-proxy-api.enabled.impala

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_api_enabled_impala

Required

false

Enable Auto Discovery (cdp-proxy-api) - Apache Kafka Connect API

Description

Enables Knox auto-discovery for the Apache Kafka Connect API in the cdp-proxy-api topology.

Related Name

gateway.auto.discovery.cdp-proxy-api.enabled.kafka_connect

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_api_enabled_kafka_connect

Required

false

Enable Auto Discovery (cdp-proxy-api) - Livy Server For Spark3 API**Description**

Enables Knox auto-discovery for the Livy Server For Spark3 API in the cdp-proxy-api topology.

Related Name

gateway.auto.discovery.cdp-proxy-api.enabled.livy_for_spark3

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_api_enabled_livy_for_spark3

Required

false

Enable Auto Discovery (cdp-proxy-api) - Livy Server API**Description**

Enables Knox auto-discovery for the Livy Server API in the cdp-proxy-api topology.

Related Name

gateway.auto.discovery.cdp-proxy-api.enabled.livyserver

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_api_enabled_livyserver

Required

false

Enable Auto Discovery (cdp-proxy-api) - NameNode**Description**

Enables Knox auto-discovery for the NameNode in the cdp-proxy-api topology.

Related Name

gateway.auto.discovery.cdp-proxy-api.enabled.namenode

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_api_enabled_namenode

Required

false

Enable Auto Discovery (cdp-proxy-api) - NiFi**Description**

Enables Knox auto-discovery for the NiFi in the cdp-proxy-api topology.

Related Name

gateway.auto.discovery.cdp-proxy-api.enabled.nifi

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_api_enabled_nifi

Required

false

Enable Auto Discovery (cdp-proxy-api) - NiFi Registry**Description**

Enables Knox auto-discovery for the NiFi Registry in the cdp-proxy-api topology.

Related Name

gateway.auto.discovery.cdp-proxy-api.enabled.nifi-registry

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_api_enabled_nifi_registry

Required

false

Enable Auto Discovery (cdp-proxy-api) - Oozie Server**Description**

Enables Knox auto-discovery for the Oozie Server in the cdp-proxy-api topology.

Related Name

gateway.auto.discovery.cdp-proxy-api.enabled.oozie

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_api_enabled_oozie

Required

false

Enable Auto Discovery (cdp-proxy-api) - OpDB Agent**Description**

Enables Knox auto-discovery for the OpDB Agent API in the cdp-proxy-api topology.

Related Name

gateway.auto.discovery.cdp-proxy-api.enabled.opdb_agent

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_api_enabled_opdb_agent

Required

false

Enable Auto Discovery (cdp-proxy-api) - Ozone Httpfs**Description**

Enables Knox auto-discovery for the Ozone Httpfs Gateway in the cdp-proxy-api topology.

Related Name

gateway.auto.discovery.cdp-proxy-api.enabled.ozone-httpfs

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_api_enabled_ozone_httpfs

Required

false

Enable Auto Discovery (cdp-proxy-api) - Profiler Admin API**Description**

Enables Knox auto-discovery for the Profiler Admin API in the cdp-proxy-api topology.

Related Name

gateway.auto.discovery.cdp-proxy-api.enabled.profiler-admin-api

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_api_enabled_profiler_admin_api

Required

false

Enable Auto Discovery (cdp-proxy-api) - Profiler Metrics API**Description**

Enables Knox auto-discovery for the Profiler Metrics API in the cdp-proxy-api topology.

Related Name

gateway.auto.discovery.cdp-proxy-api.enabled.profiler-metrics-api

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_api_enabled_profiler_metrics_api

Required

false

Enable Auto Discovery (cdp-proxy-api) - Profiler Scheduler API**Description**

Enables Knox auto-discovery for the Profiler Scheduler API in the cdp-proxy-api topology.

Related Name

gateway.auto.discovery.cdp-proxy-api.enabled.profiler-scheduler-api

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_api_enabled_profiler_scheduler_api

Required

false

Enable Auto Discovery (cdp-proxy-api) - Ranger Admin

Description

Enables Knox auto-discovery for the Ranger Admin in the cdp-proxy-api topology.

Related Name

gateway.auto.discovery.cdp-proxy-api.enabled.ranger

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_api_enabled_ranger

Required

false

Enable Auto Discovery (cdp-proxy-api) - ResourceManager

Description

Enables Knox auto-discovery for the ResourceManager in the cdp-proxy-api topology.

Related Name

gateway.auto.discovery.cdp-proxy-api.enabled.resourcemanager

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_api_enabled_resourcemanager

Required

false

Enable Auto Discovery (cdp-proxy-api) - ResourceManager API

Description

Enables Knox auto-discovery for the ResourceManager API in the cdp-proxy-api topology.

Related Name

gateway.auto.discovery.cdp-proxy-api.enabled.resourcemanagerapi

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_api_enabled_resourcemanager_api

Required

false

Enable Auto Discovery (cdp-proxy-api) - Schema Registry

Description

Enables Knox auto-discovery for the Schema Registry in the cdp-proxy-api topology.

Related Name

gateway.auto.discovery.cdp-proxy-api.enabled.schema-registry

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_api_enabled_schema_registry

Required

false

Enable Auto Discovery (cdp-proxy-api) - Stream Messaging Manager API

Description

Enables Knox auto-discovery for the Stream Messaging Manager API in the cdp-proxy-api topology.

Related Name

gateway.auto.discovery.cdp-proxy-api.enabled.smm-api

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_api_enabled_smm

Required

false

Enable Auto Discovery (cdp-proxy-api) - Solr Server

Description

Enables Knox auto-discovery for the Solr Server in the cdp-proxy-api topology.

Related Name

gateway.auto.discovery.cdp-proxy-api.enabled.solr

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_api_enabled_solr

Required

false

Enable Auto Discovery (cdp-proxy-api) - SQL Streaming Builder - Materialized View Engine API

Description

Enables Knox auto-discovery for the SQL Streaming Builder - Materialized View Engine API in the cdp-proxy-api topology.

Related Name

gateway.auto.discovery.cdp-proxy-api.enabled.ssb-mve-api

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_api_enabled_ssb_mve_api

Required

false

Enable Auto Discovery (cdp-proxy-api) - SQL Streaming Builder - Materialized View Engine API (LB)

Description

Enables Knox auto-discovery for the SQL Streaming Builder - Materialized View Engine API (LB) in the cdp-proxy-api topology.

Related Name

gateway.auto.discovery.cdp-proxy-api.enabled.ssb-mve-api-lb

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_api_enabled_ssb_mve_api_lb

Required

false

Enable Auto Discovery (cdp-proxy-api) - SQL Streaming Builder - Streaming SQL Engine API

Description

Enables Knox auto-discovery for the SQL Streaming Builder - Streaming SQL Engine API in the cdp-proxy-api topology.

Related Name

gateway.auto.discovery.cdp-proxy-api.enabled.ssb-sse-api

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_api_enabled_ssb_sse_api

Required

false

Enable Auto Discovery (cdp-proxy-api) - SQL Streaming Builder - Streaming SQL Engine API (LB)

Description

Enables Knox auto-discovery for the SQL Streaming Builder - Streaming SQL Engine API (LB) in the cdp-proxy-api topology.

Related Name

gateway.auto.discovery.cdp-proxy-api.enabled.ssb-sse-api-lb

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_api_enabled_ssb_sse_api_lb

Required

false

Enable Auto Discovery (cdp-proxy-api) - HBase Master API

Description

Enables Knox auto-discovery for the HBase Master API in the cdp-proxy-api topology.

Related Name

gateway.auto.discovery.cdp-proxy-api.enabled.webhbase

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_api_enabled_webhbase

Required

false

Enable Auto Discovery (cdp-proxy-api) - WebHDFS API

Description

Enables Knox auto-discovery for the WebHDFS API in the cdp-proxy-api topology.

Related Name

gateway.auto.discovery.cdp-proxy-api.enabled.webhdfs

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_api_enabled_webhdfs

Required

false

Enable Auto Discovery (cdp-proxy) - Atlas API

Description

Enables Knox auto-discovery for the Atlas API in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.atlas-api

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_atlas

Required

false

Enable Auto Discovery (cdp-proxy) - Atlas Web UI

Description

Enables Knox auto-discovery for the Atlas Web UI in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.atlas

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_atlas_ui

Required

false

Enable Auto Discovery (cdp-proxy) - Cloudera Manager API

Description

Enables Knox auto-discovery for the Cloudera Manager API in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.cm-api

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_cm_api

Required

false

Enable Auto Discovery (cdp-proxy) - Cloudera Manager Admin Console

Description

Enables Knox auto-discovery for the Cloudera Manager Admin Console in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.cm-ui

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_cm_ui

Required

false

Enable Auto Discovery (cdp-proxy) - Data Analytics Studio

Description

Enables Knox auto-discovery for the Data Analytics Studio in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.das

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_das

Required

false

Enable Auto Discovery (cdp-proxy) - Flink Dashboard

Description

Enables Knox auto-discovery for the Flink Dashboard in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.flink-dashboard

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_flink_dashboard

Required

false

Enable Auto Discovery (cdp-proxy) - HBase Web UI

Description

Enables Knox auto-discovery for the HBase Web UI in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.hbaseui

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_hbase_ui

Required

false

Enable Auto Discovery (cdp-proxy) - Namenode Web UI**Description**

Enables Knox auto-discovery for the Namenode Web UI in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.hdfsui

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_hdfs_ui

Required

false

Enable Auto Discovery (cdp-proxy) - HiveServer2 Web UI**Description**

Enables Knox auto-discovery for the HiveServer2 Web UI in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.hiveserver2ui

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_hiveserver2ui

Required

false

Enable Auto Discovery (cdp-proxy) - Hue Server**Description**

Enables Knox auto-discovery for the Hue Server in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.hue

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_hue

Required

false

Enable Auto Discovery (cdp-proxy) - Impala Catalog Server Web UI

Description

Enables Knox auto-discovery for the Impala Catalog Server Web UI in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.impalaui

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_impala_ui

Required

false

Enable Auto Discovery (cdp-proxy) - HistoryServer Web UI

Description

Enables Knox auto-discovery for the HistoryServer Web UI in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.jobhistoryui

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_jobhistory_ui

Required

false

Enable Auto Discovery (cdp-proxy) - Kudu Master Web UI

Description

Enables Knox auto-discovery for the Kudu Master Web UI in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.kuduui

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_kudu_ui

Required

false

Enable Auto Discovery (cdp-proxy) - Livy Server For Spark3 Web UI

Description

Enables Knox auto-discovery for the Livy Server For Spark3 Web UI in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.livy_for_spark3

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_livy_for_spark3

Required

false

Enable Auto Discovery (cdp-proxy) - Livy Server Web UI

Description

Enables Knox auto-discovery for the Livy Server Web UI in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.livyserver

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_livyserver

Required

false

Enable Auto Discovery (cdp-proxy) - NameNode

Description

Enables Knox auto-discovery for the NameNode in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.namenode

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_namenode

Required

false

Enable Auto Discovery (cdp-proxy) - NiFi

Description

Enables Knox auto-discovery for the NiFi in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.nifi

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_nifi

Required

false

Enable Auto Discovery (cdp-proxy) - NiFi Registry

Description

Enables Knox auto-discovery for the NiFi Registry in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.nifi-registry

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_nifi_registry

Required

false

Enable Auto Discovery (cdp-proxy) - Oozie Server**Description**

Enables Knox auto-discovery for the Oozie Server in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.oozie

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_oozie

Required

false

Enable Auto Discovery (cdp-proxy) - Oozie Web UI**Description**

Enables Knox auto-discovery for the Oozie Web UI in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.oozieui

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_oozie_ui

Required

false

Enable Auto Discovery (cdp-proxy) - Ozone Manager**Description**

Enables Knox auto-discovery for the Ozone Manager in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.ozone

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_ozone

Required

false

Enable Auto Discovery (cdp-proxy) - Ozone Recon

Description

Enables Knox auto-discovery for the Ozone Recon in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.ozone-recon

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_ozone_recon

Required

false

Enable Auto Discovery (cdp-proxy) - Ozone SCM

Description

Enables Knox auto-discovery for the Ozone SCM in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.ozone-scm

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_ozone_scm

Required

false

Enable Auto Discovery (cdp-proxy) - Ranger Admin

Description

Enables Knox auto-discovery for the Ranger Admin in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.ranger

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_ranger

Required

false

Enable Auto Discovery (cdp-proxy) - Ranger Admin Web UI

Description

Enables Knox auto-discovery for the Ranger Admin Web UI in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.rangerui

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_ranger_ui

Required

false

Enable Auto Discovery (cdp-proxy) - ResourceManager

Description

Enables Knox auto-discovery for the ResourceManager in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.resourcemanager

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_resourcemanager

Required

false

Enable Auto Discovery (cdp-proxy) - Schema Registry

Description

Enables Knox auto-discovery for the Schema Registry in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.schema-registry

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_schema_registry

Required

false

Enable Auto Discovery (cdp-proxy) - Stream Messaging Manager API

Description

Enables Knox auto-discovery for the Stream Messaging Manager API in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.smm-api

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_smm

Required

false

Enable Auto Discovery (cdp-proxy) - Stream Messaging Manager Web UI

Description

Enables Knox auto-discovery for the Stream Messaging Manager Web UI in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.smm-ui

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_smm_ui

Required

false

Enable Auto Discovery (cdp-proxy) - Solr Server**Description**

Enables Knox auto-discovery for the Solr Server in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.solr

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_solr

Required

false

Enable Auto Discovery (cdp-proxy) - Spark 3 History Server Web UI**Description**

Enables Knox auto-discovery for the Spark 3 History Server Web UI in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.spark3historyui

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_spark3history_ui

Required

false

Enable Auto Discovery (cdp-proxy) - Spark History Server Web UI**Description**

Enables Knox auto-discovery for the Spark History Server Web UI in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.sparkhistoryui

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_sparkhistory_ui

Required

false

Enable Auto Discovery (cdp-proxy) - SQL Streaming Builder Web Console

Description

Enables Knox auto-discovery for the SQL Streaming Builder Web Console in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.ssb-ssc-ui

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_ssb_ssc_ui

Required

false

Enable Auto Discovery (cdp-proxy) - SQL Streaming Builder WebSocket

Description

Enables Knox auto-discovery for the SQL Streaming Builder WebSocket in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.ssb-ssc-ws

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_ssb_ssc_ws

Required

false

Enable Auto Discovery (cdp-proxy) - SQL Streaming Builder - Streaming SQL Engine UI

Description

Enables Knox auto-discovery for the SQL Streaming Builder - Streaming SQL Engine UI in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.ssb-sse-ui

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_ssb_sse_ui

Required

false

Enable Auto Discovery (cdp-proxy) - SQL Streaming Builder - Streaming SQL Engine UI (LB)

Description

Enables Knox auto-discovery for the SQL Streaming Builder - Streaming SQL Engine UI (LB) in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.ssb-sse-ui-lb

Default Value

	true
API Name	gateway_auto_discovery_cdp_proxy_enabled_ssb_sse_ui_lb
Required	false

Enable Auto Discovery (cdp-proxy) - SQL Streaming Builder - Streaming SQL Engine WebSocket

Description	Enables Knox auto-discovery for the SQL Streaming Builder - Streaming SQL Engine WebSocket in the cdp-proxy topology.
Related Name	gateway.auto.discovery.cdp-proxy.enabled.ssb-sse-ws
Default Value	true
API Name	gateway_auto_discovery_cdp_proxy_enabled_ssb_sse_ws
Required	false

Enable Auto Discovery (cdp-proxy) - SQL Streaming Builder - Streaming SQL Engine WebSocket (LB)

Description	Enables Knox auto-discovery for the SQL Streaming Builder - Streaming SQL Engine WebSocket (LB) in the cdp-proxy topology.
Related Name	gateway.auto.discovery.cdp-proxy.enabled.ssb-sse-ws-lb
Default Value	true
API Name	gateway_auto_discovery_cdp_proxy_enabled_ssb_sse_ws_lb
Required	false

Enable Auto Discovery (cdp-proxy) - WebHDFS API

Description	Enables Knox auto-discovery for the WebHDFS API in the cdp-proxy topology.
Related Name	gateway.auto.discovery.cdp-proxy.enabled.webhdfs
Default Value	true
API Name	gateway_auto_discovery_cdp_proxy_enabled_webhdfs
Required	false

Enable Auto Discovery (cdp-proxy) - ResourceManager Web UI

Description

Enables Knox auto-discovery for the ResourceManager Web UI in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.yarnui

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_yarn_ui

Required

false

Enable Auto Discovery (cdp-proxy) - ResourceManager Web UI V2

Description

Enables Knox auto-discovery for the ResourceManager Web UI V2 in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.yarnuiv2

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_yarn_ui_v2

Required

false

Enable Auto Discovery (cdp-proxy) - Zeppelin Server Web UI

Description

Enables Knox auto-discovery for the Zeppelin Server Web UI in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.zeppelinui

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_zeppelin_ui

Required

false

Enable Auto Discovery (cdp-proxy) - Zeppelin Server

Description

Enables Knox auto-discovery for the Zeppelin Server in the cdp-proxy topology.

Related Name

gateway.auto.discovery.cdp-proxy.enabled.zeppelinws

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_enabled_zeppelin_ws

Required

false

Enable Auto Discovery (cdp-proxy-token) - Atlas API**Description**

Enables Knox auto-discovery for the Atlas API in the cdp-proxy-token topology.

Related Name

gateway.auto.discovery.cdp-proxy-token.enabled.atlas-api

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_token_enabled_atlas

Required

false

Enable Auto Discovery (cdp-proxy-token) - Phoenix/Avatica**Description**

Enables Knox auto-discovery for the Phoenix/Avatica API in the cdp-proxy-token topology.

Related Name

gateway.auto.discovery.cdp-proxy-token.enabled.avatica

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_token_enabled_avatica

Required

false

Enable Auto Discovery (cdp-proxy-token) - Cloudera Manager API**Description**

Enables Knox auto-discovery for the Cloudera Manager API in the cdp-proxy-token topology.

Related Name

gateway.auto.discovery.cdp-proxy-token.enabled.cm-api

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_token_enabled_cm_api

Required

false

Enable Auto Discovery (cdp-proxy-token) - Cruise Control API**Description**

Enables Knox auto-discovery for the Cruise Control API in the cdp-proxy-token topology.

Related Name

gateway.auto.discovery.cdp-proxy-token.enabled.cruise-control-api

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_token_enabled_cruise_control

Required

false

Enable Auto Discovery (cdp-proxy-token) - Hive Server**Description**

Enables Knox auto-discovery for the Hive Server in the cdp-proxy-token topology.

Related Name

gateway.auto.discovery.cdp-proxy-token.enabled.hive

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_token_enabled_hive

Required

false

Enable Auto Discovery (cdp-proxy-token) - Impala Catalog Server**Description**

Enables Knox auto-discovery for the Impala Catalog Server in the cdp-proxy-token topology.

Related Name

gateway.auto.discovery.cdp-proxy-token.enabled.impala

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_token_enabled_impala

Required

false

Enable Auto Discovery (cdp-proxy-token) - Apache Kafka Connect API**Description**

Enables Knox auto-discovery for the Apache Kafka Connect API in the cdp-proxy-token topology.

Related Name

gateway.auto.discovery.cdp-proxy-token.enabled.kafka_connect

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_token_enabled_kafka_connect

Required

false

Enable Auto Discovery (cdp-proxy-token) - Livy Server For Spark3 API**Description**

Enables Knox auto-discovery for the Livy Server For Spark3 API in the cdp-proxy-token topology.

Related Name

gateway.auto.discovery.cdp-proxy-token.enabled.livy_for_spark3

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_token_enabled_livy_for_spark3

Required

false

Enable Auto Discovery (cdp-proxy-token) - Livy Server API

Description

Enables Knox auto-discovery for the Livy Server API in the cdp-proxy-token topology.

Related Name

gateway.auto.discovery.cdp-proxy-token.enabled.livyserver

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_token_enabled_livyserver

Required

false

Enable Auto Discovery (cdp-proxy-token) - NameNode

Description

Enables Knox auto-discovery for the NameNode in the cdp-proxy-token topology.

Related Name

gateway.auto.discovery.cdp-proxy-token.enabled.namenode

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_token_enabled_namenode

Required

false

Enable Auto Discovery (cdp-proxy-token) - NiFi

Description

Enables Knox auto-discovery for the NiFi in the cdp-proxy-token topology.

Related Name

gateway.auto.discovery.cdp-proxy-token.enabled.nifi

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_token_enabled_nifi

Required

false

Enable Auto Discovery (cdp-proxy-token) - NiFi Registry

Description

Enables Knox auto-discovery for the NiFi Registry in the cdp-proxy-token topology.

Related Name

gateway.auto.discovery.cdp-proxy-token.enabled.nifi-registry

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_token_enabled_nifi_registry

Required

false

Enable Auto Discovery (cdp-proxy-token) - Oozie Server

Description

Enables Knox auto-discovery for the Oozie Server in the cdp-proxy-token topology.

Related Name

gateway.auto.discovery.cdp-proxy-token.enabled.oozie

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_token_enabled_oozie

Required

false

Enable Auto Discovery (cdp-proxy-token) - Profiler Admin API

Description

Enables Knox auto-discovery for the Profiler Admin API in the cdp-proxy-token topology.

Related Name

gateway.auto.discovery.cdp-proxy-token.enabled.profiler-admin-api

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_token_enabled_profiler_admin_api

Required

false

Enable Auto Discovery (cdp-proxy-token) - Profiler Metrics API

Description

Enables Knox auto-discovery for the Profiler Metrics API in the cdp-proxy-token topology.

Related Name

gateway.auto.discovery.cdp-proxy-token.enabled.profiler-metrics-api

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_token_enabled_profiler_metrics_api

Required

false

Enable Auto Discovery (cdp-proxy-token) - Profiler Scheduler API

Description

Enables Knox auto-discovery for the Profiler Scheduler API in the cdp-proxy-token topology.

Related Name

gateway.auto.discovery.cdp-proxy-token.enabled.profiler-scheduler-api

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_token_enabled_profiler_scheduler_api

Required

false

Enable Auto Discovery (cdp-proxy-token) - Ranger Admin

Description

Enables Knox auto-discovery for the Ranger Admin in the cdp-proxy-token topology.

Related Name

gateway.auto.discovery.cdp-proxy-token.enabled.ranger

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_token_enabled_ranger

Required

false

Enable Auto Discovery (cdp-proxy-token) - ResourceManager

Description

Enables Knox auto-discovery for the ResourceManager in the cdp-proxy-token topology.

Related Name

gateway.auto.discovery.cdp-proxy-token.enabled.resourcemanager

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_token_enabled_resourcemanager

Required

false

Enable Auto Discovery (cdp-proxy-token) - ResourceManager API

Description

Enables Knox auto-discovery for the ResourceManager API in the cdp-proxy-token topology.

Related Name

gateway.auto.discovery.cdp-proxy-token.enabled.resourcemanagerapi

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_token_enabled_resourcemanager_api

Required

false

Enable Auto Discovery (cdp-proxy-token) - Schema Registry

Description

Enables Knox auto-discovery for the Schema Registry in the cdp-proxy-token topology.

Related Name

gateway.auto.discovery.cdp-proxy-token.enabled.schema-registry

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_token_enabled_schema_registry

Required

false

Enable Auto Discovery (cdp-proxy-token) - Stream Messaging Manager API

Description

Enables Knox auto-discovery for the Stream Messaging Manager API in the cdp-proxy-token topology.

Related Name

gateway.auto.discovery.cdp-proxy-token.enabled.smm-api

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_token_enabled_smm

Required

false

Enable Auto Discovery (cdp-proxy-token) - Solr Server

Description

Enables Knox auto-discovery for the Solr Server in the cdp-proxy-token topology.

Related Name

gateway.auto.discovery.cdp-proxy-token.enabled.solr

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_token_enabled_solr

Required

false

Enable Auto Discovery (cdp-proxy-token) - SQL Streaming Builder - Materialized View Engine API

Description

Enables Knox auto-discovery for the SQL Streaming Builder - Materialized View Engine API in the cdp-proxy-token topology.

Related Name

gateway.auto.discovery.cdp-proxy-token.enabled.ssb-mve-api

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_token_enabled_ssb_mve_api

Required

false

Enable Auto Discovery (cdp-proxy-token) - SQL Streaming Builder - Materialized View Engine API (LB)

Description

Enables Knox auto-discovery for the SQL Streaming Builder - Materialized View Engine API (LB) in the cdp-proxy-token topology.

Related Name

gateway.auto.discovery.cdp-proxy-token.enabled.ssb-mve-api-lb

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_token_enabled_ssb_mve_api_lb

Required

false

Enable Auto Discovery (cdp-proxy-token) - SQL Streaming Builder - Streaming SQL Engine API

Description

Enables Knox auto-discovery for the SQL Streaming Builder - Streaming SQL Engine API in the cdp-proxy-token topology.

Related Name

gateway.auto.discovery.cdp-proxy-token.enabled.ssb-sse-api

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_token_enabled_ssb_sse_api

Required

false

Enable Auto Discovery (cdp-proxy-token) - SQL Streaming Builder - Streaming SQL Engine API (LB)

Description

Enables Knox auto-discovery for the SQL Streaming Builder - Streaming SQL Engine API (LB) in the cdp-proxy-token topology.

Related Name

gateway.auto.discovery.cdp-proxy-token.enabled.ssb-sse-api-lb

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_token_enabled_ssb_sse_api_lb

Required

false

Enable Auto Discovery (cdp-proxy-token) - HBase Master API**Description**

Enables Knox auto-discovery for the HBase Master API in the cdp-proxy-token topology.

Related Name

gateway.auto.discovery.cdp-proxy-token.enabled.webhbase

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_token_enabled_webhbase

Required

false

Enable Auto Discovery (cdp-proxy-token) - WebHDFS API**Description**

Enables Knox auto-discovery for the WebHDFS API in the cdp-proxy-token topology.

Related Name

gateway.auto.discovery.cdp-proxy-token.enabled.webhdfs

Default Value

true

API Name

gateway_auto_discovery_cdp_proxy_token_enabled_webhdfs

Required

false

Enable/Disable Service Auto-Discovery**Description**

Whether Knox's service auto-discovery feature is enabled

Related Name

gateway.auto.discovery.enabled

Default Value

true

API Name

gateway_auto_discovery_enabled

Required

false

Knox Simplified Topology Management - Monitoring Interval

Description

Defines the frequency of Cloudera Manager resources (descriptors and shared providers) file (cdp-resources.xml) monitoring.

Related Name

gateway.cloudera.manager.descriptors.monitor.interval

Default Value

10 second(s)

API Name

gateway_cloudera_manager_descriptors_monitor_interval

Required

false

Auto Discovery - Cluster Configuration Monitoring Interval

Description

Defines the frequency of cluster configuration monitoring.

Related Name

gateway.cluster.config.monitor.cm.interval

Default Value

1 minute(s)

API Name

gateway_cluster_configuration_monitor_interval

Required

false

Knox Gateway Configuration Directory

Description

Contains configuration files that apply to the gateway globally (i.e. not cluster specific).

Related Name

gateway_conf_dir

Default Value

/var/lib/knox/gateway/conf

API Name

gateway_conf_dir

Required

false

Knox Gateway Data Directory

Description

Contains security and topology specific artifacts as well as important applications for admin-ui

Related Name

gateway_data_dir

Default Value

/var/lib/knox/gateway/data

API Name

gateway_data_dir

Required

false

Knox Gateway Database - SSL Enabled

Description

Knox Gateway Database SSL enabled.

Related Name

gateway.database.ssl.enabled

Default Value

false

API Name

gateway_database_ssl_enabled

Required

false

Knox Gateway Database - SSL Certificate File

Description

Specifies database certificate file location.

Related Name

gateway.database.ssl.truststore.file

Default Value

API Name

gateway_database_ssl_truststore_file

Required

false

Knox Gateway Database - SSL Certificate File Password

Description

The password for Knox Gateway SSL certificate file.

Related Name

gateway_database_ssl_truststore_file_password

Default Value

API Name

gateway_database_ssl_truststore_file_password

Required

false

Knox Gateway Database - SSL Verify Server Certificate

Description

Verify Knox Gateway Database SSL server certificate.

Related Name

gateway.database.ssl.verify.server.cert

Default Value

	false
API Name	gateway_database_ssl_verify_server_cert
Required	false

Gateway - Default API Topology Name

Description	The default API Knox topology name.
Related Name	default.api.topology.name
Default Value	cdp-proxy-api
API Name	gateway_default_api_topology_name
Required	false

Gateway - Default App Topology Name

Description	When a topology file is deployed with a file name that matches the configured default topology name, a specialized mapping for URLs is installed for that particular topology. This allows the URLs that are expected by the existing Hadoop CLIs for WebHDFS to be used in interacting with the specific Hadoop cluster that is represented by the default topology file.
Related Name	default.app.topology.name
Default Value	cdp-proxy
API Name	gateway_default_topology_name
Required	false

Knox Simplified Topology Management - cdp-proxy

Description	Knox descriptor block for 'cdp-proxy' topology. 'providerConfigRef' indicates the name of shared-provider the given descriptor would like to use. The rest of the entries hold service information. The structure of an service information entry is: \$SERVICE_NAME[: \$PARAMETER_NAME=\$PARAMETER_VALUE]. The 'url' and 'version' parameter names are preserved keywords to set the given service's URL and version. For instance: HIVE:url=http://localhost:123, HIVE:version:3.0.0, HIVE:httpclient.socketTimeout=5m, HIVE:test.pramameter.name=test.parameter.value
Related Name	cdp-proxy
Default Value	providerConfigRef=sso provisionEncryptQueryStringCredential=false

API Name

gateway_descriptor_cdp_proxy

Required

false

Knox Simplified Topology Management - cdp-proxy-api**Description**

Knox descriptor block for 'cdp-proxy-api topology. 'providerConfigRef' indicates the name of shared-provider the given descriptor would like to use. The rest of the entries hold service information. The structure of an service information entry is: \$SERVICE_NAME[: \$PARAMETER_NAME=\$PARAMETER_VALUE]. The 'url' and 'version' parameter names are preserved keywords to set the given service's URL and version. For instance: NIFI, HIVE:url=http://localhost:123, HIVE:version:3.0.0, HIVE:httpclient.socketTimeout=5m, HIVE:test.pramameter.name=test.parameter.value

Related Name

cdp-proxy-api

Default Value

providerConfigRef=pam provisionEncryptQueryStringCredential=false

API Name

gateway_descriptor_cdp_proxy_api

Required

false

Knox Simplified Topology Management - cdp-proxy-token**Description**

Knox descriptor block for 'cdp-proxy-token topology. 'providerConfigRef' indicates the name of shared-provider the given descriptor would like to use. The rest of the entries hold service information. The structure of an service information entry is: \$SERVICE_NAME[: \$PARAMETER_NAME=\$PARAMETER_VALUE]. The 'url' and 'version' parameter names are preserved keywords to set the given service's URL and version. For instance: NIFI, HIVE:url=http://localhost:123, HIVE:version:3.0.0, HIVE:httpclient.socketTimeout=5m, HIVE:test.pramameter.name=test.parameter.value

Related Name

cdp-proxy-token

Default Value

providerConfigRef=tokenbased provisionEncryptQueryStringCredential=false

API Name

gateway_descriptor_cdp_proxy_token

Required

false

Knox Gateway Dispatch Whitelist**Description**

The whitelist to be applied for dispatches associated with the service roles specified by gateway.dispatch.whitelist.services. By default this is replaced with DEFAULT or HTTPS_ONLY based on if TLS is enabled.

Related Name

gateway.dispatch.whitelist

Default Value

WHITELIST_CONFIG_REPLACEME

API Name

gateway_dispatch_whitelist

Required

false

Knox Gateway Dispatch Whitelist Services**Description**

The comma-delimited list of service roles for which the 'gateway.dispatch.whitelist' should be applied

Related Name

gateway.dispatch.whitelist.services

Default Value

DATANODE, HBASEUI, HDFSUI, IMPALAUUI, JOBHISTORYUI, KUDUUI, NODEUI, YARNUI, YARNUIV2, knoxauth

API Name

gateway_dispatch_whitelist_services

Required

false

Gateway Config Directory**Description**

The directory within 'gateway_data_dir' that contains gateway topology files and deployments.

Related Name

gateway.gateway.conf.dir

Default Value

deployments

API Name

gateway_gateway_conf_dir

Required

false

Knox Gateway Initial/Max Heapsize**Description**

Initial/Maximum size for the Java Process heap. Passed to Java -Xmx/-Xms. Measured in megabytes.

Related Name

gateway_heap_size

Default Value

1 GiB

API Name

gateway_heap_size

Required

true

Additional Gateway Java Options

Description

These arguments are passed as part of the Java command line. Commonly, garbage collection flags or extra debugging flags are passed here. -Xmx/-Xms should not be specified here: to set the heapsize use the 'Knox Gateway Initial/Max Heapsize' parameter

Related Name

gateway_java_opts

Default Value**API Name**

gateway_java_opts

Required

false

Admin Groups

Description

Admin groups for Knox

Related Name

gateway.knox.admin.groups

Default Value**API Name**

gateway_knox_admin_groups

Required

false

Knox Token Integration - Allowed JWS Types

Description

This is an optional configuration parameter to allow a comma-separated list of token types Knox will allow while validating JSON Web Signature (JWS) using JWKS URLs. Defaults to 'JWT'. Typical customized value is 'at+jwt, JWT'.

Related Name

gateway_knox_token_allowed_jws_types

Default Value

JWT

API Name

gateway_knox_token_allowed_jws_types

Required

false

Knox Token Integration - Eviction Grace Period

Description

Defines the grace period for which an expired token's state will avoid eviction. Setting this to zero means there is no grace period, and token state is evicted based on expiration only. See `idbroker_knox_token_eviction_interval` for more information.

Related Name

gateway.knox.token.eviction.grace.period

Default Value

0 second(s)

API Name

gateway_knox_token_eviction_grace_period

Required

false

Knox Token Integration - Expected JWT Issuer

Description

Indicates the expected issuer of a received token must match. If not defined, Knox will use 'KNOXSSO'.

Related Name

gateway_knox_token_expected_jwt_issuer

Default Value

API Name

gateway_knox_token_expected_jwt_issuer

Required

false

Knox Token Integration - Expected JWT Signature Algorithm

Description

Indicates the expected signature algorithm Knox should use to verify the submitted JWT's signature. If not defined, Knox will use 'RS256'.

Related Name

gateway_knox_token_expected_jwt_signature_algorithm

Default Value

API Name

gateway_knox_token_expected_jwt_signature_algorithm

Required

false

Knox Token Integration - Expected Principal Claim

Description

If that configuration parameter is defined, Knox will use this to get the value of this claim from the submitted JWT upon verification instead of using the default principal.

Related Name

gateway_knox_token_expected_principal_claim

Default Value

API Name

gateway_knox_token_expected_principal_claim

Required

false

Knox Token Integration - JWKS URL

Description

This optional configuration parameter enables end-users to declare their JWKS URL. The JSON Web Key Set (JWKS) is a set of keys containing the public keys used to verify any JSON Web Token (JWT) issued by the authorization server and signed using the RS256 signing algorithm.

Related Name

gateway_knox_token_jwks_url

Default Value**API Name**

gateway_knox_token_jwks_url

Required

false

Knox Token Integration - User Limit**Description**

The number of tokens a user is allowed to manage. Setting this to -1 indicates unlimited token management.

Related Name

gateway.knox.token.limit.per.user

Default Value

10

API Name

gateway_knox_token_limit_per_user

Required

false

Knox Token Integration - Users Who Can See All Tokens**Description**

A comma-separated list of user names who can see all tokens on the Token Management page.

Related Name

gateway.knox.token.management.users.can.see.all.tokens

Default Value**API Name**

gateway_knox_token_management_user_can_see_all_tokens

Required

false

Knox Token Integration - Renewer Whitelist**Description**

This is an optional configuration parameter to authorize the comma-separated list of users to invoke the associated token renewal and/or revocation APIs.

Related Name

gateway_knox_token_renewer_whitelist

Default Value**API Name**

gateway_knox_token_renewer_whitelist

Required

false

Knox Token Integration - Token Type**Description**

This is an optional configuration parameter to indicate the type of the JWT token that Knox generates.

Related Name

gateway_knox_token_type

Default Value

JWT

API Name

gateway_knox_token_type

Required

false

Knox Token Integration - User Limit Exceeded Action**Description**

The action Knox will take if user limit is exceeded while trying to create a new Knox Token. If REMOVE_OLDEST is selected then the oldest token of the user, who the token is being generated for, will be removed. Otherwise, if RETURN_ERROR is selected, Knox will return an error response with 403 error code.

Related Name

gateway.knox.token.user.limit.exceeded.action

Default Value

RETURN_ERROR

API Name

gateway_knox_token_user_limit_exceeded_action

Required

false

Knox Gateway Logger Configuration (Safety Valve)**Description**

Knox Gateway Logger Configuration Safety Valve for loggers in log4j2 configuration file.

Related Name

gateway_loggers_safety_valve

Default Value

org.apache.knox.gateway=INFO

API Name

gateway_loggers_safety_valve

Required

false

Knox Master Secret**Description**

The master secret is used to access secured artifacts by the gateway instance. Keystore, trust stores and credential stores are all protected with the master secret. NOTE: changing the master secret will require you to change passwords protecting the keystores for the gateway, identity keystores and all credential stores

Related Name

gateway_master_secret

Default Value

API Name

gateway_master_secret

Required

true

Gateway Path

Description

The default context path for the gateway.

Related Name

gateway.path

Default Value

gateway

API Name

gateway_path

Required

true

Ranger Knox Plugin Conf Path

Description

Staging directory for Ranger Knox Plugin Configuration. This should generally not be changed.

Related Name

gateway_ranger_knox_plugin_conf_path

Default Value

/var/lib/knox/ranger-knox-plugin

API Name

gateway_ranger_knox_plugin_conf_path

Required

true

Ranger Knox Plugin Policy Cache Directory Path

Description

The directory where Ranger security policies are cached locally.

Related Name

ranger.plugin.knox.policy.cache.dir

Default Value

/var/lib/ranger/knox/gateway/policy-cache

API Name

gateway_ranger_knox_plugin_policy_cache_directory

Required

true

Ranger Plugin Trusted Proxy IP Address**Description**

Accepts a list of IP addresses of proxy servers for trusting.

Related Name

ranger.plugin.knox.trusted.proxy.ipaddress

Default Value**API Name**

gateway_ranger_plugin_trusted_proxy_ipaddress

Required

false

Ranger Plugin Use X-Forwarded For IP Address**Description**

The parameter is used for identifying the originating IP address of a user connecting to a component through proxy for audit logs.

Related Name

ranger.plugin.knox.use.x-forwarded-for.ipaddress

Default Value

false

API Name

gateway_ranger_plugin_use_x_forwarded_for_ipaddress

Required

false

Cookie Scoping Enabled**Description**

Enable/Disable cookie scoping feature.

Related Name

gateway.scope.cookies.feature.enabled

Default Value

false

API Name

gateway_scope_cookies_feature_enabled

Required

false

Knox Gateway Security Directory**Description**

Contains security specific artifacts such as the persisted master secret, signing material and credential stores

Related Name

gateway.security.dir

Default Value

/var/lib/knox/gateway/data/security

API Name

gateway_security_dir

Required

false

Session Verification - Service Implementation

Description

Knox's internal implementation of its own session verification service.

Related Name

gateway.service.concurrentsessionverifier.impl

Default Value

org.apache.knox.gateway.session.control.EmptyConcurrentSessionVerifier

API Name

gateway_service_concurrentsessionverifier_impl

Required

false

Knox Token Integration - Token State Service Implementation

Description

Knox's internal implementation of its own token state service.

Related Name

gateway.service.tokenstate.impl

Default Value

org.apache.knox.gateway.services.token.impl.AliasBasedTokenStateService

API Name

gateway_service_tokenstate_impl

Required

false

Session Verification - Non-privileged User Limit

Description

The number of UI sessions a 'non-privileged' user can have

Related Name

gateway.session.verification.non.privileged.user.limit

Default Value

2

API Name

gateway_session_verification_non_privileged_user_limit

Required

false

Session Verification - Privileged User Limit

Description

The number of UI sessions a 'privileged' user can have

Related Name

gateway.session.verification.privileged.user.limit

Default Value

3

API Name

gateway_session_verification_privileged_user_limit

Required

false

Session Verification - Privileged Users

Description

Indicates a list of users that are qualified 'privileged'.

Related Name

gateway.session.verification.privileged.users

Default Value**API Name**

gateway_session_verification_privileged_users

Required

false

Session Verification - Unlimited Users

Description

Indicates a list of (super) users that can have as many UI sessions as they want.

Related Name

gateway.session.verification.unlimited.users

Default Value**API Name**

gateway_session_verification_unlimited_users

Required

false

Security - Signing Key Alias

Description

The alias for the signing keypair within the keystore specified via gateway_signing_keystore_name

Related Name

gateway.signing.key.alias

Default Value**API Name**

gateway_signing_key_alias

Required

false

Security - Signing Keystore Name

Description

The filename of keystore file that contains the signing keypair

Related Name

gateway.signing.keystore.name

Default Value

API Name

gateway_signing_keystore_name

Required

false

Security - Signing Keystore Type

Description

The type of the keystore file where the signing keypair is stored. See gateway_signing_keystore_name

Related Name

gateway.signing.keystore.type

Default Value

API Name

gateway_signing_keystore_type

Required

false

Knox Simplified Topology Management - SSO Authentication Provider

Description

Authentication provider declaration used by the UIs using the Knox SSO capabilities such as the Admin and Home Page UIs.

Related Name

gateway_sso_authentication_provider

Default Value

role=authentication authentication.name=ShiroProvider authentication.param.sessionTimeout=30 authentication.param.redirectToUrl=/\$GATEWAY_PATH/knox_sso/knoxauth/login.html authentication.param.restrictedCookies=rememberme, WWW-Authenticate authentication.param.main.pamRealm=org.apache.knox.gateway.shirorealm.KnoxPamRealm authentication.param.main.pamRealm.service=login authentication.param.urls./**=authcBasic

API Name

gateway_sso_authentication_provider

Required

false

Security - TLS Certificate Alias (Optional)

Description

The alias for the Gateway's TLS certificate and keypair within the default keystore or the keystore specified via gateway.tls.keystore.path

Related Name

gateway_tls_certificate_alias

Default Value

API Name

gateway_tls_certificate_alias

Required

false

Security - Use FQDN as TLS Certificate Alias

Description

If enabled, the FQDN will be used as gateway.tls.key.alias in gateway-site.xml; otherwise the UQDN is used. This behavior is overwritten if gateway_tls_certificate_alias is set. In this case the value in gateway_tls_certificate_alias is used as alias.

Related Name

gateway_tls_certificate_alias_use_fqdn

Default Value

true

API Name

gateway_tls_certificate_alias_use_fqdn

Required

false

Security - TLS Certificate Path (Optional)

Description

The path for the TLS certificate which Knox will import in the CM generated/distributed keystore in case SSL is enabled (if any).

Related Name

gateway_tls_certificate_path

Default Value

API Name

gateway_tls_certificate_path

Required

false

Knox Token Integration - Allowed Token Management Implementations

Description

A list implementation names that Knox considers allowed on its own token generation page.

Related Name

gateway_token_generation_allowed_tss_backends

Default Value

JDBCTokenStateService, AliasBasedTokenStateService

API Name

gateway_token_generation_allowed_tss_backends

Required

false

Knox Token Integration - Enable Impersonation

Description

Indicates if Knox Token impersonation is enabled.

Related Name

gateway_token_generation_enable_impersonation

Default Value

false

API Name

gateway_token_generation_enable_impersonation

Required

false

Knox Token Integration - Enable Lifespan Input

Description

Whether the lifespan input fields are enabled on Knox's token generation page.

Related Name

gateway_token_generation_enable_lifespan_input

Default Value

false

API Name

gateway_token_generation_enable_lifespan_input

Required

false

Knox Token Integration - Configured Token TTL

Description

The value of 'knox.token.ttl' in the homepage topology.

Related Name

gateway_token_generation_knox_token_ttl

Default Value

1 hour(s)

API Name

gateway_token_generation_knox_token_ttl

Required

false

Topology Deployment Check - Delay

Description

Indicates the delay between two subsequent attempts while topology deployment check is in progress.

Related Name

gateway_topology_deployment_check_delay

Default Value

3 second(s)

API Name

gateway_topology_deployment_check_delay

Required

false

Topology Deployment Check - Time Limit

Description

The time limit until topology deployment check will run before it reports an error.

Related Name

gateway_topology_deployment_check_time_limit

Default Value

10 minute(s)

API Name

gateway_topology_deployment_check_time_limit

Required

false

Websockets Enabled

Description

Enable/Disable websocket feature.

Related Name

gateway.websocket.feature.enabled

Default Value

true

API Name

gateway_websocket_feature_enabled

Required

false

X-Forwarded Header Context Service Name

Description

The service name to be added in x-forward-context header.

Related Name

gateway.xforwarded.header.context.append.servicename

Default Value

LIVYSERVER, LIVY_FOR_SPARK3

API Name

gateway_xforwarded_header_context_append_servicename

Required

false

Admin Group Mapping - Class Name

Description

The class name used for Hadoop admin group mapping

Related Name

gateway.group.config.hadoop.security.group.mapping

Default Value

org.apache.hadoop.security.ShellBasedUnixGroupsMapping

API Name

hadoop_security_group_mapping_class

Required

false

Hadoop Group Mapping - Negative Cache Expiration

Description

The Hadoop group mapping negative cache expiration in seconds

Related Name

gateway.group.config.hadoop.security.groups.negative-cache.secs

Default Value

5 second(s)

API Name

hadoop_security_group_negative_cache_expiration_seconds

Required

false

Hadoop Group Mapping - Positive Cache Expiration

Description

The Hadoop group mapping positive cache expiration in seconds

Related Name

gateway.group.config.hadoop.security.groups.cache.secs

Default Value

10 second(s)

API Name

hadoop_security_group_positive_cache_expiration_seconds

Required

false

krb5.conf Location

Description

Absolute path to krb5.conf file

Related Name

java.security.krb5.conf

Default Value

/etc/krb5.conf

API Name

java_security_krb5_conf

Required

false

Knox Gateway Root Logger Threshold

Description

The minimum log level for Knox Gateway root level logs

Related Name

log_threshold

Default Value

INFO

API Name

log_threshold

Required

false

Knox Gateway Maximum Log File Backups**Description**

The maximum number of rolled log files to keep for Knox Gateway logs. Typically used by log4j or logback.

Related Name

max_log_backup_index

Default Value

10

API Name

max_log_backup_index

Required

false

Knox Gateway Max Log Size**Description**

The maximum size, in megabytes, per log file for Knox Gateway logs. Typically used by log4j or logback.

Related Name

max_log_size

Default Value

200 MiB

API Name

max_log_size

Required

false

Ranger Knox Plugin Audit Hdfs Spool Directory Path**Description**

Spool directory for Ranger audits being written to DFS.

Related Name

xasecure.audit.destination.hdfs.batch.filespool.dir

Default Value

/var/log/knox/gateway/audit/hdfs/spool

API Name

ranger_audit_hdfs_spool_dir

Required

true

Ranger Knox Plugin Audit Solr Spool Directory Path

Description

Spool directory for Ranger audits being written to Solr.

Related Name

xasecure.audit.destination.solr.batch.filespool.dir

Default Value

/var/log/knox/gateway/audit/solr/spool

API Name

ranger_audit_solr_spool_dir

Required

true

KRB5 Debug

Description

Boolean flag indicating whether to enable debug messages for krb5 authentication

Related Name

sun.security.krb5.debug

Default Value

false

API Name

sun_security_krb5_debug

Required

false

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name

Default Value

API Name

rlimit_fds

Required

false

Ports and Addresses

Gateway HTTP Port

Description

The HTTP port for the Gateway.

Related Name

gateway.port

Default Value

8443

API Name

gateway_port

Required

true

Resource Management**Cgroup V1 BLKIO Weight****Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security**Knox Gateway TLS/SSL Trust Store File****Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Knox Gateway might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

gateway.httpclient.truststore.path

Default Value**API Name**

ssl_client_truststore_location

Required

false

Knox Gateway TLS/SSL Trust Store Password**Description**

The password for the Knox Gateway TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name**Default Value****API Name**

ssl_client_truststore_password

Required

false

Enable TLS/SSL for Knox Gateway**Description**

Encrypt communication between clients and Knox Gateway using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

knox.enableTLS

Default Value

false

API Name

ssl_enabled

Required

false

Knox Gateway TLS/SSL Server Keystore File Location

Description

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Knox Gateway is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

gateway.tls.keystore.path

Default Value

API Name

ssl_server_keystore_location

Required

false

Knox Gateway TLS/SSL Server Keystore File Password

Description

The password for the Knox Gateway keystore file.

Related Name

Default Value

API Name

ssl_server_keystore_password

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

	jstack
API Name	stacks_collection_method
Required	false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description	Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_cdh_version_validator
Required	true

Suppress Parameter Validation: Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/auto-discovery-advanced-configuration-cdp-proxy-api.properties

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/auto-discovery-advanced-configuration-cdp-proxy-api.properties parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_conf/auto-discovery-advanced-configuration-cdp-proxy-api.properties_role_safety_valve
Required	true

Suppress Parameter Validation: Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/auto-discovery-advanced-configuration-cdp-proxy-token.properties

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/auto-discovery-advanced-configuration-cdp-proxy-token.properties parameter.
Related Name	
Default Value	false
API Name	

role_config_suppression_conf/auto-discovery-advanced-configuration-cdp-proxy-token.properties_role_safety_valve

Required

true

Suppress Parameter Validation: Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/auto-discovery-advanced-configuration-cdp-proxy.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/auto-discovery-advanced-configuration-cdp-proxy.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_conf/auto-discovery-advanced-configuration-cdp-proxy.properties_role_safety_valve

Required

true

Suppress Parameter Validation: Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/cdp-resources.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/cdp-resources.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_conf/cdp-resources.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/gateway-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/gateway-site.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_conf/gateway-site.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/kerberos_auth_to_local_rules.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/kerberos_auth_to_local_rules.properties parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_conf/kerberos_auth_to_local_rules.properties_role_safety_valve

Required

true

Suppress Parameter Validation: Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/ranger-knox-audit.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/ranger-knox-audit.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_conf/ranger-knox-audit.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/ranger-knox-policymgr-ssl.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/ranger-knox-policymgr-ssl.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_conf/ranger-knox-policymgr-ssl.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/ranger-knox-security.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/ranger-knox-security.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_conf/ranger-knox-security.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Knox Simplified Topology Management - API Authentication Provider

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Simplified Topology Management - API Authentication Provider parameter.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_api_authentication_provider

Required

true

Suppress Parameter Validation: Knox Gateway Configuration Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Gateway Configuration Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_conf_dir

Required

true

Suppress Parameter Validation: Knox Gateway Data Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Gateway Data Directory parameter.

Related Name

Default Value

	false
API Name	role_config_suppression_gateway_data_dir
Required	true

Suppress Parameter Validation: Knox Gateway Database - SSL Certificate File

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Gateway Database - SSL Certificate File parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_gateway_database_ssl_truststore_file
Required	true

Suppress Parameter Validation: Knox Gateway Database - SSL Certificate File Password

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Gateway Database - SSL Certificate File Password parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_gateway_database_ssl_truststore_file_password
Required	true

Suppress Parameter Validation: Gateway - Default API Topology Name

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway - Default API Topology Name parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_gateway_default_api_topology_name
Required	true

Suppress Parameter Validation: Gateway - Default App Topology Name

Description	
--------------------	--

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway - Default App Topology Name parameter.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_default_topology_name

Required

true

Suppress Parameter Validation: Knox Simplified Topology Management - cdp-proxy

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Simplified Topology Management - cdp-proxy parameter.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_descriptor_cdp_proxy

Required

true

Suppress Parameter Validation: Knox Simplified Topology Management - cdp-proxy-api

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Simplified Topology Management - cdp-proxy-api parameter.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_descriptor_cdp_proxy_api

Required

true

Suppress Parameter Validation: Knox Simplified Topology Management - cdp-proxy-token

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Simplified Topology Management - cdp-proxy-token parameter.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_descriptor_cdp_proxy_token

Required

true

Suppress Parameter Validation: Knox Gateway Dispatch Whitelist

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Gateway Dispatch Whitelist parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_gateway_dispatch_whitelist

Required

true

Suppress Parameter Validation: Knox Gateway Dispatch Whitelist Services

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Gateway Dispatch Whitelist Services parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_gateway_dispatch_whitelist_services

Required

true

Suppress Parameter Validation: Gateway Config Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway Config Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_gateway_gateway_conf_dir

Required

true

Suppress Parameter Validation: Knox Gateway Initial/Max Heapsizes

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Gateway Initial/Max Heapsizes parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_gateway_heap_size

Required

true

Suppress Parameter Validation: Additional Gateway Java Options**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Additional Gateway Java Options parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_gateway_java_opts

Required

true

Suppress Parameter Validation: Admin Groups**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin Groups parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_gateway_knox_admin_groups

Required

true

Suppress Parameter Validation: Knox Token Integration - Allowed JWS Types**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Token Integration - Allowed JWS Types parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_gateway_knox_token_allowed_jws_types

Required

true

Suppress Parameter Validation: Knox Token Integration - Expected JWT Issuer**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Token Integration - Expected JWT Issuer parameter.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_knox_token_expected_jwt_issuer

Required

true

Suppress Parameter Validation: Knox Token Integration - Expected JWT Signature Algorithm

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Token Integration - Expected JWT Signature Algorithm parameter.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_knox_token_expected_jwt_signature_algorithm

Required

true

Suppress Parameter Validation: Knox Token Integration - Expected Principal Claim

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Token Integration - Expected Principal Claim parameter.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_knox_token_expected_principal_claim

Required

true

Suppress Parameter Validation: Knox Token Integration - JWKS URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Token Integration - JWKS URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_knox_token_jwks_url

Required

true

Suppress Parameter Validation: Knox Token Integration - Users Who Can See All Tokens

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Token Integration - Users Who Can See All Tokens parameter.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_knox_token_management_user_can_see_all_tokens

Required

true

Suppress Parameter Validation: Knox Token Integration - Renewer Whitelist

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Token Integration - Renewer Whitelist parameter.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_knox_token_renewer_whitelist

Required

true

Suppress Parameter Validation: Knox Token Integration - Token Type

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Token Integration - Token Type parameter.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_knox_token_type

Required

true

Suppress Parameter Validation: Knox Gateway Logger Configuration (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Gateway Logger Configuration (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_loggers_safety_valve

Required

true

Suppress Parameter Validation: Knox Master Secret

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Master Secret parameter.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_master_secret

Required

true

Suppress Parameter Validation: Gateway Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway Path parameter.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_path

Required

true

Suppress Parameter Validation: Gateway HTTP Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway HTTP Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_port

Required

true

Suppress Parameter Validation: Ranger Knox Plugin Conf Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Knox Plugin Conf Path parameter.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_ranger_knox_plugin_conf_path

Required

true

Suppress Parameter Validation: Ranger Knox Plugin Policy Cache Directory Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Knox Plugin Policy Cache Directory Path parameter.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_ranger_knox_plugin_policy_cache_directory

Required

true

Suppress Parameter Validation: Ranger Plugin Trusted Proxy IP Address

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Plugin Trusted Proxy IP Address parameter.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_ranger_plugin_trusted_proxy_ipaddress

Required

true

Suppress Parameter Validation: Knox Gateway Security Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Gateway Security Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_security_dir

Required

true

Suppress Parameter Validation: Session Verification - Privileged Users

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Session Verification - Privileged Users parameter.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_session_verification_privileged_users

Required

true

Suppress Parameter Validation: Session Verification - Unlimited Users

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Session Verification - Unlimited Users parameter.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_session_verification_unlimited_users

Required

true

Suppress Parameter Validation: Security - Signing Key Alias

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Security - Signing Key Alias parameter.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_signing_key_alias

Required

true

Suppress Parameter Validation: Security - Signing Keystore Name

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Security - Signing Keystore Name parameter.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_signing_keystore_name

Required

true

Suppress Parameter Validation: Security - Signing Keystore Type

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Security - Signing Keystore Type parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_gateway_signing_keystore_type

Required

true

Suppress Parameter Validation: Knox Simplified Topology Management - SSO Authentication Provider

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Simplified Topology Management - SSO Authentication Provider parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_gateway_sso_authentication_provider

Required

true

Suppress Parameter Validation: Security - TLS Certificate Alias (Optional)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Security - TLS Certificate Alias (Optional) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_gateway_tls_certificate_alias

Required

true

Suppress Parameter Validation: Security - TLS Certificate Path (Optional)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Security - TLS Certificate Path (Optional) parameter.

Related Name**Default Value**

false

API Name
role_config_suppression_gateway_tls_certificate_path

Required
true

Suppress Parameter Validation: Knox Token Integration - Allowed Token Management Implementations

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Token Integration - Allowed Token Management Implementations parameter.

Related Name

Default Value
false

API Name
role_config_suppression_gateway_token_generation_allowed_tss_backends

Required
true

Suppress Parameter Validation: X-Forwarded Header Context Service Name

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the X-Forwarded Header Context Service Name parameter.

Related Name

Default Value
false

API Name
role_config_suppression_gateway_xforwarded_header_context_append_servicename

Required
true

Suppress Parameter Validation: Admin Group Mapping - Class Name

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin Group Mapping - Class Name parameter.

Related Name

Default Value
false

API Name
role_config_suppression_hadoop_security_group_mapping_class

Required
true

Suppress Parameter Validation: krb5.conf Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the krb5.conf Location parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_java_security_krb5_conf

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Knox Gateway Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Gateway Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_knox_gateway_role_env_safety_valve

Required

true

Suppress Parameter Validation: Knox Gateway Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Gateway Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

	false
API Name	role_config_suppression_otelcol_helper_port
Required	true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_processors
Required	true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_receivers
Required	true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_remote_write_password
Required	true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Ranger Knox Plugin Audit Hdfs Spool Directory Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Knox Plugin Audit Hdfs Spool Directory Path parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_audit_hdfs_spool_dir

Required

true

Suppress Parameter Validation: Ranger Knox Plugin Audit Solr Spool Directory Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Knox Plugin Audit Solr Spool Directory Path parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_audit_solr_spool_dir

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Knox Gateway TLS/SSL Trust Store File**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Gateway TLS/SSL Trust Store File parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: Knox Gateway TLS/SSL Trust Store Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Gateway TLS/SSL Trust Store Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Parameter Validation: Knox Gateway TLS/SSL Server Keystore File Location**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Gateway TLS/SSL Server Keystore File Location parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_ssl_server_keystore_location`**Required**`true`**Suppress Parameter Validation: Knox Gateway TLS/SSL Server Keystore File Password****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Gateway TLS/SSL Server Keystore File Password parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ssl_server_keystore_password`**Required**`true`**Suppress Parameter Validation: Stacks Collection Directory****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_stacks_collection_directory`**Required**`true`**Suppress Health Test: Audit Pipeline Test****Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_knox_knox_gateway_audit_health`**Required**`true`**Suppress Health Test: File Descriptors****Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_knox_knox_gateway_file_descriptor

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_knox_knox_gateway_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_knox_knox_gateway_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_knox_knox_gateway_otelcol_health

Required

true

Suppress Health Test: Ranger Plugin Hdfs Spool Directory Size**Description**

Whether to suppress the results of the Ranger Plugin Hdfs Spool Directory Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_knox_knox_gateway_ranger_plugin_hdfs_spool_directory_size_health

Required

true

Suppress Health Test: Ranger Plugin Solr Spool Directory Size**Description**

Whether to suppress the results of the Ranger Plugin Solr Spool Directory Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_knox_knox_gateway_ranger_plugin_solr_spool_directory_size_health

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_knox_knox_gateway_scm_health

Required

true

Suppress Health Test: Swap Memory Usage

Description

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_knox_knox_gateway_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_knox_knox_gateway_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_knox_knox_gateway_unexpected_exits

Required

true

Knox IDBroker

Advanced

Knox IDBroker Advanced Configuration Snippet (Safety Valve) for conf/cdp-resources.xml

Description

For advanced use only. A string to be inserted into conf/cdp-resources.xml for this role only.

Related Name**Default Value****API Name**

conf/cdp-resources.xml_role_safety_valve

Required

false

Knox IDBroker Advanced Configuration Snippet (Safety Valve) for conf/gateway-reloadable.xml**Description**

For advanced use only. A string to be inserted into conf/gateway-reloadable.xml for this role only.

Related Name**Default Value****API Name**

conf/gateway-reloadable.xml_role_safety_valve

Required

false

Knox IDBroker Advanced Configuration Snippet (Safety Valve) for conf/gateway-site.xml**Description**

For advanced use only. A string to be inserted into conf/gateway-site.xml for this role only.

Related Name**Default Value****API Name**

conf/gateway-site.xml_role_safety_valve

Required

false

Knox IDBroker Advanced Configuration Snippet (Safety Valve) for conf/kerberos_auth_to_local_rules.properties**Description**

For advanced use only. A string to be inserted into conf/kerberos_auth_to_local_rules.properties for this role only.

Related Name**Default Value****API Name**

conf/kerberos_auth_to_local_rules.properties_role_safety_valve

Required

false

Knox IDBroker Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

IDBROKER_role_env_safety_valve

Required

false

Knox IDBroker Logging Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations**Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory

Description

When set, generates a heap dump file when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory

Description

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Logs**Knox IDBroker Log Directory****Description**

The log directory for log files of the role Knox IDBroker.

Related Name

log_dir

Default Value

/var/log/knox/idbroker

API Name

log_dir

Required

false

Knox IDBroker Logging Threshold

Description

The minimum log level for Knox IDBroker logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Knox IDBroker Maximum Log File Backups

Description

The maximum number of rolled log files to keep for Knox IDBroker logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

Knox IDBroker Max Log Size

Description

The maximum size, in megabytes, per log file for Knox IDBroker logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name

Default Value

Warning: 50.0 %, Critical: 70.0 %

API Name

idbroker_fd_thresholds

Required

false

Knox IDBroker Host Health Test

Description

When computing the overall Knox IDBroker health, consider the host's health.

Related Name

Default Value

true

API Name

idbroker_host_health_enabled

Required

false

Knox IDBroker Process Health Test

Description

Enables the health test that the Knox IDBroker's process state is consistent with the role configuration

Related Name

Default Value

	true
API Name	idbroker_scm_health_enabled
Required	false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name

Default Value

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name

Default Value

API Name

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name

Default Value

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name**Default Value****API Name**

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: `$HOST_NAME`, `$CLUSTER_NAME`, `$CLUSTER_ID`, `$SERVICE_TYPE`, `$SERVICE_NAME`, `$ROLE_NAME`, `$ROLE_TYPE`, `$ROLE_PARAM(my_parameter_name)` - e.g.: a port parameter for the role's metrics, `$DECODE_B64(...)` and `$DECODE_URL(...)` to decode encoded parameters, `$ENV_PARAM(name)` to fetch params from the process' environment, `$SYS_PARAM(name)` to fetch java system properties.

Related Name

Default Value

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name

Default Value

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

`$INFRA(cdp_request_signer_url)`

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name

Default Value

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds

Description

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window

Description

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

`unexpected_exits_thresholds`

Required

false

Unexpected Exits Monitoring Period**Description**

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

`unexpected_exits_window`

Required

false

Other**Knox IDBroker Diagnostics Collection Timeout****Description**

The timeout in milliseconds to wait for diagnostics collection to complete.

Related Name**Default Value**

5 minute(s)

API Name

`csd_role_diagnostics_timeout`

Required

false

Knox IDBroker AWS Credentials Key**Description**

The AWS credentials key

Related Name

`idbroker_aws_credentials_key`

Default Value**API Name**

`idbroker_aws_credentials_key`

Required

false

Knox IDBroker AWS Credentials Secret

Description

The AWS credentials secret

Related Name

idbroker_aws_credentials_secret

Default Value**API Name**

idbroker_aws_credentials_secret

Required

false

Knox IDBroker AWS Group Mapping

Description

The list of AWS group-role mappings in 'group=role[:group=role]...[:group=role]' format. A 'group=role' declaration indicates that all authenticated users that are member of the specified group should be able to assume the specified role. For instance: admin=arn:aws:iam:XYZ:role/s3full;audit=arn:aws:iam:XYZ:role/s3Read

Related Name

idbroker.aws.group.role.mapping

Default Value**API Name**

idbroker_aws_group_mapping

Required

false

Knox IDBroker AWS User Default Group Mapping

Description

The list of AWS user default group mappings in 'user=group[:user=group;...;user=group]' format. A 'user=group' declaration allows the given user to get its credentials indicated by the given group (in case the user belongs to different mapped groups)

Related Name

idbroker.aws.user.default.group.mapping

Default Value**API Name**

idbroker_aws_user_default_group_mapping

Required

false

Knox IDBroker AWS User Mapping

Description

The list of AWS user-role mappings in 'user=role[:user=role]...[:user=role]' format. A 'user=role' declaration indicates that this is a mapping of the authenticated user's primary principal to the specified role. For instance: admin=arn:aws:iam:XYZ:role/s3full;guest=arn:aws:iam:XYZ:role/s3Read

Related Name

idbroker.aws.user.role.mapping

Default Value**API Name**

idbroker_aws_user_mapping

Required

false

Knox IDBroker AZURE ADLS2 Tenant Name**Description**

The name of the AZURE AD tenant. A tenant is a representation of an organization. It's a dedicated instance of Azure AD that an organization or application developer receives when the organization or application developer creates a relationship with Microsoft

Related Name

idbroker_azure_adls2_tenant_name

Default Value**API Name**

idbroker_azure_adls2_tenant_name

Required

false

Knox IDBroker AZURE 'blob-contributor' ClientID**Description**

The client ID credential for 'blob-contributor' role

Related Name

idbroker_azure_blob_contributor_clientid

Default Value**API Name**

idbroker_azure_blob_contributor_clientid

Required

false

Knox IDBroker AZURE 'blob-contributor' Secret**Description**

The secret credential for 'blob-contributor' role

Related Name

idbroker_azure_blob_contributor_secret

Default Value**API Name**

idbroker_azure_blob_contributor_secret

Required

false

Knox IDBroker AZURE 'blob-reader' ClientID**Description**

The client ID credential for 'blob-reader' role

Related Name

idbroker_azure_blob_reader_clientid

Default Value**API Name**

idbroker_azure_blob_reader_clientid

Required

false

Knox IDBroker AZURE 'blob-reader' Secret**Description**

The secret credential for 'blob-reader' role

Related Name

idbroker_azure_blob_reader_secret

Default Value**API Name**

idbroker_azure_blob_reader_secret

Required

false

Knox IDBroker AZURE Group Mapping**Description**

The list of AZURE group-role mappings in 'group=role[;group=role]...[;group=role]' format. A 'group=role' declaration indicates that all authenticated users that are member of the specified group should be able to assume the specified role. For instance: admin=blob-contributor

Related Name

idbroker.adls2.group.role.mapping

Default Value**API Name**

idbroker_azure_group_mapping

Required

false

Knox IDBroker AZURE User Default Group Mapping**Description**

The list of AZURE user default group mappings in 'user=group[;user=group;...;user=group]' format. A 'user=group' declaration allows the given user to get its credentials indicated by the given group (in case the user belongs to different mapped groups)

Related Name

idbroker.azure.user.default.group.mapping

Default Value**API Name**

idbroker_azure_user_default_group_mapping

Required

false

Knox IDBroker AZURE User Mapping

Description

The list of AZURE user-role mappings in 'user=role[;user=role]...[;user=role]' format. A 'user=role' declaration indicates that this is a mapping of the authenticated user's primary principal to the specified role. For instance: admin=blob-contributor

Related Name

idbroker.adls2.user.role.mapping

Default Value**API Name**

idbroker_azure_user_mapping

Required

false

Knox IDBroker AZURE VM Assumer Identity

Description

A user assigned managed identity that has Virtual Machine Contributor and Managed Identity Operator roles scoped at the resource group where IDBroker Virtual Machine is running.

Related Name

idbroker_azure_vm_assumer_identity

Default Value**API Name**

idbroker_azure_vm_assumer_identity

Required

false

Knox IDBroker Configuration Directory

Description

Contains configuration files that apply to the gateway globally (i.e. not cluster specific).

Related Name

idbroker_conf_dir

Default Value

/var/lib/knox/idbroker/conf

API Name

idbroker_conf_dir

Required

false

Knox IDBroker Data Directory

Description

Contains security and topology specific artifacts as well as important applications for admin-ui

Related Name

idbroker_data_dir

Default Value

/var/lib/knox/idbroker/data

API Name

`idbroker_data_dir`**Required**`false`**Gateway - Default API Topology Name****Description**

The default API Knox topology name.

Related Name`default.api.topology.name`**Default Value**`cdp-proxy-api`**API Name**`idbroker_default_api_topology_name`**Required**`false`**Gateway - Default App Topology Name****Description**

When a topology file is deployed with a file name that matches the configured default topology name, a specialized mapping for URLs is installed for that particular topology. This allows the URLs that are expected by the existing Hadoop CLIs for WebHDFS to be used in interacting with the specific Hadoop cluster that is represented by the default topology file.

Related Name`default.app.topology.name`**Default Value****API Name**`idbroker_default_topology_name`**Required**`false`**Gateway Config Directory****Description**

The directory within 'idbroker_data_dir' that contains gateway topology files and deployments.

Related Name`gateway.gateway.conf.dir`**Default Value**`deployments`**API Name**`idbroker_gateway_gateway_conf_dir`**Required**`false`**Admin Groups****Description**

Admin groups for Knox

Related Name

gateway.knox.admin.groups

Default Value**API Name**

idbroker_gateway_knox_admin_groups

Required

false

Gateway Path**Description**

The default context path for the gateway.

Related Name

gateway.path

Default Value

gateway

API Name

idbroker_gateway_path

Required

true

Cookie Scoping Enabled**Description**

Enable/Disable cookie scoping feature.

Related Name

gateway.scope.cookies.feature.enabled

Default Value

false

API Name

idbroker_gateway_scope_cookies_feature_enabled

Required

false

Security - Signing Key Alias**Description**

The alias for the signing keypair within the keystore specified via
idbroker_gateway_signing_keystore_name

Related Name

gateway.signing.key.alias

Default Value**API Name**

idbroker_gateway_signing_key_alias

Required

false

Security - Signing Keystore Name

Description

The filename of keystore file that contains the signing keypair

Related Name

gateway.signing.keystore.name

Default Value**API Name**

idbroker_gateway_signing_keystore_name

Required

false

Security - Signing Keystore Type

Description

The type of the keystore file where the signing keypair is stored. See
idbroker_gateway_signing_keystore_name

Related Name

gateway.signing.keystore.type

Default Value**API Name**

idbroker_gateway_signing_keystore_type

Required

false

Knox IDBroker GCP Credential Key

Description

The GCP Credential Key

Related Name

idbroker_gcp_credential_key

Default Value**API Name**

idbroker_gcp_credential_key

Required

false

Knox IDBroker GCP Credential Secret

Description

The GCP Credential Secret

Related Name

idbroker_gcp_credential_secret

Default Value**API Name**

idbroker_gcp_credential_secret

Required

false

Knox IDBroker GCP Group Mapping

Description

The list of GCP group-role mappings in 'group=role[:group=role]...[:group=role]' format. A 'group=role' declaration indicates that all authenticated users that are member of the specified group should be able to assume the specified role. For instance: admin=storage-admin@XYZ.iam.gserviceaccount.com;audit=storage-read-only@XYZ.iam.gserviceaccount.com

Related Name

idbroker.gcp.group.role.mapping

Default Value**API Name**

idbroker_gcp_group_mapping

Required

false

Knox IDBroker GCP User Default Group Mapping

Description

The list of GCP user default group mappings in 'user=group[:user=group;...;user=group]' format. A 'user=group' declaration allows the given user to get its credentials indicated by the given group (in case the user belongs to different mapped groups)

Related Name

idbroker.gcp.user.default.group.mapping

Default Value**API Name**

idbroker_gcp_user_default_group_mapping

Required

false

Knox IDBroker GCP User Mapping

Description

The list of GCP user-role mappings in 'user=role[:user=role]...[:user=role]' format. A 'user=role' declaration indicates that this is a mapping of the authenticated user's primary principal to the specified role. For instance: admin=storage-admin@XYZ.iam.gserviceaccount.com;guest=storage-read-only@XYZ.iam.gserviceaccount.com

Related Name

idbroker.gcp.user.role.mapping

Default Value**API Name**

idbroker_gcp_user_mapping

Required

false

Admin Group Mapping - Class Name

Description

The class name used for Hadoop admin group mapping

Related Name

gateway.group.config.hadoop.security.group.mapping

Default Value`org.apache.hadoop.security.ShellBasedUnixGroupsMapping`**API Name**`idbroker_hadoop_security_group_mapping_class`**Required**`false`**IDBroker Initial/Max Heapsize****Description**

Initial/Maximum size for the Java Process heap. Passed to Java `-Xmx/-Xms`. Measured in megabytes.

Related Name`idbroker_heap_size`**Default Value**`1 GiB`**API Name**`idbroker_heap_size`**Required**`true`**Additional IDBroker Java Options****Description**

These arguments are passed as part of the Java command line. Commonly, garbage collection flags or extra debugging flags are passed here. `-Xmx/-Xms` should not be specified here: to set the heapsize use the 'Knox Gateway Initial/Max Heapsize' parameter

Related Name`idbroker_java_opts`**Default Value****API Name**`idbroker_java_opts`**Required**`false`**krb5.conf Location****Description**

Absolute path to `krb5.conf` file

Related Name`java.security.krb5.conf`**Default Value**`/etc/krb5.conf`**API Name**`idbroker_java_security_krb5_conf`**Required**`false`

Kerberos Proxyuser Block

Description

Proxyuser configuration used in Knox's 'dt' topology in case Kerberos is enabled. Must conform a valid JSON key-value format!

Related Name

idbroker_kerberos_dt_proxyuser_block

Default Value

hadoop.proxyuser.livy.hosts: * hadoop.proxyuser.livy.groups: * hadoop.proxyuser.hive.hosts: *
hadoop.proxyuser.hive.groups: * hadoop.proxyuser.httpfs.hosts: * hadoop.proxyuser.httpfs.groups:
* hadoop.proxyuser.hue.hosts: * hadoop.proxyuser.hue.groups: * hadoop.proxyuser.oozie.hosts:
* hadoop.proxyuser.oozie.groups: * hadoop.proxyuser.impala.hosts: *
hadoop.proxyuser.impala.groups: *

API Name

idbroker_kerberos_dt_proxyuser_block

Required

false

IDBroker Knox Token Eviction Grace Period

Description

Defines the grace period for which an expired token's state will avoid eviction. Setting this to zero means there is no grace period, and token state is evicted based on expiration only. See `idbroker_knox_token_eviction_interval` for more information.

Related Name

gateway.knox.token.eviction.grace.period

Default Value

1 day(s)

API Name

idbroker_knox_token_eviction_grace_period

Required

false

IDBroker Knox Token Eviction Interval

Description

Defines the interval on which Knox will check for expired token state which should be evicted. If the value is equal to zero, Knox will not perform this check.

Related Name

gateway.knox.token.eviction.interval

Default Value

1 minute(s)

API Name

idbroker_knox_token_eviction_interval

Required

false

IDBroker Knox Token Permissive Validation

Description

When enabled, Knox will verify tokens for which there is no server-managed state based only on the contents of the tokens themselves, rather than throwing UnknownToken exceptions.

Related Name

gateway.knox.token.permissive.validation

Default Value

false

API Name

idbroker_knox_token_permissive_validation

Required

false

IDBroker Knox Token Renew Interval**Description**

The amount of time to be added to a token's TTL when a renewal request is approved.

Related Name

idbroker_knox_token_renew_interval

Default Value

1 day(s)

API Name

idbroker_knox_token_renew_interval

Required

false

IDBroker Knox Token Renewer Whitelist**Description**

This is an optional configuration parameter to authorize the comma-separated list of users to invoke the associated token renewal and revocation APIs.

Related Name

idbroker_knox_token_renewer_whitelist

Default Value

yarn

API Name

idbroker_knox_token_renewer_whitelist

Required

false

Enable IDBroker Knox Token State Server**Description**

Whether the Knox token state server is enabled for IDBroker

Related Name

idbroker_knox_token_state_enabled

Default Value

false

API Name

idbroker_knox_token_state_enabled

Required

false

IDBroker Knox Token TTL**Description**

This indicates the lifespan of the token. Once it expires a new token must be acquired from KnoxToken service.

Related Name

idbroker_knox_token_ttl_ms

Default Value

7 day(s)

API Name

idbroker_knox_token_ttl_ms

Required

false

IDBroker Master Secret**Description**

The master secret is used to access secured artifacts by the gateway instance. Keystore, trust stores and credential stores are all protected with the master secret. NOTE: changing the master secret will require you to change passwords protecting the keystores for the gateway, identity keystores and all credential stores

Related Name

idbroker_master_secret

Default Value**API Name**

idbroker_master_secret

Required

true

Gateway Config Refresh Interval**Description**

Defines the frequency of gateway configuration refresh.

Related Name

gateway.config.refresh.interval

Default Value

10 second(s)

API Name

idbroker_relaodable_refresh_interval_ms

Required

false

Save Cloud Vendor Specific Configs in core-site.xml**Description**

A boolean flag indicating if IDBroker-related config should be persisted in core-sitexml automatically by Cloudera Manager.

Related Name

idbroker_save_core_site_configs

Default Value

true

API Name

idbroker_save_core_site_configs

Required

false

Knox IDBroker Security Directory

Description

Contains security specific artifacts such as the persisted master secret, signing material and credential stores

Related Name

gateway.security.dir

Default Value

/var/lib/knox/idbroker/data/security

API Name

idbroker_security_dir

Required

false

KRB5 Debug

Description

Boolean flag indicating whether to enable debug messages for krb5 authentication

Related Name

sun.security.krb5.debug

Default Value

false

API Name

idbroker_sun_security_krb5_debug

Required

false

Topology Deployment Check - Delay

Description

Indicates the delay between two subsequent attempts while topology deployment check is in progress.

Related Name

idbroker_topology_deployment_check_delay

Default Value

3 second(s)

API Name

idbroker_topology_deployment_check_delay

Required

false

Topology Deployment Check - Time Limit

Description

The time limit until topology deployment check will run before it reports an error.

Related Name

idbroker_topology_deployment_check_time_limit

Default Value

5 minute(s)

API Name

idbroker_topology_deployment_check_time_limit

Required

false

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses

Gateway HTTP Port

Description

The HTTP port for the Gateway.

Related Name

gateway.port

Default Value

8444

API Name

idbroker_gateway_port

Required

true

Resource Management

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/

O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security**Knox IDBroker TLS/SSL Trust Store File****Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Knox IDBroker might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

gateway.httpclient.truststore.path

Default Value**API Name**

ssl_client_truststore_location

Required

false

Knox IDBroker TLS/SSL Trust Store Password**Description**

The password for the Knox IDBroker TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name**Default Value****API Name**

ssl_client_truststore_password

Required

false

Enable TLS/SSL for Knox IDBroker**Description**

Encrypt communication between clients and Knox IDBroker using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

knox.enableTLS

Default Value

false

API Name

ssl_enabled

Required

false

Knox IDBroker TLS/SSL Server Keystore File Location**Description**

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Knox IDBroker is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

gateway.tls.keystore.path

Default Value

API Name

ssl_server_keystore_location

Required

false

Knox IDBroker TLS/SSL Server Keystore File Password

Description

The password for the Knox IDBroker keystore file.

Related Name

Default Value

API Name

ssl_server_keystore_password

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value

API Name

stacks_collection_directory

Required

false

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency

Description

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method

Description

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

	false
API Name	role_config_suppression_cdh_version_validator
Required	true

Suppress Parameter Validation: Knox IDBroker Advanced Configuration Snippet (Safety Valve) for conf/cdp-resources.xml

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox IDBroker Advanced Configuration Snippet (Safety Valve) for conf/cdp-resources.xml parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_conf/cdp-resources.xml_role_safety_valve
Required	true

Suppress Parameter Validation: Knox IDBroker Advanced Configuration Snippet (Safety Valve) for conf/gateway-reloadable.xml

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox IDBroker Advanced Configuration Snippet (Safety Valve) for conf/gateway-reloadable.xml parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_conf/gateway-reloadable.xml_role_safety_valve
Required	true

Suppress Parameter Validation: Knox IDBroker Advanced Configuration Snippet (Safety Valve) for conf/gateway-site.xml

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox IDBroker Advanced Configuration Snippet (Safety Valve) for conf/gateway-site.xml parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_conf/gateway-site.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Knox IDBroker Advanced Configuration Snippet (Safety Valve) for conf/kerberos_auth_to_local_rules.properties**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox IDBroker Advanced Configuration Snippet (Safety Valve) for conf/kerberos_auth_to_local_rules.properties parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_conf/kerberos_auth_to_local_rules.properties_role_safety_valve

Required

true

Suppress Parameter Validation: Knox IDBroker AWS Credentials Key**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox IDBroker AWS Credentials Key parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_idbroker_aws_credentials_key

Required

true

Suppress Parameter Validation: Knox IDBroker AWS Credentials Secret**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox IDBroker AWS Credentials Secret parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_idbroker_aws_credentials_secret

Required

true

Suppress Parameter Validation: Knox IDBroker AWS Group Mapping**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox IDBroker AWS Group Mapping parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_idbroker_aws_group_mapping

Required

true

Suppress Parameter Validation: Knox IDBroker AWS User Default Group Mapping**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox IDBroker AWS User Default Group Mapping parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_idbroker_aws_user_default_group_mapping

Required

true

Suppress Parameter Validation: Knox IDBroker AWS User Mapping**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox IDBroker AWS User Mapping parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_idbroker_aws_user_mapping

Required

true

Suppress Parameter Validation: Knox IDBroker AZURE ADLS2 Tenant Name**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox IDBroker AZURE ADLS2 Tenant Name parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_idbroker_azure_adls2_tenant_name

Required

true

Suppress Parameter Validation: Knox IDBroker AZURE 'blob-contributor' ClientID

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox IDBroker AZURE 'blob-contributor' ClientID parameter.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_azure_blob_contributor_clientid

Required

true

Suppress Parameter Validation: Knox IDBroker AZURE 'blob-contributor' Secret

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox IDBroker AZURE 'blob-contributor' Secret parameter.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_azure_blob_contributor_secret

Required

true

Suppress Parameter Validation: Knox IDBroker AZURE 'blob-reader' ClientID

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox IDBroker AZURE 'blob-reader' ClientID parameter.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_azure_blob_reader_clientid

Required

true

Suppress Parameter Validation: Knox IDBroker AZURE 'blob-reader' Secret

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox IDBroker AZURE 'blob-reader' Secret parameter.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_azure_blob_reader_secret

Required

true

Suppress Parameter Validation: Knox IDBroker AZURE Group Mapping

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox IDBroker AZURE Group Mapping parameter.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_azure_group_mapping

Required

true

Suppress Parameter Validation: Knox IDBroker AZURE User Default Group Mapping

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox IDBroker AZURE User Default Group Mapping parameter.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_azure_user_default_group_mapping

Required

true

Suppress Parameter Validation: Knox IDBroker AZURE User Mapping

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox IDBroker AZURE User Mapping parameter.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_azure_user_mapping

Required

true

Suppress Parameter Validation: Knox IDBroker AZURE VM Assumer Identity

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox IDBroker AZURE VM Assumer Identity parameter.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_azure_vm_assumer_identity

Required

true

Suppress Parameter Validation: Knox IDBroker Configuration Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox IDBroker Configuration Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_conf_dir

Required

true

Suppress Parameter Validation: Knox IDBroker Data Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox IDBroker Data Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_data_dir

Required

true

Suppress Parameter Validation: Gateway - Default API Topology Name

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway - Default API Topology Name parameter.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_default_api_topology_name

Required

true

Suppress Parameter Validation: Gateway - Default App Topology Name

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway - Default App Topology Name parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_idbroker_default_topology_name

Required

true

Suppress Parameter Validation: Gateway Config Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway Config Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_idbroker_gateway_gateway_conf_dir

Required

true

Suppress Parameter Validation: Admin Groups**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin Groups parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_idbroker_gateway_knox_admin_groups

Required

true

Suppress Parameter Validation: Gateway Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway Path parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_idbroker_gateway_path

Required

true

Suppress Parameter Validation: Gateway HTTP Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway HTTP Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_idbroker_gateway_port

Required

true

Suppress Parameter Validation: Security - Signing Key Alias

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Security - Signing Key Alias parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_idbroker_gateway_signing_key_alias

Required

true

Suppress Parameter Validation: Security - Signing Keystore Name

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Security - Signing Keystore Name parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_idbroker_gateway_signing_keystore_name

Required

true

Suppress Parameter Validation: Security - Signing Keystore Type

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Security - Signing Keystore Type parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_idbroker_gateway_signing_keystore_type

Required

true

Suppress Parameter Validation: Knox IDBroker GCP Credential Key

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox IDBroker GCP Credential Key parameter.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_gcp_credential_key

Required

true

Suppress Parameter Validation: Knox IDBroker GCP Credential Secret

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox IDBroker GCP Credential Secret parameter.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_gcp_credential_secret

Required

true

Suppress Parameter Validation: Knox IDBroker GCP Group Mapping

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox IDBroker GCP Group Mapping parameter.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_gcp_group_mapping

Required

true

Suppress Parameter Validation: Knox IDBroker GCP User Default Group Mapping

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox IDBroker GCP User Default Group Mapping parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_idbroker_gcp_user_default_group_mapping

Required

true

Suppress Parameter Validation: Knox IDBroker GCP User Mapping**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox IDBroker GCP User Mapping parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_idbroker_gcp_user_mapping

Required

true

Suppress Parameter Validation: Admin Group Mapping - Class Name**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin Group Mapping - Class Name parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_idbroker_hadoop_security_group_mapping_class

Required

true

Suppress Parameter Validation: IDBroker Initial/Max Heapsize**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the IDBroker Initial/Max Heapsize parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_idbroker_heap_size

Required

true

Suppress Parameter Validation: Additional IDBroker Java Options**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Additional IDBroker Java Options parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_idbroker_java_opts

Required

true

Suppress Parameter Validation: krb5.conf Location**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the krb5.conf Location parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_idbroker_java_security_krb5_conf

Required

true

Suppress Parameter Validation: Kerberos Proxyuser Block**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Proxyuser Block parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_idbroker_kerberos_dt_proxyuser_block

Required

true

Suppress Parameter Validation: IDBroker Knox Token Renewer Whitelist**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the IDBroker Knox Token Renewer Whitelist parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_idbroker_knox_token_renewer_whitelist

Required

true

Suppress Parameter Validation: IDBroker Master Secret

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the IDBroker Master Secret parameter.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_master_secret

Required

true

Suppress Parameter Validation: Knox IDBroker Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox IDBroker Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_role_env_safety_valve

Required

true

Suppress Parameter Validation: Knox IDBroker Security Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox IDBroker Security Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_security_dir

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Knox IDBroker Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox IDBroker Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Knox IDBroker Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox IDBroker Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: Heap Dump Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_otelcol_processors`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Receivers Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_receivers`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_remote_write_password`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_remote_write_url`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Knox IDBroker TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox IDBroker TLS/SSL Trust Store File parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: Knox IDBroker TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox IDBroker TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Parameter Validation: Knox IDBroker TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox IDBroker TLS/SSL Server Keystore File Location parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: Knox IDBroker TLS/SSL Server Keystore File Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox IDBroker TLS/SSL Server Keystore File Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_knox_idbroker_audit_health

Required

true

Suppress Health Test: File Descriptors

Description

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_knox_idbroker_file_descriptor

Required

true

Suppress Health Test: Host Health

Description

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_knox_idbroker_host_health

Required

true

Suppress Health Test: Log Directory Free Space

Description

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_knox_idbroker_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health

Description

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_knox_idbroker_otelcol_health

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_knox_idbroker_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_knox_idbroker_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_knox_idbroker_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_knox_idbroker_unexpected_exits

Required

true

Service-Wide

Advanced

Knox Service Advanced Configuration Snippet (Safety Valve) for conf/cdp-resources.xml

Description

For advanced use only, a string to be inserted into conf/cdp-resources.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

conf/cdp-resources.xml_service_safety_valve

Required

false

Knox Service Advanced Configuration Snippet (Safety Valve) for conf/gateway-site.xml

Description

For advanced use only, a string to be inserted into conf/gateway-site.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

conf/gateway-site.xml_service_safety_valve

Required

false

Knox Service Advanced Configuration Snippet (Safety Valve) for conf/kerberos_auth_to_local_rules.properties

Description

For advanced use only, a string to be inserted into conf/kerberos_auth_to_local_rules.properties. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value**API Name**`conf/kerberos_auth_to_local_rules.properties_service_safety_valve`**Required**`false`**Knox Gateway JDBC Url Override****Description**

Specify JDBC url override for connecting to Knox Gateway database. If specified, the above specified database properties (host/port/user/password) will be ignored.

Related Name`gateway.database.connection.url`**Default Value****API Name**`knox_gateway_database_jdbc_url`**Required**`false`**Knox Service Environment Advanced Configuration Snippet (Safety Valve)****Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**`KNOX_service_env_safety_valve`**Required**`false`**System Group****Description**

The group that this service's processes should run as.

Related Name**Default Value**`knox`**API Name**`process_groupname`**Required**`true`**System User****Description**

The user that this service's processes should run as.

Related Name

Default Value

knox

API Name

process_username

Required

true

Database**Knox Gateway Database Host****Description**

Hostname of the database used by Knox Gateway. If the port is non-default for your database type, use host:port notation.

Related Name

gateway.database.host

Default Value

localhost

API Name

knox_gateway_database_host

Required

false

Knox Gateway Database Name**Description**

Name of Knox Gateway database.

Related Name

gateway.database.name

Default Value

knoxgateway

API Name

knox_gateway_database_name

Required

false

Knox Gateway Database User Password**Description**

Password for Knox Gateway database.

Related Name

knox_gateway_database_password

Default Value**API Name**

knox_gateway_database_password

Required

false

Knox Gateway Database Port

Description

Port for Knox Gateway database.

Related Name

gateway.database.port

Default Value

5432

API Name

knox_gateway_database_port

Required

false

Knox Gateway Database Type

Description

Database type to be used (postgres).

Related Name

gateway.database.type

Default Value

postgresql

API Name

knox_gateway_database_type

Required

false

Knox Gateway Database User

Description

User for Knox Gateway database.

Related Name

knox_gateway_database_user

Default Value

knoxgateway

API Name

knox_gateway_database_user

Required

false

Monitoring

Enable Service Level Health Alerts

Description

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Healthy Knox IDBroker Monitoring Thresholds**Description**

The health test thresholds of the overall Knox IDBroker health. The check returns "Concerning" health if the percentage of "Healthy" Knox IDBrokers falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" Knox IDBrokers falls below the critical threshold.

Related Name**Default Value**

Warning: 99.0 %, Critical: 49.0 %

API Name

KNOX_IDBROKER_healthy_thresholds

Required

false

Healthy Knox Gateway Monitoring Thresholds**Description**

The health test thresholds of the overall Knox Gateway health. The check returns "Concerning" health if the percentage of "Healthy" Knox Gateways falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" Knox Gateways falls below the critical threshold.

Related Name**Default Value**

Warning: 99.0 %, Critical: 49.0 %

API Name

KNOX_KNOX_GATEWAY_healthy_thresholds

Required

false

Service Triggers

Description

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

`service_triggers`

Required

true

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name

Default Value

API Name

`smon_derived_configs_safety_valve`

Required

false

Other

Automatic Restart on Stop

Description

Automatically restart the service when a stop is issued.

Related Name

`autorestart_on_stop`

Default Value

false

API Name

autorestart_on_stop

Required

false

Hadoop Proxyuser Block

Description

Proxyuser configuration used in the 'homepage' and 'kerberos-providers' topologies for impersonation purposes. Must conform a valid JSON key-value format!

Related Name

hadoop_proxyuser_block

Default Value

hadoop.proxyuser.changeme.hosts: NONE hadoop.proxyuser.changeme.groups: NONE

API Name

hadoop_proxyuser_block

Required

false

HDFS Service

Description

Name of the HDFS service that this Knox service instance depends on

Related Name

Default Value

API Name

hdfs_service

Required

false

Enable Kerberos Authentication

Description

Boolean flag indicating whether the Hadoop cluster protected by Gateway is secured with Kerberos

Related Name

gateway.hadoop.kerberos.secured

Default Value

false

API Name

kerberos.auth.enabled

Required

false

Knox Home Page - Global Logout Page URL

Description

The URL for logging out of CDP. If defined, Knox will display an additional link based on this value on its own logout landing page.

Related Name

knox.global.logout.page.url

Default Value**API Name**

knox_global_logout_page_url

Required

false

Knox Home Page - Hidden Topologies**Description**

A comma-separated list of topology names that should not be listed in the Topologies section on the Knox Home page.

Related Name

knox.homepage.hidden.topologies

Default Value

admin manager KnoxSSO metadata homepage

API Name

knox_homepage_hidden_topologies

Required

false

Knox Home Page - Enable Logout**Description**

Whether logout from the Knox Home page is enabled or not.

Related Name

knox.homepage.logout.enabled

Default Value

false

API Name

knox_homepage_logout_enabled

Required

false

Knox Home Page - Pinned Topologies**Description**

A comma-separated list of topology names that should be auto-expanded on the Knox Home page.

Related Name

knox.homepage.pinned.topologies

Default Value

cdp-proxy cdp-proxy-token

API Name

knox_homepage_pinned_topologies

Required

false

Knox Home Page - Default Profile**Description**

The Home Page profiles allow end-users to control of what is being displayed in the General Proxy Information section. Please note that the 'full' profile comes with the Admin UI link that is not certified by Cloudera.

Related Name

knox_homepage_profile

Default Value

token

API Name

knox_homepage_profile

Required

false

Knox Jetty Server - Max Form Content Size**Description**

Jetty limits the amount of data that can post back from a browser or other client to the server. This helps protect the server against denial of service attacks by malicious clients sending huge amounts of data. The default maximum size Jetty permits is 200000 bytes.

Related Name

gateway.jetty.max.form.content.size

Default Value

200000

API Name

knox_jetty_max_form_content_size

Required

false

Knox Jetty Server - Max Form Keys**Description**

Jetty limits the number of form keys that can post back from a browser or other client to the server. This helps protect the server against denial of service attacks by malicious clients sending huge number of form keys. The default maximum size Jetty permits is 1000.

Related Name

gateway.jetty.max.form.keys

Default Value

1000

API Name

knox_jetty_max_form_keys

Required

false

Knox PAM Realm - Service Name

Description

Using KnoxPamRealm requires a PAM service name. This is the name of the file under '/etc/pam.d' that is used to initialize and configure the PAM subsystem. Normally, this file reflects the application using it. For example 'login', 'sshd', 'su', etc...

Related Name

knox_pam_realm_service

Default Value

login

API Name

knox_pam_realm_service

Required

false

Knox TLS - Cipher Suites (Only in FIPS environments)

Description

A comma separated list of ciphers to accept for SSL. See the JSSE Provider documents for possible ciphers. These can also contain regular expressions as shown in the Jetty documentation.

Related Name

knox_tls_cipher_suites

Default Value

TLS_ECDHE_ECDSA_WITH_AES_256_GCM_SHA384
TLS_ECDHE_ECDSA_WITH_AES_256_CBC_SHA384
TLS_ECDHE_ECDSA_WITH_AES_128_GCM_SHA256
TLS_ECDHE_ECDSA_WITH_AES_128_CBC_SHA256
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384
TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256

API Name

knox_tls_cipher_suites

Required

false

Knox TLS - Protocols (Only in FIPS environments)

Description

A comma separated list of protocols to accept for SSL. See the JSSE Provider documents for possible protocols. These can also contain regular expressions as shown in the Jetty documentation.

Related Name

knox_tls_protocols

Default Value

SSLv2Hello TLSv1.2

API Name

knox_tls_protocols

Required

false

Knox Token Kerberos - Allow Groups In JWT

Description

When enabled, Knox will allow group membership information to be added in the issued Knox Token JWTs when clients request that information.

Related Name

knox_token_kerberos_include_groups_allowed

Default Value

true

API Name

knox_token_kerberos_include_groups_allowed

Required

false

Knox Token Kerberos - TTL

Description

This indicates the lifespan of the token. Once it expires a new token must be acquired from KnoxToken service.

Related Name

knox_token_kerberos_ttl_ms

Default Value

10 minute(s)

API Name

knox_token_kerberos_ttl_ms

Required

false

Knox Topology Management - Changes Required For Redeployment

Description

Whether topology re-deployment requires an actual change or updating the topology file's timestamp is enough.

Related Name

gateway.topology.redeploy.requires.changes

Default Value

true

API Name

knox_topology_redeploy_requires_changes

Required

false

Knox SSO - Cookie Management Enabled

Description

Whether KnoxSSO Cookie management is enabled. If this is turned on, KnoxSSO Cookie Invalidation can be utilized.

Related Name

knoxssso_cookie_management_enabled

Default Value

false

API Name

knoxssso_cookie_management_enabled

Required

false

Knox SSO - Cookie SameSite Attribute**Description**

The SameSite attribute of the generated Knox SSO Cookie (hadoop-jwt).

Related Name

knoxssso_cookie_samesite

Default Value

Lax

API Name

knoxssso_cookie_samesite

Required

false

Knox SSO - Redirect Whitelist Regular Expression**Description**

A semicolon-delimited list of regular expressions. The incoming originalUrl must match one of the expressions in order for KnoxSSO to redirect to it after authentication. You can use the KNOX_GW_DOMAIN placeholder in your own regular expression. In that case, that placeholder will be replaced with the actual domain name of the host where the given Knox Gateway is running.

Related Name

knoxssso_redirect_whitelist_regex

Default Value

^https?:\v{(. *KNOX_GW_DOMAIN)(?:[0-9]+)?(?:\v{.})*}\$

API Name

knoxssso_redirect_whitelist_regex

Required

false

Knox SSO - Token TTL**Description**

Knox SSO token time-to-live value in milliseconds.

Related Name

knoxssso_token_ttl

Default Value

86400000

API Name

knoxssso_token_ttl

Required

false

Ranger Knox Plugin Hdfs Audit Directory

Description

The HDFS path on which Ranger audits are written.

Related Name

ranger_knox_plugin_hdfs_audit_directory

Default Value

\$ranger_base_audit_url/knox

API Name

ranger_knox_plugin_hdfs_audit_directory

Required

false

RANGER Service

Description

Name of the RANGER service that this Knox service instance depends on

Related Name**Default Value****API Name**

ranger_service

Required

false

Save Alias Command Input

Description

This parameter serves as the input for the 'Save Alias' command. The input must follow the following format:
topology_name_1[:topology_name_2:...:topology_name_N].alias_name=password

Related Name

save_alias_command_input_password

Default Value**API Name**

save_alias_command_input_password

Required

false

Security

Kerberos Principal

Description

Kerberos principal short name used by all roles of this service.

Related Name**Default Value**

knox

API Name

kerberos_princ_name

Required

true

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: Deploy Directory

Description

Whether to suppress configuration warnings produced by the Deploy Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Configuration Validator: Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/auto-discovery-advanced-configuration-cdp-proxy-api.properties

Description

Whether to suppress configuration warnings produced by the Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/auto-discovery-advanced-configuration-cdp-proxy-api.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_conf/auto-discovery-advanced-configuration-cdp-proxy-api.properties_role_safety_valve

Required

true

Suppress Configuration Validator: Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/auto-discovery-advanced-configuration-cdp-proxy-token.properties

Description

Whether to suppress configuration warnings produced by the Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/auto-discovery-advanced-configuration-cdp-proxy-token.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_conf/auto-discovery-advanced-configuration-cdp-proxy-token.properties_role_safety_valve

Required

true

Suppress Configuration Validator: Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/auto-discovery-advanced-configuration-cdp-proxy.properties

Description

Whether to suppress configuration warnings produced by the Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/auto-discovery-advanced-configuration-cdp-proxy.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_conf/auto-discovery-advanced-configuration-cdp-proxy.properties_role_safety_valve

Required

true

Suppress Configuration Validator: Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/cdp-resources.xml

Description

Whether to suppress configuration warnings produced by the Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/cdp-resources.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_conf/cdp-resources.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Knox IDBroker Advanced Configuration Snippet (Safety Valve) for conf/gateway-reloadable.xml

Description

Whether to suppress configuration warnings produced by the Knox IDBroker Advanced Configuration Snippet (Safety Valve) for conf/gateway-reloadable.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_conf/gateway-reloadable.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/gateway-site.xml

Description

Whether to suppress configuration warnings produced by the Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/gateway-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_conf/gateway-site.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/kerberos_auth_to_local_rules.properties

Description

Whether to suppress configuration warnings produced by the Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/kerberos_auth_to_local_rules.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_conf/kerberos_auth_to_local_rules.properties_role_safety_valve

Required

true

Suppress Configuration Validator: Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/ranger-knox-audit.xml

Description

Whether to suppress configuration warnings produced by the Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/ranger-knox-audit.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_conf/ranger-knox-audit.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/ranger-knox-policymgr-ssl.xml

Description

Whether to suppress configuration warnings produced by the Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/ranger-knox-policymgr-ssl.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_conf/ranger-knox-policymgr-ssl.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/ranger-knox-security.xml

Description

Whether to suppress configuration warnings produced by the Knox Gateway Advanced Configuration Snippet (Safety Valve) for conf/ranger-knox-security.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_conf/ranger-knox-security.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Knox Simplified Topology Management - API Authentication Provider

Description

Whether to suppress configuration warnings produced by the Knox Simplified Topology Management - API Authentication Provider configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_api_authentication_provider

Required

true

Suppress Configuration Validator: Knox Gateway Configuration Directory

Description

Whether to suppress configuration warnings produced by the Knox Gateway Configuration Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_gateway_conf_dir

Required

true

Suppress Configuration Validator: Knox Gateway Data Directory

Description

Whether to suppress configuration warnings produced by the Knox Gateway Data Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_gateway_data_dir

Required

true

Suppress Configuration Validator: Knox Gateway Database - SSL Certificate File

Description

Whether to suppress configuration warnings produced by the Knox Gateway Database - SSL Certificate File configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_gateway_database_ssl_truststore_file

Required

true

Suppress Configuration Validator: Knox Gateway Database - SSL Certificate File Password

Description

Whether to suppress configuration warnings produced by the Knox Gateway Database - SSL Certificate File Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_gateway_database_ssl_truststore_file_password

Required

true

Suppress Configuration Validator: Gateway - Default API Topology Name

Description

Whether to suppress configuration warnings produced by the Gateway - Default API Topology Name configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_default_api_topology_name

Required

true

Suppress Configuration Validator: Gateway - Default App Topology Name

Description

Whether to suppress configuration warnings produced by the Gateway - Default App Topology Name configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_default_topology_name

Required

true

Suppress Configuration Validator: Knox Simplified Topology Management - cdp-proxy

Description

Whether to suppress configuration warnings produced by the Knox Simplified Topology Management - cdp-proxy configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_descriptor_cdp_proxy

Required

true

Suppress Configuration Validator: Knox Simplified Topology Management - cdp-proxy-api

Description

Whether to suppress configuration warnings produced by the Knox Simplified Topology Management - cdp-proxy-api configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_descriptor_cdp_proxy_api

Required

true

Suppress Configuration Validator: Knox Simplified Topology Management - cdp-proxy-token

Description

Whether to suppress configuration warnings produced by the Knox Simplified Topology Management - cdp-proxy-token configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_descriptor_cdp_proxy_token

Required

true

Suppress Configuration Validator: Knox Gateway Dispatch Whitelist

Description

Whether to suppress configuration warnings produced by the Knox Gateway Dispatch Whitelist configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_dispatch_whitelist

Required

true

Suppress Configuration Validator: Knox Gateway Dispatch Whitelist Services

Description

Whether to suppress configuration warnings produced by the Knox Gateway Dispatch Whitelist Services configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_dispatch_whitelist_services

Required

true

Suppress Configuration Validator: Gateway Config Directory

Description

Whether to suppress configuration warnings produced by the Gateway Config Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_gateway_conf_dir

Required

true

Suppress Configuration Validator: Knox Gateway Initial/Max Heapsize

Description

Whether to suppress configuration warnings produced by the Knox Gateway Initial/Max Heapsize configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_heap_size

Required

true

Suppress Configuration Validator: Additional Gateway Java Options

Description

Whether to suppress configuration warnings produced by the Additional Gateway Java Options configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_java_opts

Required

true

Suppress Configuration Validator: Admin Groups

Description

Whether to suppress configuration warnings produced by the Admin Groups configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_knox_admin_groups

Required

true

Suppress Configuration Validator: Knox Token Integration - Allowed JWS Types

Description

Whether to suppress configuration warnings produced by the Knox Token Integration - Allowed JWS Types configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_knox_token_allowed_jws_types

Required

true

Suppress Configuration Validator: Knox Token Integration - Expected JWT Issuer

Description

Whether to suppress configuration warnings produced by the Knox Token Integration - Expected JWT Issuer configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_knox_token_expected_jwt_issuer

Required

true

Suppress Configuration Validator: Knox Token Integration - Expected JWT Signature Algorithm

Description

Whether to suppress configuration warnings produced by the Knox Token Integration - Expected JWT Signature Algorithm configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_knox_token_expected_jwt_signature_algorithm

Required

true

Suppress Configuration Validator: Knox Token Integration - Expected Principal Claim

Description

Whether to suppress configuration warnings produced by the Knox Token Integration - Expected Principal Claim configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_knox_token_expected_principal_claim

Required

true

Suppress Configuration Validator: Knox Token Integration - JWKS URL

Description

Whether to suppress configuration warnings produced by the Knox Token Integration - JWKS URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_knox_token_jwks_url

Required

true

Suppress Configuration Validator: Knox Token Integration - Users Who Can See All Tokens

Description

Whether to suppress configuration warnings produced by the Knox Token Integration - Users Who Can See All Tokens configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_knox_token_management_user_can_see_all_tokens

Required

true

Suppress Configuration Validator: Knox Token Integration - Renewer Whitelist

Description

Whether to suppress configuration warnings produced by the Knox Token Integration - Renewer Whitelist configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_knox_token_renewer_whitelist

Required

true

Suppress Configuration Validator: Knox Token Integration - Token Type

Description

Whether to suppress configuration warnings produced by the Knox Token Integration - Token Type configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_gateway_knox_token_type

Required

true

Suppress Configuration Validator: Knox Gateway Logger Configuration (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the Knox Gateway Logger Configuration (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_gateway_loggers_safety_valve

Required

true

Suppress Configuration Validator: Knox Master Secret**Description**

Whether to suppress configuration warnings produced by the Knox Master Secret configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_gateway_master_secret

Required

true

Suppress Configuration Validator: Gateway Path**Description**

Whether to suppress configuration warnings produced by the Gateway Path configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_gateway_path

Required

true

Suppress Configuration Validator: Gateway HTTP Port**Description**

Whether to suppress configuration warnings produced by the Gateway HTTP Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_gateway_port

Required

true

Suppress Configuration Validator: Ranger Knox Plugin Conf Path**Description**

Whether to suppress configuration warnings produced by the Ranger Knox Plugin Conf Path configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_gateway_ranger_knox_plugin_conf_path

Required

true

Suppress Configuration Validator: Ranger Knox Plugin Policy Cache Directory Path**Description**

Whether to suppress configuration warnings produced by the Ranger Knox Plugin Policy Cache Directory Path configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_gateway_ranger_knox_plugin_policy_cache_directory

Required

true

Suppress Configuration Validator: Ranger Plugin Trusted Proxy IP Address**Description**

Whether to suppress configuration warnings produced by the Ranger Plugin Trusted Proxy IP Address configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_gateway_ranger_plugin_trusted_proxy_ipaddress

Required

true

Suppress Configuration Validator: Knox Gateway Security Directory

Description

Whether to suppress configuration warnings produced by the Knox Gateway Security Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_security_dir

Required

true

Suppress Configuration Validator: Session Verification - Privileged Users

Description

Whether to suppress configuration warnings produced by the Session Verification - Privileged Users configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_session_verification_privileged_users

Required

true

Suppress Configuration Validator: Session Verification - Unlimited Users

Description

Whether to suppress configuration warnings produced by the Session Verification - Unlimited Users configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_session_verification_unlimited_users

Required

true

Suppress Configuration Validator: Security - Signing Key Alias

Description

Whether to suppress configuration warnings produced by the Security - Signing Key Alias configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_signing_key_alias

Required

true

Suppress Configuration Validator: Security - Signing Keystore Name

Description

Whether to suppress configuration warnings produced by the Security - Signing Keystore Name configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_signing_keystore_name

Required

true

Suppress Configuration Validator: Security - Signing Keystore Type

Description

Whether to suppress configuration warnings produced by the Security - Signing Keystore Type configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_signing_keystore_type

Required

true

Suppress Configuration Validator: Knox Simplified Topology Management - SSO Authentication Provider

Description

Whether to suppress configuration warnings produced by the Knox Simplified Topology Management - SSO Authentication Provider configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_gateway_sso_authentication_provider

Required

true

Suppress Configuration Validator: Security - TLS Certificate Alias (Optional)**Description**

Whether to suppress configuration warnings produced by the Security - TLS Certificate Alias (Optional) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_gateway_tls_certificate_alias

Required

true

Suppress Configuration Validator: Security - TLS Certificate Path (Optional)**Description**

Whether to suppress configuration warnings produced by the Security - TLS Certificate Path (Optional) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_gateway_tls_certificate_path

Required

true

Suppress Configuration Validator: Knox Token Integration - Allowed Token Management Implementations**Description**

Whether to suppress configuration warnings produced by the Knox Token Integration - Allowed Token Management Implementations configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_gateway_token_generation_allowed_tss_backends

Required

true

Suppress Configuration Validator: X-Forwarded Header Context Service Name**Description**

Whether to suppress configuration warnings produced by the X-Forwarded Header Context Service Name configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_gateway_xforwarded_header_context_append_servicename

Required

true

Suppress Configuration Validator: Admin Group Mapping - Class Name

Description

Whether to suppress configuration warnings produced by the Admin Group Mapping - Class Name configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_security_group_mapping_class

Required

true

Suppress Configuration Validator: Knox IDBroker AWS Credentials Key

Description

Whether to suppress configuration warnings produced by the Knox IDBroker AWS Credentials Key configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_aws_credentials_key

Required

true

Suppress Configuration Validator: Knox IDBroker AWS Credentials Secret

Description

Whether to suppress configuration warnings produced by the Knox IDBroker AWS Credentials Secret configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_aws_credentials_secret

Required

true

Suppress Configuration Validator: Knox IDBroker AWS Group Mapping

Description

Whether to suppress configuration warnings produced by the Knox IDBroker AWS Group Mapping configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_aws_group_mapping

Required

true

Suppress Configuration Validator: Knox IDBroker AWS User Default Group Mapping

Description

Whether to suppress configuration warnings produced by the Knox IDBroker AWS User Default Group Mapping configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_aws_user_default_group_mapping

Required

true

Suppress Configuration Validator: Knox IDBroker AWS User Mapping

Description

Whether to suppress configuration warnings produced by the Knox IDBroker AWS User Mapping configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_aws_user_mapping

Required

true

Suppress Configuration Validator: Knox IDBroker AZURE ADLS2 Tenant Name

Description

Whether to suppress configuration warnings produced by the Knox IDBroker AZURE ADLS2 Tenant Name configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_azure_adls2_tenant_name

Required

true

Suppress Configuration Validator: Knox IDBroker AZURE 'blob-contributor' ClientID

Description

Whether to suppress configuration warnings produced by the Knox IDBroker AZURE 'blob-contributor' ClientID configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_azure_blob_contributor_clientid

Required

true

Suppress Configuration Validator: Knox IDBroker AZURE 'blob-contributor' Secret

Description

Whether to suppress configuration warnings produced by the Knox IDBroker AZURE 'blob-contributor' Secret configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_azure_blob_contributor_secret

Required

true

Suppress Configuration Validator: Knox IDBroker AZURE 'blob-reader' ClientID

Description

Whether to suppress configuration warnings produced by the Knox IDBroker AZURE 'blob-reader' ClientID configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_azure_blob_reader_clientid

Required

true

Suppress Configuration Validator: Knox IDBroker AZURE 'blob-reader' Secret

Description

Whether to suppress configuration warnings produced by the Knox IDBroker AZURE 'blob-reader' Secret configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_azure_blob_reader_secret

Required

true

Suppress Configuration Validator: Knox IDBroker AZURE Group Mapping

Description

Whether to suppress configuration warnings produced by the Knox IDBroker AZURE Group Mapping configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_idbroker_azure_group_mapping

Required

true

Suppress Configuration Validator: Knox IDBroker AZURE User Default Group Mapping

Description

Whether to suppress configuration warnings produced by the Knox IDBroker AZURE User Default Group Mapping configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_idbroker_azure_user_default_group_mapping

Required

true

Suppress Configuration Validator: Knox IDBroker AZURE User Mapping

Description

Whether to suppress configuration warnings produced by the Knox IDBroker AZURE User Mapping configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_idbroker_azure_user_mapping

Required

true

Suppress Configuration Validator: Knox IDBroker AZURE VM Assumer Identity

Description

Whether to suppress configuration warnings produced by the Knox IDBroker AZURE VM Assumer Identity configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_idbroker_azure_vm_assumer_identity

Required

true

Suppress Configuration Validator: Knox IDBroker Configuration Directory

Description

Whether to suppress configuration warnings produced by the Knox IDBroker Configuration Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_conf_dir

Required

true

Suppress Configuration Validator: Knox IDBroker Data Directory

Description

Whether to suppress configuration warnings produced by the Knox IDBroker Data Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_data_dir

Required

true

Suppress Configuration Validator: Gateway - Default API Topology Name

Description

Whether to suppress configuration warnings produced by the Gateway - Default API Topology Name configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_default_api_topology_name

Required

true

Suppress Configuration Validator: Gateway - Default App Topology Name

Description

Whether to suppress configuration warnings produced by the Gateway - Default App Topology Name configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_default_topology_name

Required

true

Suppress Configuration Validator: Gateway Config Directory

Description

Whether to suppress configuration warnings produced by the Gateway Config Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_gateway_gateway_conf_dir

Required

true

Suppress Configuration Validator: Admin Groups

Description

Whether to suppress configuration warnings produced by the Admin Groups configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_gateway_knox_admin_groups

Required

true

Suppress Configuration Validator: Gateway Path

Description

Whether to suppress configuration warnings produced by the Gateway Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_gateway_path

Required

true

Suppress Configuration Validator: Gateway HTTP Port

Description

Whether to suppress configuration warnings produced by the Gateway HTTP Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_gateway_port

Required

true

Suppress Configuration Validator: Security - Signing Key Alias

Description

Whether to suppress configuration warnings produced by the Security - Signing Key Alias configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_gateway_signing_key_alias

Required

true

Suppress Configuration Validator: Security - Signing Keystore Name

Description

Whether to suppress configuration warnings produced by the Security - Signing Keystore Name configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_gateway_signing_keystore_name

Required

true

Suppress Configuration Validator: Security - Signing Keystore Type

Description

Whether to suppress configuration warnings produced by the Security - Signing Keystore Type configuration validator.

Related Name

Default Value

false

API Name

`role_config_suppression_idbroker_gateway_signing_keystore_type`**Required**`true`**Suppress Configuration Validator: Knox IDBroker GCP Credential Key****Description**

Whether to suppress configuration warnings produced by the Knox IDBroker GCP Credential Key configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_idbroker_gcp_credential_key`**Required**`true`**Suppress Configuration Validator: Knox IDBroker GCP Credential Secret****Description**

Whether to suppress configuration warnings produced by the Knox IDBroker GCP Credential Secret configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_idbroker_gcp_credential_secret`**Required**`true`**Suppress Configuration Validator: Knox IDBroker GCP Group Mapping****Description**

Whether to suppress configuration warnings produced by the Knox IDBroker GCP Group Mapping configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_idbroker_gcp_group_mapping`**Required**`true`**Suppress Configuration Validator: Knox IDBroker GCP User Default Group Mapping****Description**

Whether to suppress configuration warnings produced by the Knox IDBroker GCP User Default Group Mapping configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_gcp_user_default_group_mapping

Required

true

Suppress Configuration Validator: Knox IDBroker GCP User Mapping

Description

Whether to suppress configuration warnings produced by the Knox IDBroker GCP User Mapping configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_gcp_user_mapping

Required

true

Suppress Configuration Validator: Admin Group Mapping - Class Name

Description

Whether to suppress configuration warnings produced by the Admin Group Mapping - Class Name configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_hadoop_security_group_mapping_class

Required

true

Suppress Configuration Validator: IDBroker Initial/Max Heapsize

Description

Whether to suppress configuration warnings produced by the IDBroker Initial/Max Heapsize configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_heap_size

Required

true

Suppress Configuration Validator: Additional IDBroker Java Options

Description

Whether to suppress configuration warnings produced by the Additional IDBroker Java Options configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_java_opts

Required

true

Suppress Configuration Validator: krb5.conf Location

Description

Whether to suppress configuration warnings produced by the krb5.conf Location configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_java_security_krb5_conf

Required

true

Suppress Configuration Validator: Kerberos Proxyuser Block

Description

Whether to suppress configuration warnings produced by the Kerberos Proxyuser Block configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_kerberos_dt_proxyuser_block

Required

true

Suppress Configuration Validator: IDBroker Knox Token Renewer Whitelist

Description

Whether to suppress configuration warnings produced by the IDBroker Knox Token Renewer Whitelist configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_idbroker_knox_token_renewer_whitelist

Required

true

Suppress Configuration Validator: IDBroker Master Secret

Description

Whether to suppress configuration warnings produced by the IDBroker Master Secret configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_idbroker_master_secret

Required

true

Suppress Configuration Validator: Knox IDBroker Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Knox IDBroker Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_idbroker_role_env_safety_valve

Required

true

Suppress Configuration Validator: Knox IDBroker Security Directory

Description

Whether to suppress configuration warnings produced by the Knox IDBroker Security Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_idbroker_security_dir

Required

true

Suppress Configuration Validator: krb5.conf Location

Description

Whether to suppress configuration warnings produced by the krb5.conf Location configuration validator.

Related Name**Default Value**

	false
API Name	role_config_suppression_java_security_krb5_conf
Required	true

Suppress Configuration Validator: JMX Exporter configuration YAML

Description	Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_jmx_exporter_yaml
Required	true

Suppress Configuration Validator: Knox Gateway Environment Advanced Configuration Snippet (Safety Valve)

Description	Whether to suppress configuration warnings produced by the Knox Gateway Environment Advanced Configuration Snippet (Safety Valve) configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_knox_gateway_role_env_safety_valve
Required	true

Suppress Configuration Validator: Knox IDBroker Logging Advanced Configuration Snippet (Safety Valve)

Description	Whether to suppress configuration warnings produced by the Knox IDBroker Logging Advanced Configuration Snippet (Safety Valve) configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_log4j_safety_valve
Required	true

Suppress Configuration Validator: Knox Gateway Log Directory

Description

Whether to suppress configuration warnings produced by the Knox Gateway Log Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Configuration Validator: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name**Default Value**

false

API Name

`role_config_suppression_otelcol_extensions`**Required**`true`**Suppress Configuration Validator: OpenTelemetry Collector Helper Port****Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_helper_port`**Required**`true`**Suppress Configuration Validator: OpenTelemetry Collector Processors Section****Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_processors`**Required**`true`**Suppress Configuration Validator: OpenTelemetry Collector Receivers Section****Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_receivers`**Required**`true`**Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password****Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: Ranger Knox Plugin Audit Hdfs Spool Directory Path

Description

Whether to suppress configuration warnings produced by the Ranger Knox Plugin Audit Hdfs Spool Directory Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_audit_hdfs_spool_dir

Required

true

Suppress Configuration Validator: Ranger Knox Plugin Audit Solr Spool Directory Path

Description

Whether to suppress configuration warnings produced by the Ranger Knox Plugin Audit Solr Spool Directory Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_audit_solr_spool_dir

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: Role Triggers

Description

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Configuration Validator: Knox Gateway TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the Knox Gateway TLS/SSL Trust Store File configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Configuration Validator: Knox Gateway TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the Knox Gateway TLS/SSL Trust Store Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Configuration Validator: Knox Gateway TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the Knox Gateway TLS/SSL Server Keystore File Location configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Configuration Validator: Knox Gateway TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the Knox Gateway TLS/SSL Server Keystore File Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Configuration Validator: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Parameter Validation: Knox Service Advanced Configuration Snippet (Safety Valve) for conf/cdp-resources.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Service Advanced Configuration Snippet (Safety Valve) for conf/cdp-resources.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_conf/cdp-resources.xml_service_safety_valve

Required

true

Suppress Parameter Validation: Knox Service Advanced Configuration Snippet (Safety Valve) for conf/gateway-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Service Advanced Configuration Snippet (Safety Valve) for conf/gateway-site.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_conf/gateway-site.xml_service_safety_valve

Required

true

Suppress Parameter Validation: Knox Service Advanced Configuration Snippet (Safety Valve) for conf/kerberos_auth_to_local_rules.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Service Advanced Configuration Snippet (Safety Valve) for conf/kerberos_auth_to_local_rules.properties parameter.

Related Name

Default Value

false

API Name

service_config_suppression_conf/kerberos_auth_to_local_rules.properties_service_safety_valve

Required

true

Suppress Configuration Validator: Gateway Count Validator

Description

Whether to suppress configuration warnings produced by the Gateway Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_gateway_count_validator

Required

true

Suppress Parameter Validation: Hadoop Proxyuser Block**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hadoop Proxyuser Block parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hadoop_proxyuser_block

Required

true

Suppress Configuration Validator: Knox IDBroker Count Validator**Description**

Whether to suppress configuration warnings produced by the Knox IDBroker Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_idbroker_count_validator

Required

true

Suppress Parameter Validation: Kerberos Principal**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Principal parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_kerberos_princ_name

Required

true

Suppress Configuration Validator: Knox Gateway Count Validator**Description**

Whether to suppress configuration warnings produced by the Knox Gateway Count Validator configuration validator.

Related Name**Default Value**

false

API Name

`service_config_suppression_knox_gateway_count_validator`**Required**`true`**Suppress Parameter Validation: Knox Gateway Database Host****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Gateway Database Host parameter.

Related Name**Default Value**`false`**API Name**`service_config_suppression_knox_gateway_database_host`**Required**`true`**Suppress Parameter Validation: Knox Gateway JDBC Url Override****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Gateway JDBC Url Override parameter.

Related Name**Default Value**`false`**API Name**`service_config_suppression_knox_gateway_database_jdbc_url`**Required**`true`**Suppress Parameter Validation: Knox Gateway Database Name****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Gateway Database Name parameter.

Related Name**Default Value**`false`**API Name**`service_config_suppression_knox_gateway_database_name`**Required**`true`**Suppress Parameter Validation: Knox Gateway Database User Password****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Gateway Database User Password parameter.

Related Name

Default Value

false

API Name

service_config_suppression_knox_gateway_database_password

Required

true

Suppress Parameter Validation: Knox Gateway Database Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Gateway Database Port parameter.

Related Name

Default Value

false

API Name

service_config_suppression_knox_gateway_database_port

Required

true

Suppress Parameter Validation: Knox Gateway Database User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Gateway Database User parameter.

Related Name

Default Value

false

API Name

service_config_suppression_knox_gateway_database_user

Required

true

Suppress Parameter Validation: Knox Home Page - Global Logout Page URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Home Page - Global Logout Page URL parameter.

Related Name

Default Value

false

API Name

service_config_suppression_knox_global_logout_page_url

Required

true

Suppress Parameter Validation: Knox Home Page - Hidden Topologies

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Home Page - Hidden Topologies parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_knox_homepage_hidden_topologies

Required

true

Suppress Parameter Validation: Knox Home Page - Pinned Topologies**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Home Page - Pinned Topologies parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_knox_homepage_pinned_topologies

Required

true

Suppress Parameter Validation: Knox PAM Realm - Service Name**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox PAM Realm - Service Name parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_knox_pam_realm_service

Required

true

Suppress Parameter Validation: Knox Service Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_knox_service_env_safety_valve

Required

true

Suppress Parameter Validation: Knox TLS - Cipher Suites (Only in FIPS environments)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox TLS - Cipher Suites (Only in FIPS environments) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_knox_tls_cipher_suites

Required

true

Suppress Parameter Validation: Knox TLS - Protocols (Only in FIPS environments)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox TLS - Protocols (Only in FIPS environments) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_knox_tls_protocols

Required

true

Suppress Parameter Validation: Knox SSO - Redirect Whitelist Regular Expression**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox SSO - Redirect Whitelist Regular Expression parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_knoxssso_redirect_whitelist_regex

Required

true

Suppress Parameter Validation: Knox SSO - Token TTL**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox SSO - Token TTL parameter.

Related Name**Default Value**

	false
API Name	service_config_suppression_knoxsso_token_ttl
Required	true

Suppress Parameter Validation: System Group

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name

Default Value
false

API Name
service_config_suppression_process_groupname

Required
true

Suppress Parameter Validation: System User

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name

Default Value
false

API Name
service_config_suppression_process_username

Required
true

Suppress Parameter Validation: Ranger Knox Plugin Hdfs Audit Directory

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Knox Plugin Hdfs Audit Directory parameter.

Related Name

Default Value
false

API Name
service_config_suppression_ranger_knox_plugin_hdfs_audit_directory

Required
true

Suppress Parameter Validation: Save Alias Command Input

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Save Alias Command Input parameter.

Related Name

Default Value

false

API Name

service_config_suppression_save_alias_command_input_password

Required

true

Suppress Parameter Validation: Service Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name

Default Value

false

API Name

service_config_suppression_service_triggers

Required

true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_smon_derived_configs_safety_valve

Required

true

Suppress Health Test: Knox IDBroker Health

Description

Whether to suppress the results of the Knox IDBroker Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

service_health_suppression_knox_idbroker_healthy

Required

true

Suppress Health Test: Knox Gateway Health**Description**

Whether to suppress the results of the Knox Gateway Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_knox_knox_gateway_healthy

Required

true

Livy Properties in Cloudera Runtime 7.3.1

Role groups:

Gateway

Advanced**Deploy Directory****Description**

The directory where the client configs will be deployed

Related Name**Default Value**

/etc/livy

API Name

client_config_root_dir

Required

true

Livy Client Advanced Configuration Snippet (Safety Valve) for livy-conf/livy-client.conf**Description**

For advanced use only, a string to be inserted into the client configuration for livy-conf/livy-client.conf.

Related Name**Default Value****API Name**

livy-conf/livy-client.conf_client_config_safety_valve

Required

false

Monitoring

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Other

Alternatives Priority

Description

The priority level that the client configuration will have in the Alternatives system on the hosts. Higher priority levels will cause Alternatives to prefer this configuration over any others.

Related Name**Default Value**

50

API Name

client_config_priority

Required

true

Security

Gateway TLS/SSL Trust Store File

Description

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Gateway might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

livy.truststore

Default Value**API Name**

ssl_client_truststore_location

Required

false

Gateway TLS/SSL Trust Store Password

Description

The password for the Gateway TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

livy.truststore.password

Default Value**API Name**

ssl_client_truststore_password

Required

false

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Deploy Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Deploy Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Parameter Validation: Livy Client Advanced Configuration Snippet (Safety Valve) for livy-conf/livy-client.conf**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Livy Client Advanced Configuration Snippet (Safety Valve) for livy-conf/livy-client.conf parameter.

Related Name**Default Value**

	false
API Name	role_config_suppression_livy-conf/livy-client.conf_client_config_safety_valve
Required	true

Suppress Parameter Validation: Gateway TLS/SSL Trust Store File

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway TLS/SSL Trust Store File parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_ssl_client_truststore_location
Required	true

Suppress Parameter Validation: Gateway TLS/SSL Trust Store Password

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway TLS/SSL Trust Store Password parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_ssl_client_truststore_password
Required	true

Livy Server

Advanced

Livy Server Advanced Configuration Snippet (Safety Valve) for livy-conf/livy.conf

Description	For advanced use only. A string to be inserted into livy-conf/livy.conf for this role only.
Related Name	
Default Value	
API Name	livy-conf/livy.conf_role_safety_valve
Required	false

Livy Server Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

LIVY_SERVER_role_env_safety_valve

Required

false

Livy Server Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory

Description

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from

publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Logs

Livy Server Log Directory

Description

The log directory for log files of the role Livy Server.

Related Name

log_dir

Default Value

/var/log/livy

API Name

log_dir

Required

false

Livy Server Logging Threshold**Description**

The minimum log level for Livy Server logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Livy Server Maximum Log File Backups**Description**

The maximum number of rolled log files to keep for Livy Server logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

Livy Server Max Log Size**Description**

The maximum size, in megabytes, per log file for Livy Server logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring**Enable Health Alerts for this Role****Description**

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name

Default Value

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name

Default Value

API Name

jmx_exporter_yaml

Required

false

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

livy_server_fd_thresholds

Required

false

Livy Server Host Health Test

Description

When computing the overall Livy Server health, consider the host's health.

Related Name**Default Value**

true

API Name

livy_server_host_health_enabled

Required

false

Livy Server Process Health Test

Description

Enables the health test that the Livy Server's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

livy_server_scm_health_enabled

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter

Description

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: { "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }

Related Name**Default Value****API Name**

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

exporters: prometheusremotewrite/\$ROLE_NAME: endpoint:
\$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/\$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

extensions: basicauth/\$ROLE_NAME: client_auth: username:
\$ROLE_PARAM(otelcol_remote_write_user) password:
'\$ROLE_PARAM(otelcol_remote_write_password)'

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL**Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username**Description**

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value**API Name**

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds

Description

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window

Description

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=\$ROLENAM and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}] See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

`unexpected_exits_thresholds`

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

`unexpected_exits_window`

Required

false

Other

Enable Access Control

Description

Perform access control when processing user requests.

Related Name

`livy.server.access-control.enabled`

Default Value

true

API Name

`livy_access_control_enabled`

Required

false

Admin Users

Description

List of users with admin permissions (can view and modify any session).

Related Name

`livy.superusers`

Default Value

knox zeppelin

API Name

livy_admin_users

Required

false

Extra JVM Options**Description**

Command line options to add to the Livy Server JVM. May be used also to override options automatically added by CM.

Related Name

livy_extra_java_opts

Default Value**API Name**

livy_extra_java_opts

Required

false

Enable active-passive HA mode**Description**

Enables active-passive HA mode detection. HA is only enabled if more than one Livy Server instance is found. Disable this setting to prevent HA mode even if there are multiple Livy Server instances.

Related Name

livy_ha_enabled_if_possible

Default Value

true

API Name

livy_ha_enabled_if_possible

Required

false

Enable User Impersonation**Description**

Start applications as the requesting user, instead of using the Livy account.

Related Name

livy.impersonation.enabled

Default Value

true

API Name

livy_impersonation_enabled

Required

false

Max Header Size**Description**

Maximum size of a header field accepted by the Livy server. May need to be increased in certain environments where SPNEGO is enabled.

Related Name

livy.server.request-header.size

Default Value

128 KiB

API Name

livy_max_header_size

Required

false

Java Heap Size of Livy Server

Description

Maximum size for the Java process heap memory.

Related Name

livy_max_heapsize

Default Value

512 MiB

API Name

livy_max_heapsize

Required

false

Enable RPC Encryption

Description

Enable encryption of communication between the Livy session and managed Spark sessions.

Related Name

livy_rpc_encryption_enabled

Default Value

true

API Name

livy_rpc_encryption_enabled

Required

false

Enable Livy Thrift Server

Description

Enables the Livy Thrift server

Related Name

livy.server.thrift.enabled

Default Value

false

API Name

livy_server_thrift_enabled

Required

false

Livy Thrift Server Transport Mode**Description**

Transport mode used by the Livy Thrift server

Related Name

livy.server.thrift.transport.mode

Default Value

binary

API Name

livy_server_thrift_transport_mode

Required

false

Enable Session Recovery**Description**

Enable recovery of live sessions when the Livy server restarts. Uses HDFS to store recovery information.

Related Name

livy_session_recovery_enabled

Default Value

true

API Name

livy_session_recovery_enabled

Required

false

Enable User Authentication**Description**

Enables user authentication using SPNEGO when Kerberos is enabled.

Related Name

livy_spnego_enabled

Default Value

true

API Name

livy_spnego_enabled

Required

false

Enable Secure Connection to ZooKeeper**Description**

Enables SSL/TLS for all connections to ZooKeeper. This applies only if 'Enable TLS/SSL for ZooKeeper' is enabled on the ZooKeeper service.

Related Name

zookeeper.secure.connection.enable

Default Value

true

API Name

zookeeper.secure.connection.enable

Required

false

Performance**Maximum Process File Descriptors****Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses**Livy Server Port****Description**

The port of the Livy server

Related Name

livy.server.port

Default Value

8998

API Name

livy_server_port

Required

false

Livy Thrift Server Port**Description**

The port of the Livy Thrift server

Related Name

livy.server.thrift.port

Default Value

10090

API Name

livy_server_thrift_port

Required

false

Resource Management

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares

Description

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight

Description

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)

Description

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight

Description

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

`rm_memory_soft_limit_v2`**Required**`true`**Security****Livy Server TLS/SSL Trust Store File****Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Livy Server might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name**Default Value****API Name**`ssl_client_truststore_location`**Required**`false`**Livy Server TLS/SSL Trust Store Password****Description**

The password for the Livy Server TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name**Default Value****API Name**`ssl_client_truststore_password`**Required**`false`**Enable TLS/SSL for Livy Server****Description**

Encrypt communication between clients and Livy Server using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name`livy.tls.enabled`**Default Value**`false`**API Name**`ssl_enabled`**Required**`false`**Livy Server TLS/SSL Server Keystore File Location****Description**

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Livy Server is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

livy.keystore

Default Value**API Name**

ssl_server_keystore_location

Required

false

Livy Server TLS/SSL Server Keystore File Password**Description**

The password for the Livy Server keystore file.

Related Name

livy.keystore.password

Default Value**API Name**

ssl_server_keystore_password

Required

false

Supported SSL/TLS versions**Description**

The SSL/TLS protocol versions to accept HTTPS connections from. Note that the available cipher suites also affect which protocol versions can be negotiated, and some cipher suites are only available in higher versions.

Related Name

livy.ssl.ui.includedProtocols

Default Value

TLSv1.2

API Name

supported_tls_versions

Required

false

SSL/TLS Cipher Suite**Description**

The SSL/TLS cipher suites to use. "Modern 2018" is a modern set of cipher suites as of 2018, according to the Mozilla server-side TLS recommendations. These cipher suites use strong cryptography and are preferred unless interaction with older clients is required. These modern cipher suites are compatible with Firefox 27, Chrome 22, Internet Explorer 11, Opera 14, Safari 7, Android 4.4, and Java 8. "Intermediate 2018" is an intermediate set of cipher suites as of 2018, according to the Mozilla server-side TLS recommendations. Select the Intermediate 2018 cipher suites if you require compatibility with a wider range of clients, legacy browsers, or older Linux tools.

Related Name

livy.ssl.ui.enabledAlgorithms

Default Value

modern2018

API Name

tls_ciphers

Required

false

Stacks Collection**Stacks Collection Data Retention****Description**

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory**Description**

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Livy Server Advanced Configuration Snippet (Safety Valve) for livy-conf/livy.conf**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Livy Server Advanced Configuration Snippet (Safety Valve) for livy-conf/livy.conf parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_livy-conf/livy.conf_role_safety_valve

Required

true

Suppress Parameter Validation: Admin Users**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin Users parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_livy_admin_users

Required

true

Suppress Parameter Validation: Extra JVM Options**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Extra JVM Options parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_livy_extra_java_opts

Required

true

Suppress Parameter Validation: Livy Server Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Livy Server Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_livy_server_port

Required

true

Suppress Parameter Validation: Livy Server Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Livy Server Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_livy_server_role_env_safety_valve

Required

true

Suppress Parameter Validation: Livy Thrift Server Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Livy Thrift Server Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_livy_server_thrift_port

Required

true

Suppress Parameter Validation: Livy Server Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Livy Server Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Livy Server Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Livy Server Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: Heap Dump Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Livy Server TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Livy Server TLS/SSL Trust Store File parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: Livy Server TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Livy Server TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Parameter Validation: Livy Server TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Livy Server TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: Livy Server TLS/SSL Server Keystore File Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Livy Server TLS/SSL Server Keystore File Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_livy_livy_server_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_livy_livy_server_file_descriptor

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_livy_livy_server_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_livy_livy_server_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_livy_livy_server_otelcol_health

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_livy_livy_server_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_livy_livy_server_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_livy_livy_server_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits**Description**

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_livy_livy_server_unexpected_exits

Required

true

Service-Wide

Advanced

Livy Service Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

LIVY_service_env_safety_valve

Required

false

System Group

Description

The group that this service's processes should run as.

Related Name**Default Value**

livy

API Name

process_groupname

Required

true

System User

Description

The user that this service's processes should run as.

Related Name**Default Value**

livy

API Name

process_username

Required

true

Monitoring

Enable Service Level Health Alerts

Description

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Healthy Livy Server Monitoring Thresholds

Description

The health test thresholds of the overall Livy Server health. The check returns "Concerning" health if the percentage of "Healthy" Livy Servers falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" Livy Servers falls below the critical threshold.

Related Name**Default Value**

Warning: 99.0 %, Critical: 90.0 %

API Name

LIVY_LIVY_SERVER_healthy_thresholds

Required

false

Service Triggers

Description

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

service_triggers

Required

true

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name**Default Value****API Name**

smon_derived_configs_safety_valve

Required

false

Other**HMS Service****Description**

Name of the HMS service that this Livy service instance depends on

Related Name**Default Value****API Name**

hms_service

Required

false

Recovery Directory (HDFS)

Description

Location where to store recovery metadata.

Related Name

livy.server.recovery.state-store.url

Default Value

/user/livy/recovery

API Name

livy_recovery_dir

Required

false

SPARK_ON_YARN Service

Description

Name of the SPARK_ON_YARN service that this Livy service instance depends on

Related Name**Default Value****API Name**

spark_on_yarn_service

Required

true

YARN Service

Description

Name of the YARN service that this Livy service instance depends on

Related Name**Default Value****API Name**

yarn_service

Required

true

ZooKeeper Service

Description

Name of the ZooKeeper service that this Livy service instance depends on

Related Name**Default Value****API Name**

zookeeper_service

Required

false

Security

Kerberos Principal

Description

Kerberos principal short name used by all roles of this service.

Related Name

Default Value

livy

API Name

kerberos_princ_name

Required

true

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: Deploy Directory

Description

Whether to suppress configuration warnings produced by the Deploy Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Configuration Validator: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name

Default Value

	false
API Name	role_config_suppression_jmx_exporter_yaml
Required	true

Suppress Configuration Validator: Livy Client Advanced Configuration Snippet (Safety Valve) for livy-conf/livy-client.conf

Description	Whether to suppress configuration warnings produced by the Livy Client Advanced Configuration Snippet (Safety Valve) for livy-conf/livy-client.conf configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_livy-conf/livy-client.conf_client_config_safety_valve
Required	true

Suppress Configuration Validator: Livy Server Advanced Configuration Snippet (Safety Valve) for livy-conf/livy.conf

Description	Whether to suppress configuration warnings produced by the Livy Server Advanced Configuration Snippet (Safety Valve) for livy-conf/livy.conf configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_livy-conf/livy.conf_role_safety_valve
Required	true

Suppress Configuration Validator: Admin Users

Description	Whether to suppress configuration warnings produced by the Admin Users configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_livy_admin_users
Required	true

Suppress Configuration Validator: Extra JVM Options

Description	
--------------------	--

Whether to suppress configuration warnings produced by the Extra JVM Options configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_livy_extra_java_opts

Required

true

Suppress Configuration Validator: Livy Server Port

Description

Whether to suppress configuration warnings produced by the Livy Server Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_livy_server_port

Required

true

Suppress Configuration Validator: Livy Server Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Livy Server Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_livy_server_role_env_safety_valve

Required

true

Suppress Configuration Validator: Livy Thrift Server Port

Description

Whether to suppress configuration warnings produced by the Livy Thrift Server Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_livy_server_thrift_port

Required

true

Suppress Configuration Validator: Livy Server Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Livy Server Logging Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Configuration Validator: Livy Server Log Directory

Description

Whether to suppress configuration warnings produced by the Livy Server Log Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Configuration Validator: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: Role Triggers**Description**

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Configuration Validator: Livy Server TLS/SSL Trust Store File**Description**

Whether to suppress configuration warnings produced by the Livy Server TLS/SSL Trust Store File configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Configuration Validator: Livy Server TLS/SSL Trust Store Password**Description**

Whether to suppress configuration warnings produced by the Livy Server TLS/SSL Trust Store Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Configuration Validator: Livy Server TLS/SSL Server Keystore File Location**Description**

Whether to suppress configuration warnings produced by the Livy Server TLS/SSL Server Keystore File Location configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Configuration Validator: Livy Server TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the Livy Server TLS/SSL Server Keystore File Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Configuration Validator: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Configuration Validator: Gateway Count Validator

Description

Whether to suppress configuration warnings produced by the Gateway Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_gateway_count_validator

Required

true

Suppress Parameter Validation: Kerberos Principal

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Principal parameter.

Related Name

Default Value

	false
API Name	service_config_suppression_kerberos Princ_name
Required	true

Suppress Parameter Validation: Recovery Directory (HDFS)

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Recovery Directory (HDFS) parameter.
Related Name	
Default Value	false
API Name	service_config_suppression_livy_recovery_dir
Required	true

Suppress Configuration Validator: Livy Server Count Validator

Description	Whether to suppress configuration warnings produced by the Livy Server Count Validator configuration validator.
Related Name	
Default Value	false
API Name	service_config_suppression_livy_server_count_validator
Required	true

Suppress Parameter Validation: Livy Service Environment Advanced Configuration Snippet (Safety Valve)

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Livy Service Environment Advanced Configuration Snippet (Safety Valve) parameter.
Related Name	
Default Value	false
API Name	service_config_suppression_livy_service_env_safety_valve
Required	true

Suppress Parameter Validation: System Group

Description	
--------------------	--

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: System User**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_username

Required

true

Suppress Parameter Validation: Service Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_service_triggers

Required

true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_smon_derived_configs_safety_valve

Required

true

Suppress Health Test: Livy Server Health

Description

Whether to suppress the results of the Livy Server Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

service_health_suppression_livy_livy_server_healthy

Required

true

Livy for Spark 3 Properties in Cloudera Runtime 7.3.1

Role groups:

Gateway

Advanced

Deploy Directory

Description

The directory where the client configs will be deployed

Related Name

Default Value

/etc/livy3

API Name

client_config_root_dir

Required

true

Livy for Spark 3 Client Advanced Configuration Snippet (Safety Valve) for livy3-conf/livy-client.conf

Description

For advanced use only, a string to be inserted into the client configuration for livy3-conf/livy-client.conf.

Related Name

Default Value

API Name

livy3-conf/livy-client.conf_client_config_safety_valve

Required

false

Monitoring

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Other

Alternatives Priority

Description

The priority level that the client configuration will have in the Alternatives system on the hosts. Higher priority levels will cause Alternatives to prefer this configuration over any others.

Related Name**Default Value**

50

API Name

client_config_priority

Required

true

Security

Gateway TLS/SSL Trust Store File

Description

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Gateway might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

livy.truststore

Default Value**API Name**

ssl_client_truststore_location

Required

false

Gateway TLS/SSL Trust Store Password

Description

The password for the Gateway TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

livy.truststore.password

Default Value**API Name**

ssl_client_truststore_password

Required

false

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Deploy Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Deploy Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Parameter Validation: Livy for Spark 3 Client Advanced Configuration Snippet (Safety Valve) for livy3-conf/livy-client.conf**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Livy for Spark 3 Client Advanced Configuration Snippet (Safety Valve) for livy3-conf/livy-client.conf parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_livy3-conf/livy-client.conf_client_config_safety_valve

Required

true

Suppress Parameter Validation: Gateway TLS/SSL Trust Store File**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway TLS/SSL Trust Store File parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: Gateway TLS/SSL Trust Store Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway TLS/SSL Trust Store Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Livy Server for Spark 3

Advanced**Livy Server for Spark 3 Advanced Configuration Snippet (Safety Valve) for livy3-conf/livy.conf****Description**

For advanced use only. A string to be inserted into livy3-conf/livy.conf for this role only.

Related Name**Default Value****API Name**

livy3-conf/livy.conf_role_safety_valve

Required

false

Livy Server for Spark 3 Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

LIVY_SERVER_FOR_SPARK3_role_env_safety_valve

Required

false

Livy Server for Spark 3 Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j2.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory

Description

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from

publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Logs

Livy Server for Spark 3 Log Directory

Description

The log directory for log files of the role Livy Server for Spark 3.

Related Name

log_dir

Default Value

/var/log/livy3

API Name

log_dir

Required

false

Livy Server for Spark 3 Logging Threshold**Description**

The minimum log level for Livy Server for Spark 3 logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Livy Server for Spark 3 Maximum Log File Backups**Description**

The maximum number of rolled log files to keep for Livy Server for Spark 3 logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

Livy Server for Spark 3 Max Log Size**Description**

The maximum size, in megabytes, per log file for Livy Server for Spark 3 logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring**Enable Health Alerts for this Role****Description**

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

livy_server_for_spark3_fd_thresholds

Required

false

Livy Server for Spark 3 Host Health Test

Description

When computing the overall Livy Server for Spark 3 health, consider the host's health.

Related Name**Default Value**

true

API Name

livy_server_for_spark3_host_health_enabled

Required

false

Livy Server for Spark 3 Process Health Test

Description

Enables the health test that the Livy Server for Spark 3's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

livy_server_for_spark3_scm_health_enabled

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name**Default Value****API Name**

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

exporters: prometheusremotewrite/\$ROLE_NAME: endpoint:
\$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/\$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

extensions: basicauth/\$ROLE_NAME: client_auth: username:
\$ROLE_PARAM(otelcol_remote_write_user) password:
'\$ROLE_PARAM(otelcol_remote_write_password)'

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL**Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username**Description**

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value**API Name**

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds

Description

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window

Description

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=\$ROLENAM and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}] See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

`unexpected_exits_thresholds`

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

`unexpected_exits_window`

Required

false

Other

Enable Access Control

Description

Perform access control when processing user requests.

Related Name

`livy.server.access-control.enabled`

Default Value

true

API Name

`livy_access_control_enabled`

Required

false

Admin Users

Description

List of users with admin permissions (can view and modify any session).

Related Name

`livy.superusers`

Default Value

knox zeppelin

API Name

livy_admin_users

Required

false

Extra JVM Options**Description**

Command line options to add to the Livy Server JVM. May be used also to override options automatically added by CM.

Related Name

livy_extra_java_opts

Default Value**API Name**

livy_extra_java_opts

Required

false

Enable active-passive HA mode**Description**

Enables active-passive HA mode detection. HA is only enabled if more than one Livy Server instance is found. Disable this setting to prevent HA mode even if there are multiple Livy Server instances.

Related Name

livy_ha_enabled_if_possible

Default Value

true

API Name

livy_ha_enabled_if_possible

Required

false

Enable User Impersonation**Description**

Start applications as the requesting user, instead of using the Livy account.

Related Name

livy.impersonation.enabled

Default Value

true

API Name

livy_impersonation_enabled

Required

false

Max Header Size**Description**

Maximum size of a header field accepted by the Livy server. May need to be increased in certain environments where SPNEGO is enabled.

Related Name

livy.server.request-header.size

Default Value

128 KiB

API Name

livy_max_header_size

Required

false

Java Heap Size of Livy Server

Description

Maximum size for the Java process heap memory.

Related Name

livy_max_heapsize

Default Value

512 MiB

API Name

livy_max_heapsize

Required

false

Enable RPC Encryption

Description

Enable encryption of communication between the Livy session and managed Spark sessions.

Related Name

livy_rpc_encryption_enabled

Default Value

true

API Name

livy_rpc_encryption_enabled

Required

false

Enable Livy Thrift Server

Description

Enables the Livy Thrift server

Related Name

livy.server.thrift.enabled

Default Value

false

API Name

livy_server_thrift_enabled

Required

false

Livy Thrift Server Transport Mode**Description**

Transport mode used by the Livy Thrift server

Related Name

livy.server.thrift.transport.mode

Default Value

binary

API Name

livy_server_thrift_transport_mode

Required

false

Enable Session Recovery**Description**

Enable recovery of live sessions when the Livy server restarts. Uses HDFS to store recovery information.

Related Name

livy_session_recovery_enabled

Default Value

true

API Name

livy_session_recovery_enabled

Required

false

Enable User Authentication**Description**

Enables user authentication using SPNEGO when Kerberos is enabled.

Related Name

livy_spnego_enabled

Default Value

true

API Name

livy_spnego_enabled

Required

false

Zookeeper Path**Description**

The path in zookeeper to store the data about HA leadership, sessions, locks and cluster membership.

Related Name

livy.server.zk.key-prefix

Default Value

livy3

API Name

livy_zk_key_prefix

Required

false

Enable Secure Connection to ZooKeeper**Description**

Enables SSL/TLS for all connections to ZooKeeper. This applies only if 'Enable TLS/SSL for ZooKeeper' is enabled on the ZooKeeper service.

Related Name

zookeeper.secure.connection.enable

Default Value

true

API Name

zookeeper.secure.connection.enable

Required

false

Performance**Maximum Process File Descriptors****Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses**Livy Server Port****Description**

The port of the Livy server

Related Name

livy.server.port

Default Value

28998

API Name

livy_server_port

Required

false

Livy Thrift Server Port**Description**

The port of the Livy Thrift server

Related Name

livy.server.thrift.port

Default Value

20091

API Name

livy_server_thrift_port

Required

false

Resource Management**Cgroup V1 BLKIO Weight****Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight

Description

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)

Description

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2'
These settings override other cgroup settings.

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight

Description

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security

Livy Server for Spark 3 TLS/SSL Trust Store File

Description

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Livy Server for Spark 3 might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

Default Value

API Name

ssl_client_truststore_location

Required

false

Livy Server for Spark 3 TLS/SSL Trust Store Password

Description

The password for the Livy Server for Spark 3 TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

Default Value

API Name

ssl_client_truststore_password

Required

false

Enable TLS/SSL for Livy Server for Spark 3

Description

Encrypt communication between clients and Livy Server for Spark 3 using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

livy.tls.enabled

Default Value

false

API Name

ssl_enabled

Required

false

Livy Server for Spark 3 TLS/SSL Server Keystore File Location

Description

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Livy Server for Spark 3 is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

livy.keystore

Default Value**API Name**

ssl_server_keystore_location

Required

false

Livy Server for Spark 3 TLS/SSL Server Keystore File Password

Description

The password for the Livy Server for Spark 3 keystore file.

Related Name

livy.keystore.password

Default Value**API Name**

ssl_server_keystore_password

Required

false

Supported SSL/TLS versions

Description

The SSL/TLS protocol versions to accept HTTPS connections from. Note that the available cipher suites also affect which protocol versions can be negotiated, and some cipher suites are only available in higher versions.

Related Name

livy.ssl.ui.includedProtocols

Default Value

TLSv1.2

API Name

supported_tls_versions

Required

false

SSL/TLS Cipher Suite**Description**

The SSL/TLS cipher suites to use. "Modern 2018" is a modern set of cipher suites as of 2018, according to the Mozilla server-side TLS recommendations. These cipher suites use strong cryptography and are preferred unless interaction with older clients is required. These modern cipher suites are compatible with Firefox 27, Chrome 22, Internet Explorer 11, Opera 14, Safari 7, Android 4.4, and Java 8. "Intermediate 2018" is an intermediate set of cipher suites as of 2018, according to the Mozilla server-side TLS recommendations. Select the Intermediate 2018 cipher suites if you require compatibility with a wider range of clients, legacy browsers, or older Linux tools.

Related Name

livy.ssl.ui.enabledAlgorithms

Default Value

modern2018

API Name

tls_ciphers

Required

false

Stacks Collection**Stacks Collection Data Retention****Description**

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory**Description**

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Livy Server for Spark 3 Advanced Configuration Snippet (Safety Valve) for livy3-conf/livy.conf

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Livy Server for Spark 3 Advanced Configuration Snippet (Safety Valve) for livy3-conf/livy.conf parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_livy3-conf/livy.conf_role_safety_valve

Required

true

Suppress Parameter Validation: Admin Users

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin Users parameter.

Related Name

Default Value

false

API Name

role_config_suppression_livy_admin_users

Required

true

Suppress Parameter Validation: Extra JVM Options**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Extra JVM Options parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_livy_extra_java_opts

Required

true

Suppress Parameter Validation: Livy Server for Spark 3 Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Livy Server for Spark 3 Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_livy_server_for_spark3_role_env_safety_valve

Required

true

Suppress Parameter Validation: Livy Server Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Livy Server Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_livy_server_port

Required

true

Suppress Parameter Validation: Livy Thrift Server Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Livy Thrift Server Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_livy_server_thrift_port

Required

true

Suppress Parameter Validation: Zookeeper Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Zookeeper Path parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_livy_zk_key_prefix

Required

true

Suppress Parameter Validation: Livy Server for Spark 3 Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Livy Server for Spark 3 Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Livy Server for Spark 3 Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Livy Server for Spark 3 Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Livy Server for Spark 3 TLS/SSL Trust Store File**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Livy Server for Spark 3 TLS/SSL Trust Store File parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: Livy Server for Spark 3 TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Livy Server for Spark 3 TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Parameter Validation: Livy Server for Spark 3 TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Livy Server for Spark 3 TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: Livy Server for Spark 3 TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Livy Server for Spark 3 TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name

Default Value

false

API Name

`role_config_suppression_stacks_collection_directory`**Required**`true`**Suppress Health Test: Audit Pipeline Test****Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_livy_for_spark3_livy_server_for_spark3_audit_health`**Required**`true`**Suppress Health Test: File Descriptors****Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_livy_for_spark3_livy_server_for_spark3_file_descriptor`**Required**`true`**Suppress Health Test: Host Health****Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_livy_for_spark3_livy_server_for_spark3_host_health`**Required**`true`**Suppress Health Test: Log Directory Free Space****Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_livy_for_spark3_livy_server_for_spark3_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_livy_for_spark3_livy_server_for_spark3_otelcol_health

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_livy_for_spark3_livy_server_for_spark3_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_livy_for_spark3_livy_server_for_spark3_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_livy_for_spark3_livy_server_for_spark3_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits**Description**

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_livy_for_spark3_livy_server_for_spark3_unexpected_exits

Required

true

Service-Wide**Advanced****Livy for Spark 3 Service Environment Advanced Configuration Snippet (Safety Valve)****Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

LIVY_FOR_SPARK3_service_env_safety_valve

Required

false

System Group

Description

The group that this service's processes should run as.

Related Name**Default Value**

livy

API Name

process_groupname

Required

true

System User

Description

The user that this service's processes should run as.

Related Name**Default Value**

livy

API Name

process_username

Required

true

Monitoring

Enable Service Level Health Alerts

Description

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Healthy Livy Server for Spark 3 Monitoring Thresholds**Description**

The health test thresholds of the overall Livy Server for Spark 3 health. The check returns "Concerning" health if the percentage of "Healthy" Livy Server for Spark 3s falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" Livy Server for Spark 3s falls below the critical threshold.

Related Name**Default Value**

Warning: 99.0 %, Critical: 90.0 %

API Name

LIVY_FOR_SPARK3_LIVY_SERVER_FOR_SPARK3_healthy_thresholds

Required

false

Service Triggers**Description**

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

service_triggers

Required

true

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name**Default Value****API Name**

smon_derived_configs_safety_valve

Required

false

Other**HMS Service****Description**

Name of the HMS service that this Livy for Spark 3 service instance depends on

Related Name**Default Value****API Name**

hms_service

Required

false

Recovery Directory (HDFS)**Description**

Location where to store recovery metadata.

Related Name

livy.server.recovery.state-store.url

Default Value

/user/livy/recovery_for_livy3

API Name

livy_recovery_dir

Required

false

SPARK3_ON_YARN Service**Description**

Name of the SPARK3_ON_YARN service that this Livy for Spark 3 service instance depends on

Related Name**Default Value****API Name**

spark3_on_yarn_service

Required

true

YARN Service

Description

Name of the YARN service that this Livy for Spark 3 service instance depends on

Related Name**Default Value****API Name**

yarn_service

Required

true

ZooKeeper Service

Description

Name of the ZooKeeper service that this Livy for Spark 3 service instance depends on

Related Name**Default Value****API Name**

zookeeper_service

Required

false

Security

Kerberos Principal

Description

Kerberos principal short name used by all roles of this service.

Related Name**Default Value**

livy

API Name

kerberos_princ_name

Required

true

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: Deploy Directory**Description**

Whether to suppress configuration warnings produced by the Deploy Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Configuration Validator: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Configuration Validator: Livy for Spark 3 Client Advanced Configuration Snippet (Safety Valve) for livy3-conf/livy-client.conf**Description**

Whether to suppress configuration warnings produced by the Livy for Spark 3 Client Advanced Configuration Snippet (Safety Valve) for livy3-conf/livy-client.conf configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_livy3-conf/livy-client.conf_client_config_safety_valve

Required

true

Suppress Configuration Validator: Livy Server for Spark 3 Advanced Configuration Snippet (Safety Valve) for livy3-conf/livy.conf**Description**

Whether to suppress configuration warnings produced by the Livy Server for Spark 3 Advanced Configuration Snippet (Safety Valve) for livy3-conf/livy.conf configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_livy3-conf/livy.conf_role_safety_valve

Required

true

Suppress Configuration Validator: Admin Users**Description**

Whether to suppress configuration warnings produced by the Admin Users configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_livy_admin_users

Required

true

Suppress Configuration Validator: Extra JVM Options**Description**

Whether to suppress configuration warnings produced by the Extra JVM Options configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_livy_extra_java_opts

Required

true

Suppress Configuration Validator: Livy Server for Spark 3 Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the Livy Server for Spark 3 Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_livy_server_for_spark3_role_env_safety_valve

Required

true

Suppress Configuration Validator: Livy Server Port**Description**

Whether to suppress configuration warnings produced by the Livy Server Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_livy_server_port

Required

true

Suppress Configuration Validator: Livy Thrift Server Port**Description**

Whether to suppress configuration warnings produced by the Livy Thrift Server Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_livy_server_thrift_port

Required

true

Suppress Configuration Validator: Zookeeper Path**Description**

Whether to suppress configuration warnings produced by the Zookeeper Path configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_livy_zk_key_prefix

Required

true

Suppress Configuration Validator: Livy Server for Spark 3 Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the Livy Server for Spark 3 Logging Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

`role_config_suppression_log4j_safety_valve`**Required**`true`**Suppress Configuration Validator: Livy Server for Spark 3 Log Directory****Description**

Whether to suppress configuration warnings produced by the Livy Server for Spark 3 Log Directory configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_log_dir`**Required**`true`**Suppress Configuration Validator: Heap Dump Directory****Description**

Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_oom_heap_dump_dir`**Required**`true`**Suppress Configuration Validator: OpenTelemetry Collector Exporters Section****Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_exporters`**Required**`true`**Suppress Configuration Validator: OpenTelemetry Collector Extensions Section****Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: Role Triggers

Description

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Configuration Validator: Livy Server for Spark 3 TLS/SSL Trust Store File**Description**

Whether to suppress configuration warnings produced by the Livy Server for Spark 3 TLS/SSL Trust Store File configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Configuration Validator: Livy Server for Spark 3 TLS/SSL Trust Store Password**Description**

Whether to suppress configuration warnings produced by the Livy Server for Spark 3 TLS/SSL Trust Store Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Configuration Validator: Livy Server for Spark 3 TLS/SSL Server Keystore File Location**Description**

Whether to suppress configuration warnings produced by the Livy Server for Spark 3 TLS/SSL Server Keystore File Location configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Configuration Validator: Livy Server for Spark 3 TLS/SSL Server Keystore File Password**Description**

Whether to suppress configuration warnings produced by the Livy Server for Spark 3 TLS/SSL Server Keystore File Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Configuration Validator: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Configuration Validator: Gateway Count Validator

Description

Whether to suppress configuration warnings produced by the Gateway Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_gateway_count_validator

Required

true

Suppress Parameter Validation: Kerberos Principal

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Principal parameter.

Related Name

Default Value

false

API Name

service_config_suppression_kerberos_princ_name

Required

true

Suppress Parameter Validation: Livy for Spark 3 Service Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Livy for Spark 3 Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_livy_for_spark3_service_env_safety_valve

Required

true

Suppress Parameter Validation: Recovery Directory (HDFS)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Recovery Directory (HDFS) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_livy_recovery_dir

Required

true

Suppress Configuration Validator: Livy Server for Spark 3 Count Validator**Description**

Whether to suppress configuration warnings produced by the Livy Server for Spark 3 Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_livy_server_for_spark3_count_validator

Required

true

Suppress Parameter Validation: System Group**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: System User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_username

Required

true

Suppress Parameter Validation: Service Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_service_triggers

Required

true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_smon_derived_configs_safety_valve

Required

true

Suppress Health Test: Livy Server for Spark 3 Health

Description

Whether to suppress the results of the Livy Server for Spark 3 Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_livy_for_spark3_livy_server_for_spark3_healthy

Required

true

Omid Properties in Cloudera Runtime 7.3.1

Role groups:

Omid tso server

Advanced

Omid tso server Advanced Configuration Snippet (Safety Valve) for hbase-conf/omid-server-configuration.yml

Description

For advanced use only. A string to be inserted into hbase-conf/omid-server-configuration.yml for this role only.

Related Name

Default Value

API Name

hbase-conf/omid-server-configuration.yml_role_safety_valve

Required

false

Omid tso server Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name

Default Value

API Name

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name

Default Value

false

API Name

metric_config_auto_refresh

Required

false

Omid tso server Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

OMID_TSO_role_env_safety_valve

Required

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name

Default Value

20

API Name

process_start_secs

Required

false

Logs

Omid tso server Log Directory

Description

The log directory for log files of the role Omid tso server.

Related Name

log_dir

Default Value

/var/log/omid

API Name

log_dir

Required

false

Omid tso server Logging Threshold

Description

The minimum log level for Omid tso server logs

Related Name

Default Value

INFO

API Name

log_threshold

Required

false

Omid tso server Maximum Log File Backups

Description

The maximum number of rolled log files to keep for Omid tso server logs. Typically used by log4j or logback.

Related Name

Default Value

10

API Name

max_log_backup_index

Required

false

Omid tso server Max Log Size

Description

The maximum size, in megabytes, per log file for Omid tso server logs. Typically used by log4j or logback.

Related Name

Default Value

200 MiB

API Name

max_log_size

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the jvm_heap_used_mb metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: jvm_heap_used_mb

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: { "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }

Related Name**Default Value****API Name**

monitoring_metric_filter

Required

false

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

omid_tso_fd_thresholds

Required

false

Omid tso server Host Health Test

Description

When computing the overall Omid tso server health, consider the host's health.

Related Name

Default Value

true

API Name

omid_tso_host_health_enabled

Required

false

Omid tso server Process Health Test

Description

Enables the health test that the Omid tso server's process state is consistent with the role configuration

Related Name

Default Value

true

API Name

omid_tso_scm_health_enabled

Required

false

OpenTelemetry Collector Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**`$INFRA(cdp_request_signer_url)`**API Name**

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify `$INFRA(cdp_request_signer_username)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**`$INFRA(cdp_request_signer_username)`**API Name**

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers

Description

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name

Default Value

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name

Default Value

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

OMID Disruptor wait Strategy

Description

Wait strategy for the OMID Disruptor processors in TSO pipeline. Options:
HIGH_THROUGHPUT, LOW_CPU

Related Name

omid.disruptor.wait.strategy

Default Value

LOW_CPU

API Name

omid_disruptor_wait_strategy

Required

true

Omid ZooKeeper Secure Client Enabled

Description

Enable ZooKeeper client connection to the secure port. Required for Fedramp to work properly.

Related Name

omid_enable_secure_zookeeper

Default Value

false

API Name

omid_enable_secure_zookeeper

Required

false

Omid HA current TSO path

Description

Omid High Availability current TSO server path on zookeeper. Applicable only when omid tso HA is enabled.

Related Name

omid_ha_current_tso_path

Default Value

/current-tso

API Name

omid_ha_current_tso_path

Required

false

Omid HA lease period

Description

Omid High Availability lease period, which means the time interval at which the lease is renewed. Applicable only when omid tso HA is enabled.

Related Name

omid_ha_lease_period

Default Value

30 second(s)

API Name

omid_ha_lease_period

Required

false

Omid HA TSO lease path

Description

Omid High Availability TSO server lease path on zookeeper. Applicable only when omid tso HA is enabled.

Related Name

omid_ha_tso_lease_path

Default Value

/tso-lease

API Name

omid_ha_tso_lease_path

Required

false

Omid HA zookeeper namespace

Description

Zookeeper namespace used by Omid. Applicable only when omid tso HA is enabled.

Related Name

omid_ha_zk_namespace

Default Value

omid

API Name

omid_ha_zk_namespace

Required

false

OMID HBase Client Retries Number

Description

Omid-specific configuration for hbase.client.retries.number which controls the number of implicit HBase client retries. If set to 0, the current HBase service configuration value is used instead.

Related Name

omid_hbase_client_retries_number

Default Value

20

API Name

omid_hbase_client_retries_number

Required

false

Additional Omid JVM Options**Description**

These arguments are passed as part of the Java command line. Commonly, garbage collection flags or extra debugging flags are passed here.

Related Name

omid_java_opts

Default Value**API Name**

omid_java_opts

Required

false

Omid Max Heapsize**Description**

Maximum size for the Omid Java Process heap. Passed to Java -Xmx.

Related Name

omid_max_heap_size

Default Value

3 GiB

API Name

omid_max_heap_size

Required

true

OMID tls support plain text**Description**

OMID server support plain text

Related Name

omid.server.tls.support.plain.text

Default Value

true

API Name

omid_tls_support_plain_text

Required

true

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Resource Management

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares

Description

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight

Description

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)

Description

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight

Description

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security

Omid tso server TLS/SSL Trust Store File

Description

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Omid tso server might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

ssl_client_truststore_location

Default Value

API Name

ssl_client_truststore_location

Required

false

Omid tso server TLS/SSL Trust Store Password

Description

The password for the Omid tso server TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

ssl_client_truststore_password

Default Value

API Name

ssl_client_truststore_password

Required

false

Enable TLS/SSL for Omid tso server

Description

Encrypt communication between clients and Omid tso server using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

ssl_enabled

Default Value

false

API Name

ssl_enabled

Required

false

Omid tso server TLS/SSL Server Keystore File Location

Description

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Omid tso server is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

ssl_server_keystore_location

Default Value**API Name**

ssl_server_keystore_location

Required

false

Omid tso server TLS/SSL Server Keystore File Password

Description

The password for the Omid tso server keystore file.

Related Name

ssl_server_keystore_password

Default Value**API Name**

ssl_server_keystore_password

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory**Description**

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method

Description

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Omid tso server Advanced Configuration Snippet (Safety Valve) for hbase-conf/omid-server-configuration.yml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Omid tso server Advanced Configuration Snippet (Safety Valve) for hbase-conf/omid-server-configuration.yml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hbase-conf/omid-server-configuration.yml_role_safety_valve

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Omid tso server Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Omid tso server Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Omid tso server Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Omid tso server Log Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: Omid HA current TSO path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Omid HA current TSO path parameter.

Related Name

Default Value

false

API Name

role_config_suppression_omid_ha_current_tso_path

Required

true

Suppress Parameter Validation: Omid HA TSO lease path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Omid HA TSO lease path parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_omid_ha_tso_lease_path

Required

true

Suppress Parameter Validation: Omid HA zookeeper namespace**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Omid HA zookeeper namespace parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_omid_ha_zk_namespace

Required

true

Suppress Parameter Validation: Additional Omid JVM Options**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Additional Omid JVM Options parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_omid_java_opts

Required

true

Suppress Parameter Validation: Omid tso server Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Omid tso server Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_omid_tso_role_env_safety_valve

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Omid tso server TLS/SSL Trust Store File**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Omid tso server TLS/SSL Trust Store File parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: Omid tso server TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Omid tso server TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Parameter Validation: Omid tso server TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Omid tso server TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: Omid tso server TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Omid tso server TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_omid_omid_tso_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_omid_omid_tso_file_descriptor

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_omid_omid_tso_host_health

Required

true

Suppress Health Test: Log Directory Free Space

Description

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_omid_omid_tso_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health

Description

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_omid_omid_tso_otelcol_health

Required

true

Suppress Health Test: Process Status

Description

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_omid_omid_tso_scm_health

Required

true

Suppress Health Test: Swap Memory Usage

Description

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_omid_omid_tso_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_omid_omid_tso_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits**Description**

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_omid_omid_tso_unexpected_exits

Required

true

Service-Wide**Advanced****Omid Service Environment Advanced Configuration Snippet (Safety Valve)****Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

OMID_service_env_safety_valve

Required

false

System Group

Description

The group that this service's processes should run as.

Related Name

Default Value

hbase

API Name

process_groupname

Required

true

System User

Description

The user that this service's processes should run as.

Related Name

Default Value

hbase

API Name

process_username

Required

true

Monitoring

Enable Service Level Health Alerts

Description

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Healthy Omid tso server Monitoring Thresholds**Description**

The health test thresholds of the overall Omid tso server health. The check returns "Concerning" health if the percentage of "Healthy" Omid tso servers falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" Omid tso servers falls below the critical threshold.

Related Name**Default Value**

Warning: 99.0 %, Critical: 90.0 %

API Name

OMID_OMID_TSO_healthy_thresholds

Required

false

Service Triggers**Description**

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

service_triggers

Required

true

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name

Default Value

API Name

smon_derived_configs_safety_valve

Required

false

Other

HBase Service

Description

Name of the HBase service that this Omid service instance depends on

Related Name

Default Value

API Name

hbase_service

Required

true

HDFS Service

Description

Name of the HDFS service that this Omid service instance depends on

Related Name

Default Value

API Name

hdfs_service

Required

true

ZooKeeper Service

Description

Name of the ZooKeeper service that this Omid service instance depends on

Related Name

Default Value

API Name

zookeeper_service

Required

true

Ports and Addresses

OMID TSO server port

Description

The port number where OMID TSO server can be found.

Related Name

omid.tso.server.port

Default Value

24758

API Name

omid_tso_server_port

Required

true

Security

Kerberos Principal

Description

Kerberos principal short name used by all roles of this service.

Related Name**Default Value**

hbase

API Name

kerberos_princ_name

Required

true

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: Omid tso server Advanced Configuration Snippet (Safety Valve) for hbase-conf/omid-server-configuration.yml

Description

Whether to suppress configuration warnings produced by the Omid tso server Advanced Configuration Snippet (Safety Valve) for hbase-conf/omid-server-configuration.yml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hbase-conf/omid-server-configuration.yml_role_safety_valve

Required

true

Suppress Configuration Validator: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Configuration Validator: Omid tso server Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Omid tso server Logging Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Configuration Validator: Omid tso server Log Directory

Description

Whether to suppress configuration warnings produced by the Omid tso server Log Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Configuration Validator: Omid HA current TSO path**Description**

Whether to suppress configuration warnings produced by the Omid HA current TSO path configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_omid_ha_current_tso_path

Required

true

Suppress Configuration Validator: Omid HA TSO lease path**Description**

Whether to suppress configuration warnings produced by the Omid HA TSO lease path configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_omid_ha_tso_lease_path

Required

true

Suppress Configuration Validator: Omid HA zookeeper namespace**Description**

Whether to suppress configuration warnings produced by the Omid HA zookeeper namespace configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_omid_ha_zk_namespace

Required

true

Suppress Configuration Validator: Additional Omid JVM Options**Description**

Whether to suppress configuration warnings produced by the Additional Omid JVM Options configuration validator.

Related Name**Default Value**

	false
API Name	role_config_suppression_omid_java_opts
Required	true

Suppress Configuration Validator: Omid tso server Environment Advanced Configuration Snippet (Safety Valve)

Description	Whether to suppress configuration warnings produced by the Omid tso server Environment Advanced Configuration Snippet (Safety Valve) configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_omid_tso_role_env_safety_valve
Required	true

Suppress Configuration Validator: Heap Dump Directory

Description	Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_oom_heap_dump_dir
Required	true

Suppress Configuration Validator: OpenTelemetry Collector Exporters Section

Description	Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_exporters
Required	true

Suppress Configuration Validator: OpenTelemetry Collector Extensions Section

Description	
--------------------	--

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name

Default Value

	false
API Name	role_config_suppression_otelcol_rtm_logs_exporters
Required	true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description	Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_rtm_logs_extensions
Required	true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description	Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_rtm_logs_processors
Required	true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description	Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_rtm_logs_receivers
Required	true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: Role Triggers

Description

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name

Default Value

false

API Name

`role_config_suppression_role_triggers`**Required**`true`**Suppress Configuration Validator: Omid tso server TLS/SSL Trust Store File****Description**

Whether to suppress configuration warnings produced by the Omid tso server TLS/SSL Trust Store File configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ssl_client_truststore_location`**Required**`true`**Suppress Configuration Validator: Omid tso server TLS/SSL Trust Store Password****Description**

Whether to suppress configuration warnings produced by the Omid tso server TLS/SSL Trust Store Password configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ssl_client_truststore_password`**Required**`true`**Suppress Configuration Validator: Omid tso server TLS/SSL Server Keystore File Location****Description**

Whether to suppress configuration warnings produced by the Omid tso server TLS/SSL Server Keystore File Location configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ssl_server_keystore_location`**Required**`true`**Suppress Configuration Validator: Omid tso server TLS/SSL Server Keystore File Password****Description**

Whether to suppress configuration warnings produced by the Omid tso server TLS/SSL Server Keystore File Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Configuration Validator: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Parameter Validation: Kerberos Principal

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Principal parameter.

Related Name

Default Value

false

API Name

service_config_suppression_kerberos_princ_name

Required

true

Suppress Parameter Validation: Omid Service Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Omid Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_omid_service_env_safety_valve

Required

true

Suppress Configuration Validator: Omid tso server Count Validator

Description

Whether to suppress configuration warnings produced by the Omid tso server Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_omid_tso_count_validator

Required

true

Suppress Parameter Validation: OMID TSO server port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OMID TSO server port parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_omid_tso_server_port

Required

true

Suppress Parameter Validation: System Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: System User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_username

Required

true

Suppress Parameter Validation: Service Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name

Default Value

false

API Name

service_config_suppression_service_triggers

Required

true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_smon_derived_configs_safety_valve

Required

true

Suppress Health Test: Omid tso server Health

Description

Whether to suppress the results of the Omid tso server Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

service_health_suppression_omid_omid_tso_healthy

Required

true

Oozie Properties in Cloudera Runtime 7.3.1

Role groups:

Oozie Server

Advanced

Oozie Service Advanced Configuration Snippet (Safety Valve) for atlas-application.properties

Description

For advanced use only, a string to be inserted into atlas-application.properties. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

application_properties_safety_valve

Required

false

Oozie Server Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory

Description

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Oozie Server Advanced Configuration Snippet (Safety Valve) for action-conf/default.xml**Description**

For advanced use only. A string to be inserted into action-conf/default.xml for this role only.

Related Name**Default Value****API Name**

oozie_action_config_default_safety_valve

Required

false

Oozie Server Advanced Configuration Snippet (Safety Valve) for oozie-site.xml**Description**

For advanced use only. A string to be inserted into oozie-site.xml for this role only.

Related Name**Default Value****API Name**

oozie_config_safety_valve

Required

false

Oozie ActionService Executor Extension Classes

Description

Comma-separated list of ActionService executor extension classes. Only action types with associated executors can be used in workflows. For CDH 5.4 and higher, this parameter is used only to specify additional classes for workflows. All executor extension classes included in that release will be added automatically and do not need to be specified.

Related Name

oozie.service.ActionService.executor.ext.classes

Default Value**API Name**

oozie_executor_extension_classes

Required

false

Java Configuration Options for Oozie Server

Description

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or greater, {{JAVA_GC_ARGS}} will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name**Default Value**

-XX:+UseG1GC -XX:MaxGCPauseMillis=20 -XX:InitiatingHeapOccupancyPercent=35 -
XX:G1HeapRegionSize=16M -XX:MinMetaspaceFreeRatio=50 -XX:MaxMetaspaceFreeRatio=80
-XX:+DisableExplicitGC

API Name

oozie_java_opts

Required

false

Directory For JSP Temp Files

Description

Directory to use to for temporary JSP file storage.

Related Name

oozie.jsp.tmp.dir

Default Value

/tmp

API Name

oozie_jsp_tmp_dir

Required

false

Default Launcher Max Attempts**Description**

The default YARN maximal attempt count of the Launcher ApplicationMaster.

Related Name

oozie.launcher.default.max.attempts

Default Value

2

API Name

oozie_launcher_default_max_attempts

Required

false

Default Launcher Memory**Description**

The default amount of memory in MiB that is allocated for the Launcher ApplicationMasters.

Related Name

oozie.launcher.default.memory.mb

Default Value

2 GiB

API Name

oozie_launcher_default_memory

Required

false

Default Launcher Queue**Description**

The default YARN pool where the Launcher ApplicationMaster is placed.

Related Name

oozie.launcher.default.queue

Default Value

default

API Name

oozie_launcher_default_queue

Required

false

Oozie Server Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

OOZIE_SERVER_role_env_safety_valve

Required

false

Oozie HTTP Request Header Size**Description**

Controls the size of the HTTP request header.

Related Name

oozie.http.request.header.size

Default Value

64 KiB

API Name

oozie_service_http_request_header_size

Required

false

Oozie HTTP Response Header Size**Description**

Controls the size of the HTTP response header.

Related Name

oozie.http.response.header.size

Default Value

64 KiB

API Name

oozie_service_http_response_header_size

Required

false

Oozie SchemaService Workflow Extension Schemas**Description**

Comma-separated list of SchemaService workflow extension schemas for additional action types. From CDH 5.4 and higher, this parameter is used only to specify additional schemas for workflows. All schemas included in that release will be added automatically and do not need to be specified.

Related Name

oozie.service.SchemaService.wf.ext.schemas

Default Value**API Name**

oozie_workflow_extension_schemas

Required

false

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name

Default Value

20

API Name

process_start_secs

Required

false

Database**Oozie Server Data Directory****Description**

Directory where the Oozie Server places its data. Only applicable when using Derby as the database type.

Related Name**Default Value**

/var/lib/oozie/data

API Name

oozie_data_dir

Required

false

Oozie Database Connection Properties**Description**

Properties to set on the database connection directly. See `oozie_datasource_properties` for setting properties on the `Datasource` object.

Related Name**Default Value****API Name**

oozie_database_connection_properties

Required

false

Oozie Server Database Host**Description**

Hostname of the database used by Oozie Server. If the port is non-default for your database type, use `host:port` notation. Does not apply if you are using Derby as the database type.

Related Name**Default Value**

localhost

API Name

oozie_database_host

Required

false

Oozie Server Database Is Secure

Description

Whether Oozie should connect to its database through a secure connection or not

Related Name**Default Value**

false

API Name

oozie_database_is_secure

Required

false

Oozie Server Database Name

Description

Name of the database used by Oozie Server.

Related Name**Default Value**

oozie

API Name

oozie_database_name

Required

false

Oozie Server Database Password

Description

Password for connecting to the database used by Oozie Server. Does not apply if you are using Derby as the database type.

Related Name

oozie.service.JPIService.jdbc.password

Default Value**API Name**

oozie_database_password

Required

false

Oozie Server Database Type

Description

Type of the database used by Oozie Server.

Related Name**Default Value**

derby

API Name

oozie_database_type

Required

false

Oozie Server Database User

Description

Username for connecting to the database used by Oozie Server. Does not apply if you are using Derby as the database type.

Related Name

oozie.service.JPAService.jdbc.username

Default Value

sa

API Name

oozie_database_user

Required

false

Oozie Datasource Properties

Description

Properties to set on the Datasource object (e.g.: lock timeout). NOTE: This will not be set on the database connection, but on the Datasource object wrapping the connection. See also: oozie_database_connection_properties.

Related Name

Default Value

API Name

oozie_datasource_properties

Required

false

Logs

Oozie Server Logging Threshold

Description

The minimum log level for Oozie Server logs

Related Name

Default Value

INFO

API Name

log_threshold

Required

false

Oozie Server Maximum Log File Backups

Description

The maximum number of rolled log files to keep for Oozie Server logs. Typically used by log4j or logback.

Related Name

Default Value

720

API Name

max_log_backup_index

Required

false

Oozie Server Log Directory

Description

Directory where Oozie Server will place its log files.

Related Name

Default Value

/var/log/oozie

API Name

oozie_log_dir

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML**Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter

Description

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: { "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }

Related Name

Default Value

API Name

monitoring_metric_filter

Required

false

Workflow Status Metrics Collection Interval

Description

Workflow Status metrics collection interval.

Related Name

oozie.service.DBLiteWorkflowStoreService.status.metrics.collection.interval

Default Value

1 minute(s)

API Name

oozie_job_metric_collection_interval

Required

false

Oozie Server Callable Queue Monitoring Threshold

Description

The health test thresholds of the weighted average size of the Oozie Server callable queue over a recent period. See also Oozie Server Callable Queue Monitoring Period.

Related Name

Default Value

Warning: 80.0 %, Critical: 95.0 %

API Name

oozie_server_callable_queue_threshold

Required

false

Oozie Server Callable Queue Monitoring Period

Description

The period over which to compute the moving average of the callable queue size.

Related Name

Default Value

5 minute(s)

API Name

oozie_server_callable_queue_window

Required

false

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

oozie_server_fd_thresholds

Required

false

Oozie Server Host Health Test**Description**

When computing the overall Oozie Server health, consider the host's health.

Related Name**Default Value**

true

API Name

oozie_server_host_health_enabled

Required

false

Pause Duration Thresholds**Description**

The health test thresholds for the weighted average extra time the pause monitor spent paused. Specified as a percentage of elapsed wall clock time.

Related Name**Default Value**

Warning: 30.0, Critical: 60.0

API Name

oozie_server_pause_duration_thresholds

Required

false

Pause Duration Monitoring Period**Description**

The period to review when computing the moving average of extra time the pause monitor spent paused.

Related Name**Default Value**

5 minute(s)

API Name

oozie_server_pause_duration_window

Required

false

Oozie Server Process Health Test

Description

Enables the health test that the Oozie Server's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

oozie_server_scm_health_enabled

Required

false

Enable Oozie Server Shared Libraries Version Check

Description

If true, enables version check for Oozie Server and installed shared libraries.

Related Name**Default Value**

true

API Name

oozie_server_shared_lib_version_check_enabled

Required

false

Web Metric Collection

Description

Enables the health test that the Cloudera Manager Agent can successfully contact and gather metrics from the web server.

Related Name**Default Value**

true

API Name

oozie_server_web_metric_collection_enabled

Required

false

Web Metric Collection Duration

Description

The health test thresholds on the duration of the metrics request to the web server.

Related Name**Default Value**

Warning: 10 second(s), Critical: Never

API Name

oozie_server_web_metric_collection_thresholds

Required

false

OpenTelemetry Collector Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value**API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL**Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

`$INFRA(cdp_request_signer_url)`

API Name

`otelcol_remote_write_url`

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify `$INFRA(cdp_request_signer_username)` when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

`$INFRA(cdp_request_signer_username)`

API Name

`otelcol_remote_write_user`

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

`otelcol_rtm_logs_exporters`

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

`otelcol_rtm_logs_extensions`

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name

Default Value

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds

Description

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window

Description

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period**Description**

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other**Oozie Email Action From Address****Description**

The from address to be used for mailing all emails for Oozie email action

Related Name

oozie.email.from.address

Default Value

oozie@localhost

API Name

oozie_email_from_address

Required

false

Oozie Email Action SMTP Authentication Enabled**Description**

Enable SMTP authentication for Oozie email action

Related Name

oozie.email.smtp.auth

Default Value

false

API Name

oozie_email_smtp_auth

Required

false

Oozie Email Action SMTP Host

Description

The SMTP server host to use for Oozie email action

Related Name

oozie.email.smtp.host

Default Value

localhost

API Name

oozie_email_smtp_host

Required

false

Oozie Email Action SMTP Authentication Password

Description

SMTP password for Oozie email action

Related Name

oozie.email.smtp.password

Default Value

API Name

oozie_email_smtp_password

Required

false

Oozie Email Action SMTP Authentication Username

Description

SMTP username for Oozie email action

Related Name

oozie.email.smtp.username

Default Value

API Name

oozie_email_smtp_username

Required

false

Oozie Server Plugins

Description

Comma-separated list of Oozie plug-ins to be activated. If one plugin cannot be loaded, all the plugins are ignored.

Related Name

oozie.services.ext

Default Value

API Name

oozie_plugins_list

Required

false

Maximum concurrency for a given callable type

Description

Maximum concurrency for a given callable type.. Each command is a callable type: submit, start, run, etc.. Each action type is a callable type: MapReduce, SSH, sub-workflow, etc. All commands that use action executors (action-start, action-end. etc.) use the action type as the callable type.

Related Name

oozie.service.CallableQueueService.callable.concurrency

Default Value

10

API Name

oozie_service_callablequeueservice_callable_concurrency

Required

false

Maximum Callable Queue Size

Description

Maximum callable queue size

Related Name

oozie.service.CallableQueueService.queue.size

Default Value

10000

API Name

oozie_service_callablequeueservice_queue_size

Required

false

Number Threads For Executing Callables

Description

Number of threads used for executing callables

Related Name

oozie.service.CallableQueueService.threads

Default Value

50

API Name

oozie_service_callablequeueservice_threads

Required

false

Enable The Metrics Instrumentation Service**Description**

Whether to use the Codehale-based metrics for instrumentation. Enabling this disables the 'instrumentation' REST endpoint and enables the 'metrics' REST endpoint (*hostname:port*/v2/admin/metrics).

Related Name**Default Value**

true

API Name

oozie_use_metric_instrumentation

Required

false

Process Sqoop Connectors**Description**

When enabled, Oozie will make an effort to handle additional Sqoop connector parcels, such as Teradata. If any of these parcels are distributed and activated, their respective driver Jar will be uploaded to Yarn for utilization in each Sqoop action. Additionally, the corresponding connection factory settings will be accessible for each Sqoop action as well.

Related Name

oozie.service.SqoopConfigurationService.processSqoopConnectors

Default Value

true

API Name

process_sqoop_connectors

Required

false

Days to Keep Completed Bundle Jobs**Description**

Completed bundle jobs older than this value, in days, will be purged by the PurgeService.

Related Name

oozie.service.PurgeService.bundle.older.than

Default Value

7 day(s)

API Name

purgeservice_bundle_older_than

Required

false

Days to Keep Completed Coordinator Jobs**Description**

Completed coordinator jobs older than this value, in days, will be purged by the PurgeService.

Related Name`oozie.service.PurgeService.coord.older.than`**Default Value**`7 day(s)`**API Name**`purgeservice_coord_older_than`**Required**`false`**Days to Keep Completed Workflow Jobs****Description**

Completed workflow jobs older than this value, in days, will be purged by the PurgeService.

Related Name`oozie.service.PurgeService.older.than`**Default Value**`30 day(s)`**API Name**`purgeservice_older_than`**Required**`false`**Enable Purge for Long-Running Coordinator Jobs****Description**

Whether to purge completed workflows and their corresponding coordinator actions of long-running coordinator jobs if the completed workflow jobs are older than the value specified in `oozie.service.PurgeService.older.than`.

Related Name`oozie.service.PurgeService.purge.old.coord.action`**Default Value**`true`**API Name**`purgeservice_purge_old_coord_action`**Required**`false`**Performance****Default Launcher Virtual CPU Cores****Description**

The default number of Virtual CPU Cores that are allocated for the Launcher ApplicationMasters.

Related Name`oozie.launcher.default.vcores`**Default Value**`1`**API Name**

oozie_launcher_default_vcores

Required

false

Oozie Server Threadpool Size**Description**

Controls the threadpool size for the Oozie Server (both Jetty and Tomcat).

Related Name

oozie.server.threadpool.max.threads

Default Value

150

API Name

oozie_service_threadpool_max_threads

Required

false

Maximum Process File Descriptors**Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses**Oozie Email Action SMTP Port****Description**

The SMTP server port to use for Oozie email action

Related Name

oozie.email.smtp.port

Default Value

25

API Name

oozie_email_smtpprt

Required

false

Oozie HTTP Port**Description**

Port of Oozie Server

Related Name

`oozie.http.port`**Default Value**

11000

API Name`oozie_http_port`**Required**

false

Oozie HTTPS Port**Description**

Port of the Oozie Server when using TLS/SSL.

Related Name`oozie.https.port`**Default Value**

11443

API Name`oozie_https_port`**Required**

false

Resource Management**Java Heap Size of Oozie Server in Bytes****Description**

Maximum size in bytes for the Java Process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

1 GiB

API Name`oozie_java_heapsize`**Required**

false

Cgroup V1 BLKIO Weight**Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name`blkio.weight`**Default Value**

500

API Name`rm_blkio_weight`

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight

Description

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security

Excluded Cipher Suites

Description

List of cipher suite names that should be excluded.

Related Name

oozie.https.exclude.cipher.suites

Default Value

TLS_ECDHE_RSA_WITH_RC4_128_SHA
SSL_DHE_RSA_EXPORT_WITH_DES40_CBC_SHA SSL_RSA_WITH_DES_CBC_SHA
SSL_DHE_RSA_WITH_DES_CBC_SHA SSL_RSA_EXPORT_WITH_RC4_40_MD5
SSL_RSA_EXPORT_WITH_DES40_CBC_SHA SSL_RSA_WITH_RC4_128_MD5

API Name

oozie_https_exclude_cipher_suites

Required

false

Enabled TLS Protocols**Description**

TLS protocols accepted by the Oozie Server.

Related Name

oozie.https.include.protocols

Default Value

SSLv2Hello, TLSv1.2

API Name

oozie_https_include_protocols

Required

false

Oozie TLS/SSL Server Keystore File Location**Description**

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Oozie is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

oozie.https.keystore.file

Default Value

/var/lib/oozie/.keystore

API Name

oozie_https_keystore_file

Required

false

Oozie TLS/SSL Server Keystore File Password**Description**

The password for the Oozie keystore file.

Related Name

oozie.https.keystore.pass

Default Value**API Name**

oozie_https_keystore_password

Required

false

Oozie TLS/SSL Trust Store File**Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Oozie might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

oozie.https.truststore.file

Default Value**API Name**

oozie_https_truststore_file

Required

false

Oozie TLS/SSL Trust Store Password**Description**

The password for the Oozie TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

oozie.https.truststore.pass

Default Value**API Name**

oozie_https_truststore_password

Required

false

Oozie ZooKeeper TLS/SSL Server Keystore File Location**Description**

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Oozie ZooKeeper is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

oozie.zookeeper.https.keystore.file

Default Value**API Name**

oozie_zookeeper_https_keystore_file

Required

false

Oozie ZooKeeper TLS/SSL Server Keystore File Password**Description**

The password for the Oozie ZooKeeper keystore file.

Related Name

oozie.zookeeper.https.keystore.pass

Default Value**API Name**

oozie_zookeeper_https_keystore_password

Required

false

Oozie ZooKeeper TLS/SSL Trust Store File

Description

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Oozie ZooKeeper might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

oozie.zookeeper.https.truststore.file

Default Value**API Name**

oozie_zookeeper_https_truststore_file

Required

false

Oozie ZooKeeper TLS/SSL Trust Store Password

Description

The password for the Oozie ZooKeeper TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

oozie.zookeeper.https.truststore.pass

Default Value**API Name**

oozie_zookeeper_https_truststore_password

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user

with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Parameter Validation: Oozie Service Advanced Configuration Snippet (Safety Valve) for atlas-application.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie Service Advanced Configuration Snippet (Safety Valve) for atlas-application.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_application_properties_safety_valve

Required

true

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Oozie Server Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie Server Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Heap Dump Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: Oozie Server Advanced Configuration Snippet (Safety Valve) for action-conf/default.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie Server Advanced Configuration Snippet (Safety Valve) for action-conf/default.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oozie_action_config_default_safety_valve

Required

true

Suppress Parameter Validation: Oozie Server Advanced Configuration Snippet (Safety Valve) for oozie-site.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie Server Advanced Configuration Snippet (Safety Valve) for oozie-site.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oozie_config_safety_valve

Required

true

Suppress Parameter Validation: Oozie Server Data Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie Server Data Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oozie_data_dir

Required

true

Suppress Parameter Validation: Oozie Database Connection Properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie Database Connection Properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oozie_database_connection_properties

Required

true

Suppress Parameter Validation: Oozie Server Database Host

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie Server Database Host parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oozie_database_host

Required

true

Suppress Parameter Validation: Oozie Server Database Name

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie Server Database Name parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oozie_database_name

Required

true

Suppress Parameter Validation: Oozie Server Database Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie Server Database Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oozie_database_password

Required

true

Suppress Parameter Validation: Oozie Server Database User**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie Server Database User parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oozie_database_user

Required

true

Suppress Parameter Validation: Oozie Datasource Properties**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie Datasource Properties parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oozie_datasource_properties

Required

true

Suppress Parameter Validation: Oozie Email Action From Address

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie Email Action From Address parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oozie_email_from_address

Required

true

Suppress Parameter Validation: Oozie Email Action SMTP Host

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie Email Action SMTP Host parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oozie_email_smtp_host

Required

true

Suppress Parameter Validation: Oozie Email Action SMTP Authentication Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie Email Action SMTP Authentication Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oozie_email_smtp_password

Required

true

Suppress Parameter Validation: Oozie Email Action SMTP Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie Email Action SMTP Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oozie_email_smtp_prt

Required

true

Suppress Parameter Validation: Oozie Email Action SMTP Authentication Username**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie Email Action SMTP Authentication Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oozie_email_smtp_username

Required

true

Suppress Parameter Validation: Oozie ActionService Executor Extension Classes**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie ActionService Executor Extension Classes parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oozie_executor_extension_classes

Required

true

Suppress Parameter Validation: Oozie HTTP Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie HTTP Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oozie_http_port

Required

true

Suppress Parameter Validation: Excluded Cipher Suites**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Excluded Cipher Suites parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oozie_https_exclude_cipher_suites

Required

true

Suppress Parameter Validation: Oozie TLS/SSL Server Keystore File Location**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie TLS/SSL Server Keystore File Location parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oozie_https_keystore_file

Required

true

Suppress Parameter Validation: Oozie TLS/SSL Server Keystore File Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie TLS/SSL Server Keystore File Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oozie_https_keystore_password

Required

true

Suppress Parameter Validation: Oozie HTTPS Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie HTTPS Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oozie_https_port

Required

true

Suppress Parameter Validation: Oozie TLS/SSL Trust Store File**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie TLS/SSL Trust Store File parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oozie_https_truststore_file

Required

true

Suppress Parameter Validation: Oozie TLS/SSL Trust Store Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie TLS/SSL Trust Store Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oozie_https_truststore_password

Required

true

Suppress Parameter Validation: Java Configuration Options for Oozie Server**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for Oozie Server parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oozie_java_opts

Required

true

Suppress Parameter Validation: Directory For JSP Temp Files**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Directory For JSP Temp Files parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_oozie_jsp_tmp_dir`**Required**`true`**Suppress Parameter Validation: Default Launcher Queue****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Default Launcher Queue parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_oozie_launcher_default_queue`**Required**`true`**Suppress Parameter Validation: Oozie Server Log Directory****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie Server Log Directory parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_oozie_log_dir`**Required**`true`**Suppress Parameter Validation: Oozie Server Plugins****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie Server Plugins parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_oozie_plugins_list`**Required**`true`**Suppress Parameter Validation: Oozie Server Environment Advanced Configuration Snippet (Safety Valve)****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie Server Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oozie_server_role_env_safety_valve

Required

true

Suppress Parameter Validation: Oozie SchemaService Workflow Extension Schemas

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie SchemaService Workflow Extension Schemas parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oozie_workflow_extension_schemas

Required

true

Suppress Parameter Validation: Oozie ZooKeeper TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie ZooKeeper TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oozie_zookeeper_https_keystore_file

Required

true

Suppress Parameter Validation: Oozie ZooKeeper TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie ZooKeeper TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oozie_zookeeper_https_keystore_password

Required

true

Suppress Parameter Validation: Oozie ZooKeeper TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie ZooKeeper TLS/SSL Trust Store File parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oozie_zookeeper_https_truststore_file

Required

true

Suppress Parameter Validation: Oozie ZooKeeper TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie ZooKeeper TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oozie_zookeeper_https_truststore_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_oozie_server_audit_health

Required

true

Suppress Health Test: Callable Queue Size**Description**

Whether to suppress the results of the Callable Queue Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_oozie_server_callablequeue_size_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

`role_health_suppression_oozie_server_file_descriptor`**Required**`true`**Suppress Health Test: Heap Dump Directory Free Space****Description**

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_oozie_server_heap_dump_directory_free_space`**Required**`true`**Suppress Health Test: Host Health****Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_oozie_server_host_health`**Required**`true`**Suppress Health Test: Log Directory Free Space****Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_oozie_server_log_directory_free_space`**Required**`true`**Suppress Health Test: Otelcol Health****Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_oozie_server_otelcol_health

Required

true

Suppress Health Test: Pause Duration**Description**

Whether to suppress the results of the Pause Duration health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_oozie_server_pause_duration

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_oozie_server_scm_health

Required

true

Suppress Health Test: Oozie Server Shared Library Check**Description**

Whether to suppress the results of the Oozie Server Shared Library Check health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_oozie_server_shared_lib_version_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_oozie_server_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_oozie_server_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits**Description**

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_oozie_server_unexpected_exits

Required

true

Suppress Health Test: Web Server Status

Description

Whether to suppress the results of the Web Server Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_oozie_server_web_metric_collection

Required

true

Service-Wide

Advanced

Oozie Service Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

oozie_env_safety_valve

Required

false

System Group

Description

The group that this service's processes should run as.

Related Name**Default Value**

oozie

API Name

process_groupname

Required

true

System User

Description

The user that this service's processes should run as.

Related Name**Default Value**

oozie

API Name

process_username

Required

true

Database

Database Dump File

Description

File where the database gets dumped to or loaded from.

Related Name

Default Value

/tmp/oozie_database_dump.zip

API Name

database_dump_file

Required

false

Monitoring

Enable Service Level Health Alerts

Description

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Healthy Oozie Server Monitoring Thresholds

Description

The health test thresholds of the overall Oozie Server health. The check returns "Concerning" health if the percentage of "Healthy" Oozie Servers falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" Oozie Servers falls below the critical threshold.

Related Name**Default Value**

Warning: 99.0 %, Critical: 51.0 %

API Name

oozie_servers_healthy_thresholds

Required

false

Service Triggers**Description**

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

service_triggers

Required

true

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name**Default Value**

API Name

smon_derived_configs_safety_valve

Required

false

Other

Atlas Service

Description

Name of the Atlas service that this Oozie service instance depends on. This is used to configure Atlas Hook properties.

Related Name

Default Value

API Name

atlas_service

Required

false

HBase Service

Description

Name of the HBase service that this Oozie service instance depends on. This is used to configure Oozie HBase integration.

Related Name

Default Value

API Name

hbase_service

Required

false

Hive Service

Description

Name of the Hive service that this Oozie service instance depends on. This is used to configure Oozie HCat integration.

Related Name

Default Value

API Name

hive_service

Required

false

MapReduce Service

Description

Service to run MapReduce jobs against

Related Name

Default Value

API Name

mapreduce_yarn_service

Required

true

Oozie Event Listeners

Description

List of event listeners used by the Oozie service. Listeners needed for JMS or SLA integration are automatically emitted if they are enabled.

Related Name

oozie.service.EventHandlerService.event.listeners

Default Value

API Name

oozie_event_listeners

Required

false

JMS Broker

Description

URL of the JMS Broker used by the Oozie service in JMS integration is enabled.

Related Name

oozie.jms.producer.connection.properties

Default Value

tcp://localhost:61616

API Name

oozie_jms_broker

Required

false

Oozie Load Balancer Hostname

Description

Hostname of the load balancer used if Oozie HA is enabled.

Related Name

Default Value

API Name

oozie_load_balancer

Required

false

Coordinator Job Lookup Interval

Description

Coordinator Job Lookup trigger command is scheduled at this interval (in seconds).

Related Name

oozie.service.CoordMaterializeTriggerService.lookup.interval

Default Value

5 minute(s)

API Name

oozie_service_coord_lookup_interval

Required

false

Coordinator Action Input Check Default Timeout**Description**

Default timeout for a Coordinator Action input check (in minutes) for a Coordinator Job.

Related Name

oozie.service.coord.normal.default.timeout

Default Value

2 hour(s)

API Name

oozie_service_coord_normal_default_timeout

Required

false

Oozie Callback Servlet Authentication**Description**

If enabled, and Oozie runs in a Kerberos environment, the callback endpoint will require authentication like all the other endpoints.

Related Name

oozie.servlet.CallbackServlet.authentication.required

Default Value

false

API Name

oozie_servlet_callbackservlet_authentication_required

Required

false

ShareLib Root Directory**Description**

Root of the directory in HDFS where the Oozie ShareLibs are stored. The libraries are stored in the share/lib subdirectory under the specified root directory.

Related Name

oozie.service.WorkflowAppService.system.libpath

Default Value

/user/oozie

API Name

oozie_sharelib_rootdir

Required

true

Oozie UI Enabled

Description

If disabled, the Oozie UI will not be available.

Related Name

oozie.ui.enabled

Default Value

true

API Name

oozie_ui_enabled

Required

false

Oozie Upload ShareLib Command Timeout

Description

The timeout in seconds used for the Oozie Upload ShareLib command. When the value is zero, there is no timeout for the command.

Related Name**Default Value**

270

API Name

oozie_upload_sharelib_cmd_timeout

Required

false

Oozie Upload ShareLib Command Concurrency Level

Description

The number of threads that Oozie will use for the Upload ShareLib command.

Related Name**Default Value**

8

API Name

oozie_upload_sharelib_concurrency

Required

false

Enable JMS Integration

Description

Whether to configure Oozie properties needed for JMS integration

Related Name**Default Value**

false

API Name

oozie_use_jms

Required

false

Enable SLA Integration

Description

Whether to configure Oozie properties needed for SLA integration

Related Name**Default Value**

false

API Name

oozie_use_sla

Required

false

Use ACLs on Znode

Description

Use ACLs on Znode while a secure ZooKeeper is used for Oozie High Availability. Note: This config is not emitted if ZooKeeper is not secure.

Related Name

oozie.zookeeper.secure

Default Value

true

API Name

oozie_zk_secure

Required

false

ZooKeeper Namespace

Description

Namespace used by this Oozie service in ZooKeeper when High Availability is enabled.

Related Name

oozie.zookeeper.namespace

Default Value

oozie

API Name

oozie_zookeeper_namespace

Required

false

Ozone Service

Description

Name of the Ozone service that this Oozie service instance depends on

Related Name**Default Value****API Name**

`ozone_service`**Required**`false`**Spark3 on Yarn service****Description**

Name of the Spark3 on Yarn service that this Oozie service instance depends on.

Related Name**Default Value****API Name**`spark3_on_yarn_service`**Required**`false`**Python Executable for Spark3 Actions****Description**

Custom Python executable that is intended to be used with Oozie's Spark3 actions. The value should represent the absolute path to the Python executable, such as `"/opt/python-for-spark3/python3.8/bin/python3"`. The presence of the specified Python executable is required on all NodeManager Hosts. If you leave this field blank, Oozie won't replace the default Python executable used with Spark3. To understand how Spark3 selects its Python executable, please consult the official Spark3 documentation.

Related Name`oozie.service.Spark3ConfigurationService.spark.pyspark.python`**Default Value****API Name**`spark3_python_executable`**Required**`false`**Sqoop Service****Description**

Name of the Sqoop service that this Oozie service instance depends on. This is used to configure Oozie Sqoop integration.

Related Name**Default Value****API Name**`sqoop_client`**Required**`false`**ZooKeeper Service****Description**

Name of the ZooKeeper service that this Oozie service instance depends on

Related Name

Default Value**API Name**

zookeeper_service

Required

false

Ports and Addresses**Oozie Load Balancer HTTP Port****Description**

HTTP port of the load balancer used if Oozie HA is enabled and SSL is disabled.

Related Name**Default Value****API Name**

oozie_load_balancer_http_port

Required

false

Oozie Load Balancer HTTPS Port**Description**

HTTPS port of the load balancer used if Oozie HA is enabled and SSL is enabled.

Related Name**Default Value****API Name**

oozie_load_balancer_https_port

Required

false

Security**Kerberos Principal****Description**

Kerberos principal short name used by all roles of this service.

Related Name**Default Value**

oozie

API Name

kerberos_princ_name

Required

true

Oozie Credential Classes**Description**

A list of credential class mappings for CredentialsProvider.

Related Name`oozie.credentials.credentialclasses`**Default Value**`hcat=org.apache.oozie.action.hadoop.HCatCredentials
hbase=org.apache.oozie.action.hadoop.HbaseCredentials
hive2=org.apache.oozie.action.hadoop.Hive2Credentials`**API Name**`oozie_credential_classes`**Required**`false`**Enable TLS/SSL for Oozie****Description**

Encrypt communication between clients and Oozie using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name`oozie.https.enabled`**Default Value**`false`**API Name**`oozie_use_ssl`**Required**`false`**Suppressions****Suppress Configuration Validator: Oozie Service Advanced Configuration Snippet (Safety Valve) for atlas-application.properties****Description**

Whether to suppress configuration warnings produced by the Oozie Service Advanced Configuration Snippet (Safety Valve) for atlas-application.properties configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_application_properties_safety_valve`**Required**`true`**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**`false`

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Configuration Validator: Oozie Server Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Oozie Server Logging Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Configuration Validator: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Configuration Validator: Oozie Server Advanced Configuration Snippet (Safety Valve) for action-conf/default.xml

Description

Whether to suppress configuration warnings produced by the Oozie Server Advanced Configuration Snippet (Safety Valve) for action-conf/default.xml configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_oozie_action_config_default_safety_valve

Required

true

Suppress Configuration Validator: Oozie Server Advanced Configuration Snippet (Safety Valve) for oozie-site.xml**Description**

Whether to suppress configuration warnings produced by the Oozie Server Advanced Configuration Snippet (Safety Valve) for oozie-site.xml configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_oozie_config_safety_valve

Required

true

Suppress Configuration Validator: Oozie Server Data Directory**Description**

Whether to suppress configuration warnings produced by the Oozie Server Data Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_oozie_data_dir

Required

true

Suppress Configuration Validator: Oozie Database Connection Properties**Description**

Whether to suppress configuration warnings produced by the Oozie Database Connection Properties configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_oozie_database_connection_properties

Required

true

Suppress Configuration Validator: Oozie Server Database Host

Description

Whether to suppress configuration warnings produced by the Oozie Server Database Host configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oozie_database_host

Required

true

Suppress Configuration Validator: Oozie Server Database Name

Description

Whether to suppress configuration warnings produced by the Oozie Server Database Name configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oozie_database_name

Required

true

Suppress Configuration Validator: Oozie Server Database Password

Description

Whether to suppress configuration warnings produced by the Oozie Server Database Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oozie_database_password

Required

true

Suppress Configuration Validator: Oozie Server Database User

Description

Whether to suppress configuration warnings produced by the Oozie Server Database User configuration validator.

Related Name

Default Value

	false
API Name	role_config_suppression_oozie_database_user
Required	true

Suppress Configuration Validator: Oozie Datasource Properties

Description
Whether to suppress configuration warnings produced by the Oozie Datasource Properties configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_oozie_datasource_properties

Required
true

Suppress Configuration Validator: Oozie Email Action From Address

Description
Whether to suppress configuration warnings produced by the Oozie Email Action From Address configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_oozie_email_from_address

Required
true

Suppress Configuration Validator: Oozie Email Action SMTP Host

Description
Whether to suppress configuration warnings produced by the Oozie Email Action SMTP Host configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_oozie_email_smtp_host

Required
true

Suppress Configuration Validator: Oozie Email Action SMTP Authentication Password

Description

Whether to suppress configuration warnings produced by the Oozie Email Action SMTP Authentication Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oozie_email_smtp_password

Required

true

Suppress Configuration Validator: Oozie Email Action SMTP Port

Description

Whether to suppress configuration warnings produced by the Oozie Email Action SMTP Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oozie_email_smtp prt

Required

true

Suppress Configuration Validator: Oozie Email Action SMTP Authentication Username

Description

Whether to suppress configuration warnings produced by the Oozie Email Action SMTP Authentication Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oozie_email_smtp_username

Required

true

Suppress Configuration Validator: Oozie ActionService Executor Extension Classes

Description

Whether to suppress configuration warnings produced by the Oozie ActionService Executor Extension Classes configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oozie_executor_extension_classes

Required

true

Suppress Configuration Validator: Oozie HTTP Port

Description

Whether to suppress configuration warnings produced by the Oozie HTTP Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_oozie_http_port

Required

true

Suppress Configuration Validator: Excluded Cipher Suites

Description

Whether to suppress configuration warnings produced by the Excluded Cipher Suites configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_oozie_https_exclude_cipher_suites

Required

true

Suppress Configuration Validator: Oozie TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the Oozie TLS/SSL Server Keystore File Location configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_oozie_https_keystore_file

Required

true

Suppress Configuration Validator: Oozie TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the Oozie TLS/SSL Server Keystore File Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_oozie_https_keystore_password

Required

true

Suppress Configuration Validator: Oozie HTTPS Port

Description

Whether to suppress configuration warnings produced by the Oozie HTTPS Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oozie_https_port

Required

true

Suppress Configuration Validator: Oozie TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the Oozie TLS/SSL Trust Store File configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oozie_https_truststore_file

Required

true

Suppress Configuration Validator: Oozie TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the Oozie TLS/SSL Trust Store Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oozie_https_truststore_password

Required

true

Suppress Configuration Validator: Java Configuration Options for Oozie Server

Description

Whether to suppress configuration warnings produced by the Java Configuration Options for Oozie Server configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oozie_java_opts

Required

true

Suppress Configuration Validator: Directory For JSP Temp Files

Description

Whether to suppress configuration warnings produced by the Directory For JSP Temp Files configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oozie_jsp_tmp_dir

Required

true

Suppress Configuration Validator: Default Launcher Queue

Description

Whether to suppress configuration warnings produced by the Default Launcher Queue configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oozie_launcher_default_queue

Required

true

Suppress Configuration Validator: Oozie Server Log Directory

Description

Whether to suppress configuration warnings produced by the Oozie Server Log Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oozie_log_dir

Required

true

Suppress Configuration Validator: Oozie Server Plugins**Description**

Whether to suppress configuration warnings produced by the Oozie Server Plugins configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_oozie_plugins_list

Required

true

Suppress Configuration Validator: Oozie Server Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the Oozie Server Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_oozie_server_role_env_safety_valve

Required

true

Suppress Configuration Validator: Oozie SchemaService Workflow Extension Schemas**Description**

Whether to suppress configuration warnings produced by the Oozie SchemaService Workflow Extension Schemas configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_oozie_workflow_extension_schemas

Required

true

Suppress Configuration Validator: Oozie ZooKeeper TLS/SSL Server Keystore File Location**Description**

Whether to suppress configuration warnings produced by the Oozie ZooKeeper TLS/SSL Server Keystore File Location configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_oozie_zookeeper_https_keystore_file

Required

true

Suppress Configuration Validator: Oozie ZooKeeper TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the Oozie ZooKeeper TLS/SSL Server Keystore File Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oozie_zookeeper_https_keystore_password

Required

true

Suppress Configuration Validator: Oozie ZooKeeper TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the Oozie ZooKeeper TLS/SSL Trust Store File configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oozie_zookeeper_https_truststore_file

Required

true

Suppress Configuration Validator: Oozie ZooKeeper TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the Oozie ZooKeeper TLS/SSL Trust Store Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oozie_zookeeper_https_truststore_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: Role Triggers**Description**

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Configuration Validator: Stacks Collection Directory**Description**

Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Parameter Validation: Database Dump File**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Database Dump File parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_database_dump_file

Required

true

Suppress Parameter Validation: Kerberos Principal**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Principal parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_kerberos_princ_name

Required

true

Suppress Parameter Validation: Oozie Credential Classes**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie Credential Classes parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_oozie_credential_classes

Required

true

Suppress Parameter Validation: Oozie Service Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_oozie_env_safety_valve

Required

true

Suppress Parameter Validation: Oozie Event Listeners**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie Event Listeners parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_oozie_event_listeners

Required

true

Suppress Parameter Validation: JMS Broker**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMS Broker parameter.

Related Name

Default Value

false

API Name

service_config_suppression_oozie_jms_broker

Required

true

Suppress Parameter Validation: Oozie Load Balancer Hostname

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie Load Balancer Hostname parameter.

Related Name

Default Value

false

API Name

service_config_suppression_oozie_load_balancer

Required

true

Suppress Parameter Validation: Oozie Load Balancer HTTP Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie Load Balancer HTTP Port parameter.

Related Name

Default Value

false

API Name

service_config_suppression_oozie_load_balancer_http_port

Required

true

Suppress Parameter Validation: Oozie Load Balancer HTTPS Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie Load Balancer HTTPS Port parameter.

Related Name

Default Value

false

API Name

service_config_suppression_oozie_load_balancer_https_port

Required

true

Suppress Configuration Validator: Oozie Server Count Validator

Description

Whether to suppress configuration warnings produced by the Oozie Server Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_oozie_server_count_validator

Required

true

Suppress Parameter Validation: ShareLib Root Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the ShareLib Root Directory parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_oozie_sharelib_rootdir

Required

true

Suppress Parameter Validation: ZooKeeper Namespace**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the ZooKeeper Namespace parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_oozie_zookeeper_namespace

Required

true

Suppress Parameter Validation: System Group**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: System User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_username

Required

true

Suppress Parameter Validation: Service Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_service_triggers

Required

true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_smon_derived_configs_safety_valve

Required

true

Suppress Parameter Validation: Python Executable for Spark3 Actions

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Python Executable for Spark3 Actions parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_spark3_python_executable

Required

true

Suppress Health Test: Oozie Server Health**Description**

Whether to suppress the results of the Oozie Server Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_oozie_oozie_servers_healthy

Required

true

Ozone Properties in Cloudera Runtime 7.3.1

Role groups:

Gateway

Advanced

Deploy Directory

Description

The directory where the client configs will be deployed

Related Name**Default Value**

/etc/ozone

API Name

client_config_root_dir

Required

true

Gateway Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Ozone Client Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozone-site.xml

Description

For advanced use only, a string to be inserted into the client configuration for ozone-conf/ozone-site.xml.

Related Name

Default Value

API Name

ozone-conf/ozone-site.xml_client_config_safety_valve

Required

false

Ozone Client Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-client.xml

Description

For advanced use only, a string to be inserted into the client configuration for ozone-conf/ssl-client.xml.

Related Name

Default Value

API Name

ozone-conf/ssl-client.xml_client_config_safety_valve

Required

false

Logs

Gateway Logging Threshold

Description

The minimum log level for Gateway logs

Related Name

Default Value

INFO

API Name

log_threshold

Required

false

Monitoring

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Other**Alternatives Priority****Description**

The priority level that the client configuration will have in the Alternatives system on the hosts. Higher priority levels will cause Alternatives to prefer this configuration over any others.

Related Name**Default Value**

50

API Name

client_config_priority

Required

true

Security**Gateway TLS/SSL Trust Store File****Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Gateway might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

ssl.client.truststore.location

Default Value**API Name**

ssl_client_truststore_location

Required

false

Gateway TLS/SSL Trust Store Password**Description**

The password for the Gateway TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

ssl.client.truststore.password

Default Value**API Name**

ssl_client_truststore_password

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Deploy Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Deploy Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Parameter Validation: Gateway Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Ozone Client Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozone-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Client Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozone-site.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone-conf/ozone-site.xml_client_config_safety_valve

Required

true

Suppress Parameter Validation: Ozone Client Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-client.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Client Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-client.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone-conf/ssl-client.xml_client_config_safety_valve

Required

true

Suppress Parameter Validation: Gateway TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway TLS/SSL Trust Store File parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: Gateway TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

`role_config_suppression_ssl_client_truststore_password`**Required**`true`

HttpFS Gateway

Advanced

HttpFS Gateway Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**`HTTPFS_GATEWAY_role_env_safety_valve`**Required**`false`

HttpFS Gateway Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**`log4j_safety_valve`**Required**`false`

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**`false`**API Name**`metric_config_auto_refresh`**Required**`false`

Heap Dump Directory

Description

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists,

it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

HttpFS Gateway Advanced Configuration Snippet (Safety Valve) for ozone-conf/httpfs-site.xml**Description**

For advanced use only. A string to be inserted into ozone-conf/httpfs-site.xml for this role only.

Related Name**Default Value****API Name**

ozone-conf/httpfs-site.xml_role_safety_valve

Required

false

HttpFS Gateway Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozone-site.xml

Description

For advanced use only. A string to be inserted into ozone-conf/ozone-site.xml for this role only.

Related Name**Default Value****API Name**

ozone-conf/ozone-site.xml_role_safety_valve

Required

false

HttpFS Gateway Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-client.xml

Description

For advanced use only. A string to be inserted into ozone-conf/ssl-client.xml for this role only.

Related Name**Default Value****API Name**

ozone-conf/ssl-client.xml_role_safety_valve

Required

false

HttpFS Gateway Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-server.xml

Description

For advanced use only. A string to be inserted into ozone-conf/ssl-server.xml for this role only.

Related Name**Default Value****API Name**

ozone-conf/ssl-server.xml_role_safety_valve

Required

false

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Role Specific System Group

Description

The group that this role's processes should run as.

Related Name**Default Value**

hdfs

API Name

process_groupname

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Role Specific System User

Description

The user that this role's processes should run as.

Related Name

Default Value

hdfs

API Name

process_username

Required

true

Logs

HttpFS Gateway Log Directory

Description

The log directory for log files of the role HttpFS Gateway.

Related Name

log.dir

Default Value

/var/log/hadoop-ozone

API Name

log_dir

Required

false

HttpFS Gateway Logging Threshold

Description

The minimum log level for HttpFS Gateway logs

Related Name

Default Value

INFO

API Name

log_threshold

Required

false

HttpFS Gateway Maximum Log File Backups

Description

The maximum number of rolled log files to keep for HttpFS Gateway logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

HttpFS Gateway Max Log Size**Description**

The maximum size, in megabytes, per log file for HttpFS Gateway logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring**Enable Health Alerts for this Role****Description**

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

httpfs_gateway_fd_thresholds

Required

false

HttpFS Gateway Host Health Test**Description**

When computing the overall HttpFS Gateway health, consider the host's health.

Related Name**Default Value**

true

API Name

httpfs_gateway_host_health_enabled

Required

false

HttpFS Gateway Process Health Test**Description**

Enables the health test that the HttpFS Gateway's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

httpfs_gateway_scm_health_enabled

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

	true
API Name	jmx_exporter_enabled
Required	true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name

Default Value

API Name	jmx_exporter_yaml
Required	false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name

Default Value

Warning: 10 GiB, Critical: 5 GiB

API Name

	log_directory_free_space_absolute_thresholds
Required	false

Log Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

	log_directory_free_space_percentage_thresholds
Required	false

Metric Filter

Description

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name

Default Value

API Name

`monitoring_metric_filter`

Required

`false`

OpenTelemetry Collector Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

`exporters: prometheusremotewrite/$ROLE_NAME: endpoint: $ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls: insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s max_elapsed_time: 300s`

API Name

`otelcol_exporters`

Required

`false`

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value


```
extensions: basicauth/$ROLE_NAME: client_auth: username:  
$ROLE_PARAM(otelcol_remote_write_user) password:  
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**`$INFRA(cdp_request_signer_url)`**API Name**

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify `$INFRA(cdp_request_signer_username)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**`$INFRA(cdp_request_signer_username)`**API Name**

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value**

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers

Description

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name

Default Value

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name

Default Value

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other**Hive Proxy User Groups for Ozone HttpFS****Description**

Comma-delimited list of groups from which to allow the Hive user to impersonate others when connecting to Ozone HttpFS. To disable entirely, use a string that does not correspond to a group name, such as '_no_group_'

Related Name

httpfs.proxyuser.hive.groups

Default Value

*

API Name

httpfs.proxyuser.hive.groups

Required

true

Hive Proxy User Hosts for Ozone HttpFS**Description**

Comma-delimited list of hosts from which to allow the Hive user to impersonate others when connecting to Ozone HttpFS. To disable entirely, use a string that does not correspond to a group name, such as '_no_group_'

Related Name

httpfs.proxyuser.hive.hosts

Default Value

*

API Name

httpfs.proxyuser.hive.hosts

Required

true

Hue Proxy User Groups for Ozone HttpFS**Description**

Comma-delimited list of groups from which to allow the Hue user to impersonate others when connecting to Ozone HttpFS. To disable entirely, use a string that does not correspond to a group name, such as '_no_group_'

Related Name

httpfs.proxyuser.hue.groups

Default Value

*

API Name

httpfs.proxyuser.hue.groups

Required

true

Hue Proxy User Hosts for Ozone HttpFS**Description**

Comma-delimited list of hosts from which to allow the Hue user to impersonate others when connecting to Ozone HttpFS. To disable entirely, use a string that does not correspond to a group name, such as '_no_group_'

Related Name

httpfs.proxyuser.hue.hosts

Default Value

*

API Name

httpfs.proxyuser.hue.hosts

Required

true

Ozone HttpFS Gateway HTTP Bind Hostname**Description**

The actual address the HttpFS Gateway web server will bind to. If this optional address is set, it overrides only the hostname portion of 'ozone.httpfs.http-address'.

Related Name

ozone.httpfs.http-bind-host

Default Value

0.0.0.0

API Name

ozone.httpfs.http-bind-host

Required

false

Java Heap Size of HttpFS Gateway**Description**

Maximum size for the Java process heap memory.

Related Name

ozone_httpfs_gateway_max_heap_size

Default Value

1 GiB

API Name

ozone_httpfs_gateway_max_heap_size

Required

false

Performance**Maximum Process File Descriptors****Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses**Ozone HttpFS Gateway HTTP Web UI Port****Description**

The base port that the HttpFS Gateway web user interface listens on. The host name of the HttpFS Gateway is combined with this port to form the 'ozone.httpfs.http-address'.

Related Name

ozone.httpfs.http-port

Default Value

9778

API Name

ozone.httpfs.http-port

Required

true

Resource Management**Cgroup V1 BLKIO Weight****Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100	
API Name	rm_io_weight
Required	true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security**Role-Specific Kerberos Principal****Description**

Kerberos principal used by the HttpFS Gateway roles.

Related Name**Default Value**

httpfs

API Name

kerberos_role_princ_name

Required

true

HttpFS Gateway TLS/SSL Trust Store File**Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that HttpFS Gateway might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

`ssl.client.truststore.location`**Default Value****API Name**`ssl_client_truststore_location`**Required**

false

HttpFS Gateway TLS/SSL Trust Store Password**Description**

The password for the HttpFS Gateway TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name`ssl.client.truststore.password`**Default Value****API Name**`ssl_client_truststore_password`**Required**

false

Enable TLS/SSL for HttpFS Gateway**Description**

Encrypt communication between clients and HttpFS Gateway using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name`ozone.ssl.enabled`**Default Value**

false

API Name`ssl_enabled`**Required**

false

HttpFS Gateway TLS/SSL Server Keystore Key Password**Description**

The password that protects the private key contained in the keystore used when HttpFS Gateway is acting as a TLS/SSL server.

Related Name`ssl.server.keystore.keypassword`**Default Value****API Name**`ssl_server_keystore_keypassword`**Required**

false

HttpFS Gateway TLS/SSL Server Keystore File Location

Description

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when HttpFS Gateway is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

ssl.server.keystore.location

Default Value

API Name

ssl_server_keystore_location

Required

false

HttpFS Gateway TLS/SSL Server Keystore File Password

Description

The password for the HttpFS Gateway keystore file.

Related Name

ssl.server.keystore.password

Default Value

API Name

ssl_server_keystore_password

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Hive Proxy User Groups for Ozone HttpFS

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Proxy User Groups for Ozone HttpFS parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_httpfs.proxyuser.hive.groups

Required

true

Suppress Parameter Validation: Hive Proxy User Hosts for Ozone HttpFS

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Proxy User Hosts for Ozone HttpFS parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_httpfs.proxyuser.hive.hosts

Required

true

Suppress Parameter Validation: Hue Proxy User Groups for Ozone HttpFS

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue Proxy User Groups for Ozone HttpFS parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_httpfs.proxyuser.hue.groups

Required

true

Suppress Parameter Validation: Hue Proxy User Hosts for Ozone HttpFS

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue Proxy User Hosts for Ozone HttpFS parameter.

Related Name

Default Value

false

API Name

role_config_suppression_httpfs.proxyuser.hue.hosts

Required

true

Suppress Parameter Validation: HttpFS Gateway Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HttpFS Gateway Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_httpfs_gateway_role_env_safety_valve

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Role-Specific Kerberos Principal

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role-Specific Kerberos Principal parameter.

Related Name

Default Value

false

API Name

role_config_suppression_kerberos_role_princ_name

Required

true

Suppress Parameter Validation: HttpFS Gateway Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HttpFS Gateway Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: HttpFS Gateway Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HttpFS Gateway Log Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

	false
API Name	role_config_suppression_otelcol_processors
Required	true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_receivers
Required	true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_remote_write_password
Required	true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_remote_write_url
Required	true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description	
--------------------	--

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: HttpFS Gateway Advanced Configuration Snippet (Safety Valve) for ozone-conf/httpfs-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HttpFS Gateway Advanced Configuration Snippet (Safety Valve) for ozone-conf/httpfs-site.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone-conf/httpfs-site.xml_role_safety_valve

Required

true

Suppress Parameter Validation: HttpFS Gateway Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozone-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HttpFS Gateway Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozone-site.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone-conf/ozone-site.xml_role_safety_valve

Required

true

Suppress Parameter Validation: HttpFS Gateway Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-client.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HttpFS Gateway Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-client.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone-conf/ssl-client.xml_role_safety_valve

Required

true

Suppress Parameter Validation: HttpFS Gateway Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-server.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HttpFS Gateway Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-server.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone-conf/ssl-server.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Ozone HttpFS Gateway HTTP Bind Hostname

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone HttpFS Gateway HTTP Bind Hostname parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.httpfs.http-bind-host

Required

true

Suppress Parameter Validation: Ozone HttpFS Gateway HTTP Web UI Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone HttpFS Gateway HTTP Web UI Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.httpfs.http-port

Required

true

Suppress Parameter Validation: Java Heap Size of HttpFS Gateway

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Heap Size of HttpFS Gateway parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone_httpfs_gateway_max_heap_size

Required

true

Suppress Parameter Validation: Role Specific System Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Specific System Group parameter.

Related Name

Default Value

false

API Name

role_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: Role Specific System User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Specific System User parameter.

Related Name

Default Value

false

API Name

role_config_suppression_process_username

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: HttpFS Gateway TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HttpFS Gateway TLS/SSL Trust Store File parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: HttpFS Gateway TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HttpFS Gateway TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Parameter Validation: HttpFS Gateway TLS/SSL Server Keystore Key Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HttpFS Gateway TLS/SSL Server Keystore Key Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_keypassword

Required

true

Suppress Parameter Validation: HttpFS Gateway TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HttpFS Gateway TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: HttpFS Gateway TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HttpFS Gateway TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test

Description

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_ozon_httpfs_gateway_audit_health

Required

true

Suppress Health Test: File Descriptors

Description

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozon_httpfs_gateway_file_descriptor

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozon_httpfs_gateway_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozon_httpfs_gateway_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozone_httpfs_gateway_otelcol_health

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozone_httpfs_gateway_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozone_httpfs_gateway_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozone_httpfs_gateway_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozone_https_gateway_unexpected_exits

Required

true

Ozone DataNode

Advanced

Ozone DataNode Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory

Description

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions

and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Ozone DataNode Advanced Configuration Snippet (Safety Valve) for ozone-conf/dn-audit-log4j2.properties**Description**

For advanced use only. A string to be inserted into ozone-conf/dn-audit-log4j2.properties for this role only.

Related Name**Default Value****API Name**

ozone-conf/dn-audit-log4j2.properties_role_safety_valve

Required

false

Ozone DataNode Advanced Configuration Snippet (Safety Valve) for ozone-conf/dn-container-log4j2.properties

Description

For advanced use only. A string to be inserted into ozone-conf/dn-container-log4j2.properties for this role only.

Related Name**Default Value****API Name**

ozone-conf/dn-container-log4j2.properties_role_safety_valve

Required

false

Ozone DataNode Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozone-site.xml

Description

For advanced use only. A string to be inserted into ozone-conf/ozone-site.xml for this role only.

Related Name**Default Value****API Name**

ozone-conf/ozone-site.xml_role_safety_valve

Required

false

Ozone DataNode Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-client.xml

Description

For advanced use only. A string to be inserted into ozone-conf/ssl-client.xml for this role only.

Related Name**Default Value****API Name**

ozone-conf/ssl-client.xml_role_safety_valve

Required

false

Ozone DataNode Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-server.xml

Description

For advanced use only. A string to be inserted into ozone-conf/ssl-server.xml for this role only.

Related Name**Default Value****API Name**

ozone-conf/ssl-server.xml_role_safety_valve

Required

false

Ozone DataNode Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

OZONE_DATANODE_role_env_safety_valve

Required

false

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Role Specific System Group

Description

The group that this role's processes should run as.

Related Name**Default Value**

hdfs

API Name

process_groupname

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Role Specific System User**Description**

The user that this role's processes should run as.

Related Name**Default Value**

hdfs

API Name

process_username

Required

true

Logs**Ozone DataNode Log Directory****Description**

The log directory for log files of the role Ozone DataNode.

Related Name

log.dir

Default Value

/var/log/hadoop-ozone

API Name

log_dir

Required

false

Ozone DataNode Logging Threshold**Description**

The minimum log level for Ozone DataNode logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Ozone DataNode Maximum Log File Backups**Description**

The maximum number of rolled log files to keep for Ozone DataNode logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

Ozone DataNode Max Log Size**Description**

The maximum size, in megabytes, per log file for Ozone DataNode logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

`jmx_exporter_yaml`**Required**

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name`log_directory_free_space_absolute_thresholds`**Required**

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name`log_directory_free_space_percentage_thresholds`**Required**

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.

- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name**Default Value****API Name**

`monitoring_metric_filter`

Required

`false`

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

`otelcol_exporters`

Required

`false`

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

`otelcol_extensions`

Required

`false`

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name

Default Value

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL**Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username**Description**

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name

Default Value

Warning: 50.0 %, Critical: 70.0 %

API Name

ozone_datanode_fd_thresholds

Required

false

Ozone DataNode Host Health Test**Description**

When computing the overall Ozone DataNode health, consider the host's health.

Related Name**Default Value**

true

API Name

ozone_datanode_host_health_enabled

Required

false

Ozone DataNode Process Health Test**Description**

Enables the health test that the Ozone DataNode's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

ozone_datanode_scm_health_enabled

Required

false

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=\$ROLENAM and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}] See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period**Description**

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other**Datanode Ratis Metadata Directory****Description**

One or more directories used for storing Datanode Ratis metadata. Ideally, this should be mapped to a fast disk like an SSD.

Related Name

dfs.container.ratis.datanode.storage.dir

Default Value

/var/lib/hadoop-ozone/datanode/ratis/data

API Name

dfs.container.ratis.datanode.storage.dir

Required

true

Number of Disks where Blocks are Stored that are Allowed to Fail**Description**

The number of disks where blocks are stored that are allowed to fail before a datanode stops offering service. Set this property to -1 to specify that an unlimited number of disks can fail. If set to -1, there must be at least one good disk remaining on which to store blocks.

Related Name

failed.data.volumes.tolerated

Default Value

-1

API Name

failed.data.volumes.tolerated

Required

false

Number of Disks that Store Block Metadata that are Allowed to Fail**Description**

The number of disks that store block metadata that are allowed to fail before a datanode stops offering service. Set this property to -1 to specify that an unlimited number of disks can fail. If set to -1, there must be at least one good disk remaining on which to store block metadata.

Related Name

failed.metadata.volumes.tolerated

Default Value

-1

API Name

failed.metadata.volumes.tolerated

Required

false

Graceful Shutdown Timeout**Description**

The timeout in milliseconds to wait for graceful shutdown to complete.

Related Name**Default Value**

2 minute(s)

API Name

graceful_stop_timeout

Required

false

Datanode Data Directory**Description**

Determines where on the local filesystem HDDS data will be stored.

Related Name

hdds.datanode.dir

Default Value

/var/lib/hadoop-ozon/datanode/data

API Name

`hdds.datanode.dir`**Required**`true`**Datanode Out-Of-Service Replication Limit Factor****Description**

Decommissioning and maintenance nodes can handle more replication commands than in-service nodes due to reduced load. This multiplier determines the increased queue capacity and executor pool size. The current default is 2.0

Related Name`hdds.datanode.replication.outofservice.limit.factor`**Default Value****API Name**`hdds.datanode.replication.outofservice.limit.factor`**Required**`false`**Datanode Replication Streams Limit****Description**

The maximum number of replication commands a single datanode can execute simultaneously. The current default is 10.

Related Name`hdds.datanode.replication.streams.limit`**Default Value****API Name**`hdds.datanode.replication.streams.limit`**Required**`false`**Ozone Datanode HTTP Bind Hostname****Description**

The actual address the Ozone Datanode web server will bind to. If this optional address is set, it overrides only the hostname portion of 'ozone.datanode.http-address'.

Related Name`ozone.datanode.http-bind-host`**Default Value**`0.0.0.0`**API Name**`ozone.datanode.http-bind-host`**Required**`false`**Secure Ozone Datanode HTTPS Bind Hostname****Description**

The actual address the Ozone Datanode web server will bind to using HTTPS. If this optional address is set, it overrides only the hostname portion of 'ozone.datanode.https-address'.

Related Name

ozone.datanode.https-bind-host

Default Value

0.0.0.0

API Name

ozone.datanode.https-bind-host

Required

false

HSTS Header for DataNode UI**Description**

HSTS Header (Strict-Transport-Security) value to use

Related Name

ozone.http.header.Strict-Transport-Security

Default Value

max-age=63072000; includeSubDomains;

API Name

ozone.http.header.Strict-Transport-Security

Required

false

Datanode Metadata Directory**Description**

Determines where on the local filesystem datanode security certificates will be stored.

Related Name

ozone.metadata.dirs

Default Value

/var/lib/hadoop-ozone/datanode/ozone-metadata

API Name

ozone.metadata.dirs

Required

true

Datanode ID Directory**Description**

Ozone Datanode ID Directory

Related Name

ozone.scm.datanode.id.dir

Default Value

/var/lib/hadoop-ozone/datanode

API Name

ozone.scm.datanode.id.dir

Required

true

Java Heap Size of DataNode**Description**

Maximum size for the Java process heap memory.

Related Name

ozone_datanode_heap_size

Default Value

4 GiB

API Name

ozone_datanode_heap_size

Required

false

Performance**Maximum Process File Descriptors****Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses**Datanode Ratis IPC Port for Admin Requests****Description**

The container IPC port number for admin requests.

Related Name

dfs.container.ratis.admin.port

Default Value

9857

API Name

dfs.container.ratis.admin.port

Required

true

Datanode Ratis IPC Port for Server-to-Server Communication**Description**

The container IPC port number for server-to-server communication.

Related Name

	dfs.container.ratis.server.port
Default Value	9856
API Name	dfs.container.ratis.server.port
Required	true

Ozone Datanode HTTP Web UI Port

Description

The base port that the Ozone Datanode web user interface listens on. The host name is combined with this port to form the 'hdds.datanode.http-address'.

Related Name

ozone.datanode.http-port

Default Value

9882

API Name

ozone.datanode.http-port

Required

true

Ozone Datanode Port (TLS/SSL)

Description

The base port that the Ozone Datanode web user interface listens on when using HTTPS. The host name is combined with this port to form the 'hdds.datanode.https-address'.

Related Name

ozone.datanode.https-port

Default Value

9883

API Name

ozone.datanode.https-port

Required

false

Resource Management

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2'
These settings override other cgroup settings.

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

`rm_memory_hard_limit_v2`**Required**`true`**Cgroup V1 Memory Soft Limit****Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name`memory.soft_limit_in_bytes`**Default Value**`-1 MiB`**API Name**`rm_memory_soft_limit_v1`**Required**`true`**Cgroup V2 Memory Soft Limit****Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name`memory.high`**Default Value**`-1 MiB`**API Name**`rm_memory_soft_limit_v2`**Required**`true`**Security****Role-Specific Kerberos Principal****Description**

Kerberos principal used by the Ozone DataNode roles.

Related Name**Default Value**`dn`**API Name**

`kerberos_role_princ_name`**Required**`true`**Ozone DataNode TLS/SSL Trust Store File****Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Ozone DataNode might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name`ssl.client.truststore.location`**Default Value****API Name**`ssl_client_truststore_location`**Required**`false`**Ozone DataNode TLS/SSL Trust Store Password****Description**

The password for the Ozone DataNode TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name`ssl.client.truststore.password`**Default Value****API Name**`ssl_client_truststore_password`**Required**`false`**Enable TLS/SSL for Ozone DataNode****Description**

Encrypt communication between clients and Ozone DataNode using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name`ozone.ssl.enabled`**Default Value**`false`**API Name**`ssl_enabled`**Required**`false`**Ozone DataNode TLS/SSL Server Keystore Key Password****Description**

The password that protects the private key contained in the keystore used when Ozone DataNode is acting as a TLS/SSL server.

Related Name

ssl.server.keystore.keypassword

Default Value**API Name**

ssl_server_keystore_keypassword

Required

false

Ozone DataNode TLS/SSL Server Keystore File Location**Description**

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Ozone DataNode is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

ssl.server.keystore.location

Default Value**API Name**

ssl_server_keystore_location

Required

false

Ozone DataNode TLS/SSL Server Keystore File Password**Description**

The password for the Ozone DataNode keystore file.

Related Name

ssl.server.keystore.password

Default Value**API Name**

ssl_server_keystore_password

Required

false

Stacks Collection**Stacks Collection Data Retention****Description**

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory**Description**

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Datanode Ratis IPC Port for Admin Requests**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Datanode Ratis IPC Port for Admin Requests parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_dfs.container.ratis.admin.port

Required

true

Suppress Parameter Validation: Datanode Ratis Metadata Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Datanode Ratis Metadata Directory parameter.

Related Name**Default Value**

	false
API Name	role_config_suppression_dfs.container.ratis.datanode.storage.dir
Required	true

Suppress Parameter Validation: Datanode Ratis IPC Port for Server-to-Server Communication

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Datanode Ratis IPC Port for Server-to-Server Communication parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_dfs.container.ratis.server.port
Required	true

Suppress Parameter Validation: Datanode Data Directory

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Datanode Data Directory parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_hdds.datanode.dir
Required	true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_jmx_exporter_yaml
Required	true

Suppress Parameter Validation: Role-Specific Kerberos Principal

Description	
--------------------	--

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role-Specific Kerberos Principal parameter.

Related Name

Default Value

false

API Name

role_config_suppression_kerberos_role_princ_name

Required

true

Suppress Parameter Validation: Ozone DataNode Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone DataNode Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Ozone DataNode Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone DataNode Log Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

	false
API Name	role_config_suppression_otelcol_processors
Required	true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_receivers
Required	true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_remote_write_password
Required	true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_remote_write_url
Required	true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description	
--------------------	--

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Ozone DataNode Advanced Configuration Snippet (Safety Valve) for ozone-conf/dn-audit-log4j2.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone DataNode Advanced Configuration Snippet (Safety Valve) for ozone-conf/dn-audit-log4j2.properties parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone-conf/dn-audit-log4j2.properties_role_safety_valve

Required

true

Suppress Parameter Validation: Ozone DataNode Advanced Configuration Snippet (Safety Valve) for ozone-conf/dn-container-log4j2.properties**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone DataNode Advanced Configuration Snippet (Safety Valve) for ozone-conf/dn-container-log4j2.properties parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone-conf/dn-container-log4j2.properties_role_safety_valve

Required

true

Suppress Parameter Validation: Ozone DataNode Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozzone-site.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone DataNode Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozzone-site.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone-conf/ozzone-site.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Ozone DataNode Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-client.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone DataNode Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-client.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone-conf/ssl-client.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Ozone DataNode Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-server.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone DataNode Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-server.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone-conf/ssl-server.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Ozone Datanode HTTP Bind Hostname

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Datanode HTTP Bind Hostname parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.datanode.http-bind-host

Required

true

Suppress Parameter Validation: Ozone Datanode HTTP Web UI Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Datanode HTTP Web UI Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.datanode.http-port

Required

true

Suppress Parameter Validation: Secure Ozone Datanode HTTPS Bind Hostname**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Secure Ozone Datanode HTTPS Bind Hostname parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone.datanode.https-bind-host

Required

true

Suppress Parameter Validation: Ozone Datanode Port (TLS/SSL)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Datanode Port (TLS/SSL) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone.datanode.https-port

Required

true

Suppress Parameter Validation: HSTS Header for DataNode UI**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HSTS Header for DataNode UI parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone.http.header.strict-transport-security

Required

true

Suppress Parameter Validation: Datanode Metadata Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Datanode Metadata Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone.metadata.dirs

Required

true

Suppress Parameter Validation: Datanode ID Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Datanode ID Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.scm.datanode.id.dir

Required

true

Suppress Parameter Validation: Java Heap Size of DataNode

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Heap Size of DataNode parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone_datanode_heap_size

Required

true

Suppress Parameter Validation: Ozone DataNode Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone DataNode Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone_datanode_role_env_safety_valve

Required

true

Suppress Parameter Validation: Role Specific System Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Specific System Group parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: Role Specific System User**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Specific System User parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_process_username

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Ozone DataNode TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone DataNode TLS/SSL Trust Store File parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: Ozone DataNode TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone DataNode TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Parameter Validation: Ozone DataNode TLS/SSL Server Keystore Key Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone DataNode TLS/SSL Server Keystore Key Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_keypassword

Required

true

Suppress Parameter Validation: Ozone DataNode TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone DataNode TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

`role_config_suppression_ssl_server_keystore_location`**Required**`true`**Suppress Parameter Validation: Ozone DataNode TLS/SSL Server Keystore File Password****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone DataNode TLS/SSL Server Keystore File Password parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ssl_server_keystore_password`**Required**`true`**Suppress Parameter Validation: Stacks Collection Directory****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_stacks_collection_directory`**Required**`true`**Suppress Health Test: Audit Pipeline Test****Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_ozone_ozone_datanode_audit_health`**Required**`true`**Suppress Health Test: File Descriptors****Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozon_ozon_datanode_file_descriptor

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozon_ozon_datanode_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozon_ozon_datanode_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozone_ozone_datanode_otelcol_health

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozone_ozone_datanode_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozone_ozone_datanode_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozone_ozone_datanode_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozon_ozon_datanode_unexpected_exits

Required

true

Ozone Manager

Advanced

Ozone Manager Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory

Description

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions

and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Ozone Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/om-audit-log4j2.properties**Description**

For advanced use only. A string to be inserted into ozone-conf/om-audit-log4j2.properties for this role only.

Related Name**Default Value****API Name**

ozone-conf/om-audit-log4j2.properties_role_safety_valve

Required

false

Ozone Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozon-site.xml

Description

For advanced use only. A string to be inserted into ozone-conf/ozon-site.xml for this role only.

Related Name**Default Value****API Name**

ozone-conf/ozon-site.xml_role_safety_valve

Required

false

Ozone Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ranger-ozon-audit.xml

Description

For advanced use only. A string to be inserted into ozone-conf/ranger-ozon-audit.xml for this role only.

Related Name**Default Value****API Name**

ozone-conf/ranger-ozon-audit.xml_role_safety_valve

Required

false

Ozone Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ranger-ozon-policymgr-ssl.xml

Description

For advanced use only. A string to be inserted into ozone-conf/ranger-ozon-policymgr-ssl.xml for this role only.

Related Name**Default Value****API Name**

ozone-conf/ranger-ozon-policymgr-ssl.xml_role_safety_valve

Required

false

Ozone Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ranger-ozon-security.xml

Description

For advanced use only. A string to be inserted into ozone-conf/ranger-ozon-security.xml for this role only.

Related Name**Default Value****API Name**

ozone-conf/ranger-ozone-security.xml_role_safety_valve

Required

false

Ozone Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-client.xml**Description**

For advanced use only. A string to be inserted into ozone-conf/ssl-client.xml for this role only.

Related Name**Default Value****API Name**

ozone-conf/ssl-client.xml_role_safety_valve

Required

false

Ozone Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-server.xml**Description**

For advanced use only. A string to be inserted into ozone-conf/ssl-server.xml for this role only.

Related Name**Default Value****API Name**

ozone-conf/ssl-server.xml_role_safety_valve

Required

false

Ozone Manager Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

OZONE_MANAGER_role_env_safety_valve

Required

false

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

`process_auto_restart`**Required**`true`**Role Specific System Group****Description**

The group that this role's processes should run as.

Related Name**Default Value**`hdfs`**API Name**`process_groupname`**Required**`true`**Enable Metric Collection****Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**`true`**API Name**`process_should_monitor`**Required**`true`**Process Start Retry Attempts****Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**`3`**API Name**`process_start_retries`**Required**`false`**Process Start Wait Timeout****Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Role Specific System User**Description**

The user that this role's processes should run as.

Related Name**Default Value**

hdfs

API Name

process_username

Required

true

Logs**Ozone Manager Log Directory****Description**

The log directory for log files of the role Ozone Manager.

Related Name

log.dir

Default Value

/var/log/hadoop-ozone

API Name

log_dir

Required

false

Ozone Manager Logging Threshold**Description**

The minimum log level for Ozone Manager logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Ozone Manager Maximum Log File Backups**Description**

The maximum number of rolled log files to keep for Ozone Manager logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

Ozone Manager Max Log Size**Description**

The maximum size, in megabytes, per log file for Ozone Manager logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring**Enable Health Alerts for this Role****Description**

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML**Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name**Default Value****API Name**

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: `$HOST_NAME`, `$CLUSTER_NAME`, `$CLUSTER_ID`, `$SERVICE_TYPE`, `$SERVICE_NAME`, `$ROLE_NAME`, `$ROLE_TYPE`, `$ROLE_PARAM(my_parameter_name)` - e.g.: a port parameter for the role's metrics, `$DECODE_B64(...)` and `$DECODE_URL(...)` to decode encoded parameters, `$ENV_PARAM(name)` to fetch params from the process' environment, `$SYS_PARAM(name)` to fetch java system properties.

Related Name

Default Value

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name

Default Value

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

`$INFRA(cdp_request_signer_url)`

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

`otelcol_rtm_logs_processors`**Required**

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: `$HOST_NAME`, `$CLUSTER_NAME`, `$CLUSTER_ID`, `$SERVICE_TYPE`, `$SERVICE_NAME`, `$ROLE_NAME`, `$ROLE_TYPE`, `$ROLE_PARAM(my_parameter_name)` - e.g.: a port parameter for the role's metrics, `$DECODE_B64(...)` and `$DECODE_URL(...)` to decode encoded parameters, `$ENV_PARAM(name)` to fetch params from the process' environment, `$SYS_PARAM(name)` to fetch java system properties.

Related Name**Default Value****API Name**`otelcol_rtm_logs_receivers`**Required**

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**`otelcol_rtm_logs_service`**Required**

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**`otelcol_service`**Required**

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name

Default Value

false

API Name

otelcol_should_collect_rtm_logs

Required

true

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name

Default Value

Warning: 50.0 %, Critical: 70.0 %

API Name

ozone_manager_fd_thresholds

Required

false

Ozone Manager Host Health Test

Description

When computing the overall Ozone Manager health, consider the host's health.

Related Name

Default Value

true

API Name

ozone_manager_host_health_enabled

Required

false

Ozone Manager Process Health Test**Description**

Enables the health test that the Ozone Manager's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

ozone_manager_scm_health_enabled

Required

false

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=\$ROLENAM and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}] See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

Graceful Shutdown Timeout

Description

The timeout in milliseconds to wait for graceful shutdown to complete.

Related Name**Default Value**

2 minute(s)

API Name

graceful_stop_timeout

Required

false

OM ID

Description

ID uniquely identifying each broker or controller. Never set this property at the group level; it should always be overridden on instance level.

Related Name

om.id

Default Value**API Name**

om.id

Required

false

Java Heap Size of Ozone Manager

Description

Maximum size for the Java process heap memory.

Related Name

om_max_heap_size

Default Value

4 GiB

API Name

om_max_heap_size

Required

false

Ozone Default Bucket Layout

Description

This configuration controls the default bucket layout that the OM will use when creating a bucket if the client does not specify one. Supported values are OBJECT_STORE, FILE_SYSTEM_OPTIMIZED, and LEGACY.

Related Name

ozone.default.bucket.layout

Default Value

API Name

ozone.default.bucket.layout

Required

false

Ozone Filesystem Trash Checkpoint Interval

Description

Number of minutes between trash checkpoints

Related Name

ozone.fs.trash.checkpoint.interval

Default Value

1 hour(s)

API Name

ozone.fs.trash.checkpoint.interval

Required

false

Ozone Filesystem Trash Interval

Description

Controls the number of minutes after which a trash checkpoint directory is deleted permanently

Related Name

ozone.fs.trash.interval

Default Value

1 day(s)

API Name

ozone.fs.trash.interval

Required

false

HSTS Header for Ozone Manager UI

Description

HSTS Header (Strict-Transport-Security) value to use

Related Name

ozone.http.header.Strict-Transport-Security

Default Value

max-age=63072000; includeSubDomains;

API Name

ozone.http.header.Strict-Transport-Security

Required

false

Ozone Manager Metadata Directory

Description

Determines where on the local filesystem Ozone Manager security certificates will be stored.

Related Name

ozone.metadata.dirs

Default Value

/var/lib/hadoop-ozone/om/ozone-metadata

API Name

ozone.metadata.dirs

Required

true

Ozone Manager Data Directory

Description

Directory where the OzoneManager stores its metadata.

Related Name

ozone.om.db.dirs

Default Value

/var/lib/hadoop-ozone/om/data

API Name

ozone.om.db.dirs

Required

true

Ozone Manager HTTP Bind Hostname

Description

The actual address the OM web server will bind to. If this optional address is set, it overrides only the hostname portion of 'ozone.om.http-address'.

Related Name

ozone.om.http-bind-host

Default Value

0.0.0.0

API Name

ozone.om.http-bind-host

Required

false

Secure Ozone Manager HTTPS Bind Hostname

Description

The actual address the OM web server will bind to using HTTPS. If this optional address is set, it overrides only the hostname portion of 'ozone.om.https-address'.

Related Name

ozone.om.https-bind-host

Default Value

0.0.0.0

API Name

ozone.om.https-bind-host

Required

false

Enable Ozone S3 Multi-Tenancy feature

Description

Enable Ozone S3 Multi-Tenancy feature in Ozone Manager. This feature requires Kerberos Authentication to be enabled.

Related Name

ozone.om.multitenancy.enabled

Default Value

false

API Name

ozone.om.multitenancy.enabled

Required

false

New Ozone Manager Nodes

Description

Hostnames of newly added ozone manager nodes. If more than one hostname is to be added then put a ',' between hostnames, e.g, [hostname1,hostname2,hostname3]'.

Related Name

ozone.om.new.added.nodes

Default Value**API Name**

ozone.om.new.added.nodes

Required

false

Ozone Manager Ratis Storage Directory

Description

This directory is used for storing Ozone Manager's Ratis metadata like logs. Ideally, this should be mapped to a fast disk like an SSD.

Related Name

ozone.om.ratis.storage.dir

Default Value

```
/var/lib/hadoop-ozone/om/ratis
```

API Name

```
ozone.om.ratis.storage.dir
```

Required

```
true
```

Ozone Manager Snapshot Diff Directory**Description**

Directory where the Ozone Manager stores the Snapshot Diff related data.

Related Name

```
ozone.om.snapshot.diff.db.dir
```

Default Value

```
/var/lib/hadoop-ozone/om/ozone-metadata
```

API Name

```
ozone.om.snapshot.diff.db.dir
```

Required

```
true
```

Ozone Server Replication Factor**Description**

The default value of the replication factor for objects. The default is used if replication is not specified when creating a key or if no default replication is set at the bucket. Supported values for RATIS are 1, 3. Supported values for EC are rs-3-2-1024k, rs-6-3-1024k, rs-10-4-1024k, XOR-3-2-1024k, XOR-6-3-1024k, XOR-10-4-4096K (i.e XOR-3-2-`{CHUNK_SIZE}`)

Related Name

```
ozone.server.default.replication
```

Default Value

```
3
```

API Name

```
ozone.server.default.replication
```

Required

```
true
```

Ozone Server Replication Type**Description**

The default replication type to be used for Objects. The default is used when a type is not specified when creating an Object or no default value is set for the bucket. Supported values are RATIS, STAND_ALONE, and EC.

Related Name

```
ozone.server.default.replication.type
```

Default Value

```
RATIS
```

API Name

```
ozone.server.default.replication.type
```

Required

true

Ozone Manager Upgrade Need Finalization Canary Enabled

Description

Determines if the Ozone Manager Upgrade Need Finalization Canary is enabled.

Related Name

ozone_om_upgrade_need_finalization_canary_enabled

Default Value

true

API Name

ozone_om_upgrade_need_finalization_canary_enabled

Required

false

Ozone Manager Upgrade Need Finalization Canary Timeout

Description

Sets Ozone Manager Upgrade Need Finalization Canary's timeout.

Related Name

ozone_om_upgrade_need_finalization_canary_timeout

Default Value

30 second(s)

API Name

ozone_om_upgrade_need_finalization_canary_timeout

Required

false

Ranger Ozone Plugin Conf Path

Description

Staging directory for Ranger Ozone Plugin Configuration. This should generally not be changed.

Related Name

ranger_ozone_plugin_conf_path

Default Value

/etc/ranger/ozone-plugin

API Name

ranger_ozone_plugin_conf_path

Required

true

Ranger Ozone Plugin Policy Cache Directory Path

Description

The directory where Ranger security policies are cached locally.

Related Name

ranger.plugin.ozone.policy.cache.dir

Default Value

/var/lib/ranger/ozone/policy-cache

API Name

ranger_ozone_plugin_policy_cache_directory

Required

true

Ranger Ozone Plugin Audit Solr Spool Directory Path**Description**

Spool directory for Ranger audits being written to Solr.

Related Name

xasecure.audit.destination.solr.batch.filespool.dir

Default Value

/var/log/hadoop-ozone/ranger-audit/solr/spool

API Name

ranger_ozone_plugin_solr_audit_spool_directory

Required

true

Performance**Maximum Process File Descriptors****Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses**Ozone Manager HTTP Web UI Port****Description**

The base port that the Ozone Manager HTTP web user interface listens on. The host name of the Ozone Manager is combined with this port to form the 'ozone.om.http-address'.

Related Name

ozone.om.http-port

Default Value

9874

API Name

ozone.om.http-port

Required

true

Secure Ozone Manager Web UI Port (TLS/SSL)

Description

The base port that the Ozone Manager HTTP web user interface listens on when using HTTPS. The host name of the Ozone Manager is combined with this port to form the 'ozone.om.https-address'.

Related Name

ozone.om.https-port

Default Value

9875

API Name

ozone.om.https-port

Required

false

Ozone Manager Ratis port

Description

The base port that Ozone Manager's Ratis Server listens on if multiple Ozone Manager's are configured.

Related Name

ozone.om.ratis-port

Default Value

9872

API Name

ozone.om.ratis-port

Required

false

Ozone Manager RPC port

Description

The base port that Ozone Manager listens on when serving RPCs. The host name of the Ozone Manager is combined with this port to form the 'ozone.om.address'.

Related Name

ozone.om.rpc-port

Default Value

9862

API Name

ozone.om.rpc-port

Required

false

Resource Management

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/

O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security**Role-Specific Kerberos Principal****Description**

Kerberos principal used by the Ozone Manager roles.

Related Name**Default Value**

om

API Name

kerberos_role_princ_name

Required

true

Ozone Manager TLS/SSL Trust Store File**Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Ozone Manager might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

ssl.client.truststore.location

Default Value**API Name**

ssl_client_truststore_location

Required

false

Ozone Manager TLS/SSL Trust Store Password**Description**

The password for the Ozone Manager TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

ssl.client.truststore.password

Default Value**API Name**

ssl_client_truststore_password

Required

false

Enable TLS/SSL for Ozone Manager**Description**

Encrypt communication between clients and Ozone Manager using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

ozone.ssl.enabled

Default Value

false

API Name

`ssl_enabled`**Required**`false`**Ozone Manager TLS/SSL Server Keystore Key Password****Description**

The password that protects the private key contained in the keystore used when Ozone Manager is acting as a TLS/SSL server.

Related Name`ssl.server.keystore.keypassword`**Default Value****API Name**`ssl_server_keystore_keypassword`**Required**`false`**Ozone Manager TLS/SSL Server Keystore File Location****Description**

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Ozone Manager is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name`ssl.server.keystore.location`**Default Value****API Name**`ssl_server_keystore_location`**Required**`false`**Ozone Manager TLS/SSL Server Keystore File Password****Description**

The password for the Ozone Manager keystore file.

Related Name`ssl.server.keystore.password`**Default Value****API Name**`ssl_server_keystore_password`**Required**`false`**Stacks Collection****Stacks Collection Data Retention****Description**

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory**Description**

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method

Description

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Role-Specific Kerberos Principal

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role-Specific Kerberos Principal parameter.

Related Name

Default Value

false

API Name

role_config_suppression_kerberos_role_princ_name

Required

true

Suppress Parameter Validation: Ozone Manager Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Manager Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Ozone Manager Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Manager Log Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: OM ID

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OM ID parameter.

Related Name

Default Value

false

API Name

role_config_suppression_om.id

Required

true

Suppress Parameter Validation: Java Heap Size of Ozone Manager**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Heap Size of Ozone Manager parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_om_max_heap_size

Required

true

Suppress Parameter Validation: Heap Dump Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

	false
API Name	role_config_suppression_otelcol_extensions
Required	true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_helper_port
Required	true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_processors
Required	true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_receivers
Required	true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description	
--------------------	--

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Ozone Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/om-audit-log4j2.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/om-audit-log4j2.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone-conf/om-audit-log4j2.properties_role_safety_valve

Required

true

Suppress Parameter Validation: Ozone Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozone-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozone-site.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone-conf/ozone-site.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Ozone Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ranger-ozone-audit.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ranger-ozone-audit.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone-conf/ranger-ozone-audit.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Ozone Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ranger-ozone-policymgr-ssl.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ranger-ozone-policymgr-ssl.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone-conf/ranger-ozone-policymgr-ssl.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Ozone Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ranger-ozone-security.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ranger-ozone-security.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone-conf/ranger-ozone-security.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Ozone Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-client.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-client.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone-conf/ssl-client.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Ozone Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-server.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-server.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone-conf/ssl-server.xml_role_safety_valve

Required

true

Suppress Parameter Validation: HSTS Header for Ozone Manager UI**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HSTS Header for Ozone Manager UI parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone.http.header.strict-transport-security

Required

true

Suppress Parameter Validation: Ozone Manager Metadata Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Manager Metadata Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.metadata.dirs

Required

true

Suppress Parameter Validation: Ozone Manager Data Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Manager Data Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.om.db.dirs

Required

true

Suppress Parameter Validation: Ozone Manager HTTP Bind Hostname

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Manager HTTP Bind Hostname parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.om.http-bind-host

Required

true

Suppress Parameter Validation: Ozone Manager HTTP Web UI Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Manager HTTP Web UI Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.om.http-port

Required

true

Suppress Parameter Validation: Secure Ozone Manager HTTPS Bind Hostname

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Secure Ozone Manager HTTPS Bind Hostname parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.om.https-bind-host

Required

true

Suppress Parameter Validation: Secure Ozone Manager Web UI Port (TLS/SSL)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Secure Ozone Manager Web UI Port (TLS/SSL) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.om.https-port

Required

true

Suppress Parameter Validation: New Ozone Manager Nodes

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the New Ozone Manager Nodes parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.om.new.added.nodes

Required

true

Suppress Parameter Validation: Ozone Manager Ratis port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Manager Ratis port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.om.ratis-port

Required

true

Suppress Parameter Validation: Ozone Manager Ratis Storage Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Manager Ratis Storage Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone.om.ratis.storage.dir

Required

true

Suppress Parameter Validation: Ozone Manager RPC port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Manager RPC port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone.om.rpc-port

Required

true

Suppress Parameter Validation: Ozone Manager Snapshot Diff Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Manager Snapshot Diff Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone.om.snapshot.diff.db.dir

Required

true

Suppress Parameter Validation: Ozone Server Replication Factor

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Server Replication Factor parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone.server.default.replication

Required

true

Suppress Parameter Validation: Ozone Server Replication Type

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Server Replication Type parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.server.default.replication.type

Required

true

Suppress Parameter Validation: Ozone Manager Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Manager Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone_manager_role_env_safety_valve

Required

true

Suppress Parameter Validation: Role Specific System Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Specific System Group parameter.

Related Name

Default Value

false

API Name

role_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: Role Specific System User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Specific System User parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_process_username

Required

true

Suppress Parameter Validation: Ranger Ozone Plugin Conf Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Ozone Plugin Conf Path parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_ozone_plugin_conf_path

Required

true

Suppress Parameter Validation: Ranger Ozone Plugin Policy Cache Directory Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Ozone Plugin Policy Cache Directory Path parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_ozone_plugin_policy_cache_directory

Required

true

Suppress Parameter Validation: Ranger Ozone Plugin Audit Solr Spool Directory Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Ozone Plugin Audit Solr Spool Directory Path parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_ozone_plugin_solr_audit_spool_directory

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Ozone Manager TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Manager TLS/SSL Trust Store File parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: Ozone Manager TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Manager TLS/SSL Trust Store Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Parameter Validation: Ozone Manager TLS/SSL Server Keystore Key Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Manager TLS/SSL Server Keystore Key Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_keypassword

Required

true

Suppress Parameter Validation: Ozone Manager TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Manager TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: Ozone Manager TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Manager TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Ozone Manager Upgrade Need Finalization Canary**Description**

Whether to suppress the results of the Ozone Manager Upgrade Need Finalization Canary health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozone_om_upgrade_need_finalization_canary

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozone_ozone_manager_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozone_ozone_manager_file_descriptor

Required

true

Suppress Health Test: Host Health

Description

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_ozone_ozone_manager_host_health

Required

true

Suppress Health Test: Log Directory Free Space

Description

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_ozone_ozone_manager_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health

Description

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_ozone_ozone_manager_otelcol_health

Required

true

Suppress Health Test: Process Status

Description

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozzone_ozzone_manager_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozzone_ozzone_manager_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozzone_ozzone_manager_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits**Description**

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozzone_ozzone_manager_unexpected_exits

Required

```
true
```

Ozone Prometheus

Advanced

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

```
false
```

API Name

```
metric_config_auto_refresh
```

Required

```
false
```

Ozone Prometheus Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozone-prometheus.yml

Description

For advanced use only. A string to be inserted into ozone-conf/ozone-prometheus.yml for this role only.

Related Name**Default Value****API Name**

```
ozone-conf/ozone-prometheus.yml_role_safety_valve
```

Required

```
false
```

Ozone Prometheus Advanced Configuration Snippet (Safety Valve) for ozone-conf/prometheus-token

Description

For advanced use only. A string to be inserted into ozone-conf/prometheus-token for this role only.

Related Name**Default Value****API Name**

```
ozone-conf/prometheus-token_role_safety_valve
```

Required

```
false
```

Ozone Prometheus Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

OZONE_PROMETHEUS_role_env_safety_valve

Required

false

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Role Specific System Group**Description**

The group that this role's processes should run as.

Related Name**Default Value**

hdfs

API Name

process_groupname

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Role Specific System User

Description

The user that this role's processes should run as.

Related Name**Default Value**

hdfs

API Name

process_username

Required

true

Logs

Ozone Prometheus Log Directory

Description

The log directory for log files of the role Ozone Prometheus.

Related Name

log.dir

Default Value

```
/var/log/hadoop-ozone
```

API Name

```
log_dir
```

Required

```
false
```

Monitoring**Enable Health Alerts for this Role****Description**

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

```
true
```

API Name

```
enable_alerts
```

Required

```
false
```

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

```
false
```

API Name

```
enable_config_alerts
```

Required

```
false
```

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

```
Warning: 10 GiB, Critical: 5 GiB
```

API Name

```
log_directory_free_space_absolute_thresholds
```

Required

```
false
```

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name**Default Value****API Name**

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:  
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:  
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s  
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:  
$ROLE_PARAM(otelcol_remote_write_user) password:  
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: `$HOST_NAME`, `$CLUSTER_NAME`, `$CLUSTER_ID`, `$SERVICE_TYPE`, `$SERVICE_NAME`, `$ROLE_NAME`, `$ROLE_TYPE`, `$ROLE_PARAM(my_parameter_name)` - e.g.: a port parameter for the role's metrics, `$DECODE_B64(...)` and `$DECODE_URL(...)` to decode encoded parameters, `$ENV_PARAM(name)` to fetch params from the process' environment, `$SYS_PARAM(name)` to fetch java system properties.

Related Name

Default Value

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name

Default Value

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

`$INFRA(cdp_request_signer_url)`

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

`otelcol_rtm_logs_processors`**Required**

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: `$HOST_NAME`, `$CLUSTER_NAME`, `$CLUSTER_ID`, `$SERVICE_TYPE`, `$SERVICE_NAME`, `$ROLE_NAME`, `$ROLE_TYPE`, `$ROLE_PARAM(my_parameter_name)` - e.g.: a port parameter for the role's metrics, `$DECODE_B64(...)` and `$DECODE_URL(...)` to decode encoded parameters, `$ENV_PARAM(name)` to fetch params from the process' environment, `$SYS_PARAM(name)` to fetch java system properties.

Related Name**Default Value****API Name**`otelcol_rtm_logs_receivers`**Required**

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**`otelcol_rtm_logs_service`**Required**

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**`otelcol_service`**Required**

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name

Default Value

false

API Name

otelcol_should_collect_rtm_logs

Required

true

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name

Default Value

Warning: 50.0 %, Critical: 70.0 %

API Name

ozone_prometheus_fd_thresholds

Required

false

Ozone Prometheus Host Health Test

Description

When computing the overall Ozone Prometheus health, consider the host's health.

Related Name

Default Value

true

API Name

ozone_prometheus_host_health_enabled

Required

false

Ozone Prometheus Process Health Test**Description**

Enables the health test that the Ozone Prometheus's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

ozone_prometheus_scm_health_enabled

Required

false

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=\$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}] See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

CA File Path

Description

Location of the CA File for Prometheus

Related Name

ozone.prometheus.ca.file

Default Value

AUTO_TLS_CA_FILE

API Name

ozone.prometheus.ca.file

Required

false

Prometheus Data Retention time.

Description

How long to retain samples in storage. Units Supported: y, w, d, h, m, s, ms.

Related Name

ozone.prometheus.data.retention.time

Default Value

15d

API Name

ozone.prometheus.data.retention.time

Required

false

Prometheus Data Directory

Description

Directory where the Prometheus Server stores its metadata.

Related Name

ozone.prometheus.db.dir

Default Value

/var/lib/hadoop-ozone/prometheus/data

API Name

ozone.prometheus.db.dir

Required

true

Prometheus server extra flags.**Description**

Extra command line flags that can be used while starting up the server. For example, '--query.timeout=2m --query.max-samples=5000'

Related Name

ozone.prometheus.extra.flags

Default Value**API Name**

ozone.prometheus.extra.flags

Required

false

Prometheus server log level.**Description**

Only log messages with the given severity or above. One of: [debug, info, warn, error]

Related Name

ozone.prometheus.log.level

Default Value

info

API Name

ozone.prometheus.log.level

Required

false

Prometheus Binary Location**Description**

Location of the unarchived Prometheus binary.

Related Name

prometheus.location

Default Value**API Name**

prometheus.location

Required

false

Performance**Maximum Process File Descriptors****Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses**Prometheus HTTP Port****Description**

The base port that the prometheus web user interface listens on.

Related Name

ozone.prometheus.http-port

Default Value

9094

API Name

ozone.prometheus.http-port

Required

true

Resource Management**Cgroup V1 BLKIO Weight****Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2'
These settings override other cgroup settings.

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

`rm_io_weight`**Required**`true`**Cgroup V1 Memory Hard Limit****Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name`memory.limit_in_bytes`**Default Value**`-1 MiB`**API Name**`rm_memory_hard_limit_v1`**Required**`true`**Cgroup V2 Memory Hard Limit****Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name`memory.max`**Default Value**`-1 MiB`**API Name**`rm_memory_hard_limit_v2`**Required**`true`**Cgroup V1 Memory Soft Limit****Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name`memory.soft_limit_in_bytes`

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Ozone Prometheus Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Prometheus Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Ozone Prometheus Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozone-prometheus.yml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Prometheus Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozone-prometheus.yml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone-conf/ozone-prometheus.yml_role_safety_valve

Required

true

Suppress Parameter Validation: Ozone Prometheus Advanced Configuration Snippet (Safety Valve) for ozone-conf/prometheus-token

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Prometheus Advanced Configuration Snippet (Safety Valve) for ozone-conf/prometheus-token parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone-conf/prometheus-token_role_safety_valve

Required

true

Suppress Parameter Validation: CA File Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the CA File Path parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.prometheus.ca.file

Required

true

Suppress Parameter Validation: Prometheus Data Retention time.

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Prometheus Data Retention time. parameter.

Related Name

Default Value

false

API Name

`role_config_suppression_ozone.prometheus.data.retention.time`**Required**

true

Suppress Parameter Validation: Prometheus Data Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Prometheus Data Directory parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_ozone.prometheus.db.dir`**Required**

true

Suppress Parameter Validation: Prometheus server extra flags.**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Prometheus server extra flags. parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_ozone.prometheus.extra.flags`**Required**

true

Suppress Parameter Validation: Prometheus HTTP Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Prometheus HTTP Port parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_ozone.prometheus.http-port`**Required**

true

Suppress Parameter Validation: Prometheus server log level.**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Prometheus server log level. parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.prometheus.log.level

Required

true

Suppress Parameter Validation: Ozone Prometheus Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Prometheus Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone_prometheus_role_env_safety_valve

Required

true

Suppress Parameter Validation: Role Specific System Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Specific System Group parameter.

Related Name

Default Value

false

API Name

role_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: Role Specific System User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Specific System User parameter.

Related Name

Default Value

false

API Name

role_config_suppression_process_username

Required

true

Suppress Parameter Validation: Prometheus Binary Location**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Prometheus Binary Location parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_prometheus.location

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

`role_health_suppression_ozone_ozone_prometheus_audit_health`**Required**`true`**Suppress Health Test: File Descriptors****Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_ozone_ozone_prometheus_file_descriptor`**Required**`true`**Suppress Health Test: Host Health****Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_ozone_ozone_prometheus_host_health`**Required**`true`**Suppress Health Test: Log Directory Free Space****Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_ozone_ozone_prometheus_log_directory_free_space`**Required**`true`**Suppress Health Test: Otelcol Health****Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozzone_ozzone_prometheus_otelcol_health

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozzone_ozzone_prometheus_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozzone_ozzone_prometheus_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozzone_ozzone_prometheus_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits**Description**

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozzone_ozzone_prometheus_unexpected_exits

Required

true

Ozone Recon**Advanced****Ozone Recon Logging Advanced Configuration Snippet (Safety Valve)****Description**

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations**Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory

Description

Path to directory where heap dumps are generated when `java.lang.OutOfMemoryError` error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

`oom_heap_dump_dir`

Default Value

`/tmp`

API Name

`oom_heap_dump_dir`

Required

`false`

Dump Heap When Out of Memory

Description

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

`false`

API Name

`oom_heap_dump_enabled`

Required

`true`

Kill When Out of Memory

Description

When set, a `SIGKILL` signal is sent to the role process when `java.lang.OutOfMemoryError` is thrown.

Related Name**Default Value**

`true`

API Name

`oom_sigkill_enabled`

Required

`true`

Ozone Recon Advanced Configuration Snippet (Safety Valve) for `ozone-conf/ozone-site.xml`

Description

For advanced use only. A string to be inserted into `ozone-conf/ozone-site.xml` for this role only.

Related Name**Default Value**

API Name

ozone-conf/ozone-site.xml_role_safety_valve

Required

false

Ozone Recon Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-client.xml**Description**

For advanced use only. A string to be inserted into ozone-conf/ssl-client.xml for this role only.

Related Name**Default Value****API Name**

ozone-conf/ssl-client.xml_role_safety_valve

Required

false

Ozone Recon Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-server.xml**Description**

For advanced use only. A string to be inserted into ozone-conf/ssl-server.xml for this role only.

Related Name**Default Value****API Name**

ozone-conf/ssl-server.xml_role_safety_valve

Required

false

Ozone Recon Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

OZONE_RECON_role_env_safety_valve

Required

false

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Role Specific System Group**Description**

The group that this role's processes should run as.

Related Name**Default Value**

hdfs

API Name

process_groupname

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Role Specific System User**Description**

The user that this role's processes should run as.

Related Name**Default Value**

hdfs

API Name

process_username

Required

true

Logs**Ozone Recon Log Directory****Description**

The log directory for log files of the role Ozone Recon.

Related Name

log.dir

Default Value

/var/log/hadoop-ozone

API Name

log_dir

Required

false

Ozone Recon Logging Threshold**Description**

The minimum log level for Ozone Recon logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Ozone Recon Maximum Log File Backups**Description**

The maximum number of rolled log files to keep for Ozone Recon logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

Ozone Recon Max Log Size**Description**

The maximum size, in megabytes, per log file for Ozone Recon logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring**Enable Health Alerts for this Role****Description**

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML**Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name**Default Value****API Name**

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:  
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:  
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s  
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:  
$ROLE_PARAM(otelcol_remote_write_user) password:  
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: `$HOST_NAME`, `$CLUSTER_NAME`, `$CLUSTER_ID`, `$SERVICE_TYPE`, `$SERVICE_NAME`, `$ROLE_NAME`, `$ROLE_TYPE`, `$ROLE_PARAM(my_parameter_name)` - e.g.: a port parameter for the role's metrics, `$DECODE_B64(...)` and `$DECODE_URL(...)` to decode encoded parameters, `$ENV_PARAM(name)` to fetch params from the process' environment, `$SYS_PARAM(name)` to fetch java system properties.

Related Name

Default Value

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name

Default Value

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

`$INFRA(cdp_request_signer_url)`

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

`otelcol_rtm_logs_processors`**Required**

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: `$HOST_NAME`, `$CLUSTER_NAME`, `$CLUSTER_ID`, `$SERVICE_TYPE`, `$SERVICE_NAME`, `$ROLE_NAME`, `$ROLE_TYPE`, `$ROLE_PARAM(my_parameter_name)` - e.g.: a port parameter for the role's metrics, `$DECODE_B64(...)` and `$DECODE_URL(...)` to decode encoded parameters, `$ENV_PARAM(name)` to fetch params from the process' environment, `$SYS_PARAM(name)` to fetch java system properties.

Related Name**Default Value****API Name**`otelcol_rtm_logs_receivers`**Required**

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**`otelcol_rtm_logs_service`**Required**

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**`otelcol_service`**Required**

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name

Default Value

false

API Name

otelcol_should_collect_rtm_logs

Required

true

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name

Default Value

Warning: 50.0 %, Critical: 70.0 %

API Name

ozone_recon_fd_thresholds

Required

false

Ozone Recon Host Health Test

Description

When computing the overall Ozone Recon health, consider the host's health.

Related Name

Default Value

true

API Name

ozone_recon_host_health_enabled

Required

false

Ozone Recon Process Health Test**Description**

Enables the health test that the Ozone Recon's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

ozone_recon_scm_health_enabled

Required

false

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=\$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}] See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

HSTS Header for Recon UI

Description

HSTS Header (Strict-Transport-Security) value to use

Related Name

ozone.http.header.Strict-Transport-Security

Default Value

max-age=63072000; includeSubDomains;

API Name

ozone.http.header.Strict-Transport-Security

Required

false

Recon Metadata Directory

Description

Determines where on the local filesystem recon security certificates will be stored.

Related Name

ozone.metadata.dirs

Default Value

/var/lib/hadoop-ozonerecon/ozonerecon-metadata

API Name

ozone.metadata.dirs

Required

true

Recon Data Directory

Description

Directory where the Recon Server stores its metadata.

Related Name

ozone.recon.db.dir

Default Value

/var/lib/hadoop-ozonerecon/data

API Name

`ozone.recon.db.dir`**Required**`true`**Enable HeatMap Feature in Recon****Description**

Enables HeatMap Feature in Recon.

Related Name`ozone.recon.heatmap.enable`**Default Value**`true`**API Name**`ozone.recon.heatmap.enable`**Required**`false`**Recon HTTP Bind Hostname****Description**

The actual address the Recon web server will bind to. If this optional address is set, it overrides only the hostname portion of 'ozone.recon.http-address'.

Related Name`ozone.recon.http-bind-host`**Default Value**`0.0.0.0`**API Name**`ozone.recon.http-bind-host`**Required**`false`**Secure Recon HTTPS Bind Hostname****Description**

The actual address the Recon web server will bind to using HTTPS. If this optional address is set, it overrides only the hostname portion of 'ozone.recon.https-address'.

Related Name`ozone.recon.https-bind-host`**Default Value**`0.0.0.0`**API Name**`ozone.recon.https-bind-host`**Required**`false`**Recon OzoneManager Data Directory****Description**

Directory where the Recon Server stores OzoneManager's metadata

Related Name

ozone.recon.om.db.dir

Default Value

/var/lib/hadoop-ozonerecon/om/data

API Name

ozone.recon.om.db.dir

Required

true

Recon StorageContainerManager Data Directory**Description**

Directory where the Recon Server stores StorageContainerManager's metadata

Related Name

ozone.recon.scm.db.dirs

Default Value

/var/lib/hadoop-ozonerecon/scm/data

API Name

ozone.recon.scm.db.dirs

Required

true

Java Heap Size of Recon**Description**

Maximum size for the Java process heap memory.

Related Name

ozone_recon_max_heap_size

Default Value

1 GiB

API Name

ozone_recon_max_heap_size

Required

false

Performance**Maximum Process File Descriptors****Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses

Recon HTTP Web UI Port

Description

The base port that the Recon web user interface listens on. The host name of the Recon web user interface is combined with this port to form the 'ozone.recon.http-address'.

Related Name

ozone.recon.http-port

Default Value

9888

API Name

ozone.recon.http-port

Required

true

Secure Recon Web UI Port (TLS/SSL)

Description

The base port that the Recon web user interface listens on when using HTTPS. The host name of the Recon web user interface is combined with this port to form the 'ozone.recon.https-address'.

Related Name

ozone.recon.https-port

Default Value

9889

API Name

ozone.recon.https-port

Required

false

Recon RPC Port

Description

The base port that Recon listens on when serving RPCs. The host name of Recon is combined with this port to form the 'ozone.recon.address'.

Related Name

ozone.recon.rpc-port

Default Value

9891

API Name

ozone.recon.rpc-port

Required

true

Resource Management

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command:

resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2'
These settings override other cgroup settings.

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no

limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security

Role-Specific Kerberos Principal

Description

Kerberos principal used by the Ozone Recon roles.

Related Name**Default Value**

recon

API Name

kerberos_role_princ_name

Required

true

Ozone Recon TLS/SSL Trust Store File

Description

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Ozone Recon might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

ssl.client.truststore.location

Default Value**API Name**

ssl_client_truststore_location

Required

false

Ozone Recon TLS/SSL Trust Store Password

Description

The password for the Ozone Recon TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

ssl.client.truststore.password

Default Value**API Name**

ssl_client_truststore_password

Required

false

Enable TLS/SSL for Ozone Recon

Description

Encrypt communication between clients and Ozone Recon using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

ozone.ssl.enabled

Default Value

false

API Name

ssl_enabled

Required

false

Ozone Recon TLS/SSL Server Keystore Key Password**Description**

The password that protects the private key contained in the keystore used when Ozone Recon is acting as a TLS/SSL server.

Related Name

ssl.server.keystore.keypassword

Default Value**API Name**

ssl_server_keystore_keypassword

Required

false

Ozone Recon TLS/SSL Server Keystore File Location**Description**

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Ozone Recon is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

ssl.server.keystore.location

Default Value**API Name**

ssl_server_keystore_location

Required

false

Ozone Recon TLS/SSL Server Keystore File Password**Description**

The password for the Ozone Recon keystore file.

Related Name

ssl.server.keystore.password

Default Value**API Name**

ssl_server_keystore_password

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency

Description

The frequency with which stacks are collected.

Related Name

`stacks_collection_frequency`**Default Value**`5.0 second(s)`**API Name**`stacks_collection_frequency`**Required**`false`**Stacks Collection Method****Description**

The method used to collect stacks. The `jstack` option involves periodically running the `jstack` command against the role's daemon process. The `servlet` method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the `servlet` method is selected, that HTTP endpoint is periodically scraped.

Related Name`stacks_collection_method`**Default Value**`jstack`**API Name**`stacks_collection_method`**Required**`false`**Suppressions****Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_cdh_version_validator`**Required**`true`**Suppress Parameter Validation: JMX Exporter configuration YAML****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**`false`**API Name**

`role_config_suppression_jmx_exporter_yaml`**Required**

true

Suppress Parameter Validation: Role-Specific Kerberos Principal**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role-Specific Kerberos Principal parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_kerberos_role_princ_name`**Required**

true

Suppress Parameter Validation: Ozone Recon Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Recon Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_log4j_safety_valve`**Required**

true

Suppress Parameter Validation: Ozone Recon Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Recon Log Directory parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_log_dir`**Required**

true

Suppress Parameter Validation: Heap Dump Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Ozone Recon Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozone-site.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Recon Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozone-site.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone-conf/ozone-site.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Ozone Recon Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-client.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Recon Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-client.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone-conf/ssl-client.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Ozone Recon Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-server.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Recon Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-server.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone-conf/ssl-server.xml_role_safety_valve

Required

true

Suppress Parameter Validation: HSTS Header for Recon UI**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HSTS Header for Recon UI parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone.http.header.strict-transport-security

Required

true

Suppress Parameter Validation: Recon Metadata Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Recon Metadata Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone.metadata.dirs

Required

true

Suppress Parameter Validation: Recon Data Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Recon Data Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone.recon.db.dir

Required

true

Suppress Parameter Validation: Recon HTTP Bind Hostname**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Recon HTTP Bind Hostname parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_ozone.recon.http-bind-host`**Required**

true

Suppress Parameter Validation: Recon HTTP Web UI Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Recon HTTP Web UI Port parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_ozone.recon.http-port`**Required**

true

Suppress Parameter Validation: Secure Recon HTTPS Bind Hostname**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Secure Recon HTTPS Bind Hostname parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_ozone.recon.https-bind-host`**Required**

true

Suppress Parameter Validation: Secure Recon Web UI Port (TLS/SSL)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Secure Recon Web UI Port (TLS/SSL) parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_ozone.recon.https-port`**Required**

true

Suppress Parameter Validation: Recon OzoneManager Data Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Recon OzoneManager Data Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.recon.om.db.dir

Required

true

Suppress Parameter Validation: Recon RPC Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Recon RPC Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.recon.rpc-port

Required

true

Suppress Parameter Validation: Recon StorageContainerManager Data Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Recon StorageContainerManager Data Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.recon.scm.db.dirs

Required

true

Suppress Parameter Validation: Java Heap Size of Recon

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Heap Size of Recon parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone_recon_max_heap_size

Required

true

Suppress Parameter Validation: Ozone Recon Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Recon Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozonerecon_role_env_safety_valve

Required

true

Suppress Parameter Validation: Role Specific System Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Specific System Group parameter.

Related Name

Default Value

false

API Name

role_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: Role Specific System User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Specific System User parameter.

Related Name

Default Value

false

API Name

role_config_suppression_process_username

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

`role_config_suppression_rm_custom_resources`**Required**`true`**Suppress Parameter Validation: Role Triggers****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_role_triggers`**Required**`true`**Suppress Parameter Validation: Ozone Recon TLS/SSL Trust Store File****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Recon TLS/SSL Trust Store File parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ssl_client_truststore_location`**Required**`true`**Suppress Parameter Validation: Ozone Recon TLS/SSL Trust Store Password****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Recon TLS/SSL Trust Store Password parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ssl_client_truststore_password`**Required**`true`**Suppress Parameter Validation: Ozone Recon TLS/SSL Server Keystore Key Password****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Recon TLS/SSL Server Keystore Key Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_keypassword

Required

true

Suppress Parameter Validation: Ozone Recon TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Recon TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: Ozone Recon TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Recon TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test

Description

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozon_ozon_recon_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozon_ozon_recon_file_descriptor

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozon_ozon_recon_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name`role_health_suppression_ozzone_ozzone_recon_log_directory_free_space`**Required**`true`**Suppress Health Test: Otelcol Health****Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_ozzone_ozzone_recon_otelcol_health`**Required**`true`**Suppress Health Test: Process Status****Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_ozzone_ozzone_recon_scm_health`**Required**`true`**Suppress Health Test: Swap Memory Usage****Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_ozzone_ozzone_recon_swap_memory_usage`**Required**`true`

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozone_ozone_recon_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozone_ozone_recon_unexpected_exits

Required

true

S3 Gateway

Advanced

S3 Gateway Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name

Default Value

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

S3 Gateway Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozone-site.xml

Description

For advanced use only. A string to be inserted into ozone-conf/ozone-site.xml for this role only.

Related Name**Default Value****API Name**

ozone-conf/ozone-site.xml_role_safety_valve

Required

false

S3 Gateway Advanced Configuration Snippet (Safety Valve) for ozone-conf/s3g-audit-log4j2.properties

Description

For advanced use only. A string to be inserted into ozone-conf/s3g-audit-log4j2.properties for this role only.

Related Name**Default Value****API Name**

ozone-conf/s3g-audit-log4j2.properties_role_safety_valve

Required

false

S3 Gateway Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-client.xml

Description

For advanced use only. A string to be inserted into ozone-conf/ssl-client.xml for this role only.

Related Name**Default Value****API Name**

ozone-conf/ssl-client.xml_role_safety_valve

Required

false

S3 Gateway Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-server.xml

Description

For advanced use only. A string to be inserted into ozone-conf/ssl-server.xml for this role only.

Related Name**Default Value****API Name**

ozone-conf/ssl-server.xml_role_safety_valve

Required

false

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Role Specific System Group

Description

The group that this role's processes should run as.

Related Name**Default Value**

hdfs

API Name

process_groupname

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Role Specific System User**Description**

The user that this role's processes should run as.

Related Name**Default Value**

hdfs

API Name

process_username

Required

true

S3 Gateway Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

S3_GATEWAY_role_env_safety_valve

Required

false

Logs**S3 Gateway Log Directory****Description**

The log directory for log files of the role S3 Gateway.

Related Name

log.dir

Default Value

/var/log/hadoop-ozone

API Name

log_dir

Required

false

S3 Gateway Logging Threshold**Description**

The minimum log level for S3 Gateway logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

S3 Gateway Maximum Log File Backups**Description**

The maximum number of rolled log files to keep for S3 Gateway logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

S3 Gateway Max Log Size**Description**

The maximum size, in megabytes, per log file for S3 Gateway logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.

- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking [View as JSON](#). In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name**Default Value****API Name**

`monitoring_metric_filter`

Required

`false`

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

`otelcol_exporters`

Required

`false`

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

`otelcol_extensions`

Required

`false`

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name

Default Value

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL**Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username**Description**

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=\$ROLENAM and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}] See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

s3_gateway_fd_thresholds

Required

false

S3 Gateway Host Health Test**Description**

When computing the overall S3 Gateway health, consider the host's health.

Related Name**Default Value**

true

API Name

s3_gateway_host_health_enabled

Required

false

S3 Gateway Process Health Test**Description**

Enables the health test that the S3 Gateway's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

s3_gateway_scm_health_enabled

Required

false

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name`unexpected_exits_thresholds`**Required**

false

Unexpected Exits Monitoring Period**Description**

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name`unexpected_exits_window`**Required**

false

Other**HSTS Header for S3G HTTPS Endpoint****Description**

HSTS Header (Strict-Transport-Security) value to use

Related Name`ozone.http.header.Strict-Transport-Security`**Default Value**`max-age=63072000; includeSubDomains;`**API Name**`ozone.http.header.Strict-Transport-Security`**Required**

false

Ozone S3 Gateway HTTP Bind Hostname**Description**

The actual address the S3 Gateway web server will bind to. If this optional address is set, it overrides only the hostname portion of '`ozone.s3g.http-address`'.

Related Name

ozone.s3g.http-bind-host

Default Value

0.0.0.0

API Name

ozone.s3g.http-bind-host

Required

false

Secure Ozone S3 Gateway HTTPS Bind Hostname

Description

The actual address the S3 Gateway web server will bind to using HTTPS. If this optional address is set, it overrides only the hostname portion of 'ozone.s3g.https-address'.

Related Name

ozone.s3g.https-bind-host

Default Value

0.0.0.0

API Name

ozone.s3g.https-bind-host

Required

false

Java Heap Size of S3 Gateway

Description

Maximum size for the Java process heap memory.

Related Name

ozone_S3_gateway_max_heap_size

Default Value

1 GiB

API Name

ozone_S3_gateway_max_heap_size

Required

false

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses

Ozone S3 Gateway HTTP Web UI Port

Description

The base port that the S3 Gateway web user interface listens on. The host name of the S3 Gateway is combined with this port to form the 'ozone.s3g.http-address'.

Related Name

ozone.s3g.http-port

Default Value

9878

API Name

ozone.s3g.http-port

Required

true

Secure Ozone S3 Gateway Web UI Port (TLS/SSL)

Description

The base port that the S3 Gateway web user interface listens on when using HTTPS. The host name of the S3 Gateway is combined with this port to form the 'ozone.s3g.https-address'.

Related Name

ozone.s3g.https-port

Default Value

9879

API Name

ozone.s3g.https-port

Required

false

Resource Management

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares

Description

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight

Description

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)

Description

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight

Description

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security

Role-Specific Kerberos Principal

Description

Kerberos principal used by the S3 Gateway roles.

Related Name**Default Value**

s3g

API Name

kerberos_role_princ_name

Required

true

S3 Gateway TLS/SSL Trust Store File

Description

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that S3 Gateway might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

ssl.client.truststore.location

Default Value**API Name**

ssl_client_truststore_location

Required

false

S3 Gateway TLS/SSL Trust Store Password

Description

The password for the S3 Gateway TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

ssl.client.truststore.password

Default Value**API Name**

ssl_client_truststore_password

Required

false

Enable TLS/SSL for S3 Gateway

Description

Encrypt communication between clients and S3 Gateway using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

ozone.ssl.enabled

Default Value

false

API Name

ssl_enabled

Required

false

S3 Gateway TLS/SSL Server Keystore Key Password

Description

The password that protects the private key contained in the keystore used when S3 Gateway is acting as a TLS/SSL server.

Related Name

ssl.server.keystore.keypassword

Default Value**API Name**

ssl_server_keystore_keypassword

Required

false

S3 Gateway TLS/SSL Server Keystore File Location**Description**

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when S3 Gateway is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

ssl.server.keystore.location

Default Value**API Name**

ssl_server_keystore_location

Required

false

S3 Gateway TLS/SSL Server Keystore File Password**Description**

The password for the S3 Gateway keystore file.

Related Name

ssl.server.keystore.password

Default Value**API Name**

ssl_server_keystore_password

Required

false

Stacks Collection**Stacks Collection Data Retention****Description**

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency

Description

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method

Description

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Role-Specific Kerberos Principal**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role-Specific Kerberos Principal parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_kerberos_role_princ_name

Required

true

Suppress Parameter Validation: S3 Gateway Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the S3 Gateway Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: S3 Gateway Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the S3 Gateway Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_otelcol_exporters`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Extensions Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_extensions`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Helper Port****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_helper_port`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Processors Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_processors`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Receivers Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: S3 Gateway Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozone-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the S3 Gateway Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozone-site.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone-conf/ozone-site.xml_role_safety_valve

Required

true

Suppress Parameter Validation: S3 Gateway Advanced Configuration Snippet (Safety Valve) for ozone-conf/s3g-audit-log4j2.properties**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the S3 Gateway Advanced Configuration Snippet (Safety Valve) for ozone-conf/s3g-audit-log4j2.properties parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone-conf/s3g-audit-log4j2.properties_role_safety_valve

Required

true

Suppress Parameter Validation: S3 Gateway Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-client.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the S3 Gateway Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-client.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone-conf/ssl-client.xml_role_safety_valve

Required

true

Suppress Parameter Validation: S3 Gateway Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-server.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the S3 Gateway Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-server.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone-conf/ssl-server.xml_role_safety_valve

Required

true

Suppress Parameter Validation: HSTS Header for S3G HTTPS Endpoint**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HSTS Header for S3G HTTPS Endpoint parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone.http.header.strict-transport-security

Required

true

Suppress Parameter Validation: Ozone S3 Gateway HTTP Bind Hostname**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone S3 Gateway HTTP Bind Hostname parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone.s3g.http-bind-host

Required

true

Suppress Parameter Validation: Ozone S3 Gateway HTTP Web UI Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone S3 Gateway HTTP Web UI Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone.s3g.http-port

Required

true

Suppress Parameter Validation: Secure Ozone S3 Gateway HTTPS Bind Hostname**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Secure Ozone S3 Gateway HTTPS Bind Hostname parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone.s3g.https-bind-host

Required

true

Suppress Parameter Validation: Secure Ozone S3 Gateway Web UI Port (TLS/SSL)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Secure Ozone S3 Gateway Web UI Port (TLS/SSL) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone.s3g.https-port

Required

true

Suppress Parameter Validation: Java Heap Size of S3 Gateway**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Heap Size of S3 Gateway parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone_s3_gateway_max_heap_size

Required

true

Suppress Parameter Validation: Role Specific System Group**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Specific System Group parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: Role Specific System User**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Specific System User parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_process_username

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: S3 Gateway Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the S3 Gateway Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_s3_gateway_role_env_safety_valve

Required

true

Suppress Parameter Validation: S3 Gateway TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the S3 Gateway TLS/SSL Trust Store File parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: S3 Gateway TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the S3 Gateway TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Parameter Validation: S3 Gateway TLS/SSL Server Keystore Key Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the S3 Gateway TLS/SSL Server Keystore Key Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_keypassword

Required

true

Suppress Parameter Validation: S3 Gateway TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the S3 Gateway TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: S3 Gateway TLS/SSL Server Keystore File Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the S3 Gateway TLS/SSL Server Keystore File Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozon_s3_gateway_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozone_s3_gateway_file_descriptor

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozone_s3_gateway_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozone_s3_gateway_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozone_s3_gateway_otelcol_health

Required

true

Suppress Health Test: Process Status

Description

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozone_s3_gateway_scm_health

Required

true

Suppress Health Test: Swap Memory Usage

Description

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozone_s3_gateway_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozone_s3_gateway_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_ozone_s3_gateway_unexpected_exits

Required

true

Service-Wide

Advanced

Ozone Service Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozone-site.xml

Description

For advanced use only, a string to be inserted into ozone-conf/ozone-site.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

ozone-conf/ozone-site.xml_service_safety_valve

Required

false

Ozone Service Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-client.xml

Description

For advanced use only, a string to be inserted into ozone-conf/ssl-client.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

ozone-conf/ssl-client.xml_service_safety_valve

Required

false

Ozone Service Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-server.xml

Description

For advanced use only, a string to be inserted into ozone-conf/ssl-server.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

ozone-conf/ssl-server.xml_service_safety_valve

Required

false

Ozone Replication Advanced Configuration Snippet (Safety Valve) for core-site.xml

Description

For advanced use only, a string to be inserted into core-site.xml. Applies to all Ozone Replication jobs.

Related Name

ozone_replication_core_site_safety_valve

Default Value

```
<property> <name>fs.s3a.impl</name> <value>org.apache.hadoop.fs.s3a.S3AFileSystem</value>
</property> <property> <name>fs.s3a.bucket.probe</name> <value>0</value> </property>
<property> <name>fs.s3a.change.detection.version.required</name> <value>>false</value> </
property> <property> <name>fs.s3a.change.detection.mode</name> <value>none</value> </
property> <property> <name>fs.s3a.path.style.access</name> <value>>true</value> </property>
```

API Name

ozone_replication_core_site_safety_valve

Required

false

Ozone Service Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

OZONE_service_env_safety_valve

Required

false

System Group

Description

The group that this service's processes should run as.

Related Name

Default Value

hdfs

API Name

process_groupname

Required

true

System User

Description

The user that this service's processes should run as.

Related Name

Default Value

hdfs

API Name

process_username

Required

true

Monitoring**Enable Service Level Health Alerts****Description**

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Healthy Ozone DataNode Monitoring Thresholds**Description**

The health test thresholds of the overall Ozone DataNode health. The check returns "Concerning" health if the percentage of "Healthy" Ozone DataNodes falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" Ozone DataNodes falls below the critical threshold.

Related Name**Default Value**

Warning: 99.0 %, Critical: 90.0 %

API Name

OZONE_OZONE_DATANODE_healthy_thresholds

Required

false

Healthy Ozone Manager Monitoring Thresholds**Description**

The health test thresholds of the overall Ozone Manager health. The check returns "Concerning" health if the percentage of "Healthy" Ozone Managers falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" Ozone Managers falls below the critical threshold.

Related Name**Default Value**

Warning: 75.0 %, Critical: 50.0 %

API Name

OZONE_OZONE_MANAGER_healthy_thresholds

Required

false

Healthy Storage Container Manager Monitoring Thresholds**Description**

The health test thresholds of the overall Storage Container Manager health. The check returns "Concerning" health if the percentage of "Healthy" Storage Container Managers falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" Storage Container Managers falls below the critical threshold.

Related Name**Default Value**

Warning: 75.0 %, Critical: 50.0 %

API Name

OZONE_STORAGE_CONTAINER_MANAGER_healthy_thresholds

Required

false

Service Triggers**Description**

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

service_triggers

Required

true

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name**Default Value****API Name**

smon_derived_configs_safety_valve

Required

false

Other**CM API Bucket Owner****Description**

Name of the role to use to get credentials for the kerberos principal to set the owner when creating a bucket via CM APIs. If no role name is specified, the Hive kerberos principal is used by default.

Related Name

cm.api.bucket.owner

Default Value**API Name**

cm.api.bucket.owner

Required

false

Ozone HttpFS Gateway Proxy User Groups**Description**

Comma-delimited list of groups to allow the Ozone HttpFS Gateway to impersonate. To disable entirely, use a string that does not correspond to a group name, such as '_no_group_'

Related Name

hadoop.proxyuser.httpfs.groups

Default Value

*

API Name

hadoop.proxyuser.httpfs.groups

Required

true

Ozone HttpFS Gateway Proxy User Hosts

Description

Comma-delimited list of hosts to allow the Ozone HttpFS Gateway to impersonate. To disable entirely, use a string that does not correspond to a group name, such as '_no_group_'

Related Name

hadoop.proxyuser.httpfs.hosts

Default Value

*

API Name

hadoop.proxyuser.httpfs.hosts

Required

true

Hue Proxy User Groups

Description

Comma-delimited list of groups to allow the Hue user to impersonate. To disable entirely, use a string that does not correspond to a group name, such as '_no_group_'

Related Name

hadoop.proxyuser.hue.groups

Default Value

*

API Name

hadoop.proxyuser.hue.groups

Required

true

Hue Proxy User Hosts

Description

Comma-delimited list of hosts to allow the Hue user to impersonate. To disable entirely, use a string that does not correspond to a group name, such as '_no_group_'

Related Name

hadoop.proxyuser.hue.hosts

Default Value

*

API Name

hadoop.proxyuser.hue.hosts

Required

true

Ozone Proxy User Groups

Description

Comma-delimited list of groups to allow the Ozone user to impersonate. To disable entirely, use a string that does not correspond to a group name, such as '_no_group_'

Related Name

hadoop.proxyuser.om.groups

Default Value

*

API Name

hadoop.proxyuser.om.groups

Required

true

Ozone Proxy User Hosts**Description**

Comma-delimited list of hosts to allow the Ozone user to impersonate. To disable entirely, use a string that does not correspond to a group name, such as '_no_group_'

Related Name

hadoop.proxyuser.om.hosts

Default Value

*

API Name

hadoop.proxyuser.om.hosts

Required

true

Choose RocksDB profile**Description**

This property allows user to pick a configuration that tunes the RocksDB settings for the hardware it is running on. Right now, we have SSD and DISK as profile options.

Related Name

hdds.db.profile

Default Value

DISK

API Name

hdds.db.profile

Required

false

Ozone Prometheus Endpoint Token**Description**

Enables token based authentication for Prometheus servlet endpoints. This will disable SPNEGO based authentication on the endpoints.

Related Name

hdds.prometheus.endpoint.token

Default Value**API Name**

hdds.prometheus.endpoint.token

Required

false

HDFS Service

Description

Name of the HDFS service that this Ozone service instance depends on

Related Name**Default Value****API Name**

hdfs_service

Required

false

Ozone Administrators

Description

A comma separated list of Kerberos principals of Ozone Administrators. This will be effective only when security is enabled.

Related Name

ozone.administrators

Default Value**API Name**

ozone.administrators

Required

false

OM Decommissioning Property

Description

Property use to define and inform other OM's about the OM which is going to be decommissioned using it's OM ID.

Related Name

ozone.om.decommissioned.nodes

Default Value**API Name**

ozone.om.decommissioned.nodes

Required

false

Ozone Replication Factor

Description

Default replication factor value for keys stored in Ozone. The actual number of replications can be specified when writing the key. The default is used if replication value is not specified. Supported values: 1 and 3.

Related Name

ozone.replication

Default Value

3

API Name

`ozone.replication`**Required**`true`**Ozone Incremental Replication Allow Safe to Merge Target Side Changes****Description**

When enabled safe to merge target side changes will be allowed by Ozone incremental replication.

Related Name`ozone.replication.incremental.allow_safe_to_merge_target_side_changes`**Default Value**`false`**API Name**`ozone.replication.incremental.allow_safe_to_merge_target_side_changes`**Required**`false`**Ozone Incremental Replication Extra Snapshots to Keep****Description**

How many extra snapshots to keep that have been created by incremental Ozone replication on source and target clusters. By using the default value (0) only the snapshot from the latest incremental replication will be kept.

Related Name`ozone.replication.incremental.snapshots.keep`**Default Value**`0`**API Name**`ozone.replication.incremental.snapshots.keep`**Required**`false`**Ozone SCM Primordial Node ID****Description**

SCM Primordial Node ID is the hostname of the SCM which should act as a Root Certificate Authority(CA) for Ozone during security initialization. It is mandatory to have a Primordial Node ID when there is more than one SCM instance configured.

Related Name`ozone.scm.primordial.node.id`**Default Value****API Name**`ozone.scm.primordial.node.id`**Required**`false`**Ozone SCM Service ID****Description**

A final alphanumeric name to identify this Ozone service. The value is configured during installation, and should not be modified after that, as any change in the service id may cause service disruption.

Related Name

ozone.scm.service.id

Default Value

scm1

API Name

ozone.scm.service.id

Required

true

Enable Kerberos Authentication**Description**

Enables Kerberos authentication for Ozone.

Related Name

ozone.security.enabled

Default Value

false

API Name

ozone.security.enabled

Required

false

Enable Kerberos Authentication for HTTP web consoles**Description**

Enables Kerberos authentication for Ozone HTTP web consoles for all roles of this service using the SPNEGO protocol. Note: This is effective only if Kerberos is enabled for the Ozone service.

Related Name

ozone.security.http.kerberos.enabled

Default Value

false

API Name

ozone.security.http.kerberos.enabled

Required

false

Ozone Service ID**Description**

A final alphanumeric name to identify this Ozone service. The value is configured during installation, and should not be modified after that, as any change in the service id may cause service disruption.

Related Name

ozone.service.id

Default Value

API Name

ozone.service.id

Required

true

Ozone Basic Health Check Enabled

Description

Determines if the Ozone Basic health check is enabled.

Related Name

ozone_basic_health_check_enabled

Default Value

true

API Name

ozone_basic_health_check_enabled

Required

false

Ozone Basic Health Check's Keystore's Key Encryption Algorithm

Description

Ozone Basic Health Check's Keystore's Key Encryption Algorithm

Related Name

ozone_basic_health_check_keystore_key_encryption_algo

Default Value

AES

API Name

ozone_basic_health_check_keystore_key_encryption_algo

Required

false

Ozone Basic Health Check's Keystore Type

Description

Ozone Basic Health Check's Keystore Type

Related Name

ozone_basic_health_check_keystore_type

Default Value

JCEKS

API Name

ozone_basic_health_check_keystore_type

Required

false

Ozone Basic Health Check's Timeout

Description

Ozone Basic Health Check's Timeout

Related Name

ozone_basic_health_check_timeout

Default Value

1 minute(s)

API Name

ozone_basic_health_check_timeout

Required

false

Ozone Java Options**Description**

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags or extra debugging flags would be passed here.

Related Name

ozone_java_opts

Default Value

java_args

API Name

ozone_java_opts

Required

false

Ranger Ozone Plugin Hdfs Audit Directory**Description**

The DFS path on which Ranger audits are written.

Related Name

ranger_ozone_plugin_hdfs_audit_directory

Default Value

\$ranger_base_audit_url/ozone

API Name

ranger_ozone_plugin_hdfs_audit_directory

Required

false

RANGER Service**Description**

Name of the RANGER service that this Ozone service instance depends on

Related Name**Default Value****API Name**

ranger_service

Required

false

Solr Service

Description

Name of the Solr service that this Ozone service instance depends on

Related Name**Default Value****API Name**

solr_service

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: Deploy Directory

Description

Whether to suppress configuration warnings produced by the Deploy Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Configuration Validator: Datanode Ratis IPC Port for Admin Requests

Description

Whether to suppress configuration warnings produced by the Datanode Ratis IPC Port for Admin Requests configuration validator.

Related Name**Default Value**

false

API Name

`role_config_suppression_dfs.container.ratis.admin.port`**Required**`true`**Suppress Configuration Validator: Datanode Ratis Metadata Directory****Description**

Whether to suppress configuration warnings produced by the Datanode Ratis Metadata Directory configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_dfs.container.ratis.datanode.storage.dir`**Required**`true`**Suppress Configuration Validator: Datanode Ratis IPC Port for Server-to-Server Communication****Description**

Whether to suppress configuration warnings produced by the Datanode Ratis IPC Port for Server-to-Server Communication configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_dfs.container.ratis.server.port`**Required**`true`**Suppress Configuration Validator: Balancing Interval****Description**

Whether to suppress configuration warnings produced by the Balancing Interval configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_hdds.container.balancer.balancing.iteration.interval`**Required**`true`**Suppress Configuration Validator: Exclude Containers from Balancing****Description**

Whether to suppress configuration warnings produced by the Exclude Containers from Balancing configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hdds.container.balancer.exclude.containers

Required

true

Suppress Configuration Validator: Exclude Datanodes

Description

Whether to suppress configuration warnings produced by the Exclude Datanodes configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hdds.container.balancer.exclude.datanodes

Required

true

Suppress Configuration Validator: Include Datanodes

Description

Whether to suppress configuration warnings produced by the Include Datanodes configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hdds.container.balancer.include.datanodes

Required

true

Suppress Configuration Validator: Container Move Replication Timeout

Description

Whether to suppress configuration warnings produced by the Container Move Replication Timeout configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hdds.container.balancer.move.replication.timeout

Required

true

Suppress Configuration Validator: Container Move Timeout

Description

Whether to suppress configuration warnings produced by the Container Move Timeout configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hdds.container.balancer.move.timeout

Required

true

Suppress Configuration Validator: Maximum Size Entering Target**Description**

Whether to suppress configuration warnings produced by the Maximum Size Entering Target configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hdds.container.balancer.size.entering.target.max

Required

true

Suppress Configuration Validator: Maximum Size Leaving Source**Description**

Whether to suppress configuration warnings produced by the Maximum Size Leaving Source configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hdds.container.balancer.size.leaving.source.max

Required

true

Suppress Configuration Validator: Maximum Size to Move in Balancing**Description**

Whether to suppress configuration warnings produced by the Maximum Size to Move in Balancing configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hdds.container.balancer.size.moved.max.per.iteration

Required

true

Suppress Configuration Validator: Datanode Data Directory

Description

Whether to suppress configuration warnings produced by the Datanode Data Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hdds.datanode.dir

Required

true

Suppress Configuration Validator: Over Replication Processing Interval

Description

Whether to suppress configuration warnings produced by the Over Replication Processing Interval configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hdds.scm.replication.over.replicated.interval

Required

true

Suppress Configuration Validator: Replication Thread Interval

Description

Whether to suppress configuration warnings produced by the Replication Thread Interval configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hdds.scm.replication.thread.interval

Required

true

Suppress Configuration Validator: Under Replication Processing Interval

Description

Whether to suppress configuration warnings produced by the Under Replication Processing Interval configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hdds.scm.replication.under.replicated.interval

Required

true

Suppress Configuration Validator: Datanode Container Protocol ACL

Description

Whether to suppress configuration warnings produced by the Datanode Container Protocol ACL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hdds.security.client.datanode.container.protocol.acl

Required

true

Suppress Configuration Validator: SCM Client Certificate Protocol ACL

Description

Whether to suppress configuration warnings produced by the SCM Client Certificate Protocol ACL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hdds.security.client.scm.certificate.protocol.acl

Required

true

Suppress Configuration Validator: Hive Proxy User Groups for Ozone HttpFS

Description

Whether to suppress configuration warnings produced by the Hive Proxy User Groups for Ozone HttpFS configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_httpfs.proxyuser.hive.groups

Required

true

Suppress Configuration Validator: Hive Proxy User Hosts for Ozone HttpFS

Description

Whether to suppress configuration warnings produced by the Hive Proxy User Hosts for Ozone HttpFS configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_httpfs.proxyuser.hive.hosts

Required

true

Suppress Configuration Validator: Hue Proxy User Groups for Ozone HttpFS**Description**

Whether to suppress configuration warnings produced by the Hue Proxy User Groups for Ozone HttpFS configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_httpfs.proxyuser.hue.groups

Required

true

Suppress Configuration Validator: Hue Proxy User Hosts for Ozone HttpFS**Description**

Whether to suppress configuration warnings produced by the Hue Proxy User Hosts for Ozone HttpFS configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_httpfs.proxyuser.hue.hosts

Required

true

Suppress Configuration Validator: HttpFS Gateway Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the HttpFS Gateway Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_httpfs_gateway_role_env_safety_valve

Required

true

Suppress Configuration Validator: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Configuration Validator: Role-Specific Kerberos Principal**Description**

Whether to suppress configuration warnings produced by the Role-Specific Kerberos Principal configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_kerberos_role_princ_name

Required

true

Suppress Configuration Validator: Storage Container Manager Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the Storage Container Manager Logging Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Configuration Validator: Storage Container Manager Log Directory**Description**

Whether to suppress configuration warnings produced by the Storage Container Manager Log Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Configuration Validator: Topology Script File Name

Description

Whether to suppress configuration warnings produced by the Topology Script File Name configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_net.topology.script.file.name

Required

true

Suppress Configuration Validator: OM ID

Description

Whether to suppress configuration warnings produced by the OM ID configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_om.id

Required

true

Suppress Configuration Validator: Java Heap Size of Ozone Manager

Description

Whether to suppress configuration warnings produced by the Java Heap Size of Ozone Manager configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_om_max_heap_size

Required

true

Suppress Configuration Validator: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Exporters Section**Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Extensions Section**Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Helper Port**Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Processors Section**Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: Ozone DataNode Advanced Configuration Snippet (Safety Valve) for ozone-conf/dn-audit-log4j2.properties**Description**

Whether to suppress configuration warnings produced by the Ozone DataNode Advanced Configuration Snippet (Safety Valve) for ozone-conf/dn-audit-log4j2.properties configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone-conf/dn-audit-log4j2.properties_role_safety_valve

Required

true

Suppress Configuration Validator: Ozone DataNode Advanced Configuration Snippet (Safety Valve) for ozone-conf/dn-container-log4j2.properties**Description**

Whether to suppress configuration warnings produced by the Ozone DataNode Advanced Configuration Snippet (Safety Valve) for ozone-conf/dn-container-log4j2.properties configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone-conf/dn-container-log4j2.properties_role_safety_valve

Required

true

Suppress Configuration Validator: Storage Container Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/hadoop-policy.xml**Description**

Whether to suppress configuration warnings produced by the Storage Container Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/hadoop-policy.xml configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone-conf/hadoop-policy.xml_role_safety_valve

Required

true

Suppress Configuration Validator: HttpFS Gateway Advanced Configuration Snippet (Safety Valve) for ozone-conf/httpfs-site.xml**Description**

Whether to suppress configuration warnings produced by the HttpFS Gateway Advanced Configuration Snippet (Safety Valve) for ozone-conf/httpfs-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone-conf/https-site.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Ozone Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/om-audit-log4j2.properties

Description

Whether to suppress configuration warnings produced by the Ozone Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/om-audit-log4j2.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone-conf/om-audit-log4j2.properties_role_safety_valve

Required

true

Suppress Configuration Validator: Ozone Prometheus Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozone-prometheus.yml

Description

Whether to suppress configuration warnings produced by the Ozone Prometheus Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozone-prometheus.yml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone-conf/ozone-prometheus.yml_role_safety_valve

Required

true

Suppress Configuration Validator: Ozone Client Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozone-site.xml

Description

Whether to suppress configuration warnings produced by the Ozone Client Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozone-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone-conf/ozone-site.xml_client_config_safety_valve

Required

true

Suppress Configuration Validator: Storage Container Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozone-site.xml

Description

Whether to suppress configuration warnings produced by the Storage Container Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozone-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone-conf/ozone-site.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Ozone Prometheus Advanced Configuration Snippet (Safety Valve) for ozone-conf/prometheus-token

Description

Whether to suppress configuration warnings produced by the Ozone Prometheus Advanced Configuration Snippet (Safety Valve) for ozone-conf/prometheus-token configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone-conf/prometheus-token_role_safety_valve

Required

true

Suppress Configuration Validator: Ozone Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ranger-ozone-audit.xml

Description

Whether to suppress configuration warnings produced by the Ozone Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ranger-ozone-audit.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone-conf/ranger-ozone-audit.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Ozone Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ranger-ozone-policymgr-ssl.xml

Description

Whether to suppress configuration warnings produced by the Ozone Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ranger-ozone-policymgr-ssl.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone-conf/ranger-ozone-policymgr-ssl.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Ozone Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ranger-ozone-security.xml

Description

Whether to suppress configuration warnings produced by the Ozone Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ranger-ozone-security.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone-conf/ranger-ozone-security.xml_role_safety_valve

Required

true

Suppress Configuration Validator: S3 Gateway Advanced Configuration Snippet (Safety Valve) for ozone-conf/s3g-audit-log4j2.properties

Description

Whether to suppress configuration warnings produced by the S3 Gateway Advanced Configuration Snippet (Safety Valve) for ozone-conf/s3g-audit-log4j2.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone-conf/s3g-audit-log4j2.properties_role_safety_valve

Required

true

Suppress Configuration Validator: Storage Container Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/scm-audit-log4j2.properties

Description

Whether to suppress configuration warnings produced by the Storage Container Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/scm-audit-log4j2.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone-conf/scm-audit-log4j2.properties_role_safety_valve

Required

true

Suppress Configuration Validator: Ozone Client Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-client.xml

Description

Whether to suppress configuration warnings produced by the Ozone Client Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-client.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone-conf/ssl-client.xml_client_config_safety_valve

Required

true

Suppress Configuration Validator: Storage Container Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-client.xml

Description

Whether to suppress configuration warnings produced by the Storage Container Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-client.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone-conf/ssl-client.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Storage Container Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-server.xml

Description

Whether to suppress configuration warnings produced by the Storage Container Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-server.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone-conf/ssl-server.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Ozone Datanode HTTP Bind Hostname

Description

Whether to suppress configuration warnings produced by the Ozone Datanode HTTP Bind Hostname configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.datanode.http-bind-host

Required

true

Suppress Configuration Validator: Ozone Datanode HTTP Web UI Port

Description

Whether to suppress configuration warnings produced by the Ozone Datanode HTTP Web UI Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.datanode.http-port

Required

true

Suppress Configuration Validator: Secure Ozone Datanode HTTPS Bind Hostname

Description

Whether to suppress configuration warnings produced by the Secure Ozone Datanode HTTPS Bind Hostname configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.datanode.https-bind-host

Required

true

Suppress Configuration Validator: Ozone Datanode Port (TLS/SSL)

Description

Whether to suppress configuration warnings produced by the Ozone Datanode Port (TLS/SSL) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.datanode.https-port

Required

true

Suppress Configuration Validator: HSTS Header for Ozone SCM UI

Description

Whether to suppress configuration warnings produced by the HSTS Header for Ozone SCM UI configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.http.header.strict-transport-security

Required

true

Suppress Configuration Validator: Ozone HttpFS Gateway HTTP Bind Hostname

Description

Whether to suppress configuration warnings produced by the Ozone HttpFS Gateway HTTP Bind Hostname configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.httpfs.http-bind-host

Required

true

Suppress Configuration Validator: Ozone HttpFS Gateway HTTP Web UI Port

Description

Whether to suppress configuration warnings produced by the Ozone HttpFS Gateway HTTP Web UI Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.httpfs.http-port

Required

true

Suppress Configuration Validator: Storage Container Manager Metadata Directory**Description**

Whether to suppress configuration warnings produced by the Storage Container Manager Metadata Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone.metadata.dirs

Required

true

Suppress Configuration Validator: Ozone Manager Data Directory**Description**

Whether to suppress configuration warnings produced by the Ozone Manager Data Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone.om.db.dirs

Required

true

Suppress Configuration Validator: Ozone Manager HTTP Bind Hostname**Description**

Whether to suppress configuration warnings produced by the Ozone Manager HTTP Bind Hostname configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone.om.http-bind-host

Required

true

Suppress Configuration Validator: Ozone Manager HTTP Web UI Port**Description**

Whether to suppress configuration warnings produced by the Ozone Manager HTTP Web UI Port configuration validator.

Related Name**Default Value**

false

API Name

`role_config_suppression_ozone.om.http-port`**Required**`true`**Suppress Configuration Validator: Secure Ozone Manager HTTPS Bind Hostname****Description**

Whether to suppress configuration warnings produced by the Secure Ozone Manager HTTPS Bind Hostname configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ozone.om.https-bind-host`**Required**`true`**Suppress Configuration Validator: Secure Ozone Manager Web UI Port (TLS/SSL)****Description**

Whether to suppress configuration warnings produced by the Secure Ozone Manager Web UI Port (TLS/SSL) configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ozone.om.https-port`**Required**`true`**Suppress Configuration Validator: New Ozone Manager Nodes****Description**

Whether to suppress configuration warnings produced by the New Ozone Manager Nodes configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ozone.om.new.added.nodes`**Required**`true`**Suppress Configuration Validator: Ozone Manager Ratis port****Description**

Whether to suppress configuration warnings produced by the Ozone Manager Ratis port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.om.ratis-port

Required

true

Suppress Configuration Validator: Ozone Manager Ratis Storage Directory

Description

Whether to suppress configuration warnings produced by the Ozone Manager Ratis Storage Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.om.ratis.storage.dir

Required

true

Suppress Configuration Validator: Ozone Manager RPC port

Description

Whether to suppress configuration warnings produced by the Ozone Manager RPC port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.om.rpc-port

Required

true

Suppress Configuration Validator: Ozone Manager Snapshot Diff Directory

Description

Whether to suppress configuration warnings produced by the Ozone Manager Snapshot Diff Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.om.snapshot.diff.db.dir

Required

true

Suppress Configuration Validator: CA File Path

Description

Whether to suppress configuration warnings produced by the CA File Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.prometheus.ca.file

Required

true

Suppress Configuration Validator: Prometheus Data Retention time.

Description

Whether to suppress configuration warnings produced by the Prometheus Data Retention time configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.prometheus.data.retention.time

Required

true

Suppress Configuration Validator: Prometheus Data Directory

Description

Whether to suppress configuration warnings produced by the Prometheus Data Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.prometheus.db.dir

Required

true

Suppress Configuration Validator: Prometheus server extra flags.

Description

Whether to suppress configuration warnings produced by the Prometheus server extra flags configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.prometheus.extra.flags

Required

true

Suppress Configuration Validator: Prometheus HTTP Port

Description

Whether to suppress configuration warnings produced by the Prometheus HTTP Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.prometheus.http-port

Required

true

Suppress Configuration Validator: Prometheus server log level.

Description

Whether to suppress configuration warnings produced by the Prometheus server log level configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.prometheus.log.level

Required

true

Suppress Configuration Validator: Recon Data Directory

Description

Whether to suppress configuration warnings produced by the Recon Data Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.recon.db.dir

Required

true

Suppress Configuration Validator: Recon HTTP Bind Hostname

Description

Whether to suppress configuration warnings produced by the Recon HTTP Bind Hostname configuration validator.

Related Name

Default Value

false

API Name

`role_config_suppression_ozone.recon.http-bind-host`**Required**

true

Suppress Configuration Validator: Recon HTTP Web UI Port**Description**

Whether to suppress configuration warnings produced by the Recon HTTP Web UI Port configuration validator.

Related Name**Default Value**

false

API Name`role_config_suppression_ozone.recon.http-port`**Required**

true

Suppress Configuration Validator: Secure Recon HTTPS Bind Hostname**Description**

Whether to suppress configuration warnings produced by the Secure Recon HTTPS Bind Hostname configuration validator.

Related Name**Default Value**

false

API Name`role_config_suppression_ozone.recon.https-bind-host`**Required**

true

Suppress Configuration Validator: Secure Recon Web UI Port (TLS/SSL)**Description**

Whether to suppress configuration warnings produced by the Secure Recon Web UI Port (TLS/SSL) configuration validator.

Related Name**Default Value**

false

API Name`role_config_suppression_ozone.recon.https-port`**Required**

true

Suppress Configuration Validator: Recon OzoneManager Data Directory**Description**

Whether to suppress configuration warnings produced by the Recon OzoneManager Data Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.recon.om.db.dir

Required

true

Suppress Configuration Validator: Recon RPC Port

Description

Whether to suppress configuration warnings produced by the Recon RPC Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.recon.rpc-port

Required

true

Suppress Configuration Validator: Recon StorageContainerManager Data Directory

Description

Whether to suppress configuration warnings produced by the Recon StorageContainerManager Data Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.recon.scm.db.dirs

Required

true

Suppress Configuration Validator: Ozone S3 Gateway HTTP Bind Hostname

Description

Whether to suppress configuration warnings produced by the Ozone S3 Gateway HTTP Bind Hostname configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.s3g.http-bind-host

Required

true

Suppress Configuration Validator: Ozone S3 Gateway HTTP Web UI Port

Description

Whether to suppress configuration warnings produced by the Ozone S3 Gateway HTTP Web UI Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.s3g.http-port

Required

true

Suppress Configuration Validator: Secure Ozone S3 Gateway HTTPS Bind Hostname

Description

Whether to suppress configuration warnings produced by the Secure Ozone S3 Gateway HTTPS Bind Hostname configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.s3g.https-bind-host

Required

true

Suppress Configuration Validator: Secure Ozone S3 Gateway Web UI Port (TLS/SSL)

Description

Whether to suppress configuration warnings produced by the Secure Ozone S3 Gateway Web UI Port (TLS/SSL) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.s3g.https-port

Required

true

Suppress Configuration Validator: Storage Container Manager Block Client port

Description

Whether to suppress configuration warnings produced by the Storage Container Manager Block Client port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.scm.block.client.port

Required

true

Suppress Configuration Validator: Storage Container Manager Client port

Description

Whether to suppress configuration warnings produced by the Storage Container Manager Client port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone.scm.client.port

Required

true

Suppress Configuration Validator: Datanode ID Directory

Description

Whether to suppress configuration warnings produced by the Datanode ID Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone.scm.datanode.id.dir

Required

true

Suppress Configuration Validator: Storage Container Manager Datanode port

Description

Whether to suppress configuration warnings produced by the Storage Container Manager Datanode port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone.scm.datanode.port

Required

true

Suppress Configuration Validator: Storage Container Manager Data Directory

Description

Whether to suppress configuration warnings produced by the Storage Container Manager Data Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone.scm.db.dirs

Required

true

Suppress Configuration Validator: Storage Container Manager GRPC port

Description

Whether to suppress configuration warnings produced by the Storage Container Manager GRPC port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.scm.grpc.port

Required

true

Suppress Configuration Validator: Storage Container Manager Ratis Storage Directory

Description

Whether to suppress configuration warnings produced by the Storage Container Manager Ratis Storage Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.scm.ha.ratis.storage.dir

Required

true

Suppress Configuration Validator: Storage Container Manager HTTP Bind Hostname

Description

Whether to suppress configuration warnings produced by the Storage Container Manager HTTP Bind Hostname configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.scm.http-bind-host

Required

true

Suppress Configuration Validator: Storage Container Manager HTTP Web UI Port

Description

Whether to suppress configuration warnings produced by the Storage Container Manager HTTP Web UI Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.scm.http-port

Required

true

Suppress Configuration Validator: Secure Storage Container Manager HTTPS Bind Hostname

Description

Whether to suppress configuration warnings produced by the Secure Storage Container Manager HTTPS Bind Hostname configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.scm.https-bind-host

Required

true

Suppress Configuration Validator: Secure Storage Container Manager Web UI Port (TLS/SSL)

Description

Whether to suppress configuration warnings produced by the Secure Storage Container Manager Web UI Port (TLS/SSL) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.scm.https-port

Required

true

Suppress Configuration Validator: Storage Container Manager Ratis port

Description

Whether to suppress configuration warnings produced by the Storage Container Manager Ratis port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.scm.ratis.port

Required

true

Suppress Configuration Validator: Storage Container Manager Security Service port

Description

Whether to suppress configuration warnings produced by the Storage Container Manager Security Service port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone.scm.security.service.port

Required

true

Suppress Configuration Validator: Ozone Server Replication Factor

Description

Whether to suppress configuration warnings produced by the Ozone Server Replication Factor configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone.server.default.replication

Required

true

Suppress Configuration Validator: Ozone Server Replication Type

Description

Whether to suppress configuration warnings produced by the Ozone Server Replication Type configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone.server.default.replication.type

Required

true

Suppress Configuration Validator: Java Heap Size of DataNode

Description

Whether to suppress configuration warnings produced by the Java Heap Size of DataNode configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone_datanode_heap_size

Required

true

Suppress Configuration Validator: Ozone DataNode Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Ozone DataNode Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone_datanode_role_env_safety_valve

Required

true

Suppress Configuration Validator: Java Heap Size of HttpFS Gateway

Description

Whether to suppress configuration warnings produced by the Java Heap Size of HttpFS Gateway configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone_httpfs_gateway_max_heap_size

Required

true

Suppress Configuration Validator: Ozone Manager Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Ozone Manager Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone_manager_role_env_safety_valve

Required

true

Suppress Configuration Validator: Ozone Prometheus Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Ozone Prometheus Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone_prometheus_role_env_safety_valve

Required

true

Suppress Configuration Validator: Java Heap Size of Recon

Description

Whether to suppress configuration warnings produced by the Java Heap Size of Recon configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone_recon_max_heap_size

Required

true

Suppress Configuration Validator: Ozone Recon Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Ozone Recon Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone_recon_role_env_safety_valve

Required

true

Suppress Configuration Validator: Java Heap Size of S3 Gateway

Description

Whether to suppress configuration warnings produced by the Java Heap Size of S3 Gateway configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ozone_s3_gateway_max_heap_size

Required

true

Suppress Configuration Validator: Role Specific System Group

Description

Whether to suppress configuration warnings produced by the Role Specific System Group configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_process_groupname

Required

true

Suppress Configuration Validator: Role Specific System User

Description

Whether to suppress configuration warnings produced by the Role Specific System User configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_process_username

Required

true

Suppress Configuration Validator: Prometheus Binary Location

Description

Whether to suppress configuration warnings produced by the Prometheus Binary Location configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_prometheus.location

Required

true

Suppress Configuration Validator: Ranger Ozone Plugin Conf Path

Description

Whether to suppress configuration warnings produced by the Ranger Ozone Plugin Conf Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_ozone_plugin_conf_path

Required

true

Suppress Configuration Validator: Ranger Ozone Plugin Policy Cache Directory Path**Description**

Whether to suppress configuration warnings produced by the Ranger Ozone Plugin Policy Cache Directory Path configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_ozone_plugin_policy_cache_directory

Required

true

Suppress Configuration Validator: Ranger Ozone Plugin Audit Solr Spool Directory Path**Description**

Whether to suppress configuration warnings produced by the Ranger Ozone Plugin Audit Solr Spool Directory Path configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_ozone_plugin_solr_audit_spool_directory

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: Role Triggers**Description**

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Configuration Validator: S3 Gateway Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the S3 Gateway Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_s3_gateway_role_env_safety_valve

Required

true

Suppress Configuration Validator: Java Heap Size of Storage Container Manager

Description

Whether to suppress configuration warnings produced by the Java Heap Size of Storage Container Manager configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_scm_max_heap_size

Required

true

Suppress Configuration Validator: Storage Container Manager TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the Storage Container Manager TLS/SSL Trust Store File configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Configuration Validator: Storage Container Manager TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the Storage Container Manager TLS/SSL Trust Store Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Configuration Validator: Storage Container Manager TLS/SSL Server Keystore Key Password

Description

Whether to suppress configuration warnings produced by the Storage Container Manager TLS/SSL Server Keystore Key Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_keypassword

Required

true

Suppress Configuration Validator: Storage Container Manager TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the Storage Container Manager TLS/SSL Server Keystore File Location configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Configuration Validator: Storage Container Manager TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the Storage Container Manager TLS/SSL Server Keystore File Password configuration validator.

Related Name**Default Value**

	false
API Name	role_config_suppression_ssl_server_keystore_password
Required	true

Suppress Configuration Validator: Stacks Collection Directory

Description	Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_stacks_collection_directory
Required	true

Suppress Configuration Validator: Storage Container Manager Environment Advanced Configuration Snippet (Safety Valve)

Description	Whether to suppress configuration warnings produced by the Storage Container Manager Environment Advanced Configuration Snippet (Safety Valve) configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_storage_container_manager_role_env_safety_valve
Required	true

Suppress Parameter Validation: CM API Bucket Owner

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the CM API Bucket Owner parameter.
Related Name	
Default Value	false
API Name	service_config_suppression_cm.api.bucket.owner
Required	true

Suppress Configuration Validator: Gateway Count Validator

Description	
--------------------	--

Whether to suppress configuration warnings produced by the Gateway Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_gateway_count_validator

Required

true

Suppress Parameter Validation: Ozone HttpFS Gateway Proxy User Groups**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone HttpFS Gateway Proxy User Groups parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hadoop.proxyuser.httpfs.groups

Required

true

Suppress Parameter Validation: Ozone HttpFS Gateway Proxy User Hosts**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone HttpFS Gateway Proxy User Hosts parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hadoop.proxyuser.httpfs.hosts

Required

true

Suppress Parameter Validation: Hue Proxy User Groups**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue Proxy User Groups parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hadoop.proxyuser.hue.groups

Required

true

Suppress Parameter Validation: Hue Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue Proxy User Hosts parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hadoop.proxyuser.hue.hosts

Required

true

Suppress Parameter Validation: Ozone Proxy User Groups

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Proxy User Groups parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hadoop.proxyuser.om.groups

Required

true

Suppress Parameter Validation: Ozone Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Proxy User Hosts parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hadoop.proxyuser.om.hosts

Required

true

Suppress Parameter Validation: Ozone Prometheus Endpoint Token

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Prometheus Endpoint Token parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hdds.prometheus.endpoint.token

Required

true

Suppress Configuration Validator: HttpFS Gateway Count Validator

Description

Whether to suppress configuration warnings produced by the HttpFS Gateway Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_httpfs_gateway_count_validator

Required

true

Suppress Parameter Validation: Ozone Service Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozone-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Service Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozone-site.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ozone-conf/ozone-site.xml_service_safety_valve

Required

true

Suppress Parameter Validation: Ozone Service Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-client.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Service Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-client.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ozone-conf/ssl-client.xml_service_safety_valve

Required

true

Suppress Parameter Validation: Ozone Service Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-server.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Service Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-server.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ozone-conf/ssl-server.xml_service_safety_valve

Required

true

Suppress Parameter Validation: Ozone Administrators

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Administrators parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ozone.administrators

Required

true

Suppress Parameter Validation: OM Decommissioning Property

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OM Decommissioning Property parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ozone.om.decommissioned.nodes

Required

true

Suppress Parameter Validation: Ozone SCM Primordial Node ID

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone SCM Primordial Node ID parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ozone.scm.primordial.node.id

Required

true

Suppress Parameter Validation: Ozone SCM Service ID

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone SCM Service ID parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ozone.scm.service.id

Required

true

Suppress Parameter Validation: Ozone Service ID

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Service ID parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ozone.service.id

Required

true

Suppress Parameter Validation: Ozone Basic Health Check's Keystore's Key Encryption Algorithm

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Basic Health Check's Keystore's Key Encryption Algorithm parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ozone_basic_health_check_keystore_key_encryption_algo

Required

true

Suppress Parameter Validation: Ozone Basic Health Check's Keystore Type

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Basic Health Check's Keystore Type parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ozone_basic_health_check_keystore_type

Required

true

Suppress Configuration Validator: Ozone DataNode Count Validator**Description**

Whether to suppress configuration warnings produced by the Ozone DataNode Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_ozone_datanode_count_validator

Required

true

Suppress Parameter Validation: Ozone Java Options**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Java Options parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ozone_java_opts

Required

true

Suppress Configuration Validator: Ozone Manager Count Validator**Description**

Whether to suppress configuration warnings produced by the Ozone Manager Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_ozone_manager_count_validator

Required

true

Suppress Configuration Validator: Ozone Prometheus Count Validator**Description**

Whether to suppress configuration warnings produced by the Ozone Prometheus Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_ozone_prometheus_count_validator

Required

true

Suppress Configuration Validator: Ozone Recon Count Validator**Description**

Whether to suppress configuration warnings produced by the Ozone Recon Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_ozone_recon_count_validator

Required

true

Suppress Parameter Validation: Ozone Replication Advanced Configuration Snippet (Safety Valve) for core-site.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Replication Advanced Configuration Snippet (Safety Valve) for core-site.xml parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ozone_replication_core_site_safety_valve

Required

true

Suppress Parameter Validation: Ozone Service Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ozone_service_env_safety_valve

Required

true

Suppress Parameter Validation: System Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name

Default Value

false

API Name

service_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: System User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name

Default Value

false

API Name

service_config_suppression_process_username

Required

true

Suppress Parameter Validation: Ranger Ozone Plugin Hdfs Audit Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Ozone Plugin Hdfs Audit Directory parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_ozone_plugin_hdfs_audit_directory

Required

true

Suppress Configuration Validator: S3 Gateway Count Validator

Description

Whether to suppress configuration warnings produced by the S3 Gateway Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_s3_gateway_count_validator

Required

true

Suppress Parameter Validation: Service Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_service_triggers

Required

true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_smon_derived_configs_safety_valve

Required

true

Suppress Configuration Validator: Storage Container Manager Count Validator**Description**

Whether to suppress configuration warnings produced by the Storage Container Manager Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_storage_container_manager_count_validator

Required

true

Suppress Health Test: Ozone Basic Canary**Description**

Whether to suppress the results of the Ozone Basic Canary health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_ozone_basic_health_check

Required

true

Suppress Health Test: Ozone DataNode Health**Description**

Whether to suppress the results of the Ozone DataNode Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_ozone_ozone_datanode_healthy

Required

true

Suppress Health Test: Ozone Manager Health**Description**

Whether to suppress the results of the Ozone Manager Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_ozone_ozone_manager_healthy

Required

true

Suppress Health Test: Storage Container Manager Health**Description**

Whether to suppress the results of the Storage Container Manager Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

service_health_suppression_ozonestorage_container_manager_healthy

Required

true

Storage Container Manager

Advanced

Storage Container Manager Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory

Description

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Storage Container Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/hadoop-policy.xml**Description**

For advanced use only. A string to be inserted into ozone-conf/hadoop-policy.xml for this role only.

Related Name**Default Value****API Name**

ozone-conf/hadoop-policy.xml_role_safety_valve

Required

false

Storage Container Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozone-site.xml**Description**

For advanced use only. A string to be inserted into ozone-conf/ozone-site.xml for this role only.

Related Name**Default Value**

API Name

ozone-conf/ozone-site.xml_role_safety_valve

Required

false

Storage Container Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/scm-audit-log4j2.properties

Description

For advanced use only. A string to be inserted into ozone-conf/scm-audit-log4j2.properties for this role only.

Related Name

Default Value

API Name

ozone-conf/scm-audit-log4j2.properties_role_safety_valve

Required

false

Storage Container Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-client.xml

Description

For advanced use only. A string to be inserted into ozone-conf/ssl-client.xml for this role only.

Related Name

Default Value

API Name

ozone-conf/ssl-client.xml_role_safety_valve

Required

false

Storage Container Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-server.xml

Description

For advanced use only. A string to be inserted into ozone-conf/ssl-server.xml for this role only.

Related Name

Default Value

API Name

ozone-conf/ssl-server.xml_role_safety_valve

Required

false

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name

Default Value

false

API Name

process_auto_restart

Required

true

Role Specific System Group**Description**

The group that this role's processes should run as.

Related Name**Default Value**

hdfs

API Name

process_groupname

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Role Specific System User

Description

The user that this role's processes should run as.

Related Name**Default Value**

hdfs

API Name

process_username

Required

true

Storage Container Manager Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

STORAGE_CONTAINER_MANAGER_role_env_safety_valve

Required

false

Logs

Storage Container Manager Log Directory

Description

The log directory for log files of the role Storage Container Manager.

Related Name

log.dir

Default Value

/var/log/hadoop-ozone

API Name

log_dir

Required

false

Storage Container Manager Logging Threshold

Description

The minimum log level for Storage Container Manager logs

Related Name

Default Value

INFO

API Name

log_threshold

Required

false

Storage Container Manager Maximum Log File Backups

Description

The maximum number of rolled log files to keep for Storage Container Manager logs. Typically used by log4j or logback.

Related Name

Default Value

10

API Name

max_log_backup_index

Required

false

Storage Container Manager Max Log Size

Description

The maximum size, in megabytes, per log file for Storage Container Manager logs. Typically used by log4j or logback.

Related Name

Default Value

200 MiB

API Name

max_log_size

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML**Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: { "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }

Related Name

Default Value

API Name

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

exporters: prometheusremotewrite/\$ROLE_NAME: endpoint:
\$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/\$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

extensions: basicauth/\$ROLE_NAME: client_auth: username:
\$ROLE_PARAM(otelcol_remote_write_user) password:
'\$ROLE_PARAM(otelcol_remote_write_password)'

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: `$HOST_NAME`, `$CLUSTER_NAME`, `$CLUSTER_ID`, `$SERVICE_TYPE`, `$SERVICE_NAME`, `$ROLE_NAME`, `$ROLE_TYPE`, `$ROLE_PARAM(my_parameter_name)` - e.g.: a port parameter for the role's metrics, `$DECODE_B64(...)` and `$DECODE_URL(...)` to decode encoded parameters, `$ENV_PARAM(name)` to fetch params from the process' environment, `$SYS_PARAM(name)` to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

`otelcol_rtm_logs_extensions`**Required**

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**`otelcol_rtm_logs_processors`**Required**

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: `$HOST_NAME`, `$CLUSTER_NAME`, `$CLUSTER_ID`, `$SERVICE_TYPE`, `$SERVICE_NAME`, `$ROLE_NAME`, `$ROLE_TYPE`, `$ROLE_PARAM(my_parameter_name)` - e.g.: a port parameter for the role's metrics, `$DECODE_B64(...)` and `$DECODE_URL(...)` to decode encoded parameters, `$ENV_PARAM(name)` to fetch params from the process' environment, `$SYS_PARAM(name)` to fetch java system properties.

Related Name**Default Value****API Name**`otelcol_rtm_logs_receivers`**Required**

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**`otelcol_rtm_logs_service`**Required**

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAM and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more

details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

role_triggers

Required

true

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name

Default Value

Warning: 50.0 %, Critical: 70.0 %

API Name

storage_container_manager_fd_thresholds

Required

false

Storage Container Manager Host Health Test

Description

When computing the overall Storage Container Manager health, consider the host's health.

Related Name

Default Value

true

API Name

storage_container_manager_host_health_enabled

Required

false

Storage Container Manager Process Health Test

Description

Enables the health test that the Storage Container Manager's process state is consistent with the role configuration

Related Name

Default Value

true

API Name

storage_container_manager_scm_health_enabled

Required

false

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

`unexpected_exits_thresholds`

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

`unexpected_exits_window`

Required

false

Other

Graceful Shutdown Timeout

Description

The timeout in milliseconds to wait for graceful shutdown to complete.

Related Name**Default Value**

2 minute(s)

API Name

`graceful_stop_timeout`

Required

false

Balancing Interval

Description

The interval period between each iteration of Container Balancer. The current default is 70m. This means that Container Balancer will balance every 70 minutes. Units supported: d, h, m, s, ms.

Related Name

`hdds.container.balancer.balancing.iteration.interval`

Default Value**API Name**

hdds.container.balancer.balancing.iteration.interval

Required

false

Maximum Percentage of Datanodes Involved in Balancing

Description

Maximum percentage of healthy, in-service datanodes that can be involved in balancing in one iteration (for example, '20' for 20%).

Related Name

hdds.container.balancer.datanodes.involved.max.percentage.per.iteration

Default Value

20

API Name

hdds.container.balancer.datanodes.involved.max.percentage.per.iteration

Required

false

Exclude Containers from Balancing

Description

Containers to exclude from balancing. Specified as a string of Container IDs (for example, '1, 2, 3').

Related Name

hdds.container.balancer.exclude.containers

Default Value

API Name

hdds.container.balancer.exclude.containers

Required

false

Exclude Datanodes

Description

A comma separated string of Datanode hostnames or IP addresses that will be excluded from balancing.

Related Name

hdds.container.balancer.exclude.datanodes

Default Value

API Name

hdds.container.balancer.exclude.datanodes

Required

false

Include Datanodes

Description

A comma separated string of Datanode hostnames or IP addresses that will be the only participants in balancing.

Related Name

hdds.container.balancer.include.datanodes

Default Value**API Name**

hdds.container.balancer.include.datanodes

Required

false

Number of Balancing Iterations**Description**

Number of iterations that Container Balancer will run for.

Related Name

hdds.container.balancer.iterations

Default Value

10

API Name

hdds.container.balancer.iterations

Required

false

Container Move Replication Timeout**Description**

The amount of time to allow a single container's replication from source to target as part of container move. The current default is 50m. This means that if "hdds.container.balancer.move.timeout" is 65m, then out of those 65 minutes 50 minutes will be the deadline for replication to complete. The value of this configuration should always be less than "hdds.container.balancer.move.timeout". Units supported: d, h, m, s, ms.

Related Name

hdds.container.balancer.move.replication.timeout

Default Value**API Name**

hdds.container.balancer.move.replication.timeout

Required

false

Container Move Timeout**Description**

The amount of time to allow a single container to move from source to target. The current default is 65m. This means that a container is allowed a total of 65 minutes to complete its move from a source Datanode to a target Datanode, as part of container balancing. Units supported: d, h, m, s, ms.

Related Name

hdds.container.balancer.move.timeout

Default Value**API Name**

hdds.container.balancer.move.timeout

Required

false

Maximum Size Entering Target**Description**

The maximum size that can enter a target datanode in each iteration while balancing. This is the sum of data from multiple sources. Units supported: eb, pb, tb, gb, mb, kb, b.

Related Name

hdds.container.balancer.size.entering.target.max

Default Value

26gb

API Name

hdds.container.balancer.size.entering.target.max

Required

false

Maximum Size Leaving Source**Description**

The maximum size that can leave a source datanode in each iteration while balancing. This is the sum of data moving to multiple targets. Units supported: eb, pb, tb, gb, mb, kb, b.

Related Name

hdds.container.balancer.size.leaving.source.max

Default Value

26gb

API Name

hdds.container.balancer.size.leaving.source.max

Required

false

Maximum Size to Move in Balancing**Description**

The maximum size of data that will be moved by Container Balancer in one iteration. Units supported: eb, pb, tb, gb, mb, kb, b.

Related Name

hdds.container.balancer.size.moved.max.per.iteration

Default Value

500gb

API Name

hdds.container.balancer.size.moved.max.per.iteration

Required

false

Balancing Threshold**Description**

The percentage deviation from average utilization, after which a node will be rebalanced (for example, '10' for 10%).

Related Name`hdds.container.balancer.utilization.threshold`**Default Value**

10.0

API Name`hdds.container.balancer.utilization.threshold`**Required**

false

Datanode Delete Container Limit**Description**

A limit to restrict the total number of delete container commands queued on a datanode.

Related Name`hdds.scm.replication.datanode.delete.container.limit`**Default Value****API Name**`hdds.scm.replication.datanode.delete.container.limit`**Required**

false

Datanode Reconstruction Weight**Description**

When counting the number of replication commands on a datanode, the number of reconstruction commands is multiplied by this weight to ensure reconstruction commands use more of the "hdds.scm.replication.datanode.replication.limit" capacity, as they are more expensive to process. The current default is 3.

Related Name`hdds.scm.replication.datanode.reconstruction.weight`**Default Value****API Name**`hdds.scm.replication.datanode.reconstruction.weight`**Required**

false

Datanode Replication Limit**Description**

A limit to restrict the total number of replication and reconstruction commands queued on a datanode. The current default is 20.

Related Name`hdds.scm.replication.datanode.replication.limit`**Default Value****API Name**`hdds.scm.replication.datanode.replication.limit`**Required**

false

Inflight Limit Factor

Description

The overall replication task limit on a cluster is the number of healthy nodes, times the "hdds.scm.replication.datanode.replication.limit". This factor, which should be from zero through 1, scales that limit down to reduce the overall number of replicas pending creation on the cluster. A setting of zero disables global limit checking. A setting of 1 effectively disables it, by making the limit equal to the above equation. The current default is 0.75.

Related Name

hdds.scm.replication.inflight.limit.factor

Default Value

API Name

hdds.scm.replication.inflight.limit.factor

Required

false

Remaining Redundancy For Maintenance

Description

The number of redundant container replicas which must be available for a node to enter maintenance. If putting a node into maintenance reduces the redundancy below this value, the node will remain in the ENTERING_MAINTENANCE state until a new replica is created. For an EC container, redundancy is 1 if there are a total of data + 1 replicas, meaning 1 more replica can be lost before this container becomes unrecoverable. Example configurations: Consider an EC(3-2) container. If the value of this configuration is 1, then 1 Datanode hosting its replica can be put into maintenance and 4 other replicas should be available. If the value is 0, then 2 Datanodes hosting its replicas can be put into maintenance and 3 other replicas should be available. Set this to a high value to be safer but require more time for nodes to enter maintenance. The current default is 1.

Related Name

hdds.scm.replication.maintenance.remaining.redundancy

Default Value

API Name

hdds.scm.replication.maintenance.remaining.redundancy

Required

false

Over Replication Processing Interval

Description

How frequently to check if there is work to process on the over replicated queue. The current default is 30s. This means that every 30 seconds, this thread will process over replicated containers identified by Replication Manager. Units supported: d, h, m, s, ms.

Related Name

hdds.scm.replication.over.replicated.interval

Default Value

API Name

hdds.scm.replication.over.replicated.interval

Required

false

Replication Thread Interval

Description

There is a replication monitor thread running inside SCM which takes care of replicating the containers in the cluster. This property is used to configure the interval in which that thread runs. The current default is 300s. This means that the replication thread will run every 300 seconds. Units supported: d, h, m, s, ms.

Related Name

hdds.scm.replication.thread.interval

Default Value

API Name

hdds.scm.replication.thread.interval

Required

false

Under Replication Processing Interval

Description

How frequently to check if there is work to process on the under replicated queue. The current default is 30s. This means that every 30 seconds, this thread will process under replicated containers identified by Replication Manager. Units supported: d, h, m, s, ms.

Related Name

hdds.scm.replication.under.replicated.interval

Default Value

API Name

hdds.scm.replication.under.replicated.interval

Required

false

Datanode Container Protocol ACL

Description

ACLs that define which users can access the Datanode Container Protocol in SCM. It is a comma separated list of Kerberos Principals.

Related Name

hdds.security.client.datanode.container.protocol.acl

Default Value

OZONE_SERVICE_PRINCIPALS

API Name

hdds.security.client.datanode.container.protocol.acl

Required

false

SCM Client Certificate Protocol ACL

Description

ACLs that define which users can access the SCM Certificate Protocol. It is a comma separated list of Kerberos Principals.

Related Name

hdds.security.client.scm.certificate.protocol.acl

Default Value

OZONE_ADMINS, OZONE_SERVICE_PRINCIPALS

API Name

hdds.security.client.scm.certificate.protocol.acl

Required

false

Topology Script File Name**Description**

Full path to a custom topology script on the host file system. The topology script is used to determine the rack location of nodes. If left with "{{DEFAULT_TOPOLOGY_SCRIPT}}", a topology script will be provided that uses your hosts' rack information, visible in the "Hosts" page.

Related Name

net.topology.script.file.name

Default Value

DEFAULT_TOPOLOGY_SCRIPT

API Name

net.topology.script.file.name

Required

false

HSTS Header for Ozone SCM UI**Description**

HSTS Header (Strict-Transport-Security) value to use

Related Name

ozone.http.header.Strict-Transport-Security

Default Value

max-age=63072000; includeSubDomains;

API Name

ozone.http.header.Strict-Transport-Security

Required

false

Storage Container Manager Metadata Directory**Description**

Determines where on the local filesystem SCM security certificates will be stored.

Related Name

ozone.metadata.dirs

Default Value

/var/lib/hadoop-ozone/scm/ozone-metadata

API Name

ozone.metadata.dirs

Required

true

Storage Container Manager Data Directory

Description

Directory where the StorageContainerManager stores its metadata

Related Name

ozone.scm.db.dirs

Default Value

/var/lib/hadoop-ozone/scm/data

API Name

ozone.scm.db.dirs

Required

true

Storage Container Manager Ratis Storage Directory

Description

Storage directory used by SCM to write Ratis logs.

Related Name

ozone.scm.ha.ratis.storage.dir

Default Value

/var/lib/hadoop-ozone/scm/ratis

API Name

ozone.scm.ha.ratis.storage.dir

Required

true

Storage Container Manager HTTP Bind Hostname

Description

The actual address the SCM web server will bind to. If this optional address is set, it overrides only the hostname portion of 'ozone.scm.http-address'.

Related Name

ozone.scm.http-bind-host

Default Value

0.0.0.0

API Name

ozone.scm.http-bind-host

Required

false

Secure Storage Container Manager HTTPS Bind Hostname

Description

The actual address the SCM web server will bind to using HTTPS. If this optional address is set, it overrides only the hostname portion of 'ozone.scm.https-address'.

Related Name

ozone.scm.https-bind-host

Default Value

0.0.0.0

API Name

ozone.scm.https-bind-host

Required

false

Pipeline Per Volume Factor**Description**

Non negative number that scales the number of Erasure Coding pipelines per Erasure Coding scheme. The maximum number of pipelines will be limited to the number of healthy volumes in the cluster divided by the number of nodes required for the EC scheme, multiplied by this factor. The current default is 1.

Related Name

ozone.scm.pipeline.per.volume.factor

Default Value**API Name**

ozone.scm.pipeline.per.volume.factor

Required

false

Ozone Storage Container Manager Safemode Canary Enabled**Description**

Determines if the Ozone Storage Container Manager Safemode checker canary is enabled.

Related Name

ozone_scm_safemode_canary_enabled

Default Value

true

API Name

ozone_scm_safemode_canary_enabled

Required

false

Ozone Storage Container Manager Safemode Canary Timeout**Description**

Ozone Storage Container Manager Safemode Canary's timeout

Related Name

ozone_scm_safemode_canary_timeout

Default Value

30 second(s)

API Name

ozone_scm_safemode_canary_timeout

Required

false

Ozone Storage Container Manager Upgrade Need Finalization Canary Enabled

Description

Determines if the Ozone Storage Container Manager Upgrade Need Finalization Canary is enabled.

Related Name

ozone_scm_upgrade_need_finalization_canary_enabled

Default Value

true

API Name

ozone_scm_upgrade_need_finalization_canary_enabled

Required

false

Ozone Storage Container Manager Upgrade Need Finalization Canary Timeout

Description

Sets Ozone Storage Container Manager Upgrade Need Finalization Canary's timeout.

Related Name

ozone_scm_upgrade_need_finalization_canary_timeout

Default Value

30 second(s)

API Name

ozone_scm_upgrade_need_finalization_canary_timeout

Required

false

Java Heap Size of Storage Container Manager

Description

Maximum size for the Java process heap memory.

Related Name

scm_max_heap_size

Default Value

4 GiB

API Name

scm_max_heap_size

Required

false

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name

Default Value

API Name

rlimit_fds

Required

false

Ports and Addresses

Storage Container Manager Block Client port

Description

The port number of the Ozone SCM block client service.

Related Name

ozone.scm.block.client.port

Default Value

9863

API Name

ozone.scm.block.client.port

Required

false

Storage Container Manager Client port

Description

The port number of the Ozone SCM block client service.

Related Name

ozone.scm.client.port

Default Value

9860

API Name

ozone.scm.client.port

Required

false

Storage Container Manager Datanode port

Description

The port number of the Ozone SCM service.

Related Name

ozone.scm.datanode.port

Default Value

9861

API Name

ozone.scm.datanode.port

Required

false

Storage Container Manager GRPC port

Description

Port used by SCM for Grpc Server.

Related Name

ozone.scm.grpc.port

Default Value

9895

API Name

ozone.scm.grpc.port

Required

false

Storage Container Manager HTTP Web UI Port**Description**

The base port that the Storage Container Manager web user interface listens on. The host name of the Storage Container Manager is combined with this port to form the 'ozone.scm.http-address'.

Related Name

ozone.scm.http-port

Default Value

9876

API Name

ozone.scm.http-port

Required

true

Secure Storage Container Manager Web UI Port (TLS/SSL)**Description**

The base port that the Storage Container Manager web user interface listens on when using HTTPS. The host name of the Storage Container Manager is combined with this port to form the 'ozone.scm.https-address'.

Related Name

ozone.scm.https-port

Default Value

9877

API Name

ozone.scm.https-port

Required

false

Storage Container Manager Ratis port**Description**

The base port that SCM's Ratis Server listens on if multiple SCM's are configured.

Related Name

ozone.scm.ratis.port

Default Value

9894

API Name

ozone.scm.ratis.port

Required

false

Storage Container Manager Security Service port**Description**

SCM security server port.

Related Name

ozone.scm.security.service.port

Default Value

9961

API Name

ozone.scm.security.service.port

Required

false

Resource Management**Cgroup V1 BLKIO Weight****Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight

Description

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)

Description

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight

Description

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security

Role-Specific Kerberos Principal

Description

Kerberos principal used by the Storage Container Manager roles.

Related Name

Default Value

scm

API Name

kerberos_role_princ_name

Required

true

Storage Container Manager TLS/SSL Trust Store File

Description

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Storage Container Manager might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

ssl.client.truststore.location

Default Value

API Name

ssl_client_truststore_location

Required

false

Storage Container Manager TLS/SSL Trust Store Password

Description

The password for the Storage Container Manager TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

ssl.client.truststore.password

Default Value**API Name**

ssl_client_truststore_password

Required

false

Enable TLS/SSL for Storage Container Manager

Description

Encrypt communication between clients and Storage Container Manager using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

ozone.ssl.enabled

Default Value

false

API Name

ssl_enabled

Required

false

Storage Container Manager TLS/SSL Server Keystore Key Password

Description

The password that protects the private key contained in the keystore used when Storage Container Manager is acting as a TLS/SSL server.

Related Name

ssl.server.keystore.keypassword

Default Value**API Name**

ssl_server_keystore_keypassword

Required

false

Storage Container Manager TLS/SSL Server Keystore File Location

Description

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Storage Container Manager is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

ssl.server.keystore.location

Default Value**API Name**

ssl_server_keystore_location

Required

false

Storage Container Manager TLS/SSL Server Keystore File Password**Description**

The password for the Storage Container Manager keystore file.

Related Name

ssl.server.keystore.password

Default Value**API Name**

ssl_server_keystore_password

Required

false

Stacks Collection**Stacks Collection Data Retention****Description**

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory**Description**

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency

Description

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method

Description

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Balancing Interval**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Balancing Interval parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hdds.container.balancer.balancing.iteration.interval

Required

true

Suppress Parameter Validation: Exclude Containers from Balancing**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Exclude Containers from Balancing parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hdds.container.balancer.exclude.containers

Required

true

Suppress Parameter Validation: Exclude Datanodes**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Exclude Datanodes parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hdds.container.balancer.exclude.datanodes

Required

true

Suppress Parameter Validation: Include Datanodes**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Include Datanodes parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hdds.container.balancer.include.datanodes

Required

true

Suppress Parameter Validation: Container Move Replication Timeout**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Container Move Replication Timeout parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hdds.container.balancer.move.replication.timeout

Required

true

Suppress Parameter Validation: Container Move Timeout**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Container Move Timeout parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hdds.container.balancer.move.timeout

Required

true

Suppress Parameter Validation: Maximum Size Entering Target**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Maximum Size Entering Target parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hdds.container.balancer.size.entering.target.max

Required

true

Suppress Parameter Validation: Maximum Size Leaving Source

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Maximum Size Leaving Source parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hdds.container.balancer.size.leaving.source.max

Required

true

Suppress Parameter Validation: Maximum Size to Move in Balancing

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Maximum Size to Move in Balancing parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hdds.container.balancer.size.moved.max.per.iteration

Required

true

Suppress Parameter Validation: Over Replication Processing Interval

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Over Replication Processing Interval parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hdds.scm.replication.over.replicated.interval

Required

true

Suppress Parameter Validation: Replication Thread Interval

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Replication Thread Interval parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hdds.scm.replication.thread.interval

Required

true

Suppress Parameter Validation: Under Replication Processing Interval

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Under Replication Processing Interval parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hdds.scm.replication.under.replicated.interval

Required

true

Suppress Parameter Validation: Datanode Container Protocol ACL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Datanode Container Protocol ACL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hdds.security.client.datanode.container.protocol.acl

Required

true

Suppress Parameter Validation: SCM Client Certificate Protocol ACL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SCM Client Certificate Protocol ACL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hdds.security.client.scm.certificate.protocol.acl

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Role-Specific Kerberos Principal**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role-Specific Kerberos Principal parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_kerberos_role_princ_name

Required

true

Suppress Parameter Validation: Storage Container Manager Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Storage Container Manager Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Storage Container Manager Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Storage Container Manager Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: Topology Script File Name**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Topology Script File Name parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_net.topology.script.file.name

Required

true

Suppress Parameter Validation: Heap Dump Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_otelcol_extensions`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Helper Port****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_helper_port`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Processors Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_processors`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Receivers Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_receivers`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Storage Container Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/hadoop-policy.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Storage Container Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/hadoop-policy.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone-conf/hadoop-policy.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Storage Container Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozone-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Storage Container Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ozone-site.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone-conf/ozone-site.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Storage Container Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/scm-audit-log4j2.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Storage Container Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/scm-audit-log4j2.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone-conf/scm-audit-log4j2.properties_role_safety_valve

Required

true

Suppress Parameter Validation: Storage Container Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-client.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Storage Container Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-client.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone-conf/ssl-client.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Storage Container Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-server.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Storage Container Manager Advanced Configuration Snippet (Safety Valve) for ozone-conf/ssl-server.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone-conf/ssl-server.xml_role_safety_valve

Required

true

Suppress Parameter Validation: HSTS Header for Ozone SCM UI

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HSTS Header for Ozone SCM UI parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.http.header.strict-transport-security

Required

true

Suppress Parameter Validation: Storage Container Manager Metadata Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Storage Container Manager Metadata Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.metadata.dirs

Required

true

Suppress Parameter Validation: Storage Container Manager Block Client port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Storage Container Manager Block Client port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.scm.block.client.port

Required

true

Suppress Parameter Validation: Storage Container Manager Client port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Storage Container Manager Client port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.scm.client.port

Required

true

Suppress Parameter Validation: Storage Container Manager Datanode port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Storage Container Manager Datanode port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone.scm.datanode.port

Required

true

Suppress Parameter Validation: Storage Container Manager Data Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Storage Container Manager Data Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone.scm.db.dirs

Required

true

Suppress Parameter Validation: Storage Container Manager GRPC port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Storage Container Manager GRPC port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone.scm.grpc.port

Required

true

Suppress Parameter Validation: Storage Container Manager Ratis Storage Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Storage Container Manager Ratis Storage Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ozone.scm.ha.ratis.storage.dir

Required

true

Suppress Parameter Validation: Storage Container Manager HTTP Bind Hostname

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Storage Container Manager HTTP Bind Hostname parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.scm.http-bind-host

Required

true

Suppress Parameter Validation: Storage Container Manager HTTP Web UI Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Storage Container Manager HTTP Web UI Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.scm.http-port

Required

true

Suppress Parameter Validation: Secure Storage Container Manager HTTPS Bind Hostname

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Secure Storage Container Manager HTTPS Bind Hostname parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.scm.https-bind-host

Required

true

Suppress Parameter Validation: Secure Storage Container Manager Web UI Port (TLS/SSL)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Secure Storage Container Manager Web UI Port (TLS/SSL) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.scm.https-port

Required

true

Suppress Parameter Validation: Storage Container Manager Ratis port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Storage Container Manager Ratis port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.scm.ratis.port

Required

true

Suppress Parameter Validation: Storage Container Manager Security Service port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Storage Container Manager Security Service port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ozone.scm.security.service.port

Required

true

Suppress Parameter Validation: Role Specific System Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Specific System Group parameter.

Related Name

Default Value

false

API Name

role_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: Role Specific System User**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Specific System User parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_process_username

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Java Heap Size of Storage Container Manager**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Heap Size of Storage Container Manager parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_scm_max_heap_size

Required

true

Suppress Parameter Validation: Storage Container Manager TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Storage Container Manager TLS/SSL Trust Store File parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: Storage Container Manager TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Storage Container Manager TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Parameter Validation: Storage Container Manager TLS/SSL Server Keystore Key Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Storage Container Manager TLS/SSL Server Keystore Key Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_keypassword

Required

true

Suppress Parameter Validation: Storage Container Manager TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Storage Container Manager TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value
false

API Name
role_config_suppression_ssl_server_keystore_location

Required
true

Suppress Parameter Validation: Storage Container Manager TLS/SSL Server Keystore File Password

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Storage Container Manager TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value
false

API Name
role_config_suppression_ssl_server_keystore_password

Required
true

Suppress Parameter Validation: Stacks Collection Directory

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name

Default Value
false

API Name
role_config_suppression_stacks_collection_directory

Required
true

Suppress Parameter Validation: Storage Container Manager Environment Advanced Configuration Snippet (Safety Valve)

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Storage Container Manager Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value
false

API Name
role_config_suppression_storage_container_manager_role_env_safety_valve

Required

true

Suppress Health Test: Ozone SCM Safemode Canary

Description

Whether to suppress the results of the Ozone SCM Safemode Canary health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozone_scm_safemode_canary

Required

true

Suppress Health Test: Ozone SCM Upgrade Need Finalization Canary

Description

Whether to suppress the results of the Ozone SCM Upgrade Need Finalization Canary health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozone_scm_upgrade_need_finalization_canary

Required

true

Suppress Health Test: Audit Pipeline Test

Description

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozone_storage_container_manager_audit_health

Required

true

Suppress Health Test: File Descriptors

Description

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozone_storage_container_manager_file_descriptor

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozone_storage_container_manager_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozone_storage_container_manager_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozone_storage_container_manager_otelcol_health

Required

true

Suppress Health Test: Process Status

Description

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_ozonestorage_container_manager_scm_health

Required

true

Suppress Health Test: Swap Memory Usage

Description

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_ozonestorage_container_manager_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_ozonestorage_container_manager_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ozon_storage_container_manager_unexpected_exits

Required

true

Phoenix Properties in Cloudera Runtime 7.3.1

Role groups:

Query Server

Advanced

Query Server Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory

Description

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions

and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Query Server Advanced Configuration Snippet (Safety Valve) for phoenix-site.xml**Description**

For advanced use only. A string to be inserted into phoenix-site.xml for this role only.

Related Name**Default Value****API Name**

phoenix-site.xml_role_safety_valve

Required

false

Query Server Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

PHOENIX_QUERY_SERVER_role_env_safety_valve

Required

false

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Logs**Query Server Log Directory****Description**

The log directory for log files of the role Query Server.

Related Name

log_dir

Default Value

/var/log/phoenix

API Name

log_dir

Required

false

Query Server Logging Threshold**Description**

The minimum log level for Query Server logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Query Server Maximum Log File Backups**Description**

The maximum number of rolled log files to keep for Query Server logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

Query Server Max Log Size

Description

The maximum size, in megabytes, per log file for Query Server logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML**Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter

Description

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the jvm_heap_used_mb metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: jvm_heap_used_mb

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: { "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }

Related Name

Default Value

API Name

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME,

`$CLUSTER_ID`, `$SERVICE_TYPE`, `$SERVICE_NAME`, `$ROLE_NAME`, `$ROLE_TYPE`,
`$ROLE_PARAM(my_parameter_name)` - e.g.: a port parameter for the role's metrics,
`$DECODE_B64(...)` and `$DECODE_URL(...)` to decode encoded parameters,
`$ENV_PARAM(name)` to fetch params from the process' environment, `$SYS_PARAM(name)` to
fetch java system properties.

Related Name

Default Value

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for
convenience and intended to be used at the extensions section of Otelcol settings
using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify
`$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central
monitoring. (This is the default.)

Related Name

Default Value

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience
and intended to be used at the exporters section of Otelcol settings using the
`$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)`
when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

`$INFRA(cdp_request_signer_url)`

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for
convenience and intended to be used at the extensions section of Otelcol settings
using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify

\$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name

Default Value

false

API Name

otelcol_should_collect_rtm_logs

Required

true

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name

Default Value

Warning: 50.0 %, Critical: 70.0 %

API Name

phoenix_query_server_fd_thresholds

Required

false

Query Server Host Health Test

Description

When computing the overall Query Server health, consider the host's health.

Related Name

Default Value

true

API Name

phoenix_query_server_host_health_enabled

Required

false

Query Server Process Health Test

Description

Enables the health test that the Query Server's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

phoenix_query_server_scm_health_enabled

Required

false

Swap Memory Usage Rate Thresholds

Description

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window

Description

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds

Description

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers

Description

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part of the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name

Default Value

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name

Default Value

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other**Enable Remote User Extractor****Description**

Boolean which controls if a remote user to impersonate should be extracted from the HTTP request parameter made by that user instead of the HTTP-authenticated user name (which is the default). Required for accessing Phoenix Query Server via Knox.

Related Name

phoenix_queryserver.withRemoteUserExtractor

Default Value

true

API Name

phoenix_query_server_with_remote_user_extractor

Required

false

Additional Phoenix Query Server Options**Description**

These arguments are passed as part of the Java command line. Commonly, garbage collection flags or extra debugging flags are passed here.

Related Name

phoenix_queryserver_java_opts

Default Value**API Name**

phoenix_queryserver_java_opts

Required

false

Phoenix Query Server Max Heapsize**Description**

Maximum size for the Phoenix Query Server Java Process heap. Passed to Java -Xmx.

Related Name

phoenix_queryserver_max_heap_size

Default Value

2 GiB

API Name

phoenix_queryserver_max_heap_size

Required

true

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses

Phoenix Query Server Port

Description

The port Phoenix Query Server will listen on

Related Name

phoenix.queryserver.http.port

Default Value

8765

API Name

phoenix_query_server_port

Required

false

Resource Management

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares

Description

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing

memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security**Query Server TLS/SSL Trust Store File****Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Query Server might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

phoenix.queryserver.tls.truststore

Default Value**API Name**

ssl_client_truststore_location

Required

false

Query Server TLS/SSL Trust Store Password

Description

The password for the Query Server TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

phoenix.queryserver.tls.truststore.password

Default Value**API Name**

ssl_client_truststore_password

Required

false

Enable TLS/SSL for Query Server

Description

Encrypt communication between clients and Query Server using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

phoenix.queryserver.tls.enabled

Default Value

false

API Name

ssl_enabled

Required

false

Query Server TLS/SSL Server Keystore File Location

Description

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Query Server is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

phoenix.queryserver.tls.keystore

Default Value**API Name**

ssl_server_keystore_location

Required

false

Query Server TLS/SSL Server Keystore File Password

Description

The password for the Query Server keystore file.

Related Name

phoenix.queryserver.tls.keystore.password

Default Value

API Name

ssl_server_keystore_password

Required

false

Stacks Collection**Stacks Collection Data Retention****Description**

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory**Description**

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency

Description

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method

Description

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Query Server Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Query Server Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Query Server Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Query Server Log Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Query Server Advanced Configuration Snippet (Safety Valve) for phoenix-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Query Server Advanced Configuration Snippet (Safety Valve) for phoenix-site.xml parameter.

Related Name

Default Value

	false
API Name	role_config_suppression_phoenix-site.xml_role_safety_valve
Required	true

Suppress Parameter Validation: Phoenix Query Server Port

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Phoenix Query Server Port parameter.

Related Name

Default Value
false

API Name
role_config_suppression_phoenix_query_server_port

Required
true

Suppress Parameter Validation: Query Server Environment Advanced Configuration Snippet (Safety Valve)

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Query Server Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value
false

API Name
role_config_suppression_phoenix_query_server_role_env_safety_valve

Required
true

Suppress Parameter Validation: Additional Phoenix Query Server Options

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Additional Phoenix Query Server Options parameter.

Related Name

Default Value
false

API Name
role_config_suppression_phoenix_queryserver_java_opts

Required
true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Query Server TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Query Server TLS/SSL Trust Store File parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: Query Server TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Query Server TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Parameter Validation: Query Server TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Query Server TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: Query Server TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Query Server TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test

Description

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_phoenix_phoenix_query_server_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_phoenix_phoenix_query_server_file_descriptor

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_phoenix_phoenix_query_server_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_phoenix_phoenix_query_server_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health

Description

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_phoenix_phoenix_query_server_otelcol_health

Required

true

Suppress Health Test: Process Status

Description

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_phoenix_phoenix_query_server_scm_health

Required

true

Suppress Health Test: Swap Memory Usage

Description

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_phoenix_phoenix_query_server_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_phoenix_phoenix_query_server_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits**Description**

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_phoenix_phoenix_query_server_unexpected_exits

Required

true

Service-Wide**Advanced****Phoenix Service Environment Advanced Configuration Snippet (Safety Valve)****Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

PHOENIX_service_env_safety_valve

Required

false

System Group**Description**

The group that this service's processes should run as.

Related Name**Default Value**

phoenix

API Name

process_groupname

Required

true

System User

Description

The user that this service's processes should run as.

Related Name

Default Value

phoenix

API Name

process_username

Required

true

Monitoring

Enable Service Level Health Alerts

Description

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Healthy Query Server Monitoring Thresholds

Description

The health test thresholds of the overall Query Server health. The check returns "Concerning" health if the percentage of "Healthy" Query Servers falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" Query Servers falls below the critical threshold.

Related Name

Default Value

Warning: 99.0 %, Critical: 90.0 %

API Name

PHOENIX_PHOENIX_QUERY_SERVER_healthy_thresholds

Required

false

Service Triggers**Description**

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

service_triggers

Required

true

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name**Default Value****API Name**

smon_derived_configs_safety_valve

Required

false

Other

HBase Service

Description

Name of the HBase service that this Phoenix service instance depends on

Related Name

Default Value

API Name

hbase_service

Required

true

HDFS Service

Description

Name of the HDFS service that this Phoenix service instance depends on

Related Name

Default Value

API Name

hdfs_service

Required

true

ZooKeeper Service

Description

Name of the ZooKeeper service that this Phoenix service instance depends on

Related Name

Default Value

API Name

zookeeper_service

Required

true

Security

Kerberos Principal

Description

Kerberos principal short name used by all roles of this service.

Related Name

Default Value

phoenix

API Name

kerberos_princ_name

Required

true

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Configuration Validator: Query Server Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Query Server Logging Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Configuration Validator: Query Server Log Directory

Description

Whether to suppress configuration warnings produced by the Query Server Log Directory configuration validator.

Related Name

Default Value

	false
API Name	role_config_suppression_log_dir
Required	true

Suppress Configuration Validator: Heap Dump Directory

Description	Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_oom_heap_dump_dir
Required	true

Suppress Configuration Validator: OpenTelemetry Collector Exporters Section

Description	Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_exporters
Required	true

Suppress Configuration Validator: OpenTelemetry Collector Extensions Section

Description	Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_extensions
Required	true

Suppress Configuration Validator: OpenTelemetry Collector Helper Port

Description	
--------------------	--

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section**Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: Query Server Advanced Configuration Snippet (Safety Valve) for phoenix-site.xml**Description**

Whether to suppress configuration warnings produced by the Query Server Advanced Configuration Snippet (Safety Valve) for phoenix-site.xml configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_phoenix-site.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Phoenix Query Server Port**Description**

Whether to suppress configuration warnings produced by the Phoenix Query Server Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_phoenix_query_server_port

Required

true

Suppress Configuration Validator: Query Server Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the Query Server Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_phoenix_query_server_role_env_safety_valve

Required

true

Suppress Configuration Validator: Additional Phoenix Query Server Options

Description

Whether to suppress configuration warnings produced by the Additional Phoenix Query Server Options configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_phoenix_queryserver_java_opts

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: Role Triggers

Description

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Configuration Validator: Query Server TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the Query Server TLS/SSL Trust Store File configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Configuration Validator: Query Server TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the Query Server TLS/SSL Trust Store Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Configuration Validator: Query Server TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the Query Server TLS/SSL Server Keystore File Location configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Configuration Validator: Query Server TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the Query Server TLS/SSL Server Keystore File Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Configuration Validator: Stacks Collection Directory**Description**

Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Parameter Validation: Kerberos Principal**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Principal parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_kerberos_princ_name

Required

true

Suppress Configuration Validator: Phoenix HBase Dependency Write-Ahead Log (WAL) Codec Class Validator**Description**

Whether to suppress configuration warnings produced by the Phoenix HBase Dependency Write-Ahead Log (WAL) Codec Class Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_phoenix_hbase_regionserver_wal_codec_validator

Required

true

Suppress Configuration Validator: Query Server Count Validator**Description**

Whether to suppress configuration warnings produced by the Query Server Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_phoenix_query_server_count_validator

Required

true

Suppress Parameter Validation: Phoenix Service Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Phoenix Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_phoenix_service_env_safety_valve

Required

true

Suppress Parameter Validation: System Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name

Default Value

false

API Name

service_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: System User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name

Default Value

false

API Name

service_config_suppression_process_username

Required

true

Suppress Parameter Validation: Service Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name

Default Value
false

API Name
service_config_suppression_service_triggers

Required
true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value
false

API Name
service_config_suppression_smon_derived_configs_safety_valve

Required
true

Suppress Health Test: Query Server Health

Description
Whether to suppress the results of the Query Server Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value
false

API Name
service_health_suppression_phoenix_phoenix_query_server_healthy

Required
true

Profiler Manager Properties in Cloudera Runtime 7.3.1

Role groups:

Data Discovery Service Agent

Advanced

Data Discovery Service Agent Advanced Configuration Snippet (Safety Valve) for data-discovery-service-conf/application.conf

Description

For advanced use only. A string to be inserted into data-discovery-service-conf/application.conf for this role only.

Related Name**Default Value****API Name**

data-discovery-service-conf/application.conf_role_safety_valve

Required

false

Data Discovery Service Agent Advanced Configuration Snippet (Safety Valve) for data-discovery-service-conf/dpprofiler.properties**Description**

For advanced use only. A string to be inserted into data-discovery-service-conf/dpprofiler.properties for this role only.

Related Name**Default Value****API Name**

data-discovery-service-conf/dpprofiler.properties_role_safety_valve

Required

false

Data Discovery Service Agent Advanced Configuration Snippet (Safety Valve) for data-discovery-service-conf/flyway.conf**Description**

For advanced use only. A string to be inserted into data-discovery-service-conf/flyway.conf for this role only.

Related Name**Default Value****API Name**

data-discovery-service-conf/flyway.conf_role_safety_valve

Required

false

Data Discovery Service Agent Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

DATA_DISCOVERY_SERVICE_AGENT_role_env_safety_valve

Required

false

Data Discovery Service Agent XML Override

Description

For advanced use only, replace entire XML in the logback configuration file for Data Discovery Service Agent, ignoring all logging configuration.

Related Name

logback_safety_valve

Default Value**API Name**

logback_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory

Description

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory

Description

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name

Default Value

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Logs

Data Discovery Service Agent Log Directory

Description

The log directory for log files of the role Data Discovery Service Agent.

Related Name

log_dir

Default Value

/var/log/data-discovery-service

API Name

log_dir

Required

false

Data Discovery Service Agent Logging Threshold

Description

The minimum log level for Data Discovery Service Agent logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Data Discovery Service Agent Maximum Log File Backups**Description**

The maximum number of rolled log files to keep for Data Discovery Service Agent logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

Data Discovery Service Agent Max Log Size**Description**

The maximum size, in megabytes, per log file for Data Discovery Service Agent logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring**File Descriptor Monitoring Thresholds****Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

data_discovery_service_agent_fd_thresholds

Required

false

Data Discovery Service Agent Host Health Test

Description

When computing the overall Data Discovery Service Agent health, consider the host's health.

Related Name

Default Value

true

API Name

data_discovery_service_agent_host_health_enabled

Required

false

Data Discovery Service Agent Process Health Test

Description

Enables the health test that the Data Discovery Service Agent's process state is consistent with the role configuration

Related Name

Default Value

true

API Name

data_discovery_service_agent_scm_health_enabled

Required

false

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name

Default Value

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name

Default Value

API Name

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name

Default Value

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter

Description

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the jvm_heap_used_mb metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: jvm_heap_used_mb

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: { "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }

Related Name

Default Value

API Name

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics,

`$DECODE_B64(...)` and `$DECODE_URL(...)` to decode encoded parameters, `$ENV_PARAM(name)` to fetch params from the process' environment, `$SYS_PARAM(name)` to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL**Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

`$INFRA(cdp_request_signer_url)`

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username**Description**

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify `$INFRA(cdp_request_signer_username)` when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: `$HOST_NAME`, `$CLUSTER_NAME`, `$CLUSTER_ID`, `$SERVICE_TYPE`, `$SERVICE_NAME`, `$ROLE_NAME`, `$ROLE_TYPE`, `$ROLE_PARAM(my_parameter_name)` - e.g.: a port parameter for the role's metrics, `$DECODE_B64(...)` and `$DECODE_URL(...)` to decode encoded parameters, `$ENV_PARAM(name)` to fetch params from the process' environment, `$SYS_PARAM(name)` to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name

Default Value

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

Data Discovery Service Kerberos Ticket Refresh Cron

Description

Data Discovery Service kerberos ticket refresh cron.

Related Name

data_discovery_service_kerberos_ticket_refresh_cron

Default Value

00 00 0/6 * * ?

API Name

data_discovery_service_kerberos_ticket_refresh_cron

Required

false

Data Discovery Service Kerberos Ticket Refresh Retry Allowed

Description

Data Discovery Service kerberos ticket refresh retry allowed.

Related Name

data_discovery_service_kerberos_ticket_refresh_retry_allowed

Default Value

5

API Name

data_discovery_service_kerberos_ticket_refresh_retry_allowed

Required

false

Data Discovery Service Max Heapsize

Description

Maximum size for the Java Process heap. Passed to Java -Xmx. Measured in megabytes.

Related Name

data_discovery_service_max_heap_size

Default Value

2 GiB

API Name

data_discovery_service_max_heap_size

Required

true

Data Discovery Service PID Directory Path

Description

Data Discovery Service pid directory path.

Related Name

data_discovery_service_pid_directory_path

Default Value

/var/run/data-discovery-service

API Name

data_discovery_service_pid_directory_path

Required

false

Data Discovery Service SSO Knox Enabled

Description

Enable Knox SSO.

Related Name

data_discovery_service_sso_knox_enabled

Default Value

false

API Name

data_discovery_service_sso_knox_enabled

Required

false

Data Discovery Service SSO Knox Public Key

Description

Knox SSO public key.

Related Name

data_discovery_service_sso_knox_public_key

Default Value

API Name

data_discovery_service_sso_knox_public_key

Required

false

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses

Data Discovery Service Port

Description

Port for Data Discovery Service.

Related Name

data_discovery_service_port

Default Value

21600

API Name

data_discovery_service_port

Required

false

Resource Management

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares

Description

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing

memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security**Enable TLS/SSL for Data Discovery Service Agent****Description**

Encrypt communication between clients and Data Discovery Service Agent using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

ssl_enabled

Default Value

false

API Name

ssl_enabled

Required

false

Data Discovery Service Agent TLS/SSL Server Keystore File Location**Description**

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Data Discovery Service Agent is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

ssl.keystore.location

Default Value

API Name

ssl_server_keystore_location

Required

false

Data Discovery Service Agent TLS/SSL Server Keystore File Password

Description

The password for the Data Discovery Service Agent keystore file.

Related Name

ssl.keystore.password.generator

Default Value

API Name

ssl_server_keystore_password

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value

API Name

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Data Discovery Service Agent Advanced Configuration Snippet (Safety Valve) for data-discovery-service-conf/application.conf

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Data Discovery Service Agent Advanced Configuration Snippet (Safety Valve) for data-discovery-service-conf/application.conf parameter.

Related Name

Default Value

false

API Name

role_config_suppression_data-discovery-service-conf/application.conf_role_safety_valve

Required

true

Suppress Parameter Validation: Data Discovery Service Agent Advanced Configuration Snippet (Safety Valve) for data-discovery-service-conf/dpprofiler.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Data Discovery Service Agent Advanced Configuration Snippet (Safety Valve) for data-discovery-service-conf/dpprofiler.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_data-discovery-service-conf/dpprofiler.properties_role_safety_valve

Required

true

Suppress Parameter Validation: Data Discovery Service Agent Advanced Configuration Snippet (Safety Valve) for data-discovery-service-conf/flyway.conf

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Data Discovery Service Agent Advanced Configuration Snippet (Safety Valve) for data-discovery-service-conf/flyway.conf parameter.

Related Name

Default Value

false

API Name

role_config_suppression_data-discovery-service-conf/flyway.conf_role_safety_valve

Required

true

Suppress Parameter Validation: Data Discovery Service Agent Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Data Discovery Service Agent Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_data_discovery_service_agent_role_env_safety_valve

Required

true

Suppress Parameter Validation: Data Discovery Service Kerberos Ticket Refresh Cron

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Data Discovery Service Kerberos Ticket Refresh Cron parameter.

Related Name

Default Value

false

API Name

role_config_suppression_data_discovery_service_kerberos_ticket_refresh_cron

Required

true

Suppress Parameter Validation: Data Discovery Service PID Directory Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Data Discovery Service PID Directory Path parameter.

Related Name

Default Value

false

API Name

`role_config_suppression_data_discovery_service_pid_directory_path`**Required**

true

Suppress Parameter Validation: Data Discovery Service Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Data Discovery Service Port parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_data_discovery_service_port`**Required**

true

Suppress Parameter Validation: Data Discovery Service SSO Knox Public Key**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Data Discovery Service SSO Knox Public Key parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_data_discovery_service_sso_knox_public_key`**Required**

true

Suppress Parameter Validation: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_jmx_exporter_yaml`**Required**

true

Suppress Parameter Validation: Data Discovery Service Agent Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Data Discovery Service Agent Log Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: Data Discovery Service Agent XML Override

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Data Discovery Service Agent XML Override parameter.

Related Name

Default Value

false

API Name

role_config_suppression_logback_safety_valve

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

	false
API Name	role_config_suppression_otelcol_rtm_logs_exporters
Required	true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_rtm_logs_extensions
Required	true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_rtm_logs_processors
Required	true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_rtm_logs_receivers
Required	true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Data Discovery Service Agent TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Data Discovery Service Agent TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: Data Discovery Service Agent TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Data Discovery Service Agent TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test

Description

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_profiler_manager_data_discovery_service_agent_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_profiler_manager_data_discovery_service_agent_file_descriptor

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_profiler_manager_data_discovery_service_agent_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name`role_health_suppression_profiler_manager_data_discovery_service_agent_log_directory_free_space`**Required**`true`**Suppress Health Test: Otelcol Health****Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_profiler_manager_data_discovery_service_agent_otelcol_health`**Required**`true`**Suppress Health Test: Process Status****Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_profiler_manager_data_discovery_service_agent_scm_health`**Required**`true`**Suppress Health Test: Swap Memory Usage****Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_profiler_manager_data_discovery_service_agent_swap_memory_usage`**Required**`true`

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_profiler_manager_data_discovery_service_agent_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_profiler_manager_data_discovery_service_agent_unexpected_exits

Required

true

Gateway

Advanced

Deploy Directory

Description

The directory where the client configs will be deployed

Related Name**Default Value**

/etc/profiler-manager

API Name

client_config_root_dir

Required

true

Monitoring

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Other**Alternatives Priority****Description**

The priority level that the client configuration will have in the Alternatives system on the hosts. Higher priority levels will cause Alternatives to prefer this configuration over any others.

Related Name**Default Value**

50

API Name

client_config_priority

Required

true

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Deploy Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Deploy Directory parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_client_config_root_dir`**Required**`true`

Profiler Admin Agent

Advanced

Profiler Admin Agent XML Override

Description

For advanced use only, replace entire XML in the logback configuration file for Profiler Admin Agent, ignoring all logging configuration.

Related Name`logback_safety_valve`**Default Value****API Name**`logback_safety_valve`**Required**`false`

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**`false`**API Name**`metric_config_auto_refresh`**Required**`false`

Heap Dump Directory

Description

Path to directory where heap dumps are generated when `java.lang.OutOfMemoryError` error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name`oom_heap_dump_dir`**Default Value**`/tmp`**API Name**`oom_heap_dump_dir`

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name

Default Value

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Profiler Admin Agent Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

PROFILER_ADMIN_AGENT_role_env_safety_valve

Required

false

Profiler Admin Agent Advanced Configuration Snippet (Safety Valve) for profileradmin-conf/application.conf

Description

For advanced use only. A string to be inserted into profileradmin-conf/application.conf for this role only.

Related Name

Default Value

API Name

profileradmin-conf/application.conf_role_safety_valve

Required

false

Profiler Admin Agent Advanced Configuration Snippet (Safety Valve) for profileradmin-conf/dpprofiler.properties

Description

For advanced use only. A string to be inserted into profileradmin-conf/dpprofiler.properties for this role only.

Related Name

Default Value

API Name

profileradmin-conf/dpprofiler.properties_role_safety_valve

Required

false

Profiler Admin Agent Advanced Configuration Snippet (Safety Valve) for profileradmin-conf/flyway.conf

Description

For advanced use only. A string to be inserted into profileradmin-conf/flyway.conf for this role only.

Related Name

Default Value

API Name

profileradmin-conf/flyway.conf_role_safety_valve

Required

false

Logs

Profiler Admin Agent Log Directory

Description

The log directory for log files of the role Profiler Admin Agent.

Related Name

log_dir

Default Value

/var/log/profileradmin

API Name

log_dir

Required

false

Profiler Admin Agent Logging Threshold

Description

The minimum log level for Profiler Admin Agent logs

Related Name

Default Value

INFO

API Name

log_threshold

Required

false

Profiler Admin Agent Maximum Log File Backups

Description

The maximum number of rolled log files to keep for Profiler Admin Agent logs. Typically used by log4j or logback.

Related Name

Default Value

10

API Name

max_log_backup_index

Required

false

Profiler Admin Agent Max Log Size

Description

The maximum size, in megabytes, per log file for Profiler Admin Agent logs. Typically used by log4j or logback.

Related Name

Default Value

200 MiB

API Name

max_log_size

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML**Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter

Description

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: { "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }

Related Name**Default Value****API Name**`monitoring_metric_filter`**Required**`false`**OpenTelemetry Collector Exporters Section****Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name`otelcol_exporters`**Required**`false`**OpenTelemetry Collector Extensions Section****Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name`otelcol_extensions`**Required**`false`**OpenTelemetry Collector Helper Port****Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**`otelcol_helper_port`**Required**

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

`$INFRA(cdp_request_signer_url)`

API Name

`otelcol_remote_write_url`

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify `$INFRA(cdp_request_signer_username)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

`$INFRA(cdp_request_signer_username)`

API Name

`otelcol_remote_write_user`

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

`otelcol_rtm_logs_exporters`

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds

Description

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

profiler_admin_agent_fd_thresholds

Required

false

Profiler Admin Agent Host Health Test**Description**

When computing the overall Profiler Admin Agent health, consider the host's health.

Related Name

Default Value

true

API Name

profiler_admin_agent_host_health_enabled

Required

false

Profiler Admin Agent Process Health Test**Description**

Enables the health test that the Profiler Admin Agent's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

profiler_admin_agent_scm_health_enabled

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

`unexpected_exits_thresholds`

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

`unexpected_exits_window`

Required

false

Other

File System URI

Description

File System URI.

Related Name

`file_system_uri`

Default Value

`hdfs:///user/dpprofiler`

API Name

`file_system_uri`

Required

true

Profiler Admin Database Host

Description

Hostname of the database used by Profiler Admin. If the port is non-default for your database type, use `host:port` notation.

Related Name

`profiler_admin_database_host`

Default Value**API Name**

profiler_admin_database_host

Required

true

Profiler Admin Database JDBC URL Override

Description

Custom JDBC URL to use when connecting to the Profiler Admin Database. This connection string will override all other values used to construct the JDBC URL.

Related Name

profiler_admin_database_jdbc_url_override

Default Value

API Name

profiler_admin_database_jdbc_url_override

Required

false

Profiler Admin Database Name

Description

Name of Profiler Admin database.

Related Name

profiler_admin_database_name

Default Value

profiler_agent

API Name

profiler_admin_database_name

Required

true

Profiler Admin Database User Password

Description

Password for Profiler Admin database.

Related Name

dpprofiler.db.password

Default Value

API Name

profiler_admin_database_password

Required

true

Profiler Admin Database Type

Description

Database type to be used (Postgres). Postgres version should be * = 9.4.

Related Name

profiler_admin_database_type

Default Value

POSTGRES

API Name

profiler_admin_database_type

Required

true

Profiler Admin Database User

Description

User for Profiler Admin database.

Related Name

profiler_admin_database_user

Default Value

profiler_agent

API Name

profiler_admin_database_user

Required

true

Profiler Admin DB Cleanup Cron

Description

Profiler Admin DB Cleanup Cron.

Related Name

profiler_admin_db_cleanup_cron

Default Value

00 00 0/12 * * ?

API Name

profiler_admin_db_cleanup_cron

Required

false

Profiler Admin DB Cleanup Days Offset

Description

Profiler Admin DB Cleanup Days Offset.

Related Name

profiler_admin_db_cleanup_days_offset

Default Value

3

API Name

profiler_admin_db_cleanup_days_offset

Required

false

Profiler Admin DB Sever Root Certificate Path

Description

DB Server Root Certificate Path for Profiler Admin

Related Name

profiler_admin_db_server_root_cert_path

Default Value

API Name

profiler_admin_db_server_root_cert_path

Required

false

Enable SSL for Profiler Admin Database

Description

Enable SSL for Profiler Admin Database connectivity.

Related Name

profiler_admin_db_ssl_enabled

Default Value

false

API Name

profiler_admin_db_ssl_enabled

Required

true

Profiler Admin Kerberos Ticket Refresh Cron

Description

Profiler kerberos ticket refresh cron.

Related Name

profiler_admin_kerberos_ticket_refresh_cron

Default Value

00 00 0/6 * * ?

API Name

profiler_admin_kerberos_ticket_refresh_cron

Required

false

Profiler Admin Kerberos Ticket Refresh Retry Allowed

Description

Profiler admin kerberos ticket refresh retry allowed.

Related Name

profiler_admin_kerberos_ticket_refresh_retry_allowed

Default Value

5

API Name

profiler_admin_kerberos_ticket_refresh_retry_allowed

Required

false

Profiler Admin Max Heapsize

Description

Maximum size for the Java Process heap. Passed to Java -Xmx. Measured in megabytes.

Related Name

profiler_admin_max_heap_size

Default Value

2 GiB

API Name

profiler_admin_max_heap_size

Required

true

Profiler Admin PID Directory Path

Description

Profiler Admin pid directory path.

Related Name

profiler_admin_pid_directory_path

Default Value

/var/run/profileradmin

API Name

profiler_admin_pid_directory_path

Required

false

Profiler Admin SSO Knox Enabled

Description

Enable Knox SSO.

Related Name

profiler_admin_sso_knox_enabled

Default Value

false

API Name

profiler_admin_sso_knox_enabled

Required

false

Profiler Admin SSO Knox Public Key

Description

Knox SSO public key.

Related Name

profiler_admin_sso_knox_public_key

Default Value**API Name**

profiler_admin_sso_knox_public_key

Required

false

Profiler Admin Zookeeper Base Path**Description**

Profiler Admin zookeeper base path.

Related Name

profiler_admin_zookeeper_base_path

Default Value

/profiler-admin/stores

API Name

profiler_admin_zookeeper_base_path

Required

false

Profilers CSP Path**Description**

Location where sensitivity dsls are stored

Related Name

profiler_csp_dir_path

Default Value

/apps/dpprofiler/csp

API Name

profiler_csp_dir_path

Required

false

Scheduler CRON check enabled**Description**

Scheduler CRON check enabled flag

Related Name

scheduler_config_cron_frequency_check_enabled

Default Value

false

API Name

scheduler_config_cron_frequency_check_enabled

Required

false

Performance**Maximum Process File Descriptors****Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name

Default Value**API Name**

rlimit_fds

Required

false

Ports and Addresses**Profiler Admin Service Port****Description**

Port for Profiler Admin Service.

Related Name

profiler_admin_service_port

Default Value

21700

API Name

profiler_admin_service_port

Required

false

Resource Management**Cgroup V1 BLKIO Weight****Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024	
API Name	rm_cpu_shares
Required	true

Cgroup V2 CPU Weight

Description

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)

Description

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value

API Name

rm_custom_resources

Required

false

Cgroup V2 I/O Weight

Description

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

	-1 MiB
API Name	rm_memory_soft_limit_v1
Required	true

Cgroup V2 Memory Soft Limit

Description	Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.
Related Name	memory.high
Default Value	-1 MiB
API Name	rm_memory_soft_limit_v2
Required	true

Security

Profiler Admin Agent TLS/SSL Trust Store File

Description	The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Profiler Admin Agent might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.
Related Name	ssl.truststore.location
Default Value	
API Name	ssl_client_truststore_location
Required	false

Profiler Admin Agent TLS/SSL Trust Store Password

Description	The password for the Profiler Admin Agent TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.
Related Name	ssl.truststore.password.generator

Default Value**API Name**

ssl_client_truststore_password

Required

false

Enable TLS/SSL for Profiler Admin Agent**Description**

Encrypt communication between clients and Profiler Admin Agent using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

ssl_enabled

Default Value

false

API Name

ssl_enabled

Required

false

Profiler Admin Agent TLS/SSL Server Keystore File Location**Description**

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Profiler Admin Agent is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

ssl.keystore.location

Default Value**API Name**

ssl_server_keystore_location

Required

false

Profiler Admin Agent TLS/SSL Server Keystore File Password**Description**

The password for the Profiler Admin Agent keystore file.

Related Name

ssl.keystore.password.generator

Default Value**API Name**

ssl_server_keystore_password

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency

Description

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: File System URI**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the File System URI parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_file_system_uri`**Required**`true`**Suppress Parameter Validation: JMX Exporter configuration YAML****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_jmx_exporter_yaml`**Required**`true`**Suppress Parameter Validation: Profiler Admin Agent Log Directory****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Admin Agent Log Directory parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_log_dir`**Required**`true`**Suppress Parameter Validation: Profiler Admin Agent XML Override****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Admin Agent XML Override parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_logback_safety_valve`**Required**`true`**Suppress Parameter Validation: Heap Dump Directory****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Profiler Admin Agent Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Admin Agent Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_profiler_admin_agent_role_env_safety_valve

Required

true

Suppress Parameter Validation: Profiler Admin Database Host**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Admin Database Host parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_profiler_admin_database_host

Required

true

Suppress Parameter Validation: Profiler Admin Database JDBC URL Override**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Admin Database JDBC URL Override parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_profiler_admin_database_jdbc_url_override

Required

true

Suppress Parameter Validation: Profiler Admin Database Name**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Admin Database Name parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_profiler_admin_database_name

Required

true

Suppress Parameter Validation: Profiler Admin Database User Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Admin Database User Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_profiler_admin_database_password

Required

true

Suppress Parameter Validation: Profiler Admin Database User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Admin Database User parameter.

Related Name

Default Value

false

API Name

role_config_suppression_profiler_admin_database_user

Required

true

Suppress Parameter Validation: Profiler Admin DB Cleanup Cron

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Admin DB Cleanup Cron parameter.

Related Name

Default Value

false

API Name

role_config_suppression_profiler_admin_db_cleanup_cron

Required

true

Suppress Parameter Validation: Profiler Admin DB Sever Root Certificate Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Admin DB Sever Root Certificate Path parameter.

Related Name

Default Value

false

API Name

role_config_suppression_profiler_admin_db_server_root_cert_path

Required

true

Suppress Parameter Validation: Profiler Admin Kerberos Ticket Refresh Cron

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Admin Kerberos Ticket Refresh Cron parameter.

Related Name

Default Value

false

API Name

role_config_suppression_profiler_admin_kerberos_ticket_refresh_cron

Required

true

Suppress Parameter Validation: Profiler Admin PID Directory Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Admin PID Directory Path parameter.

Related Name

Default Value

false

API Name

role_config_suppression_profiler_admin_pid_directory_path

Required

true

Suppress Parameter Validation: Profiler Admin Service Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Admin Service Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_profiler_admin_service_port

Required

true

Suppress Parameter Validation: Profiler Admin SSO Knox Public Key

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Admin SSO Knox Public Key parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_profiler_admin_sso_knox_public_key

Required

true

Suppress Parameter Validation: Profiler Admin Zookeeper Base Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Admin Zookeeper Base Path parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_profiler_admin_zookeeper_base_path

Required

true

Suppress Parameter Validation: Profilers CSP Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profilers CSP Path parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_profiler_csp_dir_path

Required

true

Suppress Parameter Validation: Profiler Admin Agent Advanced Configuration Snippet (Safety Valve) for profileradmin-conf/application.conf**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Admin Agent Advanced Configuration Snippet (Safety Valve) for profileradmin-conf/application.conf parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_profileradmin-conf/application.conf_role_safety_valve

Required

true

Suppress Parameter Validation: Profiler Admin Agent Advanced Configuration Snippet (Safety Valve) for profileradmin-conf/dpprofiler.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Admin Agent Advanced Configuration Snippet (Safety Valve) for profileradmin-conf/dpprofiler.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_profileradmin-conf/dpprofiler.properties_role_safety_valve

Required

true

Suppress Parameter Validation: Profiler Admin Agent Advanced Configuration Snippet (Safety Valve) for profileradmin-conf/flyway.conf

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Admin Agent Advanced Configuration Snippet (Safety Valve) for profileradmin-conf/flyway.conf parameter.

Related Name

Default Value

false

API Name

role_config_suppression_profileradmin-conf/flyway.conf_role_safety_valve

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Profiler Admin Agent TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Admin Agent TLS/SSL Trust Store File parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: Profiler Admin Agent TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Admin Agent TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Parameter Validation: Profiler Admin Agent TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Admin Agent TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: Profiler Admin Agent TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Admin Agent TLS/SSL Server Keystore File Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test

Description

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_profiler_manager_profiler_admin_agent_audit_health

Required

true

Suppress Health Test: File Descriptors

Description

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_profiler_manager_profiler_admin_agent_file_descriptor

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_profiler_manager_profiler_admin_agent_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_profiler_manager_profiler_admin_agent_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_profiler_manager_profiler_admin_agent_otelcol_health

Required

true

Suppress Health Test: Process Status

Description

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_profiler_manager_profiler_admin_agent_scm_health

Required

true

Suppress Health Test: Swap Memory Usage

Description

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_profiler_manager_profiler_admin_agent_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_profiler_manager_profiler_admin_agent_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_profiler_manager_profiler_admin_agent_unexpected_exits

Required

true

Profiler Metrics Agent

Advanced

Profiler Metrics Agent XML Override

Description

For advanced use only, replace entire XML in the logback configuration file for Profiler Metrics Agent, ignoring all logging configuration.

Related Name

logback_safety_valve

Default Value**API Name**

logback_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory

Description

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory

Description

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name

Default Value

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory

Description

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name

Default Value

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name

Default Value

false

API Name

process_auto_restart

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from

publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Profiler Metrics Agent Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

PROFILER_METRICS_AGENT_role_env_safety_valve

Required

false

Profiler Metrics Agent Advanced Configuration Snippet (Safety Valve) for profilermetrics-conf/application.conf

Description

For advanced use only. A string to be inserted into profilermetrics-conf/application.conf for this role only.

Related Name

Default Value

API Name

profilermetrics-conf/application.conf_role_safety_valve

Required

false

Profiler Metrics Agent Advanced Configuration Snippet (Safety Valve) for profilermetrics-conf/dpprofiler.properties

Description

For advanced use only. A string to be inserted into profilermetrics-conf/dpprofiler.properties for this role only.

Related Name

Default Value

API Name

profilermetrics-conf/dpprofiler.properties_role_safety_valve

Required

false

Profiler Metrics Agent Advanced Configuration Snippet (Safety Valve) for profilermetrics-conf/flyway.conf

Description

For advanced use only. A string to be inserted into profilermetrics-conf/flyway.conf for this role only.

Related Name

Default Value

API Name

profilermetrics-conf/flyway.conf_role_safety_valve

Required

false

Logs

Profiler Metrics Agent Log Directory

Description

The log directory for log files of the role Profiler Metrics Agent.

Related Name

	log_dir
Default Value	/var/log/profilermetrics
API Name	log_dir
Required	false

Profiler Metrics Agent Logging Threshold

Description	The minimum log level for Profiler Metrics Agent logs
Related Name	
Default Value	INFO
API Name	log_threshold
Required	false

Profiler Metrics Agent Maximum Log File Backups

Description	The maximum number of rolled log files to keep for Profiler Metrics Agent logs. Typically used by log4j or logback.
Related Name	
Default Value	10
API Name	max_log_backup_index
Required	false

Profiler Metrics Agent Max Log Size

Description	The maximum size, in megabytes, per log file for Profiler Metrics Agent logs. Typically used by log4j or logback.
Related Name	
Default Value	200 MiB
API Name	max_log_size
Required	false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the jvm_heap_used_mb metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.

- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name**Default Value****API Name**

`monitoring_metric_filter`

Required

`false`

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

`otelcol_exporters`

Required

`false`

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

`otelcol_extensions`

Required

`false`

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name

Default Value

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

profiler_metrics_agent_fd_thresholds

Required

false

Profiler Metrics Agent Host Health Test**Description**

When computing the overall Profiler Metrics Agent health, consider the host's health.

Related Name**Default Value**

true

API Name

profiler_metrics_agent_host_health_enabled

Required

false

Profiler Metrics Agent Process Health Test**Description**

Enables the health test that the Profiler Metrics Agent's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

profiler_metrics_agent_scm_health_enabled

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAM and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name

Default Value

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name

Default Value

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

File System URI

Description

File System URI.

Related Name

file_system_uri

Default Value

hdfs:///user/dpprofiler

API Name

file_system_uri

Required

true

Profiler Admin Url

Description

Url of admin service ex: http://localhost:21700

Related Name

`profiler_admin_url`**Default Value**`$profiler_admin_url`**API Name**`profiler_admin_url`**Required**`true`**Profiler Metrics Database Host****Description**

Hostname of the database used by Profiler Metrics. If the port is non-default for your database type, use host:port notation.

Related Name`profiler_metrics_database_host`**Default Value****API Name**`profiler_metrics_database_host`**Required**`true`**Profiler Metrics Database JDBC URL Override****Description**

Custom JDBC URL to use when connecting to the Profiler Metrics Database. This connection string will override all other values used to construct the JDBC URL.

Related Name`profiler_metrics_database_jdbc_url_override`**Default Value****API Name**`profiler_metrics_database_jdbc_url_override`**Required**`false`**Profiler Metrics Database Name****Description**

Name of Profiler Metrics database.

Related Name`profiler_metrics_database_name`**Default Value**`profiler_metric`**API Name**`profiler_metrics_database_name`**Required**`true`

Profiler Metrics Database User Password

Description

Password for Profiler Metrics database.

Related Name

dpprofiler.db.password

Default Value**API Name**

profiler_metrics_database_password

Required

true

Profiler Metrics Database Type

Description

Database type to be used (Postgres). Postgres version should be * = 9.4.

Related Name

profiler_metrics_database_type

Default Value

POSTGRES

API Name

profiler_metrics_database_type

Required

true

Profiler Metrics Database User

Description

User for Profiler Metrics database.

Related Name

profiler_metrics_database_user

Default Value

profiler_metric

API Name

profiler_metrics_database_user

Required

true

Profiler Metrics DB Server Root Certificate Path

Description

DB Server Root Certificate Path for Profiler Metrics

Related Name

profiler_metrics_db_server_root_cert_path

Default Value**API Name**

profiler_metrics_db_server_root_cert_path

Required

false

Enable SSL for Profiler Metrics Database

Description

Enable SSL for Profiler Metrics Database connectivity.

Related Name

profiler_metrics_db_ssl_enabled

Default Value

false

API Name

profiler_metrics_db_ssl_enabled

Required

true

Profiler Metrics Kerberos Ticket Refresh Cron

Description

Profiler kerberos ticket refresh cron.

Related Name

profiler_metrics_kerberos_ticket_refresh_cron

Default Value

00 00 0/6 * * ?

API Name

profiler_metrics_kerberos_ticket_refresh_cron

Required

false

Profiler Metrics Kerberos Ticket Refresh Retry Allowed

Description

Profiler metrics kerberos ticket refresh retry allowed.

Related Name

profiler_metrics_kerberos_ticket_refresh_retry_allowed

Default Value

5

API Name

profiler_metrics_kerberos_ticket_refresh_retry_allowed

Required

false

Profiler Metrics Max Heapsize

Description

Maximum size for the Java Process heap. Passed to Java -Xmx. Measured in megabytes.

Related Name

profiler_metrics_max_heap_size

Default Value

2 GiB

API Name

profiler_metrics_max_heap_size

Required

true

Profiler Metrics PID Directory Path

Description

Profiler Metrics pid directory path.

Related Name

profiler_metrics_pid_directory_path

Default Value

/var/run/profilermetrics

API Name

profiler_metrics_pid_directory_path

Required

false

Profiler Metrics SSO Knox Enabled

Description

Enable Knox SSO.

Related Name

profiler_metrics_sso_knox_enabled

Default Value

false

API Name

profiler_metrics_sso_knox_enabled

Required

false

Profiler Metrics SSO Knox Public Key

Description

Knox SSO public key.

Related Name

profiler_metrics_sso_knox_public_key

Default Value

API Name

profiler_metrics_sso_knox_public_key

Required

false

Profiler Metrics Zookeeper Base Path

Description

Profiler Metrics zookeeper base path.

Related Name

profiler_metrics_zookeeper_base_path

Default Value

/profileragent/stores

API Name

profiler_metrics_zookeeper_base_path

Required

false

Performance**Maximum Process File Descriptors****Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses**Profiler Metrics Service Port****Description**

Port for Profiler Metrics Service.

Related Name

profiler_metrics_service_port

Default Value

21800

API Name

profiler_metrics_service_port

Required

false

Resource Management**Cgroup V1 BLKIO Weight****Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2'
These settings override other cgroup settings.

Related Name

custom.cgroups

Default Value**API Name**

`rm_custom_resources`**Required**`false`**Cgroup V2 I/O Weight****Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name`io.weight`**Default Value**`100`**API Name**`rm_io_weight`**Required**`true`**Cgroup V1 Memory Hard Limit****Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name`memory.limit_in_bytes`**Default Value**`-1 MiB`**API Name**`rm_memory_hard_limit_v1`**Required**`true`**Cgroup V2 Memory Hard Limit****Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name`memory.max`**Default Value**`-1 MiB`

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security**Profiler Metrics Agent TLS/SSL Trust Store File****Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Profiler Metrics Agent might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

ssl.truststore.location

Default Value

API Name

ssl_client_truststore_location

Required

false

Profiler Metrics Agent TLS/SSL Trust Store Password

Description

The password for the Profiler Metrics Agent TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

ssl.truststore.password.generator

Default Value

API Name

ssl_client_truststore_password

Required

false

Enable TLS/SSL for Profiler Metrics Agent

Description

Encrypt communication between clients and Profiler Metrics Agent using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

ssl_enabled

Default Value

false

API Name

ssl_enabled

Required

false

Profiler Metrics Agent TLS/SSL Server Keystore File Location

Description

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Profiler Metrics Agent is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

ssl.keystore.location

Default Value

API Name

ssl_server_keystore_location

Required

false

Profiler Metrics Agent TLS/SSL Server Keystore File Password

Description

The password for the Profiler Metrics Agent keystore file.

Related Name

ssl.keystore.password.generator

Default Value**API Name**

ssl_server_keystore_password

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency

Description

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method

Description

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

`role_config_suppression_cdh_version_validator`**Required**`true`**Suppress Parameter Validation: File System URI****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the File System URI parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_file_system_uri`**Required**`true`**Suppress Parameter Validation: JMX Exporter configuration YAML****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_jmx_exporter_yaml`**Required**`true`**Suppress Parameter Validation: Profiler Metrics Agent Log Directory****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Metrics Agent Log Directory parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_log_dir`**Required**`true`**Suppress Parameter Validation: Profiler Metrics Agent XML Override****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Metrics Agent XML Override parameter.

Related Name

Default Value

false

API Name

role_config_suppression_logback_safety_valve

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Profiler Admin Url

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Admin Url parameter.

Related Name

Default Value

false

API Name

role_config_suppression_profiler_admin_url

Required

true

Suppress Parameter Validation: Profiler Metrics Agent Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Metrics Agent Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_profiler_metrics_agent_role_env_safety_valve

Required

true

Suppress Parameter Validation: Profiler Metrics Database Host

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Metrics Database Host parameter.

Related Name

Default Value

false

API Name

`role_config_suppression_profiler_metrics_database_host`**Required**`true`**Suppress Parameter Validation: Profiler Metrics Database JDBC URL Override****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Metrics Database JDBC URL Override parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_profiler_metrics_database_jdbc_url_override`**Required**`true`**Suppress Parameter Validation: Profiler Metrics Database Name****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Metrics Database Name parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_profiler_metrics_database_name`**Required**`true`**Suppress Parameter Validation: Profiler Metrics Database User Password****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Metrics Database User Password parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_profiler_metrics_database_password`**Required**`true`**Suppress Parameter Validation: Profiler Metrics Database User****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Metrics Database User parameter.

Related Name

Default Value

false

API Name

role_config_suppression_profiler_metrics_database_user

Required

true

Suppress Parameter Validation: Profiler Metrics DB Sever Root Certificate Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Metrics DB Sever Root Certificate Path parameter.

Related Name

Default Value

false

API Name

role_config_suppression_profiler_metrics_db_server_root_cert_path

Required

true

Suppress Parameter Validation: Profiler Metrics Kerberos Ticket Refresh Cron

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Metrics Kerberos Ticket Refresh Cron parameter.

Related Name

Default Value

false

API Name

role_config_suppression_profiler_metrics_kerberos_ticket_refresh_cron

Required

true

Suppress Parameter Validation: Profiler Metrics PID Directory Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Metrics PID Directory Path parameter.

Related Name

Default Value

false

API Name

role_config_suppression_profiler_metrics_pid_directory_path

Required

true

Suppress Parameter Validation: Profiler Metrics Service Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Metrics Service Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_profiler_metrics_service_port

Required

true

Suppress Parameter Validation: Profiler Metrics SSO Knox Public Key

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Metrics SSO Knox Public Key parameter.

Related Name

Default Value

false

API Name

role_config_suppression_profiler_metrics_sso_knox_public_key

Required

true

Suppress Parameter Validation: Profiler Metrics Zookeeper Base Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Metrics Zookeeper Base Path parameter.

Related Name

Default Value

false

API Name

role_config_suppression_profiler_metrics_zookeeper_base_path

Required

true

Suppress Parameter Validation: Profiler Metrics Agent Advanced Configuration Snippet (Safety Valve) for profilermetrics-conf/application.conf

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Metrics Agent Advanced Configuration Snippet (Safety Valve) for profilermetrics-conf/application.conf parameter.

Related Name

Default Value

false

API Name

role_config_suppression_profilermetrics-conf/application.conf_role_safety_valve

Required

true

Suppress Parameter Validation: Profiler Metrics Agent Advanced Configuration Snippet (Safety Valve) for profilermetrics-conf/dpprofiler.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Metrics Agent Advanced Configuration Snippet (Safety Valve) for profilermetrics-conf/dpprofiler.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_profilermetrics-conf/dpprofiler.properties_role_safety_valve

Required

true

Suppress Parameter Validation: Profiler Metrics Agent Advanced Configuration Snippet (Safety Valve) for profilermetrics-conf/flyway.conf

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Metrics Agent Advanced Configuration Snippet (Safety Valve) for profilermetrics-conf/flyway.conf parameter.

Related Name

Default Value

false

API Name

role_config_suppression_profilermetrics-conf/flyway.conf_role_safety_valve

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Profiler Metrics Agent TLS/SSL Trust Store File**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Metrics Agent TLS/SSL Trust Store File parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: Profiler Metrics Agent TLS/SSL Trust Store Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Metrics Agent TLS/SSL Trust Store Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Parameter Validation: Profiler Metrics Agent TLS/SSL Server Keystore File Location**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Metrics Agent TLS/SSL Server Keystore File Location parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: Profiler Metrics Agent TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Metrics Agent TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test

Description

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_profiler_manager_profiler_metrics_agent_audit_health

Required

true

Suppress Health Test: File Descriptors

Description

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_profiler_manager_profiler_metrics_agent_file_descriptor

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_profiler_manager_profiler_metrics_agent_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_profiler_manager_profiler_metrics_agent_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_profiler_manager_profiler_metrics_agent_otelcol_health

Required

true

Suppress Health Test: Process Status

Description

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_profiler_manager_profiler_metrics_agent_scm_health

Required

true

Suppress Health Test: Swap Memory Usage

Description

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_profiler_manager_profiler_metrics_agent_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_profiler_manager_profiler_metrics_agent_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_profiler_manager_profiler_metrics_agent_unexpected_exits

Required

true

Service-Wide

Advanced

System Group

Description

The group that this service's processes should run as.

Related Name**Default Value**

dpprofiler

API Name

process_groupname

Required

true

System User

Description

The user that this service's processes should run as.

Related Name**Default Value**

dpprofiler

API Name

process_username

Required

true

Profiler Manager Service Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

PROFILER_MANAGER_service_env_safety_valve

Required

false

Monitoring

Enable Service Level Health Alerts

Description

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Service Triggers

Description

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

service_triggers

Required

true

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name

Default Value

API Name

smon_derived_configs_safety_valve

Required

false

Other

HDFS Service

Description

Name of the HDFS service that this Profiler Manager service instance depends on

Related Name

Default Value

API Name

hdfs_service

Required

true

Hive Service

Description

Name of the Hive service that this Profiler Manager service instance depends on

Related Name

Default Value

API Name

hive_service

Required

true

Enable Kerberos Authentication

Description

Indicates whether Kerberos is enabled.

Related Name

kerberos_auth_enabled

Default Value

true

API Name

kerberos_auth_enabled

Required

false

Profilers Directory Path

Description

The DFS path for profilers.

Related Name

profiler_jar_dir_path

Default Value

/apps/dpprofiler/profilers

API Name

profiler_jar_dir_path

Required

false

Store Base Directory Path

Description

The DFS path for storing profiler results.

Related Name

store_base_dir_path

Default Value

/user/dpprofiler/dwh

API Name

store_base_dir_path

Required

false

User Directory Path

Description

The DFS path for service user.

Related Name

user_dir_path

Default Value

/user/dpprofiler

API Name

user_dir_path

Required

false

ZooKeeper Service

Description

Name of the ZooKeeper service that this Profiler Manager service instance depends on

Related Name

Default Value

API Name

zookeeper_service

Required

true

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: Deploy Directory

Description

Whether to suppress configuration warnings produced by the Deploy Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Configuration Validator: Data Discovery Service Agent Advanced Configuration Snippet (Safety Valve) for data-discovery-service-conf/application.conf

Description

Whether to suppress configuration warnings produced by the Data Discovery Service Agent Advanced Configuration Snippet (Safety Valve) for data-discovery-service-conf/application.conf configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_data-discovery-service-conf/application.conf_role_safety_valve

Required

true

Suppress Configuration Validator: Data Discovery Service Agent Advanced Configuration Snippet (Safety Valve) for data-discovery-service-conf/dpprofiler.properties

Description

Whether to suppress configuration warnings produced by the Data Discovery Service Agent Advanced Configuration Snippet (Safety Valve) for data-discovery-service-conf/dpprofiler.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_data-discovery-service-conf/dpprofiler.properties_role_safety_valve

Required

true

Suppress Configuration Validator: Data Discovery Service Agent Advanced Configuration Snippet (Safety Valve) for data-discovery-service-conf/flyway.conf

Description

Whether to suppress configuration warnings produced by the Data Discovery Service Agent Advanced Configuration Snippet (Safety Valve) for data-discovery-service-conf/flyway.conf configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_data-discovery-service-conf/flyway.conf_role_safety_valve

Required

true

Suppress Configuration Validator: Data Discovery Service Agent Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Data Discovery Service Agent Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_data_discovery_service_agent_role_env_safety_valve

Required

true

Suppress Configuration Validator: Data Discovery Service Kerberos Ticket Refresh Cron

Description

Whether to suppress configuration warnings produced by the Data Discovery Service Kerberos Ticket Refresh Cron configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_data_discovery_service_kerberos_ticket_refresh_cron

Required

true

Suppress Configuration Validator: Data Discovery Service PID Directory Path

Description

Whether to suppress configuration warnings produced by the Data Discovery Service PID Directory Path configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_data_discovery_service_pid_directory_path

Required

true

Suppress Configuration Validator: Data Discovery Service Port

Description

Whether to suppress configuration warnings produced by the Data Discovery Service Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_data_discovery_service_port

Required

true

Suppress Configuration Validator: Data Discovery Service SSO Knox Public Key

Description

Whether to suppress configuration warnings produced by the Data Discovery Service SSO Knox Public Key configuration validator.

Related Name**Default Value**

false

API Name

`role_config_suppression_data_discovery_service_sso_knox_public_key`**Required**`true`**Suppress Configuration Validator: File System URI****Description**

Whether to suppress configuration warnings produced by the File System URI configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_file_system_uri`**Required**`true`**Suppress Configuration Validator: JMX Exporter configuration YAML****Description**

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_jmx_exporter_yaml`**Required**`true`**Suppress Configuration Validator: Profiler Admin Agent Log Directory****Description**

Whether to suppress configuration warnings produced by the Profiler Admin Agent Log Directory configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_log_dir`**Required**`true`**Suppress Configuration Validator: Profiler Admin Agent XML Override****Description**

Whether to suppress configuration warnings produced by the Profiler Admin Agent XML Override configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_logback_safety_valve

Required

true

Suppress Configuration Validator: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section**Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: Profiler Admin Agent Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the Profiler Admin Agent Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_profiler_admin_agent_role_env_safety_valve

Required

true

Suppress Configuration Validator: Profiler Admin Database Host**Description**

Whether to suppress configuration warnings produced by the Profiler Admin Database Host configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_profiler_admin_database_host

Required

true

Suppress Configuration Validator: Profiler Admin Database JDBC URL Override**Description**

Whether to suppress configuration warnings produced by the Profiler Admin Database JDBC URL Override configuration validator.

Related Name**Default Value**

false

API Name

`role_config_suppression_profiler_admin_database_jdbc_url_override`**Required**`true`**Suppress Configuration Validator: Profiler Admin Database Name****Description**

Whether to suppress configuration warnings produced by the Profiler Admin Database Name configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_profiler_admin_database_name`**Required**`true`**Suppress Configuration Validator: Profiler Admin Database User Password****Description**

Whether to suppress configuration warnings produced by the Profiler Admin Database User Password configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_profiler_admin_database_password`**Required**`true`**Suppress Configuration Validator: Profiler Admin Database User****Description**

Whether to suppress configuration warnings produced by the Profiler Admin Database User configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_profiler_admin_database_user`**Required**`true`**Suppress Configuration Validator: Profiler Admin DB Cleanup Cron****Description**

Whether to suppress configuration warnings produced by the Profiler Admin DB Cleanup Cron configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_profiler_admin_db_cleanup_cron

Required

true

Suppress Configuration Validator: Profiler Admin DB Sever Root Certificate Path

Description

Whether to suppress configuration warnings produced by the Profiler Admin DB Sever Root Certificate Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_profiler_admin_db_server_root_cert_path

Required

true

Suppress Configuration Validator: Profiler Admin Kerberos Ticket Refresh Cron

Description

Whether to suppress configuration warnings produced by the Profiler Admin Kerberos Ticket Refresh Cron configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_profiler_admin_kerberos_ticket_refresh_cron

Required

true

Suppress Configuration Validator: Profiler Admin PID Directory Path

Description

Whether to suppress configuration warnings produced by the Profiler Admin PID Directory Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_profiler_admin_pid_directory_path

Required

true

Suppress Configuration Validator: Profiler Admin Service Port

Description

Whether to suppress configuration warnings produced by the Profiler Admin Service Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_profiler_admin_service_port

Required

true

Suppress Configuration Validator: Profiler Admin SSO Knox Public Key**Description**

Whether to suppress configuration warnings produced by the Profiler Admin SSO Knox Public Key configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_profiler_admin_sso_knox_public_key

Required

true

Suppress Configuration Validator: Profiler Admin Url**Description**

Whether to suppress configuration warnings produced by the Profiler Admin Url configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_profiler_admin_url

Required

true

Suppress Configuration Validator: Profiler Admin Zookeeper Base Path**Description**

Whether to suppress configuration warnings produced by the Profiler Admin Zookeeper Base Path configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_profiler_admin_zookeeper_base_path

Required

true

Suppress Configuration Validator: Profilers CSP Path

Description

Whether to suppress configuration warnings produced by the Profilers CSP Path configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_profiler_csp_dir_path

Required

true

Suppress Configuration Validator: Profiler Metrics Agent Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Profiler Metrics Agent Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_profiler_metrics_agent_role_env_safety_valve

Required

true

Suppress Configuration Validator: Profiler Metrics Database Host

Description

Whether to suppress configuration warnings produced by the Profiler Metrics Database Host configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_profiler_metrics_database_host

Required

true

Suppress Configuration Validator: Profiler Metrics Database JDBC URL Override

Description

Whether to suppress configuration warnings produced by the Profiler Metrics Database JDBC URL Override configuration validator.

Related Name**Default Value**

	false
API Name	role_config_suppression_profiler_metrics_database_jdbc_url_override
Required	true

Suppress Configuration Validator: Profiler Metrics Database Name

Description
Whether to suppress configuration warnings produced by the Profiler Metrics Database Name configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_profiler_metrics_database_name

Required
true

Suppress Configuration Validator: Profiler Metrics Database User Password

Description
Whether to suppress configuration warnings produced by the Profiler Metrics Database User Password configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_profiler_metrics_database_password

Required
true

Suppress Configuration Validator: Profiler Metrics Database User

Description
Whether to suppress configuration warnings produced by the Profiler Metrics Database User configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_profiler_metrics_database_user

Required
true

Suppress Configuration Validator: Profiler Metrics DB Sever Root Certificate Path

Description

Whether to suppress configuration warnings produced by the Profiler Metrics DB Sever Root Certificate Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_profiler_metrics_db_server_root_cert_path

Required

true

Suppress Configuration Validator: Profiler Metrics Kerberos Ticket Refresh Cron

Description

Whether to suppress configuration warnings produced by the Profiler Metrics Kerberos Ticket Refresh Cron configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_profiler_metrics_kerberos_ticket_refresh_cron

Required

true

Suppress Configuration Validator: Profiler Metrics PID Directory Path

Description

Whether to suppress configuration warnings produced by the Profiler Metrics PID Directory Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_profiler_metrics_pid_directory_path

Required

true

Suppress Configuration Validator: Profiler Metrics Service Port

Description

Whether to suppress configuration warnings produced by the Profiler Metrics Service Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_profiler_metrics_service_port

Required

true

Suppress Configuration Validator: Profiler Metrics SSO Knox Public Key

Description

Whether to suppress configuration warnings produced by the Profiler Metrics SSO Knox Public Key configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_profiler_metrics_sso_knox_public_key

Required

true

Suppress Configuration Validator: Profiler Metrics Zookeeper Base Path

Description

Whether to suppress configuration warnings produced by the Profiler Metrics Zookeeper Base Path configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_profiler_metrics_zookeeper_base_path

Required

true

Suppress Configuration Validator: Profiler Admin Agent Advanced Configuration Snippet (Safety Valve) for profileradmin-conf/application.conf

Description

Whether to suppress configuration warnings produced by the Profiler Admin Agent Advanced Configuration Snippet (Safety Valve) for profileradmin-conf/application.conf configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_profileradmin-conf/application.conf_role_safety_valve

Required

true

Suppress Configuration Validator: Profiler Admin Agent Advanced Configuration Snippet (Safety Valve) for profileradmin-conf/dpprofiler.properties

Description

Whether to suppress configuration warnings produced by the Profiler Admin Agent Advanced Configuration Snippet (Safety Valve) for profileradmin-conf/dpprofiler.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_profileradmin-conf/dpprofiler.properties_role_safety_valve

Required

true

Suppress Configuration Validator: Profiler Admin Agent Advanced Configuration Snippet (Safety Valve) for profileradmin-conf/flyway.conf

Description

Whether to suppress configuration warnings produced by the Profiler Admin Agent Advanced Configuration Snippet (Safety Valve) for profileradmin-conf/flyway.conf configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_profileradmin-conf/flyway.conf_role_safety_valve

Required

true

Suppress Configuration Validator: Profiler Metrics Agent Advanced Configuration Snippet (Safety Valve) for profilermetrics-conf/application.conf

Description

Whether to suppress configuration warnings produced by the Profiler Metrics Agent Advanced Configuration Snippet (Safety Valve) for profilermetrics-conf/application.conf configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_profilermetrics-conf/application.conf_role_safety_valve

Required

true

Suppress Configuration Validator: Profiler Metrics Agent Advanced Configuration Snippet (Safety Valve) for profilermetrics-conf/dpprofiler.properties

Description

Whether to suppress configuration warnings produced by the Profiler Metrics Agent Advanced Configuration Snippet (Safety Valve) for profilermetrics-conf/dpprofiler.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_profilermetrics-conf/dpprofiler.properties_role_safety_valve

Required

true

Suppress Configuration Validator: Profiler Metrics Agent Advanced Configuration Snippet (Safety Valve) for profilermetrics-conf/flyway.conf

Description

Whether to suppress configuration warnings produced by the Profiler Metrics Agent Advanced Configuration Snippet (Safety Valve) for profilermetrics-conf/flyway.conf configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_profilermetrics-conf/flyway.conf_role_safety_valve

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: Role Triggers

Description

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Configuration Validator: Profiler Admin Agent TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the Profiler Admin Agent TLS/SSL Trust Store File configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Configuration Validator: Profiler Admin Agent TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the Profiler Admin Agent TLS/SSL Trust Store Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Configuration Validator: Profiler Admin Agent TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the Profiler Admin Agent TLS/SSL Server Keystore File Location configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Configuration Validator: Profiler Admin Agent TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the Profiler Admin Agent TLS/SSL Server Keystore File Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Configuration Validator: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Configuration Validator: Data Discovery Service Agent Count Validator

Description

Whether to suppress configuration warnings produced by the Data Discovery Service Agent Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_data_discovery_service_agent_count_validator

Required

true

Suppress Configuration Validator: Gateway Count Validator

Description

Whether to suppress configuration warnings produced by the Gateway Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_gateway_count_validator

Required

true

Suppress Parameter Validation: System Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name

Default Value

false

API Name

service_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: System User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_username

Required

true

Suppress Configuration Validator: Profiler Admin Agent Count Validator

Description

Whether to suppress configuration warnings produced by the Profiler Admin Agent Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_profiler_admin_agent_count_validator

Required

true

Suppress Parameter Validation: Profilers Directory Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profilers Directory Path parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_profiler_jar_dir_path

Required

true

Suppress Parameter Validation: Profiler Manager Service Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Manager Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

	false
API Name	service_config_suppression_profiler_manager_service_env_safety_valve
Required	true

Suppress Configuration Validator: Profiler Metrics Agent Count Validator

Description	Whether to suppress configuration warnings produced by the Profiler Metrics Agent Count Validator configuration validator.
Related Name	
Default Value	false
API Name	service_config_suppression_profiler_metrics_agent_count_validator
Required	true

Suppress Parameter Validation: Service Triggers

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.
Related Name	
Default Value	false
API Name	service_config_suppression_service_triggers
Required	true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.
Related Name	
Default Value	false
API Name	service_config_suppression_smon_derived_configs_safety_valve
Required	true

Suppress Parameter Validation: Store Base Directory Path

Description	
--------------------	--

Whether to suppress configuration warnings produced by the built-in parameter validation for the Store Base Directory Path parameter.

Related Name

Default Value

false

API Name

service_config_suppression_store_base_dir_path

Required

true

Suppress Parameter Validation: User Directory Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the User Directory Path parameter.

Related Name

Default Value

false

API Name

service_config_suppression_user_dir_path

Required

true

Profiler Scheduler Properties in Cloudera Runtime 7.3.1

Role groups:

Profiler Scheduler Agent

Advanced

Profiler Scheduler Agent XML Override

Description

For advanced use only, replace entire XML in the logback configuration file for Profiler Scheduler Agent, ignoring all logging configuration.

Related Name

logback_safety_valve

Default Value

API Name

logback_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory

Description

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory

Description

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory

Description

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name

Default Value

20

API Name

process_start_secs

Required

false

Profiler Scheduler Agent Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name

Default Value

API Name

PROFILER_SCHEDULER_AGENT_role_env_safety_valve

Required

false

Profiler Scheduler Agent Advanced Configuration Snippet (Safety Valve) for profilerscheduler-conf/application.conf

Description

For advanced use only. A string to be inserted into profilerscheduler-conf/application.conf for this role only.

Related Name

Default Value

API Name

profilerscheduler-conf/application.conf_role_safety_valve

Required

false

Profiler Scheduler Agent Advanced Configuration Snippet (Safety Valve) for profilerscheduler-conf/dpprofiler.properties

Description

For advanced use only. A string to be inserted into profilerscheduler-conf/dpprofiler.properties for this role only.

Related Name

Default Value

API Name

profilerscheduler-conf/dpprofiler.properties_role_safety_valve

Required

false

Logs

Profiler Scheduler Agent Log Directory

Description

The log directory for log files of the role Profiler Scheduler Agent.

Related Name

log_dir

Default Value

/var/log/profilerscheduler

API Name

log_dir

Required

false

Profiler Scheduler Agent Logging Threshold

Description

The minimum log level for Profiler Scheduler Agent logs

Related Name

Default Value

INFO

API Name

log_threshold

Required

false

Profiler Scheduler Agent Maximum Log File Backups

Description

The maximum number of rolled log files to keep for Profiler Scheduler Agent logs. Typically used by log4j or logback.

Related Name

Default Value

10

API Name

max_log_backup_index

Required

false

Profiler Scheduler Agent Max Log Size

Description

The maximum size, in megabytes, per log file for Profiler Scheduler Agent logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring**Enable Health Alerts for this Role****Description**

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name

Default Value

API Name

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name

Default Value

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter

Description

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.

- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name

Default Value

API Name

`monitoring_metric_filter`

Required

`false`

OpenTelemetry Collector Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

`otelcol_exporters`

Required

`false`

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: `$HOST_NAME`, `$CLUSTER_NAME`, `$CLUSTER_ID`, `$SERVICE_TYPE`, `$SERVICE_NAME`, `$ROLE_NAME`, `$ROLE_TYPE`, `$ROLE_PARAM(my_parameter_name)` - e.g.: a port parameter for the role's metrics, `$DECODE_B64(...)` and `$DECODE_URL(...)` to decode encoded parameters, `$ENV_PARAM(name)` to fetch params from the process' environment, `$SYS_PARAM(name)` to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

`$INFRA(cdp_request_signer_url)`

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify `$INFRA(cdp_request_signer_username)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

`$INFRA(cdp_request_signer_username)`

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name

Default Value

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

profiler_scheduler_agent_fd_thresholds

Required

false

Profiler Scheduler Agent Host Health Test**Description**

When computing the overall Profiler Scheduler Agent health, consider the host's health.

Related Name**Default Value**

true

API Name

profiler_scheduler_agent_host_health_enabled

Required

false

Profiler Scheduler Agent Process Health Test**Description**

Enables the health test that the Profiler Scheduler Agent's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

profiler_scheduler_agent_scm_health_enabled

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=\$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}] See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period**Description**

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other**File System URI****Description**

File System URI.

Related Name

file_system_uri

Default Value

hdfs:///user/dpprofiler

API Name

file_system_uri

Required

true

Profiler Scheduler extra jars

Description

Profiler Scheduler extra jars

Related Name

profiler_scheduler_extra_jars

Default Value

file:///opt/cloudera/parcels/CDH/jars/hive-warehouse-connector-assembly*.jar

API Name

profiler_scheduler_extra_jars

Required

false

Profiler Scheduler Kerberos Ticket Refresh Cron

Description

Profiler kerberos ticket refresh cron.

Related Name

profiler_scheduler_kerberos_ticket_refresh_cron

Default Value

00 00 0/6 * * ?

API Name

profiler_scheduler_kerberos_ticket_refresh_cron

Required

false

Profiler Scheduler Kerberos Ticket Refresh Retry Allowed

Description

Profiler scheduler kerberos ticket refresh retry allowed.

Related Name

profiler_scheduler_kerberos_ticket_refresh_retry_allowed

Default Value

5

API Name

profiler_scheduler_kerberos_ticket_refresh_retry_allowed

Required

false

Profiler Scheduler Max Heapsize

Description

Maximum size for the Java Process heap. Passed to Java -Xmx. Measured in megabytes.

Related Name

profiler_scheduler_max_heap_size

Default Value

2 GiB

API Name

profiler_scheduler_max_heap_size

Required

true

Profiler Scheduler PID Directory Path

Description

Profiler Scheduler pid directory path.

Related Name

profiler_scheduler_pid_directory_path

Default Value

/var/run/profilerscheduler

API Name

profiler_scheduler_pid_directory_path

Required

true

Profiler Scheduler Spark conf

Description

Spark Conf

Related Name

profiler_scheduler_spark_conf

Default Value

```
spark.sql.extensions=com.qubole.spark.hiveacid.HiveAcidAuto
ConvertExtension|spark.kryo.registrator=com.qubole.spark.hiv
eacid.util.HiveAcidKyroRegistrator|spark.sql.hive.hwc.executi
on.mode=spark|spark.datasource.hive.warehouse.read.via.llap=
false|spark.datasource.hive.warehouse.metastoreUri=$hive.met
astore.uris|spark.sql.hive.hiveserver2.jdbc.url.principal=$hiv
e.server2.authentication.kerberos.principal|spark.sql.hive.hiv
e.server2.jdbc.url=$beeline.hs2.jdbc.url.hive_on_tez
```

API Name

profiler_scheduler_spark_conf

Required

false

Profiler Scheduler SSO Knox Enabled

Description

Enable Knox SSO.

Related Name

profiler_scheduler_sso_knox_enabled

Default Value

false

API Name

profiler_scheduler_sso_knox_enabled

Required

false

Profiler Scheduler SSO Knox Public Key

Description

Knox SSO public key.

Related Name

profiler_scheduler_sso_knox_public_key

Default Value

API Name

profiler_scheduler_sso_knox_public_key

Required

false

Profiler Scheduler Zookeeper Base Path

Description

Profiler Scheduler zookeeper base path.

Related Name

profiler_scheduler_zookeeper_base_path

Default Value

/profileragent/stores

API Name

profiler_scheduler_zookeeper_base_path

Required

false

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name

Default Value

API Name

rlimit_fds

Required

false

Ports and Addresses

Profiler Scheduler Service Port

Description

Port for Profiler Scheduler Service.

Related Name

profiler_scheduler_service_port

Default Value

21900

API Name

profiler_scheduler_service_port

Required

false

Resource Management

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares

Description

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight

Description

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)

Description

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2'
These settings override other cgroup settings.

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight

Description

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security

Profiler Scheduler Agent TLS/SSL Trust Store File

Description

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Profiler Scheduler Agent might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

ssl.truststore.location

Default Value

API Name

ssl_client_truststore_location

Required

false

Profiler Scheduler Agent TLS/SSL Trust Store Password

Description

The password for the Profiler Scheduler Agent TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

ssl.truststore.password.generator

Default Value

API Name

ssl_client_truststore_password

Required

false

Enable TLS/SSL for Profiler Scheduler Agent

Description

Encrypt communication between clients and Profiler Scheduler Agent using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

ssl_enabled

Default Value

false

API Name

ssl_enabled

Required

false

Profiler Scheduler Agent TLS/SSL Server Keystore File Location

Description

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Profiler Scheduler Agent is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

ssl.keystore.location

Default Value

API Name

ssl_server_keystore_location

Required

false

Profiler Scheduler Agent TLS/SSL Server Keystore File Password

Description

The password for the Profiler Scheduler Agent keystore file.

Related Name

ssl.keystore.password.generator

Default Value

API Name

ssl_server_keystore_password

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency

Description

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method

Description

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: File System URI

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the File System URI parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_file_system_uri

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Profiler Scheduler Agent Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Scheduler Agent Log Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: Profiler Scheduler Agent XML Override

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Scheduler Agent XML Override parameter.

Related Name

Default Value

false

API Name

role_config_suppression_logback_safety_valve

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Profiler Scheduler Agent Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Scheduler Agent Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

	false
API Name	role_config_suppression_profiler_scheduler_agent_role_env_safety_valve
Required	true

Suppress Parameter Validation: Profiler Scheduler extra jars

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Scheduler extra jars parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_profiler_scheduler_extra_jars
Required	true

Suppress Parameter Validation: Profiler Scheduler Kerberos Ticket Refresh Cron

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Scheduler Kerberos Ticket Refresh Cron parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_profiler_scheduler_kerberos_ticket_refresh_cron
Required	true

Suppress Parameter Validation: Profiler Scheduler PID Directory Path

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Scheduler PID Directory Path parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_profiler_scheduler_pid_directory_path
Required	true

Suppress Parameter Validation: Profiler Scheduler Service Port

Description	
--------------------	--

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Scheduler Service Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_profiler_scheduler_service_port

Required

true

Suppress Parameter Validation: Profiler Scheduler Spark conf**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Scheduler Spark conf parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_profiler_scheduler_spark_conf

Required

true

Suppress Parameter Validation: Profiler Scheduler SSO Knox Public Key**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Scheduler SSO Knox Public Key parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_profiler_scheduler_sso_knox_public_key

Required

true

Suppress Parameter Validation: Profiler Scheduler Zookeeper Base Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Scheduler Zookeeper Base Path parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_profiler_scheduler_zookeeper_base_path

Required

true

Suppress Parameter Validation: Profiler Scheduler Agent Advanced Configuration Snippet (Safety Valve) for profilerscheduler-conf/application.conf

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Scheduler Agent Advanced Configuration Snippet (Safety Valve) for profilerscheduler-conf/application.conf parameter.

Related Name

Default Value

false

API Name

role_config_suppression_profilerscheduler-conf/application.conf_role_safety_valve

Required

true

Suppress Parameter Validation: Profiler Scheduler Agent Advanced Configuration Snippet (Safety Valve) for profilerscheduler-conf/dpprofiler.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Scheduler Agent Advanced Configuration Snippet (Safety Valve) for profilerscheduler-conf/dpprofiler.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_profilerscheduler-conf/dpprofiler.properties_role_safety_valve

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Profiler Scheduler Agent TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Scheduler Agent TLS/SSL Trust Store File parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: Profiler Scheduler Agent TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Scheduler Agent TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Parameter Validation: Profiler Scheduler Agent TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Scheduler Agent TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: Profiler Scheduler Agent TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Scheduler Agent TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test

Description

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_profiler_scheduler_profiler_scheduler_agent_audit_health

Required

true

Suppress Health Test: File Descriptors

Description

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_profiler_scheduler_profiler_scheduler_agent_file_descriptor

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_profiler_scheduler_profiler_scheduler_agent_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_profiler_scheduler_profiler_scheduler_agent_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_profiler_scheduler_profiler_scheduler_agent_otelcol_health

Required

true

Suppress Health Test: Process Status

Description

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_profiler_scheduler_profiler_scheduler_agent_scm_health

Required

true

Suppress Health Test: Swap Memory Usage

Description

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_profiler_scheduler_profiler_scheduler_agent_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_profiler_scheduler_profiler_scheduler_agent_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_profiler_scheduler_profiler_scheduler_agent_unexpected_exits

Required

true

Service-Wide

Advanced

System Group

Description

The group that this service's processes should run as.

Related Name**Default Value**

dpprofiler

API Name

process_groupname

Required

true

System User

Description

The user that this service's processes should run as.

Related Name**Default Value**

dpprofiler

API Name

process_username

Required

true

Profiler Scheduler Service Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

PROFILER_SCHEDULER_service_env_safety_valve

Required

false

Monitoring

Enable Service Level Health Alerts

Description

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Service Triggers

Description

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

service_triggers

Required

true

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name

Default Value

API Name

smon_derived_configs_safety_valve

Required

false

Other

Atlas entities POST chunk size

Description

Atlas entities POST chunk size

Related Name

atlas_post_entities_chunk_size

Default Value

50

API Name

atlas_post_entities_chunk_size

Required

true

Atlas Service

Description

Name of the Atlas service that this Profiler Scheduler service instance depends on

Related Name

Default Value

API Name

atlas_service

Required

true

Atlas Url Override

Description

Specify atlas url override for connecting to atlas server. For Example: In non-HA mode `http://<hostname>:<port>` and HA mode `http://<hostname1>:<port>,http://<hostname2>:<port>`. If not specified, `atlas_rest_url` from atlas config will be used.

Related Name

`atlas_url`

Default Value**API Name**

`atlas_url`

Required

`false`

HDFS Service**Description**

Name of the HDFS service that this Profiler Scheduler service instance depends on

Related Name**Default Value****API Name**

`hdfs_service`

Required

`true`

Hive on Tez Service**Description**

Name of the Hive on Tez service that this Profiler Scheduler service instance depends on

Related Name**Default Value****API Name**

`hive_on_tez_service`

Required

`true`

Enable Kerberos Authentication**Description**

Indicates whether Kerberos is enabled.

Related Name

`kerberos_auth_enabled`

Default Value

`true`

API Name

`kerberos_auth_enabled`

Required

`false`

Livy Service

Description

Name of the Livy service that this Profiler Scheduler service instance depends on

Related Name**Default Value****API Name**

livy_service

Required

true

Livy Url Override

Description

Specify livy url override for connecting to livy server. For Example: In non-HA mode `http://<hostname>:<port>` and HA mode `http://<hostname1>:<port>,http://<hostname2>:<port>`. If not specified, the livy url will be calculated on basis of livy config parameters.

Related Name

livy_url

Default Value**API Name**

livy_url

Required

false

Profiler Admin Url Override

Description

Specify profiler admin url override for connecting to profiler admin agent. For Example: In non-HA mode `http://<hostname>:<port>` and HA mode `http://<hostname1>:<port>,http://<hostname2>:<port>`. If not specified, the profiler admin url will be calculated on basis of profiler admin config parameters.

Related Name

profiler_admin_url

Default Value**API Name**

profiler_admin_url

Required

false

Profiler Manager Service

Description

Name of the Profiler Manager service that this Profiler Scheduler service instance depends on

Related Name**Default Value****API Name**

profiler_manager_service

Required

true

Profiler Metrics Url Override**Description**

Specify profiler metrics url override for connecting to profiler metrics agent. For Example:
In non-HA mode `http://<hostname>:<port>` and HA mode `http://<hostname1>:<port>,http://<hostname2>:<port>`. If not specified, the profiler metrics url will be calculated on basis of profiler metrics config parameters.

Related Name

profiler_metrics_url

Default Value**API Name**

profiler_metrics_url

Required

false

Ranger Hdfs Audit Path**Description**

The DFS path on which Ranger audits are written.

Related Name

ranger_hdfs_audit_path

Default Value

\$ranger_base_audit_url

API Name

ranger_hdfs_audit_path

Required

false

RANGER Service**Description**

Name of the RANGER service that this Profiler Scheduler service instance depends on

Related Name**Default Value****API Name**

ranger_service

Required

true

Store Base Directory Path**Description**

The DFS path for storing profiler results.

Related Name

store_base_dir_path

Default Value

/user/dpprofiler/dwh

API Name

store_base_dir_path

Required

false

User Directory Path

Description

The DFS path for service user.

Related Name

user_dir_path

Default Value

/user/dpprofiler

API Name

user_dir_path

Required

false

ZooKeeper Service

Description

Name of the ZooKeeper service that this Profiler Scheduler service instance depends on

Related Name

Default Value

API Name

zookeeper_service

Required

true

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: File System URI

Description

Whether to suppress configuration warnings produced by the File System URI configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_file_system_uri

Required

true

Suppress Configuration Validator: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Configuration Validator: Profiler Scheduler Agent Log Directory

Description

Whether to suppress configuration warnings produced by the Profiler Scheduler Agent Log Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Configuration Validator: Profiler Scheduler Agent XML Override

Description

Whether to suppress configuration warnings produced by the Profiler Scheduler Agent XML Override configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_logback_safety_valve

Required

true

Suppress Configuration Validator: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: Profiler Scheduler Agent Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Profiler Scheduler Agent Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_profiler_scheduler_agent_role_env_safety_valve

Required

true

Suppress Configuration Validator: Profiler Scheduler extra jars

Description

Whether to suppress configuration warnings produced by the Profiler Scheduler extra jars configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_profiler_scheduler_extra_jars

Required

true

Suppress Configuration Validator: Profiler Scheduler Kerberos Ticket Refresh Cron

Description

Whether to suppress configuration warnings produced by the Profiler Scheduler Kerberos Ticket Refresh Cron configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_profiler_scheduler_kerberos_ticket_refresh_cron

Required

true

Suppress Configuration Validator: Profiler Scheduler PID Directory Path

Description

Whether to suppress configuration warnings produced by the Profiler Scheduler PID Directory Path configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_profiler_scheduler_pid_directory_path

Required

true

Suppress Configuration Validator: Profiler Scheduler Service Port

Description

Whether to suppress configuration warnings produced by the Profiler Scheduler Service Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_profiler_scheduler_service_port

Required

true

Suppress Configuration Validator: Profiler Scheduler Spark conf

Description

Whether to suppress configuration warnings produced by the Profiler Scheduler Spark conf configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_profiler_scheduler_spark_conf

Required

true

Suppress Configuration Validator: Profiler Scheduler SSO Knox Public Key

Description

Whether to suppress configuration warnings produced by the Profiler Scheduler SSO Knox Public Key configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_profiler_scheduler_sso_knox_public_key

Required

true

Suppress Configuration Validator: Profiler Scheduler Zookeeper Base Path

Description

Whether to suppress configuration warnings produced by the Profiler Scheduler Zookeeper Base Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_profiler_scheduler_zookeeper_base_path

Required

true

Suppress Configuration Validator: Profiler Scheduler Agent Advanced Configuration Snippet (Safety Valve) for profilerscheduler-conf/application.conf

Description

Whether to suppress configuration warnings produced by the Profiler Scheduler Agent Advanced Configuration Snippet (Safety Valve) for profilerscheduler-conf/application.conf configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_profilerscheduler-conf/application.conf_role_safety_valve

Required

true

Suppress Configuration Validator: Profiler Scheduler Agent Advanced Configuration Snippet (Safety Valve) for profilerscheduler-conf/dpprofiler.properties

Description

Whether to suppress configuration warnings produced by the Profiler Scheduler Agent Advanced Configuration Snippet (Safety Valve) for profilerscheduler-conf/dpprofiler.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_profilerscheduler-conf/dpprofiler.properties_role_safety_valve

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: Role Triggers

Description

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Configuration Validator: Profiler Scheduler Agent TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the Profiler Scheduler Agent TLS/SSL Trust Store File configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Configuration Validator: Profiler Scheduler Agent TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the Profiler Scheduler Agent TLS/SSL Trust Store Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Configuration Validator: Profiler Scheduler Agent TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the Profiler Scheduler Agent TLS/SSL Server Keystore File Location configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Configuration Validator: Profiler Scheduler Agent TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the Profiler Scheduler Agent TLS/SSL Server Keystore File Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Configuration Validator: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Parameter Validation: Atlas Url Override

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas Url Override parameter.

Related Name**Default Value**

false

API Name

`service_config_suppression_atlas_url`**Required**`true`**Suppress Parameter Validation: Livy Url Override****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Livy Url Override parameter.

Related Name**Default Value**`false`**API Name**`service_config_suppression_livy_url`**Required**`true`**Suppress Parameter Validation: System Group****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name**Default Value**`false`**API Name**`service_config_suppression_process_groupname`**Required**`true`**Suppress Parameter Validation: System User****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name**Default Value**`false`**API Name**`service_config_suppression_process_username`**Required**`true`**Suppress Parameter Validation: Profiler Admin Url Override****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Admin Url Override parameter.

Related Name

Default Value

false

API Name

service_config_suppression_profiler_admin_url

Required

true

Suppress Parameter Validation: Profiler Metrics Url Override

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Metrics Url Override parameter.

Related Name

Default Value

false

API Name

service_config_suppression_profiler_metrics_url

Required

true

Suppress Configuration Validator: Profiler Scheduler Agent Count Validator

Description

Whether to suppress configuration warnings produced by the Profiler Scheduler Agent Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_profiler_scheduler_agent_count_validator

Required

true

Suppress Parameter Validation: Profiler Scheduler Service Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Profiler Scheduler Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_profiler_scheduler_service_env_safety_valve

Required

true

Suppress Parameter Validation: Ranger Hdfs Audit Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Hdfs Audit Path parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_hdfs_audit_path

Required

true

Suppress Parameter Validation: Service Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_service_triggers

Required

true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_smon_derived_configs_safety_valve

Required

true

Suppress Parameter Validation: Store Base Directory Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Store Base Directory Path parameter.

Related Name**Default Value**

false

API Name

	service_config_suppression_store_base_dir_path
Required	true

Suppress Parameter Validation: User Directory Path

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the User Directory Path parameter.
Related Name	
Default Value	false
API Name	service_config_suppression_user_dir_path
Required	true

Query Processor Properties in Cloudera Runtime 7.3.1

Role groups:

Query Processor

Advanced

Query Processor Advanced Configuration Snippet (Safety Valve) for conf-template/hue-query-processor.json

Description	For advanced use only. A string to be inserted into conf-template/hue-query-processor.json for this role only.
Related Name	
Default Value	
API Name	conf-template/hue-query-processor.json_role_safety_valve
Required	false

Query Processor Advanced Configuration Snippet (Safety Valve) for conf/hue-query-processor-log4j2.yml

Description	For advanced use only. A string to be inserted into conf/hue-query-processor-log4j2.yml for this role only.
Related Name	
Default Value	
API Name	conf/hue-query-processor-log4j2.yml_role_safety_valve

Required

false

Enable auto refresh for metric configurations**Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when `java.lang.OutOfMemoryError` is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Query Processor Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

QUERY_PROCESSOR_role_env_safety_valve

Required

false

Monitoring**Enable Health Alerts for this Role****Description**

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML**Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter

Description

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name

Default Value

API Name

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

exporters: prometheusremotewrite/\$ROLE_NAME: endpoint:
\$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/\$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

extensions: basicauth/\$ROLE_NAME: client_auth: username:
\$ROLE_PARAM(otelcol_remote_write_user) password:
'\$ROLE_PARAM(otelcol_remote_write_password)'

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: `$HOST_NAME`, `$CLUSTER_NAME`, `$CLUSTER_ID`, `$SERVICE_TYPE`, `$SERVICE_NAME`, `$ROLE_NAME`, `$ROLE_TYPE`, `$ROLE_PARAM(my_parameter_name)` - e.g.: a port parameter for the role's metrics, `$DECODE_B64(...)` and `$DECODE_URL(...)` to decode encoded parameters, `$ENV_PARAM(name)` to fetch params from the process' environment, `$SYS_PARAM(name)` to fetch java system properties.

Related Name

Default Value

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name

Default Value

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

`$INFRA(cdp_request_signer_url)`

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

`otelcol_rtm_logs_processors`**Required**

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: `$HOST_NAME`, `$CLUSTER_NAME`, `$CLUSTER_ID`, `$SERVICE_TYPE`, `$SERVICE_NAME`, `$ROLE_NAME`, `$ROLE_TYPE`, `$ROLE_PARAM(my_parameter_name)` - e.g.: a port parameter for the role's metrics, `$DECODE_B64(...)` and `$DECODE_URL(...)` to decode encoded parameters, `$ENV_PARAM(name)` to fetch params from the process' environment, `$SYS_PARAM(name)` to fetch java system properties.

Related Name**Default Value****API Name**`otelcol_rtm_logs_receivers`**Required**

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**`otelcol_rtm_logs_service`**Required**

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**`otelcol_service`**Required**

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name

Default Value

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds

Description

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window

Description

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

query_processor_fd_thresholds

Required

false

Query Processor Host Health Test**Description**

When computing the overall Query Processor health, consider the host's health.

Related Name**Default Value**

true

API Name

query_processor_host_health_enabled

Required

false

Query Processor Process Health Test**Description**

Enables the health test that the Query Processor's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

query_processor_scm_health_enabled

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=\$ROLENAM and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}] See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

Application Connector Options

Description

Extra options that can be added into Dropwizard applicationConnector.

Related Name

query_processor_application_connector_options

Default Value**API Name**

query_processor_application_connector_options

Required

false

Extra Auth Options

Description

Extra options that can be added into Auth Config.

Related Name

query_processor_auth_options

Default Value**API Name**

query_processor_auth_options

Required

false

Query Processor Extra Configurations

Description

Extra configurations for Query Processor.

Related Name

query_processor_extra_confs

Default Value**API Name**

query_processor_extra_confs

Required

false

Additional Query Processor Java Options

Description

These arguments are passed as part of the Java command line. Commonly, garbage collection flags and/or extra debugging flags are set here.

Related Name

query_processor_java_opts

Default Value

-Xmx4096m

API Name

query_processor_java_opts

Required

false

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses

Query Processor Port

Description

Port to Query Processor server

Related Name

query_processor_server_port

Default Value

30700

API Name

query_processor_server_port

Required

true

Resource Management

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command:

resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2'
These settings override other cgroup settings.

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no

limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security

Query Processor TLS/SSL Trust Store File

Description

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Query Processor might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

queryprocessor.ssl.truststore.location

Default Value**API Name**

ssl_client_truststore_location

Required

false

Query Processor TLS/SSL Trust Store Password

Description

The password for the Query Processor TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

queryprocessor.ssl.truststore.password

Default Value**API Name**

ssl_client_truststore_password

Required

false

Enable TLS/SSL for Query Processor

Description

Encrypt communication between clients and Query Processor using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

query_processor_ssl_enabled

Default Value

false

API Name

ssl_enabled

Required

false

Query Processor TLS/SSL Server Keystore File Location

Description

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Query Processor is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

query_processor_keystore_file

Default Value**API Name**

ssl_server_keystore_location

Required

false

Query Processor TLS/SSL Server Keystore File Password**Description**

The password for the Query Processor keystore file.

Related Name

query_processor_keystore_password

Default Value**API Name**

ssl_server_keystore_password

Required

false

Stacks Collection**Stacks Collection Data Retention****Description**

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory**Description**

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value

API Name

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Query Processor Advanced Configuration Snippet (Safety Valve) for conf-template/hue-query-processor.json

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Query Processor Advanced Configuration Snippet (Safety Valve) for conf-template/hue-query-processor.json parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_conf-template/hue-query-processor.json_role_safety_valve

Required

true

Suppress Parameter Validation: Query Processor Advanced Configuration Snippet (Safety Valve) for conf/hue-query-processor-log4j2.yml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Query Processor Advanced Configuration Snippet (Safety Valve) for conf/hue-query-processor-log4j2.yml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_conf/hue-query-processor-log4j2.yml_role_safety_valve

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Heap Dump Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

`role_config_suppression_otelcol_rtm_logs_service`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Service Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_service`**Required**`true`**Suppress Parameter Validation: Application Connector Options****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Application Connector Options parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_query_processor_application_connector_options`**Required**`true`**Suppress Parameter Validation: Extra Auth Options****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Extra Auth Options parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_query_processor_auth_options`**Required**`true`**Suppress Parameter Validation: Query Processor Extra Configurations****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Query Processor Extra Configurations parameter.

Related Name

Default Value

false

API Name

role_config_suppression_query_processor_extra_confs

Required

true

Suppress Parameter Validation: Additional Query Processor Java Options

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Additional Query Processor Java Options parameter.

Related Name

Default Value

false

API Name

role_config_suppression_query_processor_java_opts

Required

true

Suppress Parameter Validation: Query Processor Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Query Processor Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_query_processor_role_env_safety_valve

Required

true

Suppress Parameter Validation: Query Processor Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Query Processor Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_query_processor_server_port

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Query Processor TLS/SSL Trust Store File**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Query Processor TLS/SSL Trust Store File parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: Query Processor TLS/SSL Trust Store Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Query Processor TLS/SSL Trust Store Password parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_ssl_client_truststore_password`**Required**`true`**Suppress Parameter Validation: Query Processor TLS/SSL Server Keystore File Location****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Query Processor TLS/SSL Server Keystore File Location parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ssl_server_keystore_location`**Required**`true`**Suppress Parameter Validation: Query Processor TLS/SSL Server Keystore File Password****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Query Processor TLS/SSL Server Keystore File Password parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ssl_server_keystore_password`**Required**`true`**Suppress Parameter Validation: Stacks Collection Directory****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_stacks_collection_directory`**Required**`true`**Suppress Health Test: Audit Pipeline Test****Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_query_processor_query_processor_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_query_processor_query_processor_file_descriptor

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_query_processor_query_processor_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_query_processor_query_processor_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health

Description

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_query_processor_query_processor_otelcol_health

Required

true

Suppress Health Test: Process Status

Description

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_query_processor_query_processor_scm_health

Required

true

Suppress Health Test: Swap Memory Usage

Description

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_query_processor_query_processor_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_query_processor_query_processor_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits**Description**

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_query_processor_query_processor_unexpected_exits

Required

true

Service-Wide**Advanced****System Group****Description**

The group that this service's processes should run as.

Related Name**Default Value**

hive

API Name

process_groupname

Required

true

System User**Description**

The user that this service's processes should run as.

Related Name**Default Value**

hive

API Name

process_username

Required

true

Query Processor Service Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

QUERY_PROCESSOR_service_env_safety_valve

Required

false

Database**Database Hostname****Description**

Host where the database is running.

Related Name

query_processor_database_host

Default Value

localhost

API Name

query_processor_database_host

Required

true

Database Name**Description**

Query Processor database name.

Related Name

query_processor_database_name

Default Value

qpdb

API Name

query_processor_database_name

Required

true

Database Password**Description**

Query Processor database password.

Related Name

query_processor_database_password

Default Value

API Name

query_processor_database_password

Required

true

Database Port

Description

Query Processor database port.

Related Name

query_processor_database_port

Default Value

5432

API Name

query_processor_database_port

Required

true

Database Type

Description

Type of database used by Query Processor.

Related Name

query_processor_database_type

Default Value

postgresql

API Name

query_processor_database_type

Required

true

Database Username

Description

Query Processor database username

Related Name

query_processor_database_username

Default Value

qpuser

API Name

query_processor_database_username

Required

true

Monitoring

Enable Service Level Health Alerts

Description

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Service Triggers

Description

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

service_triggers

Required

true

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name

Default Value

API Name

smon_derived_configs_safety_valve

Required

false

Other

HS2 Service

Description

Name of the HS2 service that this Query Processor service instance depends on

Related Name

Default Value

API Name

hs2_service

Required

true

Enable Kerberos Authentication

Description

Boolean flag indicating whether the Hadoop cluster is secured with Kerberos.

Related Name

kerberos_auth_enabled

Default Value

false

API Name

kerberos_auth_enabled

Required

false

Database Schema

Description

Query Processor database schema

Related Name

query_processor_database_schema

Default Value

queryprocessor

API Name

query_processor_database_schema

Required

true

Database URL Query Parameters**Description**

Must be a standard URL string of query parameters starting with a & symbol

Related Name

query_processor_database_url_query_params

Default Value**API Name**

query_processor_database_url_query_params

Required

false

TEZ Service**Description**

Name of the TEZ service that this Query Processor service instance depends on

Related Name**Default Value****API Name**

tez_service

Required

true

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: Query Processor Advanced Configuration Snippet (Safety Valve) for conf-template/hue-query-processor.json**Description**

Whether to suppress configuration warnings produced by the Query Processor Advanced Configuration Snippet (Safety Valve) for conf-template/hue-query-processor.json configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_conf-template/hue-query-processor.json_role_safety_valve

Required

true

Suppress Configuration Validator: Query Processor Advanced Configuration Snippet (Safety Valve) for conf/hue-query-processor-log4j2.yml**Description**

Whether to suppress configuration warnings produced by the Query Processor Advanced Configuration Snippet (Safety Valve) for conf/hue-query-processor-log4j2.yml configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_conf/hue-query-processor-log4j2.yml_role_safety_valve

Required

true

Suppress Configuration Validator: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Configuration Validator: Heap Dump Directory**Description**

Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Exporters Section**Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Extensions Section**Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Helper Port**Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Processors Section**Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: Application Connector Options

Description

Whether to suppress configuration warnings produced by the Application Connector Options configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_query_processor_application_connector_options

Required

true

Suppress Configuration Validator: Extra Auth Options

Description

Whether to suppress configuration warnings produced by the Extra Auth Options configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_query_processor_auth_options

Required

true

Suppress Configuration Validator: Query Processor Extra Configurations

Description

Whether to suppress configuration warnings produced by the Query Processor Extra Configurations configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_query_processor_extra_conf

Required

true

Suppress Configuration Validator: Additional Query Processor Java Options

Description

Whether to suppress configuration warnings produced by the Additional Query Processor Java Options configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_query_processor_java_opts

Required

true

Suppress Configuration Validator: Query Processor Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Query Processor Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_query_processor_role_env_safety_valve

Required

true

Suppress Configuration Validator: Query Processor Port

Description

Whether to suppress configuration warnings produced by the Query Processor Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_query_processor_server_port

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: Role Triggers

Description

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Configuration Validator: Query Processor TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the Query Processor TLS/SSL Trust Store File configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Configuration Validator: Query Processor TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the Query Processor TLS/SSL Trust Store Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Configuration Validator: Query Processor TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the Query Processor TLS/SSL Server Keystore File Location configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Configuration Validator: Query Processor TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the Query Processor TLS/SSL Server Keystore File Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Configuration Validator: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Parameter Validation: System Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name

Default Value

false

API Name

service_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: System User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name

Default Value

false

API Name

service_config_suppression_process_username

Required

true

Suppress Configuration Validator: Query Processor Count Validator

Description

Whether to suppress configuration warnings produced by the Query Processor Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_query_processor_count_validator

Required

true

Suppress Parameter Validation: Database Hostname

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Database Hostname parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_query_processor_database_host

Required

true

Suppress Parameter Validation: Database Name

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Database Name parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_query_processor_database_name

Required

true

Suppress Parameter Validation: Database Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Database Password parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_query_processor_database_password

Required

true

Suppress Parameter Validation: Database Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Database Port parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_query_processor_database_port

Required

true

Suppress Parameter Validation: Database Schema**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Database Schema parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_query_processor_database_schema

Required

true

Suppress Parameter Validation: Database URL Query Parameters**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Database URL Query Parameters parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_query_processor_database_url_query_params

Required

true

Suppress Parameter Validation: Database Username**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Database Username parameter.

Related Name

Default Value

false

API Name

service_config_suppression_query_processor_database_username

Required

true

Suppress Parameter Validation: Query Processor Service Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Query Processor Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_query_processor_service_env_safety_valve

Required

true

Suppress Parameter Validation: Service Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name

Default Value

false

API Name

service_config_suppression_service_triggers

Required

true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_smon_derived_configs_safety_valve

Required

true

Ranger Properties in Cloudera Runtime 7.3.1

Role groups:

Ranger Admin

Advanced

Ranger Admin Advanced Configuration Snippet (Safety Valve) for conf/authorization-migration-site.xml

Description

For advanced use only. A string to be inserted into conf/authorization-migration-site.xml for this role only.

Related Name**Default Value****API Name**

conf/authorization-migration-site.xml_role_safety_valve

Required

false

Ranger Admin Advanced Configuration Snippet (Safety Valve) for conf/hadoop-metrics2.properties

Description

For advanced use only. A string to be inserted into conf/hadoop-metrics2.properties for this role only.

Related Name**Default Value****API Name**

conf/hadoop-metrics2.properties_role_safety_valve

Required

false

Ranger Admin Advanced Configuration Snippet (Safety Valve) for conf/ranger-admin-site.xml

Description

For advanced use only. A string to be inserted into conf/ranger-admin-site.xml for this role only.

Related Name**Default Value****API Name**

conf/ranger-admin-site.xml_role_safety_valve

Required

false

Ranger Admin Advanced Configuration Snippet (Safety Valve) for conf/ranger-plugin-extra-configs.xml

Description

For advanced use only. A string to be inserted into conf/ranger-plugin-extra-configs.xml for this role only.

Related Name**Default Value****API Name**

conf/ranger-plugin-extra-configs.xml_role_safety_valve

Required

false

Ranger Admin Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j2.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory

Description

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory

Description

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name

Default Value

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory

Description

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name

Default Value

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name

Default Value

false

API Name

process_auto_restart

Required

true

Role Specific System Group

Description

The group that this role's processes should run as.

Related Name**Default Value**

ranger

API Name

process_groupname

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Role Specific System User

Description

The user that this role's processes should run as.

Related Name

Default Value

ranger

API Name

process_username

Required

true

Ranger Admin Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name

Default Value

API Name

RANGER_ADMIN_role_env_safety_valve

Required

false

Ranger Admin Advanced Configuration Snippet (Safety Valve) for solrconfig.properties

Description

For advanced use only. A string to be inserted into solrconfig.properties for this role only.

Related Name

Default Value

API Name

solrconfig.properties_role_safety_valve

Required

false

Ranger Admin Advanced Configuration Snippet (Safety Valve) for solrconfig.xml

Description

For advanced use only. A string to be inserted into solrconfig.xml for this role only.

Related Name

Default Value

API Name

solrconfig.xml_role_safety_valve

Required

false

Logs

Ranger Admin Log Directory

Description

The log directory for log files of the role Ranger Admin.

Related Name

ranger.logs.base.dir

Default Value

/var/log/ranger/admin

API Name

log_dir

Required

false

Ranger Admin Logging Threshold

Description

The minimum log level for Ranger Admin logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Ranger Admin Maximum Log File Backups

Description

The maximum number of rolled log files to keep for Ranger Admin logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

Ranger Admin Max Log Size

Description

The maximum size, in megabytes, per log file for Ranger Admin logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring**Enable Health Alerts for this Role****Description**

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter

Description

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.

- **Metric Name** - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking [View as JSON](#). In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name

Default Value

API Name

`monitoring_metric_filter`

Required

`false`

OpenTelemetry Collector Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

`otelcol_exporters`

Required

`false`

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

`otelcol_extensions`

Required

false

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify

`$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name

Default Value

API Name

`otelcol_remote_write_password`

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

`$INFRA(cdp_request_signer_url)`

API Name

`otelcol_remote_write_url`

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify `$INFRA(cdp_request_signer_username)` when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

`$INFRA(cdp_request_signer_username)`

API Name

`otelcol_remote_write_user`

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name

Default Value

Warning: 50.0 %, Critical: 70.0 %

API Name

ranger_admin_fd_thresholds

Required

false

Ranger Admin Host Health Test**Description**

When computing the overall Ranger Admin health, consider the host's health.

Related Name**Default Value**

true

API Name

ranger_admin_host_health_enabled

Required

false

Ranger Admin Process Health Test**Description**

Enables the health test that the Ranger Admin's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

ranger_admin_scm_health_enabled

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=\$ROLENAM and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}] See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period**Description**

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other**Authorization Migration Skip Owner Policies****Description**

To skip {OWNER} policies when performing Sentry to Ranger Migration, enabled skipping of {OWNER} policies by default, or set it to false to have {OWNER} policies created.

Related Name

authorization.migration.skip.owner.policy

Default Value

true

API Name

authorization_migration_skip_owner_policy

Required

false

Ranger Admin Diagnostics Collection Timeout**Description**

The timeout in milliseconds to wait for diagnostics collection to complete.

Related Name**Default Value**

5 minute(s)

API Name

csd_role_diagnostics_timeout

Required

false

Exclude Users from Audit Access Tab**Description**

A single user, or a comma-separated list of multiple users that are excluded from Ranger audits when the Exclude Service Users checkbox is selected on the Ranger Audit Access tab in the Ranger Admin Web UI.

Related Name

ranger.accesslogs.exclude.users.list

Default Value

rangertagsync, mapred, spark, oozie, hue, streamsmgmr, streamsrepmgr, cruisecontrol, impala, zeppelin

API Name

ranger.accesslogs.exclude.users.list

Required

false

Kerberos Cookie Path**Description**

Kerberos Cookie path.

Related Name

ranger.admin.kerberos.cookie.path

Default Value

/

API Name

ranger.admin.kerberos.cookie.path

Required

false

Kerberos Token Valid Seconds

Description

Kerberos token validity.

Related Name

ranger.admin.kerberos.token.valid.seconds

Default Value

30

API Name

ranger.admin.kerberos.token.valid.seconds

Required

false

Maximum Shards for Solr Collection of Ranger Audits

Description

Maximum number of shards for the Ranger Audit Solr collection. The recommended value is, number of replica given multiple by number of shards given for the collection.

Related Name

ranger.audit.solr.max.shards.per.node

Default Value

4

API Name

ranger.audit.solr.max.shards.per.node

Required

true

Replicas for Solr Collection of Ranger Audits

Description

Number of replicas for Ranger Audit Solr collection. The recommended value is, number of Solr servers running in the current cluster divided by number of shards for the collection.

Related Name

ranger.audit.solr.no.replica

Default Value

1

API Name

ranger.audit.solr.no.replica

Required

true

Enable Knox Trusted Proxy Support

Description

Determine if the Ranger service should allow authentication using Knox trusted proxy.

Related Name

ranger.authentication.allow.trustedproxy

Default Value

true

API Name

ranger.authentication.allow.trustedproxy

Required

false

Ranger DB Auth Type

Description

Ranger database authentication type.

Related Name

ranger.db.ssl.auth.type

Default Value

1-way

API Name

ranger.db.ssl.auth.type

Required

false

Ranger Admin Database SSL Certificate File

Description

Specifies database certificate file location.

Related Name

ranger.db.ssl.certificateFile

Default Value

API Name

ranger.db.ssl.certificateFile

Required

false

Ranger DB SSL Enabled

Description

Ranger database SSL enabled.

Related Name

ranger.db.ssl.enabled

Default Value

false

API Name

ranger.db.ssl.enabled

Required

false

Ranger DB SSL Required

Description

Ranger database SSL required.

Related Name

ranger.db.ssl.required

Default Value

false

API Name

ranger.db.ssl.required

Required

false

Ranger DB SSL Verify Server Certificate

Description

Verify database SSL server certificate.

Related Name

ranger.db.ssl.verifyServerCertificate

Default Value

false

API Name

ranger.db.ssl.verifyServerCertificate

Required

false

Default Policy Groups

Description

Single or comma separated list of groups that are required in default policies for Ranger plugin services. The groups will be added for any new Ranger Plugin services created in Ranger Admin after setting value to this parameter.

Related Name

ranger.default.policy.groups

Default Value

API Name

ranger.default.policy.groups

Required

false

Default Policy Users

Description

Single or comma separated list of users that are required in default policies for Ranger plugin services. The users will be added for any new Ranger Plugin services created in Ranger Admin after setting value to this parameter.

Related Name

ranger.default.policy.users

Default Value

API Name

ranger.default.policy.users

Required

false

Default HBase Policy Groups

Description

Single or comma separated list of groups that are required in HBase default policies for Ranger plugin services. The groups will be added for any new Ranger Plugin services created in Ranger Admin after setting value to this parameter.

Related Name

ranger.hbase.default.admin.groups

Default Value**API Name**

ranger.hbase.default.admin.groups

Required

false

Ranger Admin Keystore File

Description

Specifies keystore file for Ranger Admin in case of 2-way SSL authentication to SSL enabled database used by Ranger.

Related Name

ranger.keystore.file

Default Value**API Name**

ranger.keystore.file

Required

false

Ranger Admin Keystore Password

Description

The password for Ranger Admin keystore file.

Related Name

ranger.keystore.password

Default Value**API Name**

ranger.keystore.password

Required

false

Admin AD Auth Base DN

Description

This parameter is only used if Authentication method is AD. The Distinguished Name (DN) of the starting point for directory server searches.

Related Name

ranger.ldap.ad.base.dn

Default Value**API Name**

ranger.ldap.ad.base.dn

Required

false

Admin AD Auth Bind DN**Description**

Full distinguished name (DN), including common name (CN), of an AD user account that has privileges to search for users. Only used if Authentication method is AD.

Related Name

ranger.ldap.ad.bind.dn

Default Value**API Name**

ranger.ldap.ad.bind.dn

Required

false

Admin AD Auth Domain Name**Description**

AD domain. Only used if Authentication method is AD.

Related Name

ranger.ldap.ad.domain

Default Value**API Name**

ranger.ldap.ad.domain

Required

false

Admin AD Auth Referral**Description**

This parameter is only used if Authentication method is AD. Set to follow if multiple AD servers are configured to return continuation references for results. Set to ignore (default) if no referrals should be followed.

Related Name

ranger.ldap.ad.referral

Default Value

ignore

API Name

ranger.ldap.ad.referral

Required

false

Admin AD Auth URL**Description**

AD URL. Only used if Authentication method is AD.

Related Name

ranger.ldap.ad.url

Default Value**API Name**

ranger.ldap.ad.url

Required

false

Admin AD Auth User Search Filter**Description**

AD user search filter. Only used if Authentication method is AD.

Related Name

ranger.ldap.ad.user.searchfilter

Default Value**API Name**

ranger.ldap.ad.user.searchfilter

Required

false

Admin LDAP Auth Base DN**Description**

The Distinguished Name (DN) of the starting point for directory server searches. Only used if Authentication method is LDAP.

Related Name

ranger.ldap.base.dn

Default Value**API Name**

ranger.ldap.base.dn

Required

false

Admin LDAP Auth Bind User**Description**

Full distinguished name (DN), including common name (CN), of an LDAP user account that has privileges to search for users. This user is used for searching the users. This could be read-only LDAP user. Example: cn=admin,dc=example,dc=com.

Related Name

ranger.ldap.bind.dn

Default Value**API Name**

ranger.ldap.bind.dn

Required

false

Admin LDAP Auth Group Role Attribute

Description

LDAP group role attribute. Only used if Authentication method is LDAP.

Related Name

ranger.ldap.group.roleattribute

Default Value**API Name**

ranger.ldap.group.roleattribute

Required

false

Admin LDAP Auth Group Search Base

Description

LDAP group searchbase. Only used if Authentication method is LDAP.

Related Name

ranger.ldap.group.searchbase

Default Value**API Name**

ranger.ldap.group.searchbase

Required

false

Admin LDAP Auth Group Search Filter

Description

LDAP group search filter. Only used if Authentication method is LDAP.

Related Name

ranger.ldap.group.searchfilter

Default Value**API Name**

ranger.ldap.group.searchfilter

Required

false

Admin LDAP Auth Referral

Description

This parameter is only used if Authentication method is LDAP. Set to follow if multiple LDAP servers are configured to return continuation references for results. Set to ignore (default) if no referrals should be followed. When this parameter is set to throw, all of the normal entries are returned in the enumeration first, before the ReferralException is thrown.

Related Name

ranger.ldap.referral

Default Value

ignore

API Name

ranger.ldap.referral

Required

false

Admin LDAP Auth URL

Description

LDAP server URL. Example: value = ldap://localhost:389 or ldaps://localhost:636.

Related Name

ranger.ldap.url

Default Value

API Name

ranger.ldap.url

Required

false

Admin LDAP Auth User DN Pattern

Description

LDAP user DN. Only used if Authentication method is LDAP.

Related Name

ranger.ldap.user.dnpattern

Default Value

API Name

ranger.ldap.user.dnpattern

Required

false

Admin LDAP Auth User Search Filter

Description

LDAP user search filter. Only used if Authentication method is LDAP.

Related Name

ranger.ldap.user.searchfilter

Default Value

API Name

ranger.ldap.user.searchfilter

Required

false

Ranger Admin TLS/SSL Keystore File Alias

Description

The alias for the Ranger Admin TLS/SSL keystore file. User must configure the alias for the Ranger Admin keystore.

Related Name

ranger.service.https.attrib.keystore.keyalias

Default Value

API Name

ranger.service.https.attrib.keystore.keyalias

Required

false

Session Inactivity Timeout For Ranger Admin

Description

Session Inactivity Timeout for users to log in to the Ranger Admin Portal.

Related Name

ranger.service.inactivity.timeout

Default Value

-1 second(s)

API Name

ranger.service.inactivity.timeout

Required

false

SSO Browser Useragent

Description

Comma seperated values of browser agent.

Related Name

ranger.sso.browser.useragent

Default Value

Mozilla, chrome

API Name

ranger.sso.browser.useragent

Required

false

Enable Ranger SSO

Description

Determine if Ranger is Knox SSO enabled or not ?

Related Name

ranger.sso.enabled

Default Value

false

API Name

ranger.sso.enabled

Required

false

SSO Provider Url

Description

SSO provider url Example: https://KNOX_HOST:KNOX_PORT/gateway/
KNOXSSO_TOPOLOGY_NAME/api/v1/websso.

Related Name

ranger.sso.providerurl

Default Value**API Name**

ranger.sso.providerurl

Required

false

SSO Public Key**Description**

Public key for SSO cookie verification.

Related Name

ranger.sso.publicKey

Default Value**API Name**

ranger.sso.publicKey

Required

false

Enable Auto Create Tag Service**Description**

Whether to create tag service in Ranger Admin.

Related Name

ranger.tagservice.auto.create

Default Value

true

API Name

ranger.tagservice.auto.create

Required

false

Enable Tag Service Auto Link**Description**

Whether to link the Tag service set in "Tag Service Name" parameter to all available services in Ranger Admin.

Related Name

ranger.tagservice.auto.link

Default Value

true

API Name

ranger.tagservice.auto.link

Required

false

Tag Service Name

Description

Name of the tag service that will be created in Ranger Admin when "Enable Auto Create Tag Service" parameter is enabled.

Related Name

ranger.tagservice.auto.name

Default Value

cm_tag

API Name

ranger.tagservice.auto.name

Required

false

Admin UNIX Auth Remote Login

Description

Whether remote login is enabled. Only used if Authentication method is UNIX.

Related Name

ranger.unixauth.remote.login.enabled

Default Value

true

API Name

ranger.unixauth.remote.login.enabled

Required

false

Admin UNIX Auth Service Hostname

Description

Host where unix authentication service is running. Only used if Authentication method is UNIX. {{RANGER_USERSYNC_HOST}} is a placeholder value which will be replaced with the host where Ranger Usersync will be installed in the current cluster.

Related Name

ranger.unixauth.service.hostname

Default Value

RANGER_USERSYNC_HOST

API Name

ranger.unixauth.service.hostname

Required

false

Ranger Admin Access log Rotation Max Days

Description

The number of days to retain Ranger Admin Access logs before they are automatically rotated.

Related Name

ranger.accesslog.rotate.max.days

Default Value

15

API Name

ranger_accesslog_rotate_max_days

Required

false

Ranger Admin Canary Health Enabled

Description

Ranger Admin Canary is enabled/disabled.

Related Name

ranger_admin_canary_health_enabled

Default Value

true

API Name

ranger_admin_canary_health_enabled

Required

false

Ranger Admin Canary Health Timeout

Description

Timeout for Ranger Admin Canary health check.

Related Name

ranger_admin_canary_health_timeout

Default Value

30 second(s)

API Name

ranger_admin_canary_health_timeout

Required

false

Ranger Admin Client Java Opts

Description

These are Java command-line arguments for Ranger Admin. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here.

Related Name

ranger_admin_client_java_opts

Default Value

API Name

ranger_admin_client_java_opts

Required

false

Ranger Admin Conf Path

Description

Staging directory for Ranger Admin Configuration. This should generally not be changed.

Related Name

ranger_admin_conf_path

Default Value

/etc/ranger/admin

API Name

ranger_admin_conf_path

Required

true

Ranger Admin Max Heapsize**Description**

Maximum size for the Java Process heap. Passed to Java -Xmx. Measured in megabytes.

Related Name

ranger_admin_max_heap_size

Default Value

1 GiB

API Name

ranger_admin_max_heap_size

Required

true

Ranger Solr Collection Backend Configuration**Description**

Ranger Solr Collection Backend Configuration.

Related Name

ranger.audit.solr.config.backend.fs.type

Default Value

LocalFS

API Name

ranger_audit_solr_config_backend_fs_type

Required

false

Auto Delete Period in seconds for Solr Collection of Ranger Audits**Description**

Auto Delete Period in seconds for Solr Collection of Ranger Audits for expired documents.

Related Name

ranger.audit.solr.config.delete.trigger

Default Value

1 day(s)

API Name

ranger_audit_solr_config_delete_trigger

Required

false

Time To Live for Solr Collection of Ranger Audits

Description

Time To Live for Solr Collection of Ranger Audits.

Related Name

ranger.audit.solr.config.ttl

Default Value

90

API Name

ranger_audit_solr_config_ttl

Required

false

Admin Authentication Method

Description

Authentication Method for login to Ranger Admin.

Related Name

ranger.authentication.method

Default Value

PAM

API Name

ranger_authentication_method

Required

false

Admin AD Auth Bind Password

Description

Password for the account that can search for users. Only used if Authentication method is AD.

Related Name

ranger.ldap.ad.bind.password

Default Value**API Name**

ranger_ldap_ad_bind_password

Required

false

Admin LDAP Auth Bind User Password

Description

Password for the account that can search for users.

Related Name

ranger.ldap.bind.password

Default Value**API Name**

ranger_ldap_bind_password

Required

false

Knox Proxy User Groups

Description

Accepts a list of group names. The Knox user can impersonate only the users that belong to the groups specified in the list. The wildcard value * may be used to allow impersonation of any user belonging to any group.

Related Name

ranger.proxyuser.knox.groups

Default Value

*

API Name

ranger_proxyuser_knox_groups

Required

false

Knox Proxy User Hosts

Description

Accepts a list of IP addresses, IP address ranges in CIDR format and/or host names. The Knox user can impersonate only the requests coming from hosts specified in the list. The wildcard value * may be used to allow impersonation from any host.

Related Name

ranger.proxyuser.knox.hosts

Default Value

*

API Name

ranger_proxyuser_knox_hosts

Required

false

Knox Proxy User Users

Description

Accepts a list of usernames. The Knox user can impersonate only the users specified in the list. The wildcard value * may be used to allow impersonation of any user.

Related Name

ranger.proxyuser.knox.users

Default Value

*

API Name

ranger_proxyuser_knox_users

Required

false

Ranger Tomcat Work Dir

Description

Tomcat work directory for Ranger Admin.

Related Name

ranger.tomcat.work.dir

Default Value

/var/lib/ranger/admin/work

API Name

ranger_tomcat_work_dir

Required

true

Performance**Maximum Process File Descriptors****Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses**Admin Unix Auth Service Port****Description**

Port for unix authentication service. Only used if Authentication method is UNIX.

Related Name

ranger.unixauth.service.port

Default Value

5151

API Name

ranger.unixauth.service.port

Required

false

Resource Management**Cgroup V1 BLKIO Weight****Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2'
These settings override other cgroup settings.

Related Name

custom.cgroups

Default Value

API Name

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security**Role-Specific Kerberos Principal****Description**

Kerberos principal used by the Ranger Admin roles.

Related Name**Default Value**

`rangeradmin`**API Name**`kerberos_role_princ_name`**Required**`true`**Ranger Admin TLS/SSL Trust Store File****Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Ranger Admin might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name`ranger.truststore.file`**Default Value****API Name**`ssl_client_truststore_location`**Required**`false`**Ranger Admin TLS/SSL Trust Store Password****Description**

The password for the Ranger Admin TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name`ranger.truststore.password`**Default Value****API Name**`ssl_client_truststore_password`**Required**`false`**Enable TLS/SSL for Ranger Admin****Description**

Encrypt communication between clients and Ranger Admin using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name`ranger.service.https.attrib.ssl.enabled`**Default Value**`false`**API Name**`ssl_enabled`**Required**`false`

Ranger Admin TLS/SSL Server Keystore File Location

Description

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Ranger Admin is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

ranger.https.attrib.keystore.file

Default Value**API Name**

ssl_server_keystore_location

Required

false

Ranger Admin TLS/SSL Server Keystore File Password

Description

The password for the Ranger Admin keystore file.

Related Name

ranger.service.https.attrib.keystore.pass

Default Value**API Name**

ssl_server_keystore_password

Required

false

SSL/TLS Cipher Suite

Description

The SSL/TLS cipher suites to use. "Modern 2018" is a modern set of cipher suites as of 2018, according to the Mozilla server-side TLS recommendations. These cipher suites use strong cryptography and are preferred unless interaction with older clients is required. These modern cipher suites are compatible with Firefox 27, Chrome 22, Internet Explorer 11, Opera 14, Safari 7, Android 4.4, and Java 8. "Intermediate 2018" is an intermediate set of cipher suites as of 2018, according to the Mozilla server-side TLS recommendations. Select the Intermediate 2018 cipher suites if you require compatibility with a wider range of clients, legacy browsers, or older Linux tools.

Related Name

ranger.tomcat.ciphers

Default Value

modern2018

API Name

tls_ciphers

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory**Description**

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Ranger Admin Advanced Configuration Snippet (Safety Valve) for conf/authorization-migration-site.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Admin Advanced Configuration Snippet (Safety Valve) for conf/authorization-migration-site.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_conf/authorization-migration-site.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Ranger Admin Advanced Configuration Snippet (Safety Valve) for conf/hadoop-metrics2.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Admin Advanced Configuration Snippet (Safety Valve) for conf/hadoop-metrics2.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_conf/hadoop-metrics2.properties_role_safety_valve

Required

true

Suppress Parameter Validation: Ranger Admin Advanced Configuration Snippet (Safety Valve) for conf/ranger-admin-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Admin Advanced Configuration Snippet (Safety Valve) for conf/ranger-admin-site.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_conf/ranger-admin-site.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Ranger Admin Advanced Configuration Snippet (Safety Valve) for conf/ranger-plugin-extra-configs.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Admin Advanced Configuration Snippet (Safety Valve) for conf/ranger-plugin-extra-configs.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_conf/ranger-plugin-extra-configs.xml_role_safety_valve

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Role-Specific Kerberos Principal**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role-Specific Kerberos Principal parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_kerberos_role_princ_name

Required

true

Suppress Parameter Validation: Ranger Admin Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Admin Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Ranger Admin Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Admin Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_otelcol_helper_port`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Processors Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_processors`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Receivers Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_receivers`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_remote_write_password`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

	false
API Name	role_config_suppression_otelcol_service
Required	true

Suppress Parameter Validation: Role Specific System Group

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Specific System Group parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_process_groupname
Required	true

Suppress Parameter Validation: Role Specific System User

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Specific System User parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_process_username
Required	true

Suppress Parameter Validation: Exclude Users from Audit Access Tab

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Exclude Users from Audit Access Tab parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_ranger.accesslogs.exclude.users.list
Required	true

Suppress Parameter Validation: Kerberos Cookie Path

Description	
--------------------	--

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Cookie Path parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.admin.kerberos.cookie.path

Required

true

Suppress Parameter Validation: Ranger Admin Database SSL Certificate File**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Admin Database SSL Certificate File parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.db.ssl.certificatefile

Required

true

Suppress Parameter Validation: Default Policy Groups**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Default Policy Groups parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.default.policy.groups

Required

true

Suppress Parameter Validation: Default Policy Users**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Default Policy Users parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.default.policy.users

Required

true

Suppress Parameter Validation: Default HBase Policy Groups

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Default HBase Policy Groups parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.hbase.default.admin.groups

Required

true

Suppress Parameter Validation: Ranger Admin Keystore File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Admin Keystore File parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.keystore.file

Required

true

Suppress Parameter Validation: Ranger Admin Keystore Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Admin Keystore Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.keystore.password

Required

true

Suppress Parameter Validation: Admin AD Auth Base DN

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin AD Auth Base DN parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.ldap.ad.base.dn

Required

true

Suppress Parameter Validation: Admin AD Auth Bind DN

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin AD Auth Bind DN parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.ldap.ad.bind.dn

Required

true

Suppress Parameter Validation: Admin AD Auth Domain Name

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin AD Auth Domain Name parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.ldap.ad.domain

Required

true

Suppress Parameter Validation: Admin AD Auth URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin AD Auth URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.ldap.ad.url

Required

true

Suppress Parameter Validation: Admin AD Auth User Search Filter

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin AD Auth User Search Filter parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.ldap.ad.user.searchfilter

Required

true

Suppress Parameter Validation: Admin LDAP Auth Base DN**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin LDAP Auth Base DN parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.ldap.base.dn

Required

true

Suppress Parameter Validation: Admin LDAP Auth Bind User**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin LDAP Auth Bind User parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.ldap.bind.dn

Required

true

Suppress Parameter Validation: Admin LDAP Auth Group Role Attribute**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin LDAP Auth Group Role Attribute parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.ldap.group.roleattribute

Required

true

Suppress Parameter Validation: Admin LDAP Auth Group Search Base**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin LDAP Auth Group Search Base parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.ldap.group.searchbase

Required

true

Suppress Parameter Validation: Admin LDAP Auth Group Search Filter**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin LDAP Auth Group Search Filter parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.ldap.group.searchfilter

Required

true

Suppress Parameter Validation: Admin LDAP Auth URL**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin LDAP Auth URL parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.ldap.url

Required

true

Suppress Parameter Validation: Admin LDAP Auth User DN Pattern**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin LDAP Auth User DN Pattern parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_ranger.ldap.user.dnpattern`**Required**`true`**Suppress Parameter Validation: Admin LDAP Auth User Search Filter****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin LDAP Auth User Search Filter parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ranger.ldap.user.searchfilter`**Required**`true`**Suppress Parameter Validation: Ranger Admin TLS/SSL Keystore File Alias****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Admin TLS/SSL Keystore File Alias parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ranger.service.https.attrib.keystore.keyalias`**Required**`true`**Suppress Parameter Validation: SSO Browser Useragent****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SSO Browser Useragent parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ranger.sso.browser.useragent`**Required**`true`**Suppress Parameter Validation: SSO Provider Url****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SSO Provider Url parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.sso.providerurl

Required

true

Suppress Parameter Validation: SSO Public Key

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SSO Public Key parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.sso.publickey

Required

true

Suppress Parameter Validation: Tag Service Name

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Tag Service Name parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.tagservice.auto.name

Required

true

Suppress Parameter Validation: Admin UNIX Auth Service Hostname

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin UNIX Auth Service Hostname parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.unixauth.service.hostname

Required

true

Suppress Parameter Validation: Admin Unix Auth Service Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin Unix Auth Service Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.unixauth.service.port

Required

true

Suppress Parameter Validation: Ranger Admin Client Java Opts**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Admin Client Java Opts parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_admin_client_java_opts

Required

true

Suppress Parameter Validation: Ranger Admin Conf Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Admin Conf Path parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_admin_conf_path

Required

true

Suppress Parameter Validation: Ranger Admin Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Admin Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_admin_role_env_safety_valve

Required

true

Suppress Parameter Validation: Admin AD Auth Bind Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin AD Auth Bind Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_ldap_ad_bind_password

Required

true

Suppress Parameter Validation: Admin LDAP Auth Bind User Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin LDAP Auth Bind User Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_ldap_bind_password

Required

true

Suppress Parameter Validation: Knox Proxy User Groups**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Proxy User Groups parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_proxyuser_knox_groups

Required

true

Suppress Parameter Validation: Knox Proxy User Hosts**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Proxy User Hosts parameter.

Related Name**Default Value**

	false
API Name	role_config_suppression_ranger_proxyuser_knox_hosts
Required	true

Suppress Parameter Validation: Knox Proxy User Users

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Proxy User Users parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_proxyuser_knox_users

Required

true

Suppress Parameter Validation: Ranger Tomcat Work Dir

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Tomcat Work Dir parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_tomcat_work_dir

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Ranger Admin Advanced Configuration Snippet (Safety Valve) for solrconfig.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Admin Advanced Configuration Snippet (Safety Valve) for solrconfig.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_solrconfig.properties_role_safety_valve

Required

true

Suppress Parameter Validation: Ranger Admin Advanced Configuration Snippet (Safety Valve) for solrconfig.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Admin Advanced Configuration Snippet (Safety Valve) for solrconfig.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_solrconfig.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Ranger Admin TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Admin TLS/SSL Trust Store File parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: Ranger Admin TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Admin TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Parameter Validation: Ranger Admin TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Admin TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: Ranger Admin TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Admin TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Ranger Admin URL Canary Check**Description**

Whether to suppress the results of the Ranger Admin URL Canary Check health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_admin_canary

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_ranger_admin_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_ranger_admin_file_descriptor

Required

true

Suppress Health Test: Host Health

Description

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_ranger_admin_host_health

Required

true

Suppress Health Test: Log Directory Free Space

Description

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_ranger_admin_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health

Description

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_ranger_admin_otelcol_health

Required

true

Suppress Health Test: Process Status

Description

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_ranger_ranger_admin_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_ranger_admin_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_ranger_admin_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits**Description**

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_ranger_admin_unexpected_exits

Required

true

Ranger Tagsync

Advanced

Ranger Tagsync Advanced Configuration Snippet (Safety Valve) for conf/atlas-application.properties

Description

For advanced use only. A string to be inserted into conf/atlas-application.properties for this role only.

Related Name**Default Value****API Name**

conf/atlas-application.properties_role_safety_valve

Required

false

Ranger Tagsync Advanced Configuration Snippet (Safety Valve) for conf/ranger-tagsync-policymgr-ssl.xml

Description

For advanced use only. A string to be inserted into conf/ranger-tagsync-policymgr-ssl.xml for this role only.

Related Name**Default Value****API Name**

conf/ranger-tagsync-policymgr-ssl.xml_role_safety_valve

Required

false

Ranger Tagsync Advanced Configuration Snippet (Safety Valve) for conf/ranger-tagsync-site.xml

Description

For advanced use only. A string to be inserted into conf/ranger-tagsync-site.xml for this role only.

Related Name**Default Value****API Name**

conf/ranger-tagsync-site.xml_role_safety_valve

Required

false

Ranger Tagsync Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j2.properties for this role only.

Related Name**Default Value****API Name**

`log4j_safety_valve`**Required**`false`**Enable auto refresh for metric configurations****Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**`false`**API Name**`metric_config_auto_refresh`**Required**`false`**Heap Dump Directory****Description**

Path to directory where heap dumps are generated when `java.lang.OutOfMemoryError` error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name`oom_heap_dump_dir`**Default Value**`/tmp`**API Name**`oom_heap_dump_dir`**Required**`false`**Dump Heap When Out of Memory****Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**`false`**API Name**`oom_heap_dump_enabled`**Required**`true`**Kill When Out of Memory****Description**

When set, a SIGKILL signal is sent to the role process when `java.lang.OutOfMemoryError` is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Role Specific System Group

Description

The group that this role's processes should run as.

Related Name**Default Value**

ranger

API Name

process_groupname

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Role Specific System User**Description**

The user that this role's processes should run as.

Related Name**Default Value**

ranger

API Name

process_username

Required

true

Ranger Tagsync Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name

Default Value

API Name

RANGER_TAGSYNC_role_env_safety_valve

Required

false

Logs

Ranger Tagsync Log Directory

Description

The log directory for log files of the role Ranger Tagsync.

Related Name

ranger.tagsync.logdir

Default Value

/var/log/ranger/tagsync

API Name

log_dir

Required

false

Ranger Tagsync Logging Threshold

Description

The minimum log level for Ranger Tagsync logs

Related Name

Default Value

INFO

API Name

log_threshold

Required

false

Ranger Tagsync Maximum Log File Backups

Description

The maximum number of rolled log files to keep for Ranger Tagsync logs. Typically used by log4j or logback.

Related Name

Default Value

10

API Name

max_log_backup_index

Required

false

Ranger Tagsync Max Log Size

Description

The maximum size, in megabytes, per log file for Ranger Tagsync logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring**Enable Health Alerts for this Role****Description**

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML**Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.

- **Default Dashboard Metric Set** - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- **Include/Exclude Custom Metrics** - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- **Metric Name** - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- **Include only Health Test Metric Set:** Selected.
- **Include/Exclude Custom Metrics:** Set to Include.
- **Metric Name:** `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name

Default Value

API Name

`monitoring_metric_filter`

Required

`false`

OpenTelemetry Collector Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

`exporters: prometheusremotewrite/$ROLE_NAME: endpoint: $ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls: insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s max_elapsed_time: 300s`

API Name

`otelcol_exporters`

Required

`false`

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
extensions: basicauth/$ROLE_NAME: client_auth: username:  
$ROLE_PARAM(otelcol_remote_write_user) password:  
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**`$INFRA(cdp_request_signer_url)`**API Name**

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify `$INFRA(cdp_request_signer_username)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**`$INFRA(cdp_request_signer_username)`**API Name**

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

ranger_tagsync_fd_thresholds

Required

false

Ranger Tagsync Host Health Test

Description

When computing the overall Ranger Tagsync health, consider the host's health.

Related Name**Default Value**

true

API Name

ranger_tagsync_host_health_enabled

Required

false

Ranger Tagsync Process Health Test

Description

Enables the health test that the Ranger Tagsync's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

ranger_tagsync_scm_health_enabled

Required

false

Role Triggers

Description

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- triggerName (mandatory) - The name of the trigger. This value must be unique for the specific role.
- triggerExpression (mandatory) - A tsquery expression representing the trigger.

- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name

Default Value

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name

Default Value

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

Atlas Source: Kafka Consumer Group

Description

Kafka consumer group.

Related Name

atlas.kafka.entities.group.id

Default Value

ranger_entities_consumer

API Name

atlas.kafka.entities.group.id

Required

false

Ranger Tagsync HA Zookeeper Zkroot

Description

Zookeeper Zkroot for Ranger Tagsync when HA is enabled.

Related Name

ranger-tagsync.server.ha.zookeeper.zkroot

Default Value

/ranger-tagsync

API Name

ranger-tagsync.server.ha.zookeeper.zkroot

Required

false

Capture Cluster name

Description

Capture cluster name.

Related Name

ranger.tagsync.atlas.default.cluster.name

Default Value

API Name

ranger.tagsync.atlas.default.cluster.name

Required

false

Enable Ranger Tagsync Cookie Authentication

Description

Enable cookie-based authentication for requests going from Ranger Tagsync to Ranger Admin.

Related Name

ranger.tagsync.cookie.enabled

Default Value

true

API Name

ranger.tagsync.cookie.enabled

Required

false

Ranger Tagsync Username

Description

Ranger Tagsync username in Ranger Admin.

Related Name

ranger.tagsync.dest.ranger.username

Default Value

rangertagsync

API Name

ranger.tagsync.dest.ranger.username

Required

false

Ranger Tagsync TLS/SSL Keystore File Alias

Description

The alias for the Ranger Tagsync TLS/SSL keystore file. User must configure the alias for the Ranger Tagsync keystore.

Related Name

ranger.tagsync.service.https.attrib.keystore.keyalias

Default Value

API Name

ranger.tagsync.service.https.attrib.keystore.keyalias

Required

false

Enable File Tag Source

Description

Whether to sync tags from file.

Related Name

ranger.tagsync.source.file

Default Value

false

API Name

ranger.tagsync.source.file

Required

false

File Source: File Update Polling Interval

Description

Sync Interval for updating tags from file.

Related Name

ranger.tagsync.source.file.check.interval.millis

Default Value

1 minute(s)

API Name

ranger.tagsync.source.file.check.interval.millis

Required

false

File Source: Filename

Description

Filename containing tags.

Related Name

ranger.tagsync.source.file.filename

Default Value

API Name

ranger.tagsync.source.file.filename

Required

false

Ranger Tagsync Client Java Opts

Description

These are Java command-line arguments for Ranger Tagsync. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here.

Related Name

ranger_tagsync_client_java_opts

Default Value

API Name

ranger_tagsync_client_java_opts

Required

false

Ranger Tagsync Conf Path

Description

Staging directory for Ranger Tagsync Configuration. This should generally not be changed.

Related Name

ranger_tagsync_conf_path

Default Value

/etc/ranger/tagsync

API Name

ranger_tagsync_conf_path

Required

true

Ranger Tagsync Max Heapsize

Description

Maximum size for the Java Process heap. Passed to Java -Xmx. Measured in megabytes.

Related Name

ranger_tagsync_max_heap_size

Default Value

1 GiB

API Name

ranger_tagsync_max_heap_size

Required

true

Enable Ranger Tagsync Metrics

Description

Controls whether the Ranger Tagsync metrics are enabled.

Related Name

ranger.tagsync.metrics.enabled

Default Value

true

API Name

ranger_tagsync_metrics_enabled

Required

false

Ranger Tagsync Metrics File Name

Description

File name for the metrics exposed by Ranger Tagsync. The file is updated at the frequency configured by Ranger Tagsync Metrics Frequency.

Related Name

ranger.tagsync.metrics.filename

Default Value

metrics.json

API Name

ranger_tagsync_metrics_filename

Required

false

Ranger Tagsync Metrics File Path

Description

The location at which the metrics exposed by Ranger Tagsync will be written.

Related Name

ranger.tagsync.metrics.filepath

Default Value

/var/log/ranger/metrics-tagsync

API Name

ranger_tagsync_metrics_filepath

Required

false

Ranger Tagsync Metrics Frequency**Description**

The frequency at which the metrics are logged at Ranger Tagsync Metrics File Path.

Related Name

ranger.tagsync.metrics.frequencytimeinmillis

Default Value

1 minute(s)

API Name

ranger_tagsync_metrics_frequency

Required

false

Performance**Maximum Process File Descriptors****Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses**Tagsync HTTP Port****Description**

HTTP Port for Ranger Tagsync.

Related Name

ranger.tagsync.service.http.port

Default Value

8180

API Name

ranger_tagsync_http_port

Required

true

Tagsync HTTPS port**Description**

HTTPS Port for Ranger Tagsync. Only used when SSL is enabled for Ranger Tagsync.

Related Name

ranger.tagsync.service.https.port

Default Value

8183

API Name

ranger_tagsync_https_port

Required

true

Resource Management**Cgroup V1 BLKIO Weight****Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight
Default Value
100
API Name
rm_cpu_weight
Required
true

Custom Control Group Resources (overrides Cgroup settings)

Description
Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgroup command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***
Related Name
custom.cgroups
Default Value
API Name
rm_custom_resources
Required
false

Cgroup V2 I/O Weight

Description
Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.
Related Name
io.weight
Default Value
100
API Name
rm_io_weight
Required
true

Cgroup V1 Memory Hard Limit

Description
Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'
Related Name
memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes

not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security

Role-Specific Kerberos Principal

Description

Kerberos principal used by the Ranger Tagsync roles.

Related Name

Default Value

rangertagsync

API Name

kerberos_role_princ_name

Required

true

Ranger Tagsync TLS/SSL Trust Store File

Description

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Ranger Tagsync might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

xasecure.policymgr.clientssl.truststore

Default Value

API Name

ssl_client_truststore_location

Required

false

Ranger Tagsync TLS/SSL Trust Store Password

Description

The password for the Ranger Tagsync TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

xasecure.policymgr.clientssl.truststore.password

Default Value

API Name

ssl_client_truststore_password

Required

false

Enable TLS/SSL for Ranger Tagsync**Description**

Encrypt communication between clients and Ranger Tagsync using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

ranger.tagsync.service.https.attrib.ssl.enabled

Default Value

false

API Name

ssl_enabled

Required

false

Ranger Tagsync TLS/SSL Server Keystore File Location**Description**

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Ranger Tagsync is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

xasecure.policymgr.clientssl.keystore

Default Value**API Name**

ssl_server_keystore_location

Required

false

Ranger Tagsync TLS/SSL Server Keystore File Password**Description**

The password for the Ranger Tagsync keystore file.

Related Name

xasecure.policymgr.clientssl.keystore.password

Default Value**API Name**

ssl_server_keystore_password

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency

Description

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions**Suppress Parameter Validation: Atlas Source: Kafka Consumer Group****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas Source: Kafka Consumer Group parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_atlas.kafka.entities.group.id

Required

true

Suppress Configuration Validator: CDH Version Validator**Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Ranger Tagsync Advanced Configuration Snippet (Safety Valve) for conf/atlas-application.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Tagsync Advanced Configuration Snippet (Safety Valve) for conf/atlas-application.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_conf/atlas-application.properties_role_safety_valve

Required

true

Suppress Parameter Validation: Ranger Tagsync Advanced Configuration Snippet (Safety Valve) for conf/ranger-tagsync-policymgr-ssl.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Tagsync Advanced Configuration Snippet (Safety Valve) for conf/ranger-tagsync-policymgr-ssl.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_conf/ranger-tagsync-policymgr-ssl.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Ranger Tagsync Advanced Configuration Snippet (Safety Valve) for conf/ranger-tagsync-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Tagsync Advanced Configuration Snippet (Safety Valve) for conf/ranger-tagsync-site.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_conf/ranger-tagsync-site.xml_role_safety_valve

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Role-Specific Kerberos Principal

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role-Specific Kerberos Principal parameter.

Related Name

Default Value

false

API Name

role_config_suppression_kerberos_role_princ_name

Required

true

Suppress Parameter Validation: Ranger Tagsync Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Tagsync Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Ranger Tagsync Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Tagsync Log Directory parameter.

Related Name

Default Value

false

API Name

`role_config_suppression_log_dir`**Required**`true`**Suppress Parameter Validation: Heap Dump Directory****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_oom_heap_dump_dir`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Exporters Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_exporters`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Extensions Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_extensions`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Helper Port****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Role Specific System Group**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Specific System Group parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: Role Specific System User**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Specific System User parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_process_username

Required

true

Suppress Parameter Validation: Ranger Tagsync HA Zookeeper Zkroot**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Tagsync HA Zookeeper Zkroot parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger-tagsync.server.ha.zookeeper.zkroot

Required

true

Suppress Parameter Validation: Capture Cluster name**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Capture Cluster name parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.tagsync.atlas.default.cluster.name

Required

true

Suppress Parameter Validation: Ranger Tagsync Username**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Tagsync Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.tagsync.dest.ranger.username

Required

true

Suppress Parameter Validation: Ranger Tagsync TLS/SSL Keystore File Alias**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Tagsync TLS/SSL Keystore File Alias parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.tagsync.service.https.attrib.keystore.keyalias

Required

true

Suppress Parameter Validation: File Source: Filename**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the File Source: Filename parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_ranger_tagsync.source.file.filename`**Required**

true

Suppress Parameter Validation: Ranger Tagsync Client Java Opts**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Tagsync Client Java Opts parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_ranger_tagsync_client_java_opts`**Required**

true

Suppress Parameter Validation: Ranger Tagsync Conf Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Tagsync Conf Path parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_ranger_tagsync_conf_path`**Required**

true

Suppress Parameter Validation: Tagsync HTTP Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Tagsync HTTP Port parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_ranger_tagsync_http_port`**Required**

true

Suppress Parameter Validation: Tagsync HTTPS port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Tagsync HTTPS port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_tagsync_https_port

Required

true

Suppress Parameter Validation: Ranger Tagsync Metrics File Name

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Tagsync Metrics File Name parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_tagsync_metrics_filename

Required

true

Suppress Parameter Validation: Ranger Tagsync Metrics File Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Tagsync Metrics File Path parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_tagsync_metrics_filepath

Required

true

Suppress Parameter Validation: Ranger Tagsync Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Tagsync Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_tagsync_role_env_safety_valve

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Ranger Tagsync TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Tagsync TLS/SSL Trust Store File parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: Ranger Tagsync TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Tagsync TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

`role_config_suppression_ssl_client_truststore_password`**Required**`true`**Suppress Parameter Validation: Ranger Tagsync TLS/SSL Server Keystore File Location****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Tagsync TLS/SSL Server Keystore File Location parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ssl_server_keystore_location`**Required**`true`**Suppress Parameter Validation: Ranger Tagsync TLS/SSL Server Keystore File Password****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Tagsync TLS/SSL Server Keystore File Password parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ssl_server_keystore_password`**Required**`true`**Suppress Parameter Validation: Stacks Collection Directory****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_stacks_collection_directory`**Required**`true`**Suppress Health Test: Audit Pipeline Test****Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_ranger_tagsync_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_ranger_tagsync_file_descriptor

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_ranger_tagsync_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_ranger_tagsync_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health

Description

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_ranger_ranger_tagsync_otelcol_health

Required

true

Suppress Health Test: Process Status

Description

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_ranger_ranger_tagsync_scm_health

Required

true

Suppress Health Test: Swap Memory Usage

Description

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_ranger_ranger_tagsync_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_ranger_tagsync_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits**Description**

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_ranger_tagsync_unexpected_exits

Required

true

Ranger Usersync**Advanced****Ranger Usersync Advanced Configuration Snippet (Safety Valve) for conf/ranger-ugsync-extra-attrs.xml****Description**

For advanced use only. A string to be inserted into conf/ranger-ugsync-extra-attrs.xml for this role only.

Related Name**Default Value****API Name**

conf/ranger-ugsync-extra-attrs.xml_role_safety_valve

Required

false

Ranger Usersync Advanced Configuration Snippet (Safety Valve) for conf/ranger-ugsync-site.xml**Description**

For advanced use only. A string to be inserted into conf/ranger-ugsync-site.xml for this role only.

Related Name**Default Value****API Name**

conf/ranger-ugsync-site.xml_role_safety_valve

Required

false

Ranger Usersync Logging Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a string to be inserted into log4j2.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations**Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when `java.lang.OutOfMemoryError` is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Role Specific System Group**Description**

The group that this role's processes should run as.

Related Name**Default Value**

ranger

API Name

process_groupname

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Role Specific System User

Description

The user that this role's processes should run as.

Related Name**Default Value**

	ranger
API Name	process_username
Required	true

Ranger Usersync Environment Advanced Configuration Snippet (Safety Valve)

Description	For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.
Related Name	
Default Value	
API Name	RANGER_USERSYNC_role_env_safety_valve
Required	false

Logs

Ranger Usersync Log Directory

Description	The log directory for log files of the role Ranger Usersync.
Related Name	ranger.usersync.logdir
Default Value	/var/log/ranger/usersync
API Name	log_dir
Required	false

Ranger Usersync Logging Threshold

Description	The minimum log level for Ranger Usersync logs
Related Name	
Default Value	INFO
API Name	log_threshold
Required	false

Ranger Usersync Maximum Log File Backups

Description	
--------------------	--

The maximum number of rolled log files to keep for Ranger Usersync logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

Ranger Usersync Max Log Size**Description**

The maximum size, in megabytes, per log file for Ranger Usersync logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring**Enable Health Alerts for this Role****Description**

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML**Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name**Default Value****API Name**

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME,

`$CLUSTER_ID`, `$SERVICE_TYPE`, `$SERVICE_NAME`, `$ROLE_NAME`, `$ROLE_TYPE`,
`$ROLE_PARAM(my_parameter_name)` - e.g.: a port parameter for the role's metrics,
`$DECODE_B64(...)` and `$DECODE_URL(...)` to decode encoded parameters,
`$ENV_PARAM(name)` to fetch params from the process' environment, `$SYS_PARAM(name)` to
fetch java system properties.

Related Name

Default Value

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name

Default Value

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

`$INFRA(cdp_request_signer_url)`

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify

\$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds

Description

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

ranger_usersync_fd_thresholds

Required

false

Ranger Usersync Host Health Test

Description

When computing the overall Ranger Usersync health, consider the host's health.

Related Name**Default Value**

true

API Name

ranger_usersync_host_health_enabled

Required

false

Ranger Usersync Process Health Test

Description

Enables the health test that the Ranger Usersync's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

ranger_usersync_scm_health_enabled

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period**Description**

The period to review when computing unexpected exits.

Related Name

Default Value

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

Ranger Usersync HA Zookeeper Zkroot

Description

Zookeeper Zkroot for Ranger Usersync when HA is enabled.

Related Name

ranger-ugsync.server.ha.zookeeper.zkroot

Default Value

/ranger-ugsync

API Name

ranger-ugsync.server.ha.zookeeper.zkroot

Required

false

Enable Ranger Usersync Cookie Authentication

Description

Enable cookie-based authentication for requests going from Ranger Usersync to Ranger Admin.

Related Name

ranger.usersync.cookie.enabled

Default Value

true

API Name

ranger.usersync.cookie.enabled

Required

false

Enable User Sync

Description

Should users and groups be synchronized to Ranger Database? Required to setup Ranger policies.

Related Name

ranger.usersync.enabled

Default Value

true

API Name

ranger.usersync.enabled

Required

false

Usersync Filesource File Name

Description

Path to the file with the users and groups information. Only used when Usersync Sync Source is set to "org.apache.ranger.unixusersync.process.FileSourceUserGroupBuilder". Example: /tmp/usergroup.json or /tmp/usergroup.csv or /tmp/usergroup.txt.

Related Name

ranger.usersync.filesource.file

Default Value

API Name

ranger.usersync.filesource.file

Required

false

Usersync Filesource Delimiter

Description

Delimiter used in file, if File based user sync is used.

Related Name

ranger.usersync.filesource.text.delimiter

Default Value

,

API Name

ranger.usersync.filesource.text.delimiter

Required

false

Ranger Usersync Group Based Role Assignment Rules

Description

The parameter is used to assign roles to users and groups synced in Ranger Admin. Based on the given values specified in the above delimiter parameters, Ranger Usersync will parse the value specified in this parameter and sync users and groups along with roles given. Example - "ROLE_SYS_ADMIN:u:username1,username2&ROLE_KEY_ADMIN:g:groupname1".

Related Name

ranger.usersync.group.based.role.assignment.rules

Default Value

API Name

ranger.usersync.group.based.role.assignment.rules

Required

false

Usersync Group Member Attribute

Description

LDAP group member attribute name. Example: member.

Related Name

ranger.usersync.group.memberattributename

Default Value**API Name**

ranger.usersync.group.memberattributename

Required

false

Usersync Group Name Attribute**Description**

LDAP group name attribute. Example: cn.

Related Name

ranger.usersync.group.nameattribute

Default Value**API Name**

ranger.usersync.group.nameattribute

Required

false

Usersync Group Object Class**Description**

LDAP Group object class. Example: group.

Related Name

ranger.usersync.group.objectclass

Default Value**API Name**

ranger.usersync.group.objectclass

Required

false

Usersync Group Search Base**Description**

Search base for groups. Sample value would be ou=groups,dc=hadoop,dc=apache,dc=org. The parameter overrides value specified in ranger.usersync.ldap.user.searchbase. If a value is not specified, takes the value of ranger.usersync.ldap.user.searchbase. Multiple Ous can be configured with ; (semicolon) separated eg: ou=groups,DC=example,DC=com;ou=group1,ou=group2.

Related Name

ranger.usersync.group.searchbase

Default Value**API Name**

ranger.usersync.group.searchbase

Required

false

Usersync Group Search Filter

Description

Optional additional filter constraining the groups selected for syncing. A sample value would be (dept=eng).

Related Name

ranger.usersync.group.searchfilter

Default Value**API Name**

ranger.usersync.group.searchfilter

Required

false

Usersync Group Search Scope

Description

Search scope for the groups. Value "base" indicates that only the entry specified as the search base in ranger.usersync.group.searchbase should be considered. One "indicates" that only the immediate children of the entry specified as the search base in ranger.usersync.group.searchbase should be considered. "Sub" indicates that the entry specified as the search base in ranger.usersync.group.searchbase, and all of its subordinates to any depth, should be considered.

Related Name

ranger.usersync.group.searchscope

Default Value

sub

API Name

ranger.usersync.group.searchscope

Required

false

Usersync Keystore Password

Description

Keystore password.

Related Name

ranger.usersync.keystore.password

Default Value

API Name

ranger.usersync.keystore.password

Required

false

Usersync Bind User

Description

Full distinguished name (DN), including common name (CN), of an LDAP user account that has privileges to search for users. This user is used for searching the users. This could be read-only LDAP user. Example: cn=admin,dc=example,dc=com.

Related Name

ranger.usersync.ldap.binddn

Default Value**API Name**

ranger.usersync.ldap.binddn

Required

false

Usersync Incremental Sync

Description

Enable Incremental Sync.

Related Name

ranger.usersync.ldap.deltasync

Default Value

true

API Name

ranger.usersync.ldap.deltasync

Required

false

Usersync Group Hierarchy Levels

Description

Levels of LDAP directory tree where the groups need to be searched.

Related Name

ranger.usersync.ldap.grouphierarchylevels

Default Value

0

API Name

ranger.usersync.ldap.grouphierarchylevels

Required

false

Usersync Groupname Case Conversion

Description

Used for converting syncing groups to the selected case conversion.

Related Name

ranger.usersync.ldap.groupname.caseconversion

Default Value

none

API Name

ranger.usersync.ldap.groupname.caseconversion

Required

false

Usersync Ldap Group Names

Description

Provide group names that need to be synced to Ranger Admin. The group names will get separated by semicolons.

Related Name

ranger.usersync.ldap.groupnames

Default Value**API Name**

ranger.usersync.ldap.groupnames

Required

false

Usersync Referral

Description

Set to follow if multiple LDAP/AD servers are configured to return continuation references for results. Set to ignore if no referrals should be followed. When this parameter is set to throw, all of the normal entries are returned in the enumeration first, before the ReferralException is thrown.

Related Name

ranger.usersync.ldap.referral

Default Value

ignore

API Name

ranger.usersync.ldap.referral

Required

false

Usersync Enable STARTTLS

Description

Enable LDAP STARTTLS.

Related Name

ranger.usersync.ldap.starttls

Default Value

false

API Name

ranger.usersync.ldap.starttls

Required

false

Usersync LDAP/AD URL

Description

LDAP server URL. Example: value = ldap://localhost:389 or ldaps://localhost:636.

Related Name

ranger.usersync.ldap.url

Default Value**API Name**

ranger.usersync.ldap.url

Required

false

Usersync User Name Attribute**Description**

LDAP user name attribute. Example: sAMAccountName in AD, uid or cn in OpenLDAP.

Related Name

ranger.usersync.ldap.user.nameattribute

Default Value**API Name**

ranger.usersync.ldap.user.nameattribute

Required

false

Usersync User Object Class**Description**

LDAP User Object Class. Example: person or user.

Related Name

ranger.usersync.ldap.user.objectclass

Default Value**API Name**

ranger.usersync.ldap.user.objectclass

Required

false

Usersync User Search Base**Description**

Search base for users. Sample value would be ou=users,dc=hadoop,dc=apache,dc=org.
Multiple Ous can be configured with ; (semicolon) separated eg:
cn=users,dc=example,dc=com;ou=example1,ou=example2.

Related Name

ranger.usersync.ldap.user.searchbase

Default Value**API Name**

ranger.usersync.ldap.user.searchbase

Required

false

Usersync User Search Filter**Description**

Optional additional filter constraining the users selected for syncing. A sample value would be (dept=eng). Customize the value to suit your deployment.

Related Name

ranger.usersync.ldap.user.searchfilter

Default Value**API Name**

ranger.usersync.ldap.user.searchfilter

Required

false

Usersync User Search Scope**Description**

Search scope for the users. Value "base" indicates that only the entry specified as the search base in ranger.usersync.ldap.user.searchbase should be considered. "One" indicates that only the immediate children of the entry specified as the search base in ranger.usersync.ldap.user.searchbase should be considered. "Sub" indicates that the entry specified as the search base in ranger.usersync.ldap.user.searchbase, and all of its subordinates to any depth, should be considered.

Related Name

ranger.usersync.ldap.user.searchscope

Default Value

sub

API Name

ranger.usersync.ldap.user.searchscope

Required

false

Usersync Username Case Conversion**Description**

Used for converting syncing users to the selected case conversion.

Related Name

ranger.usersync.ldap.username.caseconversion

Default Value

none

API Name

ranger.usersync.ldap.username.caseconversion

Required

false

Enable Results to be Paged for User/Group Request**Description**

Whether results can be paged for User/Group requests.

Related Name

ranger.usersync.pagedresultsenabled

Default Value

true

API Name

ranger.usersync.pagedresultsenabled

Required

false

User/Group Request Page size.

Description

Enter Page size for User/Group Request.

Related Name

ranger.usersync.pagedresultssize

Default Value

500

API Name

ranger.usersync.pagedresultssize

Required

false

Maximum Records Per API Call

Description

Maximum number of records to be returned per API call.

Related Name

ranger.usersync.policymanager.maxrecordsperapicall

Default Value

1000

API Name

ranger.usersync.policymanager.maxrecordsperapicall

Required

true

Ranger Usersync Polycmgr Username

Description

Ranger Usersync username in Ranger Admin.

Related Name

ranger.usersync.policymgr.username

Default Value

rangerusersync

API Name

ranger.usersync.policymgr.username

Required

false

Ranger Usersync Unix Service Port

Description

Port for Unix authentication service.

Related Name

ranger.usersync.port

Default Value

5151

API Name

ranger.usersync.port

Required

true

Ranger Usersync Role Assignment List Delimiter**Description**

The parameter is used to specify delimiter while syncing roles to users and groups in Ranger Admin. It is a delimiter for roles. Example - "ROLE_SYS_ADMIN:u:username1,username2&ROLE_KEY_ADMIN:g:groupname1", where ROLE_SYS_ADMIN and ROLE_KEY_ADMIN are roles in Ranger Admin separated by delimiter &. Note - All the delimiters parameters ranger.usersync.role.assignment.list.delimiter, ranger.usersync.users.groups.assignment.list.delimiter and ranger.usersync.username.groupname.assignment.list.delimiter should have different values. The delimiters should not contain characters that are allowed in username or groupname.

Related Name

ranger.usersync.role.assignment.list.delimiter

Default Value

&

API Name

ranger.usersync.role.assignment.list.delimiter

Required

false

Ranger Usersync TLS/SSL Keystore File Alias**Description**

The alias for the Ranger Usersync TLS/SSL keystore file. User must configure the alias for the Ranger Usersync keystore.

Related Name

ranger.usersync.service.https.attrib.keystore.keyalias

Default Value**API Name**

ranger.usersync.service.https.attrib.keystore.keyalias

Required

false

Usersync Sleeptime interval**Description**

Sleep time interval between user sync operations in milliseconds.

Related Name

ranger.usersync.sleeptimeinmillisbetweensynccycle

Default Value

1 minute(s)

API Name

ranger.usersync.sleeptimeinmillisbetweensynccycle

Required

false

Source for Syncing User and Groups

Description

For syncing from Ldap source, use "org.apache.ranger.ldapusersync.process.LdapUserGroupBuilder". For syncing from Unix source, use "org.apache.ranger.unixusersync.process.UnixUserGroupBuilder". For syncing from File source, use "org.apache.ranger.unixusersync.process.FileSourceUserGroupBuilder"

Related Name

ranger.usersync.source.impl.class

Default Value

org.apache.ranger.unixusersync.process.UnixUserGroupBuilder

API Name

ranger.usersync.source.impl.class

Required

true

Ranger Usersync Unix Backend

Description

The backend mechanism to read users and groups from a UNIX system. The value is applicable only on UNIX-based systems.

Related Name

ranger.usersync.unix.backend

Default Value

nss

API Name

ranger.usersync.unix.backend

Required

false

Usersync UNIX Minimum User ID

Description

Minimum User ID to start syncing. This should be set to avoid syncing of UNIX system-level users in the Ranger Admin.

Related Name

ranger.usersync.unix.minUserId

Default Value

500

API Name

ranger.usersync.unix.minUserId

Required

false

Usersync Enable User Search

Description

Enable User Search to search users based on the attributes available from ranger.usersync.ldap.user.searchbase, ranger.usersync.ldap.user.objectclass,

ranger.usersync.ldap.user.searchfilter and ranger.usersync.ldap.user.nameattribute config parameters. Group information is available as part of the "memberof".

Related Name

ranger.usersync.user.searchenabled

Default Value

true

API Name

ranger.usersync.user.searchenabled

Required

false

Ranger Usersync Username Groupname Assignment List Delimiter**Description**

The parameter is used to specify a delimiter while syncing users and groups in Ranger Admin. Used as a delimiter to differentiate between two or more users and groups. Example - "ROLE_SYS_ADMIN:u:username1,username2", where username1 and username2 are separated by ,. Note - All the delimiters parameters ranger.usersync.role.assignment.list.delimiter, ranger.usersync.users.groups.assignment.list.delimiter and ranger.usersync.username.groupname.assignment.list.delimiter should have different values. The delimiters should not contain characters that are allowed in username or groupname.

Related Name

ranger.usersync.username.groupname.assignment.list.delimiter

Default Value

,

API Name

ranger.usersync.username.groupname.assignment.list.delimiter

Required

false

Ranger Usersync User Groups Assignment List Delimiter**Description**

The parameter is used to specify delimiter while syncing users and groups along with specified roles in Ranger Admin. It is a delimiter to differentiate between users and groups from respective roles. Example - "ROLE_SYS_ADMIN:u:username1,username2&ROLE_SYS_ADMIN:g:groupname1,groupname2", where ROLE_SYS_ADMIN is a role. "u" is used to denote the list of users followed by actual usernames which are username1 and username2. While "g" is used to denote the list of groups followed by actual groupnames which are groupname1 and groupname2. Note - All the delimiters parameters ranger.usersync.role.assignment.list.delimiter, ranger.usersync.users.groups.assignment.list.delimiter and ranger.usersync.username.groupname.assignment.list.delimiter should have different values. The delimiters should not contain characters that are allowed in username or groupname.

Related Name

ranger.usersync.users.groups.assignment.list.delimiter

Default Value

:

API Name

ranger.usersync.users.groups.assignment.list.delimiter

Required

false

Ranger Usersync Service User Based Role Assignment Rules**Description**

The parameter is used to assign roles to service users synced in Ranger Admin. Based on the given values specified in the above delimiter parameters, Ranger Usersync will parse the value specified in this parameter and sync users along with roles given.

Related Name

ranger.usersync.whitelist.users.role.assignment.rules

Default Value

&ROLE_SYS_ADMIN:u:admin, rangerusersync, rangertagsync, ranger, rangeradmin, rangerraz, rangerkms&ROLE_KEY_ADMIN:u:keyadmin, rangerkms

API Name

ranger.usersync.whitelist.users.role.assignment.rules

Required

false

AWS Group Mapping**Description**

The list of AWS group's mapping separated by semicolon.

Related Name

aws.group.cloud_id.mapping

Default Value**API Name**

ranger_usersync_aws_group_mapping

Required

false

AWS User Mapping**Description**

The list of AWS user's mapping separated by semicolon.

Related Name

aws.user.cloud_id.mapping

Default Value**API Name**

ranger_usersync_aws_user_mapping

Required

false

AZURE Group Mapping**Description**

The list of AZURE group's mapping separated by semicolon.

Related Name

azure.group.cloud_id.mapping

Default Value**API Name**`ranger_usersync_azure_group_mapping`**Required**`false`**AZURE User Mapping****Description**

The list of AZURE user's mapping separated by semicolon.

Related Name`azure.user.cloud_id.mapping`**Default Value****API Name**`ranger_usersync_azure_user_mapping`**Required**`false`**Ranger Usersync Client Java Opts****Description**

These are Java command-line arguments for Ranger Usersync. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here.

Related Name`ranger_usersync_client_java_opts`**Default Value****API Name**`ranger_usersync_client_java_opts`**Required**`false`**Ranger Usersync Conf Path****Description**

Staging directory for Ranger Usersync Configuration. This should generally not be changed.

Related Name`ranger_usersync_conf_path`**Default Value**`/etc/ranger/usersync`**API Name**`ranger_usersync_conf_path`**Required**`true`**GCP Group Mapping****Description**

The list of GCP group's mapping separated by semicolon.

Related Name

gcp.group.cloud_id.mapping

Default Value

API Name

ranger_usersync_gcp_group_mapping

Required

false

GCP User Mapping

Description

The list of GCP user's mapping separated by semicolon.

Related Name

gcp.user.cloud_id.mapping

Default Value

API Name

ranger_usersync_gcp_user_mapping

Required

false

Usersync Bind User Password

Description

Password for the LDAP bind user used for searching users.

Related Name

ranger.usersync.ldap.ldapbindpassword

Default Value

API Name

ranger_usersync_ldap_ldapbindpassword

Required

false

Ranger Usersync Max Heapsize

Description

Maximum size for the Java Process heap. Passed to Java -Xmx. Measured in megabytes.

Related Name

ranger_usersync_max_heap_size

Default Value

1 GiB

API Name

ranger_usersync_max_heap_size

Required

true

Enable Ranger Usersync Metrics

Description

Controls whether the Ranger Usersync metrics are enabled.

Related Name

ranger.usersync.metrics.enabled

Default Value

true

API Name

ranger_usersync_metrics_enabled

Required

false

Ranger Usersync Metrics File Name

Description

File name for the metrics exposed by Ranger Usersync. The file is updated at the frequency configured by Ranger Usersync Metrics Frequency.

Related Name

ranger.usersync.metrics.filename

Default Value

metrics.json

API Name

ranger_usersync_metrics_filename

Required

false

Ranger Usersync Metrics File Path

Description

The location at which the metrics exposed by Ranger Usersync will be written.

Related Name

ranger.usersync.metrics.filepath

Default Value

/var/log/ranger/metrics-usersync

API Name

ranger_usersync_metrics_filepath

Required

false

Ranger Usersync Metrics Frequency

Description

The frequency at which the metrics are logged at Ranger Usersync Metrics File Path.

Related Name

ranger.usersync.metrics.frequencytimeinmillis

Default Value

1 minute(s)

API Name

ranger_usersync_metrics_frequency

Required

false

Performance**Maximum Process File Descriptors****Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses**Ranger Usersync HTTP port****Description**

HTTP Port for Ranger Usersync.

Related Name

ranger.usersync.service.http.port

Default Value

8280

API Name

ranger_usersync_http_port

Required

true

Ranger Usersync HTTPS port**Description**

HTTPS Port for Ranger Usersync. Only used when SSL is enabled for Ranger Usersync.

Related Name

ranger.usersync.service.https.port

Default Value

8283

API Name

ranger_usersync_https_port

Required

true

Resource Management**Cgroup V1 BLKIO Weight****Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command:

resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2'
These settings override other cgroup settings.

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no

limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security

Role-Specific Kerberos Principal

Description

Kerberos principal used by the Ranger Usersync roles.

Related Name**Default Value**

rangerusersync

API Name

kerberos_role_princ_name

Required

true

Ranger Usersync TLS/SSL Trust Store File

Description

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Ranger Usersync might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

ranger.usersync.truststore.file

Default Value**API Name**

ssl_client_truststore_location

Required

false

Ranger Usersync TLS/SSL Trust Store Password

Description

The password for the Ranger Usersync TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

ranger.usersync.truststore.password

Default Value**API Name**

ssl_client_truststore_password

Required

false

Enable TLS/SSL for Ranger Usersync

Description

Encrypt communication between clients and Ranger Usersync using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

ranger.usersync.service.https.attrib.ssl.enabled

Default Value

false

API Name

ssl_enabled

Required

false

Ranger Usersync TLS/SSL Server Keystore File Location**Description**

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Ranger Usersync is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

ranger.usersync.service.https.attrib.keystore.file

Default Value**API Name**

ssl_server_keystore_location

Required

false

Ranger Usersync TLS/SSL Server Keystore File Password**Description**

The password for the Ranger Usersync keystore file.

Related Name

ranger.usersync.service.https.attrib.keystore.pass

Default Value**API Name**

ssl_server_keystore_password

Required

false

Stacks Collection**Stacks Collection Data Retention****Description**

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value

API Name

stacks_collection_directory

Required

false

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency

Description

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method

Description

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Ranger Usersync Advanced Configuration Snippet (Safety Valve) for conf/ranger-ugsync-extra-attrs.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Usersync Advanced Configuration Snippet (Safety Valve) for conf/ranger-ugsync-extra-attrs.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_conf/ranger-ugsync-extra-attrs.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Ranger Usersync Advanced Configuration Snippet (Safety Valve) for conf/ranger-ugsync-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Usersync Advanced Configuration Snippet (Safety Valve) for conf/ranger-ugsync-site.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_conf/ranger-ugsync-site.xml_role_safety_valve

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Role-Specific Kerberos Principal

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role-Specific Kerberos Principal parameter.

Related Name

Default Value

false

API Name

role_config_suppression_kerberos_role_princ_name

Required

true

Suppress Parameter Validation: Ranger Usersync Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Usersync Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Ranger Usersync Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Usersync Log Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

`role_config_suppression_otelcol_rtm_logs_service`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Service Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_service`**Required**`true`**Suppress Parameter Validation: Role Specific System Group****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Specific System Group parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_process_groupname`**Required**`true`**Suppress Parameter Validation: Role Specific System User****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Specific System User parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_process_username`**Required**`true`**Suppress Parameter Validation: Ranger Usersync HA Zookeeper Zkroot****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Usersync HA Zookeeper Zkroot parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger-ugsync.server.ha.zookeeper.zkroot

Required

true

Suppress Parameter Validation: Usersync Filesource File Name

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Usersync Filesource File Name parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.usersync.filesource.file

Required

true

Suppress Parameter Validation: Usersync Filesource Delimiter

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Usersync Filesource Delimiter parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.usersync.filesource.text.delimiter

Required

true

Suppress Parameter Validation: Ranger Usersync Group Based Role Assignment Rules

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Usersync Group Based Role Assignment Rules parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.usersync.group.based.role.assignment.rules

Required

true

Suppress Parameter Validation: Usersync Group Member Attribute

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Usersync Group Member Attribute parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.usersync.group.memberattributename

Required

true

Suppress Parameter Validation: Usersync Group Name Attribute

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Usersync Group Name Attribute parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.usersync.group.nameattribute

Required

true

Suppress Parameter Validation: Usersync Group Object Class

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Usersync Group Object Class parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.usersync.group.objectclass

Required

true

Suppress Parameter Validation: Usersync Group Search Base

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Usersync Group Search Base parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.usersync.group.searchbase

Required

true

Suppress Parameter Validation: Usersync Group Search Filter

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Usersync Group Search Filter parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.usersync.group.searchfilter

Required

true

Suppress Parameter Validation: Usersync Keystore Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Usersync Keystore Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.usersync.keystore.password

Required

true

Suppress Parameter Validation: Usersync Bind User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Usersync Bind User parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.usersync.ldap.binddn

Required

true

Suppress Parameter Validation: Usersync Ldap Group Names

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Usersync Ldap Group Names parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.usersync.ldap.groupnames

Required

true

Suppress Parameter Validation: Usersync LDAP/AD URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Usersync LDAP/AD URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.usersync.ldap.url

Required

true

Suppress Parameter Validation: Usersync User Name Attribute

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Usersync User Name Attribute parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.usersync.ldap.user.nameattribute

Required

true

Suppress Parameter Validation: Usersync User Object Class

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Usersync User Object Class parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.usersync.ldap.user.objectclass

Required

true

Suppress Parameter Validation: Usersync User Search Base

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Usersync User Search Base parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.usersync.ldap.user.searchbase

Required

true

Suppress Parameter Validation: Usersync User Search Filter

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Usersync User Search Filter parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.usersync.ldap.user.searchfilter

Required

true

Suppress Parameter Validation: Ranger Usersync Policymgr Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Usersync Policymgr Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.usersync.policymgr.username

Required

true

Suppress Parameter Validation: Ranger Usersync Unix Service Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Usersync Unix Service Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.usersync.port

Required

true

Suppress Parameter Validation: Ranger Usersync Role Assignment List Delimiter

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Usersync Role Assignment List Delimiter parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.usersync.role.assignment.list.delimiter

Required

true

Suppress Parameter Validation: Ranger Usersync TLS/SSL Keystore File Alias

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Usersync TLS/SSL Keystore File Alias parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.usersync.service.https.attrib.keystore.keyalias

Required

true

Suppress Parameter Validation: Ranger Usersync Username Groupname Assignment List Delimiter

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Usersync Username Groupname Assignment List Delimiter parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.usersync.username.groupname.assignment.list.delimiter

Required

true

Suppress Parameter Validation: Ranger Usersync User Groups Assignment List Delimiter

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Usersync User Groups Assignment List Delimiter parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_ranger.usersync.users.groups.assignment.list.delimiter`**Required**`true`**Suppress Parameter Validation: Ranger Usersync Service User Based Role Assignment Rules****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Usersync Service User Based Role Assignment Rules parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ranger.usersync.whitelist.users.role.assignment.rules`**Required**`true`**Suppress Parameter Validation: AWS Group Mapping****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the AWS Group Mapping parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ranger_usersync_aws_group_mapping`**Required**`true`**Suppress Parameter Validation: AWS User Mapping****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the AWS User Mapping parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ranger_usersync_aws_user_mapping`**Required**`true`**Suppress Parameter Validation: AZURE Group Mapping****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the AZURE Group Mapping parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_usersync_azure_group_mapping

Required

true

Suppress Parameter Validation: AZURE User Mapping**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the AZURE User Mapping parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_usersync_azure_user_mapping

Required

true

Suppress Parameter Validation: Ranger Usersync Client Java Opts**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Usersync Client Java Opts parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_usersync_client_java_opts

Required

true

Suppress Parameter Validation: Ranger Usersync Conf Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Usersync Conf Path parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_usersync_conf_path

Required

true

Suppress Parameter Validation: GCP Group Mapping**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the GCP Group Mapping parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_usersync_gcp_group_mapping

Required

true

Suppress Parameter Validation: GCP User Mapping

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the GCP User Mapping parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_usersync_gcp_user_mapping

Required

true

Suppress Parameter Validation: Ranger Usersync HTTP port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Usersync HTTP port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_usersync_http_port

Required

true

Suppress Parameter Validation: Ranger Usersync HTTPS port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Usersync HTTPS port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_usersync_https_port

Required

true

Suppress Parameter Validation: Usersync Bind User Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Usersync Bind User Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_usersync_ldap_ldapbindpassword

Required

true

Suppress Parameter Validation: Ranger Usersync Metrics File Name

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Usersync Metrics File Name parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_usersync_metrics_filename

Required

true

Suppress Parameter Validation: Ranger Usersync Metrics File Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Usersync Metrics File Path parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_usersync_metrics_filepath

Required

true

Suppress Parameter Validation: Ranger Usersync Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Usersync Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

	false
API Name	role_config_suppression_ranger_usersync_role_env_safety_valve
Required	true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Ranger Usersync TLS/SSL Trust Store File

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Usersync TLS/SSL Trust Store File parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: Ranger Usersync TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Usersync TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Parameter Validation: Ranger Usersync TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Usersync TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: Ranger Usersync TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Usersync TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test

Description

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_ranger_usersync_audit_health

Required

true

Suppress Health Test: File Descriptors

Description

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_ranger_usersync_file_descriptor

Required

true

Suppress Health Test: Host Health

Description

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_ranger_usersync_host_health

Required

true

Suppress Health Test: Log Directory Free Space

Description

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_ranger_usersync_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_ranger_usersync_otelcol_health

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_ranger_usersync_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_ranger_usersync_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_ranger_ranger_usersync_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_ranger_ranger_usersync_unexpected_exits

Required

true

Service-Wide

Advanced

Ranger Database JDBC Url Override

Description

Specify JDBC url override for connecting to Ranger database. If not specified, the JDBC url will be calculated on basis of the Ranger database parameters specified.

Related Name

ranger.jpa.jdbc.url

Default Value

API Name

ranger_database_jdbc_url

Required

false

Ranger Service Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

RANGER_service_env_safety_valve

Required

false

Database**Ranger Database Host****Description**

Hostname of the database used by Ranger Admin. If the port is non-default for your database type, use host:port notation.

Related Name

ranger_database_host

Default Value

localhost

API Name

ranger_database_host

Required

false

Ranger Database Name**Description**

Name of Ranger Admin database.

Related Name

ranger_database_name

Default Value

ranger

API Name

ranger_database_name

Required

false

Ranger Database User Password**Description**

Password for Ranger Admin database.

Related Name

ranger.jpa.jdbc.password

Default Value**API Name**

ranger_database_password

Required

true

Ranger Database Port

Description

Port number for Ranger Admin database.

Related Name

ranger_database_port

Default Value

5432

API Name

ranger_database_port

Required

true

Ranger Database Type

Description

Database type to be used.

Related Name

ranger_database_type

Default Value

postgresql

API Name

ranger_database_type

Required

true

Ranger Database User

Description

User for Ranger Admin database.

Related Name

ranger.jpa.jdbc.user

Default Value

rangeradmin

API Name

ranger_database_user

Required

true

Monitoring

Enable Service Level Health Alerts

Description

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Healthy Ranger Admin Monitoring Thresholds

Description

The health test thresholds of the overall Ranger Admin health. The check returns "Concerning" health if the percentage of "Healthy" Ranger Admins falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" Ranger Admins falls below the critical threshold.

Related Name

Default Value

Warning: 99.0 %, Critical: 49.0 %

API Name

RANGER_RANGER_ADMIN_healthy_thresholds

Required

false

Healthy Ranger Tagsync Monitoring Thresholds

Description

The health test thresholds of the overall Ranger Tagsync health. The check returns "Concerning" health if the percentage of "Healthy" Ranger Tagsyncs falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" Ranger Tagsyncs falls below the critical threshold.

Related Name

Default Value

Warning: 99.0 %, Critical: 49.0 %

API Name

RANGER_RANGER_TAGSYNC_healthy_thresholds

Required

false

Healthy Ranger Usersync Monitoring Thresholds

Description

The health test thresholds of the overall Ranger Usersync health. The check returns "Concerning" health if the percentage of "Healthy" Ranger Usersyncs falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" Ranger Usersyncs falls below the critical threshold.

Related Name

Default Value

Warning: 99.0 %, Critical: 49.0 %

API Name

RANGER_RANGER_USERSYNC_healthy_thresholds

Required

false

Service Triggers

Description

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

service_triggers

Required

true

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name

Default Value**API Name**

smon_derived_configs_safety_valve

Required

false

Other**Cloud Storage Paths****Description**

A comma-separated list of cloud storage paths used by services in a Data Lake cluster. These storage paths are used to create default policies for ADLS-Gen2 service in Ranger.

Related Name

cloud_storage_paths

Default Value**API Name**

cloud_storage_paths

Required

false

HDFS Service**Description**

Name of the HDFS service that this Ranger service instance depends on

Related Name**Default Value****API Name**

hdfs_service

Required

true

Ranger KMS Keyadmin User Initial Password**Description**

Password for the Ranger administrator, whose login name is "admin". The password should be a minimum of 8 characters long, with at least one upper-case alphabetic character, one lower-case alphabetic character, and one numeric character. The following characters are invalid: " ' \ ` ^ . Note that this password is only used to set up Ranger in the cluster; any subsequent changes are ignored. This password can be changed later from the Ranger Admin UI on the user profile page.

Related Name

keyadmin_user_password

Default Value**API Name**

keyadmin_user_password

Required

true

Load Balancer Address

Description

Load Balancer Address used by clients to access Ranger Admin. Only required when Ranger Admin is running with High Availability. Example: http://load-balancer-host:load-balancer-port.

Related Name

ranger.externalurl

Default Value**API Name**

load_balancer_url

Required

false

Ranger Admin LoadBalancer principal

Description

Additional principal required for Ranger Admin configurations for Ranger Loadbalancer. Provide only the principal bare name and not the full principal with the REALM. eg: If the load-balancer principal configured is load_balancer_principal@EXAMPLE.COM, then value provided should be load_balancer_principal.

Related Name

ranger_lb_kerberos_principal

Default Value

HTTP

API Name

ranger_lb_kerberos_principal

Required

false

Ranger Plugin DFS Audit Enabled

Description

Whether DFS audit is enabled.

Related Name

ranger_plugin_hdfs_audit_enabled

Default Value

true

API Name

ranger_plugin_hdfs_audit_enabled

Required

false

Ranger Plugin DFS Audit URL

Description

An absolute URL with no trailing slash should be entered, or leave the value empty. Allows setting up a centralized storage location for Ranger audits. This URL is used as the base for audit directories: all services plugging into Ranger will prepend this URL to their configured path used to store Ranger audits.

Related Name

ranger_plugin_hdfs_audit_url

Default Value

/ranger/audit

API Name

ranger_plugin_hdfs_audit_url

Required

false

Supported Ranger service types for replication**Description**

A comma separated list of Ranger service types that are supported for replication. If null or blank, then every Ranger service type will be considered supported for replication.

Related Name

ranger_replication_supported_service_types

Default Value

hdfs, hive, hbase, tag, adls, s3, gs

API Name

ranger_replication_supported_service_types

Required

false

Ranger Admin User Initial Password**Description**

Password for the Ranger administrator, whose login name is "admin". The password should be a minimum of 8 characters long, with at least one upper-case alphabetic character, one lower-case alphabetic character, and one numeric character. The following characters are invalid: " ' \ ` ´. Note that this password is only used to set up Ranger in the cluster; any subsequent changes are ignored. This password can be changed later from the Ranger Admin UI on the user profile page.

Related Name

rangeradmin_user_password

Default Value**API Name**

rangeradmin_user_password

Required

true

Ranger Tagsync User Initial Password**Description**

Password for the Ranger administrator, whose login name is "admin". The password should be a minimum of 8 characters long, with at least one upper-case alphabetic character, one lower-case alphabetic character, and one numeric character. The following characters are invalid: " ' \ ` ´. Note that this password is only used to set up Ranger in the cluster; any subsequent changes are ignored. This password can be changed later from the Ranger Admin UI on the user profile page.

Related Name

rangertagsync_user_password

Default Value

API Name

rangertagsync_user_password

Required

true

Ranger Usersync User Initial Password

Description

Password for the Ranger administrator, whose login name is "admin". The password should be a minimum of 8 characters long, with at least one upper-case alphabetic character, one lower-case alphabetic character, and one numeric character. The following characters are invalid: " ' \ ` ` . Note that this password is only used to set up Ranger in the cluster; any subsequent changes are ignored. This password can be changed later from the Ranger Admin UI on the user profile page.

Related Name

rangerusersync_user_password

Default Value

API Name

rangerusersync_user_password

Required

true

Solr Service

Description

Name of the Solr service that this Ranger service instance depends on

Related Name

Default Value

API Name

solr_service

Required

true

Ports and Addresses

Admin HTTP Port

Description

HTTP Port for Ranger Admin.

Related Name

ranger.service.http.port

Default Value

6080

API Name

ranger_service_http_port

Required

true

Admin HTTPS port

Description

HTTPS Port for Ranger Admin. Only used when SSL is enabled for Ranger Admin.

Related Name

ranger.service.https.port

Default Value

6182

API Name

ranger_service_https_port

Required

true

Suppressions

Suppress Configuration Validator: Atlas Source: Kafka Consumer Group

Description

Whether to suppress configuration warnings produced by the Atlas Source: Kafka Consumer Group configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas.kafka.entities.group.id

Required

true

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: Ranger Tagsync Advanced Configuration Snippet (Safety Valve) for conf/atlas-application.properties

Description

Whether to suppress configuration warnings produced by the Ranger Tagsync Advanced Configuration Snippet (Safety Valve) for conf/atlas-application.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_conf/atlas-application.properties_role_safety_valve

Required

true

Suppress Configuration Validator: Ranger Admin Advanced Configuration Snippet (Safety Valve) for conf/authorization-migration-site.xml

Description

Whether to suppress configuration warnings produced by the Ranger Admin Advanced Configuration Snippet (Safety Valve) for conf/authorization-migration-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_conf/authorization-migration-site.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Ranger Admin Advanced Configuration Snippet (Safety Valve) for conf/hadoop-metrics2.properties

Description

Whether to suppress configuration warnings produced by the Ranger Admin Advanced Configuration Snippet (Safety Valve) for conf/hadoop-metrics2.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_conf/hadoop-metrics2.properties_role_safety_valve

Required

true

Suppress Configuration Validator: Ranger Admin Advanced Configuration Snippet (Safety Valve) for conf/ranger-admin-site.xml

Description

Whether to suppress configuration warnings produced by the Ranger Admin Advanced Configuration Snippet (Safety Valve) for conf/ranger-admin-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_conf/ranger-admin-site.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Ranger Admin Advanced Configuration Snippet (Safety Valve) for conf/ranger-plugin-extra-configs.xml

Description

Whether to suppress configuration warnings produced by the Ranger Admin Advanced Configuration Snippet (Safety Valve) for conf/ranger-plugin-extra-configs.xml configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_conf/ranger-plugin-extra-configs.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Ranger Tagsync Advanced Configuration Snippet (Safety Valve) for conf/ranger-tagsync-policymgr-ssl.xml

Description

Whether to suppress configuration warnings produced by the Ranger Tagsync Advanced Configuration Snippet (Safety Valve) for conf/ranger-tagsync-policymgr-ssl.xml configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_conf/ranger-tagsync-policymgr-ssl.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Ranger Tagsync Advanced Configuration Snippet (Safety Valve) for conf/ranger-tagsync-site.xml

Description

Whether to suppress configuration warnings produced by the Ranger Tagsync Advanced Configuration Snippet (Safety Valve) for conf/ranger-tagsync-site.xml configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_conf/ranger-tagsync-site.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Ranger Usersync Advanced Configuration Snippet (Safety Valve) for conf/ranger-ugsync-extra-attrs.xml

Description

Whether to suppress configuration warnings produced by the Ranger Usersync Advanced Configuration Snippet (Safety Valve) for conf/ranger-ugsync-extra-attrs.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_conf/ranger-ugsync-extra-attrs.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Ranger Usersync Advanced Configuration Snippet (Safety Valve) for conf/ranger-ugsync-site.xml

Description

Whether to suppress configuration warnings produced by the Ranger Usersync Advanced Configuration Snippet (Safety Valve) for conf/ranger-ugsync-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_conf/ranger-ugsync-site.xml_role_safety_valve

Required

true

Suppress Configuration Validator: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Configuration Validator: Role-Specific Kerberos Principal

Description

Whether to suppress configuration warnings produced by the Role-Specific Kerberos Principal configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_kerberos_role_princ_name

Required

true

Suppress Configuration Validator: Ranger Admin Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Ranger Admin Logging Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Configuration Validator: Ranger Admin Log Directory

Description

Whether to suppress configuration warnings produced by the Ranger Admin Log Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Configuration Validator: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: Role Specific System Group

Description

Whether to suppress configuration warnings produced by the Role Specific System Group configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_process_groupname

Required

true

Suppress Configuration Validator: Role Specific System User**Description**

Whether to suppress configuration warnings produced by the Role Specific System User configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_process_username

Required

true

Suppress Configuration Validator: Ranger Tagsync HA Zookeeper Zkroot**Description**

Whether to suppress configuration warnings produced by the Ranger Tagsync HA Zookeeper Zkroot configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger-tagsync.server.ha.zookeeper.zkroot

Required

true

Suppress Configuration Validator: Ranger Usersync HA Zookeeper Zkroot**Description**

Whether to suppress configuration warnings produced by the Ranger Usersync HA Zookeeper Zkroot configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger-ugsync.server.ha.zookeeper.zkroot

Required

true

Suppress Configuration Validator: Exclude Users from Audit Access Tab**Description**

Whether to suppress configuration warnings produced by the Exclude Users from Audit Access Tab configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.accesslogs.exclude.users.list

Required

true

Suppress Configuration Validator: Kerberos Cookie Path

Description

Whether to suppress configuration warnings produced by the Kerberos Cookie Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.admin.kerberos.cookie.path

Required

true

Suppress Configuration Validator: Ranger Admin Database SSL Certificate File

Description

Whether to suppress configuration warnings produced by the Ranger Admin Database SSL Certificate File configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.db.ssl.certificatefile

Required

true

Suppress Configuration Validator: Default Policy Groups

Description

Whether to suppress configuration warnings produced by the Default Policy Groups configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.default.policy.groups

Required

true

Suppress Configuration Validator: Default Policy Users

Description

Whether to suppress configuration warnings produced by the Default Policy Users configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.default.policy.users

Required

true

Suppress Configuration Validator: Default HBase Policy Groups

Description

Whether to suppress configuration warnings produced by the Default HBase Policy Groups configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.hbase.default.admin.groups

Required

true

Suppress Configuration Validator: Ranger Admin Keystore File

Description

Whether to suppress configuration warnings produced by the Ranger Admin Keystore File configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.keystore.file

Required

true

Suppress Configuration Validator: Ranger Admin Keystore Password

Description

Whether to suppress configuration warnings produced by the Ranger Admin Keystore Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.keystore.password

Required

true

Suppress Configuration Validator: Admin AD Auth Base DN

Description

Whether to suppress configuration warnings produced by the Admin AD Auth Base DN configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.ldap.ad.base.dn

Required

true

Suppress Configuration Validator: Admin AD Auth Bind DN

Description

Whether to suppress configuration warnings produced by the Admin AD Auth Bind DN configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.ldap.ad.bind.dn

Required

true

Suppress Configuration Validator: Admin AD Auth Domain Name

Description

Whether to suppress configuration warnings produced by the Admin AD Auth Domain Name configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.ldap.ad.domain

Required

true

Suppress Configuration Validator: Admin AD Auth URL

Description

Whether to suppress configuration warnings produced by the Admin AD Auth URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.ldap.ad.url

Required

true

Suppress Configuration Validator: Admin AD Auth User Search Filter

Description

Whether to suppress configuration warnings produced by the Admin AD Auth User Search Filter configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.ldap.ad.user.searchfilter

Required

true

Suppress Configuration Validator: Admin LDAP Auth Base DN

Description

Whether to suppress configuration warnings produced by the Admin LDAP Auth Base DN configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.ldap.base.dn

Required

true

Suppress Configuration Validator: Admin LDAP Auth Bind User

Description

Whether to suppress configuration warnings produced by the Admin LDAP Auth Bind User configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.ldap.bind.dn

Required

true

Suppress Configuration Validator: Admin LDAP Auth Group Role Attribute

Description

Whether to suppress configuration warnings produced by the Admin LDAP Auth Group Role Attribute configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.ldap.group.roleattribute

Required

true

Suppress Configuration Validator: Admin LDAP Auth Group Search Base

Description

Whether to suppress configuration warnings produced by the Admin LDAP Auth Group Search Base configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.ldap.group.searchbase

Required

true

Suppress Configuration Validator: Admin LDAP Auth Group Search Filter

Description

Whether to suppress configuration warnings produced by the Admin LDAP Auth Group Search Filter configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.ldap.group.searchfilter

Required

true

Suppress Configuration Validator: Admin LDAP Auth URL

Description

Whether to suppress configuration warnings produced by the Admin LDAP Auth URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.ldap.url

Required

true

Suppress Configuration Validator: Admin LDAP Auth User DN Pattern

Description

Whether to suppress configuration warnings produced by the Admin LDAP Auth User DN Pattern configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_ranger.ldap.user.dnpattern

Required
true

Suppress Configuration Validator: Admin LDAP Auth User Search Filter

Description
Whether to suppress configuration warnings produced by the Admin LDAP Auth User Search Filter configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_ranger.ldap.user.searchfilter

Required
true

Suppress Configuration Validator: Ranger Admin TLS/SSL Keystore File Alias

Description
Whether to suppress configuration warnings produced by the Ranger Admin TLS/SSL Keystore File Alias configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_ranger.service.https.attrib.keystore.keyalias

Required
true

Suppress Configuration Validator: SSO Browser Useragent

Description
Whether to suppress configuration warnings produced by the SSO Browser Useragent configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_ranger.sso.browser.useragent

Required
true

Suppress Configuration Validator: SSO Provider Url

Description

Whether to suppress configuration warnings produced by the SSO Provider Url configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.sso.providerurl

Required

true

Suppress Configuration Validator: SSO Public Key

Description

Whether to suppress configuration warnings produced by the SSO Public Key configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.sso.publickey

Required

true

Suppress Configuration Validator: Tag Service Name

Description

Whether to suppress configuration warnings produced by the Tag Service Name configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.tagservice.auto.name

Required

true

Suppress Configuration Validator: Capture Cluster name

Description

Whether to suppress configuration warnings produced by the Capture Cluster name configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.tagsync.atlas.default.cluster.name

Required

true

Suppress Configuration Validator: Ranger Tagsync Username

Description

Whether to suppress configuration warnings produced by the Ranger Tagsync Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.tagsync.dest.ranger.username

Required

true

Suppress Configuration Validator: Ranger Tagsync TLS/SSL Keystore File Alias

Description

Whether to suppress configuration warnings produced by the Ranger Tagsync TLS/SSL Keystore File Alias configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.tagsync.service.https.attrib.keystore.keyalias

Required

true

Suppress Configuration Validator: File Source: Filename

Description

Whether to suppress configuration warnings produced by the File Source: Filename configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.tagsync.source.file.filename

Required

true

Suppress Configuration Validator: Admin UNIX Auth Service Hostname

Description

Whether to suppress configuration warnings produced by the Admin UNIX Auth Service Hostname configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.unixauth.service.hostname

Required

true

Suppress Configuration Validator: Admin Unix Auth Service Port

Description

Whether to suppress configuration warnings produced by the Admin Unix Auth Service Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.unixauth.service.port

Required

true

Suppress Configuration Validator: Usersync Filesource File Name

Description

Whether to suppress configuration warnings produced by the Usersync Filesource File Name configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.usersync.filesource.file

Required

true

Suppress Configuration Validator: Usersync Filesource Delimiter

Description

Whether to suppress configuration warnings produced by the Usersync Filesource Delimiter configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.usersync.filesource.text.delimiter

Required

true

Suppress Configuration Validator: Ranger Usersync Group Based Role Assignment Rules

Description

Whether to suppress configuration warnings produced by the Ranger Usersync Group Based Role Assignment Rules configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.usersync.group.based.role.assignment.rules

Required

true

Suppress Configuration Validator: Usersync Group Member Attribute**Description**

Whether to suppress configuration warnings produced by the Usersync Group Member Attribute configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.usersync.group.memberattributename

Required

true

Suppress Configuration Validator: Usersync Group Name Attribute**Description**

Whether to suppress configuration warnings produced by the Usersync Group Name Attribute configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.usersync.group.nameattribute

Required

true

Suppress Configuration Validator: Usersync Group Object Class**Description**

Whether to suppress configuration warnings produced by the Usersync Group Object Class configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.usersync.group.objectclass

Required

true

Suppress Configuration Validator: Usersync Group Search Base

Description

Whether to suppress configuration warnings produced by the Usersync Group Search Base configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.usersync.group.searchbase

Required

true

Suppress Configuration Validator: Usersync Group Search Filter

Description

Whether to suppress configuration warnings produced by the Usersync Group Search Filter configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.usersync.group.searchfilter

Required

true

Suppress Configuration Validator: Usersync Keystore Password

Description

Whether to suppress configuration warnings produced by the Usersync Keystore Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.usersync.keystore.password

Required

true

Suppress Configuration Validator: Usersync Bind User

Description

Whether to suppress configuration warnings produced by the Usersync Bind User configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.usersync.ldap.binddn

Required

true

Suppress Configuration Validator: Usersync Ldap Group Names

Description

Whether to suppress configuration warnings produced by the Usersync Ldap Group Names configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.usersync.ldap.groupnames

Required

true

Suppress Configuration Validator: Usersync LDAP/AD URL

Description

Whether to suppress configuration warnings produced by the Usersync LDAP/AD URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.usersync.ldap.url

Required

true

Suppress Configuration Validator: Usersync User Name Attribute

Description

Whether to suppress configuration warnings produced by the Usersync User Name Attribute configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.usersync.ldap.user.nameattribute

Required

true

Suppress Configuration Validator: Usersync User Object Class

Description

Whether to suppress configuration warnings produced by the Usersync User Object Class configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.usersync.ldap.user.objectclass

Required

true

Suppress Configuration Validator: Usersync User Search Base

Description

Whether to suppress configuration warnings produced by the Usersync User Search Base configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.usersync.ldap.user.searchbase

Required

true

Suppress Configuration Validator: Usersync User Search Filter

Description

Whether to suppress configuration warnings produced by the Usersync User Search Filter configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.usersync.ldap.user.searchfilter

Required

true

Suppress Configuration Validator: Ranger Usersync Policymgr Username

Description

Whether to suppress configuration warnings produced by the Ranger Usersync Policymgr Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.usersync.policymgr.username

Required

true

Suppress Configuration Validator: Ranger Usersync Unix Service Port

Description

Whether to suppress configuration warnings produced by the Ranger Usersync Unix Service Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.usersync.port

Required

true

Suppress Configuration Validator: Ranger Usersync Role Assignment List Delimiter

Description

Whether to suppress configuration warnings produced by the Ranger Usersync Role Assignment List Delimiter configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.usersync.role.assignment.list.delimiter

Required

true

Suppress Configuration Validator: Ranger Usersync TLS/SSL Keystore File Alias

Description

Whether to suppress configuration warnings produced by the Ranger Usersync TLS/SSL Keystore File Alias configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.usersync.service.https.attrib.keystore.keyalias

Required

true

Suppress Configuration Validator: Ranger Usersync Username Groupname Assignment List Delimiter

Description

Whether to suppress configuration warnings produced by the Ranger Usersync Username Groupname Assignment List Delimiter configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.usersync.username.groupname.assignment.list.delimiter

Required

true

Suppress Configuration Validator: Ranger Usersync User Groups Assignment List Delimiter

Description

Whether to suppress configuration warnings produced by the Ranger Usersync User Groups Assignment List Delimiter configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.usersync.users.groups.assignment.list.delimiter

Required

true

Suppress Configuration Validator: Ranger Usersync Service User Based Role Assignment Rules

Description

Whether to suppress configuration warnings produced by the Ranger Usersync Service User Based Role Assignment Rules configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.usersync.whitelist.users.role.assignment.rules

Required

true

Suppress Configuration Validator: Ranger Admin Client Java Opts

Description

Whether to suppress configuration warnings produced by the Ranger Admin Client Java Opts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_admin_client_java_opts

Required

true

Suppress Configuration Validator: Ranger Admin Conf Path

Description

Whether to suppress configuration warnings produced by the Ranger Admin Conf Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_admin_conf_path

Required

true

Suppress Configuration Validator: Ranger Admin Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Ranger Admin Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_admin_role_env_safety_valve

Required

true

Suppress Configuration Validator: Admin AD Auth Bind Password

Description

Whether to suppress configuration warnings produced by the Admin AD Auth Bind Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_ldap_ad_bind_password

Required

true

Suppress Configuration Validator: Admin LDAP Auth Bind User Password

Description

Whether to suppress configuration warnings produced by the Admin LDAP Auth Bind User Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_ldap_bind_password

Required

true

Suppress Configuration Validator: Knox Proxy User Groups

Description

Whether to suppress configuration warnings produced by the Knox Proxy User Groups configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_proxyuser_knox_groups

Required

true

Suppress Configuration Validator: Knox Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the Knox Proxy User Hosts configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_proxyuser_knox_hosts

Required

true

Suppress Configuration Validator: Knox Proxy User Users

Description

Whether to suppress configuration warnings produced by the Knox Proxy User Users configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_proxyuser_knox_users

Required

true

Suppress Configuration Validator: Ranger Tagsync Client Java Opts

Description

Whether to suppress configuration warnings produced by the Ranger Tagsync Client Java Opts configuration validator.

Related Name**Default Value**

false

API Name

`role_config_suppression_ranger_tagsync_client_java_opts`**Required**

true

Suppress Configuration Validator: Ranger Tagsync Conf Path**Description**

Whether to suppress configuration warnings produced by the Ranger Tagsync Conf Path configuration validator.

Related Name**Default Value**

false

API Name`role_config_suppression_ranger_tagsync_conf_path`**Required**

true

Suppress Configuration Validator: Tagsync HTTP Port**Description**

Whether to suppress configuration warnings produced by the Tagsync HTTP Port configuration validator.

Related Name**Default Value**

false

API Name`role_config_suppression_ranger_tagsync_http_port`**Required**

true

Suppress Configuration Validator: Tagsync HTTPS port**Description**

Whether to suppress configuration warnings produced by the Tagsync HTTPS port configuration validator.

Related Name**Default Value**

false

API Name`role_config_suppression_ranger_tagsync_https_port`**Required**

true

Suppress Configuration Validator: Ranger Tagsync Metrics File Name**Description**

Whether to suppress configuration warnings produced by the Ranger Tagsync Metrics File Name configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_tagsync_metrics_filename

Required

true

Suppress Configuration Validator: Ranger Tagsync Metrics File Path

Description

Whether to suppress configuration warnings produced by the Ranger Tagsync Metrics File Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_tagsync_metrics_filepath

Required

true

Suppress Configuration Validator: Ranger Tagsync Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Ranger Tagsync Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_tagsync_role_env_safety_valve

Required

true

Suppress Configuration Validator: Ranger Tomcat Work Dir

Description

Whether to suppress configuration warnings produced by the Ranger Tomcat Work Dir configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_tomcat_work_dir

Required

true

Suppress Configuration Validator: AWS Group Mapping

Description

Whether to suppress configuration warnings produced by the AWS Group Mapping configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_usersync_aws_group_mapping

Required

true

Suppress Configuration Validator: AWS User Mapping

Description

Whether to suppress configuration warnings produced by the AWS User Mapping configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_usersync_aws_user_mapping

Required

true

Suppress Configuration Validator: AZURE Group Mapping

Description

Whether to suppress configuration warnings produced by the AZURE Group Mapping configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_usersync_azure_group_mapping

Required

true

Suppress Configuration Validator: AZURE User Mapping

Description

Whether to suppress configuration warnings produced by the AZURE User Mapping configuration validator.

Related Name**Default Value**

false

API Name

`role_config_suppression_ranger_usersync_azure_user_mapping`**Required**`true`**Suppress Configuration Validator: Ranger Usersync Client Java Opts****Description**

Whether to suppress configuration warnings produced by the Ranger Usersync Client Java Opts configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ranger_usersync_client_java_opts`**Required**`true`**Suppress Configuration Validator: Ranger Usersync Conf Path****Description**

Whether to suppress configuration warnings produced by the Ranger Usersync Conf Path configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ranger_usersync_conf_path`**Required**`true`**Suppress Configuration Validator: GCP Group Mapping****Description**

Whether to suppress configuration warnings produced by the GCP Group Mapping configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ranger_usersync_gcp_group_mapping`**Required**`true`**Suppress Configuration Validator: GCP User Mapping****Description**

Whether to suppress configuration warnings produced by the GCP User Mapping configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_usersync_gcp_user_mapping

Required

true

Suppress Configuration Validator: Ranger Usersync HTTP port

Description

Whether to suppress configuration warnings produced by the Ranger Usersync HTTP port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_usersync_http_port

Required

true

Suppress Configuration Validator: Ranger Usersync HTTPS port

Description

Whether to suppress configuration warnings produced by the Ranger Usersync HTTPS port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_usersync_https_port

Required

true

Suppress Configuration Validator: Usersync Bind User Password

Description

Whether to suppress configuration warnings produced by the Usersync Bind User Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_usersync_ldap_ldapbindpassword

Required

true

Suppress Configuration Validator: Ranger Usersync Metrics File Name

Description

Whether to suppress configuration warnings produced by the Ranger Usersync Metrics File Name configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_usersync_metrics_filename

Required

true

Suppress Configuration Validator: Ranger Usersync Metrics File Path

Description

Whether to suppress configuration warnings produced by the Ranger Usersync Metrics File Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_usersync_metrics_filepath

Required

true

Suppress Configuration Validator: Ranger Usersync Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Ranger Usersync Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_usersync_role_env_safety_valve

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: Role Triggers

Description

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Configuration Validator: Ranger Admin Advanced Configuration Snippet (Safety Valve) for solrconfig.properties

Description

Whether to suppress configuration warnings produced by the Ranger Admin Advanced Configuration Snippet (Safety Valve) for solrconfig.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_solrconfig.properties_role_safety_valve

Required

true

Suppress Configuration Validator: Ranger Admin Advanced Configuration Snippet (Safety Valve) for solrconfig.xml

Description

Whether to suppress configuration warnings produced by the Ranger Admin Advanced Configuration Snippet (Safety Valve) for solrconfig.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_solrconfig.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Ranger Admin TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the Ranger Admin TLS/SSL Trust Store File configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Configuration Validator: Ranger Admin TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the Ranger Admin TLS/SSL Trust Store Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Configuration Validator: Ranger Admin TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the Ranger Admin TLS/SSL Server Keystore File Location configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Configuration Validator: Ranger Admin TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the Ranger Admin TLS/SSL Server Keystore File Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Configuration Validator: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Parameter Validation: Cloud Storage Paths**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cloud Storage Paths parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_cloud_storage_paths

Required

true

Suppress Parameter Validation: Ranger KMS Keyadmin User Initial Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Keyadmin User Initial Password parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_keyadmin_user_password

Required

true

Suppress Parameter Validation: Load Balancer Address**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Load Balancer Address parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_load_balancer_url

Required

true

Suppress Configuration Validator: Ranger Admin Count Validator

Description

Whether to suppress configuration warnings produced by the Ranger Admin Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_admin_count_validator

Required

true

Suppress Configuration Validator: Ranger Admin Solr Config TTL Validator.

Description

Whether to suppress configuration warnings produced by the Ranger Admin Solr Config TTL Validator. configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_admin_solr_config_ttl_validator

Required

true

Suppress Parameter Validation: Ranger Database Host

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Database Host parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_database_host

Required

true

Suppress Parameter Validation: Ranger Database JDBC Url Override

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Database JDBC Url Override parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_database_jdbc_url

Required

true

Suppress Parameter Validation: Ranger Database Name

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Database Name parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_database_name

Required

true

Suppress Parameter Validation: Ranger Database User Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Database User Password parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_database_password

Required

true

Suppress Parameter Validation: Ranger Database Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Database Port parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_database_port

Required

true

Suppress Parameter Validation: Ranger Database User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Database User parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_database_user

Required

true

Suppress Parameter Validation: Ranger Admin LoadBalancer principal**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Admin LoadBalancer principal parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_lb_kerberos_principal

Required

true

Suppress Parameter Validation: Ranger Plugin DFS Audit URL**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Plugin DFS Audit URL parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_plugin_hdfs_audit_url

Required

true

Suppress Parameter Validation: Supported Ranger service types for replication**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Supported Ranger service types for replication parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_replication_supported_service_types

Required

true

Suppress Parameter Validation: Ranger Service Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_service_env_safety_valve

Required

true

Suppress Parameter Validation: Admin HTTP Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin HTTP Port parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_service_http_port

Required

true

Suppress Parameter Validation: Admin HTTPS port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin HTTPS port parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_service_https_port

Required

true

Suppress Configuration Validator: Ranger Tagsync Count Validator**Description**

Whether to suppress configuration warnings produced by the Ranger Tagsync Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_tagsync_count_validator

Required

true

Suppress Configuration Validator: Ranger Usersync Count Validator**Description**

Whether to suppress configuration warnings produced by the Ranger Usersync Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_usersync_count_validator

Required

true

Suppress Parameter Validation: Ranger Admin User Initial Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Admin User Initial Password parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_rangeradmin_user_password

Required

true

Suppress Parameter Validation: Ranger Tagsync User Initial Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Tagsync User Initial Password parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_rangertagsync_user_password

Required

true

Suppress Parameter Validation: Ranger Usersync User Initial Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Usersync User Initial Password parameter.

Related Name

Default Value

false

API Name

service_config_suppression_rangerusersync_user_password

Required

true

Suppress Parameter Validation: Service Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name

Default Value

false

API Name

service_config_suppression_service_triggers

Required

true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_smon_derived_configs_safety_valve

Required

true

Suppress Health Test: Ranger Admin Health

Description

Whether to suppress the results of the Ranger Admin Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

service_health_suppression_ranger_ranger_admin_healthy

Required

true

Suppress Health Test: Ranger Tagsync Health**Description**

Whether to suppress the results of the Ranger Tagsync Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_ranger_ranger_tagsync_healthy

Required

true

Suppress Health Test: Ranger Usersync Health**Description**

Whether to suppress the results of the Ranger Usersync Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_ranger_ranger_usersync_healthy

Required

true

Ranger KMS Properties in Cloudera Runtime 7.3.1

Role groups:

Ranger KMS Server**Advanced****Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/core-site.xml****Description**

For advanced use only. A string to be inserted into conf/core-site.xml for this role only.

Related Name**Default Value****API Name**

conf/core-site.xml_role_safety_valve

Required

false

Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/dbks-site.xml

Description

For advanced use only. A string to be inserted into conf/dbks-site.xml for this role only.

Related Name**Default Value****API Name**

conf/dbks-site.xml_role_safety_valve

Required

false

Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/hadoop-metrics2.properties

Description

For advanced use only. A string to be inserted into conf/hadoop-metrics2.properties for this role only.

Related Name**Default Value****API Name**

conf/hadoop-metrics2.properties_role_safety_valve

Required

false

Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/hdfs-site.xml

Description

For advanced use only. A string to be inserted into conf/hdfs-site.xml for this role only.

Related Name**Default Value****API Name**

conf/hdfs-site.xml_role_safety_valve

Required

false

Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/kms-site.xml

Description

For advanced use only. A string to be inserted into conf/kms-site.xml for this role only.

Related Name**Default Value****API Name**

conf/kms-site.xml_role_safety_valve

Required

false

Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-kms-audit.xml**Description**

For advanced use only. A string to be inserted into conf/ranger-kms-audit.xml for this role only.

Related Name**Default Value****API Name**

conf/ranger-kms-audit.xml_role_safety_valve

Required

false

Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-kms-policymgr-ssl.xml**Description**

For advanced use only. A string to be inserted into conf/ranger-kms-policymgr-ssl.xml for this role only.

Related Name**Default Value****API Name**

conf/ranger-kms-policymgr-ssl.xml_role_safety_valve

Required

false

Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-kms-security.xml**Description**

For advanced use only. A string to be inserted into conf/ranger-kms-security.xml for this role only.

Related Name**Default Value****API Name**

conf/ranger-kms-security.xml_role_safety_valve

Required

false

Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-kms-site.xml**Description**

For advanced use only. A string to be inserted into conf/ranger-kms-site.xml for this role only.

Related Name**Default Value****API Name**

conf/ranger-kms-site.xml_role_safety_valve

Required

false

Ranger KMS Server Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j2.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory

Description

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory

Description

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Ranger KMS Server Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

RANGER_KMS_SERVER_role_env_safety_valve

Required

false

Logs**Ranger KMS Server Log Directory****Description**

The log directory for log files of the role Ranger KMS Server.

Related Name

log_dir

Default Value

/var/log/ranger/kms

API Name

log_dir

Required

false

Ranger KMS Server Logging Threshold

Description

The minimum log level for Ranger KMS Server logs

Related Name

Default Value

INFO

API Name

log_threshold

Required

false

Ranger KMS Server Maximum Log File Backups

Description

The maximum number of rolled log files to keep for Ranger KMS Server logs. Typically used by log4j or logback.

Related Name

Default Value

10

API Name

max_log_backup_index

Required

false

Ranger KMS Server Max Log Size

Description

The maximum size, in megabytes, per log file for Ranger KMS Server logs. Typically used by log4j or logback.

Related Name

Default Value

200 MiB

API Name

max_log_size

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML**Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter

Description

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: { "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }

Related Name

Default Value

API Name

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

exporters: prometheusremotewrite/\$ROLE_NAME: endpoint:
\$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/\$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

extensions: basicauth/\$ROLE_NAME: client_auth: username:
\$ROLE_PARAM(otelcol_remote_write_user) password:
'\$ROLE_PARAM(otelcol_remote_write_password)'

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: `$HOST_NAME`, `$CLUSTER_NAME`, `$CLUSTER_ID`, `$SERVICE_TYPE`, `$SERVICE_NAME`, `$ROLE_NAME`, `$ROLE_TYPE`, `$ROLE_PARAM(my_parameter_name)` - e.g.: a port parameter for the role's metrics, `$DECODE_B64(...)` and `$DECODE_URL(...)` to decode encoded parameters, `$ENV_PARAM(name)` to fetch params from the process' environment, `$SYS_PARAM(name)` to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name`common.process.swap_memory_rate_window`**Default Value**

5 minute(s)

API Name`process_swap_memory_rate_window`**Required**

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name`process_swap_memory_thresholds`**Required**

false

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name`ranger_kms_server_fd_thresholds`**Required**

false

Ranger KMS Server Host Health Test**Description**

When computing the overall Ranger KMS Server health, consider the host's health.

Related Name**Default Value**

	true
API Name	ranger_kms_server_host_health_enabled
Required	false

Ranger KMS Server Process Health Test

Description	Enables the health test that the Ranger KMS Server's process state is consistent with the role configuration
Related Name	
Default Value	true
API Name	ranger_kms_server_scm_health_enabled
Required	false

Role Triggers

Description	<p>The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:</p> <ul style="list-style-type: none"> triggerName (mandatory) - The name of the trigger. This value must be unique for the specific role. triggerExpression (mandatory) - A tsquery expression representing the trigger. streamThreshold (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire. enabled (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated. expressionEditorConfig (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies. <p>For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=\$ROLENAM and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}] See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.</p>
Related Name	
Default Value	[]
API Name	role_triggers
Required	true

Enable Spool Directory Metric Usage for Ranger KMS Server

Description

Enables the health test for monitoring the Ranger Plugin Spool directory usage.

Related Name**Default Value**

true

API Name

spool_directory_usage_enabled

Required

false

Ranger Plugin Spool Directory Usage Thresholds for Ranger KMS Server

Description

The health test thresholds for monitoring the the Ranger Plugin Spool directory usage.

Related Name**Default Value**

1 GiB

API Name

spool_directory_usage_threshold

Required

false

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

Key Trustee KeyStoreProvider KeyStore Backup Directory

Description

Directory to store backup of keystore file used by Key Trustee KeyStoreProvider that backs the KMS.

Related Name

backup_keystore_file_path

Default Value

/var/lib/kms-keytrustee/keytrustee

API Name

backup_keystore_file_path

Required

true

Backup Keystore File Type

Description

File type of backup keystore file.

Related Name

backup_keystore_file_type

Default Value

JCEKS

API Name

backup_keystore_file_type

Required

false

Key Trustee NavEncrypt Keys Full Path

Description

Location of keytrustee navEncrypt Keys backup file.

Related Name

backup_navencrypt_keys_file_path

Default Value

/var/lib/kms-keytrustee/keytrustee

API Name

backup_navencrypt_keys_file_path

Required

false

Ranger KMS Server Diagnostics Collection Timeout

Description

The timeout in milliseconds to wait for diagnostics collection to complete.

Related Name

Default Value

5 minute(s)

API Name

csd_role_diagnostics_timeout

Required

false

Graceful Shutdown Timeout**Description**

The timeout in milliseconds to wait for graceful shutdown to complete.

Related Name**Default Value**

18 second(s)

API Name

graceful_stop_timeout

Required

false

Hadoop KMS Audit Aggregation Window In Milliseconds**Description**

Duplicate audit log events within the aggregation window (specified in ms) are quashed to reduce log traffic. A single message for aggregated events is printed at the end of the window, along with a count of the number of aggregated events.

Related Name

hadoop.kms.audit.aggregation.window.ms

Default Value

10 second(s)

API Name

hadoop_kms_audit_aggregation_window_ms

Required

false

Hadoop KMS Authentication Signer Secret Provider**Description**

Indicates how the secret to sign the authentication cookies will be stored. Options are 'random' (default), 'string' and 'zookeeper'. If using a setup with multiple KMS instances, 'zookeeper' should be used.

Related Name

hadoop.kms.authentication.signer.secret.provider

Default Value

random

API Name

hadoop_kms_authentication_signer_secret_provider

Required

false

Hadoop KMS Authentication Signer Secret Provider Zookeeper Auth Type

Description

The Zookeeper authentication type, 'none' or kerberos.

Related Name

hadoop.kms.authentication.signer.secret.provider.zookeeper.auth.type

Default Value

none

API Name

hadoop_kms_authentication_signer_secret_provider_zookeeper_auth_type

Required

false

Hadoop KMS Authentication Signer Secret Provider Zookeeper Path

Description

The Zookeeper ZNode path where the KMS instances will store and retrieve the secret from.

Related Name

hadoop.kms.authentication.signer.secret.provider.zookeeper.path

Default Value

/hadoop-kms/hadoop-auth-signature-secret

API Name

hadoop_kms_authentication_signer_secret_provider_zookeeper_path

Required

false

Hadoop KMS Blacklist Decrypt EEK

Description

Add user which is needed to be blacklist for decrypt EncryptedKey CryptoExtension operations. Multiple list of user's can be added with comma separated.

Related Name

hadoop.kms.blacklist.DECRYPT_EEK

Default Value

hdfs

API Name

hadoop_kms_blacklist_decrypt_eeek

Required

false

Hadoop KMS Cache Enable

Description

Whether the KMS will act as a cache for the backing KeyProvider. When the cache is enabled, operations like getKeyVersion, getMetadata, and getCurrentKey will sometimes return cached data without consulting the backing KeyProvider. Cached values are flushed when keys are deleted or modified.

Related Name

hadoop.kms.cache.enable

Default Value

true

API Name

hadoop_kms_cache_enable

Required

false

Hadoop Kms Cache Timeout In Milliseconds**Description**

Expiry time for the KMS key version and key metadata cache, in milliseconds. This affects getKeyVersion and getMetadata.

Related Name

hadoop.kms.cache.timeout.ms

Default Value

10 minute(s)

API Name

hadoop_kms_cache_timeout_ms

Required

false

Hadoop KMS Current Key Cache Timeout In Milliseconds**Description**

Expiry time for the KMS current key cache, in milliseconds. This affects getCurrentKey operations.

Related Name

hadoop.kms.current.key.cache.timeout.ms

Default Value

30 second(s)

API Name

hadoop_kms_current_key_cache_timeout_ms

Required

false

HDFS Proxy User Groups**Description**

Allows the hdfs superuser to impersonate any members of a comma-delimited list of groups. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name

hadoop.kms.proxyuser.hdfs.groups

Default Value

*

API Name

hadoop_kms_proxyuser_hdfs_groups

Required

false

HDFS Proxy User Hosts

Description

Comma-delimited list of hosts where you want to allow the hdfs user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host'.

Related Name

hadoop.kms.proxyuser.hdfs.hosts

Default Value

*

API Name

hadoop_kms_proxyuser_hdfs_hosts

Required

false

Hive Proxy User Groups

Description

Allows the hive superuser to impersonate any members of a comma-delimited list of groups. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name

hadoop.kms.proxyuser.hive.groups

Default Value

*

API Name

hadoop_kms_proxyuser_hive_groups

Required

false

Hive Proxy User Hosts

Description

Comma-delimited list of hosts where you want to allow the hive user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host'.

Related Name

hadoop.kms.proxyuser.hive.hosts

Default Value

*

API Name

hadoop_kms_proxyuser_hive_hosts

Required

false

HTTP Proxy User Groups

Description

Allows the HTTP superuser to impersonate any members of a comma-delimited list of groups. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name

hadoop.kms.proxyuser.HTTP.groups

Default Value

*

API Name

hadoop_kms_proxyuser_HTTP_groups

Required

false

HTTP Proxy User Hosts

Description

Comma-delimited list of hosts where you want to allow the HTTP user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host_'.

Related Name

hadoop.kms.proxyuser.HTTP.hosts

Default Value

*

API Name

hadoop_kms_proxyuser_HTTP_hosts

Required

false

HttpFS Proxy User Groups

Description

Allows the httpfs superuser to impersonate any members of a comma-delimited list of groups. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name

hadoop.kms.proxyuser.httpfs.groups

Default Value

*

API Name

hadoop_kms_proxyuser_httpfs_groups

Required

false

HttpFS Proxy User Hosts

Description

Comma-delimited list of hosts where you want to allow the httpfs user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host_'.

Related Name

hadoop.kms.proxyuser.httpfs.hosts

Default Value

*

API Name

hadoop_kms_proxyuser_httpfs_hosts

Required

false

Hue Proxy User Groups

Description

Allows the hue superuser to impersonate any members of a comma-delimited list of groups. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name

hadoop.kms.proxyuser.hue.groups

Default Value

*

API Name

hadoop_kms_proxyuser_hue_groups

Required

false

Hue Proxy User Hosts

Description

Comma-delimited list of hosts where you want to allow the hue user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host_'.

Related Name

hadoop.kms.proxyuser.hue.hosts

Default Value

*

API Name

hadoop_kms_proxyuser_hue_hosts

Required

false

Livy Proxy User Groups

Description

Allows the livy superuser to impersonate any members of a comma-delimited list of groups. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name

hadoop.kms.proxyuser.livy.groups

Default Value

*

API Name

hadoop_kms_proxyuser_livy_groups

Required

false

Livy Proxy User Hosts**Description**

Comma-delimited list of hosts where you want to allow the livy user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host'.

Related Name

hadoop.kms.proxyuser.livy.hosts

Default Value

*

API Name

hadoop_kms_proxyuser_livy_hosts

Required

false

Mapred Proxy User Groups**Description**

Allows the mapred superuser to impersonate any members of a comma-delimited list of groups. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name

hadoop.kms.proxyuser.mapred.groups

Default Value

*

API Name

hadoop_kms_proxyuser_mapred_groups

Required

false

Mapred Proxy User Hosts**Description**

Comma-delimited list of hosts where you want to allow the mapred user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host'.

Related Name

hadoop.kms.proxyuser.mapred.hosts

Default Value

*

API Name

hadoop_kms_proxyuser_mapred_hosts

Required

false

Oozie Proxy User Groups

Description

Allows the oozie superuser to impersonate any members of a comma-delimited list of groups. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name

hadoop.kms.proxyuser.oozie.groups

Default Value

*

API Name

hadoop_kms_proxyuser_oozie_groups

Required

false

Oozie Proxy User Hosts

Description

Comma-delimited list of hosts where you want to allow the oozie user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host_'.

Related Name

hadoop.kms.proxyuser.oozie.hosts

Default Value

*

API Name

hadoop_kms_proxyuser_oozie_hosts

Required

false

Ranger Proxy User Groups

Description

Allows the ranger superuser to impersonate any members of a comma-delimited list of groups. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name

hadoop.kms.proxyuser.ranger.groups

Default Value

*

API Name

hadoop_kms_proxyuser_ranger_groups

Required

false

Ranger Proxy User Hosts

Description

Comma-delimited list of hosts where you want to allow the ranger user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host'.

Related Name

hadoop.kms.proxyuser.ranger.hosts

Default Value

*

API Name

hadoop_kms_proxyuser_ranger_hosts

Required

false

Ozone S3 Gateway Proxy User Groups**Description**

Allows the Ozone S3 superuser to impersonate any members of a comma-delimited list of groups. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name

hadoop.kms.proxyuser.s3g.groups

Default Value

*

API Name

hadoop_kms_proxyuser_s3g_groups

Required

false

Ozone S3 Gateway Proxy User Hosts**Description**

Comma-delimited list of hosts where you want to allow the Ozone S3 user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host'.

Related Name

hadoop.kms.proxyuser.s3g.hosts

Default Value

*

API Name

hadoop_kms_proxyuser_s3g_hosts

Required

false

YARN Proxy User Groups**Description**

Allows the yarn superuser to impersonate any members of a comma-delimited list of groups. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name

hadoop.kms.proxyuser.yarn.groups

Default Value

*

API Name

hadoop_kms_proxyuser_yarn_groups

Required

false

YARN Proxy User Hosts

Description

Comma-delimited list of hosts where you want to allow the yarn user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host'.

Related Name

hadoop.kms.proxyuser.yarn.hosts

Default Value

*

API Name

hadoop_kms_proxyuser_yarn_hosts

Required

false

Zeppelin Proxy User Groups

Description

Allows the zeppelin superuser to impersonate any members of a comma-delimited list of groups. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name

hadoop.kms.proxyuser.zeppelin.groups

Default Value

*

API Name

hadoop_kms_proxyuser_zeppelin_groups

Required

false

Zeppelin Proxy User Hosts

Description

Comma-delimited list of hosts where you want to allow the zeppelin user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host'.

Related Name

hadoop.kms.proxyuser.zeppelin.hosts

Default Value

*

API Name

hadoop_kms_proxyuser_zeppelin_hosts

Required

false

Hadoop Security Keystore JavaKeyStoreProvider Password

Description

If using the JavaKeyStoreProvider, the password for the keystore file.

Related Name

hadoop.security.keystore.JavaKeyStoreProvider.password

Default Value

API Name

hadoop_security_keystore_javakeystoreprovider_password

Required

false

Ranger KMS Access log Rotation Max Days

Description

The number of days to retain Ranger KMS Access logs before they are automatically rotated.

Related Name

ranger.accesslog.rotate.max.days

Default Value

15

API Name

ranger_accesslog_rotate_max_days

Required

false

Ranger KMS Plugin Audit Hdfs Spool Directory Path

Description

Spool directory for Ranger audits being written to DFS.

Related Name

xasecure.audit.destination.hdfs.batch.filespool.dir

Default Value

/var/log/kms/audit/hdfs/spool

API Name

ranger_audit_hdfs_spool_dir

Required

true

Ranger KMS Plugin Audit Solr Spool Directory Path

Description

Spool directory for Ranger audits being written to Solr.

Related Name

xasecure.audit.destination.solr.batch.filespool.dir

Default Value

/var/log/kms/audit/solr/spool

API Name

ranger_audit_solr_spool_dir

Required

true

Azure Client ID

Description

Azure client id is a unique identifier generated by Azure AD that is tied to an application and service principal during its initial provisioning.

Related Name

ranger.kms.azure.client.id

Default Value

API Name

ranger_kms_azure_client_id

Required

false

Azure Client Secret

Description

Azure client secret to authenticate to key vault.

Related Name

ranger.kms.azure.client.secret

Default Value

API Name

ranger_kms_azure_client_secret

Required

false

Azure key vault certificate password

Description

Azure key vault certificate password.

Related Name

ranger.kms.azure.keyvault.certificate.password

Default Value

API Name

ranger_kms_azure_keyvault_certificate_password

Required

false

Azure Key Vault Certificate Path

Description

Azure key vault certificate path.

Related Name

ranger.kms.azure.keyvault.certificate.path

Default Value**API Name**

ranger_kms_azure_keyvault_certificate_path

Required

false

Enable Azure Key Vault SSL**Description**

Azure authentication via certificate or password.

Related Name

ranger.kms.azure.keyvault.ssl.enabled

Default Value

false

API Name

ranger_kms_azure_keyvault_ssl_enabled

Required

false

Azure Master Key Name**Description**

Azure master key name.

Related Name

ranger.kms.azure.masterkey.name

Default Value**API Name**

ranger_kms_azure_masterkey_name

Required

false

Azure Master Key Type**Description**

Select the type for the Master key. Key Vault supports RSA and Elliptic Curve keys.

Related Name

ranger.kms.azure.masterkey.type

Default Value

RSA

API Name

ranger_kms_azure_masterkey_type

Required

false

Azure Zonekey Encryption Algorithm

Description

A supported algorithm for a encryption zone key operation.

Related Name

ranger.kms.azure.zonekey.encryption.algorithm

Default Value

RSA1_5

API Name

ranger_kms_azure_zonekey_encryption_algorithm

Required

false

Enable Azure Key Vault

Description

Whether to enable Azure key vault for secure key management.

Related Name

ranger.kms.azurekeyvault.enabled

Default Value

false

API Name

ranger_kms_azurekeyvault_enabled

Required

false

Azure Key Vault Url

Description

Azure Key Vault url of format "https://{keyvault-name}.vault.azure.net/", where keyvault-name is the name for a key vault in the Microsoft Azure Key Vault service.

Related Name

ranger.kms.azurekeyvault.url

Default Value**API Name**

ranger_kms_azurekeyvault_url

Required

false

Ranger KMS Client Java Opts

Description

These are Java command-line arguments for ranger kms. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here.

Related Name

ranger_kms_client_java_opts

Default Value**API Name**

ranger_kms_client_java_opts

Required

false

Enable Hardware Security Module (HSM) For Ranger KMS (Luna)**Description**

Whether to enable HSM for protection of cryptographic keys.

Related Name

ranger.ks.hsm.enabled

Default Value

false

API Name

ranger_kms_hsm_enabled

Required

false

HSM Partition Name**Description**

Independent logical HSM partition that resides within Luna SA appliance's physical K6 HSM appliances. It manage access controls, security policies and administration access. In case of high availability enter the group name.

Related Name

ranger.ks.hsm.partition.name

Default Value**API Name**

ranger_kms_hsm_partition_name

Required

false

HSM partition password**Description**

Password for securing HSM partition.

Related Name

ranger.ks.hsm.partition.password

Default Value**API Name**

ranger_kms_hsm_partition_password

Required

false

HSM Type**Description**

Select HSM type.

Related Name

ranger.ks.hsm.type

Default Value

LunaProvider

API Name

ranger_kms_hsm_type

Required

false

Enable SafeNet Keysecure For Ranger KMS

Description

Whether to enable Keysecure for secure and centralized key management.

Related Name

ranger.kms.keysecure.enabled

Default Value

false

API Name

ranger_kms_keysecure_enabled

Required

false

SafeNet Keysecure Hostname

Description

Hostname of SafeNet Keysecure.

Related Name

ranger.kms.keysecure.hostname

Default Value

API Name

ranger_kms_keysecure_hostname

Required

false

SafeNet Keysecure Login Password

Description

Login Password for accessing SafeNet Keysecure.

Related Name

ranger.kms.keysecure.login.password

Default Value

API Name

ranger_kms_keysecure_login_password

Required

false

SafeNet Keysecure Login Username

Description

Login Username for accessing SafeNet Keysecure.

Related Name

ranger.kms.keysecure.login.username

Default Value**API Name**

ranger_kms_keysecure_login_username

Required

false

SafeNet Keysecure MasterKey Name**Description**

Enter Keysecure masterkey Name. It is used for encrypting/decrypting zone keys.

Related Name

ranger.kms.keysecure.masterkey.name

Default Value**API Name**

ranger_kms_keysecure_masterkey_name

Required

false

SafeNet Keysecure Masterkey Size**Description**

SafeNet Keysecure Masterkey Size.

Related Name

ranger.kms.keysecure.masterkey.size

Default Value

256

API Name

ranger_kms_keysecure_masterkey_size

Required

false

SafeNet Keysecure Sunpkcs11 cfg Filepath**Description**

SafeNet Keysecure sunpkcs11 cfg filepath.

Related Name

ranger.kms.keysecure.sunpkcs11.cfg.filepath

Default Value**API Name**

ranger_kms_keysecure_sunpkcs11_cfg_filepath

Required

false

Enable SafeNet Keysecure User Password Authentication**Description**

Whether to enable SafeNet Keysecure user password authentication.

Related Name

ranger.kms.keysecure.UserPassword.Authentication

Default Value

false

API Name

ranger_kms_keysecure_userpassword_authentication

Required

false

Ranger KMS KTS Keystore File Keypass

Description

Stores the keypass for Ranger KMS KTS keystore file created while backup.

Related Name

ranger_kms_kts_keystore_keypass

Default Value

API Name

ranger_kms_kts_keystore_keypass

Required

true

Ranger KMS KTS Keystore File Storepass

Description

Stores the storepass for Ranger KMS KTS keystore file created while backup.

Related Name

ranger_kms_kts_keystore_storepass

Default Value

API Name

ranger_kms_kts_keystore_storepass

Required

true

Ranger KMS Master Key Password

Description

Password for Ranger KMS Master Key.

Related Name

ranger.db.encrypt.key.password

Default Value

API Name

ranger_kms_master_key_password

Required

true

Ranger KMS Max Heapsize

Description

Maximum size for the Java Process heap. Passed to Java -Xmx. Measured in megabytes.

Related Name

ranger_kms_max_heap_size

Default Value

1 GiB

API Name

ranger_kms_max_heap_size

Required

true

Ranger KMS Plugin Policy Cache Directory Path

Description

The directory where Ranger security policies are cached locally.

Related Name

ranger.plugin.kms.policy.cache.dir

Default Value

/var/lib/ranger/kms/policy-cache

API Name

ranger_kms_plugin_policy_cache_directory

Required

true

Ranger Kms Server Canary Health Enabled

Description

Ranger Kms Server Canary is enabled/disabled.

Related Name

ranger_kms_server_canary_health_enabled

Default Value

true

API Name

ranger_kms_server_canary_health_enabled

Required

false

Ranger Kms Server Canary Health Timeout

Description

Timeout for Ranger Kms Server Canary health check.

Related Name

ranger_kms_server_canary_health_timeout

Default Value

30 second(s)

API Name

ranger_kms_server_canary_health_timeout

Required

false

Ranger KMS Tomcat Work Dir

Description

Tomcat work directory for Ranger KMS.

Related Name

ranger.tomcat.work.dir

Default Value

/var/lib/ranger/kms/work

API Name

ranger_kms_tomcat_work_dir

Required

true

Ranger KMS DB Auth Type

Description

Ranger database authentication type.

Related Name

ranger.ks.db.ssl.auth.type

Default Value

1-way

API Name

ranger_ks_db_ssl_auth_type

Required

false

Ranger KMS Database SSL Certificate File

Description

Specifies database certificate file location.

Related Name

ranger.ks.db.ssl.certificateFile

Default Value

API Name

ranger_ks_db_ssl_certificateFile

Required

false

Ranger KMS DB SSL Enabled

Description

Ranger KMS database SSL enabled.

Related Name

ranger.ks.db.ssl.enabled

Default Value

false

API Name

ranger_ks_db_ssl_enabled

Required

false

Ranger KMS DB SSL Required

Description

Ranger database SSL required.

Related Name

ranger.ks.db.ssl.required

Default Value

false

API Name

ranger_ks_db_ssl_required

Required

false

Ranger KMS DB SSL Verify Server Certificate

Description

Verify database SSL server certificate.

Related Name

ranger.ks.db.ssl.verifyServerCertificate

Default Value

false

API Name

ranger_ks_db_ssl_verifyServerCertificate

Required

false

Ranger KMS Keystore File

Description

Specifies keystore file for Ranger KMS Server in case of 2-way SSL authentication to SSL enabled database used by Ranger KMS.

Related Name

ranger.ks.keystore.file

Default Value

API Name

ranger_ks_keystore_file

Required

false

Ranger KMS Keystore Password

Description

The password for Ranger KMS keystore file.

Related Name

ranger.ks.keystore.password

Default Value**API Name**

ranger_ks_keystore_password

Required

false

Ranger KMS Truststore File**Description**

Specifies Ranger KMS truststore file location that contains certificate used to sign to the SSL enabled database in case of 1-way SSL authentication.

Related Name

ranger.ks.truststore.file

Default Value**API Name**

ranger_ks_truststore_file

Required

false

Ranger KMS Truststore Password**Description**

The password for Ranger KMS truststore file location.

Related Name

ranger.ks.truststore.password

Default Value**API Name**

ranger_ks_truststore_password

Required

false

Ranger Plugin Trusted Proxy IP Address**Description**

Accepts a list of IP addresses of proxy servers for trusting.

Related Name

ranger.plugin.kms.trusted.proxy.ipaddress

Default Value**API Name**

ranger_plugin_trusted_proxy_ipaddress

Required

false

Ranger Plugin Use X-Forwarded For IP Address

Description

The parameter is used for identifying the originating IP address of a user connecting to a component through proxy for audit logs.

Related Name

ranger.plugin.kms.use.x-forwarded-for.ipaddress

Default Value

false

API Name

ranger_plugin_use_x_forwarded_for_ipaddress

Required

false

Ranger KMS Server TLS/SSL Keystore File Alias

Description

The alias for the Ranger KMS Server TLS/SSL keystore file. User must configure the alias for the Ranger KMS keystore.

Related Name

ranger.service.https.attrib.keystore.keyalias

Default Value**API Name**

ranger_service_https_attrib_keystore_keyalias

Required

false

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses

Ranger KMS HTTP Port

Description

HTTP Port for Ranger KMS.

Related Name

ranger.service.http.port

Default Value

9292

API Name

ranger_kms_http_port

Required

false

Ranger KMS HTTPS Port**Description**

HTTPS Port for Ranger KMS. Only used when SSL is enabled for Ranger KMS.

Related Name

ranger.service.https.port

Default Value

9494

API Name

ranger_kms_https_port

Required

false

Resource Management**Cgroup V1 BLKIO Weight****Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

`rm_cpu_shares`**Required**`true`**Cgroup V2 CPU Weight****Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name`cpu.weight`**Default Value**`100`**API Name**`rm_cpu_weight`**Required**`true`**Custom Control Group Resources (overrides Cgroup settings)****Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the `cgexec` command: `resource1,resource2:path1` or `resource3:path2` For example: `'cpu,memory:my/path blkio:my2/path2'`
These settings override other cgroup settings.

Related Name`custom.cgroups`**Default Value****API Name**`rm_custom_resources`**Required**`false`**Cgroup V2 I/O Weight****Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name`io.weight`**Default Value**`100`**API Name**`rm_io_weight`**Required**`true`

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

`rm_memory_soft_limit_v1`**Required**`true`**Cgroup V2 Memory Soft Limit****Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name`memory.high`**Default Value**`-1 MiB`**API Name**`rm_memory_soft_limit_v2`**Required**`true`**Security****Ranger KMS Server TLS/SSL Trust Store File****Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Ranger KMS Server might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name`xasecure.policymgr.clientssl.truststore`**Default Value****API Name**`ssl_client_truststore_location`**Required**`false`**Ranger KMS Server TLS/SSL Trust Store Password****Description**

The password for the Ranger KMS Server TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name`xasecure.policymgr.clientssl.truststore.password`**Default Value****API Name**

ssl_client_truststore_password

Required

false

Enable TLS/SSL for Ranger KMS Server

Description

Encrypt communication between clients and Ranger KMS Server using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

ranger.service.https.attrib.ssl.enabled

Default Value

false

API Name

ssl_enabled

Required

false

Ranger KMS Server TLS/SSL Server Keystore File Location

Description

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Ranger KMS Server is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

ranger.service.https.attrib.keystore.file

Default Value

API Name

ssl_server_keystore_location

Required

false

Ranger KMS Server TLS/SSL Server Keystore File Password

Description

The password for the Ranger KMS Server keystore file.

Related Name

ranger.service.https.attrib.keystore.pass

Default Value

API Name

ssl_server_keystore_password

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory**Description**

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions**Suppress Parameter Validation: Key Trustee KeyStoreProvider KeyStore Backup Directory****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Key Trustee KeyStoreProvider KeyStore Backup Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_backup_keystore_file_path

Required

true

Suppress Parameter Validation: Backup Keystore File Type**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Backup Keystore File Type parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_backup_keystore_file_type

Required

true

Suppress Parameter Validation: Key Trustee NavEncrypt Keys Full Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Key Trustee NavEncrypt Keys Full Path parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_backup_navencrypt_keys_file_path

Required

true

Suppress Configuration Validator: CDH Version Validator**Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/core-site.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/core-site.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_conf/core-site.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/dbks-site.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/dbks-site.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_conf/dbks-site.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/hadoop-metrics2.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/hadoop-metrics2.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_conf/hadoop-metrics2.properties_role_safety_valve

Required

true

Suppress Parameter Validation: Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/hdfs-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/hdfs-site.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_conf/hdfs-site.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/kms-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/kms-site.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_conf/kms-site.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-kms-audit.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-kms-audit.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_conf/ranger-kms-audit.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-kms-policymgr-ssl.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-kms-policymgr-ssl.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_conf/ranger-kms-policymgr-ssl.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-kms-security.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-kms-security.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_conf/ranger-kms-security.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-kms-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-kms-site.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_conf/ranger-kms-site.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Hadoop KMS Authentication Signer Secret Provider Zookeeper Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hadoop KMS Authentication Signer Secret Provider Zookeeper Path parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hadoop_kms_authentication_signer_secret_provider_zookeeper_path

Required

true

Suppress Parameter Validation: Hadoop KMS Blacklist Decrypt EEK

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hadoop KMS Blacklist Decrypt EEK parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hadoop_kms_blacklist_decrypt_eeek

Required

true

Suppress Parameter Validation: HDFS Proxy User Groups

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS Proxy User Groups parameter.

Related Name**Default Value**

	false
API Name	role_config_suppression_hadoop_kms_proxyuser_hdfs_groups
Required	true

Suppress Parameter Validation: HDFS Proxy User Hosts

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS Proxy User Hosts parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_hadoop_kms_proxyuser_hdfs_hosts
Required	true

Suppress Parameter Validation: Hive Proxy User Groups

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Proxy User Groups parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_hadoop_kms_proxyuser_hive_groups
Required	true

Suppress Parameter Validation: Hive Proxy User Hosts

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Proxy User Hosts parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_hadoop_kms_proxyuser_hive_hosts
Required	true

Suppress Parameter Validation: HTTP Proxy User Groups

Description	
--------------------	--

Whether to suppress configuration warnings produced by the built-in parameter validation for the HTTP Proxy User Groups parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_http_groups

Required

true

Suppress Parameter Validation: HTTP Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HTTP Proxy User Hosts parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_http_hosts

Required

true

Suppress Parameter Validation: HttpFS Proxy User Groups

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HttpFS Proxy User Groups parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_httpfs_groups

Required

true

Suppress Parameter Validation: HttpFS Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HttpFS Proxy User Hosts parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_httpfs_hosts

Required

true

Suppress Parameter Validation: Hue Proxy User Groups

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue Proxy User Groups parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hadoop_kms_proxyuser_hue_groups

Required

true

Suppress Parameter Validation: Hue Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue Proxy User Hosts parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hadoop_kms_proxyuser_hue_hosts

Required

true

Suppress Parameter Validation: Livy Proxy User Groups

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Livy Proxy User Groups parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hadoop_kms_proxyuser_livy_groups

Required

true

Suppress Parameter Validation: Livy Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Livy Proxy User Hosts parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_hadoop_kms_proxyuser_livy_hosts`**Required**`true`**Suppress Parameter Validation: Mapred Proxy User Groups****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Mapred Proxy User Groups parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_hadoop_kms_proxyuser_mapred_groups`**Required**`true`**Suppress Parameter Validation: Mapred Proxy User Hosts****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Mapred Proxy User Hosts parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_hadoop_kms_proxyuser_mapred_hosts`**Required**`true`**Suppress Parameter Validation: Oozie Proxy User Groups****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie Proxy User Groups parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_hadoop_kms_proxyuser_oozie_groups`**Required**`true`**Suppress Parameter Validation: Oozie Proxy User Hosts****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie Proxy User Hosts parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hadoop_kms_proxyuser_oozie_hosts

Required

true

Suppress Parameter Validation: Ranger Proxy User Groups**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Proxy User Groups parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hadoop_kms_proxyuser_ranger_groups

Required

true

Suppress Parameter Validation: Ranger Proxy User Hosts**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Proxy User Hosts parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hadoop_kms_proxyuser_ranger_hosts

Required

true

Suppress Parameter Validation: Ozone S3 Gateway Proxy User Groups**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone S3 Gateway Proxy User Groups parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hadoop_kms_proxyuser_s3g_groups

Required

true

Suppress Parameter Validation: Ozone S3 Gateway Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ozone S3 Gateway Proxy User Hosts parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_s3g_hosts

Required

true

Suppress Parameter Validation: YARN Proxy User Groups

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Proxy User Groups parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_yarn_groups

Required

true

Suppress Parameter Validation: YARN Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Proxy User Hosts parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_yarn_hosts

Required

true

Suppress Parameter Validation: Zeppelin Proxy User Groups

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Zeppelin Proxy User Groups parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_zeppelin_groups

Required

true

Suppress Parameter Validation: Zeppelin Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Zeppelin Proxy User Hosts parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_zeppelin_hosts

Required

true

Suppress Parameter Validation: Hadoop Security Keystore JavaKeyStoreProvider Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hadoop Security Keystore JavaKeyStoreProvider Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_security_keystore_javakeystoreprovider_password

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Ranger KMS Server Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Server Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Ranger KMS Server Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Server Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: Heap Dump Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_otelcol_receivers`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_remote_write_password`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_remote_write_url`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_remote_write_user`**Required**`true`**Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Ranger KMS Plugin Audit Hdfs Spool Directory Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Plugin Audit Hdfs Spool Directory Path parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_audit_hdfs_spool_dir

Required

true

Suppress Parameter Validation: Ranger KMS Plugin Audit Solr Spool Directory Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Plugin Audit Solr Spool Directory Path parameter.

Related Name**Default Value**

false

API Name
role_config_suppression_ranger_audit_solr_spool_dir

Required
true

Suppress Parameter Validation: Azure Client ID

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Azure Client ID parameter.

Related Name

Default Value
false

API Name
role_config_suppression_ranger_kms_azure_client_id

Required
true

Suppress Parameter Validation: Azure Client Secret

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Azure Client Secret parameter.

Related Name

Default Value
false

API Name
role_config_suppression_ranger_kms_azure_client_secret

Required
true

Suppress Parameter Validation: Azure key vault certificate password

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Azure key vault certificate password parameter.

Related Name

Default Value
false

API Name
role_config_suppression_ranger_kms_azure_keyvault_certificate_password

Required
true

Suppress Parameter Validation: Azure Key Vault Certificate Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Azure Key Vault Certificate Path parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kms_azure_keyvault_certificate_path

Required

true

Suppress Parameter Validation: Azure Master Key Name

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Azure Master Key Name parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kms_azure_masterkey_name

Required

true

Suppress Parameter Validation: Azure Key Vault Url

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Azure Key Vault Url parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kms_azurekeyvault_url

Required

true

Suppress Parameter Validation: Ranger KMS Client Java Opts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Client Java Opts parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kms_client_java_opts

Required

true

Suppress Parameter Validation: HSM Partition Name

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HSM Partition Name parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_kms_hsm_partition_name

Required

true

Suppress Parameter Validation: HSM partition password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HSM partition password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_kms_hsm_partition_password

Required

true

Suppress Parameter Validation: Ranger KMS HTTP Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS HTTP Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_kms_http_port

Required

true

Suppress Parameter Validation: Ranger KMS HTTPS Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS HTTPS Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_kms_https_port

Required

true

Suppress Parameter Validation: SafeNet Keysecure Hostname

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SafeNet Keysecure Hostname parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kms_keysecure_hostname

Required

true

Suppress Parameter Validation: SafeNet Keysecure Login Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SafeNet Keysecure Login Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kms_keysecure_login_password

Required

true

Suppress Parameter Validation: SafeNet Keysecure Login Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SafeNet Keysecure Login Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kms_keysecure_login_username

Required

true

Suppress Parameter Validation: SafeNet Keysecure MasterKey Name

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SafeNet Keysecure MasterKey Name parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kms_keysecure_masterkey_name

Required

true

Suppress Parameter Validation: SafeNet Keysecure Sunpkcs11 cfg Filepath

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SafeNet Keysecure Sunpkcs11 cfg Filepath parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kms_keysecure_sunpkcs11_cfg_filepath

Required

true

Suppress Parameter Validation: Ranger KMS KTS Keystore File Keypass

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS KTS Keystore File Keypass parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kms_kts_keystore_keypass

Required

true

Suppress Parameter Validation: Ranger KMS KTS Keystore File Storepass

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS KTS Keystore File Storepass parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kms_kts_keystore_storepass

Required

true

Suppress Parameter Validation: Ranger KMS Master Key Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Master Key Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kms_master_key_password

Required

true

Suppress Parameter Validation: Ranger KMS Max Heapsize

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Max Heapsize parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kms_max_heap_size

Required

true

Suppress Parameter Validation: Ranger KMS Plugin Policy Cache Directory Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Plugin Policy Cache Directory Path parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kms_plugin_policy_cache_directory

Required

true

Suppress Parameter Validation: Ranger KMS Server Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Server Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kms_server_role_env_safety_valve

Required

true

Suppress Parameter Validation: Ranger KMS Tomcat Work Dir

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Tomcat Work Dir parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kms_tomcat_work_dir

Required

true

Suppress Parameter Validation: Ranger KMS Database SSL Certificate File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Database SSL Certificate File parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_ks_db_ssl_certificatefile

Required

true

Suppress Parameter Validation: Ranger KMS Keystore File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Keystore File parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_ks_keystore_file

Required

true

Suppress Parameter Validation: Ranger KMS Keystore Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Keystore Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_ks_keystore_password

Required

true

Suppress Parameter Validation: Ranger KMS Truststore File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Truststore File parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_ks_truststore_file

Required

true

Suppress Parameter Validation: Ranger KMS Truststore Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Truststore Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_ks_truststore_password

Required

true

Suppress Parameter Validation: Ranger Plugin Trusted Proxy IP Address

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Plugin Trusted Proxy IP Address parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_plugin_trusted_proxy_ipaddress

Required

true

Suppress Parameter Validation: Ranger KMS Server TLS/SSL Keystore File Alias

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Server TLS/SSL Keystore File Alias parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_service_https_attrib_keystore_keyalias

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Ranger KMS Server TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Server TLS/SSL Trust Store File parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: Ranger KMS Server TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Server TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Parameter Validation: Ranger KMS Server TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Server TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: Ranger KMS Server TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Server TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_kms_ranger_kms_server_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_kms_ranger_kms_server_file_descriptor

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_kms_ranger_kms_server_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_kms_ranger_kms_server_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_kms_ranger_kms_server_otelcol_health

Required

true

Suppress Health Test: Ranger Plugin Hdfs Spool Directory Size**Description**

Whether to suppress the results of the Ranger Plugin Hdfs Spool Directory Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_kms_ranger_kms_server_ranger_plugin_hdfs_spool_directory_size_health

Required

true

Suppress Health Test: Ranger Plugin Solr Spool Directory Size**Description**

Whether to suppress the results of the Ranger Plugin Solr Spool Directory Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_ranger_kms_ranger_kms_server_ranger_plugin_solr_pool_directory_size_health

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_kms_ranger_kms_server_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_kms_ranger_kms_server_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_kms_ranger_kms_server_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_ranger_kms_ranger_kms_server_unexpected_exits

Required

true

Suppress Health Test: Ranger KMS URL Canary Check

Description

Whether to suppress the results of the Ranger KMS URL Canary Check health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_ranger_kms_server_canary

Required

true

Service-Wide

Advanced

System Group

Description

The group that this service's processes should run as.

Related Name

Default Value

kms

API Name

process_groupname

Required

true

System User

Description

The user that this service's processes should run as.

Related Name**Default Value**

kms

API Name

process_username

Required

true

Ranger KMS Database JDBC Url Override**Description**

Specify JDBC url override for connecting to Ranger KMS database. If not specified, the JDBC url will be calculated on basis of the Ranger KMS database parameters specified.

Related Name

ranger.ks.jpa.jdbc.url

Default Value**API Name**

ranger_kms_database_jdbc_url

Required

false

Ranger KMS Service Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

RANGER_KMS_service_env_safety_valve

Required

false

Database**Ranger KMS Database Host****Description**

Hostname of the database used by Ranger KMS. If the port is non-default for your database type, use host:port notation.

Related Name

ranger_kms_database_host

Default Value

localhost

API Name

ranger_kms_database_host

Required

false

Ranger KMS Database Name

Description

Name of Ranger KMS database.

Related Name

ranger_kms_database_name

Default Value

rangerkms

API Name

ranger_kms_database_name

Required

false

Ranger KMS Database User Password

Description

Password for Ranger KMS database.

Related Name

ranger.ks.jpa.jdbc.password

Default Value**API Name**

ranger_kms_database_password

Required

true

Ranger KMS Database Port

Description

Port for Ranger KMS database.

Related Name

ranger_kms_database_port

Default Value

5432

API Name

ranger_kms_database_port

Required

true

Ranger KMS Database Type

Description

Database type to be used (postgres).

Related Name

ranger_kms_database_type

Default Value

postgresql

API Name

ranger_kms_database_type

Required

true

Ranger KMS Database User

Description

User for Ranger KMS database.

Related Name

ranger.ks.jpa.jdbc.user

Default Value

rangerkms

API Name

ranger_kms_database_user

Required

true

Monitoring

Enable Service Level Health Alerts

Description

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Healthy Ranger KMS Server Monitoring Thresholds

Description

The health test thresholds of the overall Ranger KMS Server health. The check returns "Concerning" health if the percentage of "Healthy" Ranger KMS Servers falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" Ranger KMS Servers falls below the critical threshold.

Related Name**Default Value**

Warning: 99.0 %, Critical: 49.0 %

API Name

RANGER_KMS_RANGER_KMS_SERVER_healthy_thresholds

Required

false

Service Triggers**Description**

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

service_triggers

Required

true

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name**Default Value**

API Name

smon_derived_configs_safety_valve

Required

false

Other**Ranger KMS Authentication Type****Description**

Authentication type for the Ranger KMS. Can either be "simple" or "kerberos".

Related Name

hadoop.kms.authentication.type

Default Value

kerberos

API Name

hadoop_kms_authentication_type

Required

true

Enable Ranger KMS KTS Migration**Description**

Whether Ranger KMS KTS key migration is enabled.

Related Name

ranger.kms.ktsmigration.enabled

Default Value

false

API Name

ranger_kms_kts_migration

Required

false

Ranger KMS Load Balancer**Description**

Only required when Ranger KMS is running with High Availability.

Related Name

ranger_kms_load_balancer

Default Value**API Name**

ranger_kms_load_balancer

Required

false

Ranger KMS Plugin Hdfs Audit Directory**Description**

The DFS path on which Ranger audits are written.

Related Name

ranger_kms_plugin_hdfs_audit_directory

Default Value

\$ranger_base_audit_url/kms

API Name

ranger_kms_plugin_hdfs_audit_directory

Required

false

ZooKeeper Service

Description

Name of the ZooKeeper service that this Ranger KMS service instance depends on

Related Name

Default Value

API Name

zookeeper_service

Required

false

Security

Kerberos Principal

Description

Kerberos principal short name used by all roles of this service.

Related Name

Default Value

rangerkms

API Name

kerberos_princ_name

Required

true

Suppressions

Suppress Configuration Validator: Key Trustee KeyStoreProvider KeyStore Backup Directory

Description

Whether to suppress configuration warnings produced by the Key Trustee KeyStoreProvider KeyStore Backup Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_backup_keystore_file_path

Required

true

Suppress Configuration Validator: Backup Keystore File Type**Description**

Whether to suppress configuration warnings produced by the Backup Keystore File Type configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_backup_keystore_file_type

Required

true

Suppress Configuration Validator: Key Trustee NavEncrypt Keys Full Path**Description**

Whether to suppress configuration warnings produced by the Key Trustee NavEncrypt Keys Full Path configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_backup_navencrypt_keys_file_path

Required

true

Suppress Configuration Validator: CDH Version Validator**Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/core-site.xml**Description**

Whether to suppress configuration warnings produced by the Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/core-site.xml configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_conf/core-site.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/dbks-site.xml

Description

Whether to suppress configuration warnings produced by the Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/dbks-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_conf/dbks-site.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/hadoop-metrics2.properties

Description

Whether to suppress configuration warnings produced by the Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/hadoop-metrics2.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_conf/hadoop-metrics2.properties_role_safety_valve

Required

true

Suppress Configuration Validator: Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/hdfs-site.xml

Description

Whether to suppress configuration warnings produced by the Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/hdfs-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_conf/hdfs-site.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/kms-site.xml

Description

Whether to suppress configuration warnings produced by the Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/kms-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_conf/kms-site.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-kms-audit.xml

Description

Whether to suppress configuration warnings produced by the Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-kms-audit.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_conf/ranger-kms-audit.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-kms-policymgr-ssl.xml

Description

Whether to suppress configuration warnings produced by the Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-kms-policymgr-ssl.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_conf/ranger-kms-policymgr-ssl.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-kms-security.xml

Description

Whether to suppress configuration warnings produced by the Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-kms-security.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_conf/ranger-kms-security.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-kms-site.xml

Description

Whether to suppress configuration warnings produced by the Ranger KMS Server Advanced Configuration Snippet (Safety Valve) for conf/ranger-kms-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_conf/ranger-kms-site.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Hadoop KMS Authentication Signer Secret Provider Zookeeper Path

Description

Whether to suppress configuration warnings produced by the Hadoop KMS Authentication Signer Secret Provider Zookeeper Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_authentication_signer_secret_provider_zookeeper_path

Required

true

Suppress Configuration Validator: Hadoop KMS Blacklist Decrypt EEK

Description

Whether to suppress configuration warnings produced by the Hadoop KMS Blacklist Decrypt EEK configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_blacklist_decrypt_eeek

Required

true

Suppress Configuration Validator: HDFS Proxy User Groups

Description

Whether to suppress configuration warnings produced by the HDFS Proxy User Groups configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_hdfs_groups

Required

true

Suppress Configuration Validator: HDFS Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the HDFS Proxy User Hosts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_hdfs_hosts

Required

true

Suppress Configuration Validator: Hive Proxy User Groups

Description

Whether to suppress configuration warnings produced by the Hive Proxy User Groups configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_hive_groups

Required

true

Suppress Configuration Validator: Hive Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the Hive Proxy User Hosts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_hive_hosts

Required

true

Suppress Configuration Validator: HTTP Proxy User Groups

Description

Whether to suppress configuration warnings produced by the HTTP Proxy User Groups configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hadoop_kms_proxyuser_http_groups

Required

true

Suppress Configuration Validator: HTTP Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the HTTP Proxy User Hosts configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hadoop_kms_proxyuser_http_hosts

Required

true

Suppress Configuration Validator: HttpFS Proxy User Groups

Description

Whether to suppress configuration warnings produced by the HttpFS Proxy User Groups configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hadoop_kms_proxyuser_httpfs_groups

Required

true

Suppress Configuration Validator: HttpFS Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the HttpFS Proxy User Hosts configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hadoop_kms_proxyuser_httpfs_hosts

Required

true

Suppress Configuration Validator: Hue Proxy User Groups

Description

Whether to suppress configuration warnings produced by the Hue Proxy User Groups configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_hue_groups

Required

true

Suppress Configuration Validator: Hue Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the Hue Proxy User Hosts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_hue_hosts

Required

true

Suppress Configuration Validator: Livy Proxy User Groups

Description

Whether to suppress configuration warnings produced by the Livy Proxy User Groups configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_livy_groups

Required

true

Suppress Configuration Validator: Livy Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the Livy Proxy User Hosts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_livy_hosts

Required

true

Suppress Configuration Validator: Mapred Proxy User Groups

Description

Whether to suppress configuration warnings produced by the Mapred Proxy User Groups configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_mapred_groups

Required

true

Suppress Configuration Validator: Mapred Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the Mapred Proxy User Hosts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_mapred_hosts

Required

true

Suppress Configuration Validator: Oozie Proxy User Groups

Description

Whether to suppress configuration warnings produced by the Oozie Proxy User Groups configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_oozie_groups

Required

true

Suppress Configuration Validator: Oozie Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the Oozie Proxy User Hosts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_oozie_hosts

Required

true

Suppress Configuration Validator: Ranger Proxy User Groups

Description

Whether to suppress configuration warnings produced by the Ranger Proxy User Groups configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_ranger_groups

Required

true

Suppress Configuration Validator: Ranger Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the Ranger Proxy User Hosts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_ranger_hosts

Required

true

Suppress Configuration Validator: Ozone S3 Gateway Proxy User Groups

Description

Whether to suppress configuration warnings produced by the Ozone S3 Gateway Proxy User Groups configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_s3g_groups

Required

true

Suppress Configuration Validator: Ozone S3 Gateway Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the Ozone S3 Gateway Proxy User Hosts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_s3g_hosts

Required

true

Suppress Configuration Validator: YARN Proxy User Groups

Description

Whether to suppress configuration warnings produced by the YARN Proxy User Groups configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_yarn_groups

Required

true

Suppress Configuration Validator: YARN Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the YARN Proxy User Hosts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_yarn_hosts

Required

true

Suppress Configuration Validator: Zeppelin Proxy User Groups

Description

Whether to suppress configuration warnings produced by the Zeppelin Proxy User Groups configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_zeppelin_groups

Required

true

Suppress Configuration Validator: Zeppelin Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the Zeppelin Proxy User Hosts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_kms_proxyuser_zeppelin_hosts

Required

true

Suppress Configuration Validator: Hadoop Security Keystore JavaKeyStoreProvider Password

Description

Whether to suppress configuration warnings produced by the Hadoop Security Keystore JavaKeyStoreProvider Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_security_keystore_javakeystoreprovider_password

Required

true

Suppress Configuration Validator: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Configuration Validator: Ranger KMS Server Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Ranger KMS Server Logging Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Configuration Validator: Ranger KMS Server Log Directory

Description

Whether to suppress configuration warnings produced by the Ranger KMS Server Log Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Configuration Validator: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: Ranger KMS Plugin Audit Hdfs Spool Directory Path

Description

Whether to suppress configuration warnings produced by the Ranger KMS Plugin Audit Hdfs Spool Directory Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_audit_hdfs_spool_dir

Required

true

Suppress Configuration Validator: Ranger KMS Plugin Audit Solr Spool Directory Path

Description

Whether to suppress configuration warnings produced by the Ranger KMS Plugin Audit Solr Spool Directory Path configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_audit_solr_spool_dir

Required

true

Suppress Configuration Validator: Azure Client ID

Description

Whether to suppress configuration warnings produced by the Azure Client ID configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_kms_azure_client_id

Required

true

Suppress Configuration Validator: Azure Client Secret

Description

Whether to suppress configuration warnings produced by the Azure Client Secret configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_kms_azure_client_secret

Required

true

Suppress Configuration Validator: Azure key vault certificate password

Description

Whether to suppress configuration warnings produced by the Azure key vault certificate password configuration validator.

Related Name**Default Value**

false

API Name

`role_config_suppression_ranger_kms_azure_keyvault_certificate_password`**Required**`true`**Suppress Configuration Validator: Azure Key Vault Certificate Path****Description**

Whether to suppress configuration warnings produced by the Azure Key Vault Certificate Path configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ranger_kms_azure_keyvault_certificate_path`**Required**`true`**Suppress Configuration Validator: Azure Master Key Name****Description**

Whether to suppress configuration warnings produced by the Azure Master Key Name configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ranger_kms_azure_masterkey_name`**Required**`true`**Suppress Configuration Validator: Azure Key Vault Url****Description**

Whether to suppress configuration warnings produced by the Azure Key Vault Url configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ranger_kms_azurekeyvault_url`**Required**`true`**Suppress Configuration Validator: Ranger KMS Client Java Opts****Description**

Whether to suppress configuration warnings produced by the Ranger KMS Client Java Opts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kms_client_java_opts

Required

true

Suppress Configuration Validator: HSM Partition Name

Description

Whether to suppress configuration warnings produced by the HSM Partition Name configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kms_hsm_partition_name

Required

true

Suppress Configuration Validator: HSM partition password

Description

Whether to suppress configuration warnings produced by the HSM partition password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kms_hsm_partition_password

Required

true

Suppress Configuration Validator: Ranger KMS HTTP Port

Description

Whether to suppress configuration warnings produced by the Ranger KMS HTTP Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kms_http_port

Required

true

Suppress Configuration Validator: Ranger KMS HTTPS Port

Description

Whether to suppress configuration warnings produced by the Ranger KMS HTTPS Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kms_https_port

Required

true

Suppress Configuration Validator: SafeNet Keysecure Hostname

Description

Whether to suppress configuration warnings produced by the SafeNet Keysecure Hostname configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kms_keysecure_hostname

Required

true

Suppress Configuration Validator: SafeNet Keysecure Login Password

Description

Whether to suppress configuration warnings produced by the SafeNet Keysecure Login Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kms_keysecure_login_password

Required

true

Suppress Configuration Validator: SafeNet Keysecure Login Username

Description

Whether to suppress configuration warnings produced by the SafeNet Keysecure Login Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kms_keysecure_login_username

Required

true

Suppress Configuration Validator: SafeNet Keysecure MasterKey Name

Description

Whether to suppress configuration warnings produced by the SafeNet Keysecure MasterKey Name configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_kms_keysecure_masterkey_name

Required

true

Suppress Configuration Validator: SafeNet Keysecure Sunpkcs11 cfg Filepath

Description

Whether to suppress configuration warnings produced by the SafeNet Keysecure Sunpkcs11 cfg Filepath configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_kms_keysecure_sunpkcs11_cfg_filepath

Required

true

Suppress Configuration Validator: Ranger KMS KTS Keystore File Keypass

Description

Whether to suppress configuration warnings produced by the Ranger KMS KTS Keystore File Keypass configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_kms_kts_keystore_keypass

Required

true

Suppress Configuration Validator: Ranger KMS KTS Keystore File Storepass

Description

Whether to suppress configuration warnings produced by the Ranger KMS KTS Keystore File Storepass configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_kms_kts_keystore_storepass

Required

true

Suppress Configuration Validator: Ranger KMS Master Key Password

Description

Whether to suppress configuration warnings produced by the Ranger KMS Master Key Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kms_master_key_password

Required

true

Suppress Configuration Validator: Ranger KMS Max Heapsize

Description

Whether to suppress configuration warnings produced by the Ranger KMS Max Heapsize configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kms_max_heap_size

Required

true

Suppress Configuration Validator: Ranger KMS Plugin Policy Cache Directory Path

Description

Whether to suppress configuration warnings produced by the Ranger KMS Plugin Policy Cache Directory Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kms_plugin_policy_cache_directory

Required

true

Suppress Configuration Validator: Ranger KMS Server Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Ranger KMS Server Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kms_server_role_env_safety_valve

Required

true

Suppress Configuration Validator: Ranger KMS Tomcat Work Dir

Description

Whether to suppress configuration warnings produced by the Ranger KMS Tomcat Work Dir configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_kms_tomcat_work_dir

Required

true

Suppress Configuration Validator: Ranger KMS Database SSL Certificate File

Description

Whether to suppress configuration warnings produced by the Ranger KMS Database SSL Certificate File configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_ks_db_ssl_certificatefile

Required

true

Suppress Configuration Validator: Ranger KMS Keystore File

Description

Whether to suppress configuration warnings produced by the Ranger KMS Keystore File configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_ks_keystore_file

Required

true

Suppress Configuration Validator: Ranger KMS Keystore Password

Description

Whether to suppress configuration warnings produced by the Ranger KMS Keystore Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_ks_keystore_password

Required

true

Suppress Configuration Validator: Ranger KMS Truststore File

Description

Whether to suppress configuration warnings produced by the Ranger KMS Truststore File configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_ks_truststore_file

Required

true

Suppress Configuration Validator: Ranger KMS Truststore Password

Description

Whether to suppress configuration warnings produced by the Ranger KMS Truststore Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_ks_truststore_password

Required

true

Suppress Configuration Validator: Ranger Plugin Trusted Proxy IP Address

Description

Whether to suppress configuration warnings produced by the Ranger Plugin Trusted Proxy IP Address configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_plugin_trusted_proxy_ipaddress

Required

true

Suppress Configuration Validator: Ranger KMS Server TLS/SSL Keystore File Alias

Description

Whether to suppress configuration warnings produced by the Ranger KMS Server TLS/SSL Keystore File Alias configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_service_https_attrib_keystore_keyalias

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: Role Triggers

Description

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Configuration Validator: Ranger KMS Server TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the Ranger KMS Server TLS/SSL Trust Store File configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Configuration Validator: Ranger KMS Server TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the Ranger KMS Server TLS/SSL Trust Store Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Configuration Validator: Ranger KMS Server TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the Ranger KMS Server TLS/SSL Server Keystore File Location configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Configuration Validator: Ranger KMS Server TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the Ranger KMS Server TLS/SSL Server Keystore File Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Configuration Validator: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Parameter Validation: Kerberos Principal

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Principal parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_kerberos_princ_name

Required

true

Suppress Parameter Validation: System Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: System User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name**Default Value**

false

API Name

`service_config_suppression_process_username`**Required**`true`**Suppress Parameter Validation: Ranger KMS Database Host****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Database Host parameter.

Related Name**Default Value**`false`**API Name**`service_config_suppression_ranger_kms_database_host`**Required**`true`**Suppress Parameter Validation: Ranger KMS Database JDBC Url Override****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Database JDBC Url Override parameter.

Related Name**Default Value**`false`**API Name**`service_config_suppression_ranger_kms_database_jdbc_url`**Required**`true`**Suppress Parameter Validation: Ranger KMS Database Name****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Database Name parameter.

Related Name**Default Value**`false`**API Name**`service_config_suppression_ranger_kms_database_name`**Required**`true`**Suppress Parameter Validation: Ranger KMS Database User Password****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Database User Password parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_kms_database_password

Required

true

Suppress Parameter Validation: Ranger KMS Database Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Database Port parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_kms_database_port

Required

true

Suppress Parameter Validation: Ranger KMS Database User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Database User parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_kms_database_user

Required

true

Suppress Parameter Validation: Ranger KMS Load Balancer

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Load Balancer parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_kms_load_balancer

Required

true

Suppress Parameter Validation: Ranger KMS Plugin Hdfs Audit Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Plugin Hdfs Audit Directory parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_kms_plugin_hdfs_audit_directory

Required

true

Suppress Configuration Validator: Ranger KMS Server Count Validator**Description**

Whether to suppress configuration warnings produced by the Ranger KMS Server Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_kms_server_count_validator

Required

true

Suppress Parameter Validation: Ranger KMS Service Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger KMS Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_kms_service_env_safety_valve

Required

true

Suppress Parameter Validation: Service Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_service_triggers

Required

true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_smon_derived_configs_safety_valve

Required

true

Suppress Health Test: Ranger KMS Server Health

Description

Whether to suppress the results of the Ranger KMS Server Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

service_health_suppression_ranger_kms_ranger_kms_server_healthy

Required

true

Ranger Raz Properties in Cloudera Runtime 7.3.1

Role groups:

Ranger Raz Server

Advanced

Ranger Raz Server Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j2.properties for this role only.

Related Name

Default Value

API Name

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name

Default Value

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory

Description

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory

Description

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name

Default Value

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory

Description

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Ranger Raz Server Advanced Configuration Snippet (Safety Valve) for ranger-raz-conf/hadoop-metrics2.properties**Description**

For advanced use only. A string to be inserted into ranger-raz-conf/hadoop-metrics2.properties for this role only.

Related Name**Default Value****API Name**

ranger-raz-conf/hadoop-metrics2.properties_role_safety_valve

Required

false

Ranger Raz Server Advanced Configuration Snippet (Safety Valve) for ranger-raz-conf/ranger-raz-audit.xml**Description**

For advanced use only. A string to be inserted into ranger-raz-conf/ranger-raz-audit.xml for this role only.

Related Name**Default Value****API Name**

ranger-raz-conf/ranger-raz-audit.xml_role_safety_valve

Required

false

Ranger Raz Server Advanced Configuration Snippet (Safety Valve) for ranger-raz-conf/ranger-raz-policymgr-ssl.xml**Description**

For advanced use only. A string to be inserted into ranger-raz-conf/ranger-raz-policymgr-ssl.xml for this role only.

Related Name

Default Value

API Name

ranger-raz-conf/ranger-raz-policymgr-ssl.xml_role_safety_valve

Required

false

Ranger Raz Server Advanced Configuration Snippet (Safety Valve) for ranger-raz-conf/ranger-raz-security.xml

Description

For advanced use only. A string to be inserted into ranger-raz-conf/ranger-raz-security.xml for this role only.

Related Name

Default Value

API Name

ranger-raz-conf/ranger-raz-security.xml_role_safety_valve

Required

false

Ranger Raz Server Advanced Configuration Snippet (Safety Valve) for ranger-raz-conf/ranger-raz-site.xml

Description

For advanced use only. A string to be inserted into ranger-raz-conf/ranger-raz-site.xml for this role only.

Related Name

Default Value

API Name

ranger-raz-conf/ranger-raz-site.xml_role_safety_valve

Required

false

Ranger Raz Server Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name

Default Value

API Name

RANGER_RAZ_SERVER_role_env_safety_valve

Required

false

Logs

Ranger Raz Server Log Directory

Description

The log directory for log files of the role Ranger Raz Server.

Related Name

ranger.raz.log.dir

Default Value

/var/log/ranger/raz

API Name

log_dir

Required

false

Ranger Raz Server Logging Threshold**Description**

The minimum log level for Ranger Raz Server logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Ranger Raz Server Maximum Log File Backups**Description**

The maximum number of rolled log files to keep for Ranger Raz Server logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

Ranger Raz Server Max Log Size**Description**

The maximum size, in megabytes, per log file for Ranger Raz Server logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name

Default Value

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name

Default Value

API Name

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.

- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking [View as JSON](#). In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name

Default Value

API Name

`monitoring_metric_filter`

Required

`false`

OpenTelemetry Collector Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

`exporters: prometheusremotewrite/$ROLE_NAME: endpoint: $ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls: insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s max_elapsed_time: 300s`

API Name

`otelcol_exporters`

Required

`false`

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

`extensions: basicauth/$ROLE_NAME: client_auth: username: $ROLE_PARAM(otelcol_remote_write_user) password: '$ROLE_PARAM(otelcol_remote_write_password)'`

API Name

`otelcol_extensions`

Required

`false`

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value**API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: `$HOST_NAME`, `$CLUSTER_NAME`, `$CLUSTER_ID`, `$SERVICE_TYPE`, `$SERVICE_NAME`, `$ROLE_NAME`, `$ROLE_TYPE`, `$ROLE_PARAM(my_parameter_name)` - e.g.: a port parameter for the role's metrics, `$DECODE_B64(...)` and `$DECODE_URL(...)` to decode encoded parameters, `$ENV_PARAM(name)` to fetch params from the process' environment, `$SYS_PARAM(name)` to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window

Description

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds

Description

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name

Default Value

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name

Default Value

Warning: 50.0 %, Critical: 70.0 %

API Name

ranger_raz_server_fd_thresholds

Required

false

Ranger Raz Server Host Health Test

Description

When computing the overall Ranger Raz Server health, consider the host's health.

Related Name**Default Value**

true

API Name

ranger_raz_server_host_health_enabled

Required

false

Ranger Raz Server Process Health Test**Description**

Enables the health test that the Ranger Raz Server's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

ranger_raz_server_scm_health_enabled

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAM and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Enable Spool Directory Metric Usage for Ranger Raz Server**Description**

Enables the health test for monitoring the Ranger Plugin Spool directory usage.

Related Name**Default Value**

true

API Name

spool_directory_usage_enabled

Required

false

Ranger Plugin Spool Directory Usage Thresholds for Ranger Raz Server**Description**

The health test thresholds for monitoring the the Ranger Plugin Spool directory usage.

Related Name**Default Value**

1 GiB

API Name

spool_directory_usage_threshold

Required

false

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period**Description**

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other**Raz Kerberos Cookie Path****Description**

Raz Kerberos cookie path.

Related Name

ranger.raz.auth.method.dt.params.cookie.path

Default Value

/

API Name

ranger.raz.auth.method.dt.params.cookie.path

Required

false

Ranger Raz JWKS Provider Url**Description**

The `{{JWKS_PROVIDER_URL}}` is a placeholder value which will be replaced with the IDBroker endpoint to get JWKS (JSON Web Key Set) when present in the cluster. The placeholder can be replaced to have custom JWKS provider url endpoint.

Related Name

ranger.raz.auth.method.dt.params.jwks.provider-url

Default Value

JWKS_PROVIDER_URL

API Name

ranger.raz.auth.method.dt.params.jwks.provider-url

Required

false

Ranger Raz JWT Audiences**Description**

List of comma separated audiences whose claims are supported by Ranger RAZ service.

Related Name

ranger.raz.auth.method.dt.params.jwt.audiences

Default Value**API Name**

ranger.raz.auth.method.dt.params.jwt.audiences

Required

false

Raz Kerberos Name Rules**Description**

Raz Kerberos name rules.

Related Name

ranger.raz.auth.method.dt.params.kerberos.name.rules

Default Value

DEFAULT

API Name

ranger.raz.auth.method.dt.params.kerberos.name.rules

Required

false

Parameter Type for Kerberos Raz Authentication Method**Description**

Indicates the parameter type used when kerberos Raz authentication method is enabled.

Related Name

ranger.raz.auth.method.dt.params.type

Default Value

kerberos

API Name

ranger.raz.auth.method.dt.params.type

Required

false

Raz Policy Cache Directory**Description**

Directory where Raz policies are cached after successful retrieval from the source.

Related Name

ranger.raz.policy.cache.dir

Default Value

/var/lib/ranger/ranger-raz/policy-cache

API Name

ranger.raz.policy.cache.dir

Required

true

Raz Policy Poll Interval**Description**

Time interval to poll for changes in Raz policies.

Related Name

ranger.raz.policy.pollIntervalMs

Default Value

30 second(s)

API Name

ranger.raz.policy.pollIntervalMs

Required

false

Connection Timeout for Raz Policy Rest Client

Description

Connection timeout for Raz policy rest client.

Related Name

ranger.raz.policy.rest.client.connection.timeoutMs

Default Value

2 minute(s)

API Name

ranger.raz.policy.rest.client.connection.timeoutMs

Required

false

Connection Timeout for Raz Policy Rest Read

Description

Connection timeout for Raz policy rest read.

Related Name

ranger.raz.policy.rest.read.timeoutMs

Default Value

2 minute(s)

API Name

ranger.raz.policy.rest.read.timeoutMs

Required

false

Raz Policy Rest Support Policy Deltas

Description

Raz Policy rest support policy deltas.

Related Name

ranger.raz.policy.rest.supports.policy.deltas

Default Value

false

API Name

ranger.raz.policy.rest.supports.policy.deltas

Required

false

Ranger RAZ Server TLS/SSL Keystore File Alias

Description

The alias for the Ranger RAZ Sever TLS/SSL keystore file. User must configure the alias for the Ranger RAZ keystore.

Related Name

ranger.raz.service.https.attrib.keystore.keyalias

Default Value

API Name

ranger.raz.service.https.attrib.keystore.keyalias

Required

false

Raz Policy Rest Support Tag Deltas

Description

Raz Policy rest support tag deltas.

Related Name

ranger.raz.tag.rest.supports.tag.deltas

Default Value

false

API Name

ranger.raz.tag.rest.supports.tag.deltas

Required

false

Ranger Raz User Store Refresher Polling Interval

Description

Time interval to poll user store configs.

Related Name

ranger.raz.userStoreRefresherPollingInterval

Default Value

30 second(s)

API Name

ranger.raz.userStoreRefresherPollingInterval

Required

false

Ranger Raz Plugin Audit Hdfs Spool Directory Path

Description

Spool directory for Ranger audits being written to DFS.

Related Name

xasecure.audit.destination.hdfs.batch.filespool.dir

Default Value

/var/log/ranger-raz/audit/hdfs/spool

API Name

ranger_audit_hdfs_spool_dir

Required

true

Ranger Raz Plugin Audit Solr Spool Directory Path

Description

Spool directory for Ranger audits being written to Solr.

Related Name

xasecure.audit.destination.solr.batch.filespool.dir

Default Value

/var/log/ranger-raz/audit/solr/spool

API Name

ranger_audit_solr_spool_dir

Required

true

Ranger RAZ Access log Rotation Max Days**Description**

The number of days to retain Ranger RAZ Access logs before they are automatically rotated.

Related Name

ranger.raz.accesslog.rotate.max.days

Default Value

15

API Name

ranger_raz_accesslog_rotate_max_days

Required

false

Ranger Raz Azure Storage Accounts**Description**

A comma-separated list of storage accounts from which user delegation keys will be created, cached, and renewed.

Related Name

ranger.raz.azure.storage.accounts

Default Value**API Name**

ranger_raz_azure_storage_accounts

Required

false

Ranger Raz Canary Health Enabled**Description**

Ranger Raz Canary is enabled/disabled

Related Name

ranger_raz_canary_health_enabled

Default Value

true

API Name

ranger_raz_canary_health_enabled

Required

false

Ranger Raz Canary Health Timeout

Description

Timeout for Ranger Raz Canary health check

Related Name

ranger_raz_canary_health_timeout

Default Value

30 second(s)

API Name

ranger_raz_canary_health_timeout

Required

false

Ranger RAZ Client Java Opts

Description

These are Java command-line arguments for ranger raz. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here.

Related Name

ranger_raz_client_java_opts

Default Value**API Name**

ranger_raz_client_java_opts

Required

false

Ranger Raz Max Heapsize

Description

Maximum size for the Java process heap. Passed to Java -Xmx.

Related Name

ranger_raz_max_heap_size

Default Value

1 GiB

API Name

ranger_raz_max_heap_size

Required

true

Ranger Raz Plugin Policy Cache Directory Path

Description

The directory where Ranger security policies are cached locally.

Related Name

ranger.plugin.raz.policy.cache.dir

Default Value

/var/lib/ranger/ranger-raz/policy-cache

API Name

ranger_raz_plugin_policy_cache_directory

Required

true

Hive Proxy User Groups

Description

Allows the hive superuser to impersonate any members of a comma-delimited list of groups. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name

ranger.raz.proxyuser.hive.groups

Default Value

*

API Name

ranger_raz_proxyuser_hive_groups

Required

false

Hive Proxy User Hosts

Description

Comma-delimited list of hosts where you want to allow the hive user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host_'.

Related Name

ranger.raz.proxyuser.hive.hosts

Default Value

*

API Name

ranger_raz_proxyuser_hive_hosts

Required

false

Httpfs Proxy User Groups

Description

Allows the httpfs superuser to impersonate any members of a comma-delimited list of groups. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name

ranger.raz.proxyuser.httpfs.groups

Default Value

*

API Name

ranger_raz_proxyuser_httpfs_groups

Required

false

Httpfs Proxy User Hosts

Description

Comma-delimited list of hosts where you want to allow the httpfs user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host'.

Related Name

ranger.raz.proxyuser.httpfs.hosts

Default Value

*

API Name

ranger_raz_proxyuser_httpfs_hosts

Required

false

Hue Proxy User Groups

Description

Allows the hue superuser to impersonate any members of a comma-delimited list of groups. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name

ranger.raz.proxyuser.hue.groups

Default Value

*

API Name

ranger_raz_proxyuser_hue_groups

Required

false

Hue Proxy User Hosts

Description

Comma-delimited list of hosts where you want to allow the hue user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host'.

Related Name

ranger.raz.proxyuser.hue.hosts

Default Value

*

API Name

ranger_raz_proxyuser_hue_hosts

Required

false

Impala Proxy User Groups

Description

Allows the impala superuser to impersonate any members of a comma-delimited list of groups. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name

ranger.raz.proxyuser.impala.groups

Default Value

*

API Name

ranger_raz_proxyuser_impala_groups

Required

false

Impala Proxy User Hosts**Description**

Comma-delimited list of hosts where you want to allow the impala user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host_'.

Related Name

ranger.raz.proxyuser.impala.hosts

Default Value

*

API Name

ranger_raz_proxyuser_impala_hosts

Required

false

Livy Proxy User Groups**Description**

Allows the livy superuser to impersonate any members of a comma-delimited list of groups. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name

ranger.raz.proxyuser.livy.groups

Default Value

*

API Name

ranger_raz_proxyuser_livy_groups

Required

false

Livy Proxy User Hosts**Description**

Comma-delimited list of hosts where you want to allow the livy user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host_'.

Related Name

ranger.raz.proxyuser.livy.hosts

Default Value

*

API Name

ranger_raz_proxyuser_livy_hosts

Required

false

Oozie Proxy User Groups

Description

Allows the oozie superuser to impersonate any members of a comma-delimited list of groups. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name

ranger.raz.proxyuser.oozie.groups

Default Value

*

API Name

ranger_raz_proxyuser_oozie_groups

Required

false

Oozie Proxy User Hosts

Description

Comma-delimited list of hosts where you want to allow the oozie user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host_'.

Related Name

ranger.raz.proxyuser.oozie.hosts

Default Value

*

API Name

ranger_raz_proxyuser_oozie_hosts

Required

false

Ranger Raz Tomcat Work Dir

Description

Tomcat work directory for Ranger Raz.

Related Name

ranger.raz.tomcat.work.dir

Default Value

/var/lib/ranger/ranger-raz/work

API Name

ranger_raz_tomcat_work_dir

Required

true

Performance**Maximum Process File Descriptors****Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses**Raz HTTP Port****Description**

The HTTP port for Ranger Raz.

Related Name

ranger.raz.service.http.port

Default Value

6081

API Name

ranger_raz_service_http_port

Required

false

Raz HTTPS Port**Description**

The HTTPS port for Ranger Raz.

Related Name

ranger.raz.service.https.port

Default Value

6082

API Name

ranger_raz_service_https_port

Required

false

Resource Management**Cgroup V1 BLKIO Weight****Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command:

resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2'
These settings override other cgroup settings.

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no

limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security

Ranger Raz Server TLS/SSL Trust Store File

Description

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Ranger Raz Server might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

xasecure.policymgr.clientsssl.truststore

Default Value**API Name**

ssl_client_truststore_location

Required

false

Ranger Raz Server TLS/SSL Trust Store Password

Description

The password for the Ranger Raz Server TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

xasecure.policymgr.clientsssl.truststore.password

Default Value**API Name**

ssl_client_truststore_password

Required

false

Enable TLS/SSL for Ranger Raz Server

Description

Encrypt communication between clients and Ranger Raz Server using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

ranger.raz.service.https.attrib.ssl.enabled

Default Value

false

API Name

ssl_enabled

Required

false

Ranger Raz Server TLS/SSL Server Keystore File Location

Description

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Ranger Raz Server is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

ranger.raz.service.https.attrib.keystore.file

Default Value**API Name**

ssl_server_keystore_location

Required

false

Ranger Raz Server TLS/SSL Server Keystore File Password**Description**

The password for the Ranger Raz Server keystore file.

Related Name

ranger.raz.service.https.attrib.keystore.pass

Default Value**API Name**

ssl_server_keystore_password

Required

false

SSL/TLS Cipher Suite**Description**

The SSL/TLS cipher suites to use. "Modern 2018" is a modern set of cipher suites as of 2018, according to the Mozilla server-side TLS recommendations. These cipher suites use strong cryptography and are preferred unless interaction with older clients is required. These modern cipher suites are compatible with Firefox 27, Chrome 22, Internet Explorer 11, Opera 14, Safari 7, Android 4.4, and Java 8. "Intermediate 2018" is an intermediate set of cipher suites as of 2018, according to the Mozilla server-side TLS recommendations. Select the Intermediate 2018 cipher suites if you require compatibility with a wider range of clients, legacy browsers, or older Linux tools.

Related Name

ranger.raz.tomcat.ciphers

Default Value

modern2018

API Name

tls_ciphers

Required

false

Stacks Collection**Stacks Collection Data Retention****Description**

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory**Description**

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method

Description

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Ranger Raz Server Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Raz Server Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Ranger Raz Server Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Raz Server Log Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Ranger Raz Server Advanced Configuration Snippet (Safety Valve) for ranger-raz-conf/hadoop-metrics2.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Raz Server Advanced Configuration Snippet (Safety Valve) for ranger-raz-conf/hadoop-metrics2.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger-raz-conf/hadoop-metrics2.properties_role_safety_valve

Required

true

Suppress Parameter Validation: Ranger Raz Server Advanced Configuration Snippet (Safety Valve) for ranger-raz-conf/ranger-raz-audit.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Raz Server Advanced Configuration Snippet (Safety Valve) for ranger-raz-conf/ranger-raz-audit.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger-raz-conf/ranger-raz-audit.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Ranger Raz Server Advanced Configuration Snippet (Safety Valve) for ranger-raz-conf/ranger-raz-policymgr-ssl.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Raz Server Advanced Configuration Snippet (Safety Valve) for ranger-raz-conf/ranger-raz-policymgr-ssl.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger-raz-conf/ranger-raz-policymgr-ssl.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Ranger Raz Server Advanced Configuration Snippet (Safety Valve) for ranger-raz-conf/ranger-raz-security.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Raz Server Advanced Configuration Snippet (Safety Valve) for ranger-raz-conf/ranger-raz-security.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger-raz-conf/ranger-raz-security.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Ranger Raz Server Advanced Configuration Snippet (Safety Valve) for ranger-raz-conf/ranger-raz-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Raz Server Advanced Configuration Snippet (Safety Valve) for ranger-raz-conf/ranger-raz-site.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger-raz-conf/ranger-raz-site.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Raz Kerberos Cookie Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Raz Kerberos Cookie Path parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.raz.auth.method.dt.params.cookie.path

Required

true

Suppress Parameter Validation: Ranger Raz JWKS Provider Url**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Raz JWKS Provider Url parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.raz.auth.method.dt.params.jwks.provider-url

Required

true

Suppress Parameter Validation: Ranger Raz JWT Audiences**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Raz JWT Audiences parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.raz.auth.method.dt.params.jwt.audiences

Required

true

Suppress Parameter Validation: Raz Kerberos Name Rules**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Raz Kerberos Name Rules parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.raz.auth.method.dt.params.kerberos.name.rules

Required

true

Suppress Parameter Validation: Raz Policy Cache Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Raz Policy Cache Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.raz.policy.cache.dir

Required

true

Suppress Parameter Validation: Ranger RAZ Server TLS/SSL Keystore File Alias**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger RAZ Server TLS/SSL Keystore File Alias parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.raz.service.https.attrib.keystore.keyalias

Required

true

Suppress Parameter Validation: Ranger Raz Plugin Audit Hdfs Spool Directory Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Raz Plugin Audit Hdfs Spool Directory Path parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_audit_hdfs_spool_dir

Required

true

Suppress Parameter Validation: Ranger Raz Plugin Audit Solr Spool Directory Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Raz Plugin Audit Solr Spool Directory Path parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_audit_solr_spool_dir

Required

true

Suppress Parameter Validation: Ranger Raz Azure Storage Accounts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Raz Azure Storage Accounts parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_raz_azure_storage_accounts

Required

true

Suppress Parameter Validation: Ranger RAZ Client Java Opts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger RAZ Client Java Opts parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_raz_client_java_opts

Required

true

Suppress Parameter Validation: Ranger Raz Plugin Policy Cache Directory Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Raz Plugin Policy Cache Directory Path parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_raz_plugin_policy_cache_directory

Required

true

Suppress Parameter Validation: Hive Proxy User Groups

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Proxy User Groups parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_raz_proxyuser_hive_groups

Required

true

Suppress Parameter Validation: Hive Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive Proxy User Hosts parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_raz_proxyuser_hive_hosts

Required

true

Suppress Parameter Validation: Httpfs Proxy User Groups

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Httpfs Proxy User Groups parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_raz_proxyuser_httpfs_groups

Required

true

Suppress Parameter Validation: Httpfs Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Httpfs Proxy User Hosts parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_raz_proxyuser_https_hosts

Required

true

Suppress Parameter Validation: Hue Proxy User Groups**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue Proxy User Groups parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_raz_proxyuser_hue_groups

Required

true

Suppress Parameter Validation: Hue Proxy User Hosts**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hue Proxy User Hosts parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_raz_proxyuser_hue_hosts

Required

true

Suppress Parameter Validation: Impala Proxy User Groups**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Proxy User Groups parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_raz_proxyuser_impala_groups

Required

true

Suppress Parameter Validation: Impala Proxy User Hosts**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Impala Proxy User Hosts parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_raz_proxyuser_impala_hosts

Required

true

Suppress Parameter Validation: Livy Proxy User Groups**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Livy Proxy User Groups parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_raz_proxyuser_livy_groups

Required

true

Suppress Parameter Validation: Livy Proxy User Hosts**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Livy Proxy User Hosts parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_raz_proxyuser_livy_hosts

Required

true

Suppress Parameter Validation: Oozie Proxy User Groups**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie Proxy User Groups parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_ranger_raz_proxyuser_oozie_groups`**Required**`true`**Suppress Parameter Validation: Oozie Proxy User Hosts****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oozie Proxy User Hosts parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ranger_raz_proxyuser_oozie_hosts`**Required**`true`**Suppress Parameter Validation: Ranger Raz Server Environment Advanced Configuration Snippet (Safety Valve)****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Raz Server Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ranger_raz_server_role_env_safety_valve`**Required**`true`**Suppress Parameter Validation: Raz HTTP Port****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Raz HTTP Port parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ranger_raz_service_http_port`**Required**`true`**Suppress Parameter Validation: Raz HTTPS Port****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Raz HTTPS Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_raz_service_https_port

Required

true

Suppress Parameter Validation: Ranger Raz Tomcat Work Dir**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Raz Tomcat Work Dir parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_raz_tomcat_work_dir

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Ranger Raz Server TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Raz Server TLS/SSL Trust Store File parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: Ranger Raz Server TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Raz Server TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Parameter Validation: Ranger Raz Server TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Raz Server TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: Ranger Raz Server TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Raz Server TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test

Description

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_ranger_raz_ranger_raz_server_audit_health

Required

true

Suppress Health Test: File Descriptors

Description

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_ranger_raz_ranger_raz_server_file_descriptor

Required

true

Suppress Health Test: Host Health

Description

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_raz_ranger_raz_server_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_raz_ranger_raz_server_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_raz_ranger_raz_server_otelcol_health

Required

true

Suppress Health Test: Ranger Plugin Hdfs Spool Directory Size**Description**

Whether to suppress the results of the Ranger Plugin Hdfs Spool Directory Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_raz_ranger_raz_server_ranger_plugin_hdfs_spool_directory_size_health

Required

true

Suppress Health Test: Ranger Plugin Solr Spool Directory Size**Description**

Whether to suppress the results of the Ranger Plugin Solr Spool Directory Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_raz_ranger_raz_server_ranger_plugin_solr_spool_directory_size_health

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_raz_ranger_raz_server_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_raz_ranger_raz_server_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_raz_ranger_raz_server_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_raz_ranger_raz_server_unexpected_exits

Required

true

Suppress Health Test: Ranger RAZ Server Status Check

Description

Whether to suppress the results of the Ranger RAZ Server Status Check health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_raz_server_canary

Required

true

Service-Wide

Advanced

System Group

Description

The group that this service's processes should run as.

Related Name

Default Value

ranger

API Name

process_groupname

Required

true

System User

Description

The user that this service's processes should run as.

Related Name

Default Value

rangerraz

API Name

process_username

Required

true

Ranger Raz Service Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

RANGER_RAZ_service_env_safety_valve

Required

false

Monitoring

Enable Service Level Health Alerts

Description

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Healthy Ranger Raz Server Monitoring Thresholds

Description

The health test thresholds of the overall Ranger Raz Server health. The check returns "Concerning" health if the percentage of "Healthy" Ranger Raz Servers falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" Ranger Raz Servers falls below the critical threshold.

Related Name**Default Value**

Warning: 99.0 %, Critical: 49.0 %

API Name

RANGER_RAZ_RANGER_RAZ_SERVER_healthy_thresholds

Required

false

Service Triggers

Description

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `{ "triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true" }` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

service_triggers

Required

true

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name

Default Value

API Name

smon_derived_configs_safety_valve

Required

false

Other

HDFS Service

Description

Name of the HDFS service that this Ranger Raz service instance depends on

Related Name

Default Value

API Name

hdfs_service

Required

false

Enable Kerberos Raz Authentication Method

Description

Indicates whether Kerberos is enabled.

Related Name

ranger.raz.auth.method.dt.params.kerberos

Default Value

true

API Name

ranger_raz_authentication_method_kerberos

Required

false

Ranger Raz Plugin Hdfs Audit Directory

Description

The DFS path on which Ranger audits are written.

Related Name

ranger_raz_plugin_hdfs_audit_directory

Default Value

\$ranger_base_audit_url/rangerraz

API Name

ranger_raz_plugin_hdfs_audit_directory

Required

false

Ranger Service

Description

Name of the Ranger service that this Ranger Raz service instance depends on

Related Name

Default Value

API Name

ranger_service

Required

false

ZooKeeper Service

Description

Name of the ZooKeeper service that this Ranger Raz service instance depends on

Related Name

Default Value

API Name

zookeeper_service

Required

false

Security

Kerberos Principal

Description

Kerberos principal short name used by all roles of this service.

Related Name

Default Value

rangerraz

API Name

kerberos_princ_name

Required

true

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Configuration Validator: Ranger Raz Server Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Ranger Raz Server Logging Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Configuration Validator: Ranger Raz Server Log Directory

Description

Whether to suppress configuration warnings produced by the Ranger Raz Server Log Directory configuration validator.

Related Name**Default Value**

	false
API Name	role_config_suppression_log_dir
Required	true

Suppress Configuration Validator: Heap Dump Directory

Description	Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_oom_heap_dump_dir
Required	true

Suppress Configuration Validator: OpenTelemetry Collector Exporters Section

Description	Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_exporters
Required	true

Suppress Configuration Validator: OpenTelemetry Collector Extensions Section

Description	Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_extensions
Required	true

Suppress Configuration Validator: OpenTelemetry Collector Helper Port

Description	
--------------------	--

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section**Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: Ranger Raz Server Advanced Configuration Snippet (Safety Valve) for ranger-raz-conf/hadoop-metrics2.properties**Description**

Whether to suppress configuration warnings produced by the Ranger Raz Server Advanced Configuration Snippet (Safety Valve) for ranger-raz-conf/hadoop-metrics2.properties configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger-raz-conf/hadoop-metrics2.properties_role_safety_valve

Required

true

Suppress Configuration Validator: Ranger Raz Server Advanced Configuration Snippet (Safety Valve) for ranger-raz-conf/ranger-raz-audit.xml**Description**

Whether to suppress configuration warnings produced by the Ranger Raz Server Advanced Configuration Snippet (Safety Valve) for ranger-raz-conf/ranger-raz-audit.xml configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger-raz-conf/ranger-raz-audit.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Ranger Raz Server Advanced Configuration Snippet (Safety Valve) for ranger-raz-conf/ranger-raz-policymgr-ssl.xml**Description**

Whether to suppress configuration warnings produced by the Ranger Raz Server Advanced Configuration Snippet (Safety Valve) for ranger-raz-conf/ranger-raz-policymgr-ssl.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger-raz-conf/ranger-raz-policymgr-ssl.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Ranger Raz Server Advanced Configuration Snippet (Safety Valve) for ranger-raz-conf/ranger-raz-security.xml

Description

Whether to suppress configuration warnings produced by the Ranger Raz Server Advanced Configuration Snippet (Safety Valve) for ranger-raz-conf/ranger-raz-security.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger-raz-conf/ranger-raz-security.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Ranger Raz Server Advanced Configuration Snippet (Safety Valve) for ranger-raz-conf/ranger-raz-site.xml

Description

Whether to suppress configuration warnings produced by the Ranger Raz Server Advanced Configuration Snippet (Safety Valve) for ranger-raz-conf/ranger-raz-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger-raz-conf/ranger-raz-site.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Raz Kerberos Cookie Path

Description

Whether to suppress configuration warnings produced by the Raz Kerberos Cookie Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.raz.auth.method.dt.params.cookie.path

Required

true

Suppress Configuration Validator: Ranger Raz JWKS Provider Url**Description**

Whether to suppress configuration warnings produced by the Ranger Raz JWKS Provider Url configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.raz.auth.method.dt.params.jwks.provider-url

Required

true

Suppress Configuration Validator: Ranger Raz JWT Audiences**Description**

Whether to suppress configuration warnings produced by the Ranger Raz JWT Audiences configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.raz.auth.method.dt.params.jwt.audiences

Required

true

Suppress Configuration Validator: Raz Kerberos Name Rules**Description**

Whether to suppress configuration warnings produced by the Raz Kerberos Name Rules configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger.raz.auth.method.dt.params.kerberos.name.rules

Required

true

Suppress Configuration Validator: Raz Policy Cache Directory**Description**

Whether to suppress configuration warnings produced by the Raz Policy Cache Directory configuration validator.

Related Name**Default Value**

false

API Name
role_config_suppression_ranger.raz.policy.cache.dir

Required
true

Suppress Configuration Validator: Ranger RAZ Server TLS/SSL Keystore File Alias

Description
Whether to suppress configuration warnings produced by the Ranger RAZ Server TLS/SSL Keystore File Alias configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_ranger.raz.service.https.attrib.keystore.keyalias

Required
true

Suppress Configuration Validator: Ranger Raz Plugin Audit Hdfs Spool Directory Path

Description
Whether to suppress configuration warnings produced by the Ranger Raz Plugin Audit Hdfs Spool Directory Path configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_ranger_audit_hdfs_spool_dir

Required
true

Suppress Configuration Validator: Ranger Raz Plugin Audit Solr Spool Directory Path

Description
Whether to suppress configuration warnings produced by the Ranger Raz Plugin Audit Solr Spool Directory Path configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_ranger_audit_solr_spool_dir

Required
true

Suppress Configuration Validator: Ranger Raz Azure Storage Accounts

Description

Whether to suppress configuration warnings produced by the Ranger Raz Azure Storage Accounts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_raz_azure_storage_accounts

Required

true

Suppress Configuration Validator: Ranger RAZ Client Java Opts

Description

Whether to suppress configuration warnings produced by the Ranger RAZ Client Java Opts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_raz_client_java_opts

Required

true

Suppress Configuration Validator: Ranger Raz Plugin Policy Cache Directory Path

Description

Whether to suppress configuration warnings produced by the Ranger Raz Plugin Policy Cache Directory Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_raz_plugin_policy_cache_directory

Required

true

Suppress Configuration Validator: Hive Proxy User Groups

Description

Whether to suppress configuration warnings produced by the Hive Proxy User Groups configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_raz_proxyuser_hive_groups

Required

true

Suppress Configuration Validator: Hive Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the Hive Proxy User Hosts configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_raz_proxyuser_hive_hosts

Required

true

Suppress Configuration Validator: Httpfs Proxy User Groups

Description

Whether to suppress configuration warnings produced by the Httpfs Proxy User Groups configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_raz_proxyuser_httpfs_groups

Required

true

Suppress Configuration Validator: Httpfs Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the Httpfs Proxy User Hosts configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_raz_proxyuser_httpfs_hosts

Required

true

Suppress Configuration Validator: Hue Proxy User Groups

Description

Whether to suppress configuration warnings produced by the Hue Proxy User Groups configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_raz_proxyuser_hue_groups

Required

true

Suppress Configuration Validator: Hue Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the Hue Proxy User Hosts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_raz_proxyuser_hue_hosts

Required

true

Suppress Configuration Validator: Impala Proxy User Groups

Description

Whether to suppress configuration warnings produced by the Impala Proxy User Groups configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_raz_proxyuser_impala_groups

Required

true

Suppress Configuration Validator: Impala Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the Impala Proxy User Hosts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_raz_proxyuser_impala_hosts

Required

true

Suppress Configuration Validator: Livy Proxy User Groups

Description

Whether to suppress configuration warnings produced by the Livy Proxy User Groups configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_raz_proxyuser_livy_groups

Required

true

Suppress Configuration Validator: Livy Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the Livy Proxy User Hosts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_raz_proxyuser_livy_hosts

Required

true

Suppress Configuration Validator: Oozie Proxy User Groups

Description

Whether to suppress configuration warnings produced by the Oozie Proxy User Groups configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_raz_proxyuser_oozie_groups

Required

true

Suppress Configuration Validator: Oozie Proxy User Hosts

Description

Whether to suppress configuration warnings produced by the Oozie Proxy User Hosts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_raz_proxyuser_oozie_hosts

Required

true

Suppress Configuration Validator: Ranger Raz Server Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Ranger Raz Server Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_raz_server_role_env_safety_valve

Required

true

Suppress Configuration Validator: Raz HTTP Port

Description

Whether to suppress configuration warnings produced by the Raz HTTP Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_raz_service_http_port

Required

true

Suppress Configuration Validator: Raz HTTPS Port

Description

Whether to suppress configuration warnings produced by the Raz HTTPS Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_raz_service_https_port

Required

true

Suppress Configuration Validator: Ranger Raz Tomcat Work Dir

Description

Whether to suppress configuration warnings produced by the Ranger Raz Tomcat Work Dir configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_raz_tomcat_work_dir

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: Role Triggers**Description**

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Configuration Validator: Ranger Raz Server TLS/SSL Trust Store File**Description**

Whether to suppress configuration warnings produced by the Ranger Raz Server TLS/SSL Trust Store File configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Configuration Validator: Ranger Raz Server TLS/SSL Trust Store Password**Description**

Whether to suppress configuration warnings produced by the Ranger Raz Server TLS/SSL Trust Store Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Configuration Validator: Ranger Raz Server TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the Ranger Raz Server TLS/SSL Server Keystore File Location configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Configuration Validator: Ranger Raz Server TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the Ranger Raz Server TLS/SSL Server Keystore File Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Configuration Validator: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Parameter Validation: Kerberos Principal

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Principal parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_kerberos_princ_name

Required

true

Suppress Parameter Validation: System Group**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: System User**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_username

Required

true

Suppress Parameter Validation: Ranger Raz Plugin Hdfs Audit Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Raz Plugin Hdfs Audit Directory parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_raz_plugin_hdfs_audit_directory

Required

true

Suppress Configuration Validator: Ranger Raz Server Count Validator

Description

Whether to suppress configuration warnings produced by the Ranger Raz Server Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_raz_server_count_validator

Required

true

Suppress Parameter Validation: Ranger Raz Service Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Raz Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_raz_service_env_safety_valve

Required

true

Suppress Parameter Validation: Service Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name

Default Value

false

API Name

service_config_suppression_service_triggers

Required

true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_smon_derived_configs_safety_valve

Required

true

Suppress Health Test: Ranger Raz Server Health

Description

Whether to suppress the results of the Ranger Raz Server Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

service_health_suppression_ranger_raz_ranger_raz_server_healthy

Required

true

Ranger RMS Properties in Cloudera Runtime 7.3.1

Role groups:

Ranger RMS Server

Advanced

Ranger RMS Server Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j2.properties for this role only.

Related Name

Default Value

API Name

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name

Default Value

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when `java.lang.OutOfMemoryError` error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when `java.lang.OutOfMemoryError` is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name

Default Value

20

API Name

process_start_secs

Required

false

Ranger RMS Server Advanced Configuration Snippet (Safety Valve) for ranger-rms-conf/hadoop-metrics2.properties

Description

For advanced use only. A string to be inserted into ranger-rms-conf/hadoop-metrics2.properties for this role only.

Related Name

Default Value

API Name

ranger-rms-conf/hadoop-metrics2.properties_role_safety_valve

Required

false

Ranger RMS Server Advanced Configuration Snippet (Safety Valve) for ranger-rms-conf/ranger-rms-policymgr-ssl.xml

Description

For advanced use only. A string to be inserted into ranger-rms-conf/ranger-rms-policymgr-ssl.xml for this role only.

Related Name

Default Value

API Name

ranger-rms-conf/ranger-rms-policymgr-ssl.xml_role_safety_valve

Required

false

Ranger RMS Server Advanced Configuration Snippet (Safety Valve) for ranger-rms-conf/ranger-rms-site.xml

Description

For advanced use only. A string to be inserted into ranger-rms-conf/ranger-rms-site.xml for this role only.

Related Name

Default Value

API Name

ranger-rms-conf/ranger-rms-site.xml_role_safety_valve

Required

false

Ranger RMS Server Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment.
Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

RANGER_RMS_SERVER_role_env_safety_valve

Required

false

Logs**Ranger RMS Server Log Directory****Description**

The log directory for log files of the role Ranger RMS Server.

Related Name

ranger-rms.log.dir

Default Value

/var/log/ranger/rms

API Name

log_dir

Required

false

Ranger RMS Server Logging Threshold**Description**

The minimum log level for Ranger RMS Server logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Ranger RMS Server Maximum Log File Backups**Description**

The maximum number of rolled log files to keep for Ranger RMS Server logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

Ranger RMS Server Max Log Size

Description

The maximum size, in megabytes, per log file for Ranger RMS Server logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name

Default Value

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name

Default Value

API Name

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name

Default Value

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter

Description

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: { "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }

Related Name**Default Value****API Name**

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

extensions: basicauth/\$ROLE_NAME: client_auth: username:
\$ROLE_PARAM(otelcol_remote_write_user) password:
'\$ROLE_PARAM(otelcol_remote_write_password)'

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL**Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**`$INFRA(cdp_request_signer_url)`**API Name**

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username**Description**

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify `$INFRA(cdp_request_signer_username)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**`$INFRA(cdp_request_signer_username)`**API Name**

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

ranger_rms_server_fd_thresholds

Required

false

Ranger RMS Server Host Health Test

Description

When computing the overall Ranger RMS Server health, consider the host's health.

Related Name**Default Value**

true

API Name

ranger_rms_server_host_health_enabled

Required

false

Ranger RMS Server Process Health Test

Description

Enables the health test that the Ranger RMS Server's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

ranger_rms_server_scm_health_enabled

Required

false

Role Triggers

Description

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- triggerName (mandatory) - The name of the trigger. This value must be unique for the specific role.
- triggerExpression (mandatory) - A tsquery expression representing the trigger.

- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name

Default Value

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name

Default Value

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

Ranger RMS JWKS Provider Url

Description

The `{{JWKS_PROVIDER_URL}}` is a placeholder value which will be replaced with the IDBroker endpoint to get JWKS (JSON Web Key Set) when present in the cluster. The placeholder can be replaced to have custom JWKS provider url endpoint.

Related Name

ranger-rms.auth.method.dt.params.jwks.provider-url

Default Value

JWKS_PROVIDER_URL

API Name

ranger-rms.auth.method.dt.params.jwks.provider-url

Required

false

Ranger RMS JWT Audiences

Description

List of comma separated audiences whose claims are supported by Ranger RMS service.

Related Name

ranger-rms.auth.method.dt.params.jwt.audiences

Default Value

idbroker, rms

API Name

ranger-rms.auth.method.dt.params.jwt.audiences

Required

false

Ranger RMS Server TLS/SSL Keystore File Alias

Description

The alias for the Ranger RMS Server TLS/SSL keystore file. User must configure the alias for the Ranger RMS keystore.

Related Name

ranger-rms.service.https.attrib.keystore.keyalias

Default Value**API Name**

ranger-rms.service.https.attrib.keystore.keyalias

Required

false

Ranger RMS Access log Rotation Max Days

Description

The number of days to retain Ranger RMS Access logs before they are automatically rotated.

Related Name

ranger-rms.accesslog.rotate.max.days

Default Value

15

API Name

ranger-rms_accesslog_rotate_max_days

Required

false

Ranger RMS Client Java Opts**Description**

These are Java command-line arguments for ranger rms. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here.

Related Name

ranger_rms_client_java_opts

Default Value**API Name**

ranger_rms_client_java_opts

Required

false

Enable Mapping Hive Managed Tables**Description**

Ranger RMS, by default keeps track of external Hive table locations maintained in Hive Metastore. If Hive managed tables also need to be tracked, then enable this configuration.

Related Name

ranger-rms.HMS.map.managed.tables

Default Value

false

API Name

ranger_rms_hms_map_managed_tables

Required

false

Ranger RMS Hive Metastore Source Service Name**Description**

Hdfs plugin service name managed in Ranger Admin. RMS needs to associate the HDFS locations with this service name before starting. Along with "Ranger RMS Hive Metastore Target Service Name" parameter, RMS will be able to map HMS data to RMS entities and persist them in RMS database. The default value points to default Hdfs plugin service name that gets created as a part of Ranger service installation from Cloudera Manager. Need to update the parameter value if using different Hdfs plugin service name in Ranger Admin.

Related Name

ranger-rms.HMS.source.service.name

Default Value

cm_hdfs

API Name

ranger_rms_hms_source_service_name

Required

false

Ranger RMS Hive Metastore Source Service Name for Ozone**Description**

Ozone plugin service name managed in Ranger Admin. RMS needs to associate the OZONE locations with this service name before starting. Along with "Ranger RMS Hive Metastore Target Service Name" parameter, RMS will be able to map HMS data to Ozone entities and persist them in RMS database. The default value points to default Ozone plugin service name that gets created as a part of Ranger service installation from Cloudera Manager. Need to update the parameter value if using different Ozone plugin service name in Ranger Admin.

Related Name

ranger-rms.HMS.source.service.name.ozone

Default Value

cm_ozone

API Name

ranger_rms_hms_source_service_name_ozone

Required

false

Ranger RMS Hive Metastore Target Service Name**Description**

Hive plugin service name managed in Ranger Admin. RMS need to associate the Hive tables with this service name before starting. The default value points to default Hive plugin service name that gets created as a part of Ranger service installation from Cloudera Manager. Need to update the parameter value if using different Hive plugin service name in Ranger Admin.

Related Name

ranger-rms.HMS.target.service.name

Default Value

cm_hive

API Name

ranger_rms_hms_target_service_name

Required

false

Ranger RMS Max Heapsize**Description**

Maximum size for the Java process heap. Passed to Java -Xmx.

Related Name

ranger_rms_max_heap_size

Default Value

1 GiB

API Name

ranger_rms_max_heap_size

Required

true

Ranger RMS Polling Notifications Frequency

Description

Polling notifications frequency in milliseconds for Ranger RMS.

Related Name

ranger-rms.polling.notifications.frequency.ms

Default Value

30 second(s)

API Name

ranger_rms_polling_notifications_frequency_ms

Required

false

Ranger RMS Server HA

Description

Enable High availability for Ranger RMS server.

Related Name

ranger-rms.server.ha.enabled

Default Value

false

API Name

ranger_rms_server_ha_enabled

Required

false

Ranger RMS HA Zookeeper ACL

Description

Zookeeper ACL for Ranger RMS server.

Related Name

ranger-rms.server.ha.zookeeper.acl

Default Value

auth:

API Name

ranger_rms_server_ha_zookeeper_acl

Required

false

Ranger RMS Server Zookeeper ACL Auth

Description

Zookeeper ACL Auth for Ranger RMS server.

Related Name

ranger-rms.server.ha.zookeeper.auth

Default Value

API Name

ranger_rms_server_ha_zookeeper_acl_auth

Required

false

Ranger RMS Server HA Zookeeper Num Retries**Description**

Number of retries to connect zookeeper for Ranger RMS server.

Related Name

ranger-rms.server.ha.zookeeper.num.retries

Default Value

3

API Name

ranger_rms_server_ha_zookeeper_num_retries

Required

false

Ranger RMS Server HA Zookeeper Retry Sleptime**Description**

Zookeeper retry sleptime in milliseconds for Ranger RMS server.

Related Name

ranger-rms.server.ha.zookeeper.retry.sleptime.ms

Default Value

1 second(s)

API Name

ranger_rms_server_ha_zookeeper_retry_sleptime_ms

Required

false

Ranger RMS Server HA Zookeeper Session Timeout**Description**

Zookeeper session timeout in milliseconds for Ranger RMS server.

Related Name

ranger-rms.server.ha.zookeeper.session.timeout.ms

Default Value

20 second(s)

API Name

ranger_rms_server_ha_zookeeper_session_timeout_ms

Required

false

Ranger RMS Server HA Zookeeper Zkroot**Description**

Zookeeper Zkroot for Ranger RMS server.

Related Name

ranger-rms.server.ha.zookeeper.zkroot

Default Value

/ranger-rms

API Name

ranger_rms_server_ha_zookeeper_zkroot

Required

false

Ranger RMS Server IDs

Description

Ranger RMS Server IDs.

Related Name

ranger-rms.server.ids

Default Value

API Name

ranger_rms_server_ids

Required

false

Ranger RMS Supported Uri Scheme

Description

Hive service storage type used to store Hive's tables.

Related Name

ranger-rms.supported.uri.scheme

Default Value

hdfs, o3fs, ofs

API Name

ranger_rms_supported_uri_scheme

Required

false

Ranger RMS Tomcat Work Dir

Description

Tomcat work directory for Ranger RMS.

Related Name

ranger-rms.tomcat.work.dir

Default Value

/var/lib/ranger/ranger-rms/work

API Name

ranger_rms_tomcat_work_dir

Required

true

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses**RMS HTTP Port****Description**

The HTTP port for Ranger RMS.

Related Name

ranger-rms.service.http.port

Default Value

8383

API Name

ranger_rms_service_http_port

Required

false

RMS HTTPS Port**Description**

The HTTPS port for Ranger RMS.

Related Name

ranger-rms.service.https.port

Default Value

8484

API Name

ranger_rms_service_https_port

Required

false

Resource Management**Cgroup V1 BLKIO Weight****Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

`rm_custom_resources`**Required**`false`**Cgroup V2 I/O Weight****Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name`io.weight`**Default Value**`100`**API Name**`rm_io_weight`**Required**`true`**Cgroup V1 Memory Hard Limit****Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name`memory.limit_in_bytes`**Default Value**`-1 MiB`**API Name**`rm_memory_hard_limit_v1`**Required**`true`**Cgroup V2 Memory Hard Limit****Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name`memory.max`**Default Value**`-1 MiB`

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security**Ranger RMS Server TLS/SSL Trust Store File****Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Ranger RMS Server might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

ranger-rms.truststore.file

Default Value**API Name**

ssl_client_truststore_location

Required

false

Ranger RMS Server TLS/SSL Trust Store Password**Description**

The password for the Ranger RMS Server TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

ranger-rms.truststore.password

Default Value**API Name**

ssl_client_truststore_password

Required

false

Enable TLS/SSL for Ranger RMS Server**Description**

Encrypt communication between clients and Ranger RMS Server using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

ranger-rms.service.https.attrib.ssl.enabled

Default Value

false

API Name

ssl_enabled

Required

false

Ranger RMS Server TLS/SSL Server Keystore File Location**Description**

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Ranger RMS Server is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

ranger-rms.service.https.attrib.keystore.file

Default Value**API Name**

ssl_server_keystore_location

Required

false

Ranger RMS Server TLS/SSL Server Keystore File Password

Description

The password for the Ranger RMS Server keystore file.

Related Name

ranger-rms.service.https.attrib.keystore.pass

Default Value**API Name**

ssl_server_keystore_password

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

`stacks_collection_enabled`**Default Value**`false`**API Name**`stacks_collection_enabled`**Required**`true`

Stacks Collection Frequency

Description

The frequency with which stacks are collected.

Related Name`stacks_collection_frequency`**Default Value**`5.0 second(s)`**API Name**`stacks_collection_frequency`**Required**`false`

Stacks Collection Method

Description

The method used to collect stacks. The `jstack` option involves periodically running the `jstack` command against the role's daemon process. The `servlet` method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the `servlet` method is selected, that HTTP endpoint is periodically scraped.

Related Name`stacks_collection_method`**Default Value**`jstack`**API Name**`stacks_collection_method`**Required**`false`

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**`false`**API Name**

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Ranger RMS Server Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger RMS Server Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Ranger RMS Server Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger RMS Server Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: Heap Dump Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_otelcol_remote_write_url`**Required**

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_otelcol_remote_write_user`**Required**

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_otelcol_rtm_logs_exporters`**Required**

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_otelcol_rtm_logs_extensions`**Required**

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Ranger RMS Server Advanced Configuration Snippet (Safety Valve) for ranger-rms-conf/hadoop-metrics2.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger RMS Server Advanced Configuration Snippet (Safety Valve) for ranger-rms-conf/hadoop-metrics2.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger-rms-conf/hadoop-metrics2.properties_role_safety_valve

Required

true

Suppress Parameter Validation: Ranger RMS Server Advanced Configuration Snippet (Safety Valve) for ranger-rms-conf/ranger-rms-policymgr-ssl.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger RMS Server Advanced Configuration Snippet (Safety Valve) for ranger-rms-conf/ranger-rms-policymgr-ssl.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger-rms-conf/ranger-rms-policymgr-ssl.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Ranger RMS Server Advanced Configuration Snippet (Safety Valve) for ranger-rms-conf/ranger-rms-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger RMS Server Advanced Configuration Snippet (Safety Valve) for ranger-rms-conf/ranger-rms-site.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger-rms-conf/ranger-rms-site.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Ranger RMS JWKS Provider Url**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger RMS JWKS Provider Url parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger-rms.auth.method.dt.params.jwks.provider-url

Required

true

Suppress Parameter Validation: Ranger RMS JWT Audiences**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger RMS JWT Audiences parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger-rms.auth.method.dt.params.jwt.audiences

Required

true

Suppress Parameter Validation: Ranger RMS Server TLS/SSL Keystore File Alias**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger RMS Server TLS/SSL Keystore File Alias parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger-rms.service.https.attrib.keystore.keyalias

Required

true

Suppress Parameter Validation: Ranger RMS Client Java Opts**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger RMS Client Java Opts parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_ranger_rms_client_java_opts`**Required**`true`**Suppress Parameter Validation: Ranger RMS Hive Metastore Source Service Name****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger RMS Hive Metastore Source Service Name parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ranger_rms_hms_source_service_name`**Required**`true`**Suppress Parameter Validation: Ranger RMS Hive Metastore Source Service Name for Ozone****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger RMS Hive Metastore Source Service Name for Ozone parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ranger_rms_hms_source_service_name_ozone`**Required**`true`**Suppress Parameter Validation: Ranger RMS Hive Metastore Target Service Name****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger RMS Hive Metastore Target Service Name parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ranger_rms_hms_target_service_name`**Required**`true`**Suppress Parameter Validation: Ranger RMS Max Heapsize****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger RMS Max Heapsize parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_rms_max_heap_size

Required

true

Suppress Parameter Validation: Ranger RMS HA Zookeeper ACL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger RMS HA Zookeeper ACL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_rms_server_ha_zookeeper_acl

Required

true

Suppress Parameter Validation: Ranger RMS Server Zookeeper ACL Auth

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger RMS Server Zookeeper ACL Auth parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_rms_server_ha_zookeeper_acl_auth

Required

true

Suppress Parameter Validation: Ranger RMS Server HA Zookeeper Zkroot

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger RMS Server HA Zookeeper Zkroot parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_rms_server_ha_zookeeper_zkroot

Required

true

Suppress Parameter Validation: Ranger RMS Server IDs

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger RMS Server IDs parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_rms_server_ids

Required

true

Suppress Parameter Validation: Ranger RMS Server Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger RMS Server Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_rms_server_role_env_safety_valve

Required

true

Suppress Parameter Validation: RMS HTTP Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the RMS HTTP Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_rms_service_http_port

Required

true

Suppress Parameter Validation: RMS HTTPS Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the RMS HTTPS Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_rms_service_https_port

Required

true

Suppress Parameter Validation: Ranger RMS Supported Uri Scheme**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger RMS Supported Uri Scheme parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_rms_supported_uri_scheme

Required

true

Suppress Parameter Validation: Ranger RMS Tomcat Work Dir**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger RMS Tomcat Work Dir parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_rms_tomcat_work_dir

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

	false
API Name	role_config_suppression_role_triggers
Required	true

Suppress Parameter Validation: Ranger RMS Server TLS/SSL Trust Store File

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger RMS Server TLS/SSL Trust Store File parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_ssl_client_truststore_location
Required	true

Suppress Parameter Validation: Ranger RMS Server TLS/SSL Trust Store Password

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger RMS Server TLS/SSL Trust Store Password parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_ssl_client_truststore_password
Required	true

Suppress Parameter Validation: Ranger RMS Server TLS/SSL Server Keystore File Location

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger RMS Server TLS/SSL Server Keystore File Location parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_ssl_server_keystore_location
Required	true

Suppress Parameter Validation: Ranger RMS Server TLS/SSL Server Keystore File Password

Description	
--------------------	--

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger RMS Server TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test

Description

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_ranger_rms_ranger_rms_server_audit_health

Required

true

Suppress Health Test: File Descriptors

Description

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_ranger_rms_ranger_rms_server_file_descriptor

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_rms_ranger_rms_server_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_rms_ranger_rms_server_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_rms_ranger_rms_server_otelcol_health

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_rms_ranger_rms_server_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_rms_ranger_rms_server_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_rms_ranger_rms_server_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits**Description**

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_ranger_rms_ranger_rms_server_unexpected_exits

Required

true

Service-Wide

Advanced

System Group

Description

The group that this service's processes should run as.

Related Name

Default Value

ranger

API Name

process_groupname

Required

true

System User

Description

The user that this service's processes should run as.

Related Name

Default Value

ranger_rms

API Name

process_username

Required

true

Ranger RMS Service Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

RANGER_RMS_service_env_safety_valve

Required

false

Monitoring

Enable Service Level Health Alerts

Description

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Healthy Ranger RMS Server Monitoring Thresholds

Description

The health test thresholds of the overall Ranger RMS Server health. The check returns "Concerning" health if the percentage of "Healthy" Ranger RMS Servers falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" Ranger RMS Servers falls below the critical threshold.

Related Name**Default Value**

Warning: 99.0 %, Critical: 49.0 %

API Name

RANGER_RMS_RANGER_RMS_SERVER_healthy_thresholds

Required

false

Service Triggers

Description

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

service_triggers

Required

true

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name**Default Value****API Name**

smon_derived_configs_safety_valve

Required

false

Other**Ranger RMS Authentication****Description**

Authentication type for the Ranger RMS. Can either be "simple" or "kerberos".

Related Name

hadoop.security.authentication

Default Value

kerberos

API Name

ranger_rms_authentication

Required

false

Ranger Service

Description

Name of the Ranger service that this Ranger RMS service instance depends on

Related Name**Default Value****API Name**

ranger_service

Required

true

ZooKeeper Service

Description

Name of the ZooKeeper service that this Ranger RMS service instance depends on

Related Name**Default Value****API Name**

zookeeper_service

Required

true

Security

Kerberos Principal

Description

Kerberos principal short name used by all roles of this service.

Related Name**Default Value**

rangerms

API Name

kerberos_princ_name

Required

true

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

`role_config_suppression_cdh_version_validator`**Required**`true`**Suppress Configuration Validator: JMX Exporter configuration YAML****Description**

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_jmx_exporter_yaml`**Required**`true`**Suppress Configuration Validator: Ranger RMS Server Logging Advanced Configuration Snippet (Safety Valve)****Description**

Whether to suppress configuration warnings produced by the Ranger RMS Server Logging Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_log4j_safety_valve`**Required**`true`**Suppress Configuration Validator: Ranger RMS Server Log Directory****Description**

Whether to suppress configuration warnings produced by the Ranger RMS Server Log Directory configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_log_dir`**Required**`true`**Suppress Configuration Validator: Heap Dump Directory****Description**

Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: Ranger RMS Server Advanced Configuration Snippet (Safety Valve) for ranger-rms-conf/hadoop-metrics2.properties

Description

Whether to suppress configuration warnings produced by the Ranger RMS Server Advanced Configuration Snippet (Safety Valve) for ranger-rms-conf/hadoop-metrics2.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger-rms-conf/hadoop-metrics2.properties_role_safety_valve

Required

true

Suppress Configuration Validator: Ranger RMS Server Advanced Configuration Snippet (Safety Valve) for ranger-rms-conf/ranger-rms-policymgr-ssl.xml

Description

Whether to suppress configuration warnings produced by the Ranger RMS Server Advanced Configuration Snippet (Safety Valve) for ranger-rms-conf/ranger-rms-policymgr-ssl.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger-rms-conf/ranger-rms-policymgr-ssl.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Ranger RMS Server Advanced Configuration Snippet (Safety Valve) for ranger-rms-conf/ranger-rms-site.xml

Description

Whether to suppress configuration warnings produced by the Ranger RMS Server Advanced Configuration Snippet (Safety Valve) for ranger-rms-conf/ranger-rms-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger-rms-conf/ranger-rms-site.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Ranger RMS JWKS Provider Url

Description

Whether to suppress configuration warnings produced by the Ranger RMS JWKS Provider Url configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger-rms.auth.method.dt.params.jwks.provider-url

Required

true

Suppress Configuration Validator: Ranger RMS JWT Audiences

Description

Whether to suppress configuration warnings produced by the Ranger RMS JWT Audiences configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger-rms.auth.method.dt.params.jwt.audiences

Required

true

Suppress Configuration Validator: Ranger RMS Server TLS/SSL Keystore File Alias

Description

Whether to suppress configuration warnings produced by the Ranger RMS Server TLS/SSL Keystore File Alias configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger-rms.service.https.attrib.keystore.keyalias

Required

true

Suppress Configuration Validator: Ranger RMS Client Java Opts

Description

Whether to suppress configuration warnings produced by the Ranger RMS Client Java Opts configuration validator.

Related Name**Default Value**

false

API Name

`role_config_suppression_ranger_rms_client_java_opts`**Required**`true`**Suppress Configuration Validator: Ranger RMS Hive Metastore Source Service Name****Description**

Whether to suppress configuration warnings produced by the Ranger RMS Hive Metastore Source Service Name configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ranger_rms_hms_source_service_name`**Required**`true`**Suppress Configuration Validator: Ranger RMS Hive Metastore Source Service Name for Ozone****Description**

Whether to suppress configuration warnings produced by the Ranger RMS Hive Metastore Source Service Name for Ozone configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ranger_rms_hms_source_service_name_ozone`**Required**`true`**Suppress Configuration Validator: Ranger RMS Hive Metastore Target Service Name****Description**

Whether to suppress configuration warnings produced by the Ranger RMS Hive Metastore Target Service Name configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ranger_rms_hms_target_service_name`**Required**`true`**Suppress Configuration Validator: Ranger RMS Max Heapsize****Description**

Whether to suppress configuration warnings produced by the Ranger RMS Max Heapsize configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_rms_max_heap_size

Required

true

Suppress Configuration Validator: Ranger RMS HA Zookeeper ACL

Description

Whether to suppress configuration warnings produced by the Ranger RMS HA Zookeeper ACL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_rms_server_ha_zookeeper_acl

Required

true

Suppress Configuration Validator: Ranger RMS Server Zookeeper ACL Auth

Description

Whether to suppress configuration warnings produced by the Ranger RMS Server Zookeeper ACL Auth configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_rms_server_ha_zookeeper_acl_auth

Required

true

Suppress Configuration Validator: Ranger RMS Server HA Zookeeper Zkroot

Description

Whether to suppress configuration warnings produced by the Ranger RMS Server HA Zookeeper Zkroot configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_rms_server_ha_zookeeper_zkroot

Required

true

Suppress Configuration Validator: Ranger RMS Server IDs

Description

Whether to suppress configuration warnings produced by the Ranger RMS Server IDs configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_rms_server_ids

Required

true

Suppress Configuration Validator: Ranger RMS Server Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Ranger RMS Server Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_rms_server_role_env_safety_valve

Required

true

Suppress Configuration Validator: RMS HTTP Port

Description

Whether to suppress configuration warnings produced by the RMS HTTP Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_rms_service_http_port

Required

true

Suppress Configuration Validator: RMS HTTPS Port

Description

Whether to suppress configuration warnings produced by the RMS HTTPS Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_rms_service_https_port

Required

true

Suppress Configuration Validator: Ranger RMS Supported Uri Scheme**Description**

Whether to suppress configuration warnings produced by the Ranger RMS Supported Uri Scheme configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_rms_supported_uri_scheme

Required

true

Suppress Configuration Validator: Ranger RMS Tomcat Work Dir**Description**

Whether to suppress configuration warnings produced by the Ranger RMS Tomcat Work Dir configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ranger_rms_tomcat_work_dir

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: Role Triggers**Description**

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name**Default Value**

	false
API Name	role_config_suppression_role_triggers
Required	true

Suppress Configuration Validator: Ranger RMS Server TLS/SSL Trust Store File

Description	Whether to suppress configuration warnings produced by the Ranger RMS Server TLS/SSL Trust Store File configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_ssl_client_truststore_location
Required	true

Suppress Configuration Validator: Ranger RMS Server TLS/SSL Trust Store Password

Description	Whether to suppress configuration warnings produced by the Ranger RMS Server TLS/SSL Trust Store Password configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_ssl_client_truststore_password
Required	true

Suppress Configuration Validator: Ranger RMS Server TLS/SSL Server Keystore File Location

Description	Whether to suppress configuration warnings produced by the Ranger RMS Server TLS/SSL Server Keystore File Location configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_ssl_server_keystore_location
Required	true

Suppress Configuration Validator: Ranger RMS Server TLS/SSL Server Keystore File Password

Description	
--------------------	--

Whether to suppress configuration warnings produced by the Ranger RMS Server TLS/SSL Server Keystore File Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Configuration Validator: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Parameter Validation: Kerberos Principal

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Principal parameter.

Related Name

Default Value

false

API Name

service_config_suppression_kerberos_princ_name

Required

true

Suppress Parameter Validation: System Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name

Default Value

false

API Name

service_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: System User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_username

Required

true

Suppress Configuration Validator: Ranger RMS Server Count Validator

Description

Whether to suppress configuration warnings produced by the Ranger RMS Server Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_rms_server_count_validator

Required

true

Suppress Parameter Validation: Ranger RMS Service Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger RMS Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_rms_service_env_safety_valve

Required

true

Suppress Parameter Validation: Service Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name**Default Value**

	false
API Name	service_config_suppression_service_triggers
Required	true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.
Related Name	
Default Value	false
API Name	service_config_suppression_smon_derived_configs_safety_valve
Required	true

Suppress Health Test: Ranger RMS Server Health

Description	Whether to suppress the results of the Ranger RMS Server Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.
Related Name	
Default Value	false
API Name	service_health_suppression_ranger_rms_ranger_rms_server_healthy
Required	true

S3 Connector Properties in Cloudera Runtime 7.3.1

Role groups:

Service-Wide

Advanced

S3 Connector Service Environment Advanced Configuration Snippet (Safety Valve)

Description	For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.
Related Name	

Default Value**API Name**

AWS_S3_service_env_safety_valve

Required

false

Default S3 Endpoint**Description**

Optional, default endpoint used by CDH services accessing S3, indicating the AWS region. To see a list of valid values for this parameter please consult [AWS Regions and Endpoints for S3](#): use one of the values listed in the 'Endpoint' column, eg. 's3.us-east-2.amazonaws.com'. When not specified the endpoint used is s3.amazonaws.com

Related Name

fs.s3a.endpoint

Default Value**API Name**

s3_endpoint

Required

false

Monitoring**Enable Configuration Change Alerts****Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Other**Cloud Account Name****Description**

Name of an AWS account. The associated AWS keys are emitted to Hue, Impala and the Hive Metastore Server.

Related Name**Default Value****API Name**

cloud_account

Required

true

Security

Credentials Protection Policy

Description

Determines a security policy for the distribution of AWS account credentials to cluster services. 'More Secure': Encrypted at all times and directly available to a limited set of services. 'Less Secure': Credentials may be in plain text in some configuration files for specific services in the cluster. When IAM profiles are used, credentials are externally managed in AWS and there are no AWS credentials in any configuration files, so this setting is not applicable.

Related Name**Default Value**

SECURE

API Name

key_distribution_policy

Required

true

Suppressions

Suppress Parameter Validation: S3 Connector Service Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the S3 Connector Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_aws_s3_service_env_safety_valve

Required

true

Suppress Parameter Validation: Default S3 Endpoint

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Default S3 Endpoint parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_s3_endpoint

Required

true

Suppress Configuration Validator: S3Guard CDH Validator

Description

Whether to suppress configuration warnings produced by the S3Guard CDH Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_s3guard_unsupported_cdh_validator

Required

true

Schema Registry Properties in Cloudera Runtime 7.3.1

Role groups:

Gateway

Advanced

Deploy Directory

Description

The directory where the client configs will be deployed

Related Name

Default Value

/etc/schemaregistry

API Name

client_config_root_dir

Required

true

Monitoring

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Other

Alternatives Priority

Description

The priority level that the client configuration will have in the Alternatives system on the hosts. Higher priority levels will cause Alternatives to prefer this configuration over any others.

Related Name**Default Value**

50

API Name

client_config_priority

Required

true

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Deploy Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Deploy Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Schema Registry Server**Advanced****Schema Registry Server Advanced Configuration Snippet (Safety Valve) for atlas-application.properties****Description**

For advanced use only. A string to be inserted into atlas-application.properties for this role only.

Related Name

Default Value**API Name**

atlas-application.properties_role_safety_valve

Required

false

Schema Registry Server XML Override**Description**

For advanced use only, replace entire XML in the logback configuration file for Schema Registry Server, ignoring all logging configuration.

Related Name

logback_safety_valve

Default Value**API Name**

logback_safety_valve

Required

false

Enable auto refresh for metric configurations**Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory

Description

When set, generates a heap dump file when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory

Description

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Schema Registry Server Advanced Configuration Snippet (Safety Valve) for ranger-schema-registry-audit.xml**Description**

For advanced use only. A string to be inserted into ranger-schema-registry-audit.xml for this role only.

Related Name**Default Value****API Name**

ranger-schema-registry-audit.xml_role_safety_valve

Required

false

Schema Registry Server Advanced Configuration Snippet (Safety Valve) for ranger-schema-registry-policymgr-ssl.xml**Description**

For advanced use only. A string to be inserted into ranger-schema-registry-policymgr-ssl.xml for this role only.

Related Name**Default Value****API Name**

ranger-schema-registry-policymgr-ssl.xml_role_safety_valve

Required

false

Schema Registry Server Advanced Configuration Snippet (Safety Valve) for ranger-schema-registry-security.xml**Description**

For advanced use only. A string to be inserted into ranger-schema-registry-security.xml for this role only.

Related Name**Default Value****API Name**

ranger-schema-registry-security.xml_role_safety_valve

Required

false

Schema Registry Server Advanced Configuration Snippet (Safety Valve) for registry.yaml**Description**

For advanced use only. A string to be inserted into registry.yaml for this role only.

Related Name**Default Value****API Name**

registry.yaml_role_safety_valve

Required

false

Schema Registry Server Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

SCHEMA_REGISTRY_SERVER_role_env_safety_valve

Required

false

Logs

Schema Registry Server Log Directory

Description

The log directory for log files of the role Schema Registry Server.

Related Name

log_dir

Default Value

/var/log/schemaregistry

API Name

log_dir

Required

false

Schema Registry Server Logging Threshold

Description

The minimum log level for Schema Registry Server logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Schema Registry Server Maximum Log File Backups

Description

The maximum number of rolled log files to keep for Schema Registry Server logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

Schema Registry Server Max Log Size

Description

The maximum size, in megabytes, per log file for Schema Registry Server logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring**Enable Health Alerts for this Role****Description**

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML**Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name**Default Value****API Name**

`monitoring_metric_filter`

Required

`false`

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

`exporters: prometheusremotewrite/$ROLE_NAME: endpoint: $ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls: insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s max_elapsed_time: 300s`

API Name

`otelcol_exporters`

Required

`false`

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

`extensions: basicauth/$ROLE_NAME: client_auth: username: $ROLE_PARAM(otelcol_remote_write_user) password: '$ROLE_PARAM(otelcol_remote_write_password)'`

API Name

`otelcol_extensions`

Required

`false`

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name

Default Value

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds

Description

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window

Description

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds

Description

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers

Description

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- triggerName (mandatory) - The name of the trigger. This value must be unique for the specific role.
- triggerExpression (mandatory) - A tsquery expression representing the trigger.

- streamThreshold (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- enabled (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- expressionEditorConfig (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=\$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}] See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

role_triggers

Required

true

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name

Default Value

Warning: 50.0 %, Critical: 70.0 %

API Name

schema_registry_server_fd_thresholds

Required

false

Schema Registry Server Host Health Test

Description

When computing the overall Schema Registry Server health, consider the host's health.

Related Name

Default Value

true

API Name

schema_registry_server_host_health_enabled

Required

false

Schema Registry Server Process Health Test

Description

Enables the health test that the Schema Registry Server's process state is consistent with the role configuration

Related Name

Default Value

true

API Name

schema_registry_server_scm_health_enabled

Required

false

Enable Spool Directory Metric Usage for Schema Registry Server

Description

Enables the health test for monitoring the Ranger Plugin Spool directory usage.

Related Name

Default Value

true

API Name

spool_directory_usage_enabled

Required

false

Ranger Plugin Spool Directory Usage Thresholds for Schema Registry Server

Description

The health test thresholds for monitoring the the Ranger Plugin Spool directory usage.

Related Name

Default Value

1 GiB

API Name

spool_directory_usage_threshold

Required

false

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name

Default Value

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

Atlas Url Override

Description

Specify atlas url override for connecting to atlas server. For example: In non-HA mode `http://<hostname>:<port>` and HA mode `http://<hostname1>:<port>,http://<hostname2>:<port>`. If not specified, `atlas_rest_url` from atlas config will be used.

Related Name

atlas_url

Default Value**API Name**

atlas_url

Required

false

Schema Registry Server Diagnostics Collection Timeout

Description

The timeout in milliseconds to wait for diagnostics collection to complete.

Related Name**Default Value**

5 minute(s)

API Name

csd_role_diagnostics_timeout

Required

false

Enable Request Log

Description

Enable logging of REST API requests.

Related Name

enable.request.log

Default Value

true

API Name

`enable.request.log`**Required**`true`**Fingerprint Generator Java Options****Description**

Additional JVM flags can be passed here.

Related Name`fingerprint.generator.java.options`**Default Value****API Name**`fingerprint.generator.java.options`**Required**`false`**Ranger Schema Registry Plugin Policy Cache Directory Path****Description**

The directory where Ranger security policies are cached locally.

Related Name`ranger.plugin.schema-registry.policy.cache.dir`**Default Value**`/var/lib/schemaregistry/policy-cache`**API Name**`ranger.plugin.schema-registry.policy.cache.dir`**Required**`true`**Ranger Schema Registry Service Name****Description**

Schema Registry service name in Ranger. If this parameter is set to the placeholder value `'{{GENERATED_RANGER_SERVICE_NAME}}'`, a generated service name will be used, and if necessary, created. The generated service name will refer to the name of the cluster and the name of this SchemaRegistry service. The name can consist of alphanumeric, '-' and '_' characters.

Related Name`ranger.plugin.schema-registry.service.name`**Default Value**`cm_schema-registry`**API Name**`ranger.plugin.schema-registry.service.name`**Required**`false`**Ranger Schema Registry Manager Plugin Audit Hdfs Spool Directory Path****Description**

Spool directory for Ranger audits being written to DFS.

Related Name

xasecure.audit.destination.hdfs.batch.filespool.dir

Default Value

/var/log/schemaregistry/audit/hdfs/spool

API Name

ranger_audit_hdfs_spool_dir

Required

true

Ranger Schema Registry Plugin Audit Solr Spool Directory Path

Description

Spool directory for Ranger audits being written to Solr.

Related Name

xasecure.audit.destination.solr.batch.filespool.dir

Default Value

/var/log/schemaregistry/audit/solr/spool

API Name

ranger_audit_solr_spool_dir

Required

true

Schema Registry Additional Java Options

Description

Additional JVM flags can be passed here.

Related Name

schema.registry.additional.java.options

Default Value

API Name

schema.registry.additional.java.options

Required

false

Schema Registry Allowed Resources

Description

Allowed resources for Schema Registry.

Related Name

schema.registry.allowed.resources

Default Value

401.html, back-default.png, favicon.ico

API Name

schema.registry.allowed.resources

Required

false

Enable CORS For All Origins

Description

(Warning) Enables CORS for all origins, by setting Access-Control-Allow-Origin to "*". This can lead to vulnerabilities if used in production.

Related Name

schema.registry.cors.enable

Default Value

false

API Name

schema.registry.cors.enable

Required

false

Default Compatibility For New Schemas

Description

When a new schema is created, the creator has the option to provide the compatibility setting. If this is not provided, the default compatibility will be applied.

Related Name

schema.registry.default.compatibility

Default Value

BACKWARD

API Name

schema.registry.default.compatibility

Required

true

Default Validation Level For New Schemas

Description

When a new schema is created, the creator has the option to provide the validation level. If this is not provided, the default validation level will be applied.

Related Name

schema.registry.default.validationLevel

Default Value

ALL

API Name

schema.registry.default.validationLevel

Required

true

Enable TLS with Oracle DB

Description

Enable TLS with Oracle as DB for Schema Registry.

Related Name

schema.registry.enable.TLS.Oracle

Default Value

false

API Name

schema.registry.enable.TLS.Oracle

Required

false

Fingerprint Version**Description**

The fingerprint version to be used by SchemaRegistry for de-duplicating schemas during schema creation.

Related Name

schema.registry.fingerprint.version

Default Value

VERSION_2

API Name

schema.registry.fingerprint.version

Required

false

Hashing Algorithm Used For Generating Fingerprints**Description**

Schema Registry hashes the schema text for performance reasons. It is important to remember that changing this value to a different algorithm will require you to manually rehash all existing fingerprints and update the database accordingly.

Related Name

schema.registry.hash.function

Default Value

MD5

API Name

schema.registry.hash.function

Required

true

Password For HTTP Proxy Server Username**Description**

Password For HTTP Proxy Server Username.

Related Name

schema.registry.httpProxyPassword

Default Value**API Name**

schema.registry.httpProxyPassword

Required

false

HTTP Proxy Server

Description

URL for http proxy server. Please enter it in format protocol_name://host_name:port_number.

Related Name

schema.registry.httpProxyServer

Default Value**API Name**

schema.registry.httpProxyServer

Required

false

HTTP Proxy Server Availability

Description

Boolean to set if HTTP Proxy Server is available or not.

Related Name

schema.registry.httpProxyServer.available

Default Value

false

API Name

schema.registry.httpProxyServer.available

Required

false

Username For HTTP Proxy Server

Description

Username for http proxy server.

Related Name

schema.registry.httpProxyUsername

Default Value**API Name**

schema.registry.httpProxyUsername

Required

false

Schema Registry Jar Storage Directory Path

Description

Jar storage directory path.

Related Name

schema.registry.jar.storage.directory.path

Default Value

/tmp/schema-registry/local-jars

API Name

schema.registry.jar.storage.directory.path

Required

false

Schema Registry Jar Storage HDFS URL

Description

URL of the directory to be used for storing jars on HDFS when HDFS is not selected as an optional dependency.

Related Name

schema.registry.jar.storage.hdfs.url

Default Value

hdfs://localhost:8020

API Name

schema.registry.jar.storage.hdfs.url

Required

false

Schema Registry Jar Storage Type

Description

Jar storage type for storing jars on the local filesystem or on HDFS. If 'hdfs' is set but HDFS is not selected as an optional dependency, please provide a value for the 'Schema Registry Jar Storage HDFS URL' property.

Related Name

schema.registry.jar.storage.type

Default Value

local

API Name

schema.registry.jar.storage.type

Required

false

Oracle TLS javax.net.ssl.keyStore

Description

Path to keystore file if enabling TLS using Oracle DB.

Related Name

schema.registry.javax.net.ssl.keyStore

Default Value

API Name

schema.registry.javax.net.ssl.keyStore

Required

false

Oracle TLS javax.net.ssl.keyStorePassword

Description

KeyStorePassword if enabling TLS using Oracle DB.

Related Name

schema.registry.javax.net.ssl.keyStorePassword

Default Value

API Name

schema.registry.javax.net.ssl.keyStorePassword

Required

false

Oracle TLS javax.net.ssl.keyStoreType

Description

KeyStoreType type if enabling TLS using Oracle DB.

Related Name

schema.registry.javax.net.ssl.keyStoreType

Default Value

API Name

schema.registry.javax.net.ssl.keyStoreType

Required

false

Oracle TLS javax.net.ssl.trustStore

Description

Required Path to truststore file if enabling TLS using Oracle DB.

Related Name

schema.registry.javax.net.ssl.trustStore

Default Value

API Name

schema.registry.javax.net.ssl.trustStore

Required

false

Oracle TLS javax.net.ssl.trustStorePassword

Description

TrustStorePassword type if enabling TLS using Oracle DB.

Related Name

schema.registry.javax.net.ssl.trustStorePassword

Default Value

API Name

schema.registry.javax.net.ssl.trustStorePassword

Required

false

Oracle TLS javax.net.ssl.trustStoreType

Description

Required Truststore type if enabling TLS using Oracle DB.

Related Name

schema.registry.javax.net.ssl.trustStoreType

Default Value**API Name**

schema.registry.javax.net.ssl.trustStoreType

Required

false

Java Home Path Override**Description**

Java home path override for Schema Registry.

Related Name

schema.registry.jdk.home

Default Value**API Name**

schema.registry.jdk.home

Required

false

Schema Registry Kerberos Name Rules**Description**

Kerberos name rules for Schema Registry. If left empty, the cluster wide rules will be applied.

Related Name

schema.registry.kerberos.name.rules

Default Value**API Name**

schema.registry.kerberos.name.rules

Required

false

Schema Registry Kerberos Non Browser User Agents**Description**

Non browser user agents if kerberos is enabled.

Related Name

schema.registry.kerberos.non.browser.user.agents

Default Value**API Name**

schema.registry.kerberos.non.browser.user.agents

Required

false

Schema Registry Kerberos User Group Cache Expiration Time**Description**

Kerberos user and group cache expiration time.

Related Name

schema.registry.kerberos.user.group.cache.expiration.ms

Default Value

5 minute(s)

API Name

schema.registry.kerberos.user.group.cache.expiration.ms

Required

false

Schema Registry MaxRequestHeaderSize

Description

Maximum Request Header Size for the Schema Registry, in KiB.

Related Name

schema.registry.maxRequestHeaderSize

Default Value

8

API Name

schema.registry.maxRequestHeaderSize

Required

false

OAuth2 Clock Skew

Description

Allows a certain difference between the clock of the server issuing the token and the clock where Schema Registry is running. They might not be in sync with each other.

Related Name

schema.registry.oauth.clock.skew

Default Value

API Name

schema.registry.oauth.clock.skew

Required

false

OAuth Enabled

Description

Enables OAuth2 authentication.

Related Name

schema.registry.oauth.enabled

Default Value

false

API Name

schema.registry.oauth.enabled

Required

false

OAuth2 JWK Server Login Basic Password

Description

If the JSON Web Key (JWK) server requires Basic Authentication, then you provide the password.

Related Name

schema.registry.oauth.jwks.httpClient.basic.password

Default Value**API Name**

schema.registry.oauth.jwks.httpClient.basic.password

Required

false

OAuth2 JWK Server Login Basic User**Description**

If the JSON Web Key (JWK) server requires Basic Authentication, then you provide the username.

Related Name

schema.registry.oauth.jwks.httpClient.basic.user

Default Value**API Name**

schema.registry.oauth.jwks.httpClient.basic.user

Required

false

OAuth2 JWK Server Key Manager Factory Algorithm**Description**

Schema Registry algorithm of KeyManagerFactory for HTTP client used for JWK OAuth2. You might require it when the keystore type is 'jwk'.

Related Name

schema.registry.oauth.jwks.httpClient.keyManagerFactoryAlgorithm

Default Value**API Name**

schema.registry.oauth.jwks.httpClient.keyManagerFactoryAlgorithm

Required

false

OAuth2 JWK Server Key Manager Factory Provider**Description**

Schema Registry KeyManagerFactory provider for HTTP client used for JWK OAuth2. You might require it when the keystore type is 'jwk'.

Related Name

schema.registry.oauth.jwks.httpClient.keyManagerFactoryProvider

Default Value**API Name**

schema.registry.oauth.jwks.httpClient.keyManagerFactoryProvider

Required

false

OAuth2 JWK Server Key Password

Description

Schema Registry key password of HTTP client used for JWK OAuth2. You might require it when the keystore type is 'jwk'.

Related Name

schema.registry.oauth.jwks.httpClient.keyPassword

Default Value**API Name**

schema.registry.oauth.jwks.httpClient.keyPassword

Required

false

OAuth2 JWK Server Keystore Password

Description

Schema Registry keystore password of HTTP client used for JWK OAuth2. You might require it when the keystore type is 'jwk'

Related Name

schema.registry.oauth.jwks.httpClient.keyStorePassword

Default Value**API Name**

schema.registry.oauth.jwks.httpClient.keyStorePassword

Required

false

OAuth2 JWK Server Keystore Path

Description

If a key is required for accessing the JSON Web Key (JWK) server, then you provide the keystore path.

Related Name

schema.registry.oauth.jwks.httpClient.keyStorePath

Default Value**API Name**

schema.registry.oauth.jwks.httpClient.keyStorePath

Required

false

OAuth2 JWK Server Keystore Provider

Description

Schema Registry keystore provider of HTTP client used for JWK OAuth2. You might require it when the keystore type is 'jwk'.

Related Name

schema.registry.oauth.jwks.httpClient.keyStoreProvider

Default Value**API Name**

schema.registry.oauth.jwks.httpClient.keyStoreProvider

Required

false

OAuth2 JWK Server Keystore Type**Description**

Schema Registry keystore type of HTTP client used for JSON Web Key (JWK) OAuth2. You might require it when the keystore type is 'jwk'.

Related Name

schema.registry.oauth.jwks.httpClient.keyStoreType

Default Value**API Name**

schema.registry.oauth.jwks.httpClient.keyStoreType

Required

false

OAuth2 JWK Server Security Protocol**Description**

HTTPS security protocol. By default, it is TLS.

Related Name

schema.registry.oauth.jwks.httpClient.protocol

Default Value**API Name**

schema.registry.oauth.jwks.httpClient.protocol

Required

false

OAuth2 JWK Server Trust Manager Factory Algorithm**Description**

Schema Registry TrustManagerFactory algorithm for HTTP client used for JWK OAuth2. You might require it when the keystore type is 'jwk'.

Related Name

schema.registry.oauth.jwks.httpClient.trustManagerFactoryAlgorithm

Default Value**API Name**

schema.registry.oauth.jwks.httpClient.trustManagerFactoryAlgorithm

Required

false

OAuth2 JWK Server Trust Manager Factory Provider**Description**

Schema Registry TrustManagerFactory provider for HTTP client used for JWK OAuth2. You might require it when the keystore type is 'jwk'.

Related Name

schema.registry.oauth.jwks.httpClient.trustManagerFactoryProvider

Default Value**API Name**`schema.registry.oauth.jwks.httpClient.trustManagerFactoryProvider`**Required**

false

OAuth2 JWK Server Truststore Password**Description**

Schema Registry truststore password of HTTP client used for JWK OAuth2. You might require it when the keystore type is 'jwk'.

Related Name`schema.registry.oauth.jwks.httpClient.trustStorePassword`**Default Value****API Name**`schema.registry.oauth.jwks.httpClient.trustStorePassword`**Required**

false

OAuth2 JWK Server Truststore Path**Description**

You can add the certificate of the JWK server to a truststore.

Related Name`schema.registry.oauth.jwks.httpClient.trustStorePath`**Default Value****API Name**`schema.registry.oauth.jwks.httpClient.trustStorePath`**Required**

false

OAuth2 JWK Server Truststore Provider**Description**

Schema Registry truststore provider of HTTP client used for JWK OAuth2. You might require it when the keystore type is 'jwk'.

Related Name`schema.registry.oauth.jwks.httpClient.trustStoreProvider`**Default Value****API Name**`schema.registry.oauth.jwks.httpClient.trustStoreProvider`**Required**

false

OAuth2 JWK Server Truststore Type**Description**

Schema Registry truststore type of HTTP client used for JWK OAuth2. You might require it when the keystore type is 'jwk'.

Related Name

schema.registry.oauth.jwks.httpClient.trustStoreType

Default Value**API Name**

schema.registry.oauth.jwks.httpClient.trustStoreType

Required

false

OAuth2 JWK Refresh Interval**Description**

Refresh interval for reading the keys from the JSON Web Key (JWK) server. Default value is 30000 ms (30 seconds).

Related Name

schema.registry.oauth.jwks.refresh.ms

Default Value

5 minute(s)

API Name

schema.registry.oauth.jwks.refresh.ms

Required

false

JWKS URL For OAuth2**Description**

URL to the server issuing the JSON Web Key (JWK) keys, which is required when the keystore type is 'jwks'. Note that this can also be a local file if the URL starts with 'file://'.

Related Name

schema.registry.oauth.jwks.url

Default Value**API Name**

schema.registry.oauth.jwks.url

Required

false

JWT Expected Audience For OAuth2**Description**

The expected value of the 'aud' claim on the server side. The JSON Web Token (JWT) can optionally contain this audience claim. When this claim is present then the same audience value is expected on the server side, otherwise the token is considered invalid..

Related Name

schema.registry.oauth.jwt.expected.audience

Default Value**API Name**

schema.registry.oauth.jwt.expected.audience

Required

false

JWT Expected Issuer For OAuth2**Description**

The expected value of the 'iss' claim. The JSON Web Token (JWT) can optionally contain this issuer claim. Schema Registry can be configured to only accept tokens issued by a specific issuer.

Related Name

schema.registry.oauth.jwt.expected.issuer

Default Value**API Name**

schema.registry.oauth.jwt.expected.issuer

Required

false

JWT Principal Claim Name For OAuth2**Description**

Specifies the name (or key) of the claim in the JSON Web Token (JWT) that contains the user ID. A JWT must contain a user ID (principal) that can be used for Ranger authorization. By default, it is assumed that the 'sub' claim contains the principal, but it can be modified with this parameter.

Related Name

schema.registry.oauth.jwt.principal.claim.name

Default Value**API Name**

schema.registry.oauth.jwt.principal.claim.name

Required

false

Type Of Store Containing The Validation Key**Description**

Type of the key storage from where to read the public key. Depending on the chosen value, additional configuration might be necessary.

Related Name

schema.registry.oauth.key.store.type

Default Value**API Name**

schema.registry.oauth.key.store.type

Required

false

OAuth2 Keystore Path**Description**

Path to the keystore file which is required when the keystore type is 'keystore'. Ensure that the file is readable by Schema Registry.

Related Name

schema.registry.oauth.keystore.public.key.keystore

Default Value**API Name**

schema.registry.oauth.keystore.public.key.keystore

Required

false

OAuth2 Keystore Alias**Description**

The alias of the key within the keystore, which is required when the keystore type is 'keystore'.

Related Name

schema.registry.oauth.keystore.public.key.keystore.alias

Default Value**API Name**

schema.registry.oauth.keystore.public.key.keystore.alias

Required

false

OAuth2 Keystore Password**Description**

Password for reading the keystore, which is required when the keystore type is 'keystore'.

Related Name

schema.registry.oauth.keystore.public.key.keystore.password

Default Value**API Name**

schema.registry.oauth.keystore.public.key.keystore.password

Required

false

OAuth2 Key As Property Algorithm**Description**

Algorithm of the key. This is required when keystore type is 'property'.

Related Name

schema.registry.oauth.property.key.algorithm

Default Value**API Name**

schema.registry.oauth.property.key.algorithm

Required

false

OAuth2 Key As Property**Description**

The public key or the secret.

Related Name

schema.registry.oauth.property.public.key.property

Default Value**API Name**

schema.registry.oauth.property.public.key.property

Required

false

ID Offset Range Maximum**Description**

Maximum value for generating IDs. Set maximum value to a value that is not conflicting with any other offset ranges between Schema Registry servers.

Related Name

schema.registry.offset.max

Default Value

100000

API Name

schema.registry.offset.max

Required

true

ID Offset Range Minimum**Description**

Minimum value for generating IDs. Set minimum value to a value that is not conflicting with any other offset ranges between Schema Registry servers.

Related Name

schema.registry.offset.min

Default Value

1

API Name

schema.registry.offset.min

Required

true

Oracle TLS [oracle.net.authentication_services](#)**Description**

Oracle net authentication service if enabling TLS using Oracle DB.

Related Name

schema.registry.oracle.net.authentication_services

Default Value**API Name**

schema.registry.oracle.net.authentication_services

Required

false

Oracle TLS `oracle.net.ssl_cipher_suites`**Description**

Oracle net ssl cipher suites if enabling TLS using Oracle DB e.g. SSL_DH_DSS_WITH_DES_CBC_SHA.

Related Name

schema.registry.oracle.net.ssl_cipher_suites

Default Value**API Name**

schema.registry.oracle.net.ssl_cipher_suites

Required

false

Oracle TLS `oracle.net.ssl_server_dn_match`**Description**

ORacle ssl server domain name match if enabling TLS using Oracle DB.

Related Name

schema.registry.oracle.net.ssl_server_dn_match

Default Value

true

API Name

schema.registry.oracle.net.ssl_server_dn_match

Required

false

Version of `oracle.net.ssl`**Description**

Oracle net ssl version.

Related Name

schema.registry.oracle.net.ssl_version

Default Value**API Name**

schema.registry.oracle.net.ssl_version

Required

false

Schema Registry Port**Description**

The port on which server accepts connections.

Related Name

schema.registry.port

Default Value

7788

API Name

schema.registry.port

Required

true

Schema Registry Proxyuser Knox Hosts**Description**

Comma separated list of IP addresses from which Knox can act as a trusted proxy.

Related Name

schema.registry.proxyuser.knox.hosts

Default Value

*

API Name

schema.registry.proxyuser.knox.hosts

Required

true

Schema Registry Proxyuser Streams Messaging Manager Hosts**Description**

Comma separated list of IP addresses from which Streams Messaging Manager can act as a trusted proxy.

Related Name

schema.registry.proxyuser.smm.hosts

Default Value

*

API Name

schema.registry.proxyuser.smm.hosts

Required

true

Retry Interval For API Availability Check**Description**

Specifies the interval (in seconds) at which the Schema Registry Rolling Restart Check tests the Schema Registry server's availability.

Related Name

schema.registry.rolling.restart.check.retry.interval.sec

Default Value

5 second(s)

API Name

schema.registry.rolling.restart.check.retry.interval.sec

Required

false

Maximum Allowed Runtime For Schema Registry Rolling Restart Check**Description**

Specifies the maximum amount of time (in seconds) that a Schema Registry Rolling Restart Check can take.

Related Name

schema.registry.rolling.restart.check.time.limit.sec

Default Value

2 minute(s)

API Name

schema.registry.rolling.restart.check.time.limit.sec

Required

false

Schema Registry Servlet Filter**Description**

Schema Registry servlet filter class.

Related Name

schema.registry.servlet.filter

Default Value

com.hortonworks.registries.auth.server.AuthenticationFilter

API Name

schema.registry.servlet.filter

Required

true

Excluded SSL/TLS Cipher Suites**Description**

A list of cipher suites which are excluded. If left empty, falls back to the server default.

Related Name

schema.registry.ssl.excludedCipherSuites

Default Value**API Name**

schema.registry.ssl.excludedCipherSuites

Required

false

Excluded SSL/TLS Protocols**Description**

A list of protocols which are excluded. If left empty, falls back to the server default.

Related Name

schema.registry.ssl.excludedProtocols

Default Value**API Name**

schema.registry.ssl.excludedProtocols

Required

false

SSL Keystore Type

Description

The keystore type. It is blank by default but required if schema registry's ssl is enabled. e.g. PKCS12 or JKS. If it is left empty then this keystore type will come from CM settings.

Related Name

schema.registry.ssl.keyStoreType

Default Value**API Name**

schema.registry.ssl.keyStoreType

Required

false

SSL Client Authentication

Description

If enabled, the server will require the client to provide an SSL certificate for authentication. Please also provide the rules to extract the principal from the certificate.

Related Name

schema.registry.ssl.needClientAuth

Default Value

false

API Name

schema.registry.ssl.needClientAuth

Required

false

Schema Registry Port (SSL)

Description

HTTPS port Schema Registry node runs on when SSL is enabled.

Related Name

schema.registry.ssl.port

Default Value

7790

API Name

schema.registry.ssl.port

Required

false

SSL Client Authentication Mapping Rules

Description

The rule takes the form of a regular expression to match the certificate's subject name and the transformation to apply to the match. There can be multiple rules, separated by commas. The last rule is usually the DEFAULT rule, which simply uses the full subject name.

Related Name

schema.registry.ssl.principal.mapping.rules

Default Value

DEFAULT

API Name

schema.registry.ssl.principal.mapping.rules

Required

false

Supported SSL/TLS Cipher Suites

Description

A list of cipher suites which are supported. If left empty, falls back to the server default.

Related Name

schema.registry.ssl.supportedCipherSuites

Default Value

API Name

schema.registry.ssl.supportedCipherSuites

Required

false

Supported SSL/TLS Protocols

Description

A list of protocols which are supported. If left empty, falls back to the server default.

Related Name

schema.registry.ssl.supportedProtocols

Default Value

API Name

schema.registry.ssl.supportedProtocols

Required

false

SSL TrustStore Type

Description

The truststore type. It is blank by default but required if schema registry's ssl is enabled. e.g. PKCS12 or JKS. If it is left empty then this keystore type will come from CM settings.

Related Name

schema.registry.ssl.trustStoreType

Default Value

API Name

schema.registry.ssl.trustStoreType

Required

false

SSL ValidateCerts

Description

Whether or not to validate TLS certificates before starting. If enabled, it will refuse to start with expired or otherwise invalid certificates. Note: if this is enabled, the certificate revocation method (CRLDP/OCSP) is also needed. This can be done by overriding Dropwizard configuration with Java

system properties. E.g: -Ddw.server.applicationConnectors[0].enableCRLDP=true (more details at <https://www.dropwizard.io/en/latest/manual/core.html>)

Related Name

schema.registry.ssl.validateCerts

Default Value

false

API Name

schema.registry.ssl.validateCerts

Required

false

SSL ValidatePeers

Description

Whether or not to validate TLS peer certificates.

Related Name

schema.registry.ssl.validatePeers

Default Value

false

API Name

schema.registry.ssl.validatePeers

Required

false

Schema Registry Query Timeout

Description

Schema Registry query timeout.

Related Name

schema.registry.storage.query.timeout

Default Value

30 second(s)

API Name

schema.registry.storage.query.timeout

Required

true

Schema Registry Token Validity

Description

Kerberos token validity for Schema Registry in ms.

Related Name

schema.registry.token.validity

Default Value

36000

API Name

schema.registry.token.validity

Required

false

Schema Registry Load Balancer Host

Description

The host of the load balancer that is used to balance requests between Schema Registry instances.

Related Name

schema_registry_load_balancer_host

Default Value

API Name

schema_registry_load_balancer_host

Required

false

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name

Default Value

API Name

rlimit_fds

Required

false

Resource Management

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares

Description

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing

memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security**Schema Registry Server TLS/SSL Trust Store File****Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Schema Registry Server might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

schema.registry.ssl.trustStorePath

Default Value**API Name**

ssl_client_truststore_location

Required

false

Schema Registry Server TLS/SSL Trust Store Password

Description

The password for the Schema Registry Server TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

schema.registry.ssl.trustStorePassword

Default Value**API Name**

ssl_client_truststore_password

Required

false

Enable TLS/SSL for Schema Registry Server

Description

Encrypt communication between clients and Schema Registry Server using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

ssl.enable

Default Value

false

API Name

ssl_enabled

Required

false

Schema Registry Server TLS/SSL Server Keystore File Location

Description

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Schema Registry Server is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

schema.registry.ssl.keyStorePath

Default Value**API Name**

ssl_server_keystore_location

Required

false

Schema Registry Server TLS/SSL Server Keystore File Password

Description

The password for the Schema Registry Server keystore file.

Related Name

schema.registry.ssl.keyStorePassword

Default Value**API Name**

ssl_server_keystore_password

Required

false

Stacks Collection**Stacks Collection Data Retention****Description**

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory**Description**

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency

Description

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method

Description

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Parameter Validation: Schema Registry Server Advanced Configuration Snippet (Safety Valve) for atlas-application.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Schema Registry Server Advanced Configuration Snippet (Safety Valve) for atlas-application.properties parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_atlas-application.properties_role_safety_valve

Required

true

Suppress Parameter Validation: Atlas Url Override**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Atlas Url Override parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_atlas_url

Required

true

Suppress Configuration Validator: CDH Version Validator**Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Fingerprint Generator Java Options**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Fingerprint Generator Java Options parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_fingerprint.generator.java.options

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_jmx_exporter_yaml`**Required**`true`**Suppress Parameter Validation: Schema Registry Server Log Directory****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Schema Registry Server Log Directory parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_log_dir`**Required**`true`**Suppress Parameter Validation: Schema Registry Server XML Override****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Schema Registry Server XML Override parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_logback_safety_valve`**Required**`true`**Suppress Parameter Validation: Heap Dump Directory****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_oom_heap_dump_dir`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Exporters Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Schema Registry Server Advanced Configuration Snippet (Safety Valve) for ranger-schema-registry-audit.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Schema Registry Server Advanced Configuration Snippet (Safety Valve) for ranger-schema-registry-audit.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger-schema-registry-audit.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Schema Registry Server Advanced Configuration Snippet (Safety Valve) for ranger-schema-registry-policymgr-ssl.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Schema Registry Server Advanced Configuration Snippet (Safety Valve) for ranger-schema-registry-policymgr-ssl.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger-schema-registry-policymgr-ssl.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Schema Registry Server Advanced Configuration Snippet (Safety Valve) for ranger-schema-registry-security.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Schema Registry Server Advanced Configuration Snippet (Safety Valve) for ranger-schema-registry-security.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger-schema-registry-security.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Ranger Schema Registry Plugin Policy Cache Directory Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Schema Registry Plugin Policy Cache Directory Path parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.plugin.schema-registry.policy.cache.dir

Required

true

Suppress Parameter Validation: Ranger Schema Registry Service Name

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Schema Registry Service Name parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.plugin.schema-registry.service.name

Required

true

Suppress Parameter Validation: Ranger Schema Registry Manager Plugin Audit Hdfs Spool Directory Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Schema Registry Manager Plugin Audit Hdfs Spool Directory Path parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_audit_hdfs_spool_dir

Required

true

Suppress Parameter Validation: Ranger Schema Registry Plugin Audit Solr Spool Directory Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Schema Registry Plugin Audit Solr Spool Directory Path parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_audit_solr_spool_dir

Required

true

Suppress Parameter Validation: Schema Registry Server Advanced Configuration Snippet (Safety Valve) for registry.yaml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Schema Registry Server Advanced Configuration Snippet (Safety Valve) for registry.yaml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_registry.yaml_role_safety_valve

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Schema Registry Additional Java Options

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Schema Registry Additional Java Options parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.additional.java.options

Required

true

Suppress Parameter Validation: Schema Registry Allowed Resources

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Schema Registry Allowed Resources parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.allowed.resources

Required

true

Suppress Parameter Validation: Hashing Algorithm Used For Generating Fingerprints

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hashing Algorithm Used For Generating Fingerprints parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.hash.function

Required

true

Suppress Parameter Validation: Password For HTTP Proxy Server Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Password For HTTP Proxy Server Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.httpproxypassword

Required

true

Suppress Parameter Validation: HTTP Proxy Server

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HTTP Proxy Server parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.httpproxyserver

Required

true

Suppress Parameter Validation: Username For HTTP Proxy Server

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Username For HTTP Proxy Server parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.httpproxyusername

Required

true

Suppress Parameter Validation: Schema Registry Jar Storage Directory Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Schema Registry Jar Storage Directory Path parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.jar.storage.directory.path

Required

true

Suppress Parameter Validation: Schema Registry Jar Storage HDFS URL**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Schema Registry Jar Storage HDFS URL parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.jar.storage.hdfs.url

Required

true

Suppress Parameter Validation: Oracle TLS javax.net.ssl.keyStore**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oracle TLS javax.net.ssl.keyStore parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.javax.net.ssl.keystore

Required

true

Suppress Parameter Validation: Oracle TLS javax.net.ssl.keyStorePassword

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oracle TLS javax.net.ssl.keyStorePassword parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.javax.net.ssl.keystorepassword

Required

true

Suppress Parameter Validation: Oracle TLS javax.net.ssl.keyStoreType

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oracle TLS javax.net.ssl.keyStoreType parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.javax.net.ssl.keystoretype

Required

true

Suppress Parameter Validation: Oracle TLS javax.net.ssl.trustStore

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oracle TLS javax.net.ssl.trustStore parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.javax.net.ssl.truststore

Required

true

Suppress Parameter Validation: Oracle TLS javax.net.ssl.trustStorePassword

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oracle TLS javax.net.ssl.trustStorePassword parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_schema.registry.javax.net.ssl.truststorepassword`**Required**

true

Suppress Parameter Validation: Oracle TLS javax.net.ssl.trustStoreType**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oracle TLS `javax.net.ssl.trustStoreType` parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_schema.registry.javax.net.ssl.truststoretype`**Required**

true

Suppress Parameter Validation: Java Home Path Override**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Home Path Override parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_schema.registry.jdk.home`**Required**

true

Suppress Parameter Validation: Schema Registry Kerberos Name Rules**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Schema Registry Kerberos Name Rules parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_schema.registry.kerberos.name.rules`**Required**

true

Suppress Parameter Validation: Schema Registry Kerberos Non Browser User Agents**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Schema Registry Kerberos Non Browser User Agents parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.kerberos.non.browser.user.agents

Required

true

Suppress Parameter Validation: Schema Registry MaxRequestHeaderSize

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Schema Registry MaxRequestHeaderSize parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.maxrequestheadersize

Required

true

Suppress Parameter Validation: OAuth2 JWK Server Login Basic Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OAuth2 JWK Server Login Basic Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.jwks.httpclient.basic.password

Required

true

Suppress Parameter Validation: OAuth2 JWK Server Login Basic User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OAuth2 JWK Server Login Basic User parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.jwks.httpclient.basic.user

Required

true

Suppress Parameter Validation: OAuth2 JWK Server Key Manager Factory Algorithm

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OAuth2 JWK Server Key Manager Factory Algorithm parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.jwks.httpclient.keymanagerfactoryalgorithm

Required

true

Suppress Parameter Validation: OAuth2 JWK Server Key Manager Factory Provider

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OAuth2 JWK Server Key Manager Factory Provider parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.jwks.httpclient.keymanagerfactoryprovider

Required

true

Suppress Parameter Validation: OAuth2 JWK Server Key Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OAuth2 JWK Server Key Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.jwks.httpclient.keypassword

Required

true

Suppress Parameter Validation: OAuth2 JWK Server Keystore Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OAuth2 JWK Server Keystore Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.jwks.httpclient.keystorepassword

Required

true

Suppress Parameter Validation: OAuth2 JWK Server Keystore Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OAuth2 JWK Server Keystore Path parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.oauth.jwks.httpclient.keystorepath

Required

true

Suppress Parameter Validation: OAuth2 JWK Server Keystore Provider

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OAuth2 JWK Server Keystore Provider parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.oauth.jwks.httpclient.keystoreprovider

Required

true

Suppress Parameter Validation: OAuth2 JWK Server Keystore Type

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OAuth2 JWK Server Keystore Type parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.oauth.jwks.httpclient.keystoretype

Required

true

Suppress Parameter Validation: OAuth2 JWK Server Security Protocol

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OAuth2 JWK Server Security Protocol parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.oauth.jwks.httpclient.protocol

Required

true

Suppress Parameter Validation: OAuth2 JWK Server Trust Manager Factory Algorithm

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OAuth2 JWK Server Trust Manager Factory Algorithm parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.jwks.httpclient.trustmanagerfactoryalgorithm

Required

true

Suppress Parameter Validation: OAuth2 JWK Server Trust Manager Factory Provider

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OAuth2 JWK Server Trust Manager Factory Provider parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.jwks.httpclient.trustmanagerfactoryprovider

Required

true

Suppress Parameter Validation: OAuth2 JWK Server Truststore Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OAuth2 JWK Server Truststore Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.jwks.httpclient.truststorepassword

Required

true

Suppress Parameter Validation: OAuth2 JWK Server Truststore Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OAuth2 JWK Server Truststore Path parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.jwks.httpClient.truststorepath

Required

true

Suppress Parameter Validation: OAuth2 JWK Server Truststore Provider

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OAuth2 JWK Server Truststore Provider parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.jwks.httpClient.truststoreprovider

Required

true

Suppress Parameter Validation: OAuth2 JWK Server Truststore Type

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OAuth2 JWK Server Truststore Type parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.jwks.httpClient.truststoretype

Required

true

Suppress Parameter Validation: JWKS URL For OAuth2

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JWKS URL For OAuth2 parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.jwks.url

Required

true

Suppress Parameter Validation: JWT Expected Audience For OAuth2

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JWT Expected Audience For OAuth2 parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.jwt.expected.audience

Required

true

Suppress Parameter Validation: JWT Expected Issuer For OAuth2

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JWT Expected Issuer For OAuth2 parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.jwt.expected.issuer

Required

true

Suppress Parameter Validation: JWT Principal Claim Name For OAuth2

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JWT Principal Claim Name For OAuth2 parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.jwt.principal.claim.name

Required

true

Suppress Parameter Validation: OAuth2 Keystore Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OAuth2 Keystore Path parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.keystore.public.key.keystore

Required

true

Suppress Parameter Validation: OAuth2 Keystore Alias

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OAuth2 Keystore Alias parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.keystore.public.key.keystore.alias

Required

true

Suppress Parameter Validation: OAuth2 Keystore Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OAuth2 Keystore Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.keystore.public.key.keystore.password

Required

true

Suppress Parameter Validation: OAuth2 Key As Property

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OAuth2 Key As Property parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.property.public.key.property

Required

true

Suppress Parameter Validation: Oracle TLS oracle.net.authentication_services

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oracle TLS oracle.net.authentication_services parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oracle.net.authentication_services

Required

true

Suppress Parameter Validation: Oracle TLS oracle.net.ssl_cipher_suites

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oracle TLS oracle.net.ssl_cipher_suites parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oracle.net.ssl_cipher_suites

Required

true

Suppress Parameter Validation: Version of oracle.net.ssl

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Version of oracle.net.ssl parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oracle.net.ssl_version

Required

true

Suppress Parameter Validation: Schema Registry Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Schema Registry Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.port

Required

true

Suppress Parameter Validation: Schema Registry Proxyuser Knox Hosts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Schema Registry Proxyuser Knox Hosts parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.proxyuser.knox.hosts

Required

true

Suppress Parameter Validation: Schema Registry Proxyuser Streams Messaging Manager Hosts**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Schema Registry Proxyuser Streams Messaging Manager Hosts parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.proxyuser.smm.hosts

Required

true

Suppress Parameter Validation: Schema Registry Servlet Filter**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Schema Registry Servlet Filter parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.servlet.filter

Required

true

Suppress Parameter Validation: Excluded SSL/TLS Cipher Suites**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Excluded SSL/TLS Cipher Suites parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.ssl.excludedciphersuites

Required

true

Suppress Parameter Validation: Excluded SSL/TLS Protocols

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Excluded SSL/TLS Protocols parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.ssl.excludedprotocols

Required

true

Suppress Parameter Validation: SSL Keystore Type

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SSL Keystore Type parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.ssl.keystoretype

Required

true

Suppress Parameter Validation: Schema Registry Port (SSL)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Schema Registry Port (SSL) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.ssl.port

Required

true

Suppress Parameter Validation: SSL Client Authentication Mapping Rules

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SSL Client Authentication Mapping Rules parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.ssl.principal.mapping.rules

Required

true

Suppress Parameter Validation: Supported SSL/TLS Cipher Suites

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Supported SSL/TLS Cipher Suites parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.ssl.supportedciphersuites

Required

true

Suppress Parameter Validation: Supported SSL/TLS Protocols

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Supported SSL/TLS Protocols parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.ssl.supportedprotocols

Required

true

Suppress Parameter Validation: SSL TrustStore Type

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SSL TrustStore Type parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.ssl.truststoretype

Required

true

Suppress Parameter Validation: SSL ValidateCerts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SSL ValidateCerts parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.ssl.validatecerts

Required

true

Suppress Parameter Validation: SSL ValidatePeers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SSL ValidatePeers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.ssl.validatepeers

Required

true

Suppress Parameter Validation: Schema Registry Load Balancer Host

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Schema Registry Load Balancer Host parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema_registry_load_balancer_host

Required

true

Suppress Parameter Validation: Schema Registry Server Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Schema Registry Server Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema_registry_server_role_env_safety_valve

Required

true

Suppress Parameter Validation: Schema Registry Server TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Schema Registry Server TLS/SSL Trust Store File parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: Schema Registry Server TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Schema Registry Server TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Parameter Validation: Schema Registry Server TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Schema Registry Server TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: Schema Registry Server TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Schema Registry Server TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

`role_config_suppression_ssl_server_keystore_password`**Required**`true`**Suppress Parameter Validation: Stacks Collection Directory****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_stacks_collection_directory`**Required**`true`**Suppress Health Test: Audit Pipeline Test****Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_schemaregistry_schema_registry_server_audit_health`**Required**`true`**Suppress Health Test: File Descriptors****Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_schemaregistry_schema_registry_server_file_descriptor`**Required**`true`**Suppress Health Test: Host Health****Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_schemaregistry_schema_registry_server_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_schemaregistry_schema_registry_server_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_schemaregistry_schema_registry_server_otelcol_health

Required

true

Suppress Health Test: Ranger Plugin Hdfs Spool Directory Size**Description**

Whether to suppress the results of the Ranger Plugin Hdfs Spool Directory Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_schemaregistry_schema_registry_server_ranger_plugin_hdfs_spool_directory_size_health

Required

true

Suppress Health Test: Ranger Plugin Solr Spool Directory Size**Description**

Whether to suppress the results of the Ranger Plugin Solr Spool Directory Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_schemaregistry_schema_registry_server_ranger_plugin_solr_spool_directory_size_health

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_schemaregistry_schema_registry_server_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_schemaregistry_schema_registry_server_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_schemaregistry_schema_registry_server_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_schemaregistry_schema_registry_server_unexpected_exits

Required

true

Service-Wide

Advanced

Schema Registry Database JDBC Url Override

Description

Specify JDBC url override for connecting to Schema Registry database. If not specified, the JDBC url will be calculated on basis of the Schema Registry database parameters specified.

Related Name

database_jdbc_url_override

Default Value**API Name**

database_jdbc_url_override

Required

false

System Group

Description

The group that this service's processes should run as.

Related Name

Default Value

hadoop

API Name

process_groupname

Required

true

System User

Description

The user that this service's processes should run as.

Related Name

Default Value

schemaregistry

API Name

process_username

Required

true

Schema Registry Service Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

SCHEMAREGISTRY_service_env_safety_valve

Required

false

Database

Schema Registry Database Host

Description

Hostname of the database used by Schema Registry.

Related Name

schema.registry.storage.connector.host

Default Value

localhost

API Name

database_host

Required

false

Schema Registry Database Name

Description

Name of Schema Registry database.

Related Name

schema.registry.storage.connector.name

Default Value

schemaregistry

API Name

database_name

Required

false

Schema Registry Database User Password

Description

Password for Schema Registry database.

Related Name

schema.registry.storage.connector.password

Default Value**API Name**

database_password

Required

true

Schema Registry Database Port

Description

Port for Schema Registry database.

Related Name

schema.registry.storage.connector.port

Default Value

3306

API Name

database_port

Required

true

Schema Registry Database Type

Description

Database type to be used (postgres).

Related Name

schema.registry.storage.connector.type

Default Value

mysql

API Name

database_type

Required

true

Schema Registry Database User

Description

User for Schema Registry database.

Related Name

schema.registry.storage.connector.user

Default Value

schemaregistry

API Name

database_user

Required

true

Monitoring

Enable Service Level Health Alerts

Description

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Healthy Schema Registry Server Monitoring Thresholds

Description

The health test thresholds of the overall Schema Registry Server health. The check returns "Concerning" health if the percentage of "Healthy" Schema Registry Servers falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" Schema Registry Servers falls below the critical threshold.

Related Name**Default Value**

Warning: 99.99 %, Critical: 49.99 %

API Name

SCHEMAREGISTRY_SCHEMA_REGISTRY_SERVER_healthy_thresholds

Required

false

Service Triggers**Description**

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

service_triggers

Required

true

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name**Default Value****API Name**

smon_derived_configs_safety_valve

Required

false

Other

Atlas Service

Description

Name of the Atlas service that this Schema Registry service instance depends on

Related Name

Default Value

API Name

atlas_service

Required

false

Enable Kerberos Authentication with Trusted Proxy

Description

Enables Trusted proxy with Kerberos authentication for this Schema Registry service.

Related Name

enable.trusted.proxy

Default Value

true

API Name

enable.trusted.proxy

Required

false

HDFS Service

Description

Name of the HDFS service that this Schema Registry service instance depends on

Related Name

Default Value

API Name

hdfs_service

Required

false

Enable Kerberos Authentication

Description

Enables Kerberos authentication for this Schema Registry service.

Related Name

kerberos.auth.enable

Default Value

false

API Name

kerberos.auth.enable

Required

false

Ranger Service

Description

Name of the Ranger service that this Schema Registry service instance depends on

Related Name

Default Value

API Name

ranger_service

Required

false

Ranger SchemaRegistry Plugin Hdfs Audit Directory

Description

The DFS path on which Ranger audits are written.

Related Name

ranger_sr_plugin_hdfs_audit_directory

Default Value

\$ranger_base_audit_url/schemaregistry

API Name

ranger_sr_plugin_hdfs_audit_directory

Required

false

Security

Kerberos Principal

Description

Kerberos principal short name used by all roles of this service.

Related Name

Default Value

schemaregistry

API Name

kerberos_princ_name

Required

true

Suppressions

Suppress Configuration Validator: Schema Registry Server Advanced Configuration Snippet (Safety Valve) for atlas-application.properties

Description

Whether to suppress configuration warnings produced by the Schema Registry Server Advanced Configuration Snippet (Safety Valve) for atlas-application.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas-application.properties_role_safety_valve

Required

true

Suppress Configuration Validator: Atlas Url Override

Description

Whether to suppress configuration warnings produced by the Atlas Url Override configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_atlas_url

Required

true

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: Deploy Directory

Description

Whether to suppress configuration warnings produced by the Deploy Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Configuration Validator: Fingerprint Generator Java Options**Description**

Whether to suppress configuration warnings produced by the Fingerprint Generator Java Options configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_fingerprint.generator.java.options

Required

true

Suppress Configuration Validator: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Configuration Validator: Schema Registry Server Log Directory**Description**

Whether to suppress configuration warnings produced by the Schema Registry Server Log Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Configuration Validator: Schema Registry Server XML Override**Description**

Whether to suppress configuration warnings produced by the Schema Registry Server XML Override configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_logback_safety_valve

Required

true

Suppress Configuration Validator: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: Schema Registry Server Advanced Configuration Snippet (Safety Valve) for ranger-schema-registry-audit.xml

Description

Whether to suppress configuration warnings produced by the Schema Registry Server Advanced Configuration Snippet (Safety Valve) for ranger-schema-registry-audit.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger-schema-registry-audit.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Schema Registry Server Advanced Configuration Snippet (Safety Valve) for ranger-schema-registry-policymgr-ssl.xml

Description

Whether to suppress configuration warnings produced by the Schema Registry Server Advanced Configuration Snippet (Safety Valve) for ranger-schema-registry-policymgr-ssl.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger-schema-registry-policymgr-ssl.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Schema Registry Server Advanced Configuration Snippet (Safety Valve) for ranger-schema-registry-security.xml

Description

Whether to suppress configuration warnings produced by the Schema Registry Server Advanced Configuration Snippet (Safety Valve) for ranger-schema-registry-security.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger-schema-registry-security.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Ranger Schema Registry Plugin Policy Cache Directory Path

Description

Whether to suppress configuration warnings produced by the Ranger Schema Registry Plugin Policy Cache Directory Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.plugin.schema-registry.policy.cache.dir

Required

true

Suppress Configuration Validator: Ranger Schema Registry Service Name

Description

Whether to suppress configuration warnings produced by the Ranger Schema Registry Service Name configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger.plugin.schema-registry.service.name

Required

true

Suppress Configuration Validator: Ranger Schema Registry Manager Plugin Audit Hdfs Spool Directory Path

Description

Whether to suppress configuration warnings produced by the Ranger Schema Registry Manager Plugin Audit Hdfs Spool Directory Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_audit_hdfs_spool_dir

Required

true

Suppress Configuration Validator: Ranger Schema Registry Plugin Audit Solr Spool Directory Path

Description

Whether to suppress configuration warnings produced by the Ranger Schema Registry Plugin Audit Solr Spool Directory Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger_audit_solr_spool_dir

Required

true

Suppress Configuration Validator: Schema Registry Server Advanced Configuration Snippet (Safety Valve) for registry.yaml

Description

Whether to suppress configuration warnings produced by the Schema Registry Server Advanced Configuration Snippet (Safety Valve) for registry.yaml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_registry.yaml_role_safety_valve

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: Role Triggers

Description

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Configuration Validator: Schema Registry Additional Java Options

Description

Whether to suppress configuration warnings produced by the Schema Registry Additional Java Options configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.additional.java.options

Required

true

Suppress Configuration Validator: Schema Registry Allowed Resources

Description

Whether to suppress configuration warnings produced by the Schema Registry Allowed Resources configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.allowed.resources

Required

true

Suppress Configuration Validator: Hashing Algorithm Used For Generating Fingerprints

Description

Whether to suppress configuration warnings produced by the Hashing Algorithm Used For Generating Fingerprints configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.hash.function

Required

true

Suppress Configuration Validator: Password For HTTP Proxy Server Username

Description

Whether to suppress configuration warnings produced by the Password For HTTP Proxy Server Username configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.httpproxypassword

Required

true

Suppress Configuration Validator: HTTP Proxy Server

Description

Whether to suppress configuration warnings produced by the HTTP Proxy Server configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.httpproxyserver

Required

true

Suppress Configuration Validator: Username For HTTP Proxy Server

Description

Whether to suppress configuration warnings produced by the Username For HTTP Proxy Server configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.httpproxyusername

Required

true

Suppress Configuration Validator: Schema Registry Jar Storage Directory Path

Description

Whether to suppress configuration warnings produced by the Schema Registry Jar Storage Directory Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.jar.storage.directory.path

Required

true

Suppress Configuration Validator: Schema Registry Jar Storage HDFS URL

Description

Whether to suppress configuration warnings produced by the Schema Registry Jar Storage HDFS URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.jar.storage.hdfs.url

Required

true

Suppress Configuration Validator: Oracle TLS javax.net.ssl.keyStore

Description

Whether to suppress configuration warnings produced by the Oracle TLS javax.net.ssl.keyStore configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.javax.net.ssl.keystore

Required

true

Suppress Configuration Validator: Oracle TLS javax.net.ssl.keyStorePassword

Description

Whether to suppress configuration warnings produced by the Oracle TLS javax.net.ssl.keyStorePassword configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.javax.net.ssl.keystorepassword

Required

true

Suppress Configuration Validator: Oracle TLS javax.net.ssl.keyStoreType

Description

Whether to suppress configuration warnings produced by the Oracle TLS javax.net.ssl.keyStoreType configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.javax.net.ssl.keystoretype

Required

true

Suppress Configuration Validator: Oracle TLS javax.net.ssl.trustStore

Description

Whether to suppress configuration warnings produced by the Oracle TLS `javax.net.ssl.trustStore` configuration validator.

Related Name

Default Value

false

API Name

`role_config_suppression_schema.registry.javax.net.ssl.truststore`

Required

true

Suppress Configuration Validator: Oracle TLS `javax.net.ssl.trustStorePassword`

Description

Whether to suppress configuration warnings produced by the Oracle TLS `javax.net.ssl.trustStorePassword` configuration validator.

Related Name

Default Value

false

API Name

`role_config_suppression_schema.registry.javax.net.ssl.truststorepassword`

Required

true

Suppress Configuration Validator: Oracle TLS `javax.net.ssl.trustStoreType`

Description

Whether to suppress configuration warnings produced by the Oracle TLS `javax.net.ssl.trustStoreType` configuration validator.

Related Name

Default Value

false

API Name

`role_config_suppression_schema.registry.javax.net.ssl.truststoretype`

Required

true

Suppress Configuration Validator: Java Home Path Override

Description

Whether to suppress configuration warnings produced by the Java Home Path Override configuration validator.

Related Name

Default Value

false

API Name

`role_config_suppression_schema.registry.jdk.home`

Required

true

Suppress Configuration Validator: Schema Registry Kerberos Name Rules

Description

Whether to suppress configuration warnings produced by the Schema Registry Kerberos Name Rules configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.kerberos.name.rules

Required

true

Suppress Configuration Validator: Schema Registry Kerberos Non Browser User Agents

Description

Whether to suppress configuration warnings produced by the Schema Registry Kerberos Non Browser User Agents configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.kerberos.non.browser.user.agents

Required

true

Suppress Configuration Validator: Schema Registry MaxRequestHeaderSize

Description

Whether to suppress configuration warnings produced by the Schema Registry MaxRequestHeaderSize configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.maxrequestheadersize

Required

true

Suppress Configuration Validator: OAuth2 JWK Server Login Basic Password

Description

Whether to suppress configuration warnings produced by the OAuth2 JWK Server Login Basic Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.oauth.jwks.httpclient.basic.password

Required

true

Suppress Configuration Validator: OAuth2 JWK Server Login Basic User

Description

Whether to suppress configuration warnings produced by the OAuth2 JWK Server Login Basic User configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.jwks.httpclient.basic.user

Required

true

Suppress Configuration Validator: OAuth2 JWK Server Key Manager Factory Algorithm

Description

Whether to suppress configuration warnings produced by the OAuth2 JWK Server Key Manager Factory Algorithm configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.jwks.httpclient.keymanagerfactoryalgorithm

Required

true

Suppress Configuration Validator: OAuth2 JWK Server Key Manager Factory Provider

Description

Whether to suppress configuration warnings produced by the OAuth2 JWK Server Key Manager Factory Provider configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.jwks.httpclient.keymanagerfactoryprovider

Required

true

Suppress Configuration Validator: OAuth2 JWK Server Key Password

Description

Whether to suppress configuration warnings produced by the OAuth2 JWK Server Key Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.oauth.jwks.httpclient.keypassword

Required

true

Suppress Configuration Validator: OAuth2 JWK Server Keystore Password**Description**

Whether to suppress configuration warnings produced by the OAuth2 JWK Server Keystore Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.oauth.jwks.httpclient.keystorepassword

Required

true

Suppress Configuration Validator: OAuth2 JWK Server Keystore Path**Description**

Whether to suppress configuration warnings produced by the OAuth2 JWK Server Keystore Path configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.oauth.jwks.httpclient.keystorepath

Required

true

Suppress Configuration Validator: OAuth2 JWK Server Keystore Provider**Description**

Whether to suppress configuration warnings produced by the OAuth2 JWK Server Keystore Provider configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.oauth.jwks.httpclient.keystoreprovider

Required

true

Suppress Configuration Validator: OAuth2 JWK Server Keystore Type

Description

Whether to suppress configuration warnings produced by the OAuth2 JWK Server Keystore Type configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.jwks.httpclient.keystoretype

Required

true

Suppress Configuration Validator: OAuth2 JWK Server Security Protocol

Description

Whether to suppress configuration warnings produced by the OAuth2 JWK Server Security Protocol configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.jwks.httpclient.protocol

Required

true

Suppress Configuration Validator: OAuth2 JWK Server Trust Manager Factory Algorithm

Description

Whether to suppress configuration warnings produced by the OAuth2 JWK Server Trust Manager Factory Algorithm configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.jwks.httpclient.trustmanagerfactoryalgorithm

Required

true

Suppress Configuration Validator: OAuth2 JWK Server Trust Manager Factory Provider

Description

Whether to suppress configuration warnings produced by the OAuth2 JWK Server Trust Manager Factory Provider configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.jwks.httpclient.trustmanagerfactoryprovider

Required

true

Suppress Configuration Validator: OAuth2 JWK Server Truststore Password

Description

Whether to suppress configuration warnings produced by the OAuth2 JWK Server Truststore Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.jwks.httpclient.truststorepassword

Required

true

Suppress Configuration Validator: OAuth2 JWK Server Truststore Path

Description

Whether to suppress configuration warnings produced by the OAuth2 JWK Server Truststore Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.jwks.httpclient.truststorepath

Required

true

Suppress Configuration Validator: OAuth2 JWK Server Truststore Provider

Description

Whether to suppress configuration warnings produced by the OAuth2 JWK Server Truststore Provider configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.jwks.httpclient.truststoreprovider

Required

true

Suppress Configuration Validator: OAuth2 JWK Server Truststore Type

Description

Whether to suppress configuration warnings produced by the OAuth2 JWK Server Truststore Type configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.jwks.httpclient.truststoretype

Required

true

Suppress Configuration Validator: JWKS URL For OAuth2**Description**

Whether to suppress configuration warnings produced by the JWKS URL For OAuth2 configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.oauth.jwks.url

Required

true

Suppress Configuration Validator: JWT Expected Audience For OAuth2**Description**

Whether to suppress configuration warnings produced by the JWT Expected Audience For OAuth2 configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.oauth.jwt.expected.audience

Required

true

Suppress Configuration Validator: JWT Expected Issuer For OAuth2**Description**

Whether to suppress configuration warnings produced by the JWT Expected Issuer For OAuth2 configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.oauth.jwt.expected.issuer

Required

true

Suppress Configuration Validator: JWT Principal Claim Name For OAuth2**Description**

Whether to suppress configuration warnings produced by the JWT Principal Claim Name For OAuth2 configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.jwt.principal.claim.name

Required

true

Suppress Configuration Validator: OAuth2 Keystore Path

Description

Whether to suppress configuration warnings produced by the OAuth2 Keystore Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.keystore.public.key.keystore

Required

true

Suppress Configuration Validator: OAuth2 Keystore Alias

Description

Whether to suppress configuration warnings produced by the OAuth2 Keystore Alias configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.keystore.public.key.keystore.alias

Required

true

Suppress Configuration Validator: OAuth2 Keystore Password

Description

Whether to suppress configuration warnings produced by the OAuth2 Keystore Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.oauth.keystore.public.key.keystore.password

Required

true

Suppress Configuration Validator: OAuth2 Key As Property

Description

Whether to suppress configuration warnings produced by the OAuth2 Key As Property configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.oauth.property.public.key.property

Required

true

Suppress Configuration Validator: Oracle TLS oracle.net.authentication_services

Description

Whether to suppress configuration warnings produced by the Oracle TLS oracle.net.authentication_services configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.oracle.net.authentication_services

Required

true

Suppress Configuration Validator: Oracle TLS oracle.net.ssl_cipher_suites

Description

Whether to suppress configuration warnings produced by the Oracle TLS oracle.net.ssl_cipher_suites configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.oracle.net.ssl_cipher_suites

Required

true

Suppress Configuration Validator: Version of oracle.net.ssl

Description

Whether to suppress configuration warnings produced by the Version of oracle.net.ssl configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.oracle.net.ssl_version

Required

true

Suppress Configuration Validator: Schema Registry Port

Description

Whether to suppress configuration warnings produced by the Schema Registry Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.port

Required

true

Suppress Configuration Validator: Schema Registry Proxyuser Knox Hosts

Description

Whether to suppress configuration warnings produced by the Schema Registry Proxyuser Knox Hosts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.proxyuser.knox.hosts

Required

true

Suppress Configuration Validator: Schema Registry Proxyuser Streams Messaging Manager Hosts

Description

Whether to suppress configuration warnings produced by the Schema Registry Proxyuser Streams Messaging Manager Hosts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.proxyuser.smm.hosts

Required

true

Suppress Configuration Validator: Schema Registry Servlet Filter

Description

Whether to suppress configuration warnings produced by the Schema Registry Servlet Filter configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.servlet.filter

Required

true

Suppress Configuration Validator: Excluded SSL/TLS Cipher Suites

Description

Whether to suppress configuration warnings produced by the Excluded SSL/TLS Cipher Suites configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.ssl.excludedciphersuites

Required

true

Suppress Configuration Validator: Excluded SSL/TLS Protocols

Description

Whether to suppress configuration warnings produced by the Excluded SSL/TLS Protocols configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.ssl.excludedprotocols

Required

true

Suppress Configuration Validator: SSL Keystore Type

Description

Whether to suppress configuration warnings produced by the SSL Keystore Type configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.ssl.keystoretype

Required

true

Suppress Configuration Validator: Schema Registry Port (SSL)

Description

Whether to suppress configuration warnings produced by the Schema Registry Port (SSL) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.ssl.port

Required

true

Suppress Configuration Validator: SSL Client Authentication Mapping Rules

Description

Whether to suppress configuration warnings produced by the SSL Client Authentication Mapping Rules configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.ssl.principal.mapping.rules

Required

true

Suppress Configuration Validator: Supported SSL/TLS Cipher Suites

Description

Whether to suppress configuration warnings produced by the Supported SSL/TLS Cipher Suites configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.ssl.supportedciphersuites

Required

true

Suppress Configuration Validator: Supported SSL/TLS Protocols

Description

Whether to suppress configuration warnings produced by the Supported SSL/TLS Protocols configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_schema.registry.ssl.supportedprotocols

Required

true

Suppress Configuration Validator: SSL TrustStore Type

Description

Whether to suppress configuration warnings produced by the SSL TrustStore Type configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.ssl.truststoretype

Required

true

Suppress Configuration Validator: SSL ValidateCerts

Description

Whether to suppress configuration warnings produced by the SSL ValidateCerts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.ssl.validatecerts

Required

true

Suppress Configuration Validator: SSL ValidatePeers

Description

Whether to suppress configuration warnings produced by the SSL ValidatePeers configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_schema.registry.ssl.validatepeers

Required

true

Suppress Configuration Validator: Schema Registry Load Balancer Host

Description

Whether to suppress configuration warnings produced by the Schema Registry Load Balancer Host configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_schema_registry_load_balancer_host

Required

true

Suppress Configuration Validator: Schema Registry Server Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Schema Registry Server Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_schema_registry_server_role_env_safety_valve

Required

true

Suppress Configuration Validator: Schema Registry Server TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the Schema Registry Server TLS/SSL Trust Store File configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Configuration Validator: Schema Registry Server TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the Schema Registry Server TLS/SSL Trust Store Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Configuration Validator: Schema Registry Server TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the Schema Registry Server TLS/SSL Server Keystore File Location configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Configuration Validator: Schema Registry Server TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the Schema Registry Server TLS/SSL Server Keystore File Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Configuration Validator: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Parameter Validation: Schema Registry Database Host

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Schema Registry Database Host parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_database_host

Required

true

Suppress Parameter Validation: Schema Registry Database JDBC Url Override**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Schema Registry Database JDBC Url Override parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_database_jdbc_url_override

Required

true

Suppress Parameter Validation: Schema Registry Database Name**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Schema Registry Database Name parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_database_name

Required

true

Suppress Parameter Validation: Schema Registry Database User Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Schema Registry Database User Password parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_database_password

Required

true

Suppress Parameter Validation: Schema Registry Database Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Schema Registry Database Port parameter.

Related Name

Default Value

false

API Name

service_config_suppression_database_port

Required

true

Suppress Parameter Validation: Schema Registry Database User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Schema Registry Database User parameter.

Related Name

Default Value

false

API Name

service_config_suppression_database_user

Required

true

Suppress Configuration Validator: Gateway Count Validator

Description

Whether to suppress configuration warnings produced by the Gateway Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_gateway_count_validator

Required

true

Suppress Parameter Validation: Kerberos Principal

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Principal parameter.

Related Name

Default Value

false

API Name

service_config_suppression_kerberos_princ_name

Required

true

Suppress Parameter Validation: System Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name

Default Value

false

API Name

service_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: System User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name

Default Value

false

API Name

service_config_suppression_process_username

Required

true

Suppress Parameter Validation: Ranger SchemaRegistry Plugin Hdfs Audit Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger SchemaRegistry Plugin Hdfs Audit Directory parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_sr_plugin_hdfs_audit_directory

Required

true

Suppress Configuration Validator: Schema Registry Server Count Validator

Description

Whether to suppress configuration warnings produced by the Schema Registry Server Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_schema_registry_server_count_validator

Required

true

Suppress Parameter Validation: Schema Registry Service Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Schema Registry Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_schemaregistry_service_env_safety_valve

Required

true

Suppress Parameter Validation: Service Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name

Default Value

false

API Name

service_config_suppression_service_triggers

Required

true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_smon_derived_configs_safety_valve

Required

true

Suppress Health Test: Schema Registry Server Health

Description

Whether to suppress the results of the Schema Registry Server Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

service_health_suppression_schemaregistry_schema_registry_server_healthy

Required

true

Solr Properties in Cloudera Runtime 7.3.1

Role groups:

Gateway

Advanced

Deploy Directory

Description

The directory where the client configs will be deployed

Related Name

Default Value

/etc/solr

API Name

client_config_root_dir

Required

true

Gateway Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name

Default Value

API Name

log4j_safety_valve

Required

false

Logs

Gateway Logging Threshold

Description

The minimum log level for Gateway logs

Related Name

Default Value

INFO

API Name

log_threshold

Required

false

Monitoring**Enable Configuration Change Alerts****Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Other**Alternatives Priority****Description**

The priority level that the client configuration will have in the Alternatives system on the hosts. Higher priority levels will cause Alternatives to prefer this configuration over any others.

Related Name**Default Value**

90

API Name

client_config_priority

Required

true

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Deploy Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Deploy Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Parameter Validation: Gateway Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Service-Wide

Advanced

System Group

Description

The group that this service's processes should run as.

Related Name

Default Value

solr

API Name

process_groupname

Required

true

System User

Description

The user that this service's processes should run as.

Related Name

Default Value

solr

API Name

process_username

Required

true

Solr Service Advanced Configuration Snippet (Safety Valve) for ranger-solr-audit.xml**Description**

For advanced use only, a string to be inserted into ranger-solr-audit.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

ranger_audit_safety_valve

Required

false

Solr Service Advanced Configuration Snippet (Safety Valve) for ranger-solr-policymgr-ssl.xml**Description**

For advanced use only, a string to be inserted into ranger-solr-policymgr-ssl.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

ranger_policymgr_ssl_safety_valve

Required

false

Solr Service Advanced Configuration Snippet (Safety Valve) for ranger-solr-security.xml**Description**

For advanced use only, a string to be inserted into ranger-solr-security.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

ranger_security_safety_valve

Required

false

Solr Service Advanced Configuration Snippet (Safety Valve) for core-site.xml**Description**

For advanced use only, a string to be inserted into core-site.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value**

API Name

solr_core_site_safety_valve

Required

false

Solr Service Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

solr_env_safety_valve

Required

false

Solr Service Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml**Description**

For advanced use only, a string to be inserted into hdfs-site.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

solr_hdfs_site_safety_valve

Required

false

Enable Solrd Watchdog**Description**

Enable the background watchdog thread that can kill Catalina process if Solr is not responsive.

Related Name**Default Value**

true

API Name

solrd_enable_watchdog

Required

false

Monitoring**Enable Service Level Health Alerts****Description**

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Service Triggers**Description**

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

service_triggers

Required

true

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name

Default Value

API Name

smon_derived_configs_safety_valve

Required

false

Healthy Solr Server Monitoring Thresholds

Description

The health test thresholds of the overall Solr Server health. The check returns "Concerning" health if the percentage of "Healthy" Solr Servers falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" Solr Servers falls below the critical threshold.

Related Name

Default Value

Warning: 95.0 %, Critical: 90.0 %

API Name

solr_solr_servers_healthy_thresholds

Required

false

Other

HDFS Data Directory

Description

HDFS directory used for storage by this Solr service.

Related Name

Default Value

/solr

API Name

hdfs_data_dir

Required

true

HDFS Service

Description

Name of the HDFS service that this Search service instance depends on

Related Name

Default Value

API Name

hdfs_service

Required

true

Ranger Plugin Trusted Proxy IP Address**Description**

Accepts a list of IP addresses of proxy servers for trusting.

Related Name

ranger.plugin.solr.trusted.proxy.ipaddress

Default Value**API Name**

ranger_plugin_trusted_proxy_ipaddress

Required

false

Ranger Plugin Use X-Forwarded for IP Address**Description**

The parameter is used for identifying the originating IP address of a user connecting to a component through proxy for audit logs.

Related Name

ranger.plugin.solr.use.x-forwarded-for.ipaddress

Default Value

false

API Name

ranger_plugin_use_x_forwarded_for_ipaddress

Required

false

Ranger Service**Description**

Name of the Ranger service that this Solr service instance depends on. This config is used for enabling Ranger authorization in the Solr instance not used by Ranger.

Related Name**Default Value****API Name**

ranger_service

Required

false

Solr Server for Upgrade**Description**

Solr server to be used while upgrading from CDH 5 to CDH 6 or to Cloudera Runtime 7.

Related Name**Default Value****API Name**

solr_server_for_upgrade

Required

false

Upgrade Backup Directory

Description

Directory on the HDFS file system that is used as the backup directory while upgrading from CDH 5 to CDH 6 or to Cloudera Runtime 7.

Related Name

Default Value

/user/solr/upgrade_backup

API Name

solr_upgrade_backup_dir

Required

false

Upgrade Metadata Directory

Description

Directory on the local file system containing the migrated configurations and metadata required while upgrading from CDH 5 to CDH 6 or to Cloudera Runtime 7. Note: This directory should be present in the Solr Server specified in 'Solr Server for Upgrade'.

Related Name

Default Value

/var/lib/upgrade/solr_config

API Name

solr_upgrade_metadata_dir

Required

true

Solrd Watchdog Timeout

Description

If Solr does not respond on its web URL within this time interval, the Catalina process is killed.

Related Name

Default Value

1 minute(s), 10 second(s)

API Name

solrd_watchdog_timeout

Required

false

ZooKeeper Service

Description

Name of the ZooKeeper service that this Search service instance depends on

Related Name

Default Value**API Name**

zookeeper_service

Required

true

ZooKeeper Znode**Description**

ZooKeeper znode used to store information about this Solr service.

Related Name**Default Value**

/solr

API Name

zookeeper_znode

Required

true

Security**Enable Ranger Authorization for the Infrastructure Solr Service****Description**

Enable fine-grained security using Ranger for the infrastructure (infra) Solr service. This option is only for the Solr service that the Ranger service is using (for ranger-audits, etc.). No other Solr service can or should enable this option.

Related Name**Default Value**

false

API Name

enable_ranger_authorization

Required

false

Kerberos Principal**Description**

Kerberos principal short name used by all roles of this service.

Related Name**Default Value**

solr

API Name

kerberos_princ_name

Required

true

Active Directory Domain**Description**

Use this field for Active Directory configurations only, when combined with a simple username value in the "LDAP Bind User Distinguished Name" field, it will result in a UPM of user@example.com used for search/bind operations for authenticated user lookups.

Related Name**Default Value****API Name**

ldap_domain

Required

false

Ranger DFS Audit Path**Description**

The DFS path on which Ranger audits are written. The special placeholder '\${ranger_base_audit_url}' should be used as the prefix, in order to use the centralized location defined in the Ranger service.

Related Name

xasecure.audit.destination.hdfs.dir

Default Value

\$ranger_base_audit_url/solr

API Name

ranger_audit_hdfs_dir

Required

false

Ranger Audit DFS Spool Dir**Description**

Spool directory for Ranger audits being written to DFS.

Related Name

xasecure.audit.destination.hdfs.batch.filespool.dir

Default Value

/var/log/solr/audit/hdfs/spool

API Name

ranger_audit_hdfs_spool_dir

Required

false

Ranger Audit Solr Spool Dir**Description**

Spool directory for Ranger audits being written to Solr.

Related Name

xasecure.audit.destination.solr.batch.filespool.dir

Default Value

/var/log/solr/audit/solr/spool

API Name

ranger_audit_solr_spool_dir

Required

false

Ranger Policy Cache Directory**Description**

The directory where Ranger security policies are cached locally.

Related Name

ranger.plugin.solr.policy.cache.dir

Default Value

/var/lib/ranger/solr/policy-cache

API Name

ranger_policy_cache_dir

Required

false

Enable LDAP Authentication**Description**

When checked, LDAP-based authentication for users is enabled.

Related Name**Default Value**

false

API Name

solr_enable_ldap_auth

Required

false

Solr TLS/SSL Server Keystore File Location**Description**

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Solr is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name**Default Value****API Name**

solr_https_keystore_file

Required

false

Solr TLS/SSL Server Keystore File Password**Description**

The password for the Solr keystore file.

Related Name

solr.jetty.keystore.password

Default Value

API Name

solr_https_keystore_password

Required

false

Solr TLS/SSL Trust Store File**Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Solr might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name**Default Value****API Name**

solr_https_truststore_file

Required

false

Solr TLS/SSL Trust Store Password**Description**

The password for the Solr TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

solr.jetty.truststore.password

Default Value**API Name**

solr_https_truststore_password

Required

false

LDAP BaseDN**Description**

This parameter is useful when authenticating against a non-Active Directory server, such as OpenLDAP. When set, this parameter is used to convert the username into the LDAP Distinguished Name (DN), so that the resulting DN looks like uid=username,*this parameter*. For example, if this parameter is set to "ou=People,dc=cloudera,dc=com", and the username passed in is "mike", the resulting authentication passed to the LDAP server look like "uid=mike,ou=People,dc=cloudera,dc=com". This parameter is mutually exclusive with Active Directory Domain.

Related Name**Default Value****API Name**

solr_ldap_basedn

Required

false

Enable LDAP TLS

Description

If true, attempts to establish a TLS (Transport Layer Security) connection with an LDAP server that was specified with ldap://. Not required when using an LDAP URL with prefix ldaps://, because that already specifies TLS. This option is also known as "Use StartTLS".

Related Name**Default Value**

false

API Name

solr_ldap_enable_starttls

Required

false

LDAP URL

Description

The URL of the LDAP Server. The URL must be prefixed with ldap:// or ldaps://. The URL can optionally specify a custom port if necessary, but by default the ldap:// will connect to port 389, and the ldaps:// will connect to port 636. Note that passwords will be in the clear if ldap:// is used, and by fall 2020 Active directory servers will no longer allow non LDAPS connections to bind to AD hosts with LDAP signing enabled. See microsoft knowledge document 935834 for more information.

Related Name**Default Value****API Name**

solr_ldap_uri

Required

false

Solr Secure Authentication

Description

Choose the authentication mechanism used by Solr.

Related Name**Default Value**

simple

API Name

solr_security_authentication

Required

false

Enable TLS/SSL for Solr

Description

Encrypt communication between clients and Solr using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)). Additional manual steps must be performed; see [Enabling TLS/SSL for Solr](#).

Related Name

Default Value

false

API Name

solr_use_ssl

Required

false

Enable TLS/SSL for Solr Zookeeper

Description

Encrypt communication between clients and Solr Zookeeper using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

solr.zookeeper.ssl.client.enable

Default Value

false

API Name

solr_zookeeper_ssl_enable

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: Deploy Directory

Description

Whether to suppress configuration warnings produced by the Deploy Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Configuration Validator: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Configuration Validator: Solr Server Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Solr Server Logging Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Configuration Validator: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.

Related Name

Default Value

false

API Name

`role_config_suppression_otelcol_exporters`**Required**`true`**Suppress Configuration Validator: OpenTelemetry Collector Extensions Section****Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_extensions`**Required**`true`**Suppress Configuration Validator: OpenTelemetry Collector Helper Port****Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_helper_port`**Required**`true`**Suppress Configuration Validator: OpenTelemetry Collector Processors Section****Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_processors`**Required**`true`**Suppress Configuration Validator: OpenTelemetry Collector Receivers Section****Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: Role Triggers**Description**

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Configuration Validator: Solr Data Directory**Description**

Whether to suppress configuration warnings produced by the Solr Data Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_solr_data_dir

Required

true

Suppress Configuration Validator: Solr HTTP Port**Description**

Whether to suppress configuration warnings produced by the Solr HTTP Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_solr_http_port

Required

true

Suppress Configuration Validator: Solr HTTPS port**Description**

Whether to suppress configuration warnings produced by the Solr HTTPS port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_solr_https_port

Required

true

Suppress Configuration Validator: Java Heap Size of Solr Server in Bytes**Description**

Whether to suppress configuration warnings produced by the Java Heap Size of Solr Server in Bytes configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_solr_java_heapsize

Required

true

Suppress Configuration Validator: Java Configuration Options for Solr Server**Description**

Whether to suppress configuration warnings produced by the Java Configuration Options for Solr Server configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_solr_java_opts

Required

true

Suppress Configuration Validator: Solr Load Balancer**Description**

Whether to suppress configuration warnings produced by the Solr Load Balancer configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_solr_load_balancer

Required

true

Suppress Configuration Validator: Solr Server Log Directory**Description**

Whether to suppress configuration warnings produced by the Solr Server Log Directory configuration validator.

Related Name**Default Value**

	false
API Name	role_config_suppression_solr_log_dir
Required	true

Suppress Configuration Validator: Solr Plugins Directory

Description	Whether to suppress configuration warnings produced by the Solr Plugins Directory configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_solr_plugins_dir
Required	true

Suppress Configuration Validator: Solr Server Environment Advanced Configuration Snippet (Safety Valve)

Description	Whether to suppress configuration warnings produced by the Solr Server Environment Advanced Configuration Snippet (Safety Valve) configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_solr_server_role_env_safety_valve
Required	true

Suppress Configuration Validator: Stacks Collection Directory

Description	Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_stacks_collection_directory
Required	true

Suppress Configuration Validator: Gateway Count Validator

Description	
--------------------	--

Whether to suppress configuration warnings produced by the Gateway Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_gateway_count_validator

Required

true

Suppress Parameter Validation: HDFS Data Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS Data Directory parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hdfs_data_dir

Required

true

Suppress Parameter Validation: Kerberos Principal**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Principal parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_kerberos_princ_name

Required

true

Suppress Parameter Validation: Active Directory Domain**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Active Directory Domain parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ldap_domain

Required

true

Suppress Parameter Validation: System Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: System User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_username

Required

true

Suppress Parameter Validation: Ranger DFS Audit Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger DFS Audit Path parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_audit_hdfs_dir

Required

true

Suppress Parameter Validation: Ranger Audit DFS Spool Dir

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Audit DFS Spool Dir parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_audit_hdfs_spool_dir

Required

true

Suppress Parameter Validation: Solr Service Advanced Configuration Snippet (Safety Valve) for ranger-solr-audit.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Solr Service Advanced Configuration Snippet (Safety Valve) for ranger-solr-audit.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_audit_safety_valve

Required

true

Suppress Parameter Validation: Ranger Audit Solr Spool Dir

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Audit Solr Spool Dir parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_audit_solr_spool_dir

Required

true

Suppress Parameter Validation: Ranger Plugin Trusted Proxy IP Address

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Plugin Trusted Proxy IP Address parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_plugin_trusted_proxy_ipaddress

Required

true

Suppress Parameter Validation: Ranger Policy Cache Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Policy Cache Directory parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_policy_cache_dir

Required

true

Suppress Parameter Validation: Solr Service Advanced Configuration Snippet (Safety Valve) for ranger-solr-policymgr-ssl.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Solr Service Advanced Configuration Snippet (Safety Valve) for ranger-solr-policymgr-ssl.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_policymgr_ssl_safety_valve

Required

true

Suppress Parameter Validation: Solr Service Advanced Configuration Snippet (Safety Valve) for ranger-solr-security.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Solr Service Advanced Configuration Snippet (Safety Valve) for ranger-solr-security.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_security_safety_valve

Required

true

Suppress Parameter Validation: Service Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name

Default Value

false

API Name

service_config_suppression_service_triggers

Required

true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_smon_derived_configs_safety_valve

Required

true

Suppress Parameter Validation: Solr Service Advanced Configuration Snippet (Safety Valve) for core-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Solr Service Advanced Configuration Snippet (Safety Valve) for core-site.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_solr_core_site_safety_valve

Required

true

Suppress Parameter Validation: Solr Service Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Solr Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_solr_env_safety_valve

Required

true

Suppress Parameter Validation: Solr Service Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Solr Service Advanced Configuration Snippet (Safety Valve) for hdfs-site.xml parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_solr_hdfs_site_safety_valve

Required

true

Suppress Parameter Validation: Solr TLS/SSL Server Keystore File Location**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Solr TLS/SSL Server Keystore File Location parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_solr_https_keystore_file

Required

true

Suppress Parameter Validation: Solr TLS/SSL Server Keystore File Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Solr TLS/SSL Server Keystore File Password parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_solr_https_keystore_password

Required

true

Suppress Parameter Validation: Solr TLS/SSL Trust Store File**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Solr TLS/SSL Trust Store File parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_solr_https_truststore_file

Required

true

Suppress Parameter Validation: Solr TLS/SSL Trust Store Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Solr TLS/SSL Trust Store Password parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_solr_https_truststore_password

Required

true

Suppress Parameter Validation: LDAP BaseDN**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP BaseDN parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_solr_ldap_basedn

Required

true

Suppress Configuration Validator: LDAP TLS Validator**Description**

Whether to suppress configuration warnings produced by the LDAP TLS Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_solr_ldap_tls_validator

Required

true

Suppress Parameter Validation: LDAP URL**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP URL parameter.

Related Name

Default Value

false

API Name

service_config_suppression_solr_ldap_uri

Required

true

Suppress Configuration Validator: LDAP Secure URI and Start TLS Validator

Description

Whether to suppress configuration warnings produced by the LDAP Secure URI and Start TLS Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_solr_ldaps_or_tls_validator

Required

true

Suppress Configuration Validator: Solr Server Count Validator

Description

Whether to suppress configuration warnings produced by the Solr Server Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_solr_server_count_validator

Required

true

Suppress Parameter Validation: Upgrade Backup Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Upgrade Backup Directory parameter.

Related Name

Default Value

false

API Name

service_config_suppression_solr_upgrade_backup_dir

Required

true

Suppress Parameter Validation: Upgrade Metadata Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Upgrade Metadata Directory parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_solr_upgrade_metadata_dir

Required

true

Suppress Parameter Validation: Solrd Watchdog Timeout**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Solrd Watchdog Timeout parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_solrd_watchdog_timeout

Required

true

Suppress Parameter Validation: ZooKeeper Znode**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the ZooKeeper Znode parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_zookeeper_znode

Required

true

Suppress Health Test: Solr Server Health**Description**

Whether to suppress the results of the Solr Server Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_solr_solr_servers_healthy

Required

true

Solr Server**Advanced****Solr Server Logging Advanced Configuration Snippet (Safety Valve)****Description**

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations**Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory

Description

When set, generates a heap dump file when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory

Description

When set, a SIGKILL signal is sent to the role process when `java.lang.OutOfMemoryError` is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Java Configuration Options for Solr Server**Description**

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or greater, `{{JAVA_GC_ARGS}}` will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name**Default Value**

JAVA_GC_ARGS

API Name

solr_java_opts

Required

false

Solr Server Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment.
Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

SOLR_SERVER_role_env_safety_valve

Required

false

ZooKeeper Client Timeout**Description**

The time in milliseconds a client is allowed to not talk to ZooKeeper before its session expires.

Related Name

zkClientTimeout

Default Value

15 second(s)

API Name

zookeeper_client_timeout

Required

true

Logs**Solr Server Logging Threshold****Description**

The minimum log level for Solr Server logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Solr Server Maximum Log File Backups**Description**

The maximum number of rolled log files to keep for Solr Server logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

Solr Server Max Log Size

Description

The maximum size, in megabytes, per log file for Solr Server logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Solr Server Log Directory

Description

Directory where Solr Server will place its log files.

Related Name**Default Value**

/var/log/solr

API Name

solr_log_dir

Required

true

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML**Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Navigator Audit Failure Thresholds**Description**

The health test thresholds for failures encountered when monitoring audits within a recent period specified by the `mgmt_navigator_failure_window` configuration for the role. The value that can be specified for this threshold is the number of bytes of audits data that is left to be sent to audit server.

Related Name

mgmt.navigator.failure.thresholds

Default Value

Warning: Never, Critical: Any

API Name

mgmt_navigator_failure_thresholds

Required

false

Monitoring Period For Audit Failures**Description**

The period to review when checking if audits are blocked and not getting processed.

Related Name

mgmt.navigator.failure.window

Default Value

20 minute(s)

API Name

mgmt_navigator_failure_window

Required

false

Navigator Audit Pipeline Health Check**Description**

Enable test of audit events processing pipeline. This will test if audit events are not getting processed by Audit Server for a role that generates audit.

Related Name

mgmt.navigator.status.check.enabled

Default Value

true

API Name

mgmt_navigator_status_check_enabled

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: { "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }

Related Name**Default Value****API Name**

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value**

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name

Default Value

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds

Description

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=\$ROLENAM and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}] See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

role_triggers

Required

true

Solr Server API Liveness

Description

Enables the health test that the Cloudera Manager Agent can successfully contact and gather status of Solr Cores from the Solr Server with a simple API request.

Related Name

Default Value

true

API Name

solr_core_status_collection_health_enabled

Required

false

Solr Server API Liveness Request Duration

Description

The health test thresholds on the duration of the Solr Server API request.

Related Name

Default Value

Warning: 10 second(s), Critical: Never

API Name

solr_core_status_collection_thresholds

Required

false

Solr Critical State Cores

Description

Enables the health test that checks for Solr cores in Down or Recovery Failed state on a Solr Server.

Related Name

Default Value

false

API Name

solr_critical_core_health_enabled

Required

false

Solr Critical State Cores Percentage

Description

The health test thresholds for the percentage of Solr cores in Down or Recovery Failed state on a Solr Server.

Related Name

Default Value

Warning: Never, Critical: Any

API Name

solr_critical_core_thresholds

Required

false

Solr Recovering Cores

Description

Enables the health test that checks for Recovering Solr cores on a Solr Server.

Related Name

Default Value

false

API Name

solr_recovering_core_health_enabled

Required

false

Solr Recovering Cores Percentage

Description

The health test thresholds for the percentage of Solr cores in Recovering state on a Solr Server.

Related Name

Default Value

Warning: Any, Critical: Never

API Name

solr_recovering_core_thresholds

Required

false

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name

Default Value

Warning: 50.0 %, Critical: 70.0 %

API Name

solr_server_fd_thresholds

Required

false

Garbage Collection Duration Thresholds**Description**

The health test thresholds for the weighted average time spent in Java garbage collection. Specified as a percentage of elapsed wall clock time.

Related Name**Default Value**

Warning: 30.0, Critical: 60.0

API Name

solr_server_gc_duration_thresholds

Required

false

Garbage Collection Duration Monitoring Period**Description**

The period to review when computing the moving average of garbage collection time.

Related Name**Default Value**

5 minute(s)

API Name

solr_server_gc_duration_window

Required

false

Solr Server Host Health Test**Description**

When computing the overall Solr Server health, consider the host's health.

Related Name**Default Value**

true

API Name

solr_server_host_health_enabled

Required

false

Solr Server Process Health Test**Description**

Enables the health test that the Solr Server's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

solr_server_scm_health_enabled

Required

false

Web Metric Collection**Description**

Enables the health test that the Cloudera Manager Agent can successfully contact and gather metrics from the web server.

Related Name**Default Value**

true

API Name

solr_server_web_metric_collection_enabled

Required

false

Web Metric Collection Duration**Description**

The health test thresholds on the duration of the metrics request to the web server.

Related Name**Default Value**

Warning: 10 second(s), Critical: Never

API Name

solr_server_web_metric_collection_thresholds

Required

false

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period**Description**

The period to review when computing unexpected exits.

Related Name

Default Value

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

Solr Data Directory

Description

Directory on local file system where Solr Server keeps the configurations for collections.

Related Name

Default Value

/var/lib/solr

API Name

solr_data_dir

Required

true

Graceful Shutdown Timeout

Description

Timeout (in seconds) for graceful shutdown of this Solr server. Once this timeout is reached, Solr server is abruptly shutdown. A value of 0 means no timeout.

Related Name

Default Value

3 minute(s)

API Name

solr_graceful_stop_timeout

Required

false

Solr Load Balancer

Description

Address of the load balancer, specified in host:port format.

Related Name

Default Value

API Name

solr_load_balancer

Required

false

Solr Plugins Directory

Description

Directory on local file system where Solr Server can find additional JARs. This directory is not monitored for changes during the lifetime of a solr server, and a restart is required to read any updates to the directory contents.

Related Name

Default Value

API Name

solr_plugins_dir

Required

false

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name

Default Value

API Name

rlimit_fds

Required

false

Solr Max Connector Threads

Description

The maximum number of request processing threads to be created by Solr server, which determines the maximum number of simultaneous requests that can be handled.

Related Name

Default Value

10000

API Name

solr_max_connector_thread

Required

true

Ports and Addresses

Solr HTTP Port

Description

HTTP port of Solr Server.

Related Name

solr_http_port

Default Value

8983

API Name

solr_http_port

Required

true

Resource Management**Cgroup V1 BLKIO Weight****Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2'
These settings override other cgroup settings.

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

`rm_memory_hard_limit_v1`**Required**`true`**Cgroup V2 Memory Hard Limit****Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name`memory.max`**Default Value**`-1 MiB`**API Name**`rm_memory_hard_limit_v2`**Required**`true`**Cgroup V1 Memory Soft Limit****Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name`memory.soft_limit_in_bytes`**Default Value**`-1 MiB`**API Name**`rm_memory_soft_limit_v1`**Required**`true`**Cgroup V2 Memory Soft Limit****Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name`memory.high`

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

HDFS Block Cache Blocks per Slab**Description**

Number of blocks per cache slab. The size of the cache is 8 KB (the block size) times the number of blocks per slab times the number of slabs.

Related Name

solr.hdfs.blockcache.blocksperbank

Default Value

16384

API Name

solr_hdfs_blockcache_blocksperbank

Required

true

HDFS Block Cache Off-Heap Memory**Description**

Use off-heap memory when caching HDFS blocks in Solr.

Related Name

solr.hdfs.blockcache.direct.memory.allocation

Default Value

true

API Name

solr_hdfs_blockcache_direct_memory_allocation

Required

true

HDFS Block Cache**Description**

Enable caching of HDFS blocks in Solr. There is one block cache per Solr collection. configured to use off-heap memory, Maximum Off-Heap Memory must be set high enough to account for all block caches.

Related Name

solr.hdfs.blockcache.enabled

Default Value

true

API Name

solr_hdfs_blockcache_enabled

Required

true

HDFS Block Cache Number of Slabs

Description

Number of slabs per block cache. The size of the cache is 8 KB (the block size) times the number of blocks per slab times the number of slabs.

Related Name

solr.hdfs.blockcache.slab.count

Default Value

1

API Name

solr_hdfs_blockcache_slab_count

Required

true

Java Direct Memory Size of Solr Server in Bytes

Description

Maximum amount of off-heap memory in bytes that may be allocated by the Java process. Passed to Java `-XX:MaxDirectMemorySize`. If unset, defaults to the size of the heap.

Related Name**Default Value**

1 GiB

API Name

solr_java_direct_memory_size

Required

false

Java Heap Size of Solr Server in Bytes

Description

Maximum size in bytes for the Java Process heap memory. Passed to Java `-Xmx`.

Related Name**Default Value**

1 GiB

API Name

solr_java_heapsize

Required

false

Security

Solr HTTPS port

Description

HTTPS port of Solr Server.

Related Name

solr_https_port

Default Value

8985

API Name

solr_https_port

Required

false

Stacks Collection**Stacks Collection Data Retention****Description**

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory**Description**

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency

Description

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method

Description

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Solr Server Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Solr Server Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_otelcol_receivers`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_remote_write_password`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_remote_write_url`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_remote_write_user`**Required**`true`**Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

	false
API Name	role_config_suppression_role_triggers
Required	true

Suppress Parameter Validation: Solr Data Directory

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Solr Data Directory parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_solr_data_dir
Required	true

Suppress Parameter Validation: Solr HTTP Port

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Solr HTTP Port parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_solr_http_port
Required	true

Suppress Parameter Validation: Solr HTTPS port

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Solr HTTPS port parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_solr_https_port
Required	true

Suppress Parameter Validation: Java Heap Size of Solr Server in Bytes

Description	
--------------------	--

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Heap Size of Solr Server in Bytes parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_solr_java_heapsize

Required

true

Suppress Parameter Validation: Java Configuration Options for Solr Server**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for Solr Server parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_solr_java_opts

Required

true

Suppress Parameter Validation: Solr Load Balancer**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Solr Load Balancer parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_solr_load_balancer

Required

true

Suppress Parameter Validation: Solr Server Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Solr Server Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_solr_log_dir

Required

true

Suppress Parameter Validation: Solr Plugins Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Solr Plugins Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_solr_plugins_dir

Required

true

Suppress Parameter Validation: Solr Server Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Solr Server Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_solr_server_role_env_safety_valve

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Solr Server API Liveness

Description

Whether to suppress the results of the Solr Server API Liveness health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_solr_core_status_collection_health

Required

true

Suppress Health Test: Solr Server Critical State Cores**Description**

Whether to suppress the results of the Solr Server Critical State Cores health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_solr_critical_cores_health

Required

true

Suppress Health Test: Solr Server Recovering Cores**Description**

Whether to suppress the results of the Solr Server Recovering Cores health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_solr_recovering_cores_health

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_solr_server_audit_health

Required

true

Suppress Health Test: File Descriptors

Description

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_solr_server_file_descriptor

Required

true

Suppress Health Test: GC Duration

Description

Whether to suppress the results of the GC Duration health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_solr_server_gc_duration

Required

true

Suppress Health Test: Heap Dump Directory Free Space

Description

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_solr_server_heap_dump_directory_free_space

Required

true

Suppress Health Test: Host Health

Description

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_solr_server_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_solr_server_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_solr_server_otelcol_health

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_solr_server_scm_health

Required

true

Suppress Health Test: Swap Memory Usage

Description

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_solr_server_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_solr_server_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_solr_server_unexpected_exits

Required

true

Suppress Health Test: Web Server Status

Description

Whether to suppress the results of the Web Server Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_solr_server_web_metric_collection

Required

true

Spark Properties in Cloudera Runtime 7.3.1

Role groups:

Gateway

Advanced

Deploy Directory

Description

The directory where the client configs will be deployed

Related Name

Default Value

/etc/spark

API Name

client_config_root_dir

Required

true

Gateway Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name

Default Value

API Name

log4j_safety_valve

Required

false

Spark Client Advanced Configuration Snippet (Safety Valve) for spark-conf/spark-defaults.conf

Description

For advanced use only, a string to be inserted into the client configuration for spark-conf/spark-defaults.conf.

Related Name

Default Value

API Name

spark-conf/spark-defaults.conf_client_config_safety_valve

Required

false

Spark Client Advanced Configuration Snippet (Safety Valve) for spark-conf/spark-env.sh**Description**

For advanced use only, a string to be inserted into the client configuration for spark-conf/spark-env.sh.

Related Name**Default Value****API Name**

spark-conf/spark-env.sh_client_config_safety_valve

Required

false

Logs**Gateway Logging Threshold****Description**

The minimum log level for Gateway logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Monitoring**Enable Configuration Change Alerts****Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Other**Alternatives Priority****Description**

The priority level that the client configuration will have in the Alternatives system on the hosts. Higher priority levels will cause Alternatives to prefer this configuration over any others.

Related Name**Default Value**

51

API Name

client_config_priority

Required

true

Spark Data Serializer**Description**

Name of class implementing org.apache.spark.serializer.Serializer to use in Spark applications.

Related Name

spark.serializer

Default Value

org.apache.spark.serializer.KryoSerializer

API Name

spark_data_serializer

Required

true

Default Application Deploy Mode**Description**

Which deploy mode to use by default. Can be overridden by users when launching applications.

Related Name

spark_deploy_mode

Default Value

client

API Name

spark_deploy_mode

Required

false

Caching Executor Idle Timeout**Description**

When dynamic allocation is enabled, time after which idle executors with cached RDDs blocks will be stopped. By default, they're never stopped.

Related Name

spark.dynamicAllocation.cachedExecutorIdleTimeout

Default Value**API Name**

spark_dynamic_allocation_cached_idle_timeout

Required

false

Enable Dynamic Allocation

Description

Enable dynamic allocation of executors in Spark applications.

Related Name

spark.dynamicAllocation.enabled

Default Value

true

API Name

spark_dynamic_allocation_enabled

Required

false

Executor Idle Timeout

Description

When dynamic allocation is enabled, time after which idle executors will be stopped.

Related Name

spark.dynamicAllocation.executorIdleTimeout

Default Value

1 minute(s)

API Name

spark_dynamic_allocation_idle_timeout

Required

false

Initial Executor Count

Description

When dynamic allocation is enabled, number of executors to allocate when the application starts. By default, this is the same value as the minimum number of executors.

Related Name

spark.dynamicAllocation.initialExecutors

Default Value**API Name**

spark_dynamic_allocation_initial_executors

Required

false

Maximum Executor Count

Description

When dynamic allocation is enabled, maximum number of executors to allocate. By default, Spark relies on YARN to control the maximum number of executors for the application.

Related Name

spark.dynamicAllocation.maxExecutors

Default Value**API Name**

spark_dynamic_allocation_max_executors

Required

false

Minimum Executor Count**Description**

When dynamic allocation is enabled, minimum number of executors to keep alive while the application is running.

Related Name

spark.dynamicAllocation.minExecutors

Default Value

0

API Name

spark_dynamic_allocation_min_executors

Required

false

Scheduler Backlog Timeout**Description**

When dynamic allocation is enabled, timeout before requesting new executors when there are backlogged tasks.

Related Name

spark.dynamicAllocation.schedulerBacklogTimeout

Default Value

1 second(s)

API Name

spark_dynamic_allocation_scheduler_backlog_timeout

Required

false

Sustained Scheduler Backlog Timeout**Description**

When dynamic allocation is enabled, timeout before requesting new executors after the initial backlog timeout has already expired. By default this is the same value as the initial backlog timeout.

Related Name

spark.dynamicAllocation.sustainedSchedulerBacklogTimeout

Default Value**API Name**

spark_dynamic_allocation_sustained_scheduler_backlog_timeout

Required

false

Shell Logging Threshold**Description**

The minimum log level for the Spark shell.

Related Name

spark_gateway_shell_logging_threshold

Default Value

WARN

API Name

spark_gateway_shell_logging_threshold

Required

true

Enable Kill From UI**Description**

Whether to allow users to kill running stages from the Spark Web UI.

Related Name

spark.ui.killEnabled

Default Value

true

API Name

spark_gateway_ui_kill_enabled

Required

true

Enable History**Description**

Write Spark application history logs to HDFS.

Related Name

spark.eventLog.enabled

Default Value

true

API Name

spark_history_enabled

Required

false

Enable I/O Encryption**Description**

Whether to encrypt temporary shuffle and cache files stored by Spark on the local disks.

Related Name

spark.io.encryption.enabled

Default Value

false

API Name

spark_io_encryption_enabled

Required

false

Enable Spark Lineage

Description

Whether to enable spark lineage support. If enabled, spark lineage is sent to Atlas.

Related Name

spark.lineage.enabled

Default Value

true

API Name

spark_lineage_enabled

Required

false

Enable Network Encryption

Description

Whether to encrypt communication between Spark processes belonging to the same application. Requires authentication (spark.authenticate) to be enabled.

Related Name

spark.network.crypto.enabled

Default Value

false

API Name

spark_network_encryption_enabled

Required

false

Enable Optimized S3 Committers

Description

Whether use optimized committers when writing data to S3.

Related Name

spark.cloudera.s3_committers.enabled

Default Value

true

API Name

spark_optimized_s3_committers_enabled

Required

false

Extra Python Path

Description

Python library paths to add to PySpark applications.

Related Name

spark_python_path

Default Value**API Name**

`spark_python_path`**Required**

false

Enable Shuffle Service**Description**

Enables the external shuffle service. The external shuffle service preserves shuffle files written by executors so that the executors can be deallocated without losing work. Must be enabled if Enable Dynamic Allocation is enabled. Recommended and enabled by default.

Related Name`spark.shuffle.service.enabled`**Default Value**

true

API Name`spark_shuffle_service_enabled`**Required**

true

Enable Spark Web UI**Description**

Whether to enable the Spark Web UI on individual applications. It's recommended that the UI be disabled in secure clusters.

Related Name`spark.ui.enabled`**Default Value**

true

API Name`spark_ui_enabled`**Required**

false

A comma-separated list of secure Hadoop filesystems**Description**

A comma-separated list of secure Hadoop filesystems your Spark application is going to access. For example, `hdfs://nn1.com:8032,hdfs://nn2.com:8032`. The Spark application must have access to the filesystems listed and Kerberos must be properly configured to be able to access them (either in the same realm or in a trusted realm). Spark acquires security tokens for each of the filesystems so that the Spark application can access those remote Hadoop filesystems.

Related Name`spark.yarn.access.hadoopFileSystems`**Default Value****API Name**`spark_yarn_access_hadoopfilesystems`**Required**

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Deploy Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Deploy Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Parameter Validation: Gateway Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Spark Client Advanced Configuration Snippet (Safety Valve) for spark-conf/spark-defaults.conf

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Spark Client Advanced Configuration Snippet (Safety Valve) for spark-conf/spark-defaults.conf parameter.

Related Name

Default Value

false

API Name

role_config_suppression_spark-conf/spark-defaults.conf_client_config_safety_valve

Required

true

Suppress Parameter Validation: Spark Client Advanced Configuration Snippet (Safety Valve) for spark-conf/spark-env.sh**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Spark Client Advanced Configuration Snippet (Safety Valve) for spark-conf/spark-env.sh parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_spark-conf/spark-env.sh_client_config_safety_valve

Required

true

Suppress Parameter Validation: Spark Data Serializer**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Spark Data Serializer parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_spark_data_serializer

Required

true

Suppress Parameter Validation: Extra Python Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Extra Python Path parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_spark_python_path

Required

true

Suppress Parameter Validation: A comma-separated list of secure Hadoop filesystems

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the A comma-separated list of secure Hadoop filesystems parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_spark_yarn_access_hadoopfilesystems

Required

true

History Server

Advanced

History Server Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory

Description

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

History Server Advanced Configuration Snippet (Safety Valve) for spark-conf/spark-env.sh

Description

For advanced use only. A string to be inserted into spark-conf/spark-env.sh for this role only.

Related Name**Default Value**

API Name

spark-conf/spark-env.sh_role_safety_valve

Required

false

History Server Advanced Configuration Snippet (Safety Valve) for spark-conf/spark-history-server.conf

Description

For advanced use only. A string to be inserted into spark-conf/spark-history-server.conf for this role only.

Related Name

Default Value

API Name

spark-conf/spark-history-server.conf_role_safety_valve

Required

false

History Server Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name

Default Value

API Name

SPARK_YARN_HISTORY_SERVER_role_env_safety_valve

Required

false

Logs

History Server Log Directory

Description

The log directory for log files of the role History Server.

Related Name

log_dir

Default Value

/var/log/spark

API Name

log_dir

Required

false

History Server Logging Threshold

Description

The minimum log level for History Server logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

History Server Maximum Log File Backups**Description**

The maximum number of rolled log files to keep for History Server logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

History Server Max Log Size**Description**

The maximum size, in megabytes, per log file for History Server logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring**Enable Health Alerts for this Role****Description**

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

`log_directory_free_space_absolute_thresholds`**Required**

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name`log_directory_free_space_percentage_thresholds`**Required**

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name**Default Value****API Name**`monitoring_metric_filter`**Required**

false

OpenTelemetry Collector Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value**API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL**Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

```
$INFRA(cdp_request_signer_url)
```

API Name

```
otelcol_remote_write_url
```

Required

```
false
```

OpenTelemetry Collector Remote Write Username**Description**

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify `$INFRA(cdp_request_signer_username)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

```
$INFRA(cdp_request_signer_username)
```

API Name

```
otelcol_remote_write_user
```

Required

```
false
```

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

```
otelcol_rtm_logs_exporters
```

Required

```
false
```

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

```
otelcol_rtm_logs_extensions
```

Required

```
false
```

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

```
common.process.swap_memory_rate_window
```

Default Value

```
5 minute(s)
```

API Name

```
process_swap_memory_rate_window
```

Required

```
false
```

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

```
Warning: 200 B, Critical: Never
```

API Name

```
process_swap_memory_thresholds
```

Required

```
false
```

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

```
[]
```

API Name

```
role_triggers
```

Required

true

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

spark_yarn_history_server_fd_thresholds

Required

false

History Server Host Health Test**Description**

When computing the overall History Server health, consider the host's health.

Related Name**Default Value**

true

API Name

spark_yarn_history_server_host_health_enabled

Required

false

History Server Process Health Test**Description**

Enables the health test that the History Server's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

spark_yarn_history_server_scm_health_enabled

Required

false

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name

Default Value

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

Use Local Storage

Description

Whether to use local storage for caching application history data, which reduces memory usage and makes service restarts faster.

Related Name

enable_local_storage

Default Value

false

API Name

enable_local_storage

Required

false

Enable Event Log Cleaner

Description

Specifies whether the History Server should periodically clean up event logs from storage.

Related Name

spark.history.fs.cleaner.enabled

Default Value

true

API Name

event_log_cleaner_enabled

Required

false

Event Log Cleaner Interval

Description

How often the History Server will clean up event log files.

Related Name

spark.history.fs.cleaner.interval

Default Value

1 day(s)

API Name

event_log_cleaner_interval

Required

false

Maximum Event Log Age

Description

Specifies the maximum age of the event logs.

Related Name

spark.history.fs.cleaner.maxAge

Default Value

7 day(s)

API Name

event_log_cleaner_max_age

Required

false

Admin Users

Description

Comma-separated list of users who can view all applications when authentication is enabled.

Related Name

spark.history.ui.admin.acls

Default Value

knox

API Name

history_server_admin_users

Required

false

HDFS Polling Interval

Description

How often to poll HDFS for new applications.

Related Name

spark.history.fs.update.interval.seconds

Default Value

10 second(s)

API Name

history_server_fs_poll_interval

Required

false

Java Heap Size of History Server in Bytes**Description**

Maximum size for the Java process heap memory. Passed to Java -Xmx. Measured in bytes.

Related Name

history_server_max_heapsize

Default Value

512 MiB

API Name

history_server_max_heapsize

Required

true

Retained App Count**Description**

Max number of application UIs to keep in the History Server's memory. All applications will still be available, but may take longer to load if they're not in memory.

Related Name

spark.history.retainedApplications

Default Value

50

API Name

history_server_retained_apps

Required

false

Enable User Authentication**Description**

Enables user authentication using SPNEGO (requires Kerberos), and enables access control to application history data.

Related Name

history_server_spnego_enabled

Default Value

false

API Name

history_server_spnego_enabled

Required

false

Local Storage Directory**Description**

Directory where to keep local caches of application history data.

Related Name`spark.history.store.path`**Default Value**`/var/lib/spark/history`**API Name**`local_storage_dir`**Required**`false`**Max Local Storage Size****Description**

Approximate maximum amount of data to use in local storage for caching application history data.

Related Name`spark.history.store.maxDiskUsage`**Default Value**`10 GiB`**API Name**`local_storage_max_usage`**Required**`false`**Performance****Maximum Process File Descriptors****Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**`rlimit_fds`**Required**`false`**Ports and Addresses****History Server WebUI Port****Description**

The port of the history server WebUI

Related Name`spark.history.ui.port`**Default Value**`18088`**API Name**`history_server_web_port`

Required

true

TLS/SSL Port Number**Description**

Port where to listen for TLS/SSL connections. HTTP connections will be redirected to this port when TLS/SSL is enabled.

Related Name

spark.ssl.historyServer.port

Default Value

18488

API Name

ssl_server_port

Required

false

Resource Management**Cgroup V1 BLKIO Weight****Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight

Description

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)

Description

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value

API Name

rm_custom_resources

Required

false

Cgroup V2 I/O Weight

Description

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

`rm_memory_soft_limit_v1`**Required**`true`**Cgroup V2 Memory Soft Limit****Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name`memory.high`**Default Value**`-1 MiB`**API Name**`rm_memory_soft_limit_v2`**Required**`true`**Security****Enable TLS/SSL for History Server****Description**

Encrypt communication between clients and History Server using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name`spark.ssl.historyServer.enabled`**Default Value**`false`**API Name**`ssl_enabled`**Required**`false`**History Server TLS/SSL Server Keystore File Location****Description**

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when History Server is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name`spark.ssl.historyServer.keyStore`**Default Value****API Name**`ssl_server_keystore_location`

Required

false

History Server TLS/SSL Server Keystore File Password**Description**

The password for the History Server keystore file.

Related Name**Default Value****API Name**

ssl_server_keystore_password

Required

false

Supported SSL/TLS versions**Description**

The SSL/TLS protocol versions to accept HTTPS connections from. Note that the available cipher suites also affect which protocol versions can be negotiated, and some cipher suites are only available in higher versions.

Related Name

spark.ssl.historyServer.protocol

Default Value

TLSv1.2

API Name

supported_tls_versions

Required

false

SSL/TLS Cipher Suite**Description**

The SSL/TLS cipher suites to use. "Modern 2018" is a modern set of cipher suites as of 2018, according to the Mozilla server-side TLS recommendations. These cipher suites use strong cryptography and are preferred unless interaction with older clients is required. These modern cipher suites are compatible with Firefox 27, Chrome 22, Internet Explorer 11, Opera 14, Safari 7, Android 4.4, and Java 8. "Intermediate 2018" is an intermediate set of cipher suites as of 2018, according to the Mozilla server-side TLS recommendations. Select the Intermediate 2018 cipher suites if you require compatibility with a wider range of clients, legacy browsers, or older Linux tools.

Related Name

spark.ssl.historyServer.enabledAlgorithms

Default Value

modern2018

API Name

tls_ciphers

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency

Description

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Admin Users**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin Users parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_history_server_admin_users

Required

true

Suppress Parameter Validation: History Server WebUI Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the History Server WebUI Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_history_server_web_port

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Local Storage Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Local Storage Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_local_storage_dir

Required

true

Suppress Parameter Validation: History Server Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the History Server Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: History Server Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the History Server Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: Heap Dump Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_otelcol_receivers`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_remote_write_password`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_remote_write_url`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_remote_write_user`**Required**`true`**Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

	false
API Name	role_config_suppression_role_triggers
Required	true

Suppress Parameter Validation: History Server Advanced Configuration Snippet (Safety Valve) for spark-conf/spark-env.sh

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the History Server Advanced Configuration Snippet (Safety Valve) for spark-conf/spark-env.sh parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_spark-conf/spark-env.sh_role_safety_valve
Required	true

Suppress Parameter Validation: History Server Advanced Configuration Snippet (Safety Valve) for spark-conf/spark-history-server.conf

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the History Server Advanced Configuration Snippet (Safety Valve) for spark-conf/spark-history-server.conf parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_spark-conf/spark-history-server.conf_role_safety_valve
Required	true

Suppress Parameter Validation: History Server Environment Advanced Configuration Snippet (Safety Valve)

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the History Server Environment Advanced Configuration Snippet (Safety Valve) parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_spark_yarn_history_server_role_env_safety_valve
Required	

true

Suppress Parameter Validation: History Server TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the History Server TLS/SSL Server Keystore File Location parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: History Server TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the History Server TLS/SSL Server Keystore File Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: TLS/SSL Port Number

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the TLS/SSL Port Number parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_port

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_spark_on_yarn_spark_yarn_history_server_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_spark_on_yarn_spark_yarn_history_server_file_descriptor

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_spark_on_yarn_spark_yarn_history_server_host_health

Required

true

Suppress Health Test: Log Directory Free Space

Description

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_spark_on_yarn_spark_yarn_history_server_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health

Description

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_spark_on_yarn_spark_yarn_history_server_otelcol_health

Required

true

Suppress Health Test: Process Status

Description

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_spark_on_yarn_spark_yarn_history_server_scm_health

Required

true

Suppress Health Test: Swap Memory Usage

Description

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_spark_on_yarn_spark_yarn_history_server_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_spark_on_yarn_spark_yarn_history_server_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits**Description**

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_spark_on_yarn_spark_yarn_history_server_unexpected_exits

Required

true

Service-Wide**Advanced****System Group****Description**

The group that this service's processes should run as.

Related Name**Default Value**

spark

API Name

process_groupname

Required

true

System User

Description

The user that this service's processes should run as.

Related Name

Default Value

spark

API Name

process_username

Required

true

Spark Service Advanced Configuration Snippet (Safety Valve) for spark-conf/spark-env.sh

Description

For advanced use only, a string to be inserted into spark-conf/spark-env.sh. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

spark-conf/spark-env.sh_service_safety_valve

Required

false

Spark Service Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

SPARK_ON_YARN_service_env_safety_valve

Required

false

Monitoring

Enable Service Level Health Alerts

Description

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Service Triggers**Description**

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

service_triggers

Required

true

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name**Default Value****API Name**

smon_derived_configs_safety_valve

Required

false

Healthy History Server Monitoring Thresholds**Description**

The health test thresholds of the overall History Server health. The check returns "Concerning" health if the percentage of "Healthy" History Servers falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" History Servers falls below the critical threshold.

Related Name**Default Value**

Warning: 99.0 %, Critical: 90.0 %

API Name

SPARK_ON_YARN_SPARK_YARN_HISTORY_SERVER_healthy_thresholds

Required

false

Other**Atlas Service****Description**

Name of the Atlas service that this Spark service instance depends on

Related Name**Default Value****API Name**

atlas_service

Required

false

HBase Service**Description**

Name of the HBase service that this Spark service instance depends on

Related Name**Default Value****API Name**

hbase_service

Required

false

History Server Load Balancer Address

Description

The URI of the History server's load balancer used by clients. Example: https://lb.example.com:port

Related Name

spark.history.lb.uri

Default Value**API Name**

history_server_load_balancer_url

Required

false

Knox Service

Description

Name of the Knox service that this Spark service instance depends on

Related Name**Default Value****API Name**

knox_service

Required

false

Spark Authentication

Description

Enable whether the Spark communication protocols do authentication using a shared secret.

Related Name

spark.authenticate

Default Value

false

API Name

spark_authenticate

Required

true

Spark Driver Log Location (HDFS)

Description

The location of Spark driver logs in HDFS when Spark application runs in client mode. Changing this value will not move existing logs to the new location.

Related Name

spark.driver.log.dir

Default Value

/user/spark/driverLogs

API Name

spark_driver_log_dir

Required

true

Persist Driver Logs to Dfs

Description

If enabled, driver logs in YARN client mode will be persisted to the configured Spark Driver Log Location (HDFS)

Related Name

spark.driver.log.persistToDfs.enabled

Default Value

true

API Name

spark_driver_log_persist_to_df

Required

true

Spark History Location

Description

The location of Spark application history logs. Changing this value will not move existing logs to the new location.

Related Name

spark.eventLog.dir

Default Value

hdfs:///user/spark/applicationHistory

API Name

spark_history_log_dir

Required

true

Shuffle Service AES Encryption

Description

Whether to enable AES-based authentication and encryption in the shuffle service. Requires authentication to be enabled to take effect.

Related Name

spark_shuffle_aes_enabled

Default Value

true

API Name

spark_shuffle_aes_enabled

Required

true

YARN Service

Description

Name of the YARN service that this Spark service instance depends on

Related Name

Default Value**API Name**

yarn_service

Required

true

Ports and Addresses**Spark Shuffle Service Port****Description**

The port the Spark Shuffle Service listens for fetch requests.

Related Name

spark.shuffle.service.port

Default Value

7337

API Name

spark_shuffle_service_port

Required

true

Security**Kerberos Principal****Description**

Kerberos principal short name used by all roles of this service.

Related Name**Default Value**

spark

API Name

kerberos_princ_name

Required

true

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: Deploy Directory

Description

Whether to suppress configuration warnings produced by the Deploy Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Configuration Validator: Admin Users

Description

Whether to suppress configuration warnings produced by the Admin Users configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_history_server_admin_users

Required

true

Suppress Configuration Validator: History Server WebUI Port

Description

Whether to suppress configuration warnings produced by the History Server WebUI Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_history_server_web_port

Required

true

Suppress Configuration Validator: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Configuration Validator: Local Storage Directory

Description

Whether to suppress configuration warnings produced by the Local Storage Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_local_storage_dir

Required

true

Suppress Configuration Validator: History Server Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the History Server Logging Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Configuration Validator: History Server Log Directory

Description

Whether to suppress configuration warnings produced by the History Server Log Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Configuration Validator: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name

Default Value

	false
API Name	role_config_suppression_otelcol_service
Required	true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)

Description	Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_rm_custom_resources
Required	true

Suppress Configuration Validator: Role Triggers

Description	Whether to suppress configuration warnings produced by the Role Triggers configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_role_triggers
Required	true

Suppress Configuration Validator: Spark Client Advanced Configuration Snippet (Safety Valve) for spark-conf/spark-defaults.conf

Description	Whether to suppress configuration warnings produced by the Spark Client Advanced Configuration Snippet (Safety Valve) for spark-conf/spark-defaults.conf configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_spark-conf/spark-defaults.conf_client_config_safety_valve
Required	true

Suppress Configuration Validator: Spark Client Advanced Configuration Snippet (Safety Valve) for spark-conf/spark-env.sh

Description	
--------------------	--

Whether to suppress configuration warnings produced by the Spark Client Advanced Configuration Snippet (Safety Valve) for spark-conf/spark-env.sh configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_spark-conf/spark-env.sh_client_config_safety_valve

Required

true

Suppress Configuration Validator: History Server Advanced Configuration Snippet (Safety Valve) for spark-conf/spark-env.sh

Description

Whether to suppress configuration warnings produced by the History Server Advanced Configuration Snippet (Safety Valve) for spark-conf/spark-env.sh configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_spark-conf/spark-env.sh_role_safety_valve

Required

true

Suppress Configuration Validator: History Server Advanced Configuration Snippet (Safety Valve) for spark-conf/spark-history-server.conf

Description

Whether to suppress configuration warnings produced by the History Server Advanced Configuration Snippet (Safety Valve) for spark-conf/spark-history-server.conf configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_spark-conf/spark-history-server.conf_role_safety_valve

Required

true

Suppress Configuration Validator: Spark Data Serializer

Description

Whether to suppress configuration warnings produced by the Spark Data Serializer configuration validator.

Related Name

Default Value

false

API Name

`role_config_suppression_spark_data_serializer`**Required**`true`**Suppress Configuration Validator: Extra Python Path****Description**

Whether to suppress configuration warnings produced by the Extra Python Path configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_spark_python_path`**Required**`true`**Suppress Configuration Validator: A comma-separated list of secure Hadoop filesystems****Description**

Whether to suppress configuration warnings produced by the A comma-separated list of secure Hadoop filesystems configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_spark_yarn_access_hadoopfilesystems`**Required**`true`**Suppress Configuration Validator: History Server Environment Advanced Configuration Snippet (Safety Valve)****Description**

Whether to suppress configuration warnings produced by the History Server Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_spark_yarn_history_server_role_env_safety_valve`**Required**`true`**Suppress Configuration Validator: History Server TLS/SSL Server Keystore File Location****Description**

Whether to suppress configuration warnings produced by the History Server TLS/SSL Server Keystore File Location configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Configuration Validator: History Server TLS/SSL Server Keystore File Password**Description**

Whether to suppress configuration warnings produced by the History Server TLS/SSL Server Keystore File Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Configuration Validator: TLS/SSL Port Number**Description**

Whether to suppress configuration warnings produced by the TLS/SSL Port Number configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_port

Required

true

Suppress Configuration Validator: Stacks Collection Directory**Description**

Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Configuration Validator: Gateway Count Validator

Description

Whether to suppress configuration warnings produced by the Gateway Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_gateway_count_validator

Required

true

Suppress Parameter Validation: History Server Load Balancer Address

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the History Server Load Balancer Address parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_history_server_load_balancer_url

Required

true

Suppress Parameter Validation: Kerberos Principal

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Principal parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_kerberos_princ_name

Required

true

Suppress Parameter Validation: System Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: System User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name

Default Value

false

API Name

service_config_suppression_process_username

Required

true

Suppress Parameter Validation: Service Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name

Default Value

false

API Name

service_config_suppression_service_triggers

Required

true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_smon_derived_configs_safety_valve

Required

true

Suppress Parameter Validation: Spark Service Advanced Configuration Snippet (Safety Valve) for spark-conf/spark-env.sh

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Spark Service Advanced Configuration Snippet (Safety Valve) for spark-conf/spark-env.sh parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_spark-conf/spark-env.sh_service_safety_valve

Required

true

Suppress Parameter Validation: Spark Driver Log Location (HDFS)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Spark Driver Log Location (HDFS) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_spark_driver_log_df_dir

Required

true

Suppress Parameter Validation: Spark History Location**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Spark History Location parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_spark_history_log_dir

Required

true

Suppress Configuration Validator: Hive Gateway for Spark Validator**Description**

Whether to suppress configuration warnings produced by the Hive Gateway for Spark Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_spark_hive_gateway_validator

Required

true

Suppress Parameter Validation: Spark Service Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Spark Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_spark_on_yarn_service_env_safety_valve

Required

true

Suppress Parameter Validation: Spark Shuffle Service Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Spark Shuffle Service Port parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_spark_shuffle_service_port

Required

true

Suppress Configuration Validator: History Server Count Validator**Description**

Whether to suppress configuration warnings produced by the History Server Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_spark_yarn_history_server_count_validator

Required

true

Suppress Health Test: History Server Health**Description**

Whether to suppress the results of the History Server Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name	
Default Value	false
API Name	service_health_suppression_spark_on_yarn_spark_yarn_history_server_healthy
Required	true

Spark 3 Properties in Cloudera Runtime 7.3.1

Role groups:

Gateway

Advanced

Deploy Directory

Description	The directory where the client configs will be deployed
Related Name	
Default Value	/etc/spark3
API Name	client_config_root_dir
Required	true

Gateway Logging Advanced Configuration Snippet (Safety Valve)

Description	For advanced use only, a string to be inserted into log4j2.properties for this role only.
Related Name	
Default Value	
API Name	log4j_safety_valve
Required	false

Spark 3 Client Advanced Configuration Snippet (Safety Valve) for spark3-conf/spark-defaults.conf

Description	For advanced use only, a string to be inserted into the client configuration for spark3-conf/spark-defaults.conf.
Related Name	
Default Value	
API Name	

spark3-conf/spark-defaults.conf_client_config_safety_valve

Required

false

Spark 3 Client Advanced Configuration Snippet (Safety Valve) for spark3-conf/spark-env.sh

Description

For advanced use only, a string to be inserted into the client configuration for spark3-conf/spark-env.sh.

Related Name

Default Value

API Name

spark3-conf/spark-env.sh_client_config_safety_valve

Required

false

Logs

Gateway Logging Threshold

Description

The minimum log level for Gateway logs

Related Name

Default Value

INFO

API Name

log_threshold

Required

false

Monitoring

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Other

Alternatives Priority

Description

The priority level that the client configuration will have in the Alternatives system on the hosts. Higher priority levels will cause Alternatives to prefer this configuration over any others.

Related Name**Default Value**

51

API Name

client_config_priority

Required

true

Spark Data Serializer**Description**

Name of class implementing `org.apache.spark.serializer.Serializer` to use in Spark applications.

Related Name

spark.serializer

Default Value

`org.apache.spark.serializer.KryoSerializer`

API Name

spark_data_serializer

Required

true

Default Application Deploy Mode**Description**

Which deploy mode to use by default. Can be overridden by users when launching applications.

Related Name

spark_deploy_mode

Default Value

client

API Name

spark_deploy_mode

Required

false

Caching Executor Idle Timeout**Description**

When dynamic allocation is enabled, time after which idle executors with cached RDDs blocks will be stopped. By default, they're never stopped.

Related Name

`spark.dynamicAllocation.cachedExecutorIdleTimeout`

Default Value**API Name**

spark_dynamic_allocation_cached_idle_timeout

Required

false

Enable Dynamic Allocation

Description

Enable dynamic allocation of executors in Spark applications.

Related Name

spark.dynamicAllocation.enabled

Default Value

true

API Name

spark_dynamic_allocation_enabled

Required

false

Executor Idle Timeout

Description

When dynamic allocation is enabled, time after which idle executors will be stopped.

Related Name

spark.dynamicAllocation.executorIdleTimeout

Default Value

1 minute(s)

API Name

spark_dynamic_allocation_idle_timeout

Required

false

Initial Executor Count

Description

When dynamic allocation is enabled, number of executors to allocate when the application starts. By default, this is the same value as the minimum number of executors.

Related Name

spark.dynamicAllocation.initialExecutors

Default Value**API Name**

spark_dynamic_allocation_initial_executors

Required

false

Maximum Executor Count

Description

When dynamic allocation is enabled, maximum number of executors to allocate. By default, Spark relies on YARN to control the maximum number of executors for the application.

Related Name

spark.dynamicAllocation.maxExecutors

Default Value

API Name`spark_dynamic_allocation_max_executors`**Required**

false

Minimum Executor Count**Description**

When dynamic allocation is enabled, minimum number of executors to keep alive while the application is running.

Related Name`spark.dynamicAllocation.minExecutors`**Default Value**

0

API Name`spark_dynamic_allocation_min_executors`**Required**

false

Scheduler Backlog Timeout**Description**

When dynamic allocation is enabled, timeout before requesting new executors when there are backlogged tasks.

Related Name`spark.dynamicAllocation.schedulerBacklogTimeout`**Default Value**

1 second(s)

API Name`spark_dynamic_allocation_scheduler_backlog_timeout`**Required**

false

Sustained Scheduler Backlog Timeout**Description**

When dynamic allocation is enabled, timeout before requesting new executors after the initial backlog timeout has already expired. By default this is the same value as the initial backlog timeout.

Related Name`spark.dynamicAllocation.sustainedSchedulerBacklogTimeout`**Default Value****API Name**`spark_dynamic_allocation_sustained_scheduler_backlog_timeout`**Required**

false

Shell Logging Threshold**Description**

The minimum log level for the Spark shell.

Related Name

spark_gateway_shell_logging_threshold

Default Value

WARN

API Name

spark_gateway_shell_logging_threshold

Required

true

Enable Kill From UI**Description**

Whether to allow users to kill running stages from the Spark Web UI.

Related Name

spark.ui.killEnabled

Default Value

true

API Name

spark_gateway_ui_kill_enabled

Required

true

Enable History**Description**

Write Spark application history logs to HDFS.

Related Name

spark.eventLog.enabled

Default Value

true

API Name

spark_history_enabled

Required

false

Enable Spark Iceberg Support**Description**

Whether to enable Iceberg support for Spark.

Related Name

spark.iceberg.enabled

Default Value

true

API Name

spark_iceberg_support_enabled

Required

false

Enable I/O Encryption

Description

Whether to encrypt temporary shuffle and cache files stored by Spark on the local disks.

Related Name

spark.io.encryption.enabled

Default Value

false

API Name

spark_io_encryption_enabled

Required

false

A comma-separated list of secure Hadoop filesystems

Description

A comma-separated list of secure Hadoop filesystems your Spark application is going to access. For example, hdfs://nn1.com:8032,hdfs://nn2.com:8032. The Spark application must have access to the filesystems listed and Kerberos must be properly configured to be able to access them (either in the same realm or in a trusted realm). Spark acquires security tokens for each of the filesystems so that the Spark application can access those remote Hadoop filesystems.

Related Name

spark.kerberos.access.hadoopFileSystems

Default Value

API Name

spark_kerberos_access_hadoopfilesystems

Required

false

Enable Spark Lineage

Description

Whether to enable spark lineage support. If enabled, spark lineage is sent to Atlas.

Related Name

spark.lineage.enabled

Default Value

true

API Name

spark_lineage_enabled

Required

false

Enable Network Encryption

Description

Whether to encrypt communication between Spark processes belonging to the same application. Requires authentication (spark.authenticate) to be enabled.

Related Name

spark.network.crypto.enabled

Default Value

false

API Name

spark_network_encryption_enabled

Required

false

Enable Optimized S3 Committers**Description**

Whether use optimized committers when writing data to S3.

Related Name

spark.cloudera.s3_committers.enabled

Default Value

true

API Name

spark_optimized_s3_committers_enabled

Required

false

Extra Python Path**Description**

Python library paths to add to PySpark applications.

Related Name

spark_python_path

Default Value**API Name**

spark_python_path

Required

false

Enable Shuffle Service**Description**

Enables the external shuffle service. The external shuffle service preserves shuffle files written by executors so that the executors can be deallocated without losing work. Must be enabled if Enable Dynamic Allocation is enabled. Recommended and enabled by default.

Related Name

spark.shuffle.service.enabled

Default Value

true

API Name

spark_shuffle_service_enabled

Required

true

Enable Spark Web UI

Description

Whether to enable the Spark Web UI on individual applications. It's recommended that the UI be disabled in secure clusters.

Related Name

spark.ui.enabled

Default Value

true

API Name

spark_ui_enabled

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Deploy Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Deploy Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Parameter Validation: Gateway Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

	false
API Name	role_config_suppression_log4j_safety_valve
Required	true

Suppress Parameter Validation: Spark 3 Client Advanced Configuration Snippet (Safety Valve) for spark3-conf/spark-defaults.conf

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Spark 3 Client Advanced Configuration Snippet (Safety Valve) for spark3-conf/spark-defaults.conf parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_spark3-conf/spark-defaults.conf_client_config_safety_valve
Required	true

Suppress Parameter Validation: Spark 3 Client Advanced Configuration Snippet (Safety Valve) for spark3-conf/spark-env.sh

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Spark 3 Client Advanced Configuration Snippet (Safety Valve) for spark3-conf/spark-env.sh parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_spark3-conf/spark-env.sh_client_config_safety_valve
Required	true

Suppress Parameter Validation: Spark Data Serializer

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Spark Data Serializer parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_spark_data_serializer
Required	true

Suppress Parameter Validation: A comma-separated list of secure Hadoop filesystems**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the A comma-separated list of secure Hadoop filesystems parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_spark_kerberos_access_hadoopfilesystems

Required

true

Suppress Parameter Validation: Extra Python Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Extra Python Path parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_spark_python_path

Required

true

History Server**Advanced****History Server Logging Advanced Configuration Snippet (Safety Valve)****Description**

For advanced use only, a string to be inserted into log4j2.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations**Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when `java.lang.OutOfMemoryError` error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when `java.lang.OutOfMemoryError` is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name

Default Value

20

API Name

process_start_secs

Required

false

History Server Advanced Configuration Snippet (Safety Valve) for spark3-conf/spark-env.sh

Description

For advanced use only. A string to be inserted into spark3-conf/spark-env.sh for this role only.

Related Name

Default Value

API Name

spark3-conf/spark-env.sh_role_safety_valve

Required

false

History Server Advanced Configuration Snippet (Safety Valve) for spark3-conf/spark-history-server.conf

Description

For advanced use only. A string to be inserted into spark3-conf/spark-history-server.conf for this role only.

Related Name

Default Value

API Name

spark3-conf/spark-history-server.conf_role_safety_valve

Required

false

History Server Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name

Default Value

API Name

SPARK3_YARN_HISTORY_SERVER_role_env_safety_valve

Required

false

Logs

History Server Log Directory

Description

The log directory for log files of the role History Server.

Related Name

log_dir

Default Value

/var/log/spark3

API Name

log_dir

Required

false

History Server Logging Threshold**Description**

The minimum log level for History Server logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

History Server Maximum Log File Backups**Description**

The maximum number of rolled log files to keep for History Server logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

History Server Max Log Size**Description**

The maximum size, in megabytes, per log file for History Server logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

`jmx_exporter_yaml`**Required**

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name`log_directory_free_space_absolute_thresholds`**Required**

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name`log_directory_free_space_percentage_thresholds`**Required**

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.

- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking [View as JSON](#). In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name**Default Value****API Name**

`monitoring_metric_filter`

Required

`false`

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

`otelcol_exporters`

Required

`false`

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

`otelcol_extensions`

Required

`false`

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name

Default Value

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=\$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}] See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

spark3_yarn_history_server_fd_thresholds

Required

false

History Server Host Health Test**Description**

When computing the overall History Server health, consider the host's health.

Related Name**Default Value**

true

API Name

spark3_yarn_history_server_host_health_enabled

Required

false

History Server Process Health Test**Description**

Enables the health test that the History Server's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

spark3_yarn_history_server_scm_health_enabled

Required

false

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period**Description**

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other**Use Local Storage****Description**

Whether to use local storage for caching application history data, which reduces memory usage and makes service restarts faster.

Related Name

enable_local_storage

Default Value

false

API Name

enable_local_storage

Required

false

Enable Event Log Cleaner**Description**

Specifies whether the History Server should periodically clean up event logs from storage.

Related Name`spark.history.fs.cleaner.enabled`**Default Value**`true`**API Name**`event_log_cleaner_enabled`**Required**`false`**Event Log Cleaner Interval****Description**

How often the History Server will clean up event log files.

Related Name`spark.history.fs.cleaner.interval`**Default Value**`1 day(s)`**API Name**`event_log_cleaner_interval`**Required**`false`**Maximum Event Log Age****Description**

Specifies the maximum age of the event logs.

Related Name`spark.history.fs.cleaner.maxAge`**Default Value**`7 day(s)`**API Name**`event_log_cleaner_max_age`**Required**`false`**Admin Users****Description**

Comma-separated list of users who can view all applications when authentication is enabled.

Related Name`spark.history.ui.admin.acls`**Default Value**`knox`**API Name**`history_server_admin_users`**Required**`false`

HDFS Polling Interval

Description

How often to poll HDFS for new applications.

Related Name

spark.history.fs.update.interval.seconds

Default Value

10 second(s)

API Name

history_server_fs_poll_interval

Required

false

Java Heap Size of History Server in Bytes

Description

Maximum size for the Java process heap memory. Passed to Java -Xmx. Measured in bytes.

Related Name

history_server_max_heapsize

Default Value

512 MiB

API Name

history_server_max_heapsize

Required

true

Retained App Count

Description

Max number of application UIs to keep in the History Server's memory. All applications will still be available, but may take longer to load if they're not in memory.

Related Name

spark.history.retainedApplications

Default Value

50

API Name

history_server_retained_apps

Required

false

Enable User Authentication

Description

Enables user authentication using SPNEGO (requires Kerberos), and enables access control to application history data.

Related Name

history_server_spnego_enabled

Default Value

false

API Name

history_server_spnego_enabled

Required

false

Local Storage Directory**Description**

Directory where to keep local caches of application history data.

Related Name

spark.history.store.path

Default Value

/var/lib/spark3/history

API Name

local_storage_dir

Required

false

Max Local Storage Size**Description**

Approximate maximum amount of data to use in local storage for caching application history data.

Related Name

spark.history.store.maxDiskUsage

Default Value

10 GiB

API Name

local_storage_max_usage

Required

false

Performance**Maximum Process File Descriptors****Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses**History Server WebUI Port****Description**

The port of the history server WebUI

Related Name

spark.history.ui.port

Default Value

18089

API Name

history_server_web_port

Required

true

TLS/SSL Port Number**Description**

Port where to listen for TLS/SSL connections. HTTP connections will be redirected to this port when TLS/SSL is enabled.

Related Name

spark.ssl.historyServer.port

Default Value

18489

API Name

ssl_server_port

Required

false

Resource Management**Cgroup V1 BLKIO Weight****Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100	
API Name	rm_io_weight
Required	true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security**Enable TLS/SSL for History Server****Description**

Encrypt communication between clients and History Server using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

spark.ssl.historyServer.enabled

Default Value

false

API Name

ssl_enabled

Required

false

History Server TLS/SSL Server Keystore File Location**Description**

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when History Server is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

spark.ssl.historyServer.keyStore

Default Value**API Name**

ssl_server_keystore_location

Required

false

History Server TLS/SSL Server Keystore File Password**Description**

The password for the History Server keystore file.

Related Name**Default Value****API Name**

ssl_server_keystore_password

Required

false

Supported SSL/TLS versions**Description**

The SSL/TLS protocol versions to accept HTTPS connections from. Note that the available cipher suites also affect which protocol versions can be negotiated, and some cipher suites are only available in higher versions.

Related Name

spark.ssl.historyServer.protocol

Default Value

TLSv1.2

API Name

supported_tls_versions

Required

false

SSL/TLS Cipher Suite**Description**

The SSL/TLS cipher suites to use. "Modern 2018" is a modern set of cipher suites as of 2018, according to the Mozilla server-side TLS recommendations. These cipher suites use strong cryptography and are preferred unless interaction with older clients is required. These modern cipher suites are compatible with Firefox 27, Chrome 22, Internet Explorer 11, Opera 14, Safari 7, Android 4.4, and Java 8. "Intermediate 2018" is an intermediate set of cipher suites as of 2018, according to the Mozilla server-side TLS recommendations. Select the Intermediate 2018 cipher suites if you require compatibility with a wider range of clients, legacy browsers, or older Linux tools.

Related Name

spark.ssl.historyServer.enabledAlgorithms

Default Value

modern2018

API Name

tls_ciphers

Required

false

Stacks Collection**Stacks Collection Data Retention****Description**

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory**Description**

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency

Description

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method

Description

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Admin Users

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin Users parameter.

Related Name

Default Value

false

API Name

role_config_suppression_history_server_admin_users

Required

true

Suppress Parameter Validation: History Server WebUI Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the History Server WebUI Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_history_server_web_port

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Local Storage Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Local Storage Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_local_storage_dir

Required

true

Suppress Parameter Validation: History Server Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the History Server Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: History Server Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the History Server Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: History Server Advanced Configuration Snippet (Safety Valve) for spark3-conf/spark-env.sh**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the History Server Advanced Configuration Snippet (Safety Valve) for spark3-conf/spark-env.sh parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_spark3-conf/spark-env.sh_role_safety_valve

Required

true

Suppress Parameter Validation: History Server Advanced Configuration Snippet (Safety Valve) for spark3-conf/spark-history-server.conf**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the History Server Advanced Configuration Snippet (Safety Valve) for spark3-conf/spark-history-server.conf parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_spark3-conf/spark-history-server.conf_role_safety_valve

Required

true

Suppress Parameter Validation: History Server Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the History Server Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_spark3_yarn_history_server_role_env_safety_valve

Required

true

Suppress Parameter Validation: History Server TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the History Server TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: History Server TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the History Server TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: TLS/SSL Port Number

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the TLS/SSL Port Number parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_port

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_spark3_on_yarn_spark3_yarn_history_server_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_spark3_on_yarn_spark3_yarn_history_server_file_descriptor

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

`role_health_suppression_spark3_on_yarn_spark3_yarn_history_server_host_health`**Required**

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name`role_health_suppression_spark3_on_yarn_spark3_yarn_history_server_log_directory_free_space`**Required**

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name`role_health_suppression_spark3_on_yarn_spark3_yarn_history_server_otelcol_health`**Required**

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name`role_health_suppression_spark3_on_yarn_spark3_yarn_history_server_scm_health`**Required**

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_spark3_on_yarn_spark3_yarn_history_server_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_spark3_on_yarn_spark3_yarn_history_server_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits**Description**

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_spark3_on_yarn_spark3_yarn_history_server_unexpected_exits

Required

true

Service-Wide**Advanced****System Group****Description**

The group that this service's processes should run as.

Related Name

Default Value

spark

API Name

process_groupname

Required

true

System User

Description

The user that this service's processes should run as.

Related Name

Default Value

spark

API Name

process_username

Required

true

Spark 3 Service Advanced Configuration Snippet (Safety Valve) for spark3-conf/spark-env.sh

Description

For advanced use only, a string to be inserted into spark3-conf/spark-env.sh. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

spark3-conf/spark-env.sh_service_safety_valve

Required

false

Spark 3 Service Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

SPARK3_ON_YARN_service_env_safety_valve

Required

false

Monitoring

Enable Service Level Health Alerts

Description

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Service Triggers**Description**

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

service_triggers

Required

true

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name

Default Value

API Name

smon_derived_configs_safety_valve

Required

false

Healthy History Server Monitoring Thresholds

Description

The health test thresholds of the overall History Server health. The check returns "Concerning" health if the percentage of "Healthy" History Servers falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" History Servers falls below the critical threshold.

Related Name

Default Value

Warning: 99.0 %, Critical: 90.0 %

API Name

SPARK3_ON_YARN_SPARK3_YARN_HISTORY_SERVER_healthy_thresholds

Required

false

Other

Atlas Service

Description

Name of the Atlas service that this Spark 3 service instance depends on

Related Name

Default Value

API Name

atlas_service

Required

false

HBase Service

Description

Name of the HBase service that this Spark 3 service instance depends on

Related Name

Default Value**API Name**

hbase_service

Required

false

History Server Load Balancer Address**Description**

The URI of the History server's load balancer used by clients. Example: https://lb.example.com:port

Related Name

spark.history.lb.uri

Default Value**API Name**

history_server_load_balancer_url

Required

false

Knox Service**Description**

Name of the Knox service that this Spark 3 service instance depends on

Related Name**Default Value****API Name**

knox_service

Required

false

Spark Authentication**Description**

Enable whether the Spark communication protocols do authentication using a shared secret. If using SPARK_ON_YARN service (i.e. Spark 1 based service), ensure that value of this property is the same in both services.

Related Name

spark.authenticate

Default Value

false

API Name

spark_authenticate

Required

true

Spark Driver Log Location**Description**

The location of Spark driver logs when Spark application runs in client mode. Changing this value will not move existing logs to the new location.

Related Name

spark.driver.log.dfsDir

Default Value

hdfs:///user/spark/driver3Logs

API Name

spark_driver_log_dfs_dir

Required

true

Persist Driver Logs to Dfs**Description**

If enabled, driver logs in YARN client mode will be persisted to the configured Spark Driver Log Location (HDFS)

Related Name

spark.driver.log.persistToDfs.enabled

Default Value

true

API Name

spark_driver_log_persist_to_dfs

Required

true

Spark History Location**Description**

The location of Spark application history logs. Changing this value will not move existing logs to the new location.

Related Name

spark.eventLog.dir

Default Value

hdfs:///user/spark/spark3ApplicationHistory

API Name

spark_history_log_dir

Required

true

Python binary executable**Description**

Python binary executable to use for PySpark in both driver and workers

Related Name

spark_pyspark_executable_path

Default Value

/opt/cloudera/cm-agent/bin/python

API Name

spark_pyspark_executable_path

Required

true

YARN Service**Description**

Name of the YARN service that this Spark 3 service instance depends on

Related Name**Default Value****API Name**

yarn_service

Required

true

Ports and Addresses**Spark Shuffle Service Port****Description**

The port the Spark Shuffle Service listens for fetch requests. If using SPARK_ON_YARN service (i.e. Spark 2 based service), ensure a unique port is given here.

Related Name

spark.shuffle.service.port

Default Value

7447

API Name

spark_shuffle_service_port

Required

true

Security**Kerberos Principal****Description**

Kerberos principal short name used by all roles of this service.

Related Name**Default Value**

spark

API Name

kerberos_princ_name

Required

true

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: Deploy Directory**Description**

Whether to suppress configuration warnings produced by the Deploy Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Configuration Validator: Admin Users**Description**

Whether to suppress configuration warnings produced by the Admin Users configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_history_server_admin_users

Required

true

Suppress Configuration Validator: History Server WebUI Port**Description**

Whether to suppress configuration warnings produced by the History Server WebUI Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_history_server_web_port

Required

true

Suppress Configuration Validator: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Configuration Validator: Local Storage Directory**Description**

Whether to suppress configuration warnings produced by the Local Storage Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_local_storage_dir

Required

true

Suppress Configuration Validator: History Server Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the History Server Logging Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Configuration Validator: History Server Log Directory**Description**

Whether to suppress configuration warnings produced by the History Server Log Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Configuration Validator: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: Role Triggers

Description

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Configuration Validator: Spark 3 Client Advanced Configuration Snippet (Safety Valve) for spark3-conf/spark-defaults.conf

Description

Whether to suppress configuration warnings produced by the Spark 3 Client Advanced Configuration Snippet (Safety Valve) for spark3-conf/spark-defaults.conf configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_spark3-conf/spark-defaults.conf_client_config_safety_valve

Required

true

Suppress Configuration Validator: Spark 3 Client Advanced Configuration Snippet (Safety Valve) for spark3-conf/spark-env.sh

Description

Whether to suppress configuration warnings produced by the Spark 3 Client Advanced Configuration Snippet (Safety Valve) for spark3-conf/spark-env.sh configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_spark3-conf/spark-env.sh_client_config_safety_valve

Required

true

Suppress Configuration Validator: History Server Advanced Configuration Snippet (Safety Valve) for spark3-conf/spark-env.sh

Description

Whether to suppress configuration warnings produced by the History Server Advanced Configuration Snippet (Safety Valve) for spark3-conf/spark-env.sh configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_spark3-conf/spark-env.sh_role_safety_valve

Required

true

Suppress Configuration Validator: History Server Advanced Configuration Snippet (Safety Valve) for spark3-conf/spark-history-server.conf

Description

Whether to suppress configuration warnings produced by the History Server Advanced Configuration Snippet (Safety Valve) for spark3-conf/spark-history-server.conf configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_spark3-conf/spark-history-server.conf_role_safety_valve

Required

true

Suppress Configuration Validator: History Server Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the History Server Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_spark3_yarn_history_server_role_env_safety_valve

Required

true

Suppress Configuration Validator: Spark Data Serializer

Description

Whether to suppress configuration warnings produced by the Spark Data Serializer configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_spark_data_serializer

Required

true

Suppress Configuration Validator: A comma-separated list of secure Hadoop filesystems

Description

Whether to suppress configuration warnings produced by the A comma-separated list of secure Hadoop filesystems configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_spark_kerberos_access_hadoopfilesystems

Required

true

Suppress Configuration Validator: Extra Python Path

Description

Whether to suppress configuration warnings produced by the Extra Python Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_spark_python_path

Required

true

Suppress Configuration Validator: History Server TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the History Server TLS/SSL Server Keystore File Location configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Configuration Validator: History Server TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the History Server TLS/SSL Server Keystore File Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Configuration Validator: TLS/SSL Port Number

Description

Whether to suppress configuration warnings produced by the TLS/SSL Port Number configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_port

Required

true

Suppress Configuration Validator: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Configuration Validator: Gateway Count Validator

Description

Whether to suppress configuration warnings produced by the Gateway Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_gateway_count_validator

Required

true

Suppress Parameter Validation: History Server Load Balancer Address

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the History Server Load Balancer Address parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_history_server_load_balancer_url

Required

true

Suppress Parameter Validation: Kerberos Principal

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Principal parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_kerberos_princ_name

Required

true

Suppress Parameter Validation: System Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: System User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name

Default Value

false

API Name

service_config_suppression_process_username

Required

true

Suppress Parameter Validation: Service Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name

Default Value

false

API Name

service_config_suppression_service_triggers

Required

true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_smon_derived_configs_safety_valve

Required

true

Suppress Parameter Validation: Spark 3 Service Advanced Configuration Snippet (Safety Valve) for spark3-conf/spark-env.sh

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Spark 3 Service Advanced Configuration Snippet (Safety Valve) for spark3-conf/spark-env.sh parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_spark3-conf/spark-env.sh_service_safety_valve

Required

true

Suppress Parameter Validation: Spark 3 Service Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Spark 3 Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_spark3_on_yarn_service_env_safety_valve

Required

true

Suppress Configuration Validator: History Server Count Validator**Description**

Whether to suppress configuration warnings produced by the History Server Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_spark3_yarn_history_server_count_validator

Required

true

Suppress Parameter Validation: Spark Driver Log Location**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Spark Driver Log Location parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_spark_driver_log_dfs_dir

Required

true

Suppress Parameter Validation: Spark History Location**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Spark History Location parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_spark_history_log_dir

Required

true

Suppress Parameter Validation: Python binary executable**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Python binary executable parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_spark_pyspark_executable_path

Required

true

Suppress Parameter Validation: Spark Shuffle Service Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Spark Shuffle Service Port parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_spark_shuffle_service_port

Required

true

Suppress Health Test: History Server Health**Description**

Whether to suppress the results of the History Server Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

service_health_suppression_spark3_on_yarn_spark3_yarn_history_server_healthy

Required

true

SQOOP_CLIENT Properties in Cloudera Runtime 7.3.1

Role groups:

Gateway

Advanced

SQOOP_CLIENT Service Advanced Configuration Snippet (Safety Valve) for atlas-application.properties

Description

For advanced use only, a string to be inserted into atlas-application.properties. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

application_properties_safety_valve

Required

false

Deploy Directory

Description

The directory where the client configs will be deployed

Related Name

Default Value

/etc/sqoop

API Name

client_config_root_dir

Required

true

Gateway Advanced Configuration Snippet (Safety Valve) for cm_manager_overrides

Description

For advanced use only. A string to be inserted into cm_manager_overrides for this role only.

Related Name

Default Value

API Name

sqoop-conf/managers.d/cm_manager_overrides_client_config_safety_valve

Required

false

Gateway Advanced Configuration Snippet (Safety Valve) for sqoop-env.sh

Description

For advanced use only. A string to be inserted into sqoop-env.sh for this role only.

Related Name

Default Value

API Name

sqoop-conf/sqoop-env.sh_client_config_safety_valve

Required

false

Gateway Advanced Configuration Snippet (Safety Valve) for sqoop-site.xml

Description

For advanced use only. A string to be inserted into sqoop-site.xml for this role only.

Related Name

Default Value

API Name

sqoop-conf/sqoop-site.xml_client_config_safety_valve

Required

false

Monitoring

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Other

Alternatives Priority

Description

The priority level that the client configuration will have in the Alternatives system on the hosts. Higher priority levels will cause Alternatives to prefer this configuration over any others.

Related Name

Default Value

90

API Name

client_config_priority

Required

true

Custom Beeline arguments

Description

Custom Beeline arguments provided to Sqoop's Hive import process

Related Name

sqoop.beeline-args

Default Value

API Name

sqoop_beeline_args

Required

false

Sqoop Connection Factories

Description

A list of ManagerFactory implementations which are consulted, in order to instantiate ConnManager instances used to drive connections to databases.

Related Name

sqoop.connection.factories

Default Value

API Name

sqoop_connection_factories

Required

false

Custom Hive create table statement

Description

Custom Hive create table statement provided to Sqoop's Hive import process

Related Name

sqoop.hive-create-table-statement

Default Value

API Name

sqoop_hive_create_table_statement

Required

false

Custom Hive JDBC arguments

Description

Custom Hive JDBC arguments provided to Sqoop's Hive import process

Related Name

sqoop.hive-jdbc-params

Default Value**API Name**

sqoop_hive_jdbc_params

Required

false

Custom Hive table properties**Description**

Custom Hive table properties provided to Sqoop's Hive import process

Related Name

sqoop.hive-table-properties

Default Value**API Name**

sqoop_hive_table_properties

Required

false

Sqoop Tool Plugins**Description**

A list of ToolPlugin implementations which are consulted, in order to register SqoopTool instances which allow third-party tools to be used.

Related Name

sqoop.tool.plugins

Default Value**API Name**

sqoop_tool_plugins

Required

false

Suppressions**Suppress Parameter Validation: SQOOP_CLIENT Service Advanced Configuration Snippet (Safety Valve) for atlas-application.properties****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SQOOP_CLIENT Service Advanced Configuration Snippet (Safety Valve) for atlas-application.properties parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_application_properties_safety_valve

Required

true

Suppress Configuration Validator: CDH Version Validator**Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Deploy Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Deploy Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Parameter Validation: Gateway Advanced Configuration Snippet (Safety Valve) for cm_manager_overrides**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway Advanced Configuration Snippet (Safety Valve) for cm_manager_overrides parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_sqoop-conf/managers.d/cm_manager_overrides_client_config_safety_valve

Required

true

Suppress Parameter Validation: Gateway Advanced Configuration Snippet (Safety Valve) for sqoop-env.sh**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway Advanced Configuration Snippet (Safety Valve) for sqoop-env.sh parameter.

Related Name**Default Value**

	false
API Name	role_config_suppression_sqoop-conf/sqoop-env.sh_client_config_safety_valve
Required	true

Suppress Parameter Validation: Gateway Advanced Configuration Snippet (Safety Valve) for sqoop-site.xml

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway Advanced Configuration Snippet (Safety Valve) for sqoop-site.xml parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_sqoop-conf/sqoop-site.xml_client_config_safety_valve
Required	true

Suppress Parameter Validation: Custom Beeline arguments

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Beeline arguments parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_sqoop_beeline_args
Required	true

Suppress Parameter Validation: Sqoop Connection Factories

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Sqoop Connection Factories parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_sqoop_connection_factories
Required	true

Suppress Parameter Validation: Custom Hive create table statement

Description	
--------------------	--

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Hive create table statement parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_sqoop_hive_create_table_statement

Required

true

Suppress Parameter Validation: Custom Hive JDBC arguments**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Hive JDBC arguments parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_sqoop_hive_jdbc_params

Required

true

Suppress Parameter Validation: Custom Hive table properties**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Hive table properties parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_sqoop_hive_table_properties

Required

true

Suppress Parameter Validation: Sqoop Tool Plugins**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Sqoop Tool Plugins parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_sqoop_tool_plugins

Required

true

Service-Wide

Advanced

SQOOP_CLIENT Service Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

SQOOP_CLIENT_service_env_safety_valve

Required

false

Monitoring

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Other

Atlas Service

Description

Name of the Atlas service that this Sqoop service instance depends on

Related Name

Default Value

API Name

atlas_service

Required

false

Parquet Writer Implementation

Description

Configure the library used during parquet jobs for writing and reading data. Possible values: hadoop, kite (legacy).

Related Name`parquetjob.configurator.implementation`**Default Value**`hadoop`**API Name**`parquetjob.configurator.implementation`**Required**`false`**Sqoop Decimal Padding****Description**

Enables padding for fixed point number types (decimal, number, numeric) in case of Avro and Parquet imports.

Related Name`sqoop.avro.decimal_padding.enable`**Default Value**`true`**API Name**`sqoop.avro.decimal_padding.enable`**Required**`false`**Default Precision for Logical Types****Description**

Specifies the default precision for fixed point number types. This value is only used if the precision was not specified in the source table.

Related Name`sqoop.avro.logical_types.decimal.default.precision`**Default Value**`38`**API Name**`sqoop.avro.logical_types.decimal.default.precision`**Required**`false`**Default Scale for Logical Types****Description**

Default scale for fixed point number types. This value is only used if the scale was not specified in the source table.

Related Name`sqoop.avro.logical_types.decimal.default.scale`**Default Value**`10`**API Name**`sqoop.avro.logical_types.decimal.default.scale`

Required

false

Enable Avro Logical Types**Description**

Enables the use of logical types in avro files, so that fixed point number types are converted to decimal during an import. Fixed point number types are converted to String if this property is set to false.

Related Name

sqoop.avro.logical_types.decimal.enable

Default Value

true

API Name

sqoop.avro.logical_types.decimal.enable

Required

false

Enable Parquet Logical Types**Description**

Enables the use of logical types in parquet files, so that fixed point number types are converted to decimal during an import. Fixed point number types are converted to String if this property is set to false.

Related Name

sqoop.parquet.logical_types.decimal.enable

Default Value

true

API Name

sqoop.parquet.logical_types.decimal.enable

Required

false

Suppressions**Suppress Configuration Validator: SQOOP_CLIENT Service Advanced Configuration Snippet (Safety Valve) for atlas-application.properties****Description**

Whether to suppress configuration warnings produced by the SQOOP_CLIENT Service Advanced Configuration Snippet (Safety Valve) for atlas-application.properties configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_application_properties_safety_valve

Required

true

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: Deploy Directory

Description

Whether to suppress configuration warnings produced by the Deploy Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Configuration Validator: Gateway Advanced Configuration Snippet (Safety Valve) for cm_manager_overrides

Description

Whether to suppress configuration warnings produced by the Gateway Advanced Configuration Snippet (Safety Valve) for cm_manager_overrides configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_sqoop-conf/managers.d/cm_manager_overrides_client_config_safety_valve

Required

true

Suppress Configuration Validator: Gateway Advanced Configuration Snippet (Safety Valve) for sqoop-env.sh

Description

Whether to suppress configuration warnings produced by the Gateway Advanced Configuration Snippet (Safety Valve) for sqoop-env.sh configuration validator.

Related Name

Default Value

	false
API Name	role_config_suppression_sqoop-conf/sqoop-env.sh_client_config_safety_valve
Required	true

Suppress Configuration Validator: Gateway Advanced Configuration Snippet (Safety Valve) for sqoop-site.xml

Description	Whether to suppress configuration warnings produced by the Gateway Advanced Configuration Snippet (Safety Valve) for sqoop-site.xml configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_sqoop-conf/sqoop-site.xml_client_config_safety_valve
Required	true

Suppress Configuration Validator: Custom Beeline arguments

Description	Whether to suppress configuration warnings produced by the Custom Beeline arguments configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_sqoop_beeline_args
Required	true

Suppress Configuration Validator: Sqoop Connection Factories

Description	Whether to suppress configuration warnings produced by the Sqoop Connection Factories configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_sqoop_connection_factories
Required	true

Suppress Configuration Validator: Custom Hive create table statement

Description	
--------------------	--

Whether to suppress configuration warnings produced by the Custom Hive create table statement configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_sqoop_hive_create_table_statement

Required

true

Suppress Configuration Validator: Custom Hive JDBC arguments**Description**

Whether to suppress configuration warnings produced by the Custom Hive JDBC arguments configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_sqoop_hive_jdbc_params

Required

true

Suppress Configuration Validator: Custom Hive table properties**Description**

Whether to suppress configuration warnings produced by the Custom Hive table properties configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_sqoop_hive_table_properties

Required

true

Suppress Configuration Validator: Sqoop Tool Plugins**Description**

Whether to suppress configuration warnings produced by the Sqoop Tool Plugins configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_sqoop_tool_plugins

Required

true

Suppress Configuration Validator: Gateway Count Validator

Description

Whether to suppress configuration warnings produced by the Gateway Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_gateway_count_validator

Required

true

Suppress Parameter Validation: Parquet Writer Implementation

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Parquet Writer Implementation parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_parquetjob.configurator.implementation

Required

true

Suppress Parameter Validation: SQOOP_CLIENT Service Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SQOOP_CLIENT Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_sqoop_client_service_env_safety_valve

Required

true

Streams Messaging Manager Properties in Cloudera Runtime 7.3.1

Role groups:

Service-Wide

Advanced

Streams Messaging Manager Database JDBC Url Override

Description

Specify JDBC url override for connecting to Streams Messaging Manager database. If not specified, the JDBC url will be calculated on basis of the Streams Messaging Manager database parameters specified.

Related Name

database_jdbc_url_override

Default Value**API Name**

database_jdbc_url_override

Required

false

System Group

Description

The group that this service's processes should run as.

Related Name**Default Value**

streamsmgmr

API Name

process_groupname

Required

true

System User

Description

The user that this service's processes should run as.

Related Name**Default Value**

streamsmgmr

API Name

process_username

Required

true

Streams Messaging Manager Service Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value**

API Name

STREAMS_MESSAGING_MANAGER_service_env_safety_valve

Required

false

Database

Streams Messaging Manager Database Host

Description

Hostname of the database used by Streams Messaging Manager. If the port is non-default for your database type, use host:port notation.

Related Name

streams.messaging.manager.storage.connector.host

Default Value

localhost

API Name

smm_database_host

Required

false

Streams Messaging Manager Database Name

Description

Name of Streams Messaging Manager database.

Related Name

streams.messaging.manager.storage.connector.name

Default Value

streamsmgmgr

API Name

smm_database_name

Required

false

Streams Messaging Manager Database User Password

Description

Password for Streams Messaging Manager database.

Related Name

streams.messaging.manager.storage.connector.password

Default Value

API Name

smm_database_password

Required

true

Streams Messaging Manager Database Port

Description

Port for Streams Messaging Manager database.

Related Name

streams.messaging.manager.storage.connector.port

Default Value

3306

API Name

smm_database_port

Required

true

Streams Messaging Manager Database Type

Description

Database type to be used (postgres).

Related Name

streams.messaging.manager.storage.connector.type

Default Value

mysql

API Name

smm_database_type

Required

true

Streams Messaging Manager Database User

Description

User for Streams Messaging Manager database.

Related Name

streams.messaging.manager.storage.connector.user

Default Value

streamsmgmr

API Name

smm_database_user

Required

true

Monitoring

Enable Service Level Health Alerts

Description

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Service Triggers**Description**

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part of the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- **triggerName** (mandatory) - The name of the trigger. This value must be unique for the specific service.
- **triggerExpression** (mandatory) - A tsquery expression representing the trigger.
- **streamThreshold** (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- **enabled** (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- **expressionEditorConfig** (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}] See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

service_triggers

Required

true

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name

Default Value

API Name

smon_derived_configs_safety_valve

Required

false

Streams Messaging Manager Rest Admin Server Role Health Test

Description

When computing the overall STREAMS_MESSAGING_MANAGER health, consider Streams Messaging Manager Rest Admin Server's health

Related Name

Default Value

true

API Name

STREAMS_MESSAGING_MANAGER_STREAMS_MESSAGING_MANAGER_SERVER_health_enabled

Required

false

Streams Messaging Manager UI Server Role Health Test

Description

When computing the overall STREAMS_MESSAGING_MANAGER health, consider Streams Messaging Manager UI Server's health

Related Name

Default Value

true

API Name

STREAMS_MESSAGING_MANAGER_STREAMS_MESSAGING_MANAGER_UI_health_enabled

Required

false

Other

Enable Kerberos Authentication with Trusted Proxy

Description

Enables Knox as Trusted proxy with Kerberos authentication for this SMM service.

Related Name

enable.trusted.proxy

Default Value

true

API Name

enable.trusted.proxy

Required

false

Kafka Service

Description

Name of the Kafka service that this Streams Messaging Manager service instance depends on

Related Name**Default Value****API Name**

kafka_service

Required

true

Enable Kerberos Authentication

Description

Enables Kerberos authentication for this Streams Messaging Manager.

Related Name

kerberos.auth.enable

Default Value

false

API Name

kerberos.auth.enable

Required

false

Ranger Streams Messaging Manager Plugin Audit Hdfs Spool Directory Path

Description

Spool directory for Ranger audits being written to DFS.

Related Name

xasecure.audit.destination.hdfs.batch.filespool.dir

Default Value

/var/log/streams-messaging-manager/audit/hdfs/spool

API Name

ranger_audit_hdfs_spool_dir

Required

true

Ranger Streams Messaging Manager Plugin Audit Solr Spool Directory Path

Description

Spool directory for Ranger audits being written to Solr.

Related Name

xasecure.audit.destination.solr.batch.filespool.dir

Default Value

/var/log/streams-messaging-manager/audit/solr/spool

API Name

ranger_audit_solr_spool_dir

Required

true

Ranger Plugin Trusted Proxy IP Address**Description**

Accepts a list of IP addresses of proxy servers for trusting.

Related Name

ranger.plugin.kafka.trusted.proxy.ipaddress

Default Value**API Name**

ranger_plugin_trusted_proxy_ipaddress

Required

false

Ranger Plugin Use X-Forwarded For IP Address**Description**

The parameter is used for identifying the originating IP address of a user connecting to a component through proxy for audit logs.

Related Name

ranger.plugin.kafka.use.x-forwarded-for.ipaddress

Default Value

false

API Name

ranger_plugin_use_x_forwarded_for_ipaddress

Required

false

Ranger Service**Description**

Name of the Ranger service that this Streams Messaging Manager service instance depends on

Related Name**Default Value****API Name**

ranger_service

Required

false

Ranger SMM Plugin Conf Path**Description**

Staging directory for Ranger SMM Plugin Configuration. This should generally not be changed.

Related Name

ranger_smm_plugin_conf_path

Default Value

`$CONF_DIR/smm-plugin`

API Name

`ranger_smm_plugin_conf_path`

Required

`true`

Ranger Streams Messaging Manager Plugin Policy Cache Directory Path

Description

The directory where Ranger security policies are cached locally.

Related Name

`ranger.plugin.smm.policy.cache.dir`

Default Value

`/var/lib/ranger/kafka/policy-cache`

API Name

`ranger_smm_plugin_policy_cache_directory`

Required

`true`

Schema Registry Service

Description

Name of the Schema Registry service that this Streams Messaging Manager service instance depends on

Related Name

Default Value

API Name

`schemaregistry_service`

Required

`false`

Streams Messaging Manager Port

Description

The port on which server accepts connections.

Related Name

`streams.messaging.manager.port`

Default Value

`8585`

API Name

`streams.messaging.manager.port`

Required

`true`

Enable SPNEGO Authentication

Description

Enables the SPNEGO authentication mechanism with Kerberos for the Streams Messaging Manager.

Related Name

streams.messaging.manager.spnego.enabled

Default Value

true

API Name

streams.messaging.manager.spnego.enabled

Required

false

Streams Messaging Manager port (SSL)

Description

HTTPS port Streams Messaging Manager rest server runs on when SSL is enabled.

Related Name

streams.messaging.manager.ssl.port

Default Value

8587

API Name

streams.messaging.manager.ssl.port

Required

false

STREAMS_REPLICATION_MANAGER Service

Description

Name of the STREAMS_REPLICATION_MANAGER service that this Streams Messaging Manager service instance depends on

Related Name

Default Value

API Name

streams_replication_manager_service

Required

false

Security

Kerberos Principal

Description

Kerberos principal short name used by all roles of this service.

Related Name

Default Value

streamsmgmgr

API Name

kerberos_princ_name

Required

true

Suppressions

Suppress Configuration Validator: Cache Control Http Response Header Value

Description

Whether to suppress configuration warnings produced by the Cache Control Http Response Header Value configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cache.control.http.response.header.value

Required

true

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: Cloudera Manager Metrics TrustStore Type

Description

Whether to suppress configuration warnings produced by the Cloudera Manager Metrics TrustStore Type configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cm.metrics.truststore.type

Required

true

Suppress Configuration Validator: Streams Messaging Manager UI Server Advanced Configuration Snippet (Safety Valve) for config.json

Description

Whether to suppress configuration warnings produced by the Streams Messaging Manager UI Server Advanced Configuration Snippet (Safety Valve) for config.json configuration validator.

Related Name**Default Value**

false

API Name
role_config_suppression_config.json_role_safety_valve

Required
true

Suppress Configuration Validator: consumer.group.refresh.interval.ms

Description
Whether to suppress configuration warnings produced by the consumer.group.refresh.interval.ms configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_consumer.group.refresh.interval.ms

Required
true

Suppress Configuration Validator: Cruise Control Client Connect timeout

Description
Whether to suppress configuration warnings produced by the Cruise Control Client Connect timeout configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_cruise.control.client.connect.timeout

Required
true

Suppress Configuration Validator: Cruise Control Client Read timeout

Description
Whether to suppress configuration warnings produced by the Cruise Control Client Read timeout configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_cruise.control.client.read.timeout

Required
true

Suppress Configuration Validator: Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for env.sh

Description

Whether to suppress configuration warnings produced by the Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for env.sh configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_env.sh_role_safety_valve

Required

true

Suppress Configuration Validator: Inactive Group Timeout

Description

Whether to suppress configuration warnings produced by the Inactive Group Timeout configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_inactive.group.timeout.ms

Required

true

Suppress Configuration Validator: inactive.producer.timeout.ms

Description

Whether to suppress configuration warnings produced by the inactive.producer.timeout.ms configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_inactive.producer.timeout.ms

Required

true

Suppress Configuration Validator: Percentage Of Cores Used For Querying By Metrics Index Cache

Description

Whether to suppress configuration warnings produced by the Percentage Of Cores Used For Querying By Metrics Index Cache configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_index.querying.threads.percentage

Required

true

Suppress Configuration Validator: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Configuration Validator: Kafka Connect Client Connect timeout

Description

Whether to suppress configuration warnings produced by the Kafka Connect Client Connect timeout configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_kafka.connect.client.connect.timeout

Required

true

Suppress Configuration Validator: Kafka Connect Client Read timeout

Description

Whether to suppress configuration warnings produced by the Kafka Connect Client Read timeout configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_kafka.connect.client.read.timeout

Required

true

Suppress Configuration Validator: Kafka Connect Rest HostPorts

Description

Whether to suppress configuration warnings produced by the Kafka Connect Rest HostPorts configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_kafka.connect.hostports

Required

true

Suppress Configuration Validator: Kafka Connect Plugin Sample Configuration Path

Description

Whether to suppress configuration warnings produced by the Kafka Connect Plugin Sample Configuration Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_kafka.connect.plugin.sample.configs.path

Required

true

Suppress Configuration Validator: LatencyMetricsConfig Metrics 15m Ttl Secs

Description

Whether to suppress configuration warnings produced by the LatencyMetricsConfig Metrics 15m Ttl Secs configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_latencymetricsconfig.metrics.15m.ttl.secs

Required

true

Suppress Configuration Validator: LatencyMetricsConfig Metrics Clean Frequency ms

Description

Whether to suppress configuration warnings produced by the LatencyMetricsConfig Metrics Clean Frequency ms configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_latencymetricsconfig.metrics.clean.frequency.ms

Required

true

Suppress Configuration Validator: Latency Metrics Data Storage Path

Description

Whether to suppress configuration warnings produced by the Latency Metrics Data Storage Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_latencymetricsconfig.metrics.storage

Required

true

Suppress Configuration Validator: Streams Messaging Manager Rest Admin Server Log Directory

Description

Whether to suppress configuration warnings produced by the Streams Messaging Manager Rest Admin Server Log Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Configuration Validator: Streams Messaging Manager Rest Admin Server XML Override

Description

Whether to suppress configuration warnings produced by the Streams Messaging Manager Rest Admin Server XML Override configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_logback_safety_valve

Required

true

Suppress Configuration Validator: Metrics Cache Refresh Interval ms

Description

Whether to suppress configuration warnings produced by the Metrics Cache Refresh Interval ms configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_metrics.cache.refresh.interval.ms

Required

true

Suppress Configuration Validator: Metrics Fetcher Class

Description

Whether to suppress configuration warnings produced by the Metrics Fetcher Class configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_metrics.fetcher.class

Required

true

Suppress Configuration Validator: Number of Metrics Fetcher Threads

Description

Whether to suppress configuration warnings produced by the Number of Metrics Fetcher Threads configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_metrics.fetcher.threads

Required

true

Suppress Configuration Validator: Percentage Of Cores Used For Querying By Metrics Cache

Description

Whether to suppress configuration warnings produced by the Percentage Of Cores Used For Querying By Metrics Cache configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_metrics.querying.threads.percentage

Required

true

Suppress Configuration Validator: NiFi Stateless Extensions Directory

Description

Whether to suppress configuration warnings produced by the NiFi Stateless Extensions Directory configuration validator.

Related Name**Default Value**

false

API Name

`role_config_suppression_nifi.stateless.extensions.directory`**Required**

true

Suppress Configuration Validator: NiFi Stateless Flow Definitions Directory**Description**

Whether to suppress configuration warnings produced by the NiFi Stateless Flow Definitions Directory configuration validator.

Related Name**Default Value**

false

API Name`role_config_suppression_nifi.stateless.flow.definitions.directory`**Required**

true

Suppress Configuration Validator: NiFi Stateless krb5 File**Description**

Whether to suppress configuration warnings produced by the NiFi Stateless krb5 File configuration validator.

Related Name**Default Value**

false

API Name`role_config_suppression_nifi.stateless.krb5.file`**Required**

true

Suppress Configuration Validator: NiFi Stateless Nexus URL**Description**

Whether to suppress configuration warnings produced by the NiFi Stateless Nexus URL configuration validator.

Related Name**Default Value**

false

API Name`role_config_suppression_nifi.stateless.nexus.url`**Required**

true

Suppress Configuration Validator: NiFi Stateless Working Directory**Description**

Whether to suppress configuration warnings produced by the NiFi Stateless Working Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_nifi.stateless.working.directory

Required

true

Suppress Configuration Validator: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section**Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: Prometheus Password**Description**

Whether to suppress configuration warnings produced by the Prometheus Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_prometheus.metrics.password

Required

true

Suppress Configuration Validator: Prometheus Metrics URL**Description**

Whether to suppress configuration warnings produced by the Prometheus Metrics URL configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_prometheus.metrics.url

Required

true

Suppress Configuration Validator: Prometheus User**Description**

Whether to suppress configuration warnings produced by the Prometheus User configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_prometheus.metrics.user

Required

true

Suppress Configuration Validator: Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for ranger-kafka-audit.xml

Description

Whether to suppress configuration warnings produced by the Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for ranger-kafka-audit.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger-kafka-audit.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for ranger-kafka-policymgr-ssl.xml

Description

Whether to suppress configuration warnings produced by the Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for ranger-kafka-policymgr-ssl.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger-kafka-policymgr-ssl.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for ranger-kafka-security.xml

Description

Whether to suppress configuration warnings produced by the Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for ranger-kafka-security.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ranger-kafka-security.xml_role_safety_valve

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: Role Triggers**Description**

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Configuration Validator: Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for schema-registry-client-ssl-config.yaml**Description**

Whether to suppress configuration warnings produced by the Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for schema-registry-client-ssl-config.yaml configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_schema-registry-client-ssl-config.yaml_role_safety_valve

Required

true

Suppress Configuration Validator: Java Heap Size of SMM**Description**

Whether to suppress configuration warnings produced by the Java Heap Size of SMM configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_smm_heap_size

Required

true

Suppress Configuration Validator: SMM_JMX_OPTS

Description

Whether to suppress configuration warnings produced by the SMM_JMX_OPTS configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_smm_jmx_opts

Required

true

Suppress Configuration Validator: SMM_JVM_PERF_OPTS

Description

Whether to suppress configuration warnings produced by the SMM_JVM_PERF_OPTS configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_smm_jvm_perf_opts

Required

true

Suppress Configuration Validator: Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for srm-client-auth-config.yaml

Description

Whether to suppress configuration warnings produced by the Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for srm-client-auth-config.yaml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_srm-client-auth-config.yaml_role_safety_valve

Required

true

Suppress Configuration Validator: Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for srm-client-config.yaml

Description

Whether to suppress configuration warnings produced by the Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for srm-client-config.yaml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_srm-client-config.yaml_role_safety_valve

Required

true

Suppress Configuration Validator: Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for srm-client-ssl-config.yaml

Description

Whether to suppress configuration warnings produced by the Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for srm-client-ssl-config.yaml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_srm-client-ssl-config.yaml_role_safety_valve

Required

true

Suppress Configuration Validator: Streams Messaging Manager Rest Admin Server TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the Streams Messaging Manager Rest Admin Server TLS/SSL Trust Store File configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Configuration Validator: Streams Messaging Manager Rest Admin Server TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the Streams Messaging Manager Rest Admin Server TLS/SSL Trust Store Password configuration validator.

Related Name

Default Value

	false
API Name	role_config_suppression_ssl_client_truststore_password
Required	true

Suppress Configuration Validator: Streams Messaging Manager UI Server TLS/SSL Server CA Certificate (PEM Format)

Description	Whether to suppress configuration warnings produced by the Streams Messaging Manager UI Server TLS/SSL Server CA Certificate (PEM Format) configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_ssl_server_ca_certificate_location
Required	true

Suppress Configuration Validator: Streams Messaging Manager UI Server TLS/SSL Server Certificate File (PEM Format)

Description	Whether to suppress configuration warnings produced by the Streams Messaging Manager UI Server TLS/SSL Server Certificate File (PEM Format) configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_ssl_server_certificate_location
Required	true

Suppress Configuration Validator: Streams Messaging Manager Rest Admin Server TLS/SSL Server Keystore Key Password

Description	Whether to suppress configuration warnings produced by the Streams Messaging Manager Rest Admin Server TLS/SSL Server Keystore Key Password configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_ssl_server_keystore_keypassword
Required	true

Suppress Configuration Validator: Streams Messaging Manager Rest Admin Server TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the Streams Messaging Manager Rest Admin Server TLS/SSL Server Keystore File Location configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Configuration Validator: Streams Messaging Manager Rest Admin Server TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the Streams Messaging Manager Rest Admin Server TLS/SSL Server Keystore File Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Configuration Validator: Streams Messaging Manager UI Server TLS/SSL Server Private Key File (PEM Format)

Description

Whether to suppress configuration warnings produced by the Streams Messaging Manager UI Server TLS/SSL Server Private Key File (PEM Format) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_privatekey_location

Required

true

Suppress Configuration Validator: Streams Messaging Manager UI Server TLS/SSL Private Key Password

Description

Whether to suppress configuration warnings produced by the Streams Messaging Manager UI Server TLS/SSL Private Key Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_privatekey_password

Required

true

Suppress Configuration Validator: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Configuration Validator: Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for streams-messaging-manager.yaml

Description

Whether to suppress configuration warnings produced by the Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for streams-messaging-manager.yaml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams-messaging-manager.yaml_role_safety_valve

Required

true

Suppress Configuration Validator: Allow All Alert Notifications

Description

Whether to suppress configuration warnings produced by the Allow All Alert Notifications configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.messaging.manager.allow.all.alert.notifications

Required

true

Suppress Configuration Validator: Allowed resources**Description**

Whether to suppress configuration warnings produced by the Allowed resources configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.messaging.manager.allowed.resources

Required

true

Suppress Configuration Validator: Replication Factor for Internal Topics**Description**

Whether to suppress configuration warnings produced by the Replication Factor for Internal Topics configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.messaging.manager.internal.topics.replication.factor

Required

true

Suppress Configuration Validator: Oracle TLS javax.net.ssl.keyStore**Description**

Whether to suppress configuration warnings produced by the Oracle TLS javax.net.ssl.keyStore configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.messaging.manager.javax.net.ssl.keystore

Required

true

Suppress Configuration Validator: Oracle TLS javax.net.ssl.keyStorePassword**Description**

Whether to suppress configuration warnings produced by the Oracle TLS javax.net.ssl.keyStorePassword configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.messaging.manager.javax.net.ssl.keystorepassword

Required

true

Suppress Configuration Validator: Oracle TLS javax.net.ssl.keyStoreType

Description

Whether to suppress configuration warnings produced by the Oracle TLS javax.net.ssl.keyStoreType configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.messaging.manager.javax.net.ssl.keystoretype

Required

true

Suppress Configuration Validator: Oracle TLS javax.net.ssl.trustStore

Description

Whether to suppress configuration warnings produced by the Oracle TLS javax.net.ssl.trustStore configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.messaging.manager.javax.net.ssl.truststore

Required

true

Suppress Configuration Validator: Oracle TLS javax.net.ssl.trustStorePassword

Description

Whether to suppress configuration warnings produced by the Oracle TLS javax.net.ssl.trustStorePassword configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.messaging.manager.javax.net.ssl.truststorepassword

Required

true

Suppress Configuration Validator: Oracle TLS javax.net.ssl.trustStoreType

Description

Whether to suppress configuration warnings produced by the Oracle TLS javax.net.ssl.trustStoreType configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.messaging.manager.javax.net.ssl.truststoretype

Required

true

Suppress Configuration Validator: Java Home Path Override

Description

Whether to suppress configuration warnings produced by the Java Home Path Override configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.messaging.manager.jdk.home

Required

true

Suppress Configuration Validator: Kafka Alert Notification Topic

Description

Whether to suppress configuration warnings produced by the Kafka Alert Notification Topic configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.messaging.manager.kafka.alert.notifications.topic

Required

true

Suppress Configuration Validator: Kafka Cache Refresh Interval ms

Description

Whether to suppress configuration warnings produced by the Kafka Cache Refresh Interval ms configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.messaging.manager.kafka.cache.refresh.interval.ms

Required

true

Suppress Configuration Validator: Kerberos Name Rules

Description

Whether to suppress configuration warnings produced by the Kerberos Name Rules configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.messaging.manager.kerberos.name.rules

Required

true

Suppress Configuration Validator: Kerberos Non Browser User Agents

Description

Whether to suppress configuration warnings produced by the Kerberos Non Browser User Agents configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.messaging.manager.kerberos.non.browser.user.agents

Required

true

Suppress Configuration Validator: Oracle TLS oracle.net.authentication_services

Description

Whether to suppress configuration warnings produced by the Oracle TLS oracle.net.authentication_services configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.messaging.manager.oracle.net.authentication_services

Required

true

Suppress Configuration Validator: Oracle TLS oracle.net.ssl_cipher_suites

Description

Whether to suppress configuration warnings produced by the Oracle TLS oracle.net.ssl_cipher_suites configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.messaging.manager.oracle.net.ssl_cipher_suites

Required

true

Suppress Configuration Validator: oracle.net.ssl_version

Description

Whether to suppress configuration warnings produced by the oracle.net.ssl_version configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.messaging.manager.oracle.net.ssl_version

Required

true

Suppress Configuration Validator: Streams Messaging Manager NotifierProviders Config Classes

Description

Whether to suppress configuration warnings produced by the Streams Messaging Manager NotifierProviders Config Classes configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.messaging.manager.providerclasses

Required

true

Suppress Configuration Validator: Save Notification Read Status Per User

Description

Whether to suppress configuration warnings produced by the Save Notification Read Status Per User configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.messaging.manager.save.notification.read.status.per.user

Required

true

Suppress Configuration Validator: Servlet filter

Description

Whether to suppress configuration warnings produced by the Servlet filter configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.messaging.manager.servlet.filter

Required

true

Suppress Configuration Validator: Excluded SSL/TLS Cipher Suites

Description

Whether to suppress configuration warnings produced by the Excluded SSL/TLS Cipher Suites configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.messaging.manager.ssl.excludedciphersuites

Required

true

Suppress Configuration Validator: Excluded SSL/TLS Protocols

Description

Whether to suppress configuration warnings produced by the Excluded SSL/TLS Protocols configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.messaging.manager.ssl.excludedprotocols

Required

true

Suppress Configuration Validator: SSL Keystore Type

Description

Whether to suppress configuration warnings produced by the SSL Keystore Type configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.messaging.manager.ssl.keystoretype

Required

true

Suppress Configuration Validator: Supported SSL/TLS Cipher Suites

Description

Whether to suppress configuration warnings produced by the Supported SSL/TLS Cipher Suites configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.messaging.manager.ssl.supportedciphersuites

Required

true

Suppress Configuration Validator: Supported SSL/TLS Protocols

Description

Whether to suppress configuration warnings produced by the Supported SSL/TLS Protocols configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.messaging.manager.ssl.supportedprotocols

Required

true

Suppress Configuration Validator: SSL TrustStore Type

Description

Whether to suppress configuration warnings produced by the SSL TrustStore Type configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.messaging.manager.ssl.truststoretype

Required

true

Suppress Configuration Validator: SSL ValidateCerts

Description

Whether to suppress configuration warnings produced by the SSL ValidateCerts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.messaging.manager.ssl.validatecerts

Required

true

Suppress Configuration Validator: SSL validatePeers

Description

Whether to suppress configuration warnings produced by the SSL validatePeers configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.messaging.manager.ssl.validatepeers

Required

true

Suppress Configuration Validator: Streams Messaging Manager UI Port

Description

Whether to suppress configuration warnings produced by the Streams Messaging Manager UI Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.messaging.manager.ui.port

Required

true

Suppress Configuration Validator: Streams Messaging Manager Configuration Directory

Description

Whether to suppress configuration warnings produced by the Streams Messaging Manager Configuration Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.messaging.manager.working.directory

Required

true

Suppress Configuration Validator: Streams Replication Manager Basic Authentication Password

Description

Whether to suppress configuration warnings produced by the Streams Replication Manager Basic Authentication Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.replication.manager.manual.basic.auth.password

Required

true

Suppress Configuration Validator: Streams Replication Manager Basic Authentication Username

Description

Whether to suppress configuration warnings produced by the Streams Replication Manager Basic Authentication Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.manual.basic.auth.username

Required

true

Suppress Configuration Validator: Streams Replication Manager Rest HostPorts

Description

Whether to suppress configuration warnings produced by the Streams Replication Manager Rest HostPorts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.manual.hostports

Required

true

Suppress Configuration Validator: Streams Messaging Manager Rest Admin Server Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Streams Messaging Manager Rest Admin Server Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams_messaging_manager_server_role_env_safety_valve

Required

true

Suppress Configuration Validator: Streams Messaging Manager UI Server Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Streams Messaging Manager UI Server Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams_messaging_manager_ui_role_env_safety_valve

Required

true

Suppress Configuration Validator: Streams Messaging Manager UI Server Advanced Configuration Snippet (Safety Valve) for vars-ui.sh

Description

Whether to suppress configuration warnings produced by the Streams Messaging Manager UI Server Advanced Configuration Snippet (Safety Valve) for vars-ui.sh configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_vars-ui.sh_role_safety_valve

Required

true

Suppress Parameter Validation: Streams Messaging Manager Database JDBC Url Override

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager Database JDBC Url Override parameter.

Related Name

Default Value

false

API Name

service_config_suppression_database_jdbc_url_override

Required

true

Suppress Parameter Validation: Kerberos Principal

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Principal parameter.

Related Name

Default Value

false

API Name

service_config_suppression_kerberos_princ_name

Required

true

Suppress Parameter Validation: System Group**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: System User**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_username

Required

true

Suppress Parameter Validation: Ranger Streams Messaging Manager Plugin Audit Hdfs Spool Directory Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Streams Messaging Manager Plugin Audit Hdfs Spool Directory Path parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_audit_hdfs_spool_dir

Required

true

Suppress Parameter Validation: Ranger Streams Messaging Manager Plugin Audit Solr Spool Directory Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Streams Messaging Manager Plugin Audit Solr Spool Directory Path parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_audit_solr_spool_dir

Required

true

Suppress Parameter Validation: Ranger Plugin Trusted Proxy IP Address**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Plugin Trusted Proxy IP Address parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_plugin_trusted_proxy_ipaddress

Required

true

Suppress Parameter Validation: Ranger SMM Plugin Conf Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger SMM Plugin Conf Path parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_smm_plugin_conf_path

Required

true

Suppress Parameter Validation: Ranger Streams Messaging Manager Plugin Policy Cache Directory Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Streams Messaging Manager Plugin Policy Cache Directory Path parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_smm_plugin_policy_cache_directory

Required

true

Suppress Parameter Validation: Service Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_service_triggers

Required

true

Suppress Parameter Validation: Streams Messaging Manager Database Host**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager Database Host parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_smm_database_host

Required

true

Suppress Parameter Validation: Streams Messaging Manager Database Name**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager Database Name parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_smm_database_name

Required

true

Suppress Parameter Validation: Streams Messaging Manager Database User Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager Database User Password parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_smm_database_password

Required

true

Suppress Parameter Validation: Streams Messaging Manager Database Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager Database Port parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_smm_database_port

Required

true

Suppress Parameter Validation: Streams Messaging Manager Database User**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager Database User parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_smm_database_user

Required

true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_smon_derived_configs_safety_valve

Required

true

Suppress Parameter Validation: Streams Messaging Manager Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager Port parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_streams_messaging_manager.port

Required

true

Suppress Parameter Validation: Streams Messaging Manager port (SSL)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager port (SSL) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_streams_messaging_manager.ssl.port

Required

true

Suppress Configuration Validator: Streams Messaging Manager Rest Admin Server Count Validator**Description**

Whether to suppress configuration warnings produced by the Streams Messaging Manager Rest Admin Server Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_streams_messaging_manager_server_count_validator

Required

true

Suppress Parameter Validation: Streams Messaging Manager Service Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_streams_messaging_manager_service_env_safety_valve

Required

true

Suppress Configuration Validator: Streams Messaging Manager UI Server Count Validator

Description

Whether to suppress configuration warnings produced by the Streams Messaging Manager UI Server Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_streams_messaging_manager_ui_count_validator

Required

true

Suppress Health Test: Streams Messaging Manager Rest Admin Server Health

Description

Whether to suppress the results of the Streams Messaging Manager Rest Admin Server Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_streams_messaging_manager_streams_messaging_manager_streams_messaging_manager_server_health

Required

true

Suppress Health Test: Streams Messaging Manager UI Server Health

Description

Whether to suppress the results of the Streams Messaging Manager UI Server Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_streams_messaging_manager_streams_messaging_manager_streams_messaging_manager_ui_health

Required

true

Streams Messaging Manager Rest Admin Server

Advanced

Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for env.sh

Description

For advanced use only. A string to be inserted into env.sh for this role only.

Related Name**Default Value****API Name**

env.sh_role_safety_valve

Required

false

Streams Messaging Manager Rest Admin Server XML Override

Description

For advanced use only, replace entire XML in the logback configuration file for Streams Messaging Manager Rest Admin Server, ignoring all logging configuration.

Related Name

logback_safety_valve

Default Value**API Name**

logback_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory

Description

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions

and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name

Default Value

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name

Default Value

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name

Default Value

20

API Name

process_start_secs

Required

false

Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for ranger-kafka-audit.xml

Description

For advanced use only. A string to be inserted into ranger-kafka-audit.xml for this role only.

Related Name

Default Value

API Name

ranger-kafka-audit.xml_role_safety_valve

Required

false

Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for ranger-kafka-policymgr-ssl.xml

Description

For advanced use only. A string to be inserted into ranger-kafka-policymgr-ssl.xml for this role only.

Related Name

Default Value

API Name

ranger-kafka-policymgr-ssl.xml_role_safety_valve

Required

false

Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for ranger-kafka-security.xml

Description

For advanced use only. A string to be inserted into ranger-kafka-security.xml for this role only.

Related Name

Default Value

API Name

ranger-kafka-security.xml_role_safety_valve

Required

false

Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for schema-registry-client-ssl-config.yaml

Description

For advanced use only. A string to be inserted into schema-registry-client-ssl-config.yaml for this role only.

Related Name

Default Value

API Name

schema-registry-client-ssl-config.yaml_role_safety_valve

Required

false

Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for srm-client-auth-config.yaml

Description

For advanced use only. A string to be inserted into srm-client-auth-config.yaml for this role only.

Related Name

Default Value

API Name

srm-client-auth-config.yaml_role_safety_valve

Required

false

Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for srm-client-config.yaml

Description

For advanced use only. A string to be inserted into srm-client-config.yaml for this role only.

Related Name

Default Value

API Name

srm-client-config.yaml_role_safety_valve

Required

false

Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for srm-client-ssl-config.yaml

Description

For advanced use only. A string to be inserted into srm-client-ssl-config.yaml for this role only.

Related Name

Default Value

API Name

srm-client-ssl-config.yaml_role_safety_valve

Required

false

Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for streams-messaging-manager.yaml

Description

For advanced use only. A string to be inserted into streams-messaging-manager.yaml for this role only.

Related Name

Default Value

API Name

streams-messaging-manager.yaml_role_safety_valve

Required

false

Streams Messaging Manager Rest Admin Server Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name

Default Value

API Name

STREAMS_MESSAGING_MANAGER_SERVER_role_env_safety_valve

Required

false

Logs

Streams Messaging Manager Rest Admin Server Log Directory

Description

The log directory for log files of the role Streams Messaging Manager Rest Admin Server.

Related Name

log_dir

Default Value

/var/log/streams-messaging-manager

API Name

log_dir

Required

false

Streams Messaging Manager Rest Admin Server Logging Threshold

Description

The minimum log level for Streams Messaging Manager Rest Admin Server logs

Related Name

Default Value

INFO

API Name

log_threshold

Required

false

Streams Messaging Manager Rest Admin Server Maximum Log File Backups

Description

The maximum number of rolled log files to keep for Streams Messaging Manager Rest Admin Server logs. Typically used by log4j or logback.

Related Name

Default Value

10

API Name

max_log_backup_index

Required

false

Streams Messaging Manager Rest Admin Server Max Log Size**Description**

The maximum size, in megabytes, per log file for Streams Messaging Manager Rest Admin Server logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring**Enable Health Alerts for this Role****Description**

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML**Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter

Description

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name

Default Value

API Name

`monitoring_metric_filter`

Required

`false`

OpenTelemetry Collector Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

`otelcol_exporters`

Required

`false`

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value**API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL**Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**`$INFRA(cdp_request_signer_url)`**API Name**

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username**Description**

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify `$INFRA(cdp_request_signer_username)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**`$INFRA(cdp_request_signer_username)`**API Name**

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters,

\$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds

Description

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window

Description

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds

Description

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

`process_swap_memory_thresholds`**Required**

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name`role_triggers`**Required**

true

Enable Pool Directory Metric Usage for Streams Messaging Manager Rest Admin Server**Description**

Enables the health test for monitoring the Ranger Plugin Spool directory usage.

Related Name**Default Value**

true

API Name`spool_directory_usage_enabled`**Required**

false

Ranger Plugin Spool Directory Usage Thresholds for Streams Messaging Manager Rest Admin Server**Description**

The health test thresholds for monitoring the the Ranger Plugin Spool directory usage.

Related Name

Default Value

1 GiB

API Name

spool_directory_usage_threshold

Required

false

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name

Default Value

Warning: 50.0 %, Critical: 70.0 %

API Name

streams_messaging_manager_server_fd_thresholds

Required

false

Streams Messaging Manager Rest Admin Server Host Health Test

Description

When computing the overall Streams Messaging Manager Rest Admin Server health, consider the host's health.

Related Name

Default Value

true

API Name

streams_messaging_manager_server_host_health_enabled

Required

false

Streams Messaging Manager Rest Admin Server Process Health Test

Description

Enables the health test that the Streams Messaging Manager Rest Admin Server's process state is consistent with the role configuration

Related Name

Default Value

true

API Name

streams_messaging_manager_server_scm_health_enabled

Required

false

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

`unexpected_exits_thresholds`

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

`unexpected_exits_window`

Required

false

Other

Cache Control Http Response Header Value

Description

Key-Value pairs where the key is URL pattern for the REST API Server to have the Cache-Control header applied to, and the value is the value of the Cache-Control header. Use the ':' character to separate keys and values.

Related Name

`cache.control.http.response.header.value`

Default Value

`/api/v1/admin/metrics/aggregated/*:private, max-age=60 /api/v1/admin/metrics/brokers/*:private, max-age=60 /api/v1/admin/metrics/consumers/*:private, max-age=60`

API Name

`cache.control.http.response.header.value`

Required

false

Cloudera Manager Emit Consumer Metrics Timeout

Description

SMM REST Server emits Consumer Metrics into Service Monitor. This config adjusts the timeout of the emission API call timeout.

Related Name

`cm.metrics.emit.consumer.metrics.timeout`

Default Value

10 second(s)

API Name

cm.metrics.emit.consumer.metrics.timeout

Required

false

Cloudera Manager Metrics TrustStore Type**Description**

Cloudera Manager's truststore type. If it is left empty then the keystore type will come from CM settings. If it is left empty then the keystore type will come from CM settings.

Related Name

cm.metrics.truststore.type

Default Value**API Name**

cm.metrics.truststore.type

Required

false

consumer.group.refresh.interval.ms**Description**

Refresh interval for consumer group's consumption.

Related Name

consumer.group.refresh.interval.ms

Default Value

60000

API Name

consumer.group.refresh.interval.ms

Required

true

Cruise Control Client Connect timeout**Description**

The connect timeout that is used by the jersey client that connects to Cruise Control.

Related Name

cruise.control.client.connect.timeout

Default Value

30000

API Name

cruise.control.client.connect.timeout

Required

false

Cruise Control Client Read timeout**Description**

The read timeout that is used by the jersey client that connects to Cruise Control.

Related Name

cruise.control.client.read.timeout

Default Value

30000

API Name

cruise.control.client.read.timeout

Required

false

Streams Messaging Manager Rest Admin Server Diagnostics Collection Timeout**Description**

The timeout in milliseconds to wait for diagnostics collection to complete.

Related Name**Default Value**

5 minute(s)

API Name

csd_role_diagnostics_timeout

Required

false

Emit Consumer Metrics**Description**

In case Cloudera Manager is configured for SMM as an underlying metricsStore, should SMM push the historic ConsumerGroup (lag and committed offset) metrics into CM.

Related Name

emit.consumer.metrics

Default Value

true

API Name

emit.consumer.metrics

Required

false

Enable Request Log**Description**

Enable logging of REST API requests.

Related Name

enable.request.log

Default Value

true

API Name

enable.request.log

Required

true

Graceful Shutdown Timeout

Description

The timeout in milliseconds to wait for graceful shutdown to complete.

Related Name**Default Value**

30 second(s)

API Name

graceful_stop_timeout

Required

false

Inactive Group Timeout

Description

Timeout in ms for inactive group.

Related Name

inactive.group.timeout.ms

Default Value

1800000

API Name

inactive.group.timeout.ms

Required

true

inactive.producer.timeout.ms

Description

Timeout in ms for Inactive producer.

Related Name

inactive.producer.timeout.ms

Default Value

1800000

API Name

inactive.producer.timeout.ms

Required

true

Percentage Of Cores Used For Querying By Metrics Index Cache

Description

The percentage of cores allocated to the querying of the most frequently queried metrics.

Related Name

index.querying.threads.percentage

Default Value

75 %

API Name

index.querying.threads.percentage

Required

false

Kafka Connect Client Connect timeout

Description

The connect timeout that is used by the jersey client that connects to Kafka Connect.

Related Name

kafka.connect.client.connect.timeout

Default Value

30000

API Name

kafka.connect.client.connect.timeout

Required

false

Kafka Connect Client Read timeout

Description

The read timeout that is used by the jersey client that connects to Kafka Connect.

Related Name

kafka.connect.client.read.timeout

Default Value

30000

API Name

kafka.connect.client.read.timeout

Required

false

Kafka Connect Rest HostPorts

Description

Manual configuration of Kafka Connect rest URLs to enable Kafka Connect management in SMM. An URL list (in the format of host:port) is expected.

Related Name

kafka.connect.hostports

Default Value

API Name

kafka.connect.hostports

Required

false

Kafka Connect Plugin Sample Configuration Path

Description

Path to the directory containing Kafka Connector Plugins' sample json config files

Related Name

kafka.connect.plugin.sample.configs.path

Default Value

/etc/kafka_connect_ext/sample-configs

API Name

kafka.connect.plugin.sample.configs.path

Required

false

Kafka Connect Protocol

Description

Manual configuration of Kafka Connect rest protocol. Used only if Kafka Connect Host is not empty, otherwise Kafka Service dependency's Kafka Connect role's rest configuration will be set automatically.

Related Name

kafka.connect.protocol

Default Value

http

API Name

kafka.connect.protocol

Required

false

Kafka Logdir Cache Expiration ms

Description

Expiration interval for Kafka logdir related information.

Related Name

kafka.logdir.cache.expiration.ms

Default Value

55 second(s)

API Name

kafka.logdir.cache.expiration.ms

Required

true

Kafka Logdir Cache Maximum Size

Description

Maximum cache size for Kafka logdir related information.

Related Name

kafka.logdir.cache.maximum.size

Default Value

1000

API Name

kafka.logdir.cache.maximum.size

Required

true

Kafka Logdir Call Timeout ms

Description

Timeout value for Kafka AdminClient calls used for fetching Log Directory related data.

Related Name

kafka.logdir.call.timeout.ms

Default Value

10 second(s)

API Name

kafka.logdir.call.timeout.ms

Required

true

Enable Latency Metrics Processing

Description

To enable Latency Metrics Processing and Servicing, SMM will launch a service which continuously processes metrics received from producers and consumers and be able to provide responses to queries.

Related Name

latencyMetricsConfig.enable.latency.metrics.processing

Default Value

true

API Name

latencyMetricsConfig.enable.latency.metrics.processing

Required

true

LatencyMetricsConfig Metrics 15m Ttl Secs

Description

Determines the default TTL (Time To Live) for 15m granularity metrics (metrics are queryable in 15m).

Related Name

latencyMetricsConfig.metrics.15m.ttl.secs

Default Value

1209600

API Name

latencyMetricsConfig.metrics.15m.ttl.secs

Required

false

LatencyMetricsConfig Metrics Clean Frequency ms

Description

Frequency with which the metrics are cleaned from the above store in ms.

Related Name

latencyMetricsConfig.metrics.clean.frequency.ms

Default Value

21600000

API Name

latencyMetricsConfig.metrics.clean.frequency.ms

Required

false

Latency Metrics Data Storage Path

Description

Path to store latency metrics data.

Related Name

latencyMetricsConfig.metrics.storage

Default Value

/var/lib/streams_messaging_manager/latencymetrics/data

API Name

latencyMetricsConfig.metrics.storage

Required

false

Logger org.apache.kafka Logging Level

Description

Logger org.apache.kafka logging level.

Related Name

logging.org.apache.kafka.level

Default Value

INFO

API Name

logging.org.apache.kafka.level

Required

false

Logger smm.kafka.webservice.common Logging Level

Description

Logger smm.kafka.webservice.common logging level.

Related Name

logging.smm.kafka.webservice.common.level

Default Value

DEBUG

API Name

logging.smm.kafka.webservice.common.level

Required

false

Metrics Cache Refresh Interval ms

Description

Refresh interval for data collection from CM Metrics's Collector cache.

Related Name

metrics.cache.refresh.interval.ms

Default Value

50000

API Name

metrics.cache.refresh.interval.ms

Required

true

Metrics Fetcher Class

Description

SMM's kafka metrics fetcher class.

Related Name

metrics.fetcher.class

Default Value

com.hortonworks.smm.kafka.services.metric.cm.CMMetricsFetcher

API Name

metrics.fetcher.class

Required

true

Number of Metrics Fetcher Threads

Description

Number of metrics fetcher threads.

Related Name

metrics.fetcher.threads

Default Value

25

API Name

metrics.fetcher.threads

Required

true

Percentage Of Cores Used For Querying By Metrics Cache

Description

The percentage of cores allocated to the querying of the less frequently queried metrics.

Related Name

metrics.querying.threads.percentage

Default Value

25 %

API Name

metrics.querying.threads.percentage

Required

false

NiFi Stateless Extensions Directory

Description

Specifies the directory that stores the NiFi Stateless Connector extensions that will be downloaded.

Related Name

nifi.stateless.extensions.directory

Default Value

/tmp/nifi-stateless-extensions

API Name

nifi.stateless.extensions.directory

Required

false

NiFi Stateless Flow Definitions Directory

Description

Specifies where the NiFi Stateless flow definitions are stored.

Related Name

nifi.stateless.flow.definitions.directory

Default Value

/etc/kafka_connect_ext/flow-definitions

API Name

nifi.stateless.flow.definitions.directory

Required

false

NiFi Stateless krb5 File

Description

Specifies the krb5.conf file NiFi Stateless Connectors will use when connecting to Kerberos-enabled services.

Related Name

nifi.stateless.krb5.file

Default Value

/etc/krb5.conf

API Name

nifi.stateless.krb5.file

Required

false

NiFi Stateless Nexus URL

Description

Specifies the Base URL of the Nexus instance to source NiFi stateless extensions from.

Related Name

nifi.stateless.nexus.url

Default Value

https://repository.cloudera.com/artifactory/repo

API Name

nifi.stateless.nexus.url

Required

false

NiFi Stateless Working Directory

Description

Specifies the temporary working directory for expanding NiFi Stateless Connector Archives (NARs).

Related Name

nifi.stateless.working.directory

Default Value

/tmp/nifi-stateless-working

API Name

nifi.stateless.working.directory

Required

false

Prometheus Password

Description

Prometheus password, required when Prometheus is used as metrics store backend with TLS and basic auth.

Related Name

prometheus.metrics.password

Default Value

API Name

prometheus.metrics.password

Required

false

Prometheus Metrics URL

Description

Url of the Prometheus server, required when Prometheus is used as metrics store backend.

Related Name

prometheus.metrics.url

Default Value

API Name

prometheus.metrics.url

Required

false

Prometheus User

Description

Prometheus user, required when Prometheus is used as metrics store backend with TLS and basic auth.

Related Name

prometheus.metrics.user

Default Value**API Name**

prometheus.metrics.user

Required

false

Prometheus Query Threads**Description**

Determines how many parallel requests SMM should send to Prometheus to fetch metrics. Value should be the same as the "query.max-concurrency" config in Prometheus.

Related Name

prometheus.query.threads

Default Value

20

API Name

prometheus.query.threads

Required

false

Request Metrics Separately From Cloudera Manager**Description**

When checked, SMM is fetching each metrics one by one from Cloudera Manager Timeseries API. By default it is grouping metrics by their attributes so API is called less times.

Related Name

request.metrics.separately

Default Value

true

API Name

request.metrics.separately

Required

false

Java Heap Size of SMM**Description**

Maximum size for the SMM Java process heap memory. Passed to Java -Xmx. Measured in megabytes.

Related Name

SMM_HEAP_SIZE

Default Value

6 GiB

API Name

SMM_HEAP_SIZE

Required

false

SMM_JMX_OPTS

Description

Change parameters to setup jmxremote.

Related Name

SMM_JMX_OPTS

Default Value

-Dcom.sun.management.jmxremote -Dcom.sun.management.jmxremote.authenticate=false -
Dcom.sun.management.jmxremote.ssl=false

API Name

SMM_JMX_OPTS

Required

false

SMM_JVM_PERF_OPTS

Description

SMM JVM perf and gc opts.

Related Name

SMM_JVM_PERF_OPTS

Default Value

-server -XX:+UseG1GC -XX:MaxGCPauseMillis=20 -XX:InitiatingHeapOccupancyPercent=35 -
XX:+ExplicitGCInvokesConcurrent -Djava.awt.headless=true

API Name

SMM_JVM_PERF_OPTS

Required

false

AlertTopicConsumerConfig Poll Timeout ms

Description

Alert topic Consumer config poll timeout in ms.

Related Name

streams.messaging.manager.alertTopicConsumerConfig.poll.timeout.ms

Default Value

1 second(s)

API Name

streams.messaging.manager.alertTopicConsumerConfig.poll.timeout.ms

Required

false

Allow All Alert Notifications

Description

Whether to send the alert notifications periodically.

Related Name

streams.messaging.manager.allow.all.alert.notifications

Default Value

true

API Name

streams.messaging.manager.allow.all.alert.notifications

Required

false

Allowed resources

Description

Allowed resources for Streams Messaging Manager.

Related Name

streams.messaging.manager.allowed.resources

Default Value

401.html, back-default.png, favicon.ico

API Name

streams.messaging.manager.allowed.resources

Required

false

Authorization Cache Concurrency Level

Description

The number of threads that can update the authorization cache in parallel.

Related Name

streams.messaging.manager.auth.cache.concurrency.level

Default Value

4

API Name

streams.messaging.manager.auth.cache.concurrency.level

Required

false

Authorization Cache Expiration Time

Description

The expiration time for entries in the authorization cache.

Related Name

streams.messaging.manager.auth.cache.expiration.ms

Default Value

30 second(s)

API Name

streams.messaging.manager.auth.cache.expiration.ms

Required

false

Authorization Cache Maximum Number Of Cached Items

Description

Authorization cache maximum number of cached items. Setting it to zero disables the cache.

Related Name

streams.messaging.manager.auth.cache.maximum.size

Default Value

10000

API Name

streams.messaging.manager.auth.cache.maximum.size

Required

false

Enable TLS with Oracle DB

Description

Enable TLS with Oracle as DB for Schema Registry.

Related Name

streams.messaging.manager.enable.TLS.Oracle

Default Value

false

API Name

streams.messaging.manager.enable.TLS.Oracle

Required

false

Streams Messaging Manager Executor Thread Count

Description

Alerts config executor thread count.

Related Name

streams.messaging.manager.executor.thread.count

Default Value

30

API Name

streams.messaging.manager.executor.thread.count

Required

true

Streams Messaging Manager Executor Thread Pool Size

Description

NotifierProviders executor thread pool size.

Related Name

streams.messaging.manager.executor.thread.pool.size

Default Value

16

API Name

streams.messaging.manager.executor.thread.pool.size

Required

true

Replication Factor for Internal Topics

Description

Replication factor for all internal topics. They are by default starting with __smm. This includes KStreams related topics, alert notification topic and consumer/producer metrics related topics too. This setting affects only newly created topics. Already created ones will not be changed.

Related Name

streams.messaging.manager.internal.topics.replication.factor

Default Value

3

API Name

streams.messaging.manager.internal.topics.replication.factor

Required

false

Oracle TLS javax.net.ssl.keyStore

Description

Path to keystore file if enabling TLS using Oracle DB.

Related Name

streams.messaging.manager.javax.net.ssl.keyStore

Default Value**API Name**

streams.messaging.manager.javax.net.ssl.keyStore

Required

false

Oracle TLS javax.net.ssl.keyStorePassword

Description

KeyStorePassword if enabling TLS using Oracle DB.

Related Name

streams.messaging.manager.javax.net.ssl.keyStorePassword

Default Value**API Name**

streams.messaging.manager.javax.net.ssl.keyStorePassword

Required

false

Oracle TLS javax.net.ssl.keyStoreType

Description

keyStoreType type if enabling TLS using Oracle DB.

Related Name

streams.messaging.manager.javax.net.ssl.keyStoreType

Default Value**API Name**

streams.messaging.manager.javax.net.ssl.keyStoreType

Required

false

Oracle TLS `javax.net.ssl.trustStore`

Description

Required Path to truststore file if enabling TLS using Oracle DB.

Related Name

streams.messaging.manager.javax.net.ssl.trustStore

Default Value

API Name

streams.messaging.manager.javax.net.ssl.trustStore

Required

false

Oracle TLS `javax.net.ssl.trustStorePassword`

Description

TrustStorePassword type if enabling TLS using Oracle DB.

Related Name

streams.messaging.manager.javax.net.ssl.trustStorePassword

Default Value

API Name

streams.messaging.manager.javax.net.ssl.trustStorePassword

Required

false

Oracle TLS `javax.net.ssl.trustStoreType`

Description

Required Truststore type if enabling TLS using Oracle DB.

Related Name

streams.messaging.manager.javax.net.ssl.trustStoreType

Default Value

API Name

streams.messaging.manager.javax.net.ssl.trustStoreType

Required

false

Java Home Path Override

Description

Java Home Path Override for Streams Messaging Manager

Related Name

streams.messaging.manager.jdk.home

Default Value

API Name

streams.messaging.manager.jdk.home

Required

false

Kafka Alert Notification Topic

Description

Kafka alert notification topic name.

Related Name

streams.messaging.manager.kafka.alert.notifications.topic

Default Value

__smm_alert_notifications

API Name

streams.messaging.manager.kafka.alert.notifications.topic

Required

true

Kafka Cache Refresh Interval ms

Description

Cache refresh interval in ms for Kafka AdminClient calls used for fetching metadata for topics and brokers.

Related Name

streams.messaging.manager.kafka.cache.refresh.interval.ms

Default Value

15000

API Name

streams.messaging.manager.kafka.cache.refresh.interval.ms

Required

false

Streams Messaging Manager KafkaConsumerClient Poll Timeout ms

Description

SMM's Kafka Consumer Client poll timeout in ms.

Related Name

streams.messaging.manager.kafkaConsumerClient.poll.timeout.ms

Default Value

1 second(s)

API Name

streams.messaging.manager.kafkaConsumerClient.poll.timeout.ms

Required

false

Kerberos Name Rules

Description

Kerberos name rules for Streams Messaging Manager. If left empty, the cluster wide rules will be applied.

Related Name

streams.messaging.manager.kerberos.name.rules

Default Value

API Name

streams.messaging.manager.kerberos.name.rules

Required

false

Kerberos Non Browser User Agents

Description

Non browser user agents if kerberos is enabled.

Related Name

streams.messaging.manager.kerberos.non.browser.user.agents

Default Value

API Name

streams.messaging.manager.kerberos.non.browser.user.agents

Required

false

Oracle TLS oracle.net.authentication_services

Description

oracle net authentication service if enabling TLS using Oracle DB.

Related Name

streams.messaging.manager.oracle.net.authentication_services

Default Value

API Name

streams.messaging.manager.oracle.net.authentication_services

Required

false

Oracle TLS oracle.net.ssl_cipher_suites

Description

net ssl cipher suites if enabling TLS using Oracle DB e.g. SSL_DH_DSS_WITH_DES_CBC_SHA.

Related Name

streams.messaging.manager.oracle.net.ssl_cipher_suites

Default Value

API Name

streams.messaging.manager.oracle.net.ssl_cipher_suites

Required

false

Oracle TLS oracle.net.ssl_server_dn_match

Description

ssl server domain name match if enabling TLS using Oracle DB.

Related Name

streams.messaging.manager.oracle.net.ssl_server_dn_match

Default Value

true

API Name

streams.messaging.manager.oracle.net.ssl_server_dn_match

Required

false

oracle.net.ssl_version

Description

oracle net ssl version.

Related Name

streams.messaging.manager.oracle.net.ssl_version

Default Value

API Name

streams.messaging.manager.oracle.net.ssl_version

Required

false

Streams Messaging Manager NotifierProviders Config Classes

Description

NotifierProviders config classes in list format.

Related Name

streams.messaging.manager.providerClasses

Default Value

[com.hortonworks.smm.notifier.http.HttpNotifierProvider,
com.hortonworks.smm.notifier.email.EmailNotifierProvider]

API Name

streams.messaging.manager.providerClasses

Required

true

Save Notification Read Status Per User

Description

Alert notification save status flag per user.

Related Name

streams.messaging.manager.save.notification.read.status.per.user

Default Value

true

API Name

streams.messaging.manager.save.notification.read.status.per.user

Required

false

Servlet filter

Description

Streams Messaging Manager servlet filter class.

Related Name

streams.messaging.manager.servlet.filter

Default Value

com.hortonworks.registries.auth.server.AuthenticationFilter

API Name

streams.messaging.manager.servlet.filter

Required

true

Excluded SSL/TLS Cipher Suites

Description

A list of cipher suites which are excluded. If left empty, falls back to the server default.

Related Name

streams.messaging.manager.ssl.excludedCipherSuites

Default Value**API Name**

streams.messaging.manager.ssl.excludedCipherSuites

Required

false

Excluded SSL/TLS Protocols

Description

A list of protocols which are excluded. If left empty, falls back to the server default.

Related Name

streams.messaging.manager.ssl.excludedProtocols

Default Value**API Name**

streams.messaging.manager.ssl.excludedProtocols

Required

false

SSL Keystore Type

Description

The keystore type. Required if Streams Messaging Manager rest server's SSL is enabled. e.g. PKCS12 or JKS. If it is left empty then the keystore type will come from CM settings.

Related Name

streams.messaging.manager.ssl.keyStoreType

Default Value**API Name**

streams.messaging.manager.ssl.keyStoreType

Required

false

Supported SSL/TLS Cipher Suites

Description

A list of cipher suites which are supported. If left empty, falls back to the server default.

Related Name

streams.messaging.manager.ssl.supportedCipherSuites

Default Value**API Name**

streams.messaging.manager.ssl.supportedCipherSuites

Required

false

Supported SSL/TLS Protocols

Description

A list of protocols which are supported. If left empty, falls back to the server default.

Related Name

streams.messaging.manager.ssl.supportedProtocols

Default Value**API Name**

streams.messaging.manager.ssl.supportedProtocols

Required

false

SSL TrustStore Type

Description

The truststore type. Required if streams messaging manager's ssl is enabled. e.g. PKCS12 or JKS. If it is left empty then the keystore type will come from CM settings.

Related Name

streams.messaging.manager.ssl.trustStoreType

Default Value**API Name**

streams.messaging.manager.ssl.trustStoreType

Required

false

SSL ValidateCerts

Description

Whether or not to validate TLS certificates before starting. If enabled, it will refuse to start with expired or otherwise invalid certificates. Note: if this is enabled, the certificate revocation method (CRLDP/OCSP) is also needed. This can be done by overriding Dropwizard configuration with Java system properties. E.g: `-Ddw.server.applicationConnectors[0].enableCRLDP=true` (more details at <https://www.dropwizard.io/en/latest/manual/core.html>)

Related Name

streams.messaging.manager.ssl.validateCerts

Default Value

false

API Name

streams.messaging.manager.ssl.validateCerts

Required

false

SSL validatePeers

Description

Whether or not to validate TLS peer certificates.

Related Name

streams.messaging.manager.ssl.validatePeers

Default Value

false

API Name

streams.messaging.manager.ssl.validatePeers

Required

false

Streams Messaging Manager Query Timeout

Description

Streams Messaging Manager query timeout.

Related Name

streams.messaging.manager.storage.query.timeout

Default Value

30 millisecond(s)

API Name

streams.messaging.manager.storage.query.timeout

Required

true

Token validity

Description

Kerberos token validity for Streams Messaging Manager in ms.

Related Name

streams.messaging.manager.token.validity

Default Value

36000

API Name

streams.messaging.manager.token.validity

Required

false

Streams Messaging Manager Configuration Directory

Description

Directory to Streams messaging manager additional libs, jars, isos, etc.

Related Name

streams.messaging.manager.working.directory

Default Value

/var/lib/streams_messaging_manager

API Name

streams.messaging.manager.working.directory

Required

false

Streams Replication Manager Basic Authentication**Description**

Enable Basic Authentication when connecting to SRM Service for replication monitoring. Used when "Configure Streams Replication Manager Manually" is true.

Related Name

streams.replication.manager.manual.basic.auth.enabled

Default Value

false

API Name

streams.replication.manager.manual.basic.auth.enabled

Required

false

Streams Replication Manager Basic Authentication Password**Description**

The password to use when Basic Authentication is enabled when connecting to SRM Service for replication monitoring. Used when "Configure Streams Replication Manager Manually" is true.

Related Name

streams.replication.manager.manual.basic.auth.password

Default Value**API Name**

streams.replication.manager.manual.basic.auth.password

Required

false

Streams Replication Manager Basic Authentication Username**Description**

The username to use when Basic Authentication is enabled when connecting to SRM Service for replication monitoring. Used when "Configure Streams Replication Manager Manually" is true.

Related Name

streams.replication.manager.manual.basic.auth.username

Default Value**API Name**

streams.replication.manager.manual.basic.auth.username

Required

false

Configure Streams Replication Manager Manually**Description**

Configure Streams Replication Manager related configurations manually, which are used for replication monitoring. This overrides the service dependency based auto-configuration.

Related Name

streams.replication.manager.manual.configuration

Default Value

false

API Name

streams.replication.manager.manual.configuration

Required

false

Streams Replication Manager Rest HostPorts**Description**

The hosts and ports to be used when connecting to the SRM service for replication monitoring, in the following format: host:port. Used when "Configure Streams Replication Manager Manually" is true.

Related Name

streams.replication.manager.manual.hostports

Default Value**API Name**

streams.replication.manager.manual.hostports

Required

false

Streams Replication Manager Rest Protocol**Description**

The rest protocol to be used when connecting to the SRM service for replication monitoring. Used when "Configure Streams Replication Manager Manually" is true.

Related Name

streams.replication.manager.manual.protocol

Default Value

http

API Name

streams.replication.manager.manual.protocol

Required

false

Performance**Maximum Process File Descriptors****Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Resource Management

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares

Description

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight

Description

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page

cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security**Streams Messaging Manager Rest Admin Server TLS/SSL Trust Store File****Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Streams Messaging Manager Rest Admin Server might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

streams.messaging.manager.ssl.trustStorePath

Default Value**API Name**

ssl_client_truststore_location

Required

false

Streams Messaging Manager Rest Admin Server TLS/SSL Trust Store Password**Description**

The password for the Streams Messaging Manager Rest Admin Server TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name**Default Value****API Name**

ssl_client_truststore_password

Required

false

Enable TLS/SSL for Streams Messaging Manager Rest Admin Server**Description**

Encrypt communication between clients and Streams Messaging Manager Rest Admin Server using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

ssl.enable

Default Value

false

API Name

ssl_enabled

Required

false

Streams Messaging Manager Rest Admin Server TLS/SSL Server Keystore Key Password

Description

The password that protects the private key contained in the keystore used when Streams Messaging Manager Rest Admin Server is acting as a TLS/SSL server.

Related Name

Default Value

API Name

ssl_server_keystore_keypassword

Required

false

Streams Messaging Manager Rest Admin Server TLS/SSL Server Keystore File Location

Description

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Streams Messaging Manager Rest Admin Server is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

streams.messaging.manager.ssl.keyStorePath

Default Value

API Name

ssl_server_keystore_location

Required

false

Streams Messaging Manager Rest Admin Server TLS/SSL Server Keystore File Password

Description

The password for the Streams Messaging Manager Rest Admin Server keystore file.

Related Name

Default Value

API Name

ssl_server_keystore_password

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency

Description

The frequency with which stacks are collected.

Related Name

`stacks_collection_frequency`**Default Value**

5.0 second(s)

API Name`stacks_collection_frequency`**Required**

false

Stacks Collection Method**Description**

The method used to collect stacks. The `jstack` option involves periodically running the `jstack` command against the role's daemon process. The `servlet` method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the `servlet` method is selected, that HTTP endpoint is periodically scraped.

Related Name`stacks_collection_method`**Default Value**`jstack`**API Name**`stacks_collection_method`**Required**

false

Suppressions**Suppress Parameter Validation: Cache Control Http Response Header Value****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cache Control Http Response Header Value parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_cache.control.http.response.header.value`**Required**

true

Suppress Configuration Validator: CDH Version Validator**Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

`role_config_suppression_cdh_version_validator`**Required**`true`**Suppress Parameter Validation: Cloudera Manager Metrics TrustStore Type****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cloudera Manager Metrics TrustStore Type parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_cm.metrics.truststore.type`**Required**`true`**Suppress Parameter Validation: consumer.group.refresh.interval.ms****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the consumer.group.refresh.interval.ms parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_consumer.group.refresh.interval.ms`**Required**`true`**Suppress Parameter Validation: Cruise Control Client Connect timeout****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cruise Control Client Connect timeout parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_cruise.control.client.connect.timeout`**Required**`true`**Suppress Parameter Validation: Cruise Control Client Read timeout****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cruise Control Client Read timeout parameter.

Related Name

Default Value

false

API Name

role_config_suppression_cruise.control.client.read.timeout

Required

true

Suppress Parameter Validation: Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for env.sh

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for env.sh parameter.

Related Name

Default Value

false

API Name

role_config_suppression_env.sh_role_safety_valve

Required

true

Suppress Parameter Validation: Inactive Group Timeout

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Inactive Group Timeout parameter.

Related Name

Default Value

false

API Name

role_config_suppression_inactive.group.timeout.ms

Required

true

Suppress Parameter Validation: inactive.producer.timeout.ms

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the inactive.producer.timeout.ms parameter.

Related Name

Default Value

false

API Name

role_config_suppression_inactive.producer.timeout.ms

Required

true

Suppress Parameter Validation: Percentage Of Cores Used For Querying By Metrics Index Cache

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Percentage Of Cores Used For Querying By Metrics Index Cache parameter.

Related Name

Default Value

false

API Name

role_config_suppression_index.querying.threads.percentage

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Kafka Connect Client Connect timeout

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Connect Client Connect timeout parameter.

Related Name

Default Value

false

API Name

role_config_suppression_kafka.connect.client.connect.timeout

Required

true

Suppress Parameter Validation: Kafka Connect Client Read timeout

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Connect Client Read timeout parameter.

Related Name

Default Value

false

API Name

`role_config_suppression_kafka.connect.client.read.timeout`**Required**

true

Suppress Parameter Validation: Kafka Connect Rest HostPorts**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Connect Rest HostPorts parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_kafka.connect.hostports`**Required**

true

Suppress Parameter Validation: Kafka Connect Plugin Sample Configuration Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Connect Plugin Sample Configuration Path parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_kafka.connect.plugin.sample.configs.path`**Required**

true

Suppress Parameter Validation: LatencyMetricsConfig Metrics 15m Ttl Secs**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LatencyMetricsConfig Metrics 15m Ttl Secs parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_latencymetricsconfig.metrics.15m.ttl.secs`**Required**

true

Suppress Parameter Validation: LatencyMetricsConfig Metrics Clean Frequency ms**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LatencyMetricsConfig Metrics Clean Frequency ms parameter.

Related Name

Default Value

false

API Name

role_config_suppression_latencymetricsconfig.metrics.clean.frequency.ms

Required

true

Suppress Parameter Validation: Latency Metrics Data Storage Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Latency Metrics Data Storage Path parameter.

Related Name

Default Value

false

API Name

role_config_suppression_latencymetricsconfig.metrics.storage

Required

true

Suppress Parameter Validation: Streams Messaging Manager Rest Admin Server Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager Rest Admin Server Log Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: Streams Messaging Manager Rest Admin Server XML Override

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager Rest Admin Server XML Override parameter.

Related Name

Default Value

false

API Name

role_config_suppression_logback_safety_valve

Required

true

Suppress Parameter Validation: Metrics Cache Refresh Interval ms

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Metrics Cache Refresh Interval ms parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_metrics.cache.refresh.interval.ms

Required

true

Suppress Parameter Validation: Metrics Fetcher Class**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Metrics Fetcher Class parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_metrics.fetcher.class

Required

true

Suppress Parameter Validation: Number of Metrics Fetcher Threads**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Number of Metrics Fetcher Threads parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_metrics.fetcher.threads

Required

true

Suppress Parameter Validation: Percentage Of Cores Used For Querying By Metrics Cache**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Percentage Of Cores Used For Querying By Metrics Cache parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_metrics.querying.threads.percentage

Required

true

Suppress Parameter Validation: NiFi Stateless Extensions Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the NiFi Stateless Extensions Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nifi.stateless.extensions.directory

Required

true

Suppress Parameter Validation: NiFi Stateless Flow Definitions Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the NiFi Stateless Flow Definitions Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nifi.stateless.flow.definitions.directory

Required

true

Suppress Parameter Validation: NiFi Stateless krb5 File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the NiFi Stateless krb5 File parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nifi.stateless.krb5.file

Required

true

Suppress Parameter Validation: NiFi Stateless Nexus URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the NiFi Stateless Nexus URL parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nifi.stateless.nexus.url

Required

true

Suppress Parameter Validation: NiFi Stateless Working Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the NiFi Stateless Working Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_nifi.stateless.working.directory

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Prometheus Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Prometheus Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_prometheus.metrics.password

Required

true

Suppress Parameter Validation: Prometheus Metrics URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Prometheus Metrics URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_prometheus.metrics.url

Required

true

Suppress Parameter Validation: Prometheus User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Prometheus User parameter.

Related Name

Default Value

false

API Name

role_config_suppression_prometheus.metrics.user

Required

true

Suppress Parameter Validation: Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for ranger-kafka-audit.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for ranger-kafka-audit.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger-kafka-audit.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for ranger-kafka-policymgr-ssl.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for ranger-kafka-policymgr-ssl.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger-kafka-policymgr-ssl.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for ranger-kafka-security.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for ranger-kafka-security.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ranger-kafka-security.xml_role_safety_valve

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for schema-registry-client-ssl-config.yaml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for schema-registry-client-ssl-config.yaml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_schema-registry-client-ssl-config.yaml_role_safety_valve

Required

true

Suppress Parameter Validation: Java Heap Size of SMM

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Heap Size of SMM parameter.

Related Name

Default Value

false

API Name

role_config_suppression_smm_heap_size

Required

true

Suppress Parameter Validation: SMM_JMX_OPTS

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SMM_JMX_OPTS parameter.

Related Name

Default Value

false

API Name

role_config_suppression_smm_jmx_opts

Required

true

Suppress Parameter Validation: SMM_JVM_PERF_OPTS

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SMM_JVM_PERF_OPTS parameter.

Related Name

Default Value

false

API Name

role_config_suppression_smm_jvm_perf_opts

Required

true

Suppress Parameter Validation: Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for srm-client-auth-config.yaml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for srm-client-auth-config.yaml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_srm-client-auth-config.yaml_role_safety_valve

Required

true

Suppress Parameter Validation: Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for srm-client-config.yaml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for srm-client-config.yaml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_srm-client-config.yaml_role_safety_valve

Required

true

Suppress Parameter Validation: Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for srm-client-ssl-config.yaml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for srm-client-ssl-config.yaml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_srm-client-ssl-config.yaml_role_safety_valve

Required

true

Suppress Parameter Validation: Streams Messaging Manager Rest Admin Server TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager Rest Admin Server TLS/SSL Trust Store File parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: Streams Messaging Manager Rest Admin Server TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager Rest Admin Server TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Parameter Validation: Streams Messaging Manager Rest Admin Server TLS/SSL Server Keystore Key Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager Rest Admin Server TLS/SSL Server Keystore Key Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_keypassword

Required

true

Suppress Parameter Validation: Streams Messaging Manager Rest Admin Server TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager Rest Admin Server TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: Streams Messaging Manager Rest Admin Server TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager Rest Admin Server TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Parameter Validation: Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for streams-messaging-manager.yaml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager Rest Admin Server Advanced Configuration Snippet (Safety Valve) for streams-messaging-manager.yaml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_streams-messaging-manager.yaml_role_safety_valve

Required

true

Suppress Parameter Validation: Allow All Alert Notifications

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Allow All Alert Notifications parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.messaging.manager.allow.all.alert.notifications

Required

true

Suppress Parameter Validation: Allowed resources**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Allowed resources parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.messaging.manager.allowed.resources

Required

true

Suppress Parameter Validation: Replication Factor for Internal Topics**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Replication Factor for Internal Topics parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.messaging.manager.internal.topics.replication.factor

Required

true

Suppress Parameter Validation: Oracle TLS javax.net.ssl.keyStore**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oracle TLS javax.net.ssl.keyStore parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.messaging.manager.javax.net.ssl.keystore

Required

true

Suppress Parameter Validation: Oracle TLS javax.net.ssl.keyStorePassword

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oracle TLS javax.net.ssl.keyStorePassword parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.messaging.manager.javax.net.ssl.keystorepassword

Required

true

Suppress Parameter Validation: Oracle TLS javax.net.ssl.keyStoreType

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oracle TLS javax.net.ssl.keyStoreType parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.messaging.manager.javax.net.ssl.keystoretype

Required

true

Suppress Parameter Validation: Oracle TLS javax.net.ssl.trustStore

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oracle TLS javax.net.ssl.trustStore parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.messaging.manager.javax.net.ssl.truststore

Required

true

Suppress Parameter Validation: Oracle TLS javax.net.ssl.trustStorePassword

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oracle TLS javax.net.ssl.trustStorePassword parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.messaging.manager.javax.net.ssl.truststorepassword

Required

true

Suppress Parameter Validation: Oracle TLS javax.net.ssl.trustStoreType

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oracle TLS javax.net.ssl.trustStoreType parameter.

Related Name

Default Value

false

API Name

role_config_suppression_streams.messaging.manager.javax.net.ssl.truststoretype

Required

true

Suppress Parameter Validation: Java Home Path Override

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Home Path Override parameter.

Related Name

Default Value

false

API Name

role_config_suppression_streams.messaging.manager.jdk.home

Required

true

Suppress Parameter Validation: Kafka Alert Notification Topic

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Alert Notification Topic parameter.

Related Name

Default Value

false

API Name

role_config_suppression_streams.messaging.manager.kafka.alert.notifications.topic

Required

true

Suppress Parameter Validation: Kafka Cache Refresh Interval ms

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Cache Refresh Interval ms parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.messaging.manager.kafka.cache.refresh.interval.ms

Required

true

Suppress Parameter Validation: Kerberos Name Rules**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Name Rules parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.messaging.manager.kerberos.name.rules

Required

true

Suppress Parameter Validation: Kerberos Non Browser User Agents**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Non Browser User Agents parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.messaging.manager.kerberos.non.browser.user.agents

Required

true

Suppress Parameter Validation: Oracle TLS oracle.net.authentication_services**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oracle TLS oracle.net.authentication_services parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.messaging.manager.oracle.net.authentication_services

Required

true

Suppress Parameter Validation: Oracle TLS oracle.net.ssl_cipher_suites

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Oracle TLS oracle.net.ssl_cipher_suites parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.messaging.manager.oracle.net.ssl_cipher_suites

Required

true

Suppress Parameter Validation: oracle.net.ssl_version

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the oracle.net.ssl_version parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.messaging.manager.oracle.net.ssl_version

Required

true

Suppress Parameter Validation: Streams Messaging Manager NotifierProviders Config Classes

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager NotifierProviders Config Classes parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.messaging.manager.providerclasses

Required

true

Suppress Parameter Validation: Save Notification Read Status Per User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Save Notification Read Status Per User parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_streams.messaging.manager.save.notification.read.status.per.user`**Required**

true

Suppress Parameter Validation: Servlet filter**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Servlet filter parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_streams.messaging.manager.servlet.filter`**Required**

true

Suppress Parameter Validation: Excluded SSL/TLS Cipher Suites**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Excluded SSL/TLS Cipher Suites parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_streams.messaging.manager.ssl.excludedciphersuites`**Required**

true

Suppress Parameter Validation: Excluded SSL/TLS Protocols**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Excluded SSL/TLS Protocols parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_streams.messaging.manager.ssl.excludedprotocols`**Required**

true

Suppress Parameter Validation: SSL Keystore Type**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SSL Keystore Type parameter.

Related Name

Default Value

false

API Name

role_config_suppression_streams.messaging.manager.ssl.keystoretype

Required

true

Suppress Parameter Validation: Supported SSL/TLS Cipher Suites

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Supported SSL/TLS Cipher Suites parameter.

Related Name

Default Value

false

API Name

role_config_suppression_streams.messaging.manager.ssl.supportedciphersuites

Required

true

Suppress Parameter Validation: Supported SSL/TLS Protocols

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Supported SSL/TLS Protocols parameter.

Related Name

Default Value

false

API Name

role_config_suppression_streams.messaging.manager.ssl.supportedprotocols

Required

true

Suppress Parameter Validation: SSL TrustStore Type

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SSL TrustStore Type parameter.

Related Name

Default Value

false

API Name

role_config_suppression_streams.messaging.manager.ssl.truststoretype

Required

true

Suppress Parameter Validation: SSL ValidateCerts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SSL ValidateCerts parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.messaging.manager.ssl.validatecerts

Required

true

Suppress Parameter Validation: SSL validatePeers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SSL validatePeers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.messaging.manager.ssl.validatepeers

Required

true

Suppress Parameter Validation: Streams Messaging Manager Configuration Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager Configuration Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.messaging.manager.working.directory

Required

true

Suppress Parameter Validation: Streams Replication Manager Basic Authentication Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Replication Manager Basic Authentication Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.replication.manager.manual.basic.auth.password

Required

true

Suppress Parameter Validation: Streams Replication Manager Basic Authentication Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Replication Manager Basic Authentication Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.manual.basic.auth.username

Required

true

Suppress Parameter Validation: Streams Replication Manager Rest HostPorts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Replication Manager Rest HostPorts parameter.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.manual.hostports

Required

true

Suppress Parameter Validation: Streams Messaging Manager Rest Admin Server Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager Rest Admin Server Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_streams_messaging_manager_server_role_env_safety_valve

Required

true

Suppress Health Test: Audit Pipeline Test

Description

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_streams_messaging_manager_streams_messaging_manager_server_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_streams_messaging_manager_streams_messaging_manager_server_file_descriptor

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_streams_messaging_manager_streams_messaging_manager_server_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

```
role_health_suppression_streams_messaging_manager_streams_messaging_manager_server_log_d  
irectory_free_space
```

Required

```
true
```

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

```
false
```

API Name

```
role_health_suppression_streams_messaging_manager_streams_messaging_manager_server_otelc  
ol_health
```

Required

```
true
```

Suppress Health Test: Ranger Plugin Hdfs Spool Directory Size**Description**

Whether to suppress the results of the Ranger Plugin Hdfs Spool Directory Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

```
false
```

API Name

```
role_health_suppression_streams_messaging_manager_streams_messaging_manager_server_rang  
e_r_plugin_hdfs_spool_directory_size_health
```

Required

```
true
```

Suppress Health Test: Ranger Plugin Solr Spool Directory Size**Description**

Whether to suppress the results of the Ranger Plugin Solr Spool Directory Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

```
false
```

API Name

```
role_health_suppression_streams_messaging_manager_streams_messaging_manager_server_rang  
e_r_plugin_solr_spool_directory_size_health
```

Required

```
true
```


Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_streams_messaging_manager_streams_messaging_manager_server_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_streams_messaging_manager_streams_messaging_manager_server_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_streams_messaging_manager_streams_messaging_manager_server_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits**Description**

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_streams_messaging_manager_streams_messaging_manager_server_unexpected_exits

Required

true

Streams Messaging Manager UI Server

Advanced

Streams Messaging Manager UI Server Advanced Configuration Snippet (Safety Valve) for config.json

Description

For advanced use only. A string to be inserted into config.json for this role only.

Related Name

Default Value

API Name

config.json_role_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name

Default Value

false

API Name

metric_config_auto_refresh

Required

false

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name

Default Value

true

API Name

process_auto_restart

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Streams Messaging Manager UI Server Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name

Default Value

API Name

STREAMS_MESSAGING_MANAGER_UI_role_env_safety_valve

Required

false

Streams Messaging Manager UI Server Advanced Configuration Snippet (Safety Valve) for vars-ui.sh

Description

For advanced use only. A string to be inserted into vars-ui.sh for this role only.

Related Name

Default Value

API Name

vars-ui.sh_role_safety_valve

Required

false

Logs

Streams Messaging Manager UI Server Log Directory

Description

The log directory for log files of the role Streams Messaging Manager UI Server.

Related Name

log_dir

Default Value

/var/log/streams-messaging-manager

API Name

log_dir

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold

Related Name

Default Value

	true
API Name	enable_alerts
Required	false

Enable Configuration Change Alerts

Description	When set, Cloudera Manager will send alerts when this entity's configuration changes.
Related Name	
Default Value	false
API Name	enable_config_alerts
Required	false

Log Directory Free Space Monitoring Absolute Thresholds

Description	The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.
Related Name	
Default Value	Warning: 10 GiB, Critical: 5 GiB
API Name	log_directory_free_space_absolute_thresholds
Required	false

Log Directory Free Space Monitoring Percentage Thresholds

Description	The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.
Related Name	
Default Value	Warning: Never, Critical: Never
API Name	log_directory_free_space_percentage_thresholds
Required	false

Metric Filter

Description	
--------------------	--

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name**Default Value****API Name**

`monitoring_metric_filter`

Required

`false`

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

`otelcol_exporters`

Required

`false`

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

extensions: basicauth/\$ROLE_NAME: client_auth: username:
\$ROLE_PARAM(otelcol_remote_write_user) password:
'\$ROLE_PARAM(otelcol_remote_write_password)'

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL**Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**`$INFRA(cdp_request_signer_url)`**API Name**

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username**Description**

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify `$INFRA(cdp_request_signer_username)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**`$INFRA(cdp_request_signer_username)`**API Name**

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers

Description

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

role_triggers

Required

true

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name

Default Value

Warning: 50.0 %, Critical: 70.0 %

API Name

streams_messaging_manager_ui_fd_thresholds

Required

false

Streams Messaging Manager UI Server Host Health Test

Description

When computing the overall Streams Messaging Manager UI Server health, consider the host's health.

Related Name

Default Value

	true
API Name	streams_messaging_manager_ui_host_health_enabled
Required	false

Streams Messaging Manager UI Server Process Health Test

Description
Enables the health test that the Streams Messaging Manager UI Server's process state is consistent with the role configuration

Related Name

Default Value

true

API Name

streams_messaging_manager_ui_scm_health_enabled

Required

false

Unexpected Exits Thresholds

Description
The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name

Default Value

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description
The period to review when computing unexpected exits.

Related Name

Default Value

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

Graceful Shutdown Timeout

Description

The timeout in milliseconds to wait for graceful shutdown to complete.

Related Name**Default Value**

30 second(s)

API Name

graceful_stop_timeout

Required

false

Streams Messaging Manager UI Port

Description

The port on which server accepts connections.

Related Name

streams.messaging.manager.ui.port

Default Value

9991

API Name

streams.messaging.manager.ui.port

Required

true

Streams Messaging Manager Show Assignment Tab

Description

Whether to show the Assignment tab on the Topic Details page.

Related Name

streams.messaging.manager.ui.show.assignment.tab

Default Value

true

API Name

streams.messaging.manager.ui.show.assignment.tab

Required

false

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Resource Management

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares

Description

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight

Description

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)

Description

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight

Description

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

`rm_memory_soft_limit_v2`**Required**`true`**Security****Streams Messaging Manager UI Server TLS/SSL Certificate Trust Store File****Description**

The location on disk of the trust store, in .pem format, used to confirm the authenticity of TLS/SSL servers that Streams Messaging Manager UI Server might connect to. This is used when Streams Messaging Manager UI Server is the client in a TLS/SSL connection. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name`streams.messaging.manager.ui.ssl.trust.store.location`**Default Value****API Name**`ssl_client_truststore_location`**Required**`false`**Enable TLS/SSL for Streams Messaging Manager UI Server****Description**

Encrypt communication between clients and Streams Messaging Manager UI Server using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name`streams.messaging.manager.ui.ssl.enable`**Default Value**`false`**API Name**`ssl_enabled`**Required**`false`**Streams Messaging Manager UI Server TLS/SSL Server CA Certificate (PEM Format)****Description**

The path to the TLS/SSL file containing the certificate of the certificate authority (CA) and any intermediate certificates used to sign the server certificate. Used when Streams Messaging Manager UI Server is acting as a TLS/SSL server. The certificate file must be in PEM format, and is usually created by concatenating all of the appropriate root and intermediate certificates.

Related Name`streams.messaging.manager.ui.ssl.ca.cert.location`**Default Value****API Name**`ssl_server_ca_certificate_location`**Required**

false

Streams Messaging Manager UI Server TLS/SSL Server Certificate File (PEM Format)

Description

The path to the TLS/SSL file containing the server certificate key used for TLS/SSL. Used when Streams Messaging Manager UI Server is acting as a TLS/SSL server. The certificate file must be in PEM format.

Related Name

streams.messaging.manager.ui.ssl.cert.location

Default Value

API Name

ssl_server_certificate_location

Required

false

Streams Messaging Manager UI Server TLS/SSL Server Private Key File (PEM Format)

Description

The path to the TLS/SSL file containing the private key used for TLS/SSL. Used when Streams Messaging Manager UI Server is acting as a TLS/SSL server. The certificate file must be in PEM format.

Related Name

streams.messaging.manager.ui.ssl.private.key.location

Default Value

API Name

ssl_server_privatekey_location

Required

false

Streams Messaging Manager UI Server TLS/SSL Private Key Password

Description

The password for the private key in the Streams Messaging Manager UI Server TLS/SSL Server Certificate and Private Key file. If left blank, the private key is not protected by a password.

Related Name

Default Value

API Name

ssl_server_privatekey_password

Required

false

SSL/TLS Cipher Suite

Description

The SSL/TLS cipher suites to use. "Modern 2018" is a modern set of cipher suites as of 2018, according to the Mozilla server-side TLS recommendations. These cipher suites use strong cryptography and are preferred unless interaction with older clients is required. These modern cipher suites are compatible with Firefox 27, Chrome 22, Internet Explorer 11, Opera 14, Safari 7, Android 4.4, and Java 8. "Intermediate 2018" is an intermediate set of cipher suites as of 2018,

according to the Mozilla server-side TLS recommendations. Select the Intermediate 2018 cipher suites if you require compatibility with a wider range of clients, legacy browsers, or older Linux tools.

Related Name

tls_cipher_suites

Default Value

modern2018

API Name

tls_ciphers

Required

false

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Streams Messaging Manager UI Server Advanced Configuration Snippet (Safety Valve) for config.json**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager UI Server Advanced Configuration Snippet (Safety Valve) for config.json parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_config.json_role_safety_valve

Required

true

Suppress Parameter Validation: Streams Messaging Manager UI Server Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager UI Server Log Directory parameter.

Related Name**Default Value**

	false
API Name	
	role_config_suppression_log_dir
Required	
	true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.
Related Name	
Default Value	false
API Name	
	role_config_suppression_otelcol_exporters
Required	
	true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.
Related Name	
Default Value	false
API Name	
	role_config_suppression_otelcol_extensions
Required	
	true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.
Related Name	
Default Value	false
API Name	
	role_config_suppression_otelcol_helper_port
Required	
	true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description	
--------------------	--

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Streams Messaging Manager UI Server TLS/SSL Certificate Trust Store File**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager UI Server TLS/SSL Certificate Trust Store File parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: Streams Messaging Manager UI Server TLS/SSL Server CA Certificate (PEM Format)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager UI Server TLS/SSL Server CA Certificate (PEM Format) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_ca_certificate_location

Required

true

Suppress Parameter Validation: Streams Messaging Manager UI Server TLS/SSL Server Certificate File (PEM Format)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager UI Server TLS/SSL Server Certificate File (PEM Format) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_certificate_location

Required

true

Suppress Parameter Validation: Streams Messaging Manager UI Server TLS/SSL Server Private Key File (PEM Format)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager UI Server TLS/SSL Server Private Key File (PEM Format) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_privatekey_location

Required

true

Suppress Parameter Validation: Streams Messaging Manager UI Server TLS/SSL Private Key Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager UI Server TLS/SSL Private Key Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_privatekey_password

Required

true

Suppress Parameter Validation: Streams Messaging Manager UI Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager UI Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.messaging.manager.ui.port

Required

true

Suppress Parameter Validation: Streams Messaging Manager UI Server Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager UI Server Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_streams_messaging_manager_ui_role_env_safety_valve

Required

true

Suppress Parameter Validation: Streams Messaging Manager UI Server Advanced Configuration Snippet (Safety Valve) for vars-ui.sh**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Messaging Manager UI Server Advanced Configuration Snippet (Safety Valve) for vars-ui.sh parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_vars-ui.sh_role_safety_valve

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_streams_messaging_manager_streams_messaging_manager_ui_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_streams_messaging_manager_streams_messaging_manager_ui_file_descriptor

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_streams_messaging_manager_streams_messaging_manager_ui_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

```
role_health_suppression_streams_messaging_manager_streams_messaging_manager_ui_log_directory_free_space
```

Required

```
true
```

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

```
false
```

API Name

```
role_health_suppression_streams_messaging_manager_streams_messaging_manager_ui_otelcol_health
```

Required

```
true
```

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

```
false
```

API Name

```
role_health_suppression_streams_messaging_manager_streams_messaging_manager_ui_scm_health
```

Required

```
true
```

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

```
false
```

API Name

```
role_health_suppression_streams_messaging_manager_streams_messaging_manager_ui_swap_memory_usage
```

Required

```
true
```

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_streams_messaging_manager_streams_messaging_manager_ui_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_streams_messaging_manager_streams_messaging_manager_ui_unexpected_exits

Required

true

Streams Replication Manager Properties in Cloudera Runtime 7.3.1

Role groups:

Gateway

Advanced

Deploy Directory

Description

The directory where the client configs will be deployed

Related Name

Default Value

/etc/streams_replication_manager

API Name

client_config_root_dir

Required

true

Streams Replication Manager Client Advanced Configuration Snippet (Safety Valve) for streams_replication_manager-conf/secrets

Description

For advanced use only, a string to be inserted into the client configuration for streams_replication_manager-conf/secrets.

Related Name**Default Value****API Name**

streams_replication_manager-conf/secrets_client_config_safety_valve

Required

false

Streams Replication Manager Client Advanced Configuration Snippet (Safety Valve) for streams_replication_manager-conf/srm.properties

Description

For advanced use only, a string to be inserted into the client configuration for streams_replication_manager-conf/srm.properties.

Related Name**Default Value****API Name**

streams_replication_manager-conf/srm.properties_client_config_safety_valve

Required

false

Monitoring

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Other

Alternatives Priority

Description

The priority level that the client configuration will have in the Alternatives system on the hosts. Higher priority levels will cause Alternatives to prefer this configuration over any others.

Related Name

Default Value

50

API Name

client_config_priority

Required

true

Control Topics Creation Timeout**Description**

The timeout to use when creating the internal control topics.

Related Name

control.topic.creation.timeout.ms

Default Value

20 second(s)

API Name

control.topic.creation.timeout.ms

Required

false

SRM Client's Kerberos Keytab Location**Description**

The path of the kerberos keytab file to be used by the SRM Client to authenticate with the co-located Kafka cluster. If left empty, the JAAS configuration of the co-located Kafka connection will not be generated.

Related Name

kerberos.keytab.location

Default Value**API Name**

kerberos.keytab.location

Required

false

SRM Client's Kerberos Principal Name**Description**

The kerberos principal name of the SRM Client to authenticate with the co-located Kafka cluster. If left empty, the JAAS configuration of the co-located Kafka connection will not be generated.

Related Name

kerberos.principal.name

Default Value**API Name**

kerberos.principal.name

Required

false

SRM Client's Secure Storage Password

Description

Password for the secure storage that securely stores the sensitive client configurations. The default value is an empty string. If left empty, the SRM Client Secure Storage will not be created, and sensitive configuration will not be available for the client.

Related Name

securestorage.password

Default Value**API Name**

securestorage.password

Required

false

Environment Variable Holding SRM Client's Secure Storage Password

Description

Name of the environment variable that stores the password for the SRM Client's secure storage.

Related Name

config.providers.secure.param.keystore.password.value

Default Value

SECURESTOREPASS

API Name

securestorage.password.variable

Required

false

SRM Client's TLS/SSL Server Keystore Key Password

Description

The password that protects the private key contained in the keystore used when a SRM Client is authenticated as an SSL client against a Kafka cluster. If left empty, this configuration is not saved into the respective secure client configuration, preventing the use of the client keystore.

Related Name

ssl.keystore.keypassword

Default Value**API Name**

ssl.keystore.keypassword

Required

false

Keystore file Location for the SRM client's TLS/SSL server

Description

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. This path is used when an SRM Client authenticates as an SSL client against a Kafka cluster.

Related Name

ssl.keystore.location

Default Value**API Name**

ssl.keystore.location

Required

false

SRM Client's TLS/SSL Server Keystore File Password**Description**

The password for the SRM Client keystore file. If left empty, this config will not be saved into the respective secure client configuration, preventing the use of the Client Keystore.

Related Name

ssl.keystore.password

Default Value**API Name**

ssl.keystore.password

Required

false

Security**Gateway TLS/SSL Trust Store File****Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Gateway might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

ssl.truststore.location

Default Value**API Name**

ssl_client_truststore_location

Required

false

Gateway TLS/SSL Trust Store Password**Description**

The password for the Gateway TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

ssl.truststore.password

Default Value**API Name**

ssl_client_truststore_password

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Deploy Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Deploy Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Parameter Validation: SRM Client's Kerberos Keytab Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Client's Kerberos Keytab Location parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_kerberos.keytab.location

Required

true

Suppress Parameter Validation: SRM Client's Kerberos Principal Name

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Client's Kerberos Principal Name parameter.

Related Name

Default Value

false

API Name

role_config_suppression_kerberos.principal.name

Required

true

Suppress Parameter Validation: SRM Client's Secure Storage Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Client's Secure Storage Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_securestorage.password

Required

true

Suppress Parameter Validation: Environment Variable Holding SRM Client's Secure Storage Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Environment Variable Holding SRM Client's Secure Storage Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_securestorage.password.variable

Required

true

Suppress Parameter Validation: SRM Client's TLS/SSL Server Keystore Key Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Client's TLS/SSL Server Keystore Key Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl.keystore.keypassword

Required

true

Suppress Parameter Validation: Keystore file Location for the SRM client's TLS/SSL server

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Keystore file Location for the SRM client's TLS/SSL server parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl.keystore.location

Required

true

Suppress Parameter Validation: SRM Client's TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Client's TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl.keystore.password

Required

true

Suppress Parameter Validation: Gateway TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway TLS/SSL Trust Store File parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: Gateway TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Parameter Validation: Streams Replication Manager Client Advanced Configuration Snippet (Safety Valve) for streams_replication_manager-conf/secrets

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Replication Manager Client Advanced Configuration Snippet (Safety Valve) for streams_replication_manager-conf/secrets parameter.

Related Name

Default Value

false

API Name

role_config_suppression_streams_replication_manager-conf/secrets_client_config_safety_valve

Required

true

Suppress Parameter Validation: Streams Replication Manager Client Advanced Configuration Snippet (Safety Valve) for streams_replication_manager-conf/srm.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Replication Manager Client Advanced Configuration Snippet (Safety Valve) for streams_replication_manager-conf/srm.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_streams_replication_manager-conf/srm.properties_client_config_safety_valve

Required

true

Service-Wide

Advanced

System Group

Description

The group that this service's processes should run as.

Related Name

Default Value

streamsrepmgr

API Name

process_groupname

Required

true

System User

Description

The user that this service's processes should run as.

Related Name

Default Value

streamsrepmgr

API Name

process_username

Required

true

Streams Replication Manager Service Advanced Configuration Snippet (Safety Valve) for srm-monitoring.properties

Description

For advanced use only, a string to be inserted into srm-monitoring.properties. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

srm-monitoring.properties_service_safety_valve

Required

false

Streams Replication Manager Service Advanced Configuration Snippet (Safety Valve) for srm.properties

Description

For advanced use only, a string to be inserted into srm.properties. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

srm.properties_service_safety_valve

Required

false

Streams Replication Manager Service Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

STREAMS_REPLICATION_MANAGER_service_env_safety_valve

Required

false

Monitoring**Enable Service Level Health Alerts****Description**

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Service Triggers**Description**

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "`

streamThreshold": 10, "enabled": "true"}}See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

service_triggers

Required

true

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name

Default Value

API Name

smon_derived_configs_safety_valve

Required

false

Healthy SRM Driver Monitoring Thresholds

Description

The health test thresholds of the overall SRM Driver health. The check returns "Concerning" health if the percentage of "Healthy" SRM Drivers falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" SRM Drivers falls below the critical threshold.

Related Name

Default Value

Warning: 94.99 %, Critical: 49.99 %

API Name

STREAMS_REPLICATION_MANAGER_STREAMS_REPLICATION_MANAGER_DRIVER_healthy_thresholds

Required

false

Healthy SRM Service Monitoring Thresholds

Description

The health test thresholds of the overall SRM Service health. The check returns "Concerning" health if the percentage of "Healthy" SRM Services falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" SRM Services falls below the critical threshold.

Related Name

Default Value

Warning: 94.99 %, Critical: 49.99 %

API Name

STREAMS_REPLICATION_MANAGER_STREAMS_REPLICATION_MANAGER_SERVICE_healthy_thresholds

Required

false

Other**Streams Replication Manager Cluster alias****Description**

Specifies cluster aliases for the clusters SRM is connecting to. Cluster aliases are comma delimited. For example, 'primary, backup'.

Related Name

clusters

Default Value**API Name**

clusters

Required

true

Streams Replication Manager Co-located Kafka Cluster Alias**Description**

Alias for co-located kafka cluster. Set this only if Kafka is available on the cluster where SRM lives, and replication is needed for that Kafka cluster. For this property to have any effect, the dependency on the co-located Kafka should be activated.

Related Name

colocated.cluster.alias

Default Value**API Name**

colocated.cluster.alias

Required

false

SRM Control Topics Replication Factor**Description**

The replication factor of the topics used and created by the srm-control tool. This configuration is applied when a replication is started for the first time.

Related Name

control.topic.replication.factor

Default Value

3

API Name

control.topic.replication.factor

Required

false

Emit Checkpoints Interval Seconds

Description

The interval at which SRM emits checkpoint information.

Related Name

emit.checkpoints.interval.seconds

Default Value

5 second(s)

API Name

emit.checkpoints.interval.seconds

Required

true

External Basic Authentication Accounts Accepted By SRM Service

Description

Specifies the list of external Basic Authentication accounts to be allowed by SRM Service. These external accounts can be added in Cloudera Manager under Administration -> External Accounts -> Basic Authentication Credentials -> Add Basic Authentication Credentials.

Related Name

external_basic_auth_accounts

Default Value**API Name**

external_basic_auth_accounts

Required

false

External Kafka Accounts

Description

Specifies the list of external Kafka accounts to be imported into the SRM configuration. These external accounts can be added in Cloudera Manager under Administration -> External Accounts -> Kafka Credentials -> Add Kafka Credentials.

Related Name

external_kafka_accounts

Default Value**API Name**

external_kafka_accounts

Required

false

External Accounts For Remote Querying SRM Services

Description

Specifies the list of external SRM Service accounts to be used for connecting to the corresponding remote SRM Services. These external accounts can be added in Cloudera Manager under Administration -> External Accounts -> Streams Replication Manager Credentials -> Add Streams Replication Manager Service Credentials.

Related Name

external_srm_service_accounts

Default Value

API Name

external_srm_service_accounts

Required

false

Kafka Service

Description

Name of the Kafka service that this Streams Replication Manager service instance depends on

Related Name

Default Value

API Name

kafka_service

Required

false

Enable Kerberos Authentication

Description

Enables Kerberos authentication for this Streams Replication Manager.

Related Name

kerberos.auth.enable

Default Value

false

API Name

kerberos.auth.enable

Required

false

Metrics Topics Partition Count

Description

The partition count of the metrics topics. The partition count affects how many SRM Services can work in the cluster in parallel. This configuration is applied when a replication is started for the first time. After the topic is created, SRM checks at startup whether the metrics topics have the expected partition count. If the partition count does not match the value set in this property, SRM fails to start.

Related Name

metrics.topic.partition.count

Default Value

16

API Name

metrics.topic.partition.count

Required

false

Metrics Topics Replication Factor

Description

The replication factor of the metrics topics. This configuration is applied when a replication is started for the first time.

Related Name

metrics.topic.replication.factor

Default Value

3

API Name

metrics.topic.replication.factor

Required

false

Verify Partition Count Of The Metrics Topic

Description

Enables the verification of the partition count of metrics. If enabled, it will compare the expected number of partitions and the actual number of partitions.

Related Name

metrics.topic.verify.partition.count

Default Value

true

API Name

metrics.topic.verify.partition.count

Required

false

Enable Prefixless Replication

Description

Enables prefixless replication for Streams Replication Manager (SRM). If selected, SRM uses the 'IdentityReplicationPolicy' instead of the 'DefaultReplicationPolicy'. Additionally, if this property is selected, the 'Use Internal Topic For Remote Topics Discovery' property is also automatically selected.

Related Name

prefixless.replication.enabled

Default Value

false

API Name

prefixless.replication.enabled

Required

false

Refresh Groups Interval Seconds

Description

The interval at which SRM looks for new consumer groups on source clusters.

Related Name

refresh.groups.interval.seconds

Default Value

10 minute(s)

API Name

refresh.groups.interval.seconds

Required

true

Refresh Topics Interval Seconds**Description**

The interval at which SRM looks for new topics on source clusters.

Related Name

refresh.topics.interval.seconds

Default Value

10 minute(s)

API Name

refresh.topics.interval.seconds

Required

true

Use Internal Topic For Remote Topics Discovery**Description**

Enables the discovery of remote (replicated) topics using an internal topic that stores all remote topics. This replaces the prefix-based remote topic detection used when the 'DefaultReplicationPolicy' replication policy is in use. This property must be selected if Streams Replication Manager (SRM) is configured to use a prefixless replication policy. This property is automatically selected if 'Enable Prefixless Replication' is selected.

Related Name

remote.topics.discovery.enabled

Default Value

true

API Name

remote.topics.discovery.enabled

Required

false

SRM_HEAP_OPTS**Description**

Memory heap params.

Related Name

SRM_HEAP_OPTS

Default Value

-Xmx8G -Xms1G

API Name

SRM_HEAP_OPTS**Required**

false

SRM_JMX_OPTS**Description**

Change parameters to setup jmxremote.

Related Name

SRM_JMX_OPTS

Default Value-Dcom.sun.management.jmxremote -Dcom.sun.management.jmxremote.authenticate=false -
Dcom.sun.management.jmxremote.ssl=false**API Name**

SRM_JMX_OPTS

Required

false

SRM_JVM_PERF_OPTS**Description**

SRM JVM perf and gc opts.

Related Name

SRM_JVM_PERF_OPTS

Default Value-server -XX:+UseG1GC -XX:MaxGCPauseMillis=20 -XX:InitiatingHeapOccupancyPercent=35 -
XX:+ExplicitGCInvokesConcurrent -Djava.awt.headless=true**API Name**

SRM_JVM_PERF_OPTS

Required

false

Streams Replication Manager's Replication Configs**Description**

Specifies cluster bootstrap server information and cluster replication pairs. Bootstrap information for each alias defined in the clusters property has to be added as follows: 'primary.bootstrap.servers=mycluster1.example.com:9092', 'backup.bootstrap.servers=mycluster2.example.com:9092'.. Each cluster configuration has to be added in a new line, if cluster has multiple nodes, add all nodes to the same line and delimit each with a comma. Cluster replication pairs can be defined as follows: 'primary->backup.enabled=true'.. Each unique replication pair has to be added in a new line.

Related Name

streams.replication.manager.config

Default Value**API Name**

streams.replication.manager.config

Required

false

SRM Log Format

Description

Format of the messages output by the logger in SRM Driver and SRM Service. For the logsearch functionality to work, the first 3 columns (date, level, context) must stay the same.

Related Name

streams.replication.manager.log.format

Default Value

%dISO8601 %p %c: [%t] %Xconnector.context%m%n%rEx

API Name

streams.replication.manager.log.format

Required

false

Retry Interval For SRM Rolling Restart Check

Description

Specifies the interval (in seconds) at which the SRM Driver/Service Rolling Restart Check tests the SRM instance's availability.

Related Name

streams.replication.manager.rolling.restart.check.retry.interval.sec

Default Value

5 second(s)

API Name

streams.replication.manager.rolling.restart.check.retry.interval.sec

Required

false

Maximum Allowed Runtime For SRM Rolling Restart Check

Description

Specifies the maximum amount of time (in seconds) that a SRM Driver/Service Rolling Restart Check can take.

Related Name

streams.replication.manager.rolling.restart.check.time.limit.sec

Default Value

2 minute(s)

API Name

streams.replication.manager.rolling.restart.check.time.limit.sec

Required

false

Sync Topic Acls Enabled

Description

Enables the monitoring of the source cluster for ACL changes.

Related Name

sync.topic.acls.enabled

Default Value

	false
API Name	sync.topic.acls.enabled
Required	true

Sync Topic Acls Interval Seconds

Description	The interval at which SRM checks the source cluster for ACL changes.
Related Name	sync.topic.acls.interval.seconds
Default Value	30 second(s)
API Name	sync.topic.acls.interval.seconds
Required	true

Sync Topic Configs Interval Seconds

Description	The interval at which SRM checks the source cluster for configuration changes.
Related Name	sync.topic.configs.interval.seconds
Default Value	10 minute(s)
API Name	sync.topic.configs.interval.seconds
Required	true

Tasks Max

Description	Maximum number of tasks for replication between clusters.
Related Name	tasks.max
Default Value	3
API Name	tasks.max
Required	true

Security

Kerberos Principal

Description

Kerberos principal short name used by all roles of this service.

Related Name**Default Value**

streamsrepmgr

API Name

kerberos_princ_name

Required

true

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: Deploy Directory

Description

Whether to suppress configuration warnings produced by the Deploy Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Configuration Validator: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name**Default Value**

false

API Name
role_config_suppression_jmx_exporter_yaml

Required
true

Suppress Configuration Validator: SRM Client's Kerberos Keytab Location

Description
Whether to suppress configuration warnings produced by the SRM Client's Kerberos Keytab Location configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_kerberos.keytab.location

Required
true

Suppress Configuration Validator: SRM Client's Kerberos Principal Name

Description
Whether to suppress configuration warnings produced by the SRM Client's Kerberos Principal Name configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_kerberos.principal.name

Required
true

Suppress Configuration Validator: SRM Driver Log Directory

Description
Whether to suppress configuration warnings produced by the SRM Driver Log Directory configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_log_dir

Required
true

Suppress Configuration Validator: SRM Driver XML Override

Description

Whether to suppress configuration warnings produced by the SRM Driver XML Override configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_logback_safety_valve

Required

true

Suppress Configuration Validator: Metrics Reporter Password

Description

Whether to suppress configuration warnings produced by the Metrics Reporter Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_metrics.jetty.server.auth.password

Required

true

Suppress Configuration Validator: Metrics Reporter User Name

Description

Whether to suppress configuration warnings produced by the Metrics Reporter User Name configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_metrics.jetty.server.auth.username

Required

true

Suppress Configuration Validator: HTTP Metrics Reporter Port

Description

Whether to suppress configuration warnings produced by the HTTP Metrics Reporter Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_metrics.jetty.server.port

Required

true

Suppress Configuration Validator: HTTPS Metrics Reporter Port

Description

Whether to suppress configuration warnings produced by the HTTPS Metrics Reporter Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_metrics.jetty.server.secureport

Required

true

Suppress Configuration Validator: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: Path for driver plugins

Description

Whether to suppress configuration warnings produced by the Path for driver plugins configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_plugin.path

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: Role Triggers

Description

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Configuration Validator: SRM Client's Secure Storage Password

Description

Whether to suppress configuration warnings produced by the SRM Client's Secure Storage Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_securestorage.password

Required

true

Suppress Configuration Validator: Environment Variable Holding SRM Client's Secure Storage Password

Description

Whether to suppress configuration warnings produced by the Environment Variable Holding SRM Client's Secure Storage Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_securestorage.password.variable

Required

true

Suppress Configuration Validator: SRM Driver Advanced Configuration Snippet (Safety Valve) for srm-monitoring.properties

Description

Whether to suppress configuration warnings produced by the SRM Driver Advanced Configuration Snippet (Safety Valve) for srm-monitoring.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_srm-monitoring.properties_role_safety_valve

Required

true

Suppress Configuration Validator: SRM Service Advanced Configuration Snippet (Safety Valve) for srm-service.yaml

Description

Whether to suppress configuration warnings produced by the SRM Service Advanced Configuration Snippet (Safety Valve) for srm-service.yaml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_srm-service.yaml_role_safety_valve

Required

true

Suppress Configuration Validator: SRM Driver Advanced Configuration Snippet (Safety Valve) for srm.properties

Description

Whether to suppress configuration warnings produced by the SRM Driver Advanced Configuration Snippet (Safety Valve) for srm.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_srm.properties_role_safety_valve

Required

true

Suppress Configuration Validator: SRM Client's TLS/SSL Server Keystore Key Password

Description

Whether to suppress configuration warnings produced by the SRM Client's TLS/SSL Server Keystore Key Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl.keystore.keypassword

Required

true

Suppress Configuration Validator: Keystore file Location for the SRM client's TLS/SSL server

Description

Whether to suppress configuration warnings produced by the Keystore file Location for the SRM client's TLS/SSL server configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl.keystore.location

Required

true

Suppress Configuration Validator: SRM Client's TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the SRM Client's TLS/SSL Server Keystore File Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl.keystore.password

Required

true

Suppress Configuration Validator: SRM Driver TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the SRM Driver TLS/SSL Trust Store File configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Configuration Validator: SRM Driver TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the SRM Driver TLS/SSL Trust Store Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Configuration Validator: SRM Driver TLS/SSL Server Keystore Key Password

Description

Whether to suppress configuration warnings produced by the SRM Driver TLS/SSL Server Keystore Key Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_keypassword

Required

true

Suppress Configuration Validator: SRM Driver TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the SRM Driver TLS/SSL Server Keystore File Location configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Configuration Validator: SRM Driver TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the SRM Driver TLS/SSL Server Keystore File Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Configuration Validator: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.

Related Name

Default Value

false

API Name

`role_config_suppression_stacks_collection_directory`**Required**`true`**Suppress Configuration Validator: Streams Replication Manager Driver Target Cluster****Description**

Whether to suppress configuration warnings produced by the Streams Replication Manager Driver Target Cluster configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_streams.replication.manager.driver.target.cluster`**Required**`true`**Suppress Configuration Validator: Java Home Path Override****Description**

Whether to suppress configuration warnings produced by the Java Home Path Override configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_streams.replication.manager.jdk.home`**Required**`true`**Suppress Configuration Validator: Service Metric Migrator Max Offset Lag****Description**

Whether to suppress configuration warnings produced by the Service Metric Migrator Max Offset Lag configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_streams.replication.manager.migrator.monitor.max.offset.lag`**Required**`true`**Suppress Configuration Validator: SRM Service Co-Located Service Username****Description**

Whether to suppress configuration warnings produced by the SRM Service Co-Located Service Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.service.basic.auth.service.user.name

Required

true

Suppress Configuration Validator: SRM Service Co-Located Service User Password

Description

Whether to suppress configuration warnings produced by the SRM Service Co-Located Service User Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.service.basic.auth.service.user.password

Required

true

Suppress Configuration Validator: SRM Service Intra Cluster Account Name

Description

Whether to suppress configuration warnings produced by the SRM Service Intra Cluster Account Name configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.service.intra.cluster.account.name

Required

true

Suppress Configuration Validator: HTTP Metric Report Password

Description

Whether to suppress configuration warnings produced by the HTTP Metric Report Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.service.metric.password

Required

true

Suppress Configuration Validator: SRM Service Metrics Port

Description

Whether to suppress configuration warnings produced by the SRM Service Metrics Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.service.metric.port

Required

true

Suppress Configuration Validator: SRM Service Metrics Https Port

Description

Whether to suppress configuration warnings produced by the SRM Service Metrics Https Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.service.metric.ssl.port

Required

true

Suppress Configuration Validator: HTTP Metric Report User

Description

Whether to suppress configuration warnings produced by the HTTP Metric Report User configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.service.metric.user

Required

true

Suppress Configuration Validator: SRM Service Netty Native Working Dir

Description

Whether to suppress configuration warnings produced by the SRM Service Netty Native Working Dir configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.service.netty.native.working.dir

Required

true

Suppress Configuration Validator: SRM Service Port

Description

Whether to suppress configuration warnings produced by the SRM Service Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.replication.manager.service.port

Required

true

Suppress Configuration Validator: SRM Service Advertised API Root Path For Remote Queries

Description

Whether to suppress configuration warnings produced by the SRM Service Advertised API Root Path For Remote Queries configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.replication.manager.service.remote.advertised.api.root.path

Required

true

Suppress Configuration Validator: SRM Service Advertised Host For Remote Queries

Description

Whether to suppress configuration warnings produced by the SRM Service Advertised Host For Remote Queries configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.replication.manager.service.remote.advertised.host

Required

true

Suppress Configuration Validator: SRM Service Advertised Port For Remote Queries

Description

Whether to suppress configuration warnings produced by the SRM Service Advertised Port For Remote Queries configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.replication.manager.service.remote.advertised.port

Required

true

Suppress Configuration Validator: SRM Service Advertisement Topics Replication Factor For Remote Queries

Description

Whether to suppress configuration warnings produced by the SRM Service Advertisement Topics Replication Factor For Remote Queries configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.service.remote.advertisement.topic.replication.factor

Required

true

Suppress Configuration Validator: Streams Replication Manager Service Remote Target Clusters

Description

Whether to suppress configuration warnings produced by the Streams Replication Manager Service Remote Target Clusters configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.service.remote.target.clusters

Required

true

Suppress Configuration Validator: SRM Service Https Port

Description

Whether to suppress configuration warnings produced by the SRM Service Https Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.service.ssl.port

Required

true

Suppress Configuration Validator: Additional Confgs For Streams Application Running Inside SRM Service**Description**

Whether to suppress configuration warnings produced by the Additional Confgs For Streams Application Running Inside SRM Service configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.replication.manager.service.streams.application.configs

Required

true

Suppress Configuration Validator: SRM Service Streams Cache Maximum Bytes Buffering**Description**

Whether to suppress configuration warnings produced by the SRM Service Streams Cache Maximum Bytes Buffering configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.replication.manager.service.streams.cache.max.bytes.buffering

Required

true

Suppress Configuration Validator: Streams Applications Internal Topics Replication Factor**Description**

Whether to suppress configuration warnings produced by the Streams Applications Internal Topics Replication Factor configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.replication.manager.service.streams.replication.factor

Required

true

Suppress Configuration Validator: Metric Aggregator Streams Applications State Root Directory**Description**

Whether to suppress configuration warnings produced by the Metric Aggregator Streams Applications State Root Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.replication.manager.service.streams.state.dir

Required

true

Suppress Configuration Validator: Streams Replication Manager Service Target Cluster

Description

Whether to suppress configuration warnings produced by the Streams Replication Manager Service Target Cluster configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.service.target.cluster

Required

true

Suppress Configuration Validator: Excluded SSL/TLS Cipher Suites

Description

Whether to suppress configuration warnings produced by the Excluded SSL/TLS Cipher Suites configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.ssl.excludedciphersuites

Required

true

Suppress Configuration Validator: Excluded SSL/TLS Protocols

Description

Whether to suppress configuration warnings produced by the Excluded SSL/TLS Protocols configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.ssl.excludedprotocols

Required

true

Suppress Configuration Validator: SSL Keystore Type

Description

Whether to suppress configuration warnings produced by the SSL Keystore Type configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.ssl.keystoretype

Required

true

Suppress Configuration Validator: Supported SSL/TLS Cipher Suites

Description

Whether to suppress configuration warnings produced by the Supported SSL/TLS Cipher Suites configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.ssl.supportedciphersuites

Required

true

Suppress Configuration Validator: Supported SSL/TLS Protocols

Description

Whether to suppress configuration warnings produced by the Supported SSL/TLS Protocols configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.ssl.supportedprotocols

Required

true

Suppress Configuration Validator: SSL TrustStore Type

Description

Whether to suppress configuration warnings produced by the SSL TrustStore Type configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.ssl.truststoretype

Required

true

Suppress Configuration Validator: SSL ValidateCerts

Description

Whether to suppress configuration warnings produced by the SSL ValidateCerts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.ssl.validatecerts

Required

true

Suppress Configuration Validator: SSL ValidatePeers

Description

Whether to suppress configuration warnings produced by the SSL ValidatePeers configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.ssl.validatepeers

Required

true

Suppress Configuration Validator: Streams Replication Manager Client Advanced Configuration Snippet (Safety Valve) for streams_replication_manager-conf/secrets

Description

Whether to suppress configuration warnings produced by the Streams Replication Manager Client Advanced Configuration Snippet (Safety Valve) for streams_replication_manager-conf/secrets configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams_replication_manager-conf/secrets_client_config_safety_valve

Required

true

Suppress Configuration Validator: Streams Replication Manager Client Advanced Configuration Snippet (Safety Valve) for streams_replication_manager-conf/srm.properties

Description

Whether to suppress configuration warnings produced by the Streams Replication Manager Client Advanced Configuration Snippet (Safety Valve) for streams_replication_manager-conf/srm.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams_replication_manager-conf/srm.properties_client_config_safety_valve

Required

true

Suppress Configuration Validator: SRM Driver Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the SRM Driver Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams_replication_manager_driver_role_env_safety_valve

Required

true

Suppress Configuration Validator: SRM Service Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the SRM Service Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_streams_replication_manager_service_role_env_safety_valve

Required

true

Suppress Parameter Validation: Streams Replication Manager Cluster alias

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Replication Manager Cluster alias parameter.

Related Name

Default Value

false

API Name

service_config_suppression_clusters

Required

true

Suppress Parameter Validation: Streams Replication Manager Co-located Kafka Cluster Alias

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Replication Manager Co-located Kafka Cluster Alias parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_colocated.cluster.alias

Required

true

Suppress Parameter Validation: SRM Control Topics Replication Factor

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Control Topics Replication Factor parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_control.topic.replication.factor

Required

true

Suppress Parameter Validation: External Basic Authentication Accounts Accepted By SRM Service

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the External Basic Authentication Accounts Accepted By SRM Service parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_external_basic_auth_accounts

Required

true

Suppress Parameter Validation: External Kafka Accounts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the External Kafka Accounts parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_external_kafka_accounts

Required

true

Suppress Parameter Validation: External Accounts For Remote Querying SRM Services**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the External Accounts For Remote Querying SRM Services parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_external_srm_service_accounts

Required

true

Suppress Configuration Validator: Gateway Count Validator**Description**

Whether to suppress configuration warnings produced by the Gateway Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_gateway_count_validator

Required

true

Suppress Parameter Validation: Kerberos Principal**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Principal parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_kerberos_princ_name

Required

true

Suppress Parameter Validation: Metrics Topics Partition Count**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Metrics Topics Partition Count parameter.

Related Name

Default Value

false

API Name

service_config_suppression_metrics.topic.partition.count

Required

true

Suppress Parameter Validation: Metrics Topics Replication Factor

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Metrics Topics Replication Factor parameter.

Related Name

Default Value

false

API Name

service_config_suppression_metrics.topic.replication.factor

Required

true

Suppress Parameter Validation: System Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name

Default Value

false

API Name

service_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: System User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name

Default Value

false

API Name

service_config_suppression_process_username

Required

true

Suppress Parameter Validation: Service Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name

Default Value

false

API Name

service_config_suppression_service_triggers

Required

true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_smon_derived_configs_safety_valve

Required

true

Suppress Parameter Validation: Streams Replication Manager Service Advanced Configuration Snippet (Safety Valve) for srm-monitoring.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Replication Manager Service Advanced Configuration Snippet (Safety Valve) for srm-monitoring.properties parameter.

Related Name

Default Value

false

API Name

service_config_suppression_srm-monitoring.properties_service_safety_valve

Required

true

Suppress Parameter Validation: Streams Replication Manager Service Advanced Configuration Snippet (Safety Valve) for srm.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Replication Manager Service Advanced Configuration Snippet (Safety Valve) for srm.properties parameter.

Related Name

Default Value

	false
API Name	service_config_suppression_srm.properties_service_safety_valve
Required	true

Suppress Parameter Validation: SRM_HEAP_OPTS

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM_HEAP_OPTS parameter.

Related Name

Default Value
false

API Name
service_config_suppression_srm_heap_opts

Required
true

Suppress Parameter Validation: SRM_JMX_OPTS

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM_JMX_OPTS parameter.

Related Name

Default Value
false

API Name
service_config_suppression_srm_jmx_opts

Required
true

Suppress Parameter Validation: SRM_JVM_PERF_OPTS

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM_JVM_PERF_OPTS parameter.

Related Name

Default Value
false

API Name
service_config_suppression_srm_jvm_perf_opts

Required
true

Suppress Parameter Validation: Streams Replication Manager's Replication Configs

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Replication Manager's Replication Configs parameter.

Related Name

Default Value

false

API Name

service_config_suppression_streams.replication.manager.config

Required

true

Suppress Parameter Validation: SRM Log Format

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Log Format parameter.

Related Name

Default Value

false

API Name

service_config_suppression_streams.replication.manager.log.format

Required

true

Suppress Configuration Validator: SRM Driver Count Validator

Description

Whether to suppress configuration warnings produced by the SRM Driver Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_streams_replication_manager_driver_count_validator

Required

true

Suppress Configuration Validator: SRM Service Count Validator

Description

Whether to suppress configuration warnings produced by the SRM Service Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_streams_replication_manager_service_count_validator

Required

true

Suppress Parameter Validation: Streams Replication Manager Service Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Replication Manager Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_streams_replication_manager_service_env_safety_valve

Required

true

Suppress Health Test: SRM Driver Health

Description

Whether to suppress the results of the SRM Driver Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

service_health_suppression_streams_replication_manager_streams_replication_manager_driver_healthy

Required

true

Suppress Health Test: SRM Service Health

Description

Whether to suppress the results of the SRM Service Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

service_health_suppression_streams_replication_manager_streams_replication_manager_service_healthy

Required

true

SRM Driver

Advanced

SRM Driver XML Override

Description

For advanced use only, replace entire XML in the logback configuration file for SRM Driver, ignoring all logging configuration.

Related Name

logback_safety_valve

Default Value**API Name**

logback_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory

Description

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory

Description

When set, generates a heap dump file when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory

Description

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

SRM Driver Advanced Configuration Snippet (Safety Valve) for srm-monitoring.properties**Description**

For advanced use only. A string to be inserted into srm-monitoring.properties for this role only.

Related Name**Default Value****API Name**

srm-monitoring.properties_role_safety_valve

Required

false

SRM Driver Advanced Configuration Snippet (Safety Valve) for srm.properties**Description**

For advanced use only. A string to be inserted into srm.properties for this role only.

Related Name

Default Value

API Name

srm.properties_role_safety_valve

Required

false

SRM Driver Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name

Default Value

API Name

STREAMS_REPLICATION_MANAGER_DRIVER_role_env_safety_valve

Required

false

Logs

SRM Driver Log Directory

Description

The log directory for log files of the role SRM Driver.

Related Name

log_dir

Default Value

/var/log/streams-replication-manager

API Name

log_dir

Required

false

SRM Driver Logging Threshold

Description

The minimum log level for SRM Driver logs

Related Name

Default Value

INFO

API Name

log_threshold

Required

false

SRM Driver Maximum Log File Backups

Description

The maximum number of rolled log files to keep for SRM Driver logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

SRM Driver Max Log Size**Description**

The maximum size, in megabytes, per log file for SRM Driver logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring**Enable Health Alerts for this Role****Description**

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML**Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: { "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }

Related Name**Default Value****API Name**

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME,

`$CLUSTER_ID`, `$SERVICE_TYPE`, `$SERVICE_NAME`, `$ROLE_NAME`, `$ROLE_TYPE`,
`$ROLE_PARAM(my_parameter_name)` - e.g.: a port parameter for the role's metrics,
`$DECODE_B64(...)` and `$DECODE_URL(...)` to decode encoded parameters,
`$ENV_PARAM(name)` to fetch params from the process' environment, `$SYS_PARAM(name)` to
fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL**Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

`$INFRA(cdp_request_signer_url)`

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username**Description**

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify

\$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds

Description

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name

Default Value

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers

Description

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAM and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

role_triggers

Required

true

Enable Distributed Herder Health Test

Description

Enables or disables the health test. When disabled, the test does not run at all, nor generate health history.

Related Name

Default Value

	true
API Name	STREAMS_REPLICATION_MANAGER-STREAMS_REPLICATION_MANAGER_DRIVER-7.2.19-DISTRIBUTED_HERDER_STATUS_test_enable
Required	false

File Descriptor Monitoring Thresholds

Description	The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.
Related Name	
Default Value	Warning: 50.0 %, Critical: 70.0 %
API Name	streams_replication_manager_driver_fd_thresholds
Required	false

SRM Driver Host Health Test

Description	When computing the overall SRM Driver health, consider the host's health.
Related Name	
Default Value	true
API Name	streams_replication_manager_driver_host_health_enabled
Required	false

SRM Driver Process Health Test

Description	Enables the health test that the SRM Driver's process state is consistent with the role configuration
Related Name	
Default Value	true
API Name	streams_replication_manager_driver_scm_health_enabled
Required	false

Unexpected Exits Thresholds

Description	The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.
--------------------	---

Related Name

Default Value

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name

Default Value

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

Metrics Reporter Password

Description

Password used for the authentication on HTTP(S) metrics reporter endpoint.

Related Name

metrics.jetty.server.auth.password

Default Value

API Name

metrics.jetty.server.auth.password

Required

false

Metrics Reporter User Name

Description

User name used for the authentication on HTTP(S) metrics reporter endpoint.

Related Name

metrics.jetty.server.auth.username

Default Value

API Name

metrics.jetty.server.auth.username

Required

false

Enable Basic Authentication for Metrics Reporter

Description

Enable HTTP basic authentication for SRM driver's metrics reporter HTTP(S) endpoint.

Related Name

metrics.jetty.server.authentication.enabled

Default Value

false

API Name

metrics.jetty.server.authentication.enabled

Required

false

SSL Encryption for the Metrics Reporter

Description

Enable SSL encryption for the metrics endpoint.

Related Name

metrics.jetty.server.ssl.enabled

Default Value

false

API Name

metrics.jetty.server.ssl.enabled

Required

false

Metric Reporting Period

Description

The frequency at which metrics should be reported, in seconds.

Related Name

connectors.metrics.period

Default Value

30 second(s)

API Name

metrics.period

Required

false

Enable HTTP(S) Metrics Reporter

Description

Enable SRM driver metrics reporter HTTP(S) endpoint.

Related Name

mm.metrics.servlet.enable

Default Value

true

API Name

`mm.metrics.servlet.enable`**Required**`false`**Retry Count for SRM Driver****Description**

Number of times Streams Replication Manager Driver(s) will restart if a configured Kafka cluster is unavailable. The default value of -1 means infinite number of retries.

Related Name`mm.replication.restart.count`**Default Value**`-1`**API Name**`mm.replication.restart.count`**Required**`false`**Retry Delay for SRM Driver****Description**

The interval, in milliseconds, between attempted restarts of the SRM driver.

Related Name`mm.replication.restart.delay.ms`**Default Value**`10 second(s)`**API Name**`mm.replication.restart.delay.ms`**Required**`false`**Path for driver plugins****Description**

Path to directories immediately containing jars with plugins and their dependencies, uber-jars with plugins and their dependencies and classes of plugins and their dependencies.

Related Name`plugin.path`**Default Value**`/var/lib/kafka`**API Name**`plugin.path`**Required**`false`**Enable Heartbeats****Description**

Enables heartbeat emission by the SRM Driver. This is a global configuration that applies to all replications including disabled replications.

Related Name

emit.heartbeats.enabled

Default Value

true

API Name

streams.replication.manager.driver.emit.heartbeats.enabled

Required

false

Metrics Topics Creation Timeout for Driver**Description**

The timeout to use when creating the internal metrics topics. This timeout affects the rebalance process of the Driver cluster. When increasing this timeout value, ensure that you also increase 'Driver Rebalance Timeout' by at least the same amount.

Related Name

connectors.metrics.topic.creation.timeout.ms

Default Value

20 second(s)

API Name

streams.replication.manager.driver.metrics.topic.creation.timeout.ms

Required

false

Driver Rebalance Timeout**Description**

The maximum allowed time for each Driver to join the group once a rebalance has begun.

Related Name

workers.rebalance.timeout.ms

Default Value

1 minute(s)

API Name

streams.replication.manager.driver.rebalance.timeout.ms

Required

false

Streams Replication Manager Driver Target Cluster**Description**

Target cluster aliases for the srm-driver. When set, the srm-driver will collect data from all clusters, but will only write to the clusters specified here. Cluster aliases are comma separated.

Related Name

streams.replication.manager.driver.target.cluster

Default Value**API Name**

streams.replication.manager.driver.target.cluster

Required

false

Java Home Path Override**Description**

Java Home Path Override for Streams Replication Manager. If left empty, the java shipped with CM is used.

Related Name

streams.replication.manager.jdk.home

Default Value**API Name**

streams.replication.manager.jdk.home

Required

false

Performance**Maximum Process File Descriptors****Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses**HTTP Metrics Reporter Port****Description**

The port that the HTTP metrics reporter listens on.

Related Name

metrics.jetty.server.port

Default Value

26001

API Name

metrics.jetty.server.port

Required

true

HTTPS Metrics Reporter Port**Description**

The port that the HTTPS metrics reporter listens on.

Related Name

metrics.jetty.server.secureport

Default Value

26002

API Name

metrics.jetty.server.secureport

Required

true

Resource Management**Cgroup V1 BLKIO Weight****Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight
Default Value
100
API Name
rm_cpu_weight
Required
true

Custom Control Group Resources (overrides Cgroup settings)

Description
Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgroup command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***
Related Name
custom.cgroups
Default Value
API Name
rm_custom_resources
Required
false

Cgroup V2 I/O Weight

Description
Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.
Related Name
io.weight
Default Value
100
API Name
rm_io_weight
Required
true

Cgroup V1 Memory Hard Limit

Description
Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'
Related Name
memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes

not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security**SRM Driver TLS/SSL Trust Store File****Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that SRM Driver might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

ssl.truststore.location

Default Value**API Name**

ssl_client_truststore_location

Required

false

SRM Driver TLS/SSL Trust Store Password**Description**

The password for the SRM Driver TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

ssl.truststore.password

Default Value**API Name**

ssl_client_truststore_password

Required

false

Enable TLS/SSL for SRM Driver**Description**

Encrypt communication between clients and SRM Driver using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

ssl_enabled

Default Value

false

API Name

ssl_enabled

Required

false

SRM Driver TLS/SSL Server Keystore Key Password**Description**

The password that protects the private key contained in the keystore used when SRM Driver is acting as a TLS/SSL server.

Related Name

ssl.key.password

Default Value**API Name**

ssl_server_keystore_keypassword

Required

false

SRM Driver TLS/SSL Server Keystore File Location**Description**

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when SRM Driver is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

ssl.keystore.location

Default Value**API Name**

ssl_server_keystore_location

Required

false

SRM Driver TLS/SSL Server Keystore File Password**Description**

The password for the SRM Driver keystore file.

Related Name

ssl.keystore.password

Default Value**API Name**

ssl_server_keystore_password

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency

Description

The frequency with which stacks are collected.

Related Name

`stacks_collection_frequency`**Default Value**

5.0 second(s)

API Name`stacks_collection_frequency`**Required**

false

Stacks Collection Method**Description**

The method used to collect stacks. The `jstack` option involves periodically running the `jstack` command against the role's daemon process. The `servlet` method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the `servlet` method is selected, that HTTP endpoint is periodically scraped.

Related Name`stacks_collection_method`**Default Value**`jstack`**API Name**`stacks_collection_method`**Required**

false

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name`role_config_suppression_cdh_version_validator`**Required**

true

Suppress Parameter Validation: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_jmx_exporter_yaml`**Required**`true`**Suppress Parameter Validation: SRM Driver Log Directory****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Driver Log Directory parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_log_dir`**Required**`true`**Suppress Parameter Validation: SRM Driver XML Override****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Driver XML Override parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_logback_safety_valve`**Required**`true`**Suppress Parameter Validation: Metrics Reporter Password****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Metrics Reporter Password parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_metrics.jetty.server.auth.password`**Required**`true`**Suppress Parameter Validation: Metrics Reporter User Name****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Metrics Reporter User Name parameter.

Related Name

Default Value

false

API Name

role_config_suppression_metrics.jetty.server.auth.username

Required

true

Suppress Parameter Validation: HTTP Metrics Reporter Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HTTP Metrics Reporter Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_metrics.jetty.server.port

Required

true

Suppress Parameter Validation: HTTPS Metrics Reporter Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HTTPS Metrics Reporter Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_metrics.jetty.server.secureport

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Path for driver plugins

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Path for driver plugins parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_plugin.path

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: SRM Driver Advanced Configuration Snippet (Safety Valve) for srm-monitoring.properties**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Driver Advanced Configuration Snippet (Safety Valve) for srm-monitoring.properties parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_srm-monitoring.properties_role_safety_valve

Required

true

Suppress Parameter Validation: SRM Driver Advanced Configuration Snippet (Safety Valve) for srm.properties**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Driver Advanced Configuration Snippet (Safety Valve) for srm.properties parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_srm.properties_role_safety_valve

Required

true

Suppress Parameter Validation: SRM Driver TLS/SSL Trust Store File**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Driver TLS/SSL Trust Store File parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: SRM Driver TLS/SSL Trust Store Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Driver TLS/SSL Trust Store Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Parameter Validation: SRM Driver TLS/SSL Server Keystore Key Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Driver TLS/SSL Server Keystore Key Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_keypassword

Required

true

Suppress Parameter Validation: SRM Driver TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Driver TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: SRM Driver TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Driver TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Parameter Validation: Streams Replication Manager Driver Target Cluster

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Replication Manager Driver Target Cluster parameter.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.driver.target.cluster

Required

true

Suppress Parameter Validation: Java Home Path Override

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Home Path Override parameter.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.jdk.home

Required

true

Suppress Parameter Validation: SRM Driver Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Driver Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_streams_replication_manager_driver_role_env_safety_valve

Required

true

Suppress Health Test: Distributed Herder Health Test

Description

Whether to suppress the results of the Distributed Herder Health Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_streams_replication_manager-streams_replication_manager_driver-7.2.19-distributed_herder_status

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_streams_replication_manager_streams_replication_manager_driver_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_streams_replication_manager_streams_replication_manager_driver_file_descriptor

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_streams_replication_manager_streams_replication_manager_driver_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_streams_replication_manager_streams_replication_manager_driver_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_streams_replication_manager_streams_replication_manager_driver_otelcol_health

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_streams_replication_manager_streams_replication_manager_driver_sc_cm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_streams_replication_manager_streams_replication_manager_driver_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_streams_replication_manager_streams_replication_manager_driver_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits**Description**

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_streams_replication_manager_streams_replication_manager_driver_unexpected_exits

Required

true

SRM Service**Advanced****SRM Service XML Override****Description**

For advanced use only, replace entire XML in the logback configuration file for SRM Service, ignoring all logging configuration.

Related Name

logback_safety_valve

Default Value**API Name**

logback_safety_valve

Required

false

Enable auto refresh for metric configurations**Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory

Description

When set, a SIGKILL signal is sent to the role process when `java.lang.OutOfMemoryError` is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

SRM Service Advanced Configuration Snippet (Safety Valve) for srm-monitoring.properties**Description**

For advanced use only. A string to be inserted into srm-monitoring.properties for this role only.

Related Name**Default Value****API Name**

srm-monitoring.properties_role_safety_valve

Required

false

SRM Service Advanced Configuration Snippet (Safety Valve) for srm-service.yaml**Description**

For advanced use only. A string to be inserted into srm-service.yaml for this role only.

Related Name**Default Value****API Name**

srm-service.yaml_role_safety_valve

Required

false

SRM Service Advanced Configuration Snippet (Safety Valve) for srm.properties**Description**

For advanced use only. A string to be inserted into srm.properties for this role only.

Related Name**Default Value**

API Name

srm.properties_role_safety_valve

Required

false

SRM Service Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name

Default Value

API Name

STREAMS_REPLICATION_MANAGER_SERVICE_role_env_safety_valve

Required

false

Logs

SRM Service Log Directory

Description

The log directory for log files of the role SRM Service.

Related Name

log_dir

Default Value

/var/log/streams-replication-manager

API Name

log_dir

Required

false

SRM Service Logging Threshold

Description

The minimum log level for SRM Service logs

Related Name

Default Value

INFO

API Name

log_threshold

Required

false

SRM Service Maximum Log File Backups

Description

The maximum number of rolled log files to keep for SRM Service logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

SRM Service Max Log Size**Description**

The maximum size, in megabytes, per log file for SRM Service logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring**Enable Health Alerts for this Role****Description**

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking [View as JSON](#). In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name**Default Value****API Name**

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters,

\$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name

Default Value

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The

follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name

Default Value

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Enable Metrics Processor Health Test**Description**

Enables or disables the health test. When disabled, the test does not run at all, nor generate health history.

Related Name**Default Value**

true

API Name

STREAMS_REPLICATION_MANAGER-STREAMS_REPLICATION_MANAGER_SERVICE-7.2.19-METRICS_PROCESSOR_STATUS_test_enable

Required

false

Enable SRM Service - Service Discovery Heartbeat Producers Aggregated Health Test**Description**

Enables or disables the health test. When disabled, the test does not run at all, nor generate health history.

Related Name**Default Value**

true

API Name

STREAMS_REPLICATION_MANAGER-STREAMS_REPLICATION_MANAGER_SERVICE-7.2.19-SERVICE_DISCOVERY_HEARTBEAT_PRODUCERS_AGGREGATED_STATUS_test_enable

Required

false

Enable SRM Service - Remote SRM Service Discovery Endpoint Groups Aggregated Health Test**Description**

Enables or disables the health test. When disabled, the test does not run at all, nor generate health history.

Related Name**Default Value**

true

API Name

STREAMS_REPLICATION_MANAGER-STREAMS_REPLICATION_MANAGER_SERVICE-7.2.19-SERVICE_DISCOVERY_REMOTE_ENDPOINT_GROUPS_AGGREGATED_STATUS_test_enable

Required

false

Enable SRM Service - Remote SRM Service Discovery Endpoint Groups Validated With Health Checks Aggregated Health Test**Description**

Enables or disables the health test. When disabled, the test does not run at all, nor generate health history.

Related Name**Default Value**

true

API Name

STREAMS_REPLICATION_MANAGER-STREAMS_REPLICATION_MANAGER_SERVICE-7.2.19-SERVICE_DISCOVERY_REMOTE_ENDPOINT_GROUPS_WITH_HEALTH_CHECK_AGGREGATED_STATUS_test_enable

Required

false

Enable SRM Service - Remote SRM Service Discovery Topic Consumers Aggregated Health Test

Description

Enables or disables the health test. When disabled, the test does not run at all, nor generate health history.

Related Name**Default Value**

true

API Name

STREAMS_REPLICATION_MANAGER-STREAMS_REPLICATION_MANAGER_SERVICE-7.2.19-SERVICE_DISCOVERY_REMOTE_TOPIC_CONSUMERS_AGGREGATED_STATUS_test_enable

Required

false

Enable SRM Streams App Kafka Connection Health Test

Description

Enables or disables the health test. When disabled, the test does not run at all, nor generate health history.

Related Name**Default Value**

true

API Name

STREAMS_REPLICATION_MANAGER-STREAMS_REPLICATION_MANAGER_SERVICE-7.2.19-STREAMS_APP_KAFKA_CONNECTION_STATUS_test_enable

Required

false

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

streams_replication_manager_service_fd_thresholds

Required

false

SRM Service Host Health Test

Description

When computing the overall SRM Service health, consider the host's health.

Related Name**Default Value**

true

API Name

streams_replication_manager_service_host_health_enabled

Required

false

SRM Service Process Health Test**Description**

Enables the health test that the SRM Service's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

streams_replication_manager_service_scm_health_enabled

Required

false

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period**Description**

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other**SRM Service Diagnostics Collection Timeout****Description**

The timeout in milliseconds to wait for diagnostics collection to complete.

Related Name

Default Value

5 minute(s)

API Name

csd_role_diagnostics_timeout

Required

false

Service Metric Migrator Backoff**Description**

The frequency at which the progress of the Streams Replication Manager (SRM) Service Metrics Migrator is checked.

Related Name

streams.replication.manager.migrator.monitor.backoff.ms

Default Value

2 minute(s)

API Name

streams.replication.manager.migrator.monitor.backoff.ms

Required

false

Service Metric Migrator Max Offset Lag**Description**

The amount of offsets that the streams application in the Streams Replication Manager (SRM) Service Metrics Migrator is allowed to lag behind and still be considered up to date. When left empty, the migration logic will automatically calculate the maximum offset lag based on the Kafka Streams application configuration and the amount of metrics messages. Low offset lag values result in more up-to-date metrics processing following the upgrade, but also increase the time required for the upgrade to finish.

Related Name

streams.replication.manager.migrator.monitor.max.offset.lag

Default Value**API Name**

streams.replication.manager.migrator.monitor.max.offset.lag

Required

false

Service Metric Migrator Minimum Consecutive Successful Checks**Description**

The number of consecutive checks where the lag must be within the configured threshold to consider the Streams Replication Manager (SRM) Service Metrics Migrator successful. All target clusters of the SRM Service must be caught up for a check to be successful.

Related Name

streams.replication.manager.migrator.monitor.min.consecutive.successful.checks

Default Value

3

API Name

streams.replication.manager.migrator.monitor.min.consecutive.successful.checks

Required

false

Service Metric Migrator Stop Delay

Description

The amount of time in milliseconds that the Streams Replication Manager (SRM) Service Metrics Migrator processes metrics after the streams application is considered caught up

Related Name

streams.replication.manager.migrator.monitor.stop.delay.ms

Default Value

1 minute(s)

API Name

streams.replication.manager.migrator.monitor.stop.delay.ms

Required

false

Service Metric Migrator Timeout

Description

The time in milliseconds after the Streams Replication Manager (SRM) Service Metrics Migrator times out.

Related Name

streams.replication.manager.migrator.monitor.timeout.ms

Default Value

1 hour(s)

API Name

streams.replication.manager.migrator.monitor.timeout.ms

Required

false

SRM Service Co-Located Service Username

Description

The service username to be added to the accepted basic authentication credential list. This username is exported to dependent services in the cluster, which can be used to access SRM Service. If left empty, there will be no service user available, which might cause dependent services to fail to connect to SRM Service.

Related Name

streams.replication.manager.service.basic.auth.service.user.name

Default Value

srm_colocated_service_user

API Name

streams.replication.manager.service.basic.auth.service.user.name

Required

false

SRM Service Co-Located Service User Password**Description**

The password of the service user defined by 'streams.replication.manager.service.basic.auth.service.user.name'. Generated randomly by default.

Related Name

streams.replication.manager.service.basic.auth.service.user.password

Default Value

API Name

streams.replication.manager.service.basic.auth.service.user.password

Required

false

SRM Service Intra Cluster Account Name**Description**

The account name to be used for intra cluster communication if Basic Authentication is enabled. This account has to be listed in External Basic Authentication accounts configuration.

Related Name

streams.replication.manager.service.intra.cluster.account.name

Default Value**API Name**

streams.replication.manager.service.intra.cluster.account.name

Required

false

Enable HTTP Metric Report Basic Authentication**Description**

Enable Basic Authentication for SRM Service Metric HTTP Endpoint.

Related Name

streams.replication.manager.service.metric.authentication.enabled

Default Value

false

API Name

streams.replication.manager.service.metric.authentication.enabled

Required

false

HTTP Metric Report Password**Description**

The password used for Basic Authentication.

Related Name

streams.replication.manager.service.metric.password

Default Value**API Name**

streams.replication.manager.service.metric.password

Required

false

SRM Service Metrics Port

Description

SRM Service Metrics port.

Related Name

streams.replication.manager.service.metric.port

Default Value

6672

API Name

streams.replication.manager.service.metric.port

Required

true

SSL Encryption For HTTP Metric Reporter

Description

Enable SSL Encryption for HTTP Metric Endpoint.

Related Name

streams.replication.manager.service.metric.ssl.enabled

Default Value

false

API Name

streams.replication.manager.service.metric.ssl.enabled

Required

false

SRM Service Metrics Https Port

Description

SRM Service Metrics https port.

Related Name

streams.replication.manager.service.metric.ssl.port

Default Value

6673

API Name

streams.replication.manager.service.metric.ssl.port

Required

true

HTTP Metric Report User

Description

The username used for Basic Authentication.

Related Name

streams.replication.manager.service.metric.user

Default Value

API Name

streams.replication.manager.service.metric.user

Required

false

Metrics Topics Creation Timeout for Service

Description

The timeout to use when creating the internal metrics topics.

Related Name

metrics.topic.creation.timeout.ms

Default Value

20 second(s)

API Name

streams.replication.manager.service.metrics.topic.creation.timeout.ms

Required

false

SRM Service Netty Native Working Dir

Description

Directory location for Netty to be used as the native working directory.

Related Name

streams.replication.manager.service.netty.native.working.dir

Default Value

/var/lib/streams_replication_manager/service/netty

API Name

streams.replication.manager.service.netty.native.working.dir

Required

false

SRM Service Port

Description

SRM Service port.

Related Name

streams.replication.manager.service.port

Default Value

6670

API Name

streams.replication.manager.service.port

Required

true

SRM Service Advertised API Root Path For Remote Queries

Description

The advertised API root path of SRM Service for remote queries. If SRM Service can only be accessed through a proxy from outside the cluster, and that proxy has a prefix for the SRM Service REST API root, this config should match the prefix of the proxy. If left empty, no prefix will be advertised.

Related Name

streams.replication.manager.service.remote.advertised.api.root.path

Default Value**API Name**

streams.replication.manager.service.remote.advertised.api.root.path

Required

false

SRM Service Advertised Host For Remote Queries**Description**

The advertised host of SRM Service for remote queries. If SRM Service can only be accessed through a proxy from outside the cluster, this config should match the host of the proxy. If left empty, falls back to the hostname of the SRM Service host.

Related Name

streams.replication.manager.service.remote.advertised.host

Default Value**API Name**

streams.replication.manager.service.remote.advertised.host

Required

false

SRM Service Advertised Protocol For Remote Queries**Description**

The advertised protocol of SRM Service for remote queries. If SRM Service can only be accessed through a proxy from outside the cluster, this config should match the protocol of the proxy. If 'inferred' is selected, falls back to the protocol of SRM Service.

Related Name

streams.replication.manager.service.remote.advertised.protocol

Default Value

inferred

API Name

streams.replication.manager.service.remote.advertised.protocol

Required

false

SRM Service Advertisement Topics Replication Factor For Remote Queries**Description**

The replication factor of the topics used by the SRM Service to advertise itself for remote queries. This configuration is only applied when the Service is started for the first time, changing the property afterwards has no effect.

Related Name

streams.replication.manager.service.remote.advertisement.topic.replication.factor

Default Value

3

API Name

streams.replication.manager.service.remote.advertisement.topic.replication.factor

Required

false

Streams Replication Manager Service Remote Target Clusters**Description**

Remote target cluster aliases to query data from, in a comma separate list. There must be another installation of SRM Service which targets the clusters listed here.

Related Name

streams.replication.manager.service.remote.target.clusters

Default Value**API Name**

streams.replication.manager.service.remote.target.clusters

Required

false

SRM Service Https Port**Description**

SRM Service https port.

Related Name

streams.replication.manager.service.ssl.port

Default Value

6671

API Name

streams.replication.manager.service.ssl.port

Required

true

Additional Configs For Streams Application Running Inside SRM Service**Description**

A list of configs that will be set for the Streams Application running inside the SRM Service. The format of each configuration: <config_key>=<config_value>.

Related Name

streams.replication.manager.service.streams.application.configs

Default Value**API Name**

streams.replication.manager.service.streams.application.configs

Required

false

SRM Service Streams Cache Maximum Bytes Buffering**Description**

SRM Service Kafka Streams metrics processor maximum buffering bytes to cache. Maximum number of memory bytes to be used for buffering by the Kafka Streams metrics processor.

Related Name

streams.replication.manager.service.streams.cache.max.bytes.buffering

Default Value

20 MiB

API Name

streams.replication.manager.service.streams.cache.max.bytes.buffering

Required

true

SRM Service Streams Commit Interval**Description**

SRM Service Kafka Streams metrics processor commit interval in ms. The frequency in milliseconds with which to save the position of the Kafka Streams metrics processor.

Related Name

streams.replication.manager.service.streams.commit.interval.ms

Default Value

2 minute(s)

API Name

streams.replication.manager.service.streams.commit.interval.ms

Required

true

SRM Service Metrics Grace Period**Description**

SRM Service Metrics grace period in ms. Out-of-order events are rejected if the event arrives after the grace period of the event's associated window has passed. That is, the event's timestamp is greater than the window's end time and grace-period combined.

Related Name

streams.replication.manager.service.streams.metrics.grace

Default Value

5 minute(s)

API Name

streams.replication.manager.service.streams.metrics.grace

Required

true

SRM Service Metrics Retention Period**Description**

SRM Service Metrics retention period in ms. The retention time specifies for how long metrics are retained. Metrics can be queried for the length of this duration, and are discarded after the retention period passes. Note that the retention period must be at least long enough to contain the windowed data's entire life cycle, from window-start through window-end, and for the entire grace period. (> 60 000 + metrics.grace)

Related Name

`streams.replication.manager.service.streams.metrics.retention`**Default Value**

2 hour(s)

API Name`streams.replication.manager.service.streams.metrics.retention`**Required**

true

SRM Service Streams Thread Count**Description**

The number of SRM Service Kafka Streams metrics processor threads to execute stream processing.

Related Name`streams.replication.manager.service.streams.num.stream.threads`**Default Value**

4

API Name`streams.replication.manager.service.streams.num.stream.threads`**Required**

false

Streams Applications Internal Topics Replication Factor**Description**

The replication factor of the internal topics created by the Streams applications. -1 means that the broker default will be used. This configuration is only applied when the Service is started for the first time, changing the property afterwards has no effect.

Related Name`streams.replication.manager.service.streams.replication.factor`**Default Value**

3

API Name`streams.replication.manager.service.streams.replication.factor`**Required**

false

Metric Aggregator Streams Applications State Root Directory**Description**

Directory location for state stores that the metric aggregator streams applications use. Changing the path for an existing service can cause slightly slower startup on the next start. The RocksDB shared objects used by the KStreams application will be also extracted into this location.

Related Name`streams.replication.manager.service.streams.state.dir`**Default Value**`/var/lib/streams_replication_manager/kstreams/data`**API Name**`streams.replication.manager.service.streams.state.dir`

Required

false

Streams Replication Manager Service Target Cluster**Description**

Target cluster aliases from which the SRM Service collects data. Cluster aliases are comma separated. Important note: the SRM Service v1 REST API will report the metrics of the first target cluster in the list.

Related Name

streams.replication.manager.service.target.cluster

Default Value**API Name**

streams.replication.manager.service.target.cluster

Required

true

SRM Service Use Basic Authentication**Description**

Whether to use basic authentication for this service or not.

Related Name

streams.replication.manager.service.use.basic.auth

Default Value

false

API Name

streams.replication.manager.service.use.basic.auth

Required

false

Excluded SSL/TLS Cipher Suites**Description**

A list of cipher suites which are excluded. If left empty, falls back to the server default.

Related Name

streams.replication.manager.ssl.excludedCipherSuites

Default Value**API Name**

streams.replication.manager.ssl.excludedCipherSuites

Required

false

Excluded SSL/TLS Protocols**Description**

A list of protocols which are excluded. If left empty, falls back to the server default.

Related Name

streams.replication.manager.ssl.excludedProtocols

Default Value

API Name

streams.replication.manager.ssl.excludedProtocols

Required

false

SSL Keystore Type

Description

The keystore type. Required if SSL is enabled for the SRM Service. For example, PKCS12 or JKS. If it is left empty then the keystore type will come from CM settings.

Related Name

streams.replication.manager.ssl.keyStoreType

Default Value

API Name

streams.replication.manager.ssl.keyStoreType

Required

false

Supported SSL/TLS Cipher Suites

Description

A list of cipher suites which are supported. If left empty, falls back to the server default.

Related Name

streams.replication.manager.ssl.supportedCipherSuites

Default Value

API Name

streams.replication.manager.ssl.supportedCipherSuites

Required

false

Supported SSL/TLS Protocols

Description

A list of protocols which are supported. If left empty, falls back to the server default.

Related Name

streams.replication.manager.ssl.supportedProtocols

Default Value

API Name

streams.replication.manager.ssl.supportedProtocols

Required

false

SSL TrustStore Type

Description

The truststore type. Required if SSL is enabled for the SRM Service. For example, PKCS12 or JKS. If it is left empty then the keystore type will come from CM settings.

Related Name

streams.replication.manager.ssl.trustStoreType

Default Value**API Name**

streams.replication.manager.ssl.trustStoreType

Required

false

SSL ValidateCerts**Description**

Whether or not to validate TLS certificates before starting. If enabled, it will refuse to start with expired or otherwise invalid certificates. Note: if this is enabled, the certificate revocation method (CRLDP/OCSP) is also needed. This can be done by overriding Dropwizard configuration with Java system properties. E.g: `-Ddw.server.applicationConnectors[0].enableCRLDP=true` (more details at <https://www.dropwizard.io/en/latest/manual/core.html>)

Related Name

streams.replication.manager.ssl.validateCerts

Default Value

false

API Name

streams.replication.manager.ssl.validateCerts

Required

false

SSL ValidatePeers**Description**

Whether or not to validate TLS peer certificates.

Related Name

streams.replication.manager.ssl.validatePeers

Default Value

false

API Name

streams.replication.manager.ssl.validatePeers

Required

false

Performance**Maximum Process File Descriptors****Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses**SRM Service Advertised Port For Remote Queries****Description**

The advertised port of SRM Service for remote queries. If SRM Service can only be accessed through a proxy from outside the cluster, this config should match the port of the proxy. If left empty, falls back to SRM Service Port or SRM Service Https Port.

Related Name

streams.replication.manager.service.remote.advertised.port

Default Value**API Name**

streams.replication.manager.service.remote.advertised.port

Required

false

Resource Management**Cgroup V1 BLKIO Weight****Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

`rm_memory_soft_limit_v1`**Required**`true`**Cgroup V2 Memory Soft Limit****Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name`memory.high`**Default Value**`-1 MiB`**API Name**`rm_memory_soft_limit_v2`**Required**`true`**Security****SRM Service TLS/SSL Trust Store File****Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that SRM Service might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name`ssl.truststore.location`**Default Value****API Name**`ssl_client_truststore_location`**Required**`false`**SRM Service TLS/SSL Trust Store Password****Description**

The password for the SRM Service TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name`ssl.truststore.password`**Default Value****API Name**`ssl_client_truststore_password`

Required

false

Enable TLS/SSL for SRM Service**Description**

Encrypt communication between clients and SRM Service using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

ssl_enabled

Default Value

false

API Name

ssl_enabled

Required

false

SRM Service TLS/SSL Server Keystore Key Password**Description**

The password that protects the private key contained in the keystore used when SRM Service is acting as a TLS/SSL server.

Related Name

ssl.key.password

Default Value**API Name**

ssl_server_keystore_keypassword

Required

false

SRM Service TLS/SSL Server Keystore File Location**Description**

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when SRM Service is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

ssl.keystore.location

Default Value**API Name**

ssl_server_keystore_location

Required

false

SRM Service TLS/SSL Server Keystore File Password**Description**

The password for the SRM Service keystore file.

Related Name

`ssl.keystore.password`**Default Value****API Name**`ssl_server_keystore_password`**Required**`false`**Stacks Collection****Stacks Collection Data Retention****Description**

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name`stacks_collection_data_retention`**Default Value**`100 MiB`**API Name**`stacks_collection_data_retention`**Required**`false`**Stacks Collection Directory****Description**

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name`stacks_collection_directory`**Default Value****API Name**`stacks_collection_directory`**Required**`false`**Stacks Collection Enabled****Description**

Whether or not periodic stacks collection is enabled.

Related Name`stacks_collection_enabled`**Default Value**`false`**API Name**`stacks_collection_enabled`

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: SRM Service Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Service Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: SRM Service XML Override**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Service XML Override parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_logback_safety_valve

Required

true

Suppress Parameter Validation: Heap Dump Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: SRM Service Advanced Configuration Snippet (Safety Valve) for srm-monitoring.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Service Advanced Configuration Snippet (Safety Valve) for srm-monitoring.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_srm-monitoring.properties_role_safety_valve

Required

true

Suppress Parameter Validation: SRM Service Advanced Configuration Snippet (Safety Valve) for srm-service.yaml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Service Advanced Configuration Snippet (Safety Valve) for srm-service.yaml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_srm-service.yaml_role_safety_valve

Required

true

Suppress Parameter Validation: SRM Service Advanced Configuration Snippet (Safety Valve) for srm.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Service Advanced Configuration Snippet (Safety Valve) for srm.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_srm.properties_role_safety_valve

Required

true

Suppress Parameter Validation: SRM Service TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Service TLS/SSL Trust Store File parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: SRM Service TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Service TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Parameter Validation: SRM Service TLS/SSL Server Keystore Key Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Service TLS/SSL Server Keystore Key Password parameter.

Related Name

Default Value

false

API Name

`role_config_suppression_ssl_server_keystore_keypassword`**Required**`true`**Suppress Parameter Validation: SRM Service TLS/SSL Server Keystore File Location****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Service TLS/SSL Server Keystore File Location parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ssl_server_keystore_location`**Required**`true`**Suppress Parameter Validation: SRM Service TLS/SSL Server Keystore File Password****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Service TLS/SSL Server Keystore File Password parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_ssl_server_keystore_password`**Required**`true`**Suppress Parameter Validation: Stacks Collection Directory****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_stacks_collection_directory`**Required**`true`**Suppress Parameter Validation: Service Metric Migrator Max Offset Lag****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Metric Migrator Max Offset Lag parameter.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.migrator.monitor.max.offset.lag

Required

true

Suppress Parameter Validation: SRM Service Co-Located Service Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Service Co-Located Service Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.service.basic.auth.service.user.name

Required

true

Suppress Parameter Validation: SRM Service Co-Located Service User Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Service Co-Located Service User Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.service.basic.auth.service.user.password

Required

true

Suppress Parameter Validation: SRM Service Intra Cluster Account Name

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Service Intra Cluster Account Name parameter.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.service.intra.cluster.account.name

Required

true

Suppress Parameter Validation: HTTP Metric Report Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HTTP Metric Report Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.replication.manager.service.metric.password

Required

true

Suppress Parameter Validation: SRM Service Metrics Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Service Metrics Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.replication.manager.service.metric.port

Required

true

Suppress Parameter Validation: SRM Service Metrics Https Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Service Metrics Https Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.replication.manager.service.metric.ssl.port

Required

true

Suppress Parameter Validation: HTTP Metric Report User**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HTTP Metric Report User parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.replication.manager.service.metric.user

Required

true

Suppress Parameter Validation: SRM Service Netty Native Working Dir

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Service Netty Native Working Dir parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.replication.manager.service.netty.native.working.dir

Required

true

Suppress Parameter Validation: SRM Service Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Service Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.replication.manager.service.port

Required

true

Suppress Parameter Validation: SRM Service Advertised API Root Path For Remote Queries

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Service Advertised API Root Path For Remote Queries parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.replication.manager.service.remote.advertised.api.root.path

Required

true

Suppress Parameter Validation: SRM Service Advertised Host For Remote Queries

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Service Advertised Host For Remote Queries parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_streams.replication.manager.service.remote.advertised.host

Required

true

Suppress Parameter Validation: SRM Service Advertised Port For Remote Queries

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Service Advertised Port For Remote Queries parameter.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.service.remote.advertised.port

Required

true

Suppress Parameter Validation: SRM Service Advertisement Topics Replication Factor For Remote Queries

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Service Advertisement Topics Replication Factor For Remote Queries parameter.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.service.remote.advertisement.topic.replication.factor

Required

true

Suppress Parameter Validation: Streams Replication Manager Service Remote Target Clusters

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Replication Manager Service Remote Target Clusters parameter.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.service.remote.target.clusters

Required

true

Suppress Parameter Validation: SRM Service Https Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Service Https Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.service.ssl.port

Required

true

Suppress Parameter Validation: Additional Configs For Streams Application Running Inside SRM Service

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Additional Configs For Streams Application Running Inside SRM Service parameter.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.service.streams.application.configs

Required

true

Suppress Parameter Validation: SRM Service Streams Cache Maximum Bytes Buffering

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Service Streams Cache Maximum Bytes Buffering parameter.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.service.streams.cache.max.bytes.buffering

Required

true

Suppress Parameter Validation: Streams Applications Internal Topics Replication Factor

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Applications Internal Topics Replication Factor parameter.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.service.streams.replication.factor

Required

true

Suppress Parameter Validation: Metric Aggregator Streams Applications State Root Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Metric Aggregator Streams Applications State Root Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.service.streams.state.dir

Required

true

Suppress Parameter Validation: Streams Replication Manager Service Target Cluster

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Streams Replication Manager Service Target Cluster parameter.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.service.target.cluster

Required

true

Suppress Parameter Validation: Excluded SSL/TLS Cipher Suites

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Excluded SSL/TLS Cipher Suites parameter.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.ssl.excludedciphersuites

Required

true

Suppress Parameter Validation: Excluded SSL/TLS Protocols

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Excluded SSL/TLS Protocols parameter.

Related Name

Default Value

	false
API Name	role_config_suppression_streams.replication.manager.ssl.excludedprotocols
Required	true

Suppress Parameter Validation: SSL Keystore Type

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the SSL Keystore Type parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_streams.replication.manager.ssl.keystoretype
Required	true

Suppress Parameter Validation: Supported SSL/TLS Cipher Suites

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Supported SSL/TLS Cipher Suites parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_streams.replication.manager.ssl.supportedciphersuites
Required	true

Suppress Parameter Validation: Supported SSL/TLS Protocols

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Supported SSL/TLS Protocols parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_streams.replication.manager.ssl.supportedprotocols
Required	true

Suppress Parameter Validation: SSL TrustStore Type

Description	
--------------------	--

Whether to suppress configuration warnings produced by the built-in parameter validation for the SSL TrustStore Type parameter.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.ssl.truststoretype

Required

true

Suppress Parameter Validation: SSL ValidateCerts

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SSL ValidateCerts parameter.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.ssl.validatecerts

Required

true

Suppress Parameter Validation: SSL ValidatePeers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SSL ValidatePeers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_streams.replication.manager.ssl.validatepeers

Required

true

Suppress Parameter Validation: SRM Service Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the SRM Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_streams_replication_manager_service_role_env_safety_valve

Required

true

Suppress Health Test: Metrics Processor Health Test**Description**

Whether to suppress the results of the Metrics Processor Health Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_streams_replication_manager-streams_replication_manager_service-7.2.19-metrics_processor_status

Required

true

Suppress Health Test: SRM Service - Service Discovery Heartbeat Producers Aggregated Health Test**Description**

Whether to suppress the results of the SRM Service - Service Discovery Heartbeat Producers Aggregated Health Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_streams_replication_manager-streams_replication_manager_service-7.2.19-service_discovery_heartbeat_producers_aggregated_status

Required

true

Suppress Health Test: SRM Service - Remote SRM Service Discovery Endpoint Groups Aggregated Health Test**Description**

Whether to suppress the results of the SRM Service - Remote SRM Service Discovery Endpoint Groups Aggregated Health Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_streams_replication_manager-streams_replication_manager_service-7.2.19-service_discovery_remote_endpoint_groups_aggregated_status

Required

true

Suppress Health Test: SRM Service - Remote SRM Service Discovery Endpoint Groups Validated With Health Checks Aggregated Health Test**Description**

Whether to suppress the results of the SRM Service - Remote SRM Service Discovery Endpoint Groups Validated With Health Checks Aggregated Health Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_streams_replication_manager-streams_replication_manager_service-7.2.19-service_discovery_remote_endpoint_groups_with_health_check_aggregated_status

Required

true

Suppress Health Test: SRM Service - Remote SRM Service Discovery Topic Consumers Aggregated Health Test**Description**

Whether to suppress the results of the SRM Service - Remote SRM Service Discovery Topic Consumers Aggregated Health Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_streams_replication_manager-streams_replication_manager_service-7.2.19-service_discovery_remote_topic_consumers_aggregated_status

Required

true

Suppress Health Test: SRM Streams App Kafka Connection Health Test**Description**

Whether to suppress the results of the SRM Streams App Kafka Connection Health Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_streams_replication_manager-streams_replication_manager_service-7.2.19-streams_app_kafka_connection_status

Required

true

Suppress Health Test: Audit Pipeline Test

Description

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_streams_replication_manager_streams_replication_manager_service_audit_health

Required

true

Suppress Health Test: File Descriptors

Description

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_streams_replication_manager_streams_replication_manager_service_file_descriptor

Required

true

Suppress Health Test: Host Health

Description

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_streams_replication_manager_streams_replication_manager_service_host_health

Required

true

Suppress Health Test: Log Directory Free Space

Description

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_streams_replication_manager_streams_replication_manager_service_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_streams_replication_manager_streams_replication_manager_service_otelcol_health

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_streams_replication_manager_streams_replication_manager_service_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_streams_replication_manager_streams_replication_manager_service_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_streams_replication_manager_streams_replication_manager_service_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_streams_replication_manager_streams_replication_manager_service_unexpected_exits

Required

true

Stub DFS Properties in Cloudera Runtime 7.3.1

Role groups:

Gateway

Advanced

Deploy Directory

Description

The directory where the client configs will be deployed

Related Name**Default Value**

/etc/hadoop

API Name

client_config_root_dir

Required

true

Core Configuration Client Environment Advanced Configuration Snippet (Safety Valve) for hadoop-env.sh**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into the client configuration for hadoop-env.sh

Related Name**Default Value****API Name**

core_client_env_safety_valve

Required

false

Client Java Configuration Options**Description**

These are Java command-line arguments. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here.

Related Name**Default Value**

-Djava.net.preferIPv4Stack=true

API Name

core_client_java_opts

Required

false

Gateway Logging Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Logs

Gateway Logging Threshold

Description

The minimum log level for Gateway logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Monitoring

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Other

Alternatives Priority

Description

The priority level that the client configuration will have in the Alternatives system on the hosts. Higher priority levels will cause Alternatives to prefer this configuration over any others.

Related Name**Default Value**

90

API Name

client_config_priority

Required

true

Resource Management

Client Java Heap Size in Bytes

Description

Maximum size in bytes for the Java process heap memory. Passed to Java -Xmx.

Related Name

Default Value

256 MiB

API Name

core_client_java_heapsize

Required

false

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Deploy Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Deploy Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Parameter Validation: Core Configuration Client Environment Advanced Configuration Snippet (Safety Valve) for hadoop-env.sh**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Core Configuration Client Environment Advanced Configuration Snippet (Safety Valve) for hadoop-env.sh parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_core_client_env_safety_valve

Required

true

Suppress Parameter Validation: Client Java Configuration Options

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Client Java Configuration Options parameter.

Related Name

Default Value

false

API Name

role_config_suppression_core_client_java_opts

Required

true

Suppress Parameter Validation: Gateway Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Service-Wide

Advanced

System Group

Description

The group that this service's processes should run as (except the HttpFS server, which has its own group)

Related Name

Default Value

hdfs

API Name

process_groupname

Required

true

System User

Description

The user that this service's processes should run as.

Related Name

Default Value

hdfs

API Name

process_username

Required

true

Stub DFS Service Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

STUB_DFS_service_env_safety_valve

Required

false

Monitoring

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Other

Core Settings Connector

Description

Dependency on the Core Settings service for the cluster.

Related Name

Default Value

API Name

core_connector

Required

true

Security

Kerberos Principal

Description

Kerberos principal short name used by all roles of this service.

Related Name**Default Value**

hdfs

API Name

kerberos_princ_name

Required

true

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: Deploy Directory

Description

Whether to suppress configuration warnings produced by the Deploy Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Configuration Validator: Core Configuration Client Environment Advanced Configuration Snippet (Safety Valve) for hadoop-env.sh

Description

Whether to suppress configuration warnings produced by the Core Configuration Client Environment Advanced Configuration Snippet (Safety Valve) for hadoop-env.sh configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_core_client_env_safety_valve

Required

true

Suppress Configuration Validator: Client Java Configuration Options**Description**

Whether to suppress configuration warnings produced by the Client Java Configuration Options configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_core_client_java_opts

Required

true

Suppress Configuration Validator: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Configuration Validator: Gateway Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the Gateway Logging Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Configuration Validator: Heap Dump Directory**Description**

Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Exporters Section**Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Extensions Section**Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Helper Port**Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name**Default Value**

false

API Name

`role_config_suppression_otelcol_helper_port`**Required**`true`**Suppress Configuration Validator: OpenTelemetry Collector Processors Section****Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_processors`**Required**`true`**Suppress Configuration Validator: OpenTelemetry Collector Receivers Section****Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_receivers`**Required**`true`**Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password****Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_remote_write_password`**Required**`true`**Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL****Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name**Default Value**

	false
API Name	role_config_suppression_otelcol_service
Required	true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)

Description	Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_rm_custom_resources
Required	true

Suppress Configuration Validator: Stacks Collection Directory

Description	Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_stacks_collection_directory
Required	true

Suppress Configuration Validator: Storage Operations Log Directory

Description	Whether to suppress configuration warnings produced by the Storage Operations Log Directory configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_storageoperations_log_dir
Required	true

Suppress Configuration Validator: Storage Operations Environment Advanced Configuration Snippet (Safety Valve)

Description	
--------------------	--

Whether to suppress configuration warnings produced by the Storage Operations Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_storageoperations_role_env_safety_valve

Required

true

Suppress Configuration Validator: Gateway Count Validator

Description

Whether to suppress configuration warnings produced by the Gateway Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_gateway_count_validator

Required

true

Suppress Parameter Validation: Kerberos Principal

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Principal parameter.

Related Name

Default Value

false

API Name

service_config_suppression_kerberos_princ_name

Required

true

Suppress Configuration Validator: Stub DFS only DFS Validator

Description

Whether to suppress configuration warnings produced by the Stub DFS only DFS Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_only_dfs_in_cluster_validator

Required

true

Suppress Parameter Validation: System Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: System User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_username

Required

true

Suppress Configuration Validator: Storage Operations Count Validator

Description

Whether to suppress configuration warnings produced by the Storage Operations Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_storageoperations_count_validator

Required

true

Suppress Parameter Validation: Stub DFS Service Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stub DFS Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

	false
API Name	service_config_suppression_stub_dfs_service_env_safety_valve
Required	true

Storage Operations

Advanced

Deploy Directory

Description

The directory where the client configs will be deployed

Related Name

Default Value

/etc/hadoop

API Name

client_config_root_dir

Required

true

Core Configuration Client Environment Advanced Configuration Snippet (Safety Valve) for `hadoop-env.sh`

Description

For advanced use only, key-value pairs (one on each line) to be inserted into the client configuration for `hadoop-env.sh`

Related Name

Default Value

API Name

core_client_env_safety_valve

Required

false

Client Java Configuration Options

Description

These are Java command-line arguments. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here.

Related Name

Default Value

-Djava.net.preferIPv4Stack=true

API Name

core_client_java_opts

Required

false

Storage Operations Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory

Description

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory

Description

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Storage Operations Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

STORAGEOPERATIONS_role_env_safety_valve

Required

false

Logs**Storage Operations Logging Threshold****Description**

The minimum log level for Storage Operations logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Storage Operations Maximum Log File Backups**Description**

The maximum number of rolled log files to keep for Storage Operations logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

Storage Operations Max Log Size**Description**

The maximum size, in megabytes, per log file for Storage Operations logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Storage Operations Log Directory**Description**

Directory where Storage Operations will place its log files.

Related Name

hadoop.log.dir

Default Value

/var/log/

API Name

storageoperations_log_dir

Required

false

Monitoring**Enable Configuration Change Alerts****Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML**Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking [View as JSON](#). In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name**Default Value****API Name**

`monitoring_metric_filter`

Required

`false`

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

`otelcol_exporters`

Required

`false`

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

`otelcol_extensions`

Required

`false`

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL**Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username**Description**

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

API Name

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Other**Alternatives Priority****Description**

The priority level that the client configuration will have in the Alternatives system on the hosts. Higher priority levels will cause Alternatives to prefer this configuration over any others.

Related Name**Default Value**

90

API Name

client_config_priority

Required

true

Performance**Maximum Process File Descriptors****Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Resource Management**Client Java Heap Size in Bytes****Description**

Maximum size in bytes for the Java process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

256 MiB

API Name

core_client_java_heapsize

Required

false

Cgroup V1 BLKIO Weight**Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

`rm_memory_hard_limit_v2`**Required**`true`**Cgroup V1 Memory Soft Limit****Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name`memory.soft_limit_in_bytes`**Default Value**`-1 MiB`**API Name**`rm_memory_soft_limit_v1`**Required**`true`**Cgroup V2 Memory Soft Limit****Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name`memory.high`**Default Value**`-1 MiB`**API Name**`rm_memory_soft_limit_v2`**Required**`true`**Stacks Collection****Stacks Collection Data Retention****Description**

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name`stacks_collection_data_retention`**Default Value**

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory**Description**

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method

Description

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Deploy Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Deploy Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Parameter Validation: Core Configuration Client Environment Advanced Configuration Snippet (Safety Valve) for hadoop-env.sh

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Core Configuration Client Environment Advanced Configuration Snippet (Safety Valve) for `hadoop-env.sh` parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_core_client_env_safety_valve`

Required

true

Suppress Parameter Validation: Client Java Configuration Options**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Client Java Configuration Options parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_core_client_java_opts`

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_jmx_exporter_yaml`

Required

true

Suppress Parameter Validation: Storage Operations Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Storage Operations Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_log4j_safety_valve`

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

	false
API Name	role_config_suppression_otelcol_helper_port
Required	true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_processors
Required	true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_receivers
Required	true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_remote_write_password
Required	true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Stacks Collection Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Parameter Validation: Storage Operations Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Storage Operations Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_storageoperations_log_dir

Required

true

Suppress Parameter Validation: Storage Operations Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Storage Operations Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_storageoperations_role_env_safety_valve

Required

true

Tez Properties in Cloudera Runtime 7.3.1

Role groups:

Gateway

Advanced

Deploy Directory

Description

The directory where the client configs will be deployed

Related Name

Default Value

/etc/tez

API Name

client_config_root_dir

Required

true

Tez Client Advanced Configuration Snippet (Safety Valve) for tez-conf/tez-site.xml

Description

For advanced use only, a string to be inserted into the client configuration for tez-conf/tez-site.xml.

Related Name

Default Value

API Name

tez-conf/tez-site.xml_client_config_safety_valve

Required

false

Monitoring

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Other

Alternatives Priority

Description

The priority level that the client configuration will have in the Alternatives system on the hosts. Higher priority levels will cause Alternatives to prefer this configuration over any others.

Related Name**Default Value**

50

API Name

client_config_priority

Required

true

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Deploy Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Deploy Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Parameter Validation: Tez Client Advanced Configuration Snippet (Safety Valve) for tez-conf/tez-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Tez Client Advanced Configuration Snippet (Safety Valve) for tez-conf/tez-site.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_tez-conf/tez-site.xml_client_config_safety_valve

Required

true

Service-Wide

Advanced

System Group

Description

The group that this service's processes should run as.

Related Name

Default Value

hadoop

API Name

process_groupname

Required

true

System User

Description

The user that this service's processes should run as.

Related Name

Default Value

tez

API Name

process_username

Required

true

Tez Service Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

TEZ_service_env_safety_valve

Required

false

Monitoring

Enable Service Level Health Alerts

Description

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Service Triggers

Description

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.

- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

`service_triggers`

Required

true

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name**Default Value****API Name**

`smon_derived_configs_safety_valve`

Required

false

Other**Maximum Heartbeat Interval****Description**

The maximum heartbeat interval between the Application Master and RM in milliseconds.

Related Name

`tez.am.am-rm.heartbeat.interval-ms.max`

Default Value

250 millisecond(s)

API Name

`tez.am.am-rm.heartbeat.interval-ms.max`

Required

true

Maximum Timeout to Hold Idle Containers

Description

The maximum amount of time to hold on to a container if no task can be assigned to it immediately. Only active when reuse is enabled.

Related Name

tez.am.container.idle.release-timeout-max.millis

Default Value

20 second(s)

API Name

tez.am.container.idle.release-timeout-max.millis

Required

true

Minimum Timeout to Hold Idle Containers

Description

The minimum amount of time to hold on to a container that is idle. Only active when reuse is enabled.

Related Name

tez.am.container.idle.release-timeout-min.millis

Default Value

10 second(s)

API Name

tez.am.container.idle.release-timeout-min.millis

Required

true

Enable Container Reuse

Description

Configuration to specify whether container should be reused.

Related Name

tez.am.container.reuse.enabled

Default Value

true

API Name

tez.am.container.reuse.enabled

Required

true

Timeout Before Container Reuse

Description

The amount of time to wait before assigning a container to the next level of locality. NODE > RACK > NON_LOCAL

Related Name

tez.am.container.reuse.locality.delay-allocation-millis

Default Value

250 millisecond(s)

API Name

tez.am.container.reuse.locality.delay-allocation-millis

Required

true

Enable Container Reuse for Non-Local Tasks**Description**

Whether to reuse containers for non-local tasks. Active only if reuse is enabled.

Related Name

tez.am.container.reuse.non-local-fallback.enabled

Default Value

false

API Name

tez.am.container.reuse.non-local-fallback.enabled

Required

true

Enable Container Reuse for Rack Local Tasks**Description**

Whether to reuse containers for rack local tasks. Active only if reuse is enabled.

Related Name

tez.am.container.reuse.rack-fallback.enabled

Default Value

true

API Name

tez.am.container.reuse.rack-fallback.enabled

Required

true

Tez Application Master Command Line Options**Description**

Java options for the Tez Application Master process. The Xmx value is derived based on tez.am.resource.memory.mb and is 80% of the value by default. Used only if the value is not specified explicitly by the DAG definition.

Related Name

tez.am.launch.cmd-opts

Default Value

```
-XX:+PrintGCDetails -verbose:gc -XX:+UseNUMA -XX:+UseG1GC -XX:+ResizeTLAB
-XX:+IgnoreUnrecognizedVMOptions --add-opens=java.base/java.net=ALL-
UNNAMED --add-opens=java.base/java.util=ALL-UNNAMED --add-opens=java.base/
java.util.concurrent.atomic=ALL-UNNAMED --add-opens=java.base/java.util.regex=ALL-
UNNAMED --add-opens=java.base/java.lang=ALL-UNNAMED --add-opens=java.base/
java.time=ALL-UNNAMED --add-opens=java.base/java.io=ALL-UNNAMED --add-
opens=java.base/java.nio=ALL-UNNAMED
```

API Name

`tez.am.launch.cmd-opts`**Required**`true`**Tez Application Master Environment Settings****Description**

Additional execution environment entries for tez. This is not an additive property. You must preserve the original value if you want to have access to native libraries. Used only if the value is not specified explicitly by the DAG definition.

Related Name`tez.am.launch.env`**Default Value**`LD_LIBRARY_PATH=$PARCELS_ROOT/CDH/lib/hadoop/lib/native`**API Name**`tez.am.launch.env`**Required**`true`**Log level for Application Masters****Description**

Root Logging level passed to the Tez Application Master.

Related Name`tez.am.log.level`**Default Value**`INFO`**API Name**`tez.am.log.level`**Required**`true`**Number of Recovery Runs****Description**

Specifies the total number of time the Application Master will run in case recovery is triggered.

Related Name`tez.am.max.app.attempts`**Default Value**`2`**API Name**`tez.am.max.app.attempts`**Required**`true`**Maximum Task Attempts****Description**

The maximum number of allowed task attempt failures on a node before it gets marked as blacklisted.

Related Name

tez.am.maxtaskfailures.per.node

Default Value

10

API Name

tez.am.maxtaskfailures.per.node

Required

true

Tez Application Master Memory

Description

The amount of memory to be used by the Application Master. Used only if the value is not specified explicitly by the DAG definition.

Related Name

tez.am.resource.memory.mb

Default Value

2 GiB

API Name

tez.am.resource.memory.mb

Required

true

History URL Template

Description

Template to generate the History URL for a particular Tez Application. Template replaces `__APPLICATION_ID__` with the actual applicationId and `__HISTORY_URL_BASE__` with the value from the `tez.tez-ui.history-url.base` config property

Related Name

tez.am.tez-ui.history-url.template

Default Value

`__HISTORY_URL_BASE__?viewPath=%2F%23%2Ftez-app%2F__APPLICATION_ID__`

API Name

tez.am.tez-ui.history-url.template

Required

true

Tez Application Master View ACLs

Description

Application Master view ACLs. This allows the specified users/groups to view the status of the Application Master and all DAGs that run within this Application Master. Value format: Comma separated list of users, followed by whitespace, followed by a comma separated list of groups.

Related Name

tez.am.view-acls

Default Value

*

API Name

tez.am.view-acls

Required

false

Tez Additional Classpath

Description

Specify additional classpath information to be used for Tez AM and all containers.

Related Name

tez.cluster.additional.classpath.prefix

Default Value

API Name

tez.cluster.additional.classpath.prefix

Required

false

Maximum Number of Counters

Description

The number of allowed counters for the executing DAG.

Related Name

tez.counters.max

Default Value

10000

API Name

tez.counters.max

Required

true

Maximum Counter Groups

Description

The number of allowed counter groups for the executing DAG.

Related Name

tez.counters.max.groups

Default Value

3000

API Name

tez.counters.max.groups

Required

true

Whether to generate debug artifacts

Description

Generate debug artifacts such as a text representation of the submitted DAG plan.

Related Name

tez.generate.debug.artifacts

Default Value

false

API Name

tez.generate.debug.artifacts

Required

true

Grouped Split Maximum Size**Description**

Upper bound on the size (in bytes) of a grouped split, to avoid generating excessively large split.

Related Name

tez.grouping.max-size

Default Value

1 GiB

API Name

tez.grouping.max-size

Required

true

Grouped Split Minimum Size**Description**

Lower bound on the size (in bytes) of a grouped split, to avoid generating too many splits.

Related Name

tez.grouping.min-size

Default Value

16 MiB

API Name

tez.grouping.min-size

Required

true

Queue Capacity Multiplier**Description**

The multiplier for available queue capacity when determining number of tasks for a Vertex. 1.7 with 100% queue available implies generating a number of tasks roughly equal to 170% of the available containers on the queue.

Related Name

tez.grouping.split-waves

Default Value

1.7

API Name

tez.grouping.split-waves

Required

true

Tez history events directory**Description**

Directory where proto logger writes the history events, should generally be sys.db database directory.

Related Name

tez.history.logging.proto-base-dir

Default Value

/warehouse/tablespace/managed/hive/sys.db

API Name

tez.history.logging.proto-base-dir

Required

true

DAGs per Group**Description**

DAGs per group.

Related Name

tez.history.logging.timeline-cache-plugin.old-num-dags-per-group

Default Value

5

API Name

tez.history.logging.timeline-cache-plugin.old-num-dags-per-group

Required

true

Enable Intermediate Data Compression**Description**

Whether intermediate data should be compressed or not.

Related Name

tez.runtime.compress

Default Value

true

API Name

tez.runtime.compress

Required

true

Codec for Compressing Intermediate Data**Description**

The codec to be used if compressing intermediate data. Only applicable if tez.runtime.compress is enabled.

Related Name

tez.runtime.compress.codec

Default Value

org.apache.hadoop.io.compress.SnappyCodec

API Name

tez.runtime.compress.codec

Required

true

Publish Configuration Information**Description**

Whether to publish configuration information to History logger.

Related Name

tez.runtime.convert.user-payload.to.history-text

Default Value

false

API Name

tez.runtime.convert.user-payload.to.history-text

Required

true

Sort Buffer Size**Description**

The size of the sort buffer when output needs to be sorted.

Related Name

tez.runtime.io.sort.mb

Default Value

272 MiB

API Name

tez.runtime.io.sort.mb

Required

true

Enable Accessing the Local Files Directly**Description**

If the shuffle input is on the local host bypass the http fetch and access the files directly.

Related Name

tez.runtime.optimize.local.fetch

Default Value

true

API Name

tez.runtime.optimize.local.fetch

Required

true

Pipeline Sorter Sort Threads

Description

Tez runtime pipelined sorter sort threads.

Related Name

tez.runtime.pipelined.sorter.sort.threads

Default Value

2

API Name

tez.runtime.pipelined.sorter.sort.threads

Required

true

Fraction of Memory to Retain Shuffled Data

Description

Fraction (0-1) of the available memory which can be used to retain shuffled data.

Related Name

tez.runtime.shuffle.fetch.buffer.percent

Default Value

0.6

API Name

tez.runtime.shuffle.fetch.buffer.percent

Required

true

Keep the Shuffle Connection Alive

Description

This property determines if the shuffle connection should be kept alive. If not, then the connection needs to be reestablished.

Related Name

tez.runtime.shuffle.keep-alive.enabled

Default Value

true

API Name

tez.runtime.shuffle.keep-alive.enabled

Required

true

Maximum Percent of Shuffle Segment

Description

This property determines the maximum size of a shuffle segment which can be fetched to memory. Fraction (0-1) of shuffle memory (after applying tez.runtime.shuffle.fetch.buffer.percent).

Related Name

tez.runtime.shuffle.memory.limit.percent

Default Value

0.25

API Name

tez.runtime.shuffle.memory.limit.percent

Required

true

Buffer Size for Unordered Output

Description

The size of the buffer when output does not require to be sorted.

Related Name

tez.runtime.unordered.output.buffer.size-mb

Default Value

100 MiB

API Name

tez.runtime.unordered.output.buffer.size-mb

Required

true

Timeout for Application Master for a Task

Description

Time (in seconds) for which the Tez Application Master should wait for a DAG to be submitted before shutting down.

Related Name

tez.session.am.dag.submit.timeout.secs

Default Value

5 minute(s)

API Name

tez.session.am.dag.submit.timeout.secs

Required

true

Timeout for Application Master to Come up

Description

Time (in seconds) to wait for Application Master to come up when trying to submit a DAG from the client.

Related Name

tez.session.client.timeout.secs

Default Value

-1 second(s)

API Name

tez.session.client.timeout.secs

Required

true

ScatterGather Connection Maximum Fraction of Tasks

Description

In case of a ScatterGather connection, once this fraction of source tasks have completed, all tasks on the current vertex can be scheduled. Number of tasks ready for scheduling on the current vertex scales linearly between min-fraction and max-fraction.

Related Name

tez.shuffle-vertex-manager.max-src-fraction

Default Value

0.4

API Name

tez.shuffle-vertex-manager.max-src-fraction

Required

true

ScatterGather Connection Minimum Fraction of Tasks**Description**

In case of a ScatterGather connection, the fraction of source tasks which should complete before tasks for the current vertex are schedule.

Related Name

tez.shuffle-vertex-manager.min-src-fraction

Default Value

0.2

API Name

tez.shuffle-vertex-manager.min-src-fraction

Required

true

TEZ Staging directory**Description**

The staging dir used while submitting DAGs.

Related Name

tez.staging-dir

Default Value

/tmp/\$user.name/staging

API Name

tez.staging-dir

Required

true

Heartbeat Interval**Description**

Time interval at which task counters are sent to the Application Master.

Related Name

tez.task.am.heartbeat.counter.interval-ms.max

Default Value

4 second(s)

API Name

tez.task.am.heartbeat.counter.interval-ms.max

Required

true

Generate Counters on a Per-Edge Basis**Description**

Whether to generate counters on a per-edge basis for a Tez DAG. Helpful for in-depth analysis.

Related Name

tez.task.generate.counters.per.io

Default Value

true

API Name

tez.task.generate.counters.per.io

Required

true

Maximum Time Between Tasks**Description**

The maximum amount of time, in seconds, to wait before a task asks an Application Master for another task.

Related Name

tez.task.get-task.sleep.interval-ms.max

Default Value

200 millisecond(s)

API Name

tez.task.get-task.sleep.interval-ms.max

Required

true

Tez Task Command Line Options**Description**

Java options for tasks. The Xmx value is derived based on tez.task.resource.memory.mb and is 80% of this value by default. Used only if the value is not specified explicitly by the DAG definition.

Related Name

tez.task.launch.cmd-opts

Default Value

```
-XX:+PrintGCDetails -verbose:gc -XX:+UseNUMA -XX:+UseG1GC -XX:+ResizeTLAB
-XX:+IgnoreUnrecognizedVMOptions --add-opens=java.base/java.net=ALL-
UNNAMED --add-opens=java.base/java.util=ALL-UNNAMED --add-opens=java.base/
java.util.concurrent.atomic=ALL-UNNAMED --add-opens=java.base/java.util.regex=ALL-
UNNAMED --add-opens=java.base/java.lang=ALL-UNNAMED --add-opens=java.base/
java.time=ALL-UNNAMED --add-opens=java.base/java.io=ALL-UNNAMED --add-
opens=java.base/java.nio=ALL-UNNAMED
```

API Name

tez.task.launch.cmd-opts

Required

true

Tez Task Environment Settings

Description

Additional execution environment entries for tez. This is not an additive property. You must preserve the original value if you want to have access to native libraries. Used only if the value is not specified explicitly by the DAG definition.

Related Name

tez.task.launch.env

Default Value

LD_LIBRARY_PATH=\$PARCELS_ROOT/CDH/lib/hadoop/lib/native

API Name

tez.task.launch.env

Required

true

Maximum Number of Events in a Heartbeat

Description

Maximum number of events to fetch from the Application Master by the tasks in a single heartbeat.

Related Name

tez.task.max-events-per-heartbeat

Default Value

500

API Name

tez.task.max-events-per-heartbeat

Required

true

Tez Task Memory

Description

The amount of memory to be used by launched tasks. Used only if the value is not specified explicitly by the DAG definition.

Related Name

tez.task.resource.memory.mb

Default Value

1536 MiB

API Name

tez.task.resource.memory.mb

Required

true

Tez UI URL Base

Description

The base of the Tez UI URL.

Related Name

tez.tez-ui.history-url.base

Default Value

API Name

tez.tez-ui.history-url.base

Required

false

Use Hadoop Libs

Description

This being true implies that the deployment is relying on hadoop jars being available on the cluster on all nodes.

Related Name

tez.use.cluster.hadoop-libs

Default Value

false

API Name

tez.use.cluster.hadoop-libs

Required

true

Enable Yarn Timeline-Service

Description

Timeline service version we're currently using.

Related Name

yarn.timeline-service.enabled

Default Value

false

API Name

yarn.timeline-service.enabled

Required

true

YARN Service

Description

Name of the YARN service that this Tez service instance depends on

Related Name

Default Value

API Name

yarn_service

Required

true

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: Deploy Directory

Description

Whether to suppress configuration warnings produced by the Deploy Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Configuration Validator: Tez Client Advanced Configuration Snippet (Safety Valve) for tez-conf/tez-site.xml

Description

Whether to suppress configuration warnings produced by the Tez Client Advanced Configuration Snippet (Safety Valve) for tez-conf/tez-site.xml configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_tez-conf/tez-site.xml_client_config_safety_valve

Required

true

Suppress Configuration Validator: Gateway Count Validator

Description

Whether to suppress configuration warnings produced by the Gateway Count Validator configuration validator.

Related Name**Default Value**

	false
API Name	service_config_suppression_gateway_count_validator
Required	true

Suppress Parameter Validation: System Group

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name

Default Value
false

API Name
service_config_suppression_process_groupname

Required
true

Suppress Parameter Validation: System User

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name

Default Value
false

API Name
service_config_suppression_process_username

Required
true

Suppress Parameter Validation: Service Triggers

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name

Default Value
false

API Name
service_config_suppression_service_triggers

Required
true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_smon_derived_configs_safety_valve

Required

true

Suppress Parameter Validation: Tez Application Master Command Line Options**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Tez Application Master Command Line Options parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_tez.am.launch.cmd-opts

Required

true

Suppress Parameter Validation: Tez Application Master Environment Settings**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Tez Application Master Environment Settings parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_tez.am.launch.env

Required

true

Suppress Parameter Validation: Number of Recovery Runs**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Number of Recovery Runs parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_tez.am.max.app.attempts

Required

true

Suppress Parameter Validation: History URL Template

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the History URL Template parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_tez.am.tez-ui.history-url.template

Required

true

Suppress Parameter Validation: Tez Application Master View ACLs

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Tez Application Master View ACLs parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_tez.am.view-acls

Required

true

Suppress Parameter Validation: Tez Additional Classpath

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Tez Additional Classpath parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_tez.cluster.additional.classpath.prefix

Required

true

Suppress Parameter Validation: Tez history events directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Tez history events directory parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_tez.history.logging.proto-base-dir

Required

true

Suppress Parameter Validation: DAGs per Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the DAGs per Group parameter.

Related Name

Default Value

false

API Name

service_config_suppression_tez.history.logging.timeline-cache-plugin.old-num-dags-per-group

Required

true

Suppress Parameter Validation: Codec for Compressing Intermediate Data

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Codec for Compressing Intermediate Data parameter.

Related Name

Default Value

false

API Name

service_config_suppression_tez.runtime.compress.codec

Required

true

Suppress Parameter Validation: TEZ Staging directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the TEZ Staging directory parameter.

Related Name

Default Value

false

API Name

service_config_suppression_tez.staging-dir

Required

true

Suppress Parameter Validation: Tez Task Command Line Options

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Tez Task Command Line Options parameter.

Related Name

Default Value

false

API Name

service_config_suppression_tez.task.launch.cmd-opts

Required

true

Suppress Parameter Validation: Tez Task Environment Settings

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Tez Task Environment Settings parameter.

Related Name

Default Value

false

API Name

service_config_suppression_tez.task.launch.env

Required

true

Suppress Parameter Validation: Tez UI URL Base

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Tez UI URL Base parameter.

Related Name

Default Value

false

API Name

service_config_suppression_tez.tez-ui.history-url.base

Required

true

Suppress Parameter Validation: Tez Service Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Tez Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_tez_service_env_safety_valve

Required

true

YARN Properties in Cloudera Runtime 7.3.1

Role groups:

Gateway

Advanced

Deploy Directory

Description

The directory where the client configs will be deployed

Related Name**Default Value**

/etc/hadoop

API Name

client_config_root_dir

Required

true

Gateway Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

MapReduce Client Advanced Configuration Snippet (Safety Valve) for mapred-site.xml

Description

For advanced use only, a string to be inserted into the client configuration for mapred-site.xml.

Related Name**Default Value****API Name**

mapreduce_client_config_safety_valve

Required

false

Gateway Client Environment Advanced Configuration Snippet (Safety Valve) for hadoop-env.sh

Description

For advanced use only, key-value pairs (one on each line) to be inserted into the client configuration for hadoop-env.sh

Related Name

Default Value**API Name**

mapreduce_client_env_safety_valve

Required

false

Client Java Configuration Options**Description**

These are Java command-line arguments. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here.

Related Name**Default Value**

-Djava.net.preferIPv4Stack=true -Dhadoop.metrics.log.level=WARN

API Name

mapreduce_client_java_opts

Required

false

YARN Client Advanced Configuration Snippet (Safety Valve) for yarn-site.xml**Description**

For advanced use only, a string to be inserted into the client configuration for yarn-site.xml.

Related Name**Default Value****API Name**

yarn_client_config_safety_valve

Required

false

Compression**Compression Level of Codecs****Description**

Compression level for the codec used to compress MapReduce outputs. Default compression is a balance between speed and compression ratio.

Related Name

zlib.compress.level

Default Value

DEFAULT_COMPRESSION

API Name

zlib_compress_level

Required

false

Logs

Gateway Logging Threshold

Description

The minimum log level for Gateway logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Monitoring

Enable Log Event Capture

Description

When set, each role identifies important log events and forwards them to Cloudera Manager.

Related Name**Default Value**

true

API Name

catch_events

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Other

Alternatives Priority

Description

The priority level that the client configuration will have in the Alternatives system on the hosts. Higher priority levels will cause Alternatives to prefer this configuration over any others.

Related Name**Default Value**

92

API Name

client_config_priority

Required

true

Client Failover Sleep Base Time**Description**

Base sleep time between failover attempts. Used only if RM HA is enabled.

Related Name

yarn.client.failover-sleep-base-ms

Default Value

100 millisecond(s)

API Name

client_failover_sleep_base

Required

false

Client Failover Sleep Max Time**Description**

Maximum sleep time between failover attempts. Used only if RM HA is enabled.

Related Name

yarn.client.failover-sleep-max-ms

Default Value

2 second(s)

API Name

client_failover_sleep_max

Required

false

Enable MapReduce Encrypted Intermediate Data**Description**

Encryption for intermediate MapReduce spills. If enabled, restricts the number of attempts of the job to 1.

Related Name

mapreduce.job.encrypted-intermediate-data

Default Value

false

API Name

encrypted_intermediate_data

Required

false

MapReduce Encrypted Intermediate Data Buffer Size**Description**

Buffer size for the stream written to disk after encryption.

Related Name

mapreduce.job.encrypted-intermediate-data.buffer.kb

Default Value

128 KiB

API Name

encrypted_intermediate_data_buffer_kb

Required

false

MapReduce Encrypted Intermediate Data Key Size

Description

Length of key used for encryption.

Related Name

mapreduce.job.encrypted-intermediate-data-key-size-bits

Default Value

128

API Name

encrypted_intermediate_data_key_size_bits

Required

false

Running Job History Location

Description

Location to store the job history files of running jobs. This is a path on the host where the JobTracker is running.

Related Name

hadoop.job.history.location

Default Value

/var/log/hadoop-mapreduce/history

API Name

hadoop_job_history_dir

Required

false

SequenceFile I/O Buffer Size

Description

Size of buffer for read and write operations of SequenceFiles.

Related Name

io.file.buffer.size

Default Value

64 KiB

API Name

io_file_buffer_size

Required

false

I/O Sort Factor**Description**

The number of streams to merge at the same time while sorting files. That is, the number of sort heads to use during the merge sort on the reducer side. This determines the number of open file handles. Merging more files in parallel reduces merge sort iterations and improves run time by eliminating disk I/O. Note that merging more files in parallel uses more memory. If 'io.sort.factor' is set too high or the maximum JVM heap is set too low, excessive garbage collection will occur. The Hadoop default is 10, but Cloudera recommends a higher value. Will be part of generated client configuration.

Related Name

mapreduce.task.io.sort.factor

Default Value

64

API Name

io_sort_factor

Required

false

I/O Sort Memory Buffer (MiB)**Description**

The total amount of memory buffer, in megabytes, to use while sorting files. Note that this memory comes out of the user JVM heap size (meaning total user JVM heap - this amount of memory = total user usable heap space). Note that Cloudera's default differs from Hadoop's default; Cloudera uses a bigger buffer by default because modern machines often have more RAM. The smallest value across all TaskTrackers will be part of generated client configuration.

Related Name

mapreduce.task.io.sort.mb

Default Value

256 MiB

API Name

io_sort_mb

Required

false

I/O Sort Spill Percent**Description**

The soft limit in either the buffer or record collection buffers. When this limit is reached, a thread will begin to spill the contents to disk in the background. Note that this does not imply any chunking of data to the spill. A value less than 0.5 is not recommended. The syntax is in decimal units; the default is 80% and is formatted 0.8. Will be part of generated client configuration.

Related Name

mapreduce.map.sort.spill.percent

Default Value

0.8

API Name

io_sort_spill_percent

Required

false

Use Compression on Map Outputs**Description**

If enabled, uses compression on the map outputs before they are sent across the network. Will be part of generated client configuration.

Related Name

mapreduce.map.output.compress

Default Value

true

API Name

mapred_compress_map_output

Required

false

Compression Codec of MapReduce Map Output**Description**

For MapReduce map outputs that are compressed, specify the compression codec to use. Will be part of generated client configuration.

Related Name

mapreduce.map.output.compress.codec

Default Value

org.apache.hadoop.io.compress.SnappyCodec

API Name

mapred_map_output_compression_codec

Required

false

Map Tasks Speculative Execution**Description**

If enabled, multiple instances of some map tasks may be executed in parallel.

Related Name

mapreduce.map.speculative

Default Value

false

API Name

mapred_map_tasks_speculative_execution

Required

false

Compress MapReduce Job Output**Description**

Compress the output of MapReduce jobs. Will be part of generated client configuration.

Related Name

mapreduce.output.fileoutputformat.compress

Default Value

false

API Name

mapred_output_compress

Required

false

Compression Codec of MapReduce Job Output

Description

For MapReduce job outputs that are compressed, specify the compression codec to use. Will be part of generated client configuration.

Related Name

mapreduce.output.fileoutputformat.compress.codec

Default Value

org.apache.hadoop.io.compress.DefaultCodec

API Name

mapred_output_compression_codec

Required

false

Compression Type of MapReduce Job Output

Description

For MapReduce job outputs that are compressed as SequenceFiles, you can select one of these compression type options: NONE, RECORD or BLOCK. Cloudera recommends BLOCK. Will be part of generated client configuration.

Related Name

mapreduce.output.fileoutputformat.compress.type

Default Value

BLOCK

API Name

mapred_output_compression_type

Required

false

Default Number of Parallel Transfers During Shuffle

Description

The default number of parallel transfers run by reduce during the copy (shuffle) phase. This number is calculated by the following formula: $\min(\text{number_of_nodes}, n * \min(\text{number_of_cores_per_node}, \text{number_of_spindles_per_node}))$ where the n represents how many streams you want to run per core/spindle. A value of 10 for n is appropriate in most cases. Will be part of generated client configuration.

Related Name

mapreduce.reduce.shuffle.parallelcopies

Default Value

10

API Name

mapred_reduce_parallel_copies

Required

false

Number of Map Tasks to Complete Before Reduce Tasks**Description**

Fraction of the number of map tasks in the job which should be completed before reduce tasks are scheduled for the job.

Related Name

mapreduce.job.reduce.slowstart.completedmaps

Default Value

0.8

API Name

mapred_reduce_slowstart_completed_maps

Required

false

Default Number of Reduce Tasks per Job**Description**

The default number of reduce tasks per job. Will be part of generated client configuration.

Related Name

mapreduce.job.reduces

Default Value

1

API Name

mapred_reduce_tasks

Required

false

Reduce Tasks Speculative Execution**Description**

If enabled, multiple instances of some reduce tasks may be executed in parallel.

Related Name

mapreduce.reduce.speculative

Default Value

false

API Name

mapred_reduce_tasks_speculative_execution

Required

false

Mapreduce Submit Replication

Description

The replication level for submitted job files.

Related Name

mapreduce.client.submit.file.replication

Default Value

10

API Name

mapred_submit_replication

Required

false

Mapreduce Task Timeout

Description

The number of milliseconds before a task will be terminated if it neither reads an input, writes an output, nor updates its status string.

Related Name

mapreduce.task.timeout

Default Value

10 minute(s)

API Name

mapred_task_timeout

Required

false

MR Application Environment

Description

Additional execution environment entries for map and reduce task processes.

Related Name

mapreduce.admin.user.env

Default Value

LD_LIBRARY_PATH=\$HADOOP_COMMON_HOME/lib/native:\$JAVA_LIBRARY_PATH

API Name

mapreduce_admin_user_env

Required

false

Maximum Number of Attempts for MapReduce Jobs

Description

The maximum number of application attempts for MapReduce jobs. The value of this parameter overrides ApplicationMaster Maximum Attempts for MapReduce jobs.

Related Name

mapreduce.am.max-attempts

Default Value

2

API Name

mapreduce_am_max_attempts

Required

false

MR Application Classpath

Description

Classpaths to include for MapReduce applications. During evaluation, the string '{version}' in the value of this parameter will be replaced by the actual MapReduce version.

Related Name

mapreduce.application.classpath

Default Value

\$SHADOOP_CLIENT_CONF_DIR \$PWD/mr-framework/* \$MR2_CLASSPATH

API Name

mapreduce_application_classpath

Required

false

MR Application Framework Path

Description

Path for MapReduce application framework. During evaluation, the string '{version}' in the value of this parameter will be replaced by the actual MapReduce version.

Related Name

mapreduce.application.framework.path

Default Value

/user/yarn/mapreduce/mr-framework/version-mr-framework.tar.gz#mr-framework

API Name

mapreduce_application_framework_path

Required

false

Application Framework

Description

The application framework to run jobs with. If not set, jobs will be run with the local job runner.

Related Name

mapreduce.framework.name

Default Value

yarn

API Name

mapreduce_framework_name

Required

false

ACL For Modifying A Job

Description

Specifies a list of users and/or groups that are allowed to modify job operations. For specifying a list of users and groups the format to use is "user1,user2 group1,group". If set to '*', it allows all users/groups to modify this job. If set to ' '(i.e. space), it allows none. Irrespective of this ACL configuration, (a) job-owner, (b) the user who started the cluster, (c) members of an admin configured supergroup configured via `mapreduce.cluster.permissions.supergroup` and (d) queue administrators of the queue to which this job was submitted to configured via `acl-administer-jobs` for the specific queue in `mapred-queues.xml` can do all the modification operations on a job. Ignored unless `mapreduce.clouster.acls.enabled` is true.

Related Name

`mapreduce.job.acl-modify-job`

Default Value**API Name**

`mapreduce_job_acl_modify_job`

Required

false

ACL For Viewing A Job**Description**

Specifies a list of users and/or groups that are allowed to view private job details. For specifying a list of users and groups the format to use is "user1,user2 group1,group". If set to '*', it allows all users/groups to modify this job. If set to ' '(i.e. space), it allows none. Irrespective of this ACL configuration, (a) job-owner, (b) the user who started the cluster, (c) members of an admin configured supergroup configured via `mapreduce.cluster.permissions.supergroup` and (d) queue administrators of the queue to which this job was submitted to configured via `acl-administer-jobs` for the specific queue in `mapred-queues.xml` can do all the view operations on a job. Ignored unless `mapreduce.cluster.acls.enabled` is true.

Related Name

`mapreduce.job.acl-view-job`

Default Value**API Name**

`mapreduce_job_acl_view_job`

Required

false

Redacted MapReduce Job Properties**Description**

A comma-separated list of job properties to redact in MapReduce.

Related Name

`mapreduce.job.redacted-properties`

Default Value

`fs.s3a.access.key fs.s3a.secret.key fs.adl.oauth2.credential dfs.adls.oauth2.credential fs.azure.account.oauth2.client.secret`

API Name

`mapreduce_job_redacted_properties`

Required

false

JobTracker MetaInfo Maxsize

Description

The maximum permissible size of the split metainfo file. The JobTracker won't attempt to read split metainfo files bigger than the configured value. No limits if set to -1.

Related Name

mapreduce.job.split.metainfo.maxsize

Default Value

10000000

API Name

mapreduce_jobtracker_split_metainfo_maxsize

Required

false

Add add-opens flags to MR containers

Description

On JDK17 it's no longer possible to use the reflection API to access non-public fields and methods add-opens flags should be added to MR AM and map/reduce containers regardless of the user specified java opts. Setting this to true will add the flags to the container launch commands on nodes with JDK17 or higher. Defaults to false, and the setting has no effect on nodes using JDK16 and before.

Related Name

mapreduce.jvm.add-opens-as-default

Default Value

false

API Name

mapreduce_jvm_add_opens_as_default

Required

false

Map Task Java Opts Base

Description

Java opts for the map processes. The following symbol, if present, will be interpolated: @taskid@ is replaced by current TaskID. Any other occurrences of '@' will go unchanged. For example, to enable verbose gc logging to a file named for the taskid in /tmp pass a value of: "-verbose:gc -Xloggc:/tmp/@taskid@.gc". The configuration variable 'Map Task Memory' can be used to control the maximum memory of the map processes.

Related Name

mapreduce.map.java.opts

Default Value

-Djava.net.preferIPv4Stack=true

API Name

mapreduce_map_java_opts

Required

false

Reduce Task Java Opts Base

Description

Java opts for the reduce processes. The following symbol, if present, will be interpolated: @taskid@ is replaced by current TaskID. Any other occurrences of '@' will go unchanged. For example, to enable verbose gc logging to a file named for the taskid in /tmp pass a value of: "-verbose:gc -Xloggc:/tmp/@taskid@.gc". The configuration variable 'Reduce Task Memory' can be used to control the maximum memory of the reduce processes.

Related Name

mapreduce.reduce.java.opts

Default Value

-Djava.net.preferIPv4Stack=true

API Name

mapreduce_reduce_java_opts

Required

false

ApplicationMaster Environment**Description**

Environment variables for the MapReduce ApplicationMaster. These settings can be overridden in the ApplicationMaster User Environment (yarn.app.mapreduce.am.env).

Related Name

yarn.app.mapreduce.am.admin.user.env

Default Value

LD_LIBRARY_PATH=\$HADOOP_COMMON_HOME/lib/native:\$JAVA_LIBRARY_PATH

API Name

yarn_app_mapreduce_am_admin_user_env

Required

false

ApplicationMaster Java Opts Base**Description**

Java command line arguments passed to the MapReduce ApplicationMaster.

Related Name

yarn.app.mapreduce.am.command-opts

Default Value

-Djava.net.preferIPv4Stack=true

API Name

yarn_app_mapreduce_am_command_opts

Required

false

Performance**JHist File Format****Description**

File format the AM will use when generating the .jhist file. Valid values are "json" for text output and "binary" for faster parsing.

Related Name

mapreduce.jobhistory.jhist.format

Default Value

binary

API Name

mapred_jobhistory_jhist_format

Required

false

Enable Optimized Map-side Output Collector**Description**

Whether map tasks should attempt to use the optimized native implementation of the map-side output collector. This can improve performance of many jobs that are shuffle-intensive. Experimental in CDH 5.2.

Related Name**Default Value**

false

API Name

mapreduce_enable_native_map_output_collector

Required

false

Job Counter Groups Limit**Description**

Limit on the number of counter groups allowed per job.

Related Name

mapreduce.job.counters.groups.max

Default Value

50

API Name

mapreduce_job_counter_groups_limit

Required

false

Job Counters Limit**Description**

Limit on the number of counters allowed per job.

Related Name

mapreduce.job.counters.max

Default Value

120

API Name

mapreduce_job_counters_limit

Required

false

Enable Ubertask Optimization

Description

Whether to enable ubertask optimization, which runs "sufficiently small" jobs sequentially within a single JVM. "Small" is defined by the `mapreduce.job.ubertask.maxmaps`, `mapreduce.job.ubertask.maxreduces`, and `mapreduce.job.ubertask.maxbytes` settings.

Related Name

`mapreduce.job.ubertask.enable`

Default Value

false

API Name

`mapreduce_job_ubertask_enabled`

Required

false

Ubertask Maximum Job Size

Description

Threshold for number of input bytes, beyond which a job is considered too big for ubertask optimization. If no value is specified, `dfs.block.size` is used as a default.

Related Name

`mapreduce.job.ubertask.maxbytes`

Default Value**API Name**

`mapreduce_job_ubertask_maxbytes`

Required

false

Ubertask Maximum Maps

Description

Threshold for number of maps, beyond which a job is considered too big for ubertask optimization.

Related Name

`mapreduce.job.ubertask.maxmaps`

Default Value

9

API Name

`mapreduce_job_ubertask_maxmaps`

Required

false

Ubertask Maximum Reduces

Description

Threshold for number of reduces, beyond which a job is considered too big for ubertask optimization. Note: As of CDH 5, MR2 does not support more than one reduce in an ubertask. (Zero is valid.)

Related Name

`mapreduce.job.ubertask.maxreduces`

Default Value

1

API Name

mapreduce_job_ubertask_maxreduces

Required

false

Resource Management**Client Java Heap Size in Bytes****Description**

Maximum size in bytes for the Java process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

825955249 B

API Name

mapreduce_client_java_heapsize

Required

false

Heap to Container Size Ratio**Description**

The ratio of heap size to container size for both map and reduce tasks. The heap should be smaller than the container size to allow for some overhead of the JVM.

Related Name

mapreduce.job.heap.memory-mb.ratio

Default Value

0.8

API Name

mapreduce_job_heap_memory_mb_ratio

Required

false

Map Task CPU Virtual Cores**Description**

The number of virtual CPU cores allocated for each map task of a job. This parameter has no effect prior to CDH 4.4.

Related Name

mapreduce.map.cpu.vcores

Default Value

1

API Name

mapreduce_map_cpu_vcores

Required

false

Map Task Maximum Heap Size

Description

The maximum Java heap size, in bytes, of the map processes. This number will be formatted and concatenated with 'Map Task Java Opts Base' to pass to Hadoop.

Related Name**Default Value**

0 B

API Name

mapreduce_map_java_opts_max_heap

Required

false

Map Task Memory

Description

The amount of physical memory, in MiB, allocated for each map task of a job. For versions before CDH 5.5, if not specified, by default it is set to 1024. For CDH 5.5 and higher, a value less than 128 is not supported but if it is specified as 0, the amount of physical memory to request is inferred from Map Task Maximum Heap Size and Heap to Container Size Ratio. If Map Task Maximum Heap Size is not specified, by default the amount of physical memory to request is set to 1024.

Related Name

mapreduce.map.memory.mb

Default Value

0 B

API Name

mapreduce_map_memory_mb

Required

false

Reduce Task CPU Virtual Cores

Description

The number of virtual CPU cores for each reduce task of a job.

Related Name

mapreduce.reduce.cpu.vcores

Default Value

1

API Name

mapreduce_reduce_cpu_vcores

Required

false

Reduce Task Maximum Heap Size

Description

The maximum Java heap size, in bytes, of the reduce processes. This number will be formatted and concatenated with 'Reduce Task Java Opts Base' to pass to Hadoop.

Related Name

Default Value

0 B

API Name

mapreduce_reduce_java_opts_max_heap

Required

false

Reduce Task Memory**Description**

The amount of physical memory, in MiB, allocated for each reduce task of a job. For versions before CDH 5.5, if not specified, by default it is set to 1024. For CDH 5.5 and higher, a value less than 128 is not supported but if it is specified as 0, the amount of physical memory to request is inferred from Reduce Task Maximum Heap Size and Heap to Container Size Ratio. If Reduce Task Maximum Heap Size is not specified, by default the amount of physical memory to request is set to 1024. This parameter has no effect prior to CDH 4.4.

Related Name

mapreduce.reduce.memory.mb

Default Value

0 B

API Name

mapreduce_reduce_memory_mb

Required

false

ApplicationMaster Java Maximum Heap Size**Description**

The maximum heap size, in bytes, of the Java MapReduce ApplicationMaster. This number will be formatted and concatenated with 'ApplicationMaster Java Opts Base' to pass to Hadoop.

Related Name**Default Value**

825955249 B

API Name

yarn_app_mapreduce_am_max_heap

Required

false

ApplicationMaster Virtual CPU Cores**Description**

The virtual CPU cores requirement, for the ApplicationMaster. This parameter has no effect prior to CDH 4.4.

Related Name

yarn.app.mapreduce.am.resource.cpu-vcores

Default Value

1

API Name

yarn_app_mapreduce_am_resource_cpu_vcores

Required

false

ApplicationMaster Memory**Description**

The physical memory requirement, in MiB, for the ApplicationMaster.

Related Name

yarn.app.mapreduce.am.resource.mb

Default Value

1 GiB

API Name

yarn_app_mapreduce_am_resource_mb

Required

false

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Deploy Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Deploy Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Parameter Validation: Running Job History Location**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Running Job History Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_job_history_dir

Required

true

Suppress Parameter Validation: I/O Sort Factor**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the I/O Sort Factor parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_io_sort_factor

Required

true

Suppress Parameter Validation: Gateway Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Compression Codec of MapReduce Map Output**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Compression Codec of MapReduce Map Output parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_mapred_map_output_compression_codec

Required

true

Suppress Parameter Validation: Compression Codec of MapReduce Job Output

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Compression Codec of MapReduce Job Output parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_mapred_output_compression_codec

Required

true

Suppress Parameter Validation: MR Application Environment

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the MR Application Environment parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_mapreduce_admin_user_env

Required

true

Suppress Parameter Validation: Maximum Number of Attempts for MapReduce Jobs

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Maximum Number of Attempts for MapReduce Jobs parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_mapreduce_am_max_attempts

Required

true

Suppress Parameter Validation: MR Application Classpath

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the MR Application Classpath parameter.

Related Name**Default Value**

false

API Name

`role_config_suppression_mapreduce_application_classpath`**Required**

true

Suppress Parameter Validation: MR Application Framework Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the MR Application Framework Path parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_mapreduce_application_framework_path`**Required**

true

Suppress Parameter Validation: MapReduce Client Advanced Configuration Snippet (Safety Valve) for mapred-site.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the MapReduce Client Advanced Configuration Snippet (Safety Valve) for mapred-site.xml parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_mapreduce_client_config_safety_valve`**Required**

true

Suppress Parameter Validation: Gateway Client Environment Advanced Configuration Snippet (Safety Valve) for hadoop-env.sh**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway Client Environment Advanced Configuration Snippet (Safety Valve) for hadoop-env.sh parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_mapreduce_client_env_safety_valve`**Required**

true

Suppress Parameter Validation: Client Java Configuration Options**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Client Java Configuration Options parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_mapreduce_client_java_opts

Required

true

Suppress Parameter Validation: ACL For Modifying A Job**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the ACL For Modifying A Job parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_mapreduce_job_acl_modify_job

Required

true

Suppress Parameter Validation: ACL For Viewing A Job**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the ACL For Viewing A Job parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_mapreduce_job_acl_view_job

Required

true

Suppress Parameter Validation: Redacted MapReduce Job Properties**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Redacted MapReduce Job Properties parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_mapreduce_job_redacted_properties

Required

true

Suppress Parameter Validation: Map Task Java Opts Base

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Map Task Java Opts Base parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_mapreduce_map_java_opts

Required

true

Suppress Configuration Validator: Map Task Maximum Heap Size Validator

Description

Whether to suppress configuration warnings produced by the Map Task Maximum Heap Size Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_mapreduce_map_java_opts_max_heap_mapreduce_map_memory_mb_validator

Required

true

Suppress Parameter Validation: Reduce Task Java Opts Base

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Reduce Task Java Opts Base parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_mapreduce_reduce_java_opts

Required

true

Suppress Configuration Validator: Reduce Task Maximum Heap Size Validator

Description

Whether to suppress configuration warnings produced by the Reduce Task Maximum Heap Size Validator configuration validator.

Related Name**Default Value**

	false
API Name	role_config_suppression_mapreduce_reduce_java_opts_max_heap_mapreduce_reduce_memory_mb_validator
Required	true

Suppress Configuration Validator: Job Submit Replication Validator

Description
Whether to suppress configuration warnings produced by the Job Submit Replication Validator configuration validator.

Related Name

Default Value
false

API Name
role_config_suppression_mapreduce_replication_validator

Required
true

Suppress Parameter Validation: ApplicationMaster Environment

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the ApplicationMaster Environment parameter.

Related Name

Default Value
false

API Name
role_config_suppression_yarn_app_mapreduce_am_admin_user_env

Required
true

Suppress Parameter Validation: ApplicationMaster Java Opts Base

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the ApplicationMaster Java Opts Base parameter.

Related Name

Default Value
false

API Name
role_config_suppression_yarn_app_mapreduce_am_command_opts

Required
true

Suppress Configuration Validator: ApplicationMaster Java Maximum Heap Size Validator

Description

Whether to suppress configuration warnings produced by the ApplicationMaster Java Maximum Heap Size Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_app_mapreduce_am_max_heap_yarn_app_mapreduce_am_resource_mb_validator

Required

true

Suppress Parameter Validation: YARN Client Advanced Configuration Snippet (Safety Valve) for yarn-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Client Advanced Configuration Snippet (Safety Valve) for yarn-site.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_client_config_safety_valve

Required

true

JobHistory Server

Advanced

Hadoop Metrics2 Advanced Configuration Snippet (Safety Valve)

Description

Advanced Configuration Snippet (Safety Valve) for Hadoop Metrics2. Properties will be inserted into hadoop-metrics2.properties.

Related Name

Default Value

API Name

hadoop_metrics2_safety_valve

Required

false

System Group

Description

The group that the JobHistory Server process should run as.

Related Name

Default Value

hadoop

API Name

history_process_groupname

Required

true

System User

Description

The user that the JobHistory Server process should run as.

Related Name

Default Value

mapred

API Name

history_process_username

Required

true

JobHistory Server Advanced Configuration Snippet (Safety Valve) for yarn-site.xml

Description

For advanced use only. A string to be inserted into yarn-site.xml for this role only.

Related Name

Default Value

API Name

jobhistory_config_safety_valve

Required

false

JobHistory Server Advanced Configuration Snippet (Safety Valve) for mapred-site.xml

Description

For advanced use only. A string to be inserted into mapred-site.xml for this role only.

Related Name

Default Value

API Name

jobhistory_mapred_safety_valve

Required

false

JobHistory Server Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name

Default Value

API Name

JOBHISTORY_role_env_safety_valve

Required

false

JobHistory Server Logging Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations**Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Java Configuration Options for JobHistory Server**Description**

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or greater, {{JAVA_GC_ARGS}} will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name**Default Value**

JAVA_GC_ARGS -Dlibrary.leveldbjni.path=CMF_CONF_DIR

API Name

mr2_jobhistory_java_opts

Required

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among

multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Logs

JobHistory Server Logging Threshold

Description

The minimum log level for JobHistory Server logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

JobHistory Server Maximum Log File Backups

Description

The maximum number of rolled log files to keep for JobHistory Server logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

JobHistory Server Max Log Size

Description

The maximum size, in megabytes, per log file for JobHistory Server logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

JobHistory Server Log Directory

Description

Directory where JobHistory Server will place its log files.

Related Name

hadoop.log.dir

Default Value

/var/log/hadoop-mapreduce

API Name

mr2_jobhistory_log_dir

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name

Default Value

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML**Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

startDelaySeconds: 10 ssl: false lowercaseOutputName: true lowercaseOutputLabelNames: true rules: - pattern: 'Hadoop<service=(.*)>, name=JvmMetrics><>(.*): (\d+)' attrNameSnakeCase: true name: \$2 value: \$3 labels: hadoop_service: \$1 hadoop_metric_group: jvm_metrics - pattern: 'Hadoop<service=(.*)>, name=MetricsSystem, sub=Stats><>(.*): (\d+)' attrNameSnakeCase: true name: \$2 value: \$3 labels: hadoop_service: \$1 hadoop_metric_group: stats - pattern: 'Hadoop<service=(.*)>, name=RpcActivityForPort(.*)><>(.*): (\d+)' attrNameSnakeCase: true name: \$3 value: \$4 labels: hadoop_service: \$1 hadoop_metric_group: rpc_activity_for_port port: \$2

API Name

jmx_exporter_yaml

Required

false

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name

Default Value

Warning: 50.0 %, Critical: 70.0 %

API Name

jobhistory_fd_thresholds

Required

false

Garbage Collection Duration Thresholds**Description**

The health test thresholds for the weighted average time spent in Java garbage collection. Specified as a percentage of elapsed wall clock time.

Related Name**Default Value**

Warning: 30.0, Critical: 60.0

API Name

jobhistory_gc_duration_thresholds

Required

false

Garbage Collection Duration Monitoring Period**Description**

The period to review when computing the moving average of garbage collection time.

Related Name**Default Value**

5 minute(s)

API Name

jobhistory_gc_duration_window

Required

false

JobHistory Server Host Health Test**Description**

When computing the overall JobHistory Server health, consider the host's health.

Related Name**Default Value**

true

API Name

jobhistory_host_health_enabled

Required

false

JobHistory Server Process Health Test**Description**

Enables the health test that the JobHistory Server's process state is consistent with the role configuration

Related Name

Default Value

true

API Name

jobhistory_scm_health_enabled

Required

false

Web Metric Collection

Description

Enables the health test that the Cloudera Manager Agent can successfully contact and gather metrics from the web server.

Related Name

Default Value

true

API Name

jobhistory_web_metric_collection_enabled

Required

false

Web Metric Collection Duration

Description

The health test thresholds on the duration of the metrics request to the web server.

Related Name

Default Value

Warning: 10 second(s), Critical: Never

API Name

jobhistory_web_metric_collection_thresholds

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name

Default Value

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Rules to Extract Events from Log Files

Description

This file contains the rules that govern how log messages are turned into events by the custom log4j appender that this role loads. It is in JSON format, and is composed of a list of rules. Every log message is evaluated against each of these rules in turn to decide whether or not to send an event for that message. If a log message matches multiple rules, the first matching rule is used. Each rule has some or all of the following fields:

- **alert** - whether or not events generated from this rule should be promoted to alerts. A value of "true" will cause alerts to be generated. If not specified, the default is "false".
- **rate** (mandatory) - the maximum number of log messages matching this rule that can be sent as events every minute. If more than rate matching log messages are received in a single minute, the extra messages are ignored. If rate is less than 0, the number of messages per minute is unlimited.
- **periodminutes** - the number of minutes during which the publisher will only publish rate events or fewer. If not specified, the default is one minute
- **threshold** - apply this rule only to messages with this log4j severity level or above. An example is "WARN" for warning level messages or higher.
- **content** - match only those messages for which contents match this regular expression.
- **exceptiontype** - match only those messages that are part of an exception message. The exception type must match this regular expression.

Example:

- {"alert": false, "rate": 10, "exceptiontype": "java.lang.StringIndexOutOfBoundsException"} This rule sends events to Cloudera Manager for every StringIndexOutOfBoundsException, up to a maximum of 10 every minute.
- {"alert": false, "rate": 1, "periodminutes": 1, "exceptiontype": ".*"}, {"alert": true, "rate": 1, "periodminutes": 1, "threshold": "ERROR"} In this example, an event generated may not be promoted to alert if an exception is in the ERROR log message, because the first rule with alert = false will match.

Related Name

Default Value

version: 0, rules: [alert: false, rate: 1, periodminutes: 1, threshold: FATAL , alert: false, rate: 0, threshold: WARN, content: .* is deprecated. Instead, use .* , alert: false, rate: 0, threshold: WARN, content: .* is deprecated. Use .* instead , alert: false, rate: 1, periodminutes: 2, exceptiontype: .* , alert: false, rate: 1, periodminutes: 1, threshold: WARN]

API Name

log_event_whitelist

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: { "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }

Related Name**Default Value****API Name**

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value

11132

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
processors: filter/$ROLE_NAME: metrics: include: match_type: strict metric_names: #memory -
jvm_buffer_pool_used_bytes - jvm_buffer_pool_capacity_bytes - jvm_buffer_pool_used_buffers
- jvm_memory_bytes_used - jvm_memory_bytes_committed - jvm_memory_bytes_max -
jvm_memory_bytes_init #gc - jvm_gc_collection_seconds #threads - jvm_threads_current -
jvm_threads_daemon - jvm_threads_peak - jvm_threads_started_total - jvm_threads_deadlocked
- jvm_threads_deadlocked_monitor - jvm_threads_state #classes - jvm_classes_currently_loaded
#process - process_cpu_seconds_total - process_start_time_seconds - process_open_fds -
process_virtual_memory_bytes #JvmMetrics - log_error - log_fatal - log_info - log_warn
#RpcActivityForPort - call_queue_length - num_open_connections - received_bytes -
rpc_authentication_failures - rpc_authentication_successes - rpc_authorization_failures -
rpc_authorization_successes - rpc_processing_time_avg_time - rpc_queue_time_avg_time
- sent_bytes # MetricsSystem, sub=Stats - dropped_pub_all - num_active_sinks -
num_active_sources - num_all_sinks - num_all_sources - publish_avg_time - snapshot_avg_time
```

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

```
receivers: prometheus/$ROLE_NAME: config: scrape_configs: - job_name: 'DMP-$ROLE_NAME'
scrape_interval: 60s scheme: http tls_config: insecure_skip_verify: true static_configs: -
targets: ['localhost:$ROLE_PARAM(otelcol_helper_port)'] labels: host_name: $HOST_NAME
cm_cluster_id: $CLUSTER_ID service_type: $SERVICE_TYPE service: $SERVICE_NAME
role_type: $ROLE_TYPE role_name: $ROLE_NAME instance: $INFRA(instance_id) cluster_id:
$INFRA(cluster_id) platform: $INFRA(platform) formfactor: paas-vm relabel_configs: -
source_labels: [cluster_id] regex: 'crn:cdp:([^:]+):.*' replacement: '$$1' target_label: app_type
action: replace
```

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name

Default Value

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

service: pipelines: metrics/\$ROLE_NAME: receivers: [prometheus/\$ROLE_NAME] processors: [filter/\$ROLE_NAME] exporters: [prometheusremotewrite/\$ROLE_NAME]

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

true

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name

Default Value

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds

Description

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=\$ROLENAM and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}] See the trigger rules documentation for more

details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

Enable Job ACL

Description

Specifies whether ACLs should be checked for authorization when users perform various operations. If enabled, access control checks are made by MapReduce when requests are made by users for queue operations and job operations. Queue operations include submitting job to a queue or killing a job in the queue. Job operations include viewing the job-details (See mapreduce.job.acl-view-job), or modifying a job (See mapreduce.job.acl-modify-job).

Related Name

mapreduce.cluster.acls.enabled

Default Value

false

API Name

mapreduce_cluster_acls_enabled

Required

false

Job History Files Cleaner Interval**Description**

Time interval for history cleaner to check for files to delete. Files are only deleted if they are older than mapreduce.jobhistory.max-age-ms.

Related Name

mapreduce.jobhistory.cleaner.interval

Default Value

1 day(s)

API Name

mapreduce_jobhistory_cleaner_interval

Required

false

Job History Files Maximum Age**Description**

Job history files older than this time duration will be deleted when the history cleaner runs.

Related Name

mapreduce.jobhistory.max-age-ms

Default Value

7 day(s)

API Name

mapreduce_jobhistory_max_age_ms

Required

false

Max Shuffle Connections**Description**

Maximum allowed connections for the shuffle. Set to 0 (zero) to indicate no limit on the number of connections.

Related Name

mapreduce.jobhistory.loadedjob.tasks.max

Default Value

-1

API Name

mapreduce_shuffle_max_connections

Required

false

MapReduce ApplicationMaster Staging Root Directory

Description

The root HDFS directory of the staging area for users' MR2 jobs; for example /user. The staging directories are always named after the user.

Related Name

yarn.app.mapreduce.am.staging-dir

Default Value

/user

API Name

yarn_app_mapreduce_am_staging_dir

Required

false

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses

MapReduce JobHistory Server Port

Description

The port of the MapReduce JobHistory Server. Together with the hostname of the JobHistory role, forms the address.

Related Name

mapreduce.jobhistory.address

Default Value

10020

API Name

mapreduce_jobhistory_address

Required

false

MapReduce JobHistory Server Admin Interface Port

Description

The port of the MapReduce JobHistory Server administrative interface. Together with the host name of the JobHistory role forms the address.

Related Name

mapreduce.jobhistory.admin.address

Default Value

10033

API Name

mapreduce_jobhistory_admin_address

Required

false

MapReduce JobHistory Web Application HTTP Port**Description**

The HTTP port of the MapReduce JobHistory Server web application. Together with the host name of the JobHistory role forms the address.

Related Name

mapreduce.jobhistory.webapp.address

Default Value

19888

API Name

mapreduce_jobhistory_webapp_address

Required

false

MapReduce JobHistory Web Application HTTPS Port (TLS/SSL)**Description**

The HTTPS port of the MapReduce JobHistory Server web application. Together with the host name of the JobHistory role forms the address.

Related Name

mapreduce.jobhistory.webapp.https.address

Default Value

19890

API Name

mapreduce_jobhistory_webapp_https_address

Required

false

Bind JobHistory Server to Wildcard Address**Description**

If enabled, the JobHistory Server binds to the wildcard address ("0.0.0.0") on all of its ports.

Related Name**Default Value**

false

API Name

yarn_jobhistory_bind_wildcard

Required

false

Resource Management

Java Heap Size of JobHistory Server in Bytes

Description

Maximum size in bytes for the Java Process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

1 GiB

API Name

mr2_jobhistory_java_heapsize

Required

false

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares

Description

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight

Description

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path'
These settings override other cgroup settings.

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no

limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security**Role-Specific Kerberos Principal****Description**

Kerberos principal used by the JobHistory Server roles.

Related Name**Default Value**

mapred

API Name

kerberos_role_princ_name

Required

true

Stacks Collection**Stacks Collection Data Retention****Description**

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory**Description**

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user

with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Hadoop Metrics2 Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hadoop Metrics2 Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_hadoop_metrics2_safety_valve

Required

true

Suppress Parameter Validation: System Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name

Default Value

false

API Name

role_config_suppression_history_process_groupname

Required

true

Suppress Parameter Validation: System User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_history_process_username

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: JobHistory Server Advanced Configuration Snippet (Safety Valve) for yarn-site.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JobHistory Server Advanced Configuration Snippet (Safety Valve) for yarn-site.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jobhistory_config_safety_valve

Required

true

Suppress Parameter Validation: JobHistory Server Advanced Configuration Snippet (Safety Valve) for mapred-site.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JobHistory Server Advanced Configuration Snippet (Safety Valve) for mapred-site.xml parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jobhistory_mapred_safety_valve

Required

true

Suppress Parameter Validation: JobHistory Server Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JobHistory Server Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jobhistory_role_env_safety_valve

Required

true

Suppress Parameter Validation: Role-Specific Kerberos Principal

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role-Specific Kerberos Principal parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_kerberos_role_princ_name

Required

true

Suppress Parameter Validation: JobHistory Server Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JobHistory Server Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Rules to Extract Events from Log Files

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Rules to Extract Events from Log Files parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log_event_whitelist

Required

true

Suppress Parameter Validation: MapReduce JobHistory Server Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the MapReduce JobHistory Server Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_mapreduce_jobhistory_address

Required

true

Suppress Parameter Validation: MapReduce JobHistory Server Admin Interface Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the MapReduce JobHistory Server Admin Interface Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_mapreduce_jobhistory_admin_address

Required

true

Suppress Parameter Validation: MapReduce JobHistory Web Application HTTP Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the MapReduce JobHistory Web Application HTTP Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_mapreduce_jobhistory_webapp_address

Required

true

Suppress Parameter Validation: MapReduce JobHistory Web Application HTTPS Port (TLS/SSL)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the MapReduce JobHistory Web Application HTTPS Port (TLS/SSL) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_mapreduce_jobhistory_webapp_https_address

Required

true

Suppress Parameter Validation: Java Configuration Options for JobHistory Server**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for JobHistory Server parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_mr2_jobhistory_java_opts

Required

true

Suppress Parameter Validation: JobHistory Server Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JobHistory Server Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_mr2_jobhistory_log_dir

Required

true

Suppress Parameter Validation: Heap Dump Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Parameter Validation: MapReduce ApplicationMaster Staging Root Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the MapReduce ApplicationMaster Staging Root Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_app_mapreduce_am_staging_dir

Required

true

Suppress Health Test: Audit Pipeline Test

Description

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_jobhistory_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_jobhistory_file_descriptor

Required

true

Suppress Health Test: GC Duration**Description**

Whether to suppress the results of the GC Duration health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_jobhistory_gc_duration

Required

true

Suppress Health Test: Heap Dump Directory Free Space**Description**

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_jobhistory_heap_dump_directory_free_space

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_jobhistory_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_jobhistory_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_jobhistory_otelcol_health

Required

true

Suppress Health Test: Process Status

Description

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_jobhistory_scm_health

Required

true

Suppress Health Test: Swap Memory Usage

Description

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_jobhistory_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_jobhistory_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_jobhistory_unexpected_exits

Required

true

Suppress Health Test: Web Server Status**Description**

Whether to suppress the results of the Web Server Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_jobhistory_web_metric_collection

Required

true

NodeManager**Advanced****Hadoop Metrics2 Advanced Configuration Snippet (Safety Valve)****Description**

Advanced Configuration Snippet (Safety Valve) for Hadoop Metrics2. Properties will be inserted into hadoop-metrics2.properties.

Related Name**Default Value****API Name**

hadoop_metrics2_safety_valve

Required

false

CGroups Hierarchy**Description**

Path (rooted in the cgroups hierarchy on the machine) where to place YARN-managed cgroups.

Related Name

yarn.nodemanager.linux-container-executor.cgroups.hierarchy

Default Value

/hadoop-yarn

API Name

linux_container_executor_cgroups_hierarchy

Required

false

NodeManager Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Healthchecker Script Arguments

Description

Comma-separated list of arguments which are to be passed to node health script when it is being launched.

Related Name

yarn.nodemanager.health-checker.script.opts

Default Value**API Name**

mapred_healthchecker_script_args

Required

false

Healthchecker Script Path

Description

Absolute path to the script which is periodically run by the node health monitoring service to determine if the node is healthy or not. If the value of this key is empty or the file does not exist in the location configured here, the node health monitoring service is not started.

Related Name

yarn.nodemanager.health-checker.script.path

Default Value**API Name**

mapred_healthchecker_script_path

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Java Configuration Options for NodeManager**Description**

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or greater, `{{JAVA_GC_ARGS}}` will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name**Default Value**

JAVA_GC_ARGS -Dlibrary.leveldbjni.path=CMF_CONF_DIR

API Name

node_manager_java_opts

Required

false

NodeManager Advanced Configuration Snippet (Safety Valve) for yarn-site.xml**Description**

For advanced use only. A string to be inserted into yarn-site.xml for this role only.

Related Name**Default Value****API Name**

nodemanager_config_safety_valve

Required

false

Enable Container Launch Debug Information**Description**

Generate additional logs about container launches for e.g. a copy of the launch script and lists the directory contents of the container work dir also following symlinks to a max-depth of 5.

Related Name

yarn.nodemanager.log-container-debug-info.enabled

Default Value

false

API Name

nodemanager_log_container_debug_info_enabled

Required

false

NodeManager Advanced Configuration Snippet (Safety Valve) for mapred-site.xml**Description**

For advanced use only. A string to be inserted into mapred-site.xml for this role only.

Related Name**Default Value****API Name**

nodemanager_mapred_safety_valve

Required

false

NodeManager Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

NODEMANAGER_role_env_safety_valve

Required

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory

Description

When set, a SIGKILL signal is sent to the role process when `java.lang.OutOfMemoryError` is thrown.

Related Name

Default Value

true

API Name

`oom_sigkill_enabled`

Required

true

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name

Default Value

true

API Name

`process_auto_restart`

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name

Default Value

true

API Name

`process_should_monitor`

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name

Default Value

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Localized Dir Deletion Delay**Description**

Number of seconds after an application finishes before the NodeManager's DeletionService will delete the application's localized file and log directory. To diagnose YARN application problems, set this property's value large enough (for example, to 600 = 10 minutes) to permit examination of these directories.

Related Name

yarn.nodemanager.delete.debug-delay-sec

Default Value

0

API Name

yarn_nodemanager_delete_debug_delay_sec

Required

false

Disk Health Checker Disk Utilization Watermark Low Threshold Percentage**Description**

The low threshold percentage of disk space used when a bad disk is marked as good. Values can range from 0.0 to 100.0. This applies to yarn.nodemanager.local-dirs and yarn.nodemanager.log-dirs. Note that if its value is more than yarn.nodemanager.disk-health-checker.max-disk-utilization-per-disk-percentage or not set, it will be set to the same value as yarn.nodemanager.disk-health-checker.max-disk-utilization-per-disk-percentage.

Related Name

yarn.nodemanager.disk-health-checker.disk-utilization-watermark-low-per-disk-percentage

Default Value

API Name

yarn_nodemanager_disk_health_checker_disk_utilization_watermark_low_per_disk_percentage

Required

false

Disk Health Checker Frequency

Description

Frequency, in milliseconds, of running disk health checker.

Related Name

yarn.nodemanager.disk-health-checker.interval-ms

Default Value

2 minute(s)

API Name

yarn_nodemanager_disk_health_checker_interval_ms

Required

false

Disk Health Checker Max Disk Utilization Percent

Description

The maximum percentage of disk space utilization allowed after which a disk is marked as bad. Values can range from 0.0 to 100.0. If the value is greater than or equal to 100, the NodeManager will check for full disk. This applies to local directories and log directories.

Related Name

yarn.nodemanager.disk-health-checker.max-disk-utilization-per-disk-percentage

Default Value

90.0 %

API Name

yarn_nodemanager_disk_health_checker_max_disk_utilization_per_disk_percentage

Required

false

Disk Health Checker Minimum Health Disk Space

Description

The minimum space that must be available on a disk for it to be used. This applies to local directories and log directories.

Related Name

yarn.nodemanager.disk-health-checker.min-free-space-per-disk-mb

Default Value

0 B

API Name

yarn_nodemanager_disk_health_checker_min_free_space_per_disk_mb

Required

false

Disk Health Checker Minimum Health Disks Fraction

Description

The minimum fraction of number of disks to be healthy for the NodeManager to launch new containers. This correspond to both local directories and log directories; that is, if there are fewer healthy local directories (or log directories) available, then new containers will not be launched on this node.

Related Name

yarn.nodemanager.disk-health-checker.min-healthy-disks

Default Value

0.25

API Name

yarn_nodemanager_disk_health_checker_min_healthy_disks

Required

false

Docker on YARN

Enable Docker Containers

Description

Specifies if Docker containers in YARN are enabled.

Related Name**Default Value**

false

API Name

docker_on_yarn_enabled

Required

false

Allowed Devices for Docker Containers

Description

Specifies the devices that Docker containers are allowed to mount. By default, no devices are allowed to be mounted.

Related Name

docker.allowed.devices

Default Value**API Name**

yarn_docker_allowed_devices

Required

false

Allowed Read-Only Mounts for Docker Containers

Description

Specifies the directories that Docker containers are allowed to mount in read-only mode. NodeManager Local Directories and Cgroups root are always added to this list. Ensure that any additional default read-only mounts are also added here.

Related Name

`docker.allowed.ro-mounts`**Default Value****API Name**`yarn_docker_allowed_ro_mounts`**Required**`false`**Allowed Read-Write Mounts for Docker Containers****Description**

Specifies the directories that Docker containers are allowed to mount in read-write mode. NodeManager Local Directories and NodeManager Container Log Directories are always added to this list. Ensure that any additional default read-write mounts are also added here.

Related Name`docker.allowed.rw-mounts`**Default Value****API Name**`yarn_docker_allowed_rw_mounts`**Required**`false`**Allowed Volume Drivers for Docker Containers****Description**

Specifies the volume drivers which are allowed to be used with Docker. By default, no volume drivers are allowed.

Related Name`docker.allowed.volume-drivers`**Default Value****API Name**`yarn_docker_allowed_volume_drivers`**Required**`false`**Docker Binary Path****Description**

Specifies the path of the binary in the hosts that is used to launch Docker containers. Its default value is `/usr/bin/docker`.

Related Name`docker.binary`**Default Value**`/usr/bin/docker`**API Name**`yarn_docker_binary`**Required**`false`

Enable No-new-privileges Flag for Docker Containers

Description

Specifies if the no-new-privileges flag for docker run is enabled. The no-new-privileges flag ensures that the process or its children processes do not gain any additional privileges. Set to 'true' to enable.

Related Name

docker.no-new-privileges.enabled

Default Value

false

API Name

yarn_docker_no_new_privileges_enabled

Required

false

Trusted Registries for Docker Containers

Description

Specifies the list of trusted docker registries for running trusted docker containers. By default, no registries are defined.

Related Name

docker.trusted.registries

Default Value**API Name**

yarn_docker_trusted_registries

Required

false

Allowed Docker Container Networks

Description

Specifies the networks that are allowed for Docker containers. Valid values are determined by Docker networks available from the docker network ls command.

Related Name

yarn.nodemanager.runtime.linux.docker.allowed-container-networks

Default Value

host none bridge

API Name

yarn_nodemanager_runtime_linux_docker_allowed_container_networks

Required

false

Docker Capabilities

Description

Specifies the capabilities assigned to Docker containers when they are launched. The values may not be case-sensitive from a docker perspective, but Cloudera recommends to keep them uppercase.

Related Name

yarn.nodemanager.runtime.linux.docker.capabilities

Default Value

CHOWN, DAC_OVERRIDE, FSETID, FOWNER, MKNOD, NET_RAW, SETGID, SETUID, SETFCAP, SETPCAP, NET_BIND_SERVICE, SYS_CHROOT, KILL, AUDIT_WRITE

API Name

yarn_nodemanager_runtime_linux_docker_capabilities

Required

false

Default Docker Container Network**Description**

Specifies which allowed network is used when launching Docker containers but no network is specified in the request. This network must be added to yarn.nodemanager.runtime.linux.docker.allowed-container-networks.

Related Name

yarn.nodemanager.runtime.linux.docker.default-container-network

Default Value

host

API Name

yarn_nodemanager_runtime_linux_docker_default_container_network

Required

false

Default Read-Only Mounts for Docker Containers**Description**

A list that specifies the default read-only mounts to be bind-mounted into all Docker containers that use DockerContainerRuntime. NodeManager Local Directories and Cgroups root are always added to this list. Ensure that any additional default read-only mounts are also added to the Allowed Read-Only Mounts list.

Related Name

yarn.nodemanager.runtime.linux.docker.default-ro-mounts

Default Value**API Name**

yarn_nodemanager_runtime_linux_docker_default_ro_mounts

Required

false

Default Read-Write Mounts for Docker Containers**Description**

A list that specifies the default read-write mounts to be bind-mounted into all Docker containers that use DockerContainerRuntime. NodeManager Local Directories and NodeManager Container Log Directories are always added to this list. Ensure that any additional default read-write mounts are also added to the Allowed Read-Write Mounts list.

Related Name

yarn.nodemanager.runtime.linux.docker.default-rw-mounts

Default Value**API Name**

yarn_nodemanager_runtime_linux_docker_default_rw_mounts

Required

false

Default Tempfs Mounts for Docker Containers**Description**

Specifies the directories in tmpfs that Docker containers are allowed to mount. By default, no directories are allowed in tmpfs to be mounted.

Related Name

yarn.nodemanager.runtime.linux.docker.default-tmpfs-mounts

Default Value**API Name**

yarn_nodemanager_runtime_linux_docker_default_tmpfs_mounts

Required

false

Allow Delayed Removal of Docker Containers**Description**

Specifies if Debug Deletion Delay is used for Docker containers. Debug Deletion Delay is useful for troubleshooting Docker container related launch failures. For more information, see yarn.nodemanager.delete.debug-delay-sec.

Related Name

yarn.nodemanager.runtime.linux.docker.delayed-removal.allowed

Default Value

false

API Name

yarn_nodemanager_runtime_linux_docker_delayed_removal_allowed

Required

false

Enable User Remapping for Docker Containers**Description**

Specifies if Docker containers can run with the UID (User Identifier) and GID (Group Identifier) of the calling user.

Related Name

yarn.nodemanager.runtime.linux.docker.enable-userremapping.allowed

Default Value

true

API Name

yarn_nodemanager_runtime_linux_docker_enable_userremapping_allowed

Required

false

Allow Using Host PID Namespace for Docker Containers**Description**

Specifies if Docker containers are allowed to use the host PID namespace.

Related Name`yarn.nodemanager.runtime.linux.docker.host-pid-namespace.allowed`**Default Value**`false`**API Name**`yarn_nodemanager_runtime_linux_docker_host_pid_namespace_allowed`**Required**`false`**ACL for Privileged Docker Containers****Description**

A comma-separated list that specifies the users who can request privileged Docker containers if privileged Docker containers are allowed.

Related Name`yarn.nodemanager.runtime.linux.docker.privileged-containers.acl`**Default Value****API Name**`yarn_nodemanager_runtime_linux_docker_privileged_containers_acl`**Required**`false`**Allow Privileged Docker Containers****Description**

Specifies if applications are allowed to run in privileged containers. Privileged containers are granted the complete set of capabilities and are not subject to the limitations imposed by the device cgroup controller. Use with extreme care!

Related Name`yarn.nodemanager.runtime.linux.docker.privileged-containers.allowed`**Default Value**`false`**API Name**`yarn_nodemanager_runtime_linux_docker_privileged_containers_allowed`**Required**`false`**User Remapping GID Threshold for Docker Containers****Description**

Specifies the minimum GID (Group Identifier) for a remapped user. Users with GIDs lower than this minimum value are not allowed to launch Docker containers when user remapping (`yarn.nodemanager.runtime.linux.docker.enable-userremapping.allowed`) is enabled.

Related Name`yarn.nodemanager.runtime.linux.docker.userremapping-gid-threshold`**Default Value**`1`**API Name**

yarn_nodemanager_runtime_linux_docker_userremapping_gid_threshold

Required

false

User Remapping UID Threshold for Docker Containers**Description**

Specifies the minimum UID (User Identifier) for a remapped user. Users with UIDs lower than this minimum value are not allowed to launch Docker containers when user remapping (yarn.nodemanager.runtime.linux.docker.enable-userremapping.allowed) is enabled.

Related Name

yarn.nodemanager.runtime.linux.docker.userremapping-uid-threshold

Default Value

1

API Name

yarn_nodemanager_runtime_linux_docker_userremapping_uid_threshold

Required

false

FPGA Management**Enable FPGA Usage****Description**

Allows NodeManagers to provide FPGA devices to YARN applications that request them.

Related Name

yarn.nodemanager.fpga_enabled

Default Value

false

API Name

yarn_nodemanager_fpga_enabled

Required

false

FPGA device major number**Description**

The major device number of the FPGA card

Related Name

yarn.nodemanager.fpga_major_device_number

Default Value

238

API Name

yarn_nodemanager_fpga_major_device_number

Required

false

FPGA initializer script**Description**

The shell script which sets up the environment for the FPGA device. It is usually a short shell script which sources other scripts and exports environment variables.

Related Name

yarn.nodemanager.fpga_plugin_initializer_script

Default Value**API Name**

yarn_nodemanager_fpga_plugin_initializer_script

Required

false

Allowed FPGA devices**Description**

Specifies FPGA devices which can be managed by YARN NodeManager (in a comma-separated list). Manually specify FPGA devices if you only want a subset of FPGA devices to be managed by YARN. An FPGA device is identified by the minor device number. An example of manual specification is "0,1" to allow YARN NodeManager to manage FPGA devices with minor numbers 0/1. Default is "auto", which allows all devices.

Related Name

yarn.nodemanager.resource-plugins.fpga.allowed-fpga-devices

Default Value

auto

API Name

yarn_nodemanager_resource_plugins_fpga_allowed_fpga_devices

Required

false

List of available FPGA devices**Description**

Specifies the available FPGA devices in a given format: deviceA/N:M,deviceB/X:Y. Example: ac10/243:0,ac11/243:1. The numbers after the "/" character are the device major and minor numbers.

Related Name

yarn.nodemanager.resource-plugins.fpga.available-devices

Default Value**API Name**

yarn_nodemanager_resource_plugins_fpga_available_devices

Required

false

Path to FPGA (aocl) tool**Description**

Full local path to the Intel "aocl" tool installed on the node.

Related Name

yarn.nodemanager.resource-plugins.fpga.path-to-discovery-executables

Default Value**API Name**

yarn_nodemanager_resource_plugins_fpga_path_to_discovery_executables

Required

false

GPU Management**Enable GPU Usage****Description**

Allows NodeManagers to provide GPU devices to YARN applications that request them.

Related Name**Default Value**

false

API Name

gpu_enabled

Required

false

NodeManager GPU Devices Allowed**Description**

Specifies GPU devices which can be managed by YARN NodeManager (comma-separated). Manually specify GPU devices if auto detection of GPU devices failed or you only want a subset of GPU devices to be managed by YARN. A GPU device is identified by the minor device number and index: An example of manual specification is "0:0,1:1,2:2,3:4" to allow YARN NodeManager to manage GPU devices with indices 0/1/2/3 and minor number 0/1/2/4 numbers.

Related Name

yarn.nodemanager.resource-plugins.gpu.allowed-gpu-devices

Default Value

auto

API Name

gpu_plugin_allowed_devices

Required

false

NodeManager GPU Detection Executable**Description**

Path to the executable program which YARN runs to get GPU-related information. When this value is empty (default), YARN NodeManager will try to locate the executable itself. An example value is: /usr/local/bin/nvidia-smi

Related Name

yarn.nodemanager.resource-plugins.gpu.path-to-discovery-executables

Default Value**API Name**

gpu_plugin_detector_path

Required

false

Log Aggregation

Log Aggregation Policy

Description

Specifies the types of container logs that are uploaded during the log aggregation.

Related Name

yarn.nodemanager.log-aggregation.policy.class

Default Value

org.apache.hadoop.yarn.server.nodemanager.containermanager.logaggregation.AllContainerLogAggregationPolicy

API Name

yarn_nodemanager_log_aggregation_policy_class

Required

false

Log Aggregation Roll Monitoring Interval

Description

Defines how often NodeManagers wake up to upload log files. If this value is 0 or less than 0, the logs are uploaded when the application is completed.

Related Name

yarn.nodemanager.log-aggregation.roll-monitoring-interval-seconds

Default Value

-1 second(s)

API Name

yarn_nodemanager_log_aggregation_roll_monitoring_interval_seconds

Required

false

Minimum Hard Limit for Log Aggregation Roll Monitoring Interval

Description

Defines the hard minimum value for yarn.nodemanager.log-aggregation.roll-monitoring-interval-seconds, if Log Aggregation Roll Monitoring Interval has been set to a positive value.

Related Name

yarn.nodemanager.log-aggregation.roll-monitoring-interval-seconds.min

Default Value

1 hour(s)

API Name

yarn_nodemanager_log_aggregation_roll_monitoring_interval_seconds_min

Required

false

Remote App Log Directory

Description

Specifies the path of the directory where application logs are stored after an application is completed.

Related Name

yarn.nodemanager.remote-app-log-dir

Default Value

/tmp/logs

API Name

yarn_nodemanager_remote_app_log_dir

Required

false

Remote App Log Directory Suffix

Description

The remote log directory is created at {yarn.nodemanager.remote-app-log-dir}/{user}/{thisParam}

Related Name

yarn.nodemanager.remote-app-log-dir-suffix

Default Value

logs

API Name

yarn_nodemanager_remote_app_log_dir_suffix

Required

false

Logs

NodeManager Logging Threshold

Description

The minimum log level for NodeManager logs

Related Name

Default Value

INFO

API Name

log_threshold

Required

false

NodeManager Maximum Log File Backups

Description

The maximum number of rolled log files to keep for NodeManager logs. Typically used by log4j or logback.

Related Name

Default Value

10

API Name

max_log_backup_index

Required

false

NodeManager Max Log Size

Description

The maximum size, in megabytes, per log file for NodeManager logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

NodeManager Log Directory

Description

Directory where NodeManager will place its log files.

Related Name

hadoop.log.dir

Default Value

/var/log/hadoop-yarn

API Name

node_manager_log_dir

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

`enable_config_alerts`**Required**`false`**Heap Dump Directory Free Space Monitoring Absolute Thresholds****Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name`heap_dump_directory_free_space_absolute_thresholds`**Required**`false`**Heap Dump Directory Free Space Monitoring Percentage Thresholds****Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name`heap_dump_directory_free_space_percentage_thresholds`**Required**`false`**Enable JMX Exporter (beta)****Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**`true`**API Name**`jmx_exporter_enabled`**Required**`true`**JMX Exporter configuration YAML****Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

```
startDelaySeconds: 10 ssl: false lowercaseOutputName: true lowercaseOutputLabelNames: true
rules: - pattern: 'Hadoop<service=(.*)>, name=JvmMetrics><>(.*): (\d+)' attrNameSnakeCase:
true name: $2 value: $3 labels: hadoop_service: $1 hadoop_metric_group: jvm_metrics - pattern:
'Hadoop<service=(.*)>, name=MetricsSystem, sub=Stats><>(.*): (\d+)' attrNameSnakeCase:
true name: $2 value: $3 labels: hadoop_service: $1 hadoop_metric_group: stats - pattern:
'Hadoop<service=(.*)>, name=RpcActivityForPort(.*)><>(.*): (\d+)' attrNameSnakeCase: true
name: $3 value: $4 labels: hadoop_service: $1 hadoop_metric_group: rpc_activity_for_port
port: $2 - pattern: 'Hadoop<service=NodeManager, name=NodeManagerMetrics><>(.*):
(\d+)' attrNameSnakeCase: true name: $1 value: $2 labels: hadoop_service: NodeManager
hadoop_metric_group: NodeManager
```

API Name

```
jmx_exporter_yaml
```

Required

```
false
```

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

```
Warning: 10 GiB, Critical: 5 GiB
```

API Name

```
log_directory_free_space_absolute_thresholds
```

Required

```
false
```

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

```
Warning: Never, Critical: Never
```

API Name

```
log_directory_free_space_percentage_thresholds
```

Required

```
false
```

Rules to Extract Events from Log Files**Description**

This file contains the rules that govern how log messages are turned into events by the custom log4j appender that this role loads. It is in JSON format, and is composed of a list of rules. Every log message is evaluated against each of these rules in turn to decide whether or not to send an event for

that message. If a log message matches multiple rules, the first matching rule is used.. Each rule has some or all of the following fields:

- alert - whether or not events generated from this rule should be promoted to alerts. A value of "true" will cause alerts to be generated. If not specified, the default is "false".
- rate (mandatory) - the maximum number of log messages matching this rule that can be sent as events every minute. If more than rate matching log messages are received in a single minute, the extra messages are ignored. If rate is less than 0, the number of messages per minute is unlimited.
- periodminutes - the number of minutes during which the publisher will only publish rate events or fewer. If not specified, the default is one minute
- threshold - apply this rule only to messages with this log4j severity level or above. An example is "WARN" for warning level messages or higher.
- content - match only those messages for which contents match this regular expression.
- exceptiontype - match only those messages that are part of an exception message. The exception type must match this regular expression.

Example:

- {"alert": false, "rate": 10, "exceptiontype": "java.lang.StringIndexOutOfBoundsException"} This rule sends events to Cloudera Manager for every StringIndexOutOfBoundsException, up to a maximum of 10 every minute.
- {"alert": false, "rate": 1, "periodminutes": 1, "exceptiontype": ".*"}, {"alert": true, "rate": 1, "periodminutes": 1, "threshold": "ERROR"} In this example, an event generated may not be promoted to alert if an exception is in the ERROR log message, because the first rule with alert = false will match.

Related Name

Default Value

version: 0, rules: [alert: false, rate: 1, periodminutes: 1, threshold: FATAL , alert: false, rate: 0, threshold: WARN, content: .* is deprecated. Instead, use .* , alert: false, rate: 0, threshold: WARN, content: .* is deprecated. Use .* instead , alert: false, rate: 1, periodminutes: 2, exceptiontype: .* , alert: false, rate: 1, periodminutes: 1, threshold: WARN]

API Name

log_event_whitelist

Required

false

Metric Filter

Description

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following

configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: { "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }

Related Name**Default Value****API Name**

`monitoring_metric_filter`

Required

`false`

NodeManager Connectivity Health Check**Description**

Enables the health check that verifies the NodeManager is connected to the ResourceManager.

Related Name**Default Value**

`true`

API Name

`nodemanager_connectivity_health_enabled`

Required

`false`

NodeManager Connectivity Tolerance at Startup**Description**

The amount of time to wait for the NodeManager to fully start up and connect to the ResourceManager before enforcing the connectivity check.

Related Name**Default Value**

`3 minute(s)`

API Name

`nodemanager_connectivity_tolerance_seconds`

Required

`false`

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

nodemanager_fd_thresholds

Required

false

Garbage Collection Duration Thresholds**Description**

The health test thresholds for the weighted average time spent in Java garbage collection. Specified as a percentage of elapsed wall clock time.

Related Name**Default Value**

Warning: 30.0, Critical: 60.0

API Name

nodemanager_gc_duration_thresholds

Required

false

Garbage Collection Duration Monitoring Period**Description**

The period to review when computing the moving average of garbage collection time.

Related Name**Default Value**

5 minute(s)

API Name

nodemanager_gc_duration_window

Required

false

NodeManager Health Checker Health Check**Description**

Enables the health check that verifies the NodeManager is seen as healthy by the ResourceManager.

Related Name**Default Value**

true

API Name

nodemanager_health_checker_health_enabled

Required

false

NodeManager Host Health Test**Description**

When computing the overall NodeManager health, consider the host's health.

Related Name

Default Value

true

API Name

nodemanager_host_health_enabled

Required

false

NodeManager Local Directories Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's NodeManager Local Directories.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

nodemanager_local_data_directories_free_space_absolute_thresholds

Required

false

NodeManager Local Directories Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's NodeManager Local Directories. Specified as a percentage of the capacity on that filesystem. This setting is not used if a NodeManager Local Directories Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

nodemanager_local_data_directories_free_space_percentage_thresholds

Required

false

NodeManager Container Log Directories Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's NodeManager Container Log Directories.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

nodemanager_log_directories_free_space_absolute_thresholds

Required

false

NodeManager Container Log Directories Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's NodeManager Container Log Directories. Specified as a percentage of the capacity on that filesystem. This setting is not used if a NodeManager Container Log Directories Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

nodemanager_log_directories_free_space_percentage_thresholds

Required

false

NodeManager Recovery Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's NodeManager Recovery Directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

nodemanager_recovery_directory_free_space_absolute_thresholds

Required

false

NodeManager Recovery Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's NodeManager Recovery Directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a NodeManager Recovery Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

nodemanager_recovery_directory_free_space_percentage_thresholds

Required

false

NodeManager Process Health Test

Description

Enables the health test that the NodeManager's process state is consistent with the role configuration

Related Name**Default Value**

	true
API Name	nodemanager_scm_health_enabled
Required	false

Web Metric Collection

Description	Enables the health test that the Cloudera Manager Agent can successfully contact and gather metrics from the web server.
Related Name	
Default Value	true
API Name	nodemanager_web_metric_collection_enabled
Required	false

Web Metric Collection Duration

Description	The health test thresholds on the duration of the metrics request to the web server.
Related Name	
Default Value	Warning: 10 second(s), Critical: Never
API Name	nodemanager_web_metric_collection_thresholds
Required	false

OpenTelemetry Collector Exporters Section

Description	Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.
Related Name	
Default Value	exporters: prometheusremotewrite/\$ROLE_NAME: endpoint: \$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/\$ROLE_NAME tls: insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s max_elapsed_time: 300s
API Name	otelcol_exporters
Required	false

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value**

11131

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
processors: filter/$ROLE_NAME: metrics: include: match_type: strict metric_names: #memory -
jvm_buffer_pool_used_bytes - jvm_buffer_pool_capacity_bytes - jvm_buffer_pool_used_buffers
- jvm_memory_bytes_used - jvm_memory_bytes_committed - jvm_memory_bytes_max -
jvm_memory_bytes_init #gc - jvm_gc_collection_seconds #threads - jvm_threads_current -
jvm_threads_daemon - jvm_threads_peak - jvm_threads_started_total - jvm_threads_deadlocked
- jvm_threads_deadlocked_monitor - jvm_threads_state #classes - jvm_classes_currently_loaded
#process - process_cpu_seconds_total - process_start_time_seconds - process_open_fds -
process_virtual_memory_bytes #JvmMetrics - log_error - log_fatal - log_info - log_warn
#RpcActivityForPort - call_queue_length - num_open_connections - received_bytes -
rpc_authentication_failures - rpc_authentication_successes - rpc_authorization_failures -
rpc_authorization_successes - rpc_processing_time_avg_time - rpc_queue_time_avg_time
- sent_bytes # MetricsSystem, sub=Stats - dropped_pub_all - num_active_sinks -
num_active_sources - num_all_sinks - num_all_sources - publish_avg_time - snapshot_avg_time
# Hadoop:service=, name=NodeManagerMetrics - allocated_gb - available_gb -
containers_completed - containers_failed - containers_running
```

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value**

```
receivers: prometheus/$ROLE_NAME: config: scrape_configs: - job_name: 'DMP-$ROLE_NAME'
scrape_interval: 60s scheme: http tls_config: insecure_skip_verify: true static_configs: -
targets: ['localhost:$ROLE_PARAM(otelcol_helper_port)'] labels: host_name: $HOST_NAME
cm_cluster_id: $CLUSTER_ID service_type: $SERVICE_TYPE service: $SERVICE_NAME
role_type: $ROLE_TYPE role_name: $ROLE_NAME instance: $INFRA(instance_id) cluster_id:
$INFRA(cluster_id) platform: $INFRA(platform) formfactor: paas-vm relabel_configs: -
source_labels: [cluster_id] regex: 'crn:cdp:([:^:]+):.*' replacement: '$$1' target_label: app_type
action: replace
```

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL**Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the

`$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

`$INFRA(cdp_request_signer_url)`

API Name

`otelcol_remote_write_url`

Required

`false`

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify `$INFRA(cdp_request_signer_username)` when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

`$INFRA(cdp_request_signer_username)`

API Name

`otelcol_remote_write_user`

Required

`false`

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

`otelcol_rtm_logs_exporters`

Required

`false`

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

`otelcol_rtm_logs_extensions`

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: `$HOST_NAME`, `$CLUSTER_NAME`, `$CLUSTER_ID`, `$SERVICE_TYPE`, `$SERVICE_NAME`, `$ROLE_NAME`, `$ROLE_TYPE`, `$ROLE_PARAM(my_parameter_name)` - e.g.: a port parameter for the role's metrics, `$DECODE_B64(...)` and `$DECODE_URL(...)` to decode encoded parameters, `$ENV_PARAM(name)` to fetch params from the process' environment, `$SYS_PARAM(name)` to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

service: pipelines: metrics/\$ROLE_NAME: receivers: [prometheus/\$ROLE_NAME] processors: [filter/\$ROLE_NAME] exporters: [prometheusremotewrite/\$ROLE_NAME]

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

true

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window

Description

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds

Description

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers

Description

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=\$ROLENAM and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}] See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period**Description**

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other**Enable Shuffle Auxiliary Service****Description**

If enabled, adds 'org.apache.hadoop.mapred.ShuffleHandler' to the NodeManager auxiliary services. This is required for MapReduce applications.

Related Name**Default Value**

true

API Name

mapreduce_aux_service

Required

false

Support for keep-alive connections

Description

Enable support for keep-alive connections. Set to true to support keep-alive connections.

Related Name

mapreduce.shuffle.connection-keep-alive.enable

Default Value

true

API Name

mapreduce_shuffle_connection_keep_alive_enable

Required

false

Max Shuffle Connections

Description

Maximum allowed connections for the shuffle. Set to 0 (zero) to indicate no limit on the number of connections.

Related Name

mapreduce.shuffle.max.connections

Default Value

0

API Name

mapreduce_shuffle_max_connections

Required

false

Containers Environment Variable

Description

Environment variables that should be forwarded from the NodeManager's environment to the container's.

Related Name

yarn.nodemanager.admin-env

Default Value

JDK_JAVA_OPTIONS=--add-opens=java.base/java.lang=ALL-UNNAMED --add-exports=java.base/sun.net.dns=ALL-UNNAMED --add-exports=java.base/sun.net.util=ALL-UNNAMED, MALLOC_ARENA_MAX=\$MALLOC_ARENA_MAX

API Name

yarn_nodemanager_admin_env

Required

false

Container Manager Thread Count

Description

Number of threads container manager uses.

Related Name

yarn.nodemanager.container-manager.thread-count

Default Value

20

API Name

yarn_nodemanager_container_manager_thread_count

Required

false

Cleanup Thread Count

Description

Number of threads used in cleanup.

Related Name

yarn.nodemanager.delete.thread-count

Default Value

4

API Name

yarn_nodemanager_delete_thread_count

Required

false

Containers Environment Variables Whitelist

Description

Environment variables that containers may override rather than use NodeManager's default.

Related Name

yarn.nodemanager.env-whitelist

Default Value

JAVA_HOME, HADOOP_COMMON_HOME, HADOOP_HDFS_HOME,
HADOOP_CLIENT_CONF_DIR, HADOOP_YARN_HOME, HADOOP_MAPRED_HOME,
MR2_CLASSPATH, JAVA_LIBRARY_PATH, HADOOP_HOME, PATH, LANG, TZ

API Name

yarn_nodemanager_env_whitelist

Required

false

Heartbeat Interval

Description

Heartbeat interval to ResourceManager

Related Name

yarn.resourcemanager.nodemangers.heartbeat-interval-ms

Default Value

1 second(s)

API Name

yarn_nodemanager_heartbeat_interval_ms

Required

false

NodeManager Local Directories

Description

List of directories on the local filesystem where a NodeManager stores intermediate data files.

Related Name

yarn.nodemanager.local-dirs

Default Value**API Name**

yarn_nodemanager_local_dirs

Required

true

Localizer Cache Cleanup Interval

Description

Address where the localizer IPC is.

Related Name

yarn.nodemanager.localizer.cache.cleanup.interval-ms

Default Value

10 minute(s)

API Name

yarn_nodemanager_localizer_cache_cleanup_interval_ms

Required

false

Localizer Cache Target Size

Description

Target size of localizer cache in MB, per local directory.

Related Name

yarn.nodemanager.localizer.cache.target-size-mb

Default Value

10 GiB

API Name

yarn_nodemanager_localizer_cache_target_size_mb

Required

false

Localizer Client Thread Count

Description

Number of threads to handle localization requests.

Related Name

yarn.nodemanager.localizer.client.thread-count

Default Value

5

API Name

yarn_nodemanager_localizer_client_thread_count

Required

false

Localizer Fetch Thread Count**Description**

Number of threads to use for localization fetching.

Related Name

yarn.nodemanager.localizer.fetch.thread-count

Default Value

4

API Name

yarn_nodemanager_localizer_fetch_thread_count

Required

false

NodeManager Container Log Directories**Description**

List of directories on the local filesystem where a NodeManager stores container log files.

Related Name

yarn.nodemanager.log-dirs

Default Value

/var/log/hadoop-yarn/container

API Name

yarn_nodemanager_log_dirs

Required

true

Log Retain Duration**Description**

Time in seconds to retain user logs. Only applicable if log aggregation is disabled.

Related Name

yarn.nodemanager.log.retain-seconds

Default Value

3 hour(s)

API Name

yarn_nodemanager_log_retain_seconds

Required

false

NodeManager Recovery Directory**Description**

The local filesystem directory in which the NodeManager stores state when recovery is enabled. Recovery is enabled by default.

Related Name

yarn.nodemanager.recovery.dir

Default Value`/var/lib/hadoop-yarn/yarn-nm-recovery`**API Name**`yarn_nodemanager_recovery_dir`**Required**`false`**Enable NodeManager Recovery****Description**

When enabled, any applications that were running on the cluster before the NodeManager was restarted or died will be recovered after the NodeManager is restarted. Recovery is enabled by default.

Related Name`yarn.nodemanager.recovery.enabled`**Default Value**`true`**API Name**`yarn_nodemanager_recovery_enabled`**Required**`false`**Enable NodeManager Supervision under Recovery****Description**

When enabled, the NodeManager running will not try to cleanup containers as it exits with the assumption it will be immediately restarted and recover containers. Supervision is enabled by default.

Related Name`yarn.nodemanager.recovery.supervised`**Default Value**`true`**API Name**`yarn_nodemanager_recovery_supervised`**Required**`false`**Allowed Linux Runtimes****Description**

Specifies the runtimes that are allowed when LinuxContainerExecutor is used.

Related Name`yarn.nodemanager.runtime.linux.allowed-runtimes`**Default Value**`default`**API Name**`yarn_nodemanager_runtime_linux_allowed_runtimes`**Required**

false

Sleep Delay Before SIGKILL

Description

Specifies the time in milliseconds between sending a SIGTERM and a SIGKILL signal to a running container.

Related Name

yarn.nodemanager.sleep-delay-before-sigkill.ms

Default Value

10 millisecond(s)

API Name

yarn_nodemanager_sleep_delay_before_sigkill_ms

Required

false

Performance

Max Shuffle Threads

Description

Maximum allowed threads for serving shuffle connections. Set to zero to indicate the default of 2 times the number of available processors.

Related Name

mapreduce.shuffle.max.threads

Default Value

80

API Name

mapreduce_shuffle_max_threads

Required

false

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name

Default Value

API Name

rlimit_fds

Required

false

Ports and Addresses

NodeManager Web Application HTTPS Port (TLS/SSL)

Description

The HTTPS port of the NodeManager web application.

Related Name

yarn.nodemanager.webapp.https.address

Default Value

8044

API Name

nodemanager_webserver_https_port

Required

false

NodeManager Web Application HTTP Port**Description**

The HTTP Port of the NodeManager web application.

Related Name

yarn.nodemanager.webapp.address

Default Value

8042

API Name

nodemanager_webserver_port

Required

false

NodeManager IPC Address**Description**

The address of the NodeManager IPC.

Related Name

yarn.nodemanager.address

Default Value

8041

API Name

yarn_nodemanager_address

Required

false

Localizer Port**Description**

Address where the localizer IPC is.

Related Name

yarn.nodemanager.localizer.address

Default Value

8040

API Name

yarn_nodemanager_localizer_address

Required

false

Resource Management

Java Heap Size of NodeManager in Bytes

Description

Maximum size in bytes for the Java Process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

1 GiB

API Name

node_manager_java_heapsize

Required

false

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares

Description

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight

Description

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)

Description

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path'
These settings override other cgroup settings.

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight

Description

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no

limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Strict CGroup Resource Usage

Description

CGroups allows cpu usage limits to be hard or soft. When this setting is true, containers cannot use more CPU usage than allocated even if spare CPU is available. This ensures that containers can only use CPU that they were allocated. When set to false, containers can use spare CPU if available. It should be noted that irrespective of whether set to true or false, at no time can the combined CPU usage of all containers exceed the value specified in Containers CPU Limit Percentage.

Related Name

yarn.nodemanager.linux-container-executor.cgroups.strict-resource-usage

Default Value

false

API Name

yarn_nodemanager_linux_container_executor_cgroups_strict_resource_usage

Required

false

Container Virtual CPU Cores

Description

Number of virtual CPU cores that can be allocated for containers. This parameter has no effect prior to CDH 4.4.

Related Name

yarn.nodemanager.resource.cpu-vcores

Default Value

8

API Name

yarn_nodemanager_resource_cpu_vcores

Required

true

Container Memory

Description

Amount of physical memory, in MiB, that can be allocated for containers.

Related Name`yarn.nodemanager.resource.memory-mb`**Default Value**`8 GiB`**API Name**`yarn_nodemanager_resource_memory_mb`**Required**`true`**Containers CPU Limit Percentage****Description**

Amount of CPU reserved for all the containers on each node.

Related Name`yarn.nodemanager.resource.percentage-physical-cpu-limit`**Default Value**`100`**API Name**`yarn_nodemanager_resource_percentage_physical_cpu_limit`**Required**`false`**Enable Virtual Memory Check****Description**

Enforce virtual memory limit on containers, given as a ratio to physical memory.

Related Name`yarn.nodemanager.vmem-check-enabled`**Default Value**`false`**API Name**`yarn_nodemanager_vmem_check_enabled`**Required**`false`**Virtual Memory to Physical Memory Ratio****Description**

Ratio between virtual memory to physical memory when setting `yarn.nodemanager.vmem-check-enabled` to true. Container allocations are expressed in terms of physical memory, and virtual memory usage is allowed to exceed this allocation by this ratio. At least 2.1 is suggested to be set.

Related Name`yarn.nodemanager.vmem-pmem-ratio`**Default Value**`2.1`**API Name**`yarn_nodemanager_vmem_pmem_ratio`**Required**

false

Resource Types

Resource Allocations

Description

Each NodeManager can independently define the resources that are available from that node.

Related Name**Default Value****API Name**

resource_allocations

Required

false

Security

Allowed System Users

Description

List of users explicitly whitelisted to be allowed to run containers. Users with IDs lower than the "Minimum User Id" setting may be whitelisted by using this setting.

Related Name

allowed.system.users

Default Value

nobody \$impala_process_user \$hive_process_user \$hbase_process_user

API Name

container_executor_allowed_system_users

Required

false

Banned System Users

Description

List of users banned from running containers.

Related Name

banned.users

Default Value

\$hdfs_process_user \$yarn_process_user \$mapred_process_user bin

API Name

container_executor_banned_users

Required

false

Container Executor Group

Description

The system group that owns the container-executor binary. This does not need to be changed unless the ownership of the binary is explicitly changed.

Related Name

yarn.nodemanager.linux-container-executor.group

Default Value

yarn

API Name

container_executor_group

Required

false

Minimum User ID**Description**

The minimum Linux user ID allowed. Used to prevent other super users.

Related Name

min.user.id

Default Value

1000

API Name

container_executor_min_user_id

Required

false

Stacks Collection**Stacks Collection Data Retention****Description**

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory**Description**

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Allowed System Users

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Allowed System Users parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_container_executor_allowed_system_users

Required

true

Suppress Parameter Validation: Banned System Users

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Banned System Users parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_container_executor_banned_users

Required

true

Suppress Parameter Validation: Container Executor Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Container Executor Group parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_container_executor_group

Required

true

Suppress Parameter Validation: NodeManager GPU Devices Allowed**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the NodeManager GPU Devices Allowed parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_gpu_plugin_allowed_devices

Required

true

Suppress Parameter Validation: NodeManager GPU Detection Executable**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the NodeManager GPU Detection Executable parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_gpu_plugin_detector_path

Required

true

Suppress Parameter Validation: Hadoop Metrics2 Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hadoop Metrics2 Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hadoop_metrics2_safety_valve

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: CGroups Hierarchy**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the CGroups Hierarchy parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_linux_container_executor_cgroups_hierarchy

Required

true

Suppress Parameter Validation: NodeManager Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the NodeManager Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Rules to Extract Events from Log Files**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Rules to Extract Events from Log Files parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log_event_whitelist

Required

true

Suppress Parameter Validation: Healthchecker Script Arguments

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Healthchecker Script Arguments parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_mapred_healthchecker_script_args

Required

true

Suppress Parameter Validation: Healthchecker Script Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Healthchecker Script Path parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_mapred_healthchecker_script_path

Required

true

Suppress Parameter Validation: Java Configuration Options for NodeManager

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for NodeManager parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_node_manager_java_opts

Required

true

Suppress Parameter Validation: NodeManager Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the NodeManager Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_node_manager_log_dir

Required

true

Suppress Parameter Validation: NodeManager Advanced Configuration Snippet (Safety Valve) for yarn-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the NodeManager Advanced Configuration Snippet (Safety Valve) for yarn-site.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_nodemanager_config_safety_valve

Required

true

Suppress Parameter Validation: NodeManager Advanced Configuration Snippet (Safety Valve) for mapred-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the NodeManager Advanced Configuration Snippet (Safety Valve) for mapred-site.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_nodemanager_mapred_safety_valve

Required

true

Suppress Parameter Validation: NodeManager Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the NodeManager Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_nodemanager_role_env_safety_valve

Required

true

Suppress Parameter Validation: NodeManager Web Application HTTPS Port (TLS/SSL)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the NodeManager Web Application HTTPS Port (TLS/SSL) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_nodemanager_webserver_https_port

Required

true

Suppress Parameter Validation: NodeManager Web Application HTTP Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the NodeManager Web Application HTTP Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_nodemanager_webserver_port

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Parameter Validation: Allowed Devices for Docker Containers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Allowed Devices for Docker Containers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_docker_allowed_devices

Required

true

Suppress Parameter Validation: Allowed Read-Only Mounts for Docker Containers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Allowed Read-Only Mounts for Docker Containers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_docker_allowed_ro_mounts

Required

true

Suppress Parameter Validation: Allowed Read-Write Mounts for Docker Containers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Allowed Read-Write Mounts for Docker Containers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_docker_allowed_rw_mounts

Required

true

Suppress Parameter Validation: Allowed Volume Drivers for Docker Containers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Allowed Volume Drivers for Docker Containers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_docker_allowed_volume_drivers

Required

true

Suppress Parameter Validation: Docker Binary Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Docker Binary Path parameter.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_docker_binary

Required

true

Suppress Configuration Validator: Validates configuration of YARN NodeManagers when Docker on YARN feature is enabled.

Description

Whether to suppress configuration warnings produced by the Validates configuration of YARN NodeManagers when Docker on YARN feature is enabled. configuration validator.

Related Name

Default Value

false

API Name

`role_config_suppression_yarn_docker_on_yarn_validator`**Required**`true`**Suppress Parameter Validation: Trusted Registries for Docker Containers****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Trusted Registries for Docker Containers parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_yarn_docker_trusted_registries`**Required**`true`**Suppress Configuration Validator: YARN FPGA Resources Validator****Description**

Whether to suppress configuration warnings produced by the YARN FPGA Resources Validator configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_yarn_fpga_validator`**Required**`true`**Suppress Configuration Validator: YARN GPU Resources Validator****Description**

Whether to suppress configuration warnings produced by the YARN GPU Resources Validator configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_yarn_gpu_validator`**Required**`true`**Suppress Parameter Validation: NodeManager IPC Address****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the NodeManager IPC Address parameter.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_nodemanager_address

Required

true

Suppress Parameter Validation: Containers Environment Variable

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Containers Environment Variable parameter.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_nodemanager_admin_env

Required

true

Suppress Parameter Validation: Containers Environment Variables Whitelist

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Containers Environment Variables Whitelist parameter.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_nodemanager_env_whitelist

Required

true

Suppress Parameter Validation: FPGA initializer script

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the FPGA initializer script parameter.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_nodemanager_fpga_plugin_initializer_script

Required

true

Suppress Parameter Validation: NodeManager Local Directories

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the NodeManager Local Directories parameter.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_nodemanager_local_dirs

Required

true

Suppress Parameter Validation: Localizer Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Localizer Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_nodemanager_localizer_address

Required

true

Suppress Parameter Validation: Minimum Hard Limit for Log Aggregation Roll Monitoring Interval

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Minimum Hard Limit for Log Aggregation Roll Monitoring Interval parameter.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_nodemanager_log_aggregation_roll_monitoring_interval_seconds_min

Required

true

Suppress Configuration Validator: Log Aggregation Roll Monitoring Interval Minimum Validator

Description

Whether to suppress configuration warnings produced by the Log Aggregation Roll Monitoring Interval Minimum Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_nodemanager_log_aggregation_roll_monitoring_interval_seconds_minimum_validator

Required

true

Suppress Parameter Validation: NodeManager Container Log Directories**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the NodeManager Container Log Directories parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_nodemanager_log_dirs

Required

true

Suppress Parameter Validation: NodeManager Recovery Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the NodeManager Recovery Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_nodemanager_recovery_dir

Required

true

Suppress Parameter Validation: Remote App Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Remote App Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_nodemanager_remote_app_log_dir

Required

true

Suppress Parameter Validation: Remote App Log Directory Suffix**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Remote App Log Directory Suffix parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_nodemanager_remote_app_log_dir_suffix

Required

true

Suppress Parameter Validation: Allowed FPGA devices

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Allowed FPGA devices parameter.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_nodemanager_resource_plugins_fpga_allowed_fpga_devices

Required

true

Suppress Parameter Validation: List of available FPGA devices

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the List of available FPGA devices parameter.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_nodemanager_resource_plugins_fpga_available_devices

Required

true

Suppress Parameter Validation: Path to FPGA (aocl) tool

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Path to FPGA (aocl) tool parameter.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_nodemanager_resource_plugins_fpga_path_to_discovery_executables

Required

true

Suppress Parameter Validation: Allowed Linux Runtimes

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Allowed Linux Runtimes parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_nodemanager_runtime_linux_allowed_runtimes

Required

true

Suppress Parameter Validation: Allowed Docker Container Networks**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Allowed Docker Container Networks parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_nodemanager_runtime_linux_docker_allowed_container_networks

Required

true

Suppress Parameter Validation: Docker Capabilities**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Docker Capabilities parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_nodemanager_runtime_linux_docker_capabilities

Required

true

Suppress Parameter Validation: Default Docker Container Network**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Default Docker Container Network parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_nodemanager_runtime_linux_docker_default_container_network

Required

true

Suppress Parameter Validation: Default Read-Only Mounts for Docker Containers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Default Read-Only Mounts for Docker Containers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_nodemanager_runtime_linux_docker_default_ro_mounts

Required

true

Suppress Parameter Validation: Default Read-Write Mounts for Docker Containers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Default Read-Write Mounts for Docker Containers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_nodemanager_runtime_linux_docker_default_rw_mounts

Required

true

Suppress Parameter Validation: Default Tempfs Mounts for Docker Containers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Default Tempfs Mounts for Docker Containers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_nodemanager_runtime_linux_docker_default_tmpfs_mounts

Required

true

Suppress Parameter Validation: ACL for Privileged Docker Containers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the ACL for Privileged Docker Containers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_nodemanager_runtime_linux_docker_privileged_containers_acl

Required

true

Suppress Configuration Validator: YARN Resource Types Validator**Description**

Whether to suppress configuration warnings produced by the YARN Resource Types Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_resources_validator

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_node_manager_audit_health

Required

true

Suppress Health Test: ResourceManager Connectivity**Description**

Whether to suppress the results of the ResourceManager Connectivity health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_node_manager_connectivity

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_node_manager_file_descriptor

Required

true

Suppress Health Test: GC Duration**Description**

Whether to suppress the results of the GC Duration health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_node_manager_gc_duration

Required

true

Suppress Health Test: NodeManager Health Checker**Description**

Whether to suppress the results of the NodeManager Health Checker health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_node_manager_health_checker

Required

true

Suppress Health Test: Heap Dump Directory Free Space**Description**

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name`role_health_suppression_node_manager_heap_dump_directory_free_space`**Required**`true`**Suppress Health Test: Host Health****Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_node_manager_host_health`**Required**`true`**Suppress Health Test: Log Directory Free Space****Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_node_manager_log_directory_free_space`**Required**`true`**Suppress Health Test: Otelcol Health****Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_node_manager_otelcol_health`**Required**`true`

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_node_manager_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_node_manager_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_node_manager_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits**Description**

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_node_manager_unexpected_exits

Required

true

Suppress Health Test: Web Server Status**Description**

Whether to suppress the results of the Web Server Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_node_manager_web_metric_collection

Required

true

Suppress Health Test: NodeManager Local Directories Free Space**Description**

Whether to suppress the results of the NodeManager Local Directories Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_nodemanager_local_data_directories_free_space

Required

true

Suppress Health Test: NodeManager Container Log Directories Free Space**Description**

Whether to suppress the results of the NodeManager Container Log Directories Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_nodemanager_log_directories_free_space

Required

true

Suppress Health Test: NodeManager Recovery Directory Free Space

Description

Whether to suppress the results of the NodeManager Recovery Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_nodemanager_recovery_directory_free_space

Required

true

ResourceManager

Advanced

Hadoop Metrics2 Advanced Configuration Snippet (Safety Valve)

Description

Advanced Configuration Snippet (Safety Valve) for Hadoop Metrics2. Properties will be inserted into hadoop-metrics2.properties.

Related Name**Default Value****API Name**

hadoop_metrics2_safety_valve

Required

false

ResourceManager Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when `java.lang.OutOfMemoryError` error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when `java.lang.OutOfMemoryError` is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name

Default Value

20

API Name

process_start_secs

Required

false

Java Configuration Options for ResourceManager**Description**

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or greater, {{JAVA_GC_ARGS}} will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name**Default Value**

JAVA_GC_ARGS -Dlibrary.leveldbjni.path=CMF_CONF_DIR

API Name

resource_manager_java_opts

Required

false

ResourceManager Advanced Configuration Snippet (Safety Valve) for yarn-site.xml**Description**

For advanced use only. A string to be inserted into yarn-site.xml for this role only.

Related Name**Default Value****API Name**

resourcemanager_config_safety_valve

Required

false

ResourceManager Advanced Configuration Snippet (Safety Valve) for mapred-site.xml**Description**

For advanced use only. A string to be inserted into mapred-site.xml for this role only.

Related Name**Default Value****API Name**

resourcemanager_mapred_safety_valve

Required

false

ResourceManager Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment.
Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

RESOURCEMANAGER_role_env_safety_valve

Required

false

ResourceManager Advanced Configuration Snippet (Safety Valve) for nodes_allow.txt**Description**

For advanced use only. A string to be inserted into nodes_allow.txt for this role only.

Related Name**Default Value****API Name**

rm_hosts_allow_safety_valve

Required

false

ResourceManager Advanced Configuration Snippet (Safety Valve) for nodes_exclude.txt**Description**

For advanced use only. A string to be inserted into nodes_exclude.txt for this role only.

Related Name**Default Value****API Name**

rm_hosts_exclude_safety_valve

Required

false

Logs**ResourceManager Logging Threshold****Description**

The minimum log level for ResourceManager logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

ResourceManager Maximum Log File Backups**Description**

The maximum number of rolled log files to keep for ResourceManager logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

ResourceManager Max Log Size

Description

The maximum size, in megabytes, per log file for ResourceManager logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

ResourceManager Log Directory

Description

Directory where ResourceManager will place its log files.

Related Name

hadoop.log.dir

Default Value

/var/log/hadoop-yarn

API Name

resource_manager_log_dir

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name

Default Value

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML**Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

```
startDelaySeconds: 10 ssl: false lowercaseOutputName: true lowercaseOutputLabelNames: true
rules: - pattern: 'Hadoop<service=(.*)>, name=JvmMetrics><>(.*): (\d+)' attrNameSnakeCase:
true name: $2 value: $3 labels: hadoop_service: $1 hadoop_metric_group: jvm_metrics - pattern:
'Hadoop<service=(.*)>, name=MetricsSystem, sub=Stats><>(.*): (\d+)' attrNameSnakeCase:
true name: $2 value: $3 labels: hadoop_service: $1 hadoop_metric_group: stats - pattern:
'Hadoop<service=(.*)>, name=RpcActivityForPort(.*)><>(.*): (\d+)' attrNameSnakeCase: true
name: $3 value: $4 labels: hadoop_service: $1 hadoop_metric_group: rpc_activity_for_port port: $2
```

API Name

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Rules to Extract Events from Log Files**Description**

This file contains the rules that govern how log messages are turned into events by the custom log4j appender that this role loads. It is in JSON format, and is composed of a list of rules. Every log message is evaluated against each of these rules in turn to decide whether or not to send an event for that message. If a log message matches multiple rules, the first matching rule is used.. Each rule has some or all of the following fields:

- **alert** - whether or not events generated from this rule should be promoted to alerts. A value of "true" will cause alerts to be generated. If not specified, the default is "false".
- **rate** (mandatory) - the maximum number of log messages matching this rule that can be sent as events every minute. If more than rate matching log messages are received in a single minute, the extra messages are ignored. If rate is less than 0, the number of messages per minute is unlimited.
- **periodminutes** - the number of minutes during which the publisher will only publish rate events or fewer. If not specified, the default is one minute
- **threshold** - apply this rule only to messages with this log4j severity level or above. An example is "WARN" for warning level messages or higher.
- **content** - match only those messages for which contents match this regular expression.
- **exceptiontype** - match only those messages that are part of an exception message. The exception type must match this regular expression.

Example:

- `{"alert": false, "rate": 10, "exceptiontype": "java.lang.StringIndexOutOfBoundsException"}` This rule sends events to Cloudera Manager for every `StringIndexOutOfBoundsException`, up to a maximum of 10 every minute.
- `{"alert": false, "rate": 1, "periodminutes": 1, "exceptiontype": ".*"}, {"alert": true, "rate": 1, "periodminutes": 1, "threshold": "ERROR"}` In this example, an event generated may not be promoted to alert if an exception is in the ERROR log message, because the first rule with `alert = false` will match.

Related Name**Default Value**

version: 0, rules: [alert: false, rate: 1, periodminutes: 1, threshold: FATAL , alert: false, rate: 0, threshold: WARN, content: .* is deprecated. Instead, use .* , alert: false, rate: 0, threshold: WARN, content: .* is deprecated. Use .* instead , alert: false, rate: 1, periodminutes: 2, exceptiontype: .* , alert: false, rate: 1, periodminutes: 1, threshold: WARN]

API Name

log_event_whitelist

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- **Health Test Metric Set** - Select this parameter to collect only metrics required for health tests.

- **Default Dashboard Metric Set** - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- **Include/Exclude Custom Metrics** - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- **Metric Name** - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- **Include only Health Test Metric Set:** Selected.
- **Include/Exclude Custom Metrics:** Set to Include.
- **Metric Name:** `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name

Default Value

API Name

`monitoring_metric_filter`

Required

`false`

OpenTelemetry Collector Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

`otelcol_exporters`

Required

`false`

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value


```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value

11130

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
processors: filter/$ROLE_NAME: metrics: include: match_type: strict metric_names: #memory -
jvm_buffer_pool_used_bytes - jvm_buffer_pool_capacity_bytes - jvm_buffer_pool_used_buffers
- jvm_memory_bytes_used - jvm_memory_bytes_committed - jvm_memory_bytes_max -
jvm_memory_bytes_init #gc - jvm_gc_collection_seconds #threads - jvm_threads_current -
jvm_threads_daemon - jvm_threads_peak - jvm_threads_started_total - jvm_threads_deadlocked
- jvm_threads_deadlocked_monitor - jvm_threads_state #classes - jvm_classes_currently_loaded
#process - process_cpu_seconds_total - process_start_time_seconds - process_open_fds -
process_virtual_memory_bytes #JvmMetrics - log_error - log_fatal - log_info - log_warn
#RpcActivityForPort - call_queue_length - num_open_connections - received_bytes -
rpc_authentication_failures - rpc_authentication_successes - rpc_authorization_failures -
rpc_authorization_successes - rpc_processing_time_avg_time - rpc_queue_time_avg_time
- sent_bytes # MetricsSystem, sub=Stats - dropped_pub_all - num_active_sinks -
num_active_sources - num_all_sinks - num_all_sources - publish_avg_time - snapshot_avg_time
```

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The

follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

receivers: prometheus/\$ROLE_NAME: config: scrape_configs: - job_name: 'DMP-\$ROLE_NAME' scrape_interval: 60s scheme: http tls_config: insecure_skip_verify: true static_configs: - targets: ['localhost:\$ROLE_PARAM(otelcol_helper_port)'] labels: host_name: \$HOST_NAME cm_cluster_id: \$CLUSTER_ID service_type: \$SERVICE_TYPE service: \$SERVICE_NAME role_type: \$ROLE_TYPE role_name: \$ROLE_NAME instance: \$INFRA(instance_id) cluster_id: \$INFRA(cluster_id) platform: \$INFRA(platform) formfactor: paas-vm relabel_configs: - source_labels: [cluster_id] regex: 'crn:cdp:([:^:]+):.*' replacement: '\$\$1' target_label: app_type action: replace

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name

Default Value

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username**Description**

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: dbus/$ROLE_NAME: endpoint: '$DBUS_ENDPOINT'
cloudprovider_name: '$DBUS_HEADER_PARAM(cloudprovider_name)'
cloudprovider_region: '$DBUS_HEADER_PARAM(cloudprovider_region)'
cluster_display_name: '$DBUS_HEADER_PARAM(cluster_display_name)'
cluster_id: '$CLUSTER_ID' cm_version: '$DBUS_HEADER_PARAM(cm_version)'
data_service_type: '$DBUS_HEADER_PARAM(data_service_type)'
datahub_resource_crn: '$DBUS_HEADER_PARAM(datahub_crn)'
datalake_crn: '$DBUS_HEADER_PARAM(datalake_crn)' environment_crn:
'$DBUS_HEADER_PARAM(environment_crn)' environment_name:
'$DBUS_HEADER_PARAM(environment_name)' partition_key: '$CLUSTER_ID' sdx_id:
'$DBUS_HEADER_PARAM(sdx_id)' sdx_name: '$DBUS_HEADER_PARAM(sdx_name)'
stream_name: 'RealTimeMonitoringData' time_zone: '$DBUS_HEADER_PARAM(time_zone)'
exporter_timeout: timeout: '45s' retry_on_failure: enabled: false auth: authenticator: cdpauth/dbus-
$ROLE_NAME
```

API Name

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```

extensions: cdpauth/dbus-$ROLE_NAME: cdp_access_key_id: '$CDP_ACCESS_KEY_ID'
send_token: true token_valid_for_sec: 3600 cdp_private_key: '$CDP_PRIVATE_KEY'
cdp_authentication_method: 'rsavl' spnegoauth/$ROLE_NAME: enabled:
$ROLE_BOOLEAN_PARAM(hadoop_secure_web_ui, true, false) realm: '$KRB_REALM'
principal: 'HTTP/$HOST_NAME' krb5_conf_path: '$KRB_CONF_PATH' keytab_path:
$TARGET_PROC_DIR/yarn.keytab

```

API Name

```
otelcol_rtm_logs_extensions
```

Required

```
false
```

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```

processors: clouderalogredactor/$ROLE_NAME: redaction_rules_json_file_path:
$TARGET_PROC_DIR/redaction-rules.json

```

API Name

```
otelcol_rtm_logs_processors
```

Required

```
false
```

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value**

```

receivers: yarnreceiver/$ROLE_NAME: max_response_size_bytes:
5242880 max_age_to_send_queries: 15m scraper: collection_interval: 60s
initial_delay: 0s timeout: 45s http: endpoint: '$SSL_PARAM(http_or_https)://
$HOST_NAME:$SSL_PARAM(resource_manager_webserver_port)' tls: ca_file:
$SSL_PARAM(ssl_server_keystore_location) insecure_skip_verify: true auth: authenticator:
spnegoauth/$ROLE_NAME

```

API Name

```
otelcol_rtm_logs_receivers
```

Required

```
false
```

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
service: pipelines: logs/$ROLE_NAME: receivers: - 'yamreceiver/$ROLE_NAME' exporters: - 'dbus/$ROLE_NAME' processors: - 'clouderalogredactor/$ROLE_NAME'
```

API Name

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
service: pipelines: metrics/$ROLE_NAME: receivers: [prometheus/$ROLE_NAME] processors: [filter/$ROLE_NAME] exporters: [prometheusremotewrite/$ROLE_NAME]
```

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

true

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name

Default Value

true

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

resourcemanager_fd_thresholds

Required

false

Garbage Collection Duration Thresholds**Description**

The health test thresholds for the weighted average time spent in Java garbage collection. Specified as a percentage of elapsed wall clock time.

Related Name**Default Value**

Warning: 30.0, Critical: 60.0

API Name

resourcemanager_gc_duration_thresholds

Required

false

Garbage Collection Duration Monitoring Period**Description**

The period to review when computing the moving average of garbage collection time.

Related Name**Default Value**

5 minute(s)

API Name

resourcemanager_gc_duration_window

Required

false

ResourceManager Host Health Test**Description**

When computing the overall ResourceManager health, consider the host's health.

Related Name**Default Value**

true

API Name

resourcemanager_host_health_enabled

Required

false

ResourceManager Process Health Test

Description

Enables the health test that the ResourceManager's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

resourcemanager_scm_health_enabled

Required

false

Health Test Startup Tolerance

Description

The amount of time allowed after this role is started that failures of health tests that rely on communication with this role will be tolerated.

Related Name**Default Value**

5 minute(s)

API Name

resourcemanager_startup_tolerance_minutes

Required

false

Web Metric Collection

Description

Enables the health test that the Cloudera Manager Agent can successfully contact and gather metrics from the web server.

Related Name**Default Value**

true

API Name

resourcemanager_web_metric_collection_enabled

Required

false

Web Metric Collection Duration

Description

The health test thresholds on the duration of the metrics request to the web server.

Related Name**Default Value**

Warning: 10 second(s), Critical: Never

API Name

resourcemanager_web_metric_collection_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Enable Spool Directory Metric Usage for ResourceManager**Description**

Enables the health test for monitoring the Ranger Plugin Spool directory usage.

Related Name**Default Value**

true

API Name

spool_directory_usage_enabled

Required

false

Ranger Plugin Spool Directory Usage Thresholds for ResourceManager**Description**

The health test thresholds for monitoring the the Ranger Plugin Spool directory usage.

Related Name

Default Value

1 GiB

API Name

spool_directory_usage_threshold

Required

false

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period**Description**

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other**Capacity Scheduler Configuration Advanced Configuration Snippet (Safety Valve)****Description**

Enter an XML string that represents the Capacity Scheduler configuration.

Related Name**Default Value**

```
<configuration> <property> <name>yarn.scheduler.capacity.root.queues</
name> <value>default</value> </property> <property>
<name>yarn.scheduler.capacity.root.capacity</name> <value>100</value> </property> <property>
<name>yarn.scheduler.capacity.root.default.capacity</name> <value>100</value> </property>
<property> <name>yarn.scheduler.capacity.root.default.maximum-am-resource-percent</
name> <value>0.2</value> </property> <property> <name>yarn.scheduler.capacity.schedule-
asynchronously.enable</name> <value>true</value> </property> </configuration>
```

API Name

resourcemanager_capacity_scheduler_configuration

Required

true

Fair Scheduler Assign Multiple Tasks**Description**

Enables multiple Fair Scheduler container assignments in one heartbeat, which improves cluster throughput when there are many small tasks to run.

Related Name

yarn.scheduler.fair.assignmultiple

Default Value

true

API Name

resourcemanager_fair_scheduler_assign_multiple

Required

true

Fair Scheduler XML Advanced Configuration Snippet (Safety Valve)**Description**

An XML string that will be inserted verbatim into the Fair Scheduler allocations file. For CDH 5, overrides the configuration set using the Pools configuration UI. For CDH 4, this is the only way to configure the Fair Scheduler for YARN.

Related Name**Default Value****API Name**

resourcemanager_fair_scheduler_configuration

Required

false

Fair Scheduler Dynamic Max Assign**Description**

During node heartbeat, the ResourceManager will allocate up to half the available resources on a node. Only valid if yarn.scheduler.fair.assignmultiple is set to true.

Related Name

yarn.scheduler.fair.dynamic.max.assign

Default Value

true

API Name

resourcemanager_fair_scheduler_dynamic_max_assign

Required

false

Fair Scheduler Max Assign**Description**

Limit the number of containers allocated by the ResourceManager with each node heartbeat. -1 is equivalent to unlimited. Only valid if yarn.scheduler.fair.assignmultiple is true and yarn.scheduler.fair.dynamic.max.assign is false.

Related Name`yarn.scheduler.fair.max.assign`**Default Value**`-1`**API Name**`resourcemanager_fair_scheduler_max_assign`**Required**`false`**Enable Fair Scheduler Preemption****Description**

When enabled, if a pool's minimum share is not met for some period of time, the Fair Scheduler preempts applications in other pools. Preemption guarantees that production applications are not starved while also allowing the cluster to be used for experimental and research applications. To minimize wasted computation, the Fair Scheduler preempts the most recently launched applications.

Related Name`yarn.scheduler.fair.preemption`**Default Value**`false`**API Name**`resourcemanager_fair_scheduler_preemption`**Required**`true`**Fair Scheduler Size-Based Weight****Description**

When enabled, the Fair Scheduler will assign shares to individual apps based on their size, rather than providing an equal share to all apps regardless of size.

Related Name`yarn.scheduler.fair.sizebasedweight`**Default Value**`false`**API Name**`resourcemanager_fair_scheduler_size_based_weight`**Required**`true`**Fair Scheduler User As Default Queue****Description**

When set to true, the Fair Scheduler uses the username as the default pool name, in the event that a pool name is not specified. When set to false, all applications are run in a shared pool, called default.

Related Name`yarn.scheduler.fair.user-as-default-queue`**Default Value**`true`

API Name

resourcemanager_fair_scheduler_user_as_default_queue

Required

true

ApplicationMaster Monitor Expiry

Description

The expiry interval to wait until an ApplicationMaster is considered dead.

Related Name

yarn.am.liveness-monitor.expiry-interval-ms

Default Value

10 minute(s)

API Name

yarn_am_liveness_monitor_expiry_interval_ms

Required

false

NodeManager Monitor Expiry

Description

The expiry interval to wait until a NodeManager is considered dead.

Related Name

yarn.nm.liveness-monitor.expiry-interval-ms

Default Value

10 minute(s)

API Name

yarn_nm_liveness_monitor_expiry_interval_ms

Required

false

Admin Client Thread Count

Description

Number of threads used to handle the ResourceManager admin interface.

Related Name

yarn.resourcemanager.admin.client.thread-count

Default Value

1

API Name

yarn_resourcemanager_admin_client_thread_count

Required

false

ApplicationMaster Maximum Attempts

Description

The maximum number of application attempts. This is a global setting for all ApplicationMasters.. Each ApplicationMaster can specify its individual maximum through the API, but if the individual maximum is more than the global maximum, the ResourceManager overrides it.

Related Name

yarn.resourcemanager.am.max-attempts

Default Value

2

API Name

yarn_resourcemanager_am_max_retries

Required

false

ApplicationMaster Monitor Interval**Description**

The periodic interval that the ResourceManager will check whether ApplicationMasters is still alive.

Related Name

yarn.resourcemanager.amliveliness-monitor.interval-ms

Default Value

1 second(s)

API Name

yarn_resourcemanager_amliveliness_monitor_interval_ms

Required

false

Client Thread Count**Description**

The number of threads used to handle applications manager requests.

Related Name

yarn.resourcemanager.client.thread-count

Default Value

50

API Name

yarn_resourcemanager_client_thread_count

Required

false

Container Monitor Interval**Description**

The periodic interval that the ResourceManager will check whether containers are still alive.

Related Name

yarn.resourcemanager.container.liveness-monitor.interval-ms

Default Value

10 minute(s)

API Name

yarn_resourcemanager_container_liveness_monitor_interval_ms

Required

false

Max Completed Applications**Description**

The maximum number of completed applications that the ResourceManager keeps.

Related Name`yarn.resourcemanager.max-completed-applications`**Default Value**

10000

API Name`yarn_resourcemanager_max_completed_applications`**Required**

false

NodeManager Monitor Interval**Description**

The periodic interval that the ResourceManager will check whether NodeManagers are still alive.

Related Name`yarn.resourcemanager.nm.liveness-monitor.interval-ms`**Default Value**

1 second(s)

API Name`yarn_resourcemanager_nm_liveness_monitor_interval_ms`**Required**

false

Enable ResourceManager Proxy User Privileges**Description**

When enabled, ResourceManager has proxy user privileges.

Related Name`yarn.resourcemanager.proxy-user-privileges.enabled`**Default Value**

true

API Name`yarn_resourcemanager_proxy_user_privileges_enabled`**Required**

false

Enable ResourceManager Recovery**Description**

When enabled, any applications that were running on the cluster when the ResourceManager died will be recovered when the ResourceManager next starts. Note: If RM-HA is enabled, then this configuration is always enabled.

Related Name

yarn.resourcemanager.recovery.enabled

Default Value

true

API Name

yarn_resourcemanager_recovery_enabled

Required

false

Resource Tracker Thread Count**Description**

Number of threads to handle resource tracker calls.

Related Name

yarn.resourcemanager.resource-tracker.client.thread-count

Default Value

50

API Name

yarn_resourcemanager_resource_tracker_client_thread_count

Required

false

Scheduler Thread Count**Description**

The number of threads used to handle requests through the scheduler interface.

Related Name

yarn.resourcemanager.scheduler.client.thread-count

Default Value

50

API Name

yarn_resourcemanager_scheduler_client_thread_count

Required

false

ZooKeeper Session Timeout**Description**

The timeout for the ResourceManager session with ZooKeeper. The session expires if the ZooKeeper ensemble does not hear from the ResourceManager within the specified timeout period (no heartbeat). Session expiration is managed by the ZooKeeper ensemble, not by the ResourceManager.

Related Name

yarn.resourcemanager.zk-timeout-ms

Default Value

1 minute(s)

API Name

yarn_resourcemanager_zk_timeout_ms

Required

false

Resource Calculator Class

Description

The Resource Calculator implementation to be used to compare Resources in the scheduler. The DefaultResourceCalculator only uses Memory while DominantResourceCalculator uses Dominant-resource to compare multi-dimensional resources such as Memory, CPU etc.

Related Name

yarn.scheduler.capacity.resource-calculator

Default Value

org.apache.hadoop.yarn.util.resource.DominantResourceCalculator

API Name

yarn_scheduler_capacity_resource_calculator

Required

false

Fair Scheduler Preemption Utilization Threshold

Description

The utilization threshold after which preemption kicks in. The utilization is computed as the maximum ratio of usage to capacity among all resources.

Related Name

yarn.scheduler.fair.preemption.cluster-utilization-threshold

Default Value

0.8

API Name

yarn_scheduler_fair_preemption_cluster_utilization_threshold

Required

false

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name

Default Value

API Name

rlimit_fds

Required

false

Ports and Addresses

ResourceManager Web Application HTTPS Port (TLS/SSL)

Description

The HTTPS port of the ResourceManager web application.

Related Name

yarn.resourcemanager.webapp.https.address

Default Value

8090

API Name

resourcemanager_webserver_https_port

Required

false

ResourceManager Web Application HTTP Port**Description**

The HTTP port of the ResourceManager web application.

Related Name

yarn.resourcemanager.webapp.address

Default Value

8088

API Name

resourcemanager_webserver_port

Required

false

ResourceManager Address**Description**

The address of the applications manager interface in the ResourceManager.

Related Name

yarn.resourcemanager.address

Default Value

8032

API Name

yarn_resourcemanager_address

Required

false

Administration Address**Description**

The address of the admin interface in the ResourceManager.

Related Name

yarn.resourcemanager.admin.address

Default Value

8033

API Name

yarn_resourcemanager_admin_address

Required

false

Resource Tracker Address

Description

The address of the resource tracker interface in the ResourceManager.

Related Name

yarn.resourcemanager.resource-tracker.address

Default Value

8031

API Name

yarn_resourcemanager_resource_tracker_address

Required

false

Scheduler Address

Description

The address of the scheduler interface in the ResourceManager.

Related Name

yarn.resourcemanager.scheduler.address

Default Value

8030

API Name

yarn_resourcemanager_scheduler_address

Required

false

Bind ResourceManager to Wildcard Address

Description

If enabled, the ResourceManager binds to the wildcard address ("0.0.0.0") on all of its ports.

Related Name**Default Value**

false

API Name

yarn_rm_bind_wildcard

Required

false

Resource Management

Java Heap Size of ResourceManager in Bytes

Description

Maximum size in bytes for the Java Process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

1 GiB

API Name

resource_manager_java_heapsize

Required

false

Fair Scheduler Node Locality Threshold**Description**

For applications that request containers on particular nodes, the number of scheduling opportunities since the last container assignment to wait before accepting a placement on another node. Expressed as a float between 0 and 1, which, as a fraction of the cluster size, is the number of scheduling opportunities to pass up. If not set, this means don't pass up any scheduling opportunities. Requires Fair Scheduler continuous scheduling to be disabled. If continuous scheduling is enabled, `yarn.scheduler.fair.locality-delay-node-ms` should be used instead.

Related Name

yarn.scheduler.fair.locality.threshold.node

Default Value**API Name**

resourcemanager_fair_scheduler_locality_threshold_node

Required

false

Fair Scheduler Rack Locality Threshold**Description**

For applications that request containers on particular racks, the number of scheduling opportunities since the last container assignment to wait before accepting a placement on another rack. Expressed as a float between 0 and 1, which, as a fraction of the cluster size, is the number of scheduling opportunities to pass up. If not set, this means don't pass up any scheduling opportunities. Requires Fair Scheduler continuous scheduling to be disabled. If continuous scheduling is enabled, `yarn.scheduler.fair.locality-delay-rack-ms` should be used instead.

Related Name

yarn.scheduler.fair.locality.threshold.rack

Default Value**API Name**

resourcemanager_fair_scheduler_locality_threshold_rack

Required

false

Cgroup V1 BLKIO Weight**Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

`rm_memory_hard_limit_v2`**Required**`true`**Cgroup V1 Memory Soft Limit****Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name`memory.soft_limit_in_bytes`**Default Value**`-1 MiB`**API Name**`rm_memory_soft_limit_v1`**Required**`true`**Cgroup V2 Memory Soft Limit****Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name`memory.high`**Default Value**`-1 MiB`**API Name**`rm_memory_soft_limit_v2`**Required**`true`**Enable Fair Scheduler Continuous Scheduling****Description**

Enable continuous scheduling in the Fair Scheduler. When enabled, scheduling decisions are decoupled from NodeManager heartbeats, leading to faster resource allocations.

Related Name`yarn.scheduler.fair.continuous-scheduling-enabled`**Default Value**`false`**API Name**

`yarn_scheduler_fair_continuous_scheduling_enabled`**Required**

false

Fair Scheduler Node Locality Delay**Description**

For applications that request containers on particular nodes, the minimum time in milliseconds the Fair Scheduler waits before accepting a placement on another node. Requires Fair Scheduler continuous scheduling to be enabled. If continuous scheduling is disabled, `yarn.scheduler.fair.locality.threshold.node` should be used instead.

Related Name`yarn.scheduler.fair.locality-delay-node-ms`**Default Value**

2 second(s)

API Name`yarn_scheduler_fair_locality_delay_node_ms`**Required**

false

Fair Scheduler Rack Locality Delay**Description**

For applications that request containers on particular racks, the minimum time in milliseconds the Fair Scheduler waits before accepting a placement on another rack. Requires Fair Scheduler continuous scheduling to be enabled. If continuous scheduling is disabled, `yarn.scheduler.fair.locality.threshold.rack` should be used instead.

Related Name`yarn.scheduler.fair.locality-delay-rack-ms`**Default Value**

4 second(s)

API Name`yarn_scheduler_fair_locality_delay_rack_ms`**Required**

false

Container Memory Increment**Description**

If using the Fair Scheduler, memory requests will be rounded up to the nearest multiple of this number. This parameter has no effect prior to CDH 5.

Related Name`yarn.scheduler.increment-allocation-mb`**Default Value**

512 MiB

API Name`yarn_scheduler_increment_allocation_mb`**Required**

true

Container Virtual CPU Cores Increment

Description

If using the Fair Scheduler, virtual core requests will be rounded up to the nearest multiple of this number. This parameter has no effect prior to CDH 5.

Related Name

yarn.scheduler.increment-allocation-vcores

Default Value

1

API Name

yarn_scheduler_increment_allocation_vcores

Required

true

Container Memory Maximum

Description

The largest amount of physical memory, in MiB, that can be requested for a container.

Related Name

yarn.scheduler.maximum-allocation-mb

Default Value

64 GiB

API Name

yarn_scheduler_maximum_allocation_mb

Required

true

Container Virtual CPU Cores Maximum

Description

The largest number of virtual CPU cores that can be requested for a container. This parameter has no effect prior to CDH 4.4.

Related Name

yarn.scheduler.maximum-allocation-vcores

Default Value

32

API Name

yarn_scheduler_maximum_allocation_vcores

Required

true

Container Memory Minimum

Description

The smallest amount of physical memory, in MiB, that can be requested for a container. If using the Capacity or FIFO scheduler (or any scheduler, prior to CDH 5), memory requests will be rounded up to the nearest multiple of this number.

Related Name

yarn.scheduler.minimum-allocation-mb

Default Value

1 GiB

API Name

yarn_scheduler_minimum_allocation_mb

Required

true

Container Virtual CPU Cores Minimum**Description**

The smallest number of virtual CPU cores that can be requested for a container. If using the Capacity or FIFO scheduler (or any scheduler, prior to CDH 5), virtual core requests will be rounded up to the nearest multiple of this number. This parameter has no effect prior to CDH 4.4.

Related Name

yarn.scheduler.minimum-allocation-vcores

Default Value

1

API Name

yarn_scheduler_minimum_allocation_vcores

Required

true

Stacks Collection**Stacks Collection Data Retention****Description**

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory**Description**

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Hadoop Metrics2 Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hadoop Metrics2 Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hadoop_metrics2_safety_valve

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: ResourceManager Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the ResourceManager Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name
role_config_suppression_log4j_safety_valve

Required
true

Suppress Parameter Validation: Rules to Extract Events from Log Files

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Rules to Extract Events from Log Files parameter.

Related Name

Default Value
false

API Name
role_config_suppression_log_event_whitelist

Required
true

Suppress Parameter Validation: Heap Dump Directory

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name

Default Value
false

API Name
role_config_suppression_oom_heap_dump_dir

Required
true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name

Default Value
false

API Name
role_config_suppression_otelcol_exporters

Required
true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name**Default Value**

	false
API Name	role_config_suppression_otelcol_rtm_logs_exporters
Required	true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_rtm_logs_extensions
Required	true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_rtm_logs_processors
Required	true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_rtm_logs_receivers
Required	true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Java Configuration Options for ResourceManager

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for ResourceManager parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_resource_manager_java_opts

Required

true

Suppress Parameter Validation: ResourceManager Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the ResourceManager Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_resource_manager_log_dir

Required

true

Suppress Parameter Validation: Capacity Scheduler Configuration Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Capacity Scheduler Configuration Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_resourcemanager_capacity_scheduler_configuration

Required

true

Suppress Parameter Validation: ResourceManager Advanced Configuration Snippet (Safety Valve) for yarn-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the ResourceManager Advanced Configuration Snippet (Safety Valve) for yarn-site.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_resourcemanager_config_safety_valve

Required

true

Suppress Parameter Validation: Fair Scheduler XML Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Fair Scheduler XML Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_resourcemanager_fair_scheduler_configuration

Required

true

Suppress Parameter Validation: ResourceManager Advanced Configuration Snippet (Safety Valve) for mapred-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the ResourceManager Advanced Configuration Snippet (Safety Valve) for mapred-site.xml parameter.

Related Name

Default Value

false

API Name

role_config_suppression_resourcemanager_mapred_safety_valve

Required

true

Suppress Parameter Validation: ResourceManager Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the ResourceManager Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_resourcemanager_role_env_safety_valve

Required

true

Suppress Parameter Validation: ResourceManager Web Application HTTPS Port (TLS/SSL)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the ResourceManager Web Application HTTPS Port (TLS/SSL) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_resourcemanager_webserver_https_port

Required

true

Suppress Parameter Validation: ResourceManager Web Application HTTP Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the ResourceManager Web Application HTTP Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_resourcemanager_webserver_port

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: ResourceManager Advanced Configuration Snippet (Safety Valve) for nodes_allow.txt**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the ResourceManager Advanced Configuration Snippet (Safety Valve) for nodes_allow.txt parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_hosts_allow_safety_valve

Required

true

Suppress Parameter Validation: ResourceManager Advanced Configuration Snippet (Safety Valve) for nodes_exclude.txt**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the ResourceManager Advanced Configuration Snippet (Safety Valve) for nodes_exclude.txt parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_hosts_exclude_safety_valve

Required

true

Suppress Parameter Validation: Role Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Parameter Validation: ResourceManager Address

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the ResourceManager Address parameter.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_resourcemanager_address

Required

true

Suppress Parameter Validation: Administration Address

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Administration Address parameter.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_resourcemanager_admin_address

Required

true

Suppress Parameter Validation: ApplicationMaster Maximum Attempts**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the ApplicationMaster Maximum Attempts parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_resourcemanager_am_max_retries

Required

true

Suppress Parameter Validation: Resource Tracker Address**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Resource Tracker Address parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_resourcemanager_resource_tracker_address

Required

true

Suppress Parameter Validation: Scheduler Address**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Scheduler Address parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_resourcemanager_scheduler_address

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

`role_health_suppression_resource_manager_audit_health`**Required**`true`**Suppress Health Test: File Descriptors****Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_resource_manager_file_descriptor`**Required**`true`**Suppress Health Test: GC Duration****Description**

Whether to suppress the results of the GC Duration health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_resource_manager_gc_duration`**Required**`true`**Suppress Health Test: Heap Dump Directory Free Space****Description**

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_resource_manager_heap_dump_directory_free_space`**Required**`true`**Suppress Health Test: Host Health****Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_resource_manager_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_resource_manager_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_resource_manager_otelcol_health

Required

true

Suppress Health Test: Ranger Plugin Hdfs Spool Directory Size**Description**

Whether to suppress the results of the Ranger Plugin Hdfs Spool Directory Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name`role_health_suppression_resource_manager_ranger_plugin_hdfs_spool_directory_size_health`**Required**`true`**Suppress Health Test: Ranger Plugin Solr Spool Directory Size****Description**

Whether to suppress the results of the Ranger Plugin Solr Spool Directory Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_resource_manager_ranger_plugin_solr_spool_directory_size_health`**Required**`true`**Suppress Health Test: Process Status****Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_resource_manager_scm_health`**Required**`true`**Suppress Health Test: Swap Memory Usage****Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_resource_manager_swap_memory_usage`**Required**`true`

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_resource_manager_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_resource_manager_unexpected_exits

Required

true

Suppress Health Test: Web Server Status

Description

Whether to suppress the results of the Web Server Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_resource_manager_web_metric_collection

Required

true

Service-Wide

Advanced

System User's Home Directory

Description

The home directory of the system user on the local filesystem. This setting must reflect the system's configured value - only changing it here will not change the actual home directory.

Related Name

Default Value

/var/lib/hadoop-yarn

API Name

hdfs_user_home_dir

Required

true

HDFS Replication Advanced Configuration Snippet (Safety Valve) for mapred-site.xml

Description

For advanced use only, a string to be inserted into mapred-site.xml. Applies to all HDFS Replication jobs.

Related Name

Default Value

API Name

mapreduce_service_replication_config_safety_valve

Required

false

System Group

Description

The group that this service's processes should run as. (Except the Job History Server, which has its own group.)

Related Name

Default Value

hadoop

API Name

process_groupname

Required

true

System User

Description

The user that this service's processes should run as. (Except the Job History Server, which has its own user)

Related Name

Default Value

yarn

API Name

process_username

Required

true

YARN Service Advanced Configuration Snippet (Safety Valve) for ranger-yarn-audit.xml

Description

For advanced use only, a string to be inserted into ranger-yarn-audit.xml. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

ranger_audit_safety_valve

Required

false

YARN Service Advanced Configuration Snippet (Safety Valve) for ranger-yarn-policymgr-ssl.xml

Description

For advanced use only, a string to be inserted into ranger-yarn-policymgr-ssl.xml. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

ranger_policymgr_ssl_safety_valve

Required

false

YARN Service Advanced Configuration Snippet (Safety Valve) for ranger-yarn-security.xml

Description

For advanced use only, a string to be inserted into ranger-yarn-security.xml. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

ranger_security_safety_valve

Required

false

YARN Application Classpath

Description

Entries to add to the classpaths of YARN applications.

Related Name

yarn.application.classpath

Default Value

\$SHADOOP_CLIENT_CONF_DIR \$SHADOOP_COMMON_HOME/*
\$SHADOOP_COMMON_HOME/lib/* \$SHADOOP_HDFS_HOME/* \$SHADOOP_HDFS_HOME/
lib/* \$SHADOOP_YARN_HOME/* \$SHADOOP_YARN_HOME/lib/*

API Name

yarn_application_classpath

Required

false

YARN Service Advanced Configuration Snippet (Safety Valve) for core-site.xml**Description**

For advanced use only, a string to be inserted into core-site.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

yarn_core_site_safety_valve

Required

false

Fair Scheduler Configuration Rules (Deployed)**Description**

A list specifying the rules to run to determine which Fair Scheduler configuration to use.

Related Name**Default Value**

[]

API Name

yarn_fs_schedule_rules

Required

false

Fair Scheduler Configuration Rules (Staged)**Description**

A list specifying the rules to run to determine which Fair Scheduler configuration to use. Typically edited using the Rules configuration UI.

Related Name**Default Value****API Name**

yarn_fs_schedule_rules_draft

Required

false

Fair Scheduler Allocations (Deployed)**Description**

JSON representation of all the configurations that the Fair Scheduler can take on across all schedules.

Related Name**Default Value**

```
queuePlacementRules: [ create: true, name: specified , name: nestedUserQueue, rules:  
[ name: default, queue: users ] ], queues: [ name: root, queues: [ name: default, queues: [],
```

```
schedulablePropertiesList: [ scheduleName: default ], schedulingPolicy: drf , name: users, queues:  
[], schedulablePropertiesList: [ scheduleName: default ], schedulingPolicy: drf, type: parent ],  
schedulablePropertiesList: [ scheduleName: default ], schedulingPolicy: drf ], users: []
```

API Name

yarn_fs_scheduled_allocations

Required

false

Fair Scheduler Allocations (Staged)**Description**

JSON representation of all the configurations that the Fair Scheduler can take on across all schedules. Typically edited using the Pools configuration UI.

Related Name**Default Value****API Name**

yarn_fs_scheduled_allocations_draft

Required

false

YARN Service Advanced Configuration Snippet (Safety Valve) for hadoop-policy.xml**Description**

For advanced use only, a string to be inserted into hadoop-policy.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

yarn_hadoop_policy_config_safety_valve

Required

false

YARN Service Advanced Configuration Snippet (Safety Valve) for yarn-site.xml**Description**

For advanced use only, a string to be inserted into yarn-site.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

yarn_service_config_safety_valve

Required

false

YARN Service Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

yarn_service_env_safety_valve

Required

false

YARN Service MapReduce Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a string to be inserted into mapred-site.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

yarn_service_mapred_safety_valve

Required

false

HDFS Replication Advanced Configuration Snippet (Safety Valve) for yarn-site.xml**Description**

For advanced use only, a string to be inserted into yarn-site.xml. Applies to all HDFS Replication jobs.

Related Name**Default Value****API Name**

yarn_service_replication_config_safety_valve

Required

false

YARN Service Advanced Configuration Snippet (Safety Valve) for ssl-client.xml**Description**

For advanced use only, a string to be inserted into ssl-client.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

yarn_ssl_client_safety_valve

Required

false

YARN Service Advanced Configuration Snippet (Safety Valve) for ssl-server.xml**Description**

For advanced use only, a string to be inserted into ssl-server.xml. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

yarn_ssl_server_safety_valve

Required

false

Log Aggregation**Enable Log Aggregation****Description**

Specifies if log aggregation is enabled.

Related Name

yarn.log-aggregation-enable

Default Value

true

API Name

yarn_log_aggregation_enable

Required

false

Supported Log Aggregation File Formats**Description**

Specifies which log file formats are supported. The first file format in the list is used to write the aggregated logs. TFile format is always added to support backward compatibility.

Related Name

yarn.log-aggregation.file-formats

Default Value

IFile TFile

API Name

yarn_log_aggregation_file_formats

Required

false

Remote App Log Directory for IFile Format**Description**

Specifies the path of the directory where application logs are stored after an application is completed if IFile format is given as the file format for writing. This configuration overwrites the one given in NodeManager level (yarn.nodemanager.remote-app-log-dir).

Related Name

yarn.log-aggregation.IFile.remote-app-log-dir

Default Value**API Name**

yarn_log_aggregation_IFile_remote_app_log_dir

Required

false

Remote App Log Directory Suffix for IFile Format

Description

The remote log directory is created at {remote-app-log-dir}/{user}/{thisParam} if IFile format is selected for writing. This configuration overwrites the one given in NodeManager level (yarn.nodemanager.remote-app-log-dir-suffix).

Related Name

yarn.log-aggregation.IFile.remote-app-log-dir-suffix

Default Value**API Name**

yarn_log_aggregation_IFile_remote_app_log_dir_suffix

Required

false

Log Aggregation Retention Period

Description

Specifies how long aggregation logs are kept before they are deleted.

Related Name

yarn.log-aggregation.retain-seconds

Default Value

7 day(s)

API Name

yarn_log_aggregation_retain_seconds

Required

false

Log Aggregation Status Timeout

Description

Specifies the maximum amount of time that the NodeManager has for reporting a container's log aggregation status. If no log aggregation status is sent by the NodeManager within the allotted time, the ResourceManager reports a TIME_OUT log aggregation status for that container.

Related Name

yarn.log-aggregation-status.time-out.ms

Default Value

10 minute(s)

API Name

yarn_log_aggregation_status_time_out_ms

Required

false

Remote App Log Directory for TFile Format

Description

Specifies the path of the directory where application logs are stored after an application is completed if TFile format is selected for writing. This configuration overwrites the one given in NodeManager level (yarn.nodemanager.remote-app-log-dir).

Related Name`yarn.log-aggregation.TFile.remote-app-log-dir`**Default Value****API Name**`yarn_log_aggregation_TFile_remote_app_log_dir`**Required**`false`**Remote App Log Directory Suffix for TFile Format****Description**

The remote log directory is created at `{remote-app-log-dir}/{user}/{thisParam}` if TFile format is selected for writing. This configuration overwrites the one given in NodeManager level (`yarn.nodemanager.remote-app-log-dir-suffix`).

Related Name`yarn.log-aggregation.TFile.remote-app-log-dir-suffix`**Default Value****API Name**`yarn_log_aggregation_TFile_remote_app_log_dir_suffix`**Required**`false`**Log Aggregation Compression Type****Description**

Specifies the TFile compression type used to compress aggregated logs.

Related Name`yarn.nodemanager.log-aggregation.compression-type`**Default Value**`none`**API Name**`yarn_nodemanager_log_aggregation_compression_type`**Required**`false`**Monitoring****Admin Users Applications List Visibility Settings****Description**

Controls which applications an admin user can see in the applications list view

Related Name**Default Value**`ALL`**API Name**`admin_application_list_settings`**Required**

true

Enable Log Event Capture

Description

When set, each role identifies important log events and forwards them to Cloudera Manager.

Related Name

Default Value

true

API Name

catch_events

Required

false

Cloudera Manager Container Usage Metrics Directory

Description

DFS directory where the container usage metrics from Cloudera Manager sink are stored by YARN NodeManagers. Cloudera Service Monitor will read the container usage metrics and aggregate them for generating usage reports. Note: If you change this, you will need to re-run the Create YARN Container Usage Metrics Dir command.

Related Name

Default Value

/tmp/cmYarnContainerMetrics

API Name

cm_yarn_container_usage_input_dir

Required

true

Maximum Hours to Aggregate Usage Metrics

Description

Maximum number of hours in the past for which container usage aggregation is performed by Cloudera Service Monitor.

Related Name

Default Value

6

API Name

cm_yarn_container_usage_job_go_back_window_hours

Required

true

Reduce Tasks for Container Usage MapReduce Job

Description

Number of reduce tasks to use for the MapReduce job to aggregate container usage metrics.

Related Name

Default Value

1

API Name

cm_yarn_container_usage_job_num_reduce_tasks

Required

true

Container Usage MapReduce Job Pool**Description**

YARN pool which is used to submit the job to aggregate container usage metrics.

Related Name**Default Value****API Name**

cm_yarn_container_usage_job_pool

Required

false

Container Usage MapReduce Job User**Description**

User that Cloudera Service Monitor uses to run the MapReduce job to aggregate container usage metrics. Note: If you change this user, you need to change the owner of the existing Container Usage Metrics and Output Directories.

Related Name**Default Value****API Name**

cm_yarn_container_usage_job_user

Required

false

Container Usage Output Directory**Description**

DFS directory where the aggregated container usage metrics are stored by Cloudera Service Monitor. This directory is created by Cloudera Service Monitor before running the usage aggregation MapReduce job for the first time.

Related Name**Default Value**

/tmp/cmYarnContainerMetricsAggregate

API Name

cm_yarn_container_usage_output_dir

Required

true

Enable Container Usage Metrics Collection**Description**

Enables storing YARN container usage metrics in HDFS and periodically running a MapReduce job from Cloudera Service Monitor to aggregate them into per-application metrics. This is required for YARN usage reporting to work.

Related Name**Default Value**

false

API Name

cm_yarn_enable_container_usage_aggregation

Required

true

Enable Service Level Health Alerts**Description**

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Log Event Retry Frequency**Description**

The frequency in which the log4j event publication appender will retry sending undelivered log events to the Event server, in seconds

Related Name**Default Value**

30

API Name

log_event_retry_frequency

Required

false

Service Triggers

Description

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part of the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

`service_triggers`

Required

true

Service Monitor Client Config Overrides

Description

For advanced use only, a list of configuration properties that will be used by the Service Monitor instead of the current client configuration for the service.

Related Name

Default Value

```
<property> <name>mapreduce.output.fileoutputformat.compress</name> <value>>false</value> </property> <property> <name>mapreduce.output.fileoutputformat.compress.codec</name> <value>org.apache.hadoop.io.compress.DefaultCodec</value> </property> <property> <name>io.compression.codecs</name> <value>org.apache.hadoop.io.compress.DefaultCodec, org.apache.hadoop.io.compress.GzipCodec, org.apache.hadoop.io.compress.BZip2Codec, org.apache.hadoop.io.compress.DeflateCodec, org.apache.hadoop.io.compress.SnappyCodec, org.apache.hadoop.io.compress.Lz4Codec</value> </property>
```

API Name

`smon_client_config_overrides`

Required

false

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name**Default Value****API Name**

smon_derived_configs_safety_valve

Required

false

Non-Admin Users Applications List Visibility Settings

Description

Controls which applications non-admin users can see in the applications list view

Related Name**Default Value**

ALL

API Name

user_application_list_settings

Required

true

Active ResourceManager Detection Window

Description

The tolerance window used in YARN service tests that depend on detection of the active ResourceManager.

Related Name**Default Value**

3 minute(s)

API Name

yarn_active_resourcemanager_detection_window

Required

false

YARN Application Aggregates

Description

Controls the aggregate metrics generated for YARN applications. The structure is a JSON list of the attributes to aggregate and the entities to aggregate to. For example, if the attributeName is 'maps_completed' and the aggregationTargets is ['USER'] then the Service Monitor will create the metric 'yarn_application_maps_completed_rate' and, every ten minutes, will record the total maps completed for each user across all their YARN applications. By default it will also record the number of applications submitted ('apps_submitted_rate') for both users and pool. For a full list of the supported attributes see the YARN search page. Note that the valid aggregation targets are USER, YARN_POOL, and YARN (the service), and that these aggregate metrics can be viewed on both the reports and charts search pages.

Related Name

Default Value

```
[ attributeName: maps_total, aggregationTargets: [USER, YARN_POOL_USER,
YARN_POOL, YARN, CLUSTER] , attributeName: reduces_total, aggregationTargets: [USER,
YARN_POOL_USER, YARN_POOL, YARN, CLUSTER] , attributeName: cpu_milliseconds,
aggregationTargets: [USER, YARN_POOL_USER, YARN_POOL, YARN, CLUSTER] ,
attributeName: mb_millis_maps, aggregationTargets: [USER, YARN_POOL_USER,
YARN_POOL, YARN, CLUSTER] , attributeName: mb_millis_reduces, aggregationTargets:
[USER, YARN_POOL_USER, YARN_POOL, YARN, CLUSTER] , attributeName:
vcores_millis_maps, aggregationTargets: [USER, YARN_POOL_USER, YARN_POOL,
YARN, CLUSTER] , attributeName: vcores_millis_reduces, aggregationTargets: [USER,
YARN_POOL_USER, YARN_POOL, YARN, CLUSTER] , attributeName: file_bytes_read,
aggregationTargets: [USER, YARN_POOL_USER, YARN_POOL, YARN, CLUSTER] ,
attributeName: file_bytes_written, aggregationTargets: [USER, YARN_POOL_USER,
YARN_POOL, YARN, CLUSTER] , attributeName: hdfs_bytes_read, aggregationTargets:
[USER, YARN_POOL_USER, YARN_POOL, YARN, CLUSTER] , attributeName:
hdfs_bytes_written, aggregationTargets: [USER, YARN_POOL_USER, YARN_POOL,
YARN, CLUSTER] , attributeName: cm_cpu_milliseconds, aggregationTargets: [USER,
YARN_POOL_USER, YARN_POOL, YARN, CLUSTER] , attributeName: application_duration,
aggregationTargets: [USER, YARN_POOL_USER, YARN_POOL, YARN, CLUSTER] ,
attributeName: s3a_bytes_read, aggregationTargets: [USER, YARN_POOL_USER, YARN_POOL,
YARN, CLUSTER] , attributeName: s3a_bytes_written, aggregationTargets: [USER,
YARN_POOL_USER, YARN_POOL, YARN, CLUSTER] , attributeName: adl_bytes_read,
aggregationTargets: [USER, YARN_POOL_USER, YARN_POOL, YARN, CLUSTER] ,
attributeName: adl_bytes_written, aggregationTargets: [USER, YARN_POOL_USER,
YARN_POOL, YARN, CLUSTER] ]
```

API Name

yarn_application_aggregates

Required

false

Container Metrics Sampling Interval**Description**

Interval at which YARN container usage metrics are sampled. Increasing this configuration can reduce the accuracy of container usage metrics, whereas setting it too low will increase the resources used to compute container usage.

Related Name

yarn.nodemanager.container-monitor.interval-ms

Default Value

3 second(s)

API Name

yarn_container_seconds_per_sample

Required

true

JobHistory Server Role Health Test**Description**

When computing the overall YARN health, consider JobHistory Server's health

Related Name**Default Value**

true

API Name

yarn_jobhistoryserver_health_enabled

Required

false

Healthy NodeManager Monitoring Thresholds**Description**

The health test thresholds of the overall NodeManager health. The check returns "Concerning" health if the percentage of "Healthy" NodeManagers falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" NodeManagers falls below the critical threshold.

Related Name**Default Value**

Warning: 95.0 %, Critical: 90.0 %

API Name

yarn_nodemangers_healthy_thresholds

Required

false

ResourceManager Activation Startup Tolerance**Description**

The amount of time after ResourceManager(s) start that the lack of an active ResourceManager will be tolerated. This is an advanced option that does not often need to be changed.

Related Name**Default Value**

3 minute(s)

API Name

yarn_resourcemanager_activation_startup_tolerance

Required

false

Active ResourceManager Role Health Check**Description**

When computing the overall YARN service health, whether to consider the active ResourceManager's health.

Related Name**Default Value**

true

API Name

yarn_resourcemangers_health_enabled

Required

false

Standby ResourceManager Health Check

Description

When computing the overall YARN service health, whether to consider the health of the standby ResourceManager.

Related Name**Default Value**

true

API Name

yarn_standby_resourcemanager_health_enabled

Required

false

Other

HDFS Service

Description

Name of the HDFS service that this YARN service instance depends on

Related Name**Default Value****API Name**

hdfs_service

Required

true

Serve logs over HTTP

Description

Whether to serve logs over HTTP from YARN web servers. This includes listing the logs directory at the /logs endpoint, which may be a security concern.

Related Name

hadoop.http.logs.enabled

Default Value

true

API Name

http_logs_enabled

Required

false

SSL Encryption for MapReduce Shuffle

Description

Specifies if encrypted shuffle is enabled.

Related Name

mapreduce.shuffle.ssl.enabled

Default Value

false

API Name

mapreduce_shuffle_ssl_enabled

Required

false

Node Labels Directory**Description**

Location of YARN Node Labels.

Related Name

yarn.node-labels.fs-store.root-dir

Default Value

/yarn/node-labels

API Name

node_labels_root_dir

Required

false

Queue Manager Service**Description**

Name of the Queue Manager service that this YARN service instance depends on

Related Name**Default Value****API Name**

queuemanager_service

Required

false

Ranger Plugin Enable YARN ACLs Fallback**Description**

By default, fallback is enabled for YARN, which mean if the access cannot be determined by Ranger policies, authorization will fallback to YARN ACLs. If this behavior needs to be changed, you can disable the config.

Related Name

ranger.add-yarn-authorization

Default Value

true

API Name

ranger_plugin_enable_fallback_authorization

Required

false

Ranger Service Name**Description**

Name of the Ranger service/repository where service related data will be stored

Related Name

ranger.plugin.yarn.service.name

Default Value

GENERATED_RANGER_SERVICE_NAME

API Name

ranger_plugin_service_name

Required

false

Ranger Plugin Trusted Proxy IP Address**Description**

Accepts a list of IP addresses of proxy servers for trusting.

Related Name

ranger.plugin.yarn.trusted.proxy.ipaddress

Default Value**API Name**

ranger_plugin_trusted_proxy_ipaddress

Required

false

Ranger Plugin Use X-Forwarded for IP Address**Description**

The parameter is used for identifying the originating IP address of a user connecting to a component through proxy for audit logs.

Related Name

ranger.plugin.yarn.use.x-forwarded-for.ipaddress

Default Value

false

API Name

ranger_plugin_use_x_forwarded_for_ipaddress

Required

false

Ranger Service**Description**

Name of the Ranger service that this Yarn service instance depends on

Related Name**Default Value****API Name**

ranger_service

Required

false

Enable ResourceManager ACLs**Description**

Whether users and groups specified in Admin ACL should be checked for authorization to perform admin operations.

Related Name

yarn.acl.enable

Default Value

true

API Name

yarn_acl_enable

Required

false

Admin ACL

Description

ACL that determines which users and groups can submit and kill applications in any pool, and can issue commands on ResourceManager roles.

Related Name

yarn.admin.acl

Default Value

\$yarn_user, \$mapred_user, \$queuemanager_user

API Name

yarn_admin_acl

Required

false

Node Labels

Description

Enable YARN Node Labels.

Related Name

yarn.node-labels.enabled

Default Value

true

API Name

yarn_node_labels_enabled

Required

false

Capacity Scheduler Auto Queue Deletion

Description

Enables auto created queue deletion for ResourceManager Capacity Scheduler.

Related Name

yarn_resourcemanager_capacity_scheduler_aqc_auto_deletion

Default Value

true

API Name

yarn_resourcemanager_capacity_scheduler_aqc_auto_deletion

Required

false

Capacity Scheduler Preemption**Description**

Enables Preemption for ResourceManager Capacity Scheduler.

Related Name

yarn_resourcemanager_capacity_scheduler_preemption

Default Value

true

API Name

yarn_resourcemanager_capacity_scheduler_preemption

Required

false

Node Manager Graceful Decommission Timeout**Description**

This is the maximum time to wait for running containers and applications to complete before transition a DECOMMISSIONING node into DECOMMISSIONED. (-1 indicates infinite timeout, 0 indicates non-graceful)

Related Name

yarn.resourcemanager.nodemanager-graceful-decommission-timeout-secs

Default Value

0 second(s)

API Name

yarn_resourcemanager_nodemanager_graceful_decommission_timeout_secs

Required

false

RM-HA Cluster ID**Description**

Cluster ID used when ResourceManager is Highly Available.

Related Name

yarn.resourcemanager.cluster-id

Default Value

yarnRM

API Name

yarn_rm_ha_cluster_id

Required

false

ZooKeeper Service**Description**

Name of the ZooKeeper service that this YARN service instance depends on

Related Name

Default Value**API Name**

zookeeper_service

Required

false

Proxy**Llama Proxy User Groups****Description**

Comma-delimited list of groups that you want to allow the Llama (AM for Impala) user to impersonate. The default '*' allows all groups. To disable entirely, use a string that doesn't correspond to a group name, such as '_no_group_'.

Related Name

hadoop.proxyuser.llama.groups

Default Value

*

API Name

llama_proxy_user_groups_list

Required

false

Llama Proxy User Hosts**Description**

Comma-delimited list of hosts where you want to allow the Llama (AM for Impala) user to impersonate other users. The default '*' allows all hosts. To disable entirely, use a string that doesn't correspond to a host name, such as '_no_host_'.

Related Name

hadoop.proxyuser.llama.hosts

Default Value

*

API Name

llama_proxy_user_hosts_list

Required

false

Resource Management**Limit Nonsecure Container Executor Users****Description**

This determines the user Linux container executor should run as on a non-secure cluster. If this value is set to true, then all containers will be launched as the user specified in `yarn.nodemanager.linux-container-executor.nonsecure-mode.local-user`. If this value is set to false, then containers will run as the user who submitted the application.

Related Name

yarn.nodemanager.linux-container-executor.nonsecure-mode.limit-users

Default Value

true

API Name

yarn_nodemanager_linux_container_executor_nonsecure_mode_limit_users

Required

false

UNIX User for Nonsecure Mode with Linux Container Executor**Description**

UNIX user that containers run as when Linux-container-executor is used in nonsecure mode.

Related Name

yarn.nodemanager.linux-container-executor.nonsecure-mode.local-user

Default Value

nobody

API Name

yarn_nodemanager_linux_container_executor_nonsecure_mode_local_user

Required

false

Allow Undeclared Pools**Description**

When set to true, pools specified in applications but not explicitly configured, are created at runtime with default settings. When set to false, applications specifying pools not explicitly configured run in a pool named default. This setting applies when an application explicitly specifies a pool and when the application runs in a pool named with the username associated with the application.

Related Name

yarn.scheduler.fair.allow-undeclared-pools

Default Value

true

API Name

yarn_scheduler_fair_allow_undeclared_pools

Required

false

Use CGroups for Resource Management**Description**

Whether YARN creates a cgroup per container, thereby isolating the CPU usage of containers. When set, yarn.nodemanager.linux-container-executor.resources-handler.class is configured to org.apache.hadoop.yarn.server.nodemanager.util.CgroupsLCEResourcesHandler. The host (in Cloudera Manager) must have cgroups enabled. The number of shares allocated to all YARN containers is configured by adjusting the CPU shares value of the Node Manager in the Resource Management configuration group.

Related Name

yarn.nodemanager.linux-container-executor.resources-handler.class

Default Value

false

API Name

yarn_service_cgroups

Required

false

Always Use Linux Container Executor**Description**

Whether YARN uses the Linux Container Executor both in secure (Kerberos) and insecure (not Kerberos) environments. Cgroups enforcement only works when the Linux Container Executor is used.

Related Name

yarn.nodemanager.container-executor.class

Default Value

false

API Name

yarn_service_lce_always

Required

false

Resource Types**Resource Types****Description**

Resource definition can be extended to include arbitrary countable resources. A countable resource is a resource that is consumed while a container is running, but is released afterwards. CPU, memory and GPU are countable resources.

Related Name**Default Value****API Name**

resource_types

Required

false

Security**Enable Kerberos Authentication for HTTP Web-Consoles****Description**

Enables Kerberos authentication for Hadoop HTTP web consoles for all roles of this service using the SPNEGO protocol. Note: This is effective only if Kerberos is enabled.

Related Name**Default Value**

false

API Name

hadoop_secure_web_ui

Required

false

Kerberos Principal

Description

Kerberos principal short name used by all roles of this service.

Related Name**Default Value**

yarn

API Name

kerberos_princ_name

Required

true

Hive LLAP Kerberos Conf Staging Path

Description

Staging directory for Hive LLAP Kerberos Configuration. This should generally not be changed.

Related Name

hive_llap_kerberos_staging_path

Default Value

/var/lib/hadoop-yarn

API Name

llap_kerberos_staging_path

Required

false

Ranger DFS Audit Path

Description

The DFS path on which Ranger audits are written. The special placeholder '{ranger_base_audit_url}' should be used as the prefix, in order to use the centralized location defined in the Ranger service.

Related Name

xasecure.audit.destination.hdfs.dir

Default Value

\${ranger_base_audit_url}/yarn

API Name

ranger_audit_hdfs_dir

Required

false

Ranger Audit DFS Spool Dir

Description

Spool directory for Ranger audits being written to DFS.

Related Name

xasecure.audit.destination.hdfs.batch.filespool.dir

Default Value

/var/log/yarn/audit/hdfs/spool

API Name

`ranger_audit_hdfs_spool_dir`**Required**

false

Ranger Audit Solr Spool Dir**Description**

Spool directory for Ranger audits being written to Solr.

Related Name`xasecure.audit.destination.solr.batch.filespool.dir`**Default Value**`/var/log/yarn/audit/solr/spool`**API Name**`ranger_audit_solr_spool_dir`**Required**

false

Ranger Policy Cache Directory**Description**

The directory where Ranger security policies are cached locally.

Related Name`ranger.plugin.yarn.policy.cache.dir`**Default Value**`/var/lib/ranger/yarn/policy-cache`**API Name**`ranger_policy_cache_dir`**Required**

false

TLS/SSL Client Truststore File Location**Description**

Path to the truststore file used when roles of this service act as TLS/SSL clients. Overrides the cluster-wide default truststore location set in Core Configuration. This truststore must be in JKS format. The truststore contains certificates of trusted servers, or of Certificate Authorities trusted to identify servers. The contents of the truststore can be modified without restarting any roles. By default, changes to its contents are picked up within ten seconds. If not set, the default Java truststore is used to verify certificates.

Related Name`ssl.client.truststore.location`**Default Value****API Name**`ssl_client_truststore_location`**Required**

false

TLS/SSL Client Truststore File Password**Description**

Password for the TLS/SSL client truststore. Overrides the cluster-wide default truststore password set in Core Configuration.

Related Name

ssl.client.truststore.password

Default Value**API Name**

ssl_client_truststore_password

Required

false

Hadoop TLS/SSL Server Keystore Key Password**Description**

Password that protects the private key contained in the server keystore used for encrypted shuffle and encrypted web UIs. Applies to all configurations of daemon roles of this service.

Related Name

ssl.server.keystore.keypassword

Default Value**API Name**

ssl_server_keystore_keypassword

Required

false

Hadoop TLS/SSL Server Keystore File Location**Description**

Path to the keystore file containing the server certificate and private key used for encrypted shuffle and encrypted web UIs. Applies to configurations of all daemon roles of this service.

Related Name

ssl.server.keystore.location

Default Value**API Name**

ssl_server_keystore_location

Required

false

Hadoop TLS/SSL Server Keystore File Password**Description**

Password for the server keystore file used for encrypted shuffle and encrypted web UIs. Applies to configurations of all daemon roles of this service.

Related Name

ssl.server.keystore.password

Default Value**API Name**

ssl_server_keystore_password

Required

false

SSL/TLS Cipher Suite

Description

The SSL/TLS cipher suites to use. "Modern 2018" is a modern set of cipher suites as of 2018, according to the Mozilla server-side TLS recommendations. These cipher suites use strong cryptography and are preferred unless interaction with older clients is required. These modern cipher suites are compatible with Firefox 27, Chrome 22, Internet Explorer 11, Opera 14, Safari 7, Android 4.4, and Java 8. "Intermediate 2018" is an intermediate set of cipher suites as of 2018, according to the Mozilla server-side TLS recommendations. Select the Intermediate 2018 cipher suites if you require compatibility with a wider range of clients, legacy browsers, or older Linux tools.

Related Name

ssl.server.exclude.cipher.list

Default Value

modern2018

API Name

tls_ciphers

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: Deploy Directory

Description

Whether to suppress configuration warnings produced by the Deploy Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Configuration Validator: Allowed System Users

Description

Whether to suppress configuration warnings produced by the Allowed System Users configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_container_executor_allowed_system_users

Required

true

Suppress Configuration Validator: Banned System Users

Description

Whether to suppress configuration warnings produced by the Banned System Users configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_container_executor_banned_users

Required

true

Suppress Configuration Validator: Container Executor Group

Description

Whether to suppress configuration warnings produced by the Container Executor Group configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_container_executor_group

Required

true

Suppress Configuration Validator: NodeManager GPU Devices Allowed

Description

Whether to suppress configuration warnings produced by the NodeManager GPU Devices Allowed configuration validator.

Related Name**Default Value**

false

API Name

`role_config_suppression_gpu_plugin_allowed_devices`**Required**`true`**Suppress Configuration Validator: NodeManager GPU Detection Executable****Description**

Whether to suppress configuration warnings produced by the NodeManager GPU Detection Executable configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_gpu_plugin_detector_path`**Required**`true`**Suppress Configuration Validator: Running Job History Location****Description**

Whether to suppress configuration warnings produced by the Running Job History Location configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_hadoop_job_history_dir`**Required**`true`**Suppress Configuration Validator: Hadoop Metrics2 Advanced Configuration Snippet (Safety Valve)****Description**

Whether to suppress configuration warnings produced by the Hadoop Metrics2 Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_hadoop_metrics2_safety_valve`**Required**`true`**Suppress Configuration Validator: System Group****Description**

Whether to suppress configuration warnings produced by the System Group configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_history_process_groupname

Required

true

Suppress Configuration Validator: System User

Description

Whether to suppress configuration warnings produced by the System User configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_history_process_username

Required

true

Suppress Configuration Validator: I/O Sort Factor

Description

Whether to suppress configuration warnings produced by the I/O Sort Factor configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_io_sort_factor

Required

true

Suppress Configuration Validator: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Configuration Validator: JobHistory Server Advanced Configuration Snippet (Safety Valve) for yarn-site.xml

Description

Whether to suppress configuration warnings produced by the JobHistory Server Advanced Configuration Snippet (Safety Valve) for yarn-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_jobhistory_config_safety_valve

Required

true

Suppress Configuration Validator: JobHistory Server Advanced Configuration Snippet (Safety Valve) for mapred-site.xml

Description

Whether to suppress configuration warnings produced by the JobHistory Server Advanced Configuration Snippet (Safety Valve) for mapred-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_jobhistory_mapred_safety_valve

Required

true

Suppress Configuration Validator: JobHistory Server Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the JobHistory Server Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_jobhistory_role_env_safety_valve

Required

true

Suppress Configuration Validator: Role-Specific Kerberos Principal

Description

Whether to suppress configuration warnings produced by the Role-Specific Kerberos Principal configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_kerberos_role_princ_name

Required

true

Suppress Configuration Validator: CGroups Hierarchy**Description**

Whether to suppress configuration warnings produced by the CGroups Hierarchy configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_linux_container_executor_cgroups_hierarchy

Required

true

Suppress Configuration Validator: ResourceManager Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the ResourceManager Logging Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Configuration Validator: Rules to Extract Events from Log Files**Description**

Whether to suppress configuration warnings produced by the Rules to Extract Events from Log Files configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_log_event_whitelist

Required

true

Suppress Configuration Validator: Healthchecker Script Arguments**Description**

Whether to suppress configuration warnings produced by the Healthchecker Script Arguments configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_mapred_healthchecker_script_args

Required

true

Suppress Configuration Validator: Healthchecker Script Path

Description

Whether to suppress configuration warnings produced by the Healthchecker Script Path configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_mapred_healthchecker_script_path

Required

true

Suppress Configuration Validator: Compression Codec of MapReduce Map Output

Description

Whether to suppress configuration warnings produced by the Compression Codec of MapReduce Map Output configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_mapred_map_output_compression_codec

Required

true

Suppress Configuration Validator: Compression Codec of MapReduce Job Output

Description

Whether to suppress configuration warnings produced by the Compression Codec of MapReduce Job Output configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_mapred_output_compression_codec

Required

true

Suppress Configuration Validator: MR Application Environment

Description

Whether to suppress configuration warnings produced by the MR Application Environment configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_mapreduce_admin_user_env

Required

true

Suppress Configuration Validator: Maximum Number of Attempts for MapReduce Jobs**Description**

Whether to suppress configuration warnings produced by the Maximum Number of Attempts for MapReduce Jobs configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_mapreduce_am_max_attempts

Required

true

Suppress Configuration Validator: MR Application Classpath**Description**

Whether to suppress configuration warnings produced by the MR Application Classpath configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_mapreduce_application_classpath

Required

true

Suppress Configuration Validator: MR Application Framework Path**Description**

Whether to suppress configuration warnings produced by the MR Application Framework Path configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_mapreduce_application_framework_path

Required

true

Suppress Configuration Validator: MapReduce Client Advanced Configuration Snippet (Safety Valve) for mapred-site.xml

Description

Whether to suppress configuration warnings produced by the MapReduce Client Advanced Configuration Snippet (Safety Valve) for mapred-site.xml configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_mapreduce_client_config_safety_valve

Required

true

Suppress Configuration Validator: Gateway Client Environment Advanced Configuration Snippet (Safety Valve) for hadoop-env.sh

Description

Whether to suppress configuration warnings produced by the Gateway Client Environment Advanced Configuration Snippet (Safety Valve) for hadoop-env.sh configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_mapreduce_client_env_safety_valve

Required

true

Suppress Configuration Validator: Client Java Configuration Options

Description

Whether to suppress configuration warnings produced by the Client Java Configuration Options configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_mapreduce_client_java_opts

Required

true

Suppress Configuration Validator: ACL For Modifying A Job

Description

Whether to suppress configuration warnings produced by the ACL For Modifying A Job configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_mapreduce_job_acl_modify_job

Required

true

Suppress Configuration Validator: ACL For Viewing A Job

Description

Whether to suppress configuration warnings produced by the ACL For Viewing A Job configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_mapreduce_job_acl_view_job

Required

true

Suppress Configuration Validator: Redacted MapReduce Job Properties

Description

Whether to suppress configuration warnings produced by the Redacted MapReduce Job Properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_mapreduce_job_redacted_properties

Required

true

Suppress Configuration Validator: MapReduce JobHistory Server Port

Description

Whether to suppress configuration warnings produced by the MapReduce JobHistory Server Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_mapreduce_jobhistory_address

Required

true

Suppress Configuration Validator: MapReduce JobHistory Server Admin Interface Port

Description

Whether to suppress configuration warnings produced by the MapReduce JobHistory Server Admin Interface Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_mapreduce_jobhistory_admin_address

Required

true

Suppress Configuration Validator: MapReduce JobHistory Web Application HTTP Port

Description

Whether to suppress configuration warnings produced by the MapReduce JobHistory Web Application HTTP Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_mapreduce_jobhistory_webapp_address

Required

true

Suppress Configuration Validator: MapReduce JobHistory Web Application HTTPS Port (TLS/SSL)

Description

Whether to suppress configuration warnings produced by the MapReduce JobHistory Web Application HTTPS Port (TLS/SSL) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_mapreduce_jobhistory_webapp_https_address

Required

true

Suppress Configuration Validator: Map Task Java Opts Base

Description

Whether to suppress configuration warnings produced by the Map Task Java Opts Base configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_mapreduce_map_java_opts

Required

true

Suppress Configuration Validator: Map Task Maximum Heap Size Validator

Description

Whether to suppress configuration warnings produced by the Map Task Maximum Heap Size Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_mapreduce_map_java_opts_max_heap_mapreduce_map_memory_mb_validator

Required

true

Suppress Configuration Validator: Reduce Task Java Opts Base

Description

Whether to suppress configuration warnings produced by the Reduce Task Java Opts Base configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_mapreduce_reduce_java_opts

Required

true

Suppress Configuration Validator: Reduce Task Maximum Heap Size Validator

Description

Whether to suppress configuration warnings produced by the Reduce Task Maximum Heap Size Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_mapreduce_reduce_java_opts_max_heap_mapreduce_reduce_memory_mb_validator

Required

true

Suppress Configuration Validator: Job Submit Replication Validator

Description

Whether to suppress configuration warnings produced by the Job Submit Replication Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_mapreduce_replication_validator

Required

true

Suppress Configuration Validator: Java Configuration Options for JobHistory Server

Description

Whether to suppress configuration warnings produced by the Java Configuration Options for JobHistory Server configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_mr2_jobhistory_java_opts

Required

true

Suppress Configuration Validator: JobHistory Server Log Directory

Description

Whether to suppress configuration warnings produced by the JobHistory Server Log Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_mr2_jobhistory_log_dir

Required

true

Suppress Configuration Validator: Java Configuration Options for NodeManager

Description

Whether to suppress configuration warnings produced by the Java Configuration Options for NodeManager configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_node_manager_java_opts

Required

true

Suppress Configuration Validator: NodeManager Log Directory

Description

Whether to suppress configuration warnings produced by the NodeManager Log Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_node_manager_log_dir

Required

true

Suppress Configuration Validator: NodeManager Advanced Configuration Snippet (Safety Valve) for yarn-site.xml

Description

Whether to suppress configuration warnings produced by the NodeManager Advanced Configuration Snippet (Safety Valve) for yarn-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_nodemanager_config_safety_valve

Required

true

Suppress Configuration Validator: NodeManager Advanced Configuration Snippet (Safety Valve) for mapred-site.xml

Description

Whether to suppress configuration warnings produced by the NodeManager Advanced Configuration Snippet (Safety Valve) for mapred-site.xml configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_nodemanager_mapred_safety_valve

Required

true

Suppress Configuration Validator: NodeManager Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the NodeManager Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

`role_config_suppression_nodemanager_role_env_safety_valve`**Required**`true`**Suppress Configuration Validator: NodeManager Web Application HTTPS Port (TLS/SSL)****Description**

Whether to suppress configuration warnings produced by the NodeManager Web Application HTTPS Port (TLS/SSL) configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_nodemanager_webserver_https_port`**Required**`true`**Suppress Configuration Validator: NodeManager Web Application HTTP Port****Description**

Whether to suppress configuration warnings produced by the NodeManager Web Application HTTP Port configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_nodemanager_webserver_port`**Required**`true`**Suppress Configuration Validator: Heap Dump Directory****Description**

Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_oom_heap_dump_dir`**Required**`true`**Suppress Configuration Validator: OpenTelemetry Collector Exporters Section****Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: Java Configuration Options for ResourceManager

Description

Whether to suppress configuration warnings produced by the Java Configuration Options for ResourceManager configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_resource_manager_java_opts

Required

true

Suppress Configuration Validator: ResourceManager Log Directory**Description**

Whether to suppress configuration warnings produced by the ResourceManager Log Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_resource_manager_log_dir

Required

true

Suppress Configuration Validator: Capacity Scheduler Configuration Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the Capacity Scheduler Configuration Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_resourcemanager_capacity_scheduler_configuration

Required

true

Suppress Configuration Validator: ResourceManager Advanced Configuration Snippet (Safety Valve) for yarn-site.xml**Description**

Whether to suppress configuration warnings produced by the ResourceManager Advanced Configuration Snippet (Safety Valve) for yarn-site.xml configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_resourcemanager_config_safety_valve

Required

true

Suppress Configuration Validator: Fair Scheduler XML Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the Fair Scheduler XML Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

	false
API Name	role_config_suppression_resourcemanager_fair_scheduler_configuration
Required	true

Suppress Configuration Validator: ResourceManager Advanced Configuration Snippet (Safety Valve) for mapred-site.xml

Description	Whether to suppress configuration warnings produced by the ResourceManager Advanced Configuration Snippet (Safety Valve) for mapred-site.xml configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_resourcemanager_mapred_safety_valve
Required	true

Suppress Configuration Validator: ResourceManager Environment Advanced Configuration Snippet (Safety Valve)

Description	Whether to suppress configuration warnings produced by the ResourceManager Environment Advanced Configuration Snippet (Safety Valve) configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_resourcemanager_role_env_safety_valve
Required	true

Suppress Configuration Validator: ResourceManager Web Application HTTPS Port (TLS/SSL)

Description	Whether to suppress configuration warnings produced by the ResourceManager Web Application HTTPS Port (TLS/SSL) configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_resourcemanager_webserver_https_port
Required	true

Suppress Configuration Validator: ResourceManager Web Application HTTP Port**Description**

Whether to suppress configuration warnings produced by the ResourceManager Web Application HTTP Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_resourcemanager_webserver_port

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: ResourceManager Advanced Configuration Snippet (Safety Valve) for nodes_allow.txt**Description**

Whether to suppress configuration warnings produced by the ResourceManager Advanced Configuration Snippet (Safety Valve) for nodes_allow.txt configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_hosts_allow_safety_valve

Required

true

Suppress Configuration Validator: ResourceManager Advanced Configuration Snippet (Safety Valve) for nodes_exclude.txt**Description**

Whether to suppress configuration warnings produced by the ResourceManager Advanced Configuration Snippet (Safety Valve) for nodes_exclude.txt configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_hosts_exclude_safety_valve

Required

true

Suppress Configuration Validator: Role Triggers

Description

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Configuration Validator: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Configuration Validator: ApplicationMaster Environment

Description

Whether to suppress configuration warnings produced by the ApplicationMaster Environment configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_app_mapreduce_am_admin_user_env

Required

true

Suppress Configuration Validator: ApplicationMaster Java Opts Base

Description

Whether to suppress configuration warnings produced by the ApplicationMaster Java Opts Base configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_app_mapreduce_am_command_opts

Required

true

Suppress Configuration Validator: ApplicationMaster Java Maximum Heap Size Validator**Description**

Whether to suppress configuration warnings produced by the ApplicationMaster Java Maximum Heap Size Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_app_mapreduce_am_max_heap_yarn_app_mapreduce_am_resource_mb_validator

Required

true

Suppress Configuration Validator: MapReduce ApplicationMaster Staging Root Directory**Description**

Whether to suppress configuration warnings produced by the MapReduce ApplicationMaster Staging Root Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_app_mapreduce_am_staging_dir

Required

true

Suppress Configuration Validator: YARN Client Advanced Configuration Snippet (Safety Valve) for yarn-site.xml**Description**

Whether to suppress configuration warnings produced by the YARN Client Advanced Configuration Snippet (Safety Valve) for yarn-site.xml configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_client_config_safety_valve

Required

true

Suppress Configuration Validator: Allowed Devices for Docker Containers

Description

Whether to suppress configuration warnings produced by the Allowed Devices for Docker Containers configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_docker_allowed_devices

Required

true

Suppress Configuration Validator: Allowed Read-Only Mounts for Docker Containers

Description

Whether to suppress configuration warnings produced by the Allowed Read-Only Mounts for Docker Containers configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_docker_allowed_ro_mounts

Required

true

Suppress Configuration Validator: Allowed Read-Write Mounts for Docker Containers

Description

Whether to suppress configuration warnings produced by the Allowed Read-Write Mounts for Docker Containers configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_docker_allowed_rw_mounts

Required

true

Suppress Configuration Validator: Allowed Volume Drivers for Docker Containers

Description

Whether to suppress configuration warnings produced by the Allowed Volume Drivers for Docker Containers configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_docker_allowed_volume_drivers

Required

true

Suppress Configuration Validator: Docker Binary Path**Description**

Whether to suppress configuration warnings produced by the Docker Binary Path configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_docker_binary

Required

true

Suppress Configuration Validator: Validates configuration of YARN NodeManagers when Docker on YARN feature is enabled.**Description**

Whether to suppress configuration warnings produced by the Validates configuration of YARN NodeManagers when Docker on YARN feature is enabled. configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_docker_on_yarn_validator

Required

true

Suppress Configuration Validator: Trusted Registries for Docker Containers**Description**

Whether to suppress configuration warnings produced by the Trusted Registries for Docker Containers configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_docker_trusted_registries

Required

true

Suppress Configuration Validator: YARN FPGA Resources Validator**Description**

Whether to suppress configuration warnings produced by the YARN FPGA Resources Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_fpga_validator

Required

true

Suppress Configuration Validator: YARN GPU Resources Validator**Description**

Whether to suppress configuration warnings produced by the YARN GPU Resources Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_gpu_validator

Required

true

Suppress Configuration Validator: NodeManager IPC Address**Description**

Whether to suppress configuration warnings produced by the NodeManager IPC Address configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_nodemanager_address

Required

true

Suppress Configuration Validator: Containers Environment Variable**Description**

Whether to suppress configuration warnings produced by the Containers Environment Variable configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_nodemanager_admin_env

Required

true

Suppress Configuration Validator: Containers Environment Variables Whitelist**Description**

Whether to suppress configuration warnings produced by the Containers Environment Variables Whitelist configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_nodemanager_env_whitelist

Required

true

Suppress Configuration Validator: FPGA initializer script**Description**

Whether to suppress configuration warnings produced by the FPGA initializer script configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_nodemanager_fpga_plugin_initializer_script

Required

true

Suppress Configuration Validator: NodeManager Local Directories**Description**

Whether to suppress configuration warnings produced by the NodeManager Local Directories configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_nodemanager_local_dirs

Required

true

Suppress Configuration Validator: Localizer Port**Description**

Whether to suppress configuration warnings produced by the Localizer Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_nodemanager_localizer_address

Required

true

Suppress Configuration Validator: Minimum Hard Limit for Log Aggregation Roll Monitoring Interval

Description

Whether to suppress configuration warnings produced by the Minimum Hard Limit for Log Aggregation Roll Monitoring Interval configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_nodemanager_log_aggregation_roll_monitoring_interval_seconds_min

Required

true

Suppress Configuration Validator: Log Aggregation Roll Monitoring Interval Minimum Validator

Description

Whether to suppress configuration warnings produced by the Log Aggregation Roll Monitoring Interval Minimum Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_nodemanager_log_aggregation_roll_monitoring_interval_seconds_minimum_validator

Required

true

Suppress Configuration Validator: NodeManager Container Log Directories

Description

Whether to suppress configuration warnings produced by the NodeManager Container Log Directories configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_nodemanager_log_dirs

Required

true

Suppress Configuration Validator: NodeManager Recovery Directory

Description

Whether to suppress configuration warnings produced by the NodeManager Recovery Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_nodemanager_recovery_dir

Required

true

Suppress Configuration Validator: Remote App Log Directory

Description

Whether to suppress configuration warnings produced by the Remote App Log Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_nodemanager_remote_app_log_dir

Required

true

Suppress Configuration Validator: Remote App Log Directory Suffix

Description

Whether to suppress configuration warnings produced by the Remote App Log Directory Suffix configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_nodemanager_remote_app_log_dir_suffix

Required

true

Suppress Configuration Validator: Allowed FPGA devices

Description

Whether to suppress configuration warnings produced by the Allowed FPGA devices configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_nodemanager_resource_plugins_fpga_allowed_fpga_devices

Required

true

Suppress Configuration Validator: List of available FPGA devices**Description**

Whether to suppress configuration warnings produced by the List of available FPGA devices configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_nodemanager_resource_plugins_fpga_available_devices

Required

true

Suppress Configuration Validator: Path to FPGA (aocl) tool**Description**

Whether to suppress configuration warnings produced by the Path to FPGA (aocl) tool configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_nodemanager_resource_plugins_fpga_path_to_discovery_executables

Required

true

Suppress Configuration Validator: Allowed Linux Runtimes**Description**

Whether to suppress configuration warnings produced by the Allowed Linux Runtimes configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_nodemanager_runtime_linux_allowed_runtimes

Required

true

Suppress Configuration Validator: Allowed Docker Container Networks**Description**

Whether to suppress configuration warnings produced by the Allowed Docker Container Networks configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_nodemanager_runtime_linux_docker_allowed_container_networks

Required

true

Suppress Configuration Validator: Docker Capabilities

Description

Whether to suppress configuration warnings produced by the Docker Capabilities configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_nodemanager_runtime_linux_docker_capabilities

Required

true

Suppress Configuration Validator: Default Docker Container Network

Description

Whether to suppress configuration warnings produced by the Default Docker Container Network configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_nodemanager_runtime_linux_docker_default_container_network

Required

true

Suppress Configuration Validator: Default Read-Only Mounts for Docker Containers

Description

Whether to suppress configuration warnings produced by the Default Read-Only Mounts for Docker Containers configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_nodemanager_runtime_linux_docker_default_ro_mounts

Required

true

Suppress Configuration Validator: Default Read-Write Mounts for Docker Containers

Description

Whether to suppress configuration warnings produced by the Default Read-Write Mounts for Docker Containers configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_nodemanager_runtime_linux_docker_default_rw_mounts

Required

true

Suppress Configuration Validator: Default Tempfs Mounts for Docker Containers

Description

Whether to suppress configuration warnings produced by the Default Tempfs Mounts for Docker Containers configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_nodemanager_runtime_linux_docker_default_tmpfs_mounts

Required

true

Suppress Configuration Validator: ACL for Privileged Docker Containers

Description

Whether to suppress configuration warnings produced by the ACL for Privileged Docker Containers configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_nodemanager_runtime_linux_docker_privileged_containers_acl

Required

true

Suppress Configuration Validator: ResourceManager Address

Description

Whether to suppress configuration warnings produced by the ResourceManager Address configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_resourcemanager_address

Required

true

Suppress Configuration Validator: Administration Address

Description

Whether to suppress configuration warnings produced by the Administration Address configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_resourcemanager_admin_address

Required

true

Suppress Configuration Validator: ApplicationMaster Maximum Attempts

Description

Whether to suppress configuration warnings produced by the ApplicationMaster Maximum Attempts configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_resourcemanager_am_max_retries

Required

true

Suppress Configuration Validator: Resource Tracker Address

Description

Whether to suppress configuration warnings produced by the Resource Tracker Address configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_resourcemanager_resource_tracker_address

Required

true

Suppress Configuration Validator: Scheduler Address

Description

Whether to suppress configuration warnings produced by the Scheduler Address configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_yarn_resourcemanager_scheduler_address

Required

true

Suppress Configuration Validator: YARN Resource Types Validator

Description

Whether to suppress configuration warnings produced by the YARN Resource Types Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_resources_validator

Required

true

Suppress Parameter Validation: Cloudera Manager Container Usage Metrics Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cloudera Manager Container Usage Metrics Directory parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_cm_yarn_container_usage_input_dir

Required

true

Suppress Parameter Validation: Container Usage MapReduce Job Pool

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Container Usage MapReduce Job Pool parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_cm_yarn_container_usage_job_pool

Required

true

Suppress Parameter Validation: Container Usage MapReduce Job User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Container Usage MapReduce Job User parameter.

Related Name**Default Value**

false

API Name`service_config_suppression_cm_yarn_container_usage_job_user`**Required**`true`**Suppress Parameter Validation: Container Usage Output Directory****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Container Usage Output Directory parameter.

Related Name**Default Value**`false`**API Name**`service_config_suppression_cm_yarn_container_usage_output_dir`**Required**`true`**Suppress Configuration Validator: Gateway Count Validator****Description**

Whether to suppress configuration warnings produced by the Gateway Count Validator configuration validator.

Related Name**Default Value**`false`**API Name**`service_config_suppression_gateway_count_validator`**Required**`true`**Suppress Configuration Validator: Secure Web UI Validator****Description**

Whether to suppress configuration warnings produced by the Secure Web UI Validator configuration validator.

Related Name**Default Value**`false`**API Name**`service_config_suppression_hadoop_secure_web_ui`**Required**`true`**Suppress Configuration Validator: Hadoop TLS/SSL Validator****Description**

Whether to suppress configuration warnings produced by the Hadoop TLS/SSL Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_hadoop_ssl_validator

Required

true

Suppress Parameter Validation: System User's Home Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User's Home Directory parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_hdfs_user_home_dir

Required

true

Suppress Configuration Validator: JobHistory Server Count Validator**Description**

Whether to suppress configuration warnings produced by the JobHistory Server Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_jobhistory_count_validator

Required

true

Suppress Parameter Validation: Kerberos Principal**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Principal parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_kerberos_princ_name

Required

true

Suppress Parameter Validation: Llama Proxy User Groups**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Llama Proxy User Groups parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_llama_proxy_user_groups_list

Required

true

Suppress Parameter Validation: Llama Proxy User Hosts**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Llama Proxy User Hosts parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_llama_proxy_user_hosts_list

Required

true

Suppress Parameter Validation: Hive LLAP Kerberos Conf Staging Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hive LLAP Kerberos Conf Staging Path parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_llap_kerberos_staging_path

Required

true

Suppress Parameter Validation: HDFS Replication Advanced Configuration Snippet (Safety Valve) for mapred-site.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS Replication Advanced Configuration Snippet (Safety Valve) for mapred-site.xml parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_mapreduce_service_replication_config_safety_valve

Required

true

Suppress Parameter Validation: Node Labels Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Node Labels Directory parameter.

Related Name

Default Value

false

API Name

service_config_suppression_node_labels_root_dir

Required

true

Suppress Configuration Validator: NodeManager Count Validator

Description

Whether to suppress configuration warnings produced by the NodeManager Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_nodemanager_count_validator

Required

true

Suppress Parameter Validation: System Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name

Default Value

false

API Name

service_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: System User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name

Default Value

false

API Name

service_config_suppression_process_username

Required

true

Suppress Parameter Validation: Ranger DFS Audit Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger DFS Audit Path parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_audit_hdfs_dir

Required

true

Suppress Parameter Validation: Ranger Audit DFS Spool Dir

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Audit DFS Spool Dir parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_audit_hdfs_spool_dir

Required

true

Suppress Parameter Validation: YARN Service Advanced Configuration Snippet (Safety Valve) for ranger-yarn-audit.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Service Advanced Configuration Snippet (Safety Valve) for ranger-yarn-audit.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_audit_safety_valve

Required

true

Suppress Parameter Validation: Ranger Audit Solr Spool Dir**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Audit Solr Spool Dir parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_audit_solr_spool_dir

Required

true

Suppress Parameter Validation: Ranger Service Name**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Service Name parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_plugin_service_name

Required

true

Suppress Parameter Validation: Ranger Plugin Trusted Proxy IP Address**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Plugin Trusted Proxy IP Address parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_plugin_trusted_proxy_ipaddress

Required

true

Suppress Parameter Validation: Ranger Policy Cache Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Ranger Policy Cache Directory parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ranger_policy_cache_dir

Required

true

Suppress Parameter Validation: YARN Service Advanced Configuration Snippet (Safety Valve) for ranger-yarn-policymgr-ssl.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Service Advanced Configuration Snippet (Safety Valve) for ranger-yarn-policymgr-ssl.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_policymgr_ssl_safety_valve

Required

true

Suppress Parameter Validation: YARN Service Advanced Configuration Snippet (Safety Valve) for ranger-yarn-security.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Service Advanced Configuration Snippet (Safety Valve) for ranger-yarn-security.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ranger_security_safety_valve

Required

true

Suppress Configuration Validator: ResourceManager Count Validator

Description

Whether to suppress configuration warnings produced by the ResourceManager Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_resourcemanager_count_validator

Required

true

Suppress Parameter Validation: Service Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name

Default Value

false

API Name

service_config_suppression_service_triggers

Required

true

Suppress Parameter Validation: Service Monitor Client Config Overrides

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Client Config Overrides parameter.

Related Name

Default Value

false

API Name

service_config_suppression_smon_client_config_overrides

Required

true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_smon_derived_configs_safety_valve

Required

true

Suppress Parameter Validation: TLS/SSL Client Truststore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the TLS/SSL Client Truststore File Location parameter.

Related Name

Default Value

false

API Name

service_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: TLS/SSL Client Truststore File Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the TLS/SSL Client Truststore File Password parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ssl_client_truststore_password

Required

true

Suppress Parameter Validation: Hadoop TLS/SSL Server Keystore Key Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hadoop TLS/SSL Server Keystore Key Password parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ssl_server_keystore_keypassword

Required

true

Suppress Parameter Validation: Hadoop TLS/SSL Server Keystore File Location**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hadoop TLS/SSL Server Keystore File Location parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: Hadoop TLS/SSL Server Keystore File Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Hadoop TLS/SSL Server Keystore File Password parameter.

Related Name**Default Value**

	false
API Name	service_config_suppression_ssl_server_keystore_password
Required	true

Suppress Parameter Validation: Admin ACL

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin ACL parameter.
Related Name	
Default Value	false
API Name	service_config_suppression_yarn_admin_acl
Required	true

Suppress Parameter Validation: YARN Application Aggregates

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Application Aggregates parameter.
Related Name	
Default Value	false
API Name	service_config_suppression_yarn_application_aggregates
Required	true

Suppress Parameter Validation: YARN Application Classpath

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Application Classpath parameter.
Related Name	
Default Value	false
API Name	service_config_suppression_yarn_application_classpath
Required	true

Suppress Parameter Validation: YARN Service Advanced Configuration Snippet (Safety Valve) for core-site.xml

Description	
--------------------	--

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Service Advanced Configuration Snippet (Safety Valve) for core-site.xml parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_yarn_core_site_safety_valve

Required

true

Suppress Parameter Validation: YARN Service Advanced Configuration Snippet (Safety Valve) for hadoop-policy.xml**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Service Advanced Configuration Snippet (Safety Valve) for hadoop-policy.xml parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_yarn_hadoop_policy_config_safety_valve

Required

true

Suppress Parameter Validation: Supported Log Aggregation File Formats**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Supported Log Aggregation File Formats parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_yarn_log_aggregation_file_formats

Required

true

Suppress Parameter Validation: Remote App Log Directory for IFile Format**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Remote App Log Directory for IFile Format parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_yarn_log_aggregation_ifile_remote_app_log_dir

Required

true

Suppress Parameter Validation: Remote App Log Directory Suffix for IFile Format**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Remote App Log Directory Suffix for IFile Format parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_yarn_log_aggregation_ifile_remote_app_log_dir_suffix

Required

true

Suppress Parameter Validation: Remote App Log Directory for TFile Format**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Remote App Log Directory for TFile Format parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_yarn_log_aggregation_tfile_remote_app_log_dir

Required

true

Suppress Parameter Validation: Remote App Log Directory Suffix for TFile Format**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Remote App Log Directory Suffix for TFile Format parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_yarn_log_aggregation_tfile_remote_app_log_dir_suffix

Required

true

Suppress Parameter Validation: UNIX User for Nonsecure Mode with Linux Container Executor**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the UNIX User for Nonsecure Mode with Linux Container Executor parameter.

Related Name**Default Value**

	false
API Name	service_config_suppression_yarn_nodemanager_linux_container_executor_nonsecure_mode_loca l_user
Required	true

Suppress Configuration Validator: Yarn Queue Manager Validator

Description
Whether to suppress configuration warnings produced by the Yarn Queue Manager Validator configuration validator.

Related Name

Default Value
false

API Name
service_config_suppression_yarn_queue_manager_validator

Required
true

Suppress Configuration Validator: YARN Resource Types Validator

Description
Whether to suppress configuration warnings produced by the YARN Resource Types Validator configuration validator.

Related Name

Default Value
false

API Name
service_config_suppression_yarn_resources_validator

Required
true

Suppress Parameter Validation: RM-HA Cluster ID

Description
Whether to suppress configuration warnings produced by the built-in parameter validation for the RM-HA Cluster ID parameter.

Related Name

Default Value
false

API Name
service_config_suppression_yarn_rm_ha_cluster_id

Required
true

Suppress Parameter Validation: YARN Service Advanced Configuration Snippet (Safety Valve) for yarn-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Service Advanced Configuration Snippet (Safety Valve) for yarn-site.xml parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_yarn_service_config_safety_valve

Required

true

Suppress Parameter Validation: YARN Service Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_yarn_service_env_safety_valve

Required

true

Suppress Parameter Validation: YARN Service MapReduce Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Service MapReduce Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_yarn_service_mapred_safety_valve

Required

true

Suppress Parameter Validation: HDFS Replication Advanced Configuration Snippet (Safety Valve) for yarn-site.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS Replication Advanced Configuration Snippet (Safety Valve) for yarn-site.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_yarn_service_replication_config_safety_valve

Required

true

Suppress Parameter Validation: YARN Services Dependencies Path

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Services Dependencies Path parameter.

Related Name

Default Value

false

API Name

service_config_suppression_yarn_services_framework_path

Required

true

Suppress Parameter Validation: YARN Service Advanced Configuration Snippet (Safety Valve) for ssl-client.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Service Advanced Configuration Snippet (Safety Valve) for ssl-client.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_yarn_ssl_client_safety_valve

Required

true

Suppress Parameter Validation: YARN Service Advanced Configuration Snippet (Safety Valve) for ssl-server.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Service Advanced Configuration Snippet (Safety Valve) for ssl-server.xml parameter.

Related Name

Default Value

false

API Name

service_config_suppression_yarn_ssl_server_safety_valve

Required

true

Suppress Health Test: JobHistory Server Health**Description**

Whether to suppress the results of the JobHistory Server Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_yarn_jobhistory_health

Required

true

Suppress Health Test: NodeManager Health**Description**

Whether to suppress the results of the NodeManager Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_yarn_node_managers_healthy

Required

true

Suppress Health Test: ResourceManager Health**Description**

Whether to suppress the results of the ResourceManager Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_yarn_resourcemanagers_health

Required

true

Suppress Health Test: YARN Container Usage Aggregation**Description**

Whether to suppress the results of the YARN Container Usage Aggregation health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

service_health_suppression_yarn_usage_aggregation_health

Required

true

YARN Services Management**Enable YARN Services****Description**

Configure YARN to support yarn managed services, enabling this will allow users to create long running YARN services like LLAP.

Related Name**Default Value**

true

API Name

yarn_services_enabled

Required

false

YARN Services Dependencies Path**Description**

This is the path where the YARN services dependencies tarball should be uploaded.

Related Name

yarn.service.framework.path

Default Value

/user/yarn/services/service-framework/\${scdhVersion}/service-dep.tar.gz

API Name

yarn_services_framework_path

Required

false

YARN Queue Manager Properties in Cloudera Runtime 7.3.1

Role groups:

Service-Wide**Advanced****YARN Queue Manager Service Advanced Configuration Snippet (Safety Valve) for conf/webapp.properties****Description**

For advanced use only, a string to be inserted into conf/webapp.properties. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

conf/webapp.properties_service_safety_valve

Required

false

System Group

Description

The group that this service's processes should run as.

Related Name

Default Value

hadoop

API Name

process_groupname

Required

true

System User

Description

The user that this service's processes should run as.

Related Name

Default Value

yarn

API Name

process_username

Required

true

YARN Queue Manager Service Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name

Default Value

API Name

QUEUEMANAGER_service_env_safety_valve

Required

false

Database

QueueManager Config Service Database Host

Description

Hostname of the database used by QueueManager Config Service. If the port is non-default for your database type, use host:port notation.

Related Name

queuemanager_database_host

Default Value

localhost

API Name

queuemanager_database_host

Required

false

QueueManager Config Service Database Name

Description

Name of QueueManager Config Service database.

Related Name

queuemanager_database_name

Default Value

configstore

API Name

queuemanager_database_name

Required

false

QueueManager Config Service Database User Password

Description

Password for QueueManager Config Service database.

Related Name

queuemanager.jpa.jdbc.password

Default Value

API Name

queuemanager_database_password

Required

false

QueueManager Config Service Database Port

Description

Port number for QueueManager Config Service database.

Related Name

queuemanager_database_port

Default Value

5432

API Name

queuemanager_database_port

Required

true

QueueManager Config Service Database Type

Description

Database type to be used.

Related Name

queuemanager_database_type

Default Value

postgresql

API Name

queuemanager_database_type

Required

true

QueueManager Config Service Database User

Description

User for QueueManager Config Service database.

Related Name

queuemanager.jpa.jdbc.user

Default Value

sa

API Name

queuemanager_database_user

Required

true

Monitoring

Enable Service Level Health Alerts

Description

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Service Triggers**Description**

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

service_triggers

Required

true

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name**Default Value****API Name**

smon_derived_configs_safety_valve

Required

false

Other

Enable Kerberos Authentication

Description

Specifies that the Hadoop cluster is secured using Kerberos authentication.

Related Name

kerberos.auth.enabled

Default Value

false

API Name

kerberos.auth.enabled

Required

false

System User's Home Directory

Description

The home directory of the system user on the local filesystem. Since Queue Manager uses Yarn user, make sure this value is same as yarn user directory.

Related Name

queuemanager_user_home_dir

Default Value

/var/lib/hadoop-yarn

API Name

queuemanager_user_home_dir

Required

false

ZooKeeper Service

Description

Name of the ZooKeeper service that this YARN Queue Manager service instance depends on

Related Name**Default Value****API Name**

zookeeper_service

Required

true

Ports and Addresses

Config Service Application Connector Port

Description

Application connector port for config service. For more information about this jetty property, please refer to the configuration documentation of dropwizard.

Related Name

config_service_application_connector_port

Default Value

8080

API Name

config_service_application_connector_port

Required

false

Security**Kerberos Principal****Description**

Kerberos principal short name used by all roles of this service.

Related Name**Default Value**

yarn

API Name

kerberos_princ_name

Required

true

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: YARN Queue Manager Webapp Advanced Configuration Snippet (Safety Valve) for conf/external_cpx.properties**Description**

Whether to suppress configuration warnings produced by the YARN Queue Manager Webapp Advanced Configuration Snippet (Safety Valve) for conf/external_cpx.properties configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_conf/external_cpx.properties_role_safety_valve

Required

true

Suppress Configuration Validator: YARN Queue Manager Webapp Advanced Configuration Snippet (Safety Valve) for conf/quartz.properties

Description

Whether to suppress configuration warnings produced by the YARN Queue Manager Webapp Advanced Configuration Snippet (Safety Valve) for conf/quartz.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_conf/quartz.properties_role_safety_valve

Required

true

Suppress Configuration Validator: YARN Queue Manager Webapp Advanced Configuration Snippet (Safety Valve) for conf/webapp.properties

Description

Whether to suppress configuration warnings produced by the YARN Queue Manager Webapp Advanced Configuration Snippet (Safety Valve) for conf/webapp.properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_conf/webapp.properties_role_safety_valve

Required

true

Suppress Configuration Validator: Config Service Admin Connector Port

Description

Whether to suppress configuration warnings produced by the Config Service Admin Connector Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_config_service_admin_connector_port

Required

true

Suppress Configuration Validator: Config Service Database New Password (Requires restart)

Description

Whether to suppress configuration warnings produced by the Config Service Database New Password (Requires restart) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_config_service_database_new_updated_password

Required

true

Suppress Configuration Validator: Config Service Database User

Description

Whether to suppress configuration warnings produced by the Config Service Database User configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_config_service_database_user

Required

true

Suppress Configuration Validator: Location for config-service DB

Description

Whether to suppress configuration warnings produced by the Location for config-service DB configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_config_service_db_loc

Required

true

Suppress Configuration Validator: YARN Queue Manager Webapp Advanced Configuration Snippet (Safety Valve) for database_properties

Description

Whether to suppress configuration warnings produced by the YARN Queue Manager Webapp Advanced Configuration Snippet (Safety Valve) for database_properties configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_database_properties_role_safety_valve

Required

true

Suppress Configuration Validator: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Configuration Validator: YARN Queue Manager Webapp Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the YARN Queue Manager Webapp Logging Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Configuration Validator: YARN Queue Manager Webapp Log Directory**Description**

Whether to suppress configuration warnings produced by the YARN Queue Manager Webapp Log Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Configuration Validator: Heap Dump Directory**Description**

Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.

Related Name**Default Value**

false

API Name

`role_config_suppression_oom_heap_dump_dir`**Required**`true`**Suppress Configuration Validator: OpenTelemetry Collector Exporters Section****Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_exporters`**Required**`true`**Suppress Configuration Validator: OpenTelemetry Collector Extensions Section****Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_extensions`**Required**`true`**Suppress Configuration Validator: OpenTelemetry Collector Helper Port****Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_helper_port`**Required**`true`**Suppress Configuration Validator: OpenTelemetry Collector Processors Section****Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: YARN Queue Manager Webapp Advanced Configuration Snippet (Safety Valve) for property_configs

Description

Whether to suppress configuration warnings produced by the YARN Queue Manager Webapp Advanced Configuration Snippet (Safety Valve) for property_configs configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_property_configs_role_safety_valve

Required

true

Suppress Configuration Validator: Additional QueueManager Store Java Options

Description

Whether to suppress configuration warnings produced by the Additional QueueManager Store Java Options configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_queuemanager_store_java_opts

Required

true

Suppress Configuration Validator: YARN Queue Manager Store Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the YARN Queue Manager Store Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_queuemanager_store_role_env_safety_valve

Required

true

Suppress Configuration Validator: Additional QueueManager Webapp Java Options

Description

Whether to suppress configuration warnings produced by the Additional QueueManager Webapp Java Options configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_queuemanager_webapp_java_opts

Required

true

Suppress Configuration Validator: YARN Queue Manager Webapp Port

Description

Whether to suppress configuration warnings produced by the YARN Queue Manager Webapp Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_queuemanager_webapp_port

Required

true

Suppress Configuration Validator: YARN Queue Manager Webapp Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the YARN Queue Manager Webapp Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_queuemanager_webapp_role_env_safety_valve

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: Role Triggers

Description

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name

Default Value

	false
API Name	role_config_suppression_role_triggers
Required	true

Suppress Configuration Validator: YARN Queue Manager Webapp Advanced Configuration Snippet (Safety Valve) for scheduling_rules

Description	Whether to suppress configuration warnings produced by the YARN Queue Manager Webapp Advanced Configuration Snippet (Safety Valve) for scheduling_rules configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_scheduling_rules_role_safety_valve
Required	true

Suppress Configuration Validator: YARN Queue Manager Webapp TLS/SSL Trust Store File

Description	Whether to suppress configuration warnings produced by the YARN Queue Manager Webapp TLS/SSL Trust Store File configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_ssl_client_truststore_location
Required	true

Suppress Configuration Validator: YARN Queue Manager Webapp TLS/SSL Trust Store Password

Description	Whether to suppress configuration warnings produced by the YARN Queue Manager Webapp TLS/SSL Trust Store Password configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_ssl_client_truststore_password
Required	true

Suppress Configuration Validator: YARN Queue Manager Webapp TLS/SSL Server Keystore File Location**Description**

Whether to suppress configuration warnings produced by the YARN Queue Manager Webapp TLS/SSL Server Keystore File Location configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Configuration Validator: YARN Queue Manager Webapp TLS/SSL Server Keystore File Password**Description**

Whether to suppress configuration warnings produced by the YARN Queue Manager Webapp TLS/SSL Server Keystore File Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Configuration Validator: Stacks Collection Directory**Description**

Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Parameter Validation: YARN Queue Manager Service Advanced Configuration Snippet (Safety Valve) for conf/webapp.properties**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Queue Manager Service Advanced Configuration Snippet (Safety Valve) for conf/webapp.properties parameter.

Related Name

Default Value

false

API Name

service_config_suppression_conf/webapp.properties_service_safety_valve

Required

true

Suppress Parameter Validation: Config Service Application Connector Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Config Service Application Connector Port parameter.

Related Name

Default Value

false

API Name

service_config_suppression_config_service_application_connector_port

Required

true

Suppress Parameter Validation: Kerberos Principal

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Principal parameter.

Related Name

Default Value

false

API Name

service_config_suppression_kerberos_princ_name

Required

true

Suppress Parameter Validation: System Group

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name

Default Value

false

API Name

service_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: System User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_username

Required

true

Suppress Parameter Validation: QueueManager Config Service Database Host**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the QueueManager Config Service Database Host parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_queuemanager_database_host

Required

true

Suppress Parameter Validation: QueueManager Config Service Database Name**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the QueueManager Config Service Database Name parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_queuemanager_database_name

Required

true

Suppress Parameter Validation: QueueManager Config Service Database User Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the QueueManager Config Service Database User Password parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_queuemanager_database_password

Required

true

Suppress Parameter Validation: QueueManager Config Service Database Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the QueueManager Config Service Database Port parameter.

Related Name

Default Value

false

API Name

service_config_suppression_queuemanager_database_port

Required

true

Suppress Parameter Validation: QueueManager Config Service Database User

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the QueueManager Config Service Database User parameter.

Related Name

Default Value

false

API Name

service_config_suppression_queuemanager_database_user

Required

true

Suppress Parameter Validation: YARN Queue Manager Service Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Queue Manager Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

service_config_suppression_queuemanager_service_env_safety_valve

Required

true

Suppress Configuration Validator: YARN Queue Manager Store Count Validator

Description

Whether to suppress configuration warnings produced by the YARN Queue Manager Store Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_queuemanager_store_count_validator

Required

true

Suppress Parameter Validation: System User's Home Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User's Home Directory parameter.

Related Name

Default Value

false

API Name

service_config_suppression_queuemanager_user_home_dir

Required

true

Suppress Configuration Validator: YARN Queue Manager Webapp Count Validator

Description

Whether to suppress configuration warnings produced by the YARN Queue Manager Webapp Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_queuemanager_webapp_count_validator

Required

true

Suppress Parameter Validation: Service Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name

Default Value

false

API Name

service_config_suppression_service_triggers

Required

true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_smon_derived_configs_safety_valve

Required

true

YARN Queue Manager Store

Advanced

YARN Queue Manager Store Advanced Configuration Snippet (Safety Valve) for conf/webapp.properties

Description

For advanced use only. A string to be inserted into conf/webapp.properties for this role only.

Related Name**Default Value****API Name**

conf/webapp.properties_role_safety_valve

Required

false

YARN Queue Manager Store Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when `java.lang.OutOfMemoryError` error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when `java.lang.OutOfMemoryError` is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name

Default Value

20

API Name

process_start_secs

Required

false

YARN Queue Manager Store Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name

Default Value

API Name

QUEUEMANAGER_STORE_role_env_safety_valve

Required

false

Logs

YARN Queue Manager Store Log Directory

Description

The log directory for log files of the role YARN Queue Manager Store.

Related Name

yarn_queuemanager_store_log_dir

Default Value

/var/log/yarn/queuemanager

API Name

log_dir

Required

false

YARN Queue Manager Store Logging Threshold

Description

The minimum log level for YARN Queue Manager Store logs

Related Name

Default Value

INFO

API Name

log_threshold

Required

false

YARN Queue Manager Store Maximum Log File Backups

Description

The maximum number of rolled log files to keep for YARN Queue Manager Store logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

YARN Queue Manager Store Max Log Size**Description**

The maximum size, in megabytes, per log file for YARN Queue Manager Store logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring**Enable Health Alerts for this Role****Description**

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML**Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name**Default Value****API Name**

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME,

`$CLUSTER_ID`, `$SERVICE_TYPE`, `$SERVICE_NAME`, `$ROLE_NAME`, `$ROLE_TYPE`,
`$ROLE_PARAM(my_parameter_name)` - e.g.: a port parameter for the role's metrics,
`$DECODE_B64(...)` and `$DECODE_URL(...)` to decode encoded parameters,
`$ENV_PARAM(name)` to fetch params from the process' environment, `$SYS_PARAM(name)` to
fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL**Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

`$INFRA(cdp_request_signer_url)`

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username**Description**

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify

\$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name

Default Value

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds

Description

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window

Description

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds

Description

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

queuemanager_store_fd_thresholds

Required

false

YARN Queue Manager Store Host Health Test

Description

When computing the overall YARN Queue Manager Store health, consider the host's health.

Related Name**Default Value**

true

API Name

queuemanager_store_host_health_enabled

Required

false

YARN Queue Manager Store Process Health Test

Description

Enables the health test that the YARN Queue Manager Store's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

queuemanager_store_scm_health_enabled

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=\$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}] See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period**Description**

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other**Config Service Admin Max Threads.****Description**

The maximum number of threads to use for admin requests in config-service. For more information about this jetty property, please refer to the configuration documentation of dropwizard.

Related Name

config_service_admin_max_threads

Default Value

64

API Name

config_service_admin_max_threads

Required

false

Config Service Admin Min Threads.**Description**

The minimum number of threads to use for admin requests in config-service. For more information about this jetty property, please refer to the configuration documentation of dropwizard.

Related Name

config_service_admin_min_threads

Default Value

1

API Name

config_service_admin_min_threads

Required

false

Config Service Database New Password (Requires restart)**Description**

Change the password here and restart to update Config Service Database Password.

Related Name

configservice.jpa.jdbc.updated.password

Default Value**API Name**

config_service_database_new_updated_password

Required

false

Config Service Database User

Description

User for Config Service Admin database.

Related Name

configservice.jpa.jdbc.user

Default Value

sa

API Name

config_service_database_user

Required

true

Location for config-service DB

Description

If you change the config-service DB location value then you need to perform a manual migration step, as explained in the database migration documentation of config-service.

Related Name

config_service_db_loc

Default Value

API Name

config_service_db_loc

Required

false

Config Service Header Cache Size

Description

Header cache size in bytes for config-service. For more information about this jetty property, please refer to the configuration documentation of dropwizard.

Related Name

config_service_header_cache_size

Default Value

512

API Name

config_service_header_cache_size

Required

false

Config Service Idle Timeout

Description

The maximum idle time for a connection in config-service. For more information about this jetty property, please refer to the configuration documentation of dropwizard.

Related Name

config_service_idle_timeout

Default Value

30

API Name

config_service_idle_timeout

Required

false

Config Service Input Buffer Size**Description**

Input buffer size in kibibytes for config-service. For more information about this jetty property, please refer to the configuration documentation of dropwizard.

Related Name

config_service_input_buffer_size

Default Value

8

API Name

config_service_input_buffer_size

Required

false

Config Service Maximum Buffer Size**Description**

Maximum buffer size in kibibytes for config-service. For more information about this jetty property, please refer to the configuration documentation of dropwizard.

Related Name

config_service_max_buffer_size

Default Value

64

API Name

config_service_max_buffer_size

Required

false

Config Service Max Heap Size**Description**

Maximum size for the Config Service Java Process heap. Passed to Java -Xmx.

Related Name

config_service_max_heap_size

Default Value

2 GiB

API Name

config_service_max_heap_size

Required

true

Config Service Max Request Header Size

Description

Maximum HTTP request header size for the config-service in KiB. For more information about this jetty property, please refer to the configuration documentation of dropwizard.

Related Name

config_service_max_request_header_size

Default Value

8

API Name

config_service_max_request_header_size

Required

false

Config Service Max Response Header Size

Description

Maximum HTTP response header size for the config-service in KiB. For more information about this jetty property, please refer to the configuration documentation of dropwizard.

Related Name

config_service_max_response_header_size

Default Value

8

API Name

config_service_max_response_header_size

Required

false

Config Service Min Bufferpool Size

Description

Min bufferpool size in bytes for config-service. For more information about this jetty property, please refer to the configuration documentation of dropwizard.

Related Name

config_service_min_buffer_pool_size

Default Value

8

API Name

config_service_min_buffer_pool_size

Required

false

Config Service Output Buffer Size

Description

Output buffer size in kibibytes for config-service. For more information about this jetty property, please refer to the configuration documentation of dropwizard.

Related Name

config_service_output_buffer_size

Default Value

32

API Name

config_service_output_buffer_size

Required

false

YARN Queue Manager Store Diagnostics Collection Timeout**Description**

The timeout in milliseconds to wait for diagnostics collection to complete.

Related Name**Default Value**

5 minute(s)

API Name

csd_role_diagnostics_timeout

Required

false

Additional QueueManager Store Java Options**Description**

These arguments are passed as part of the Java command line. Commonly, garbage collection flags or extra debugging flags are passed here.

Related Name

queuemanager_store_java_opts

Default Value**API Name**

queuemanager_store_java_opts

Required

false

Performance**Maximum Process File Descriptors****Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses

Config Service Admin Connector Port

Description

Admin connector port for config-service. For more information about this jetty property, please refer to the configuration documentation of dropwizard.

Related Name

config_service_admin_connector_port

Default Value

8081

API Name

config_service_admin_connector_port

Required

false

Resource Management

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares

Description

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight

Description

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)

Description

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2'
These settings override other cgroup settings.

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight

Description

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security

YARN Queue Manager Store TLS/SSL Trust Store File

Description

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that YARN Queue Manager Store might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name

queuemanager.store.ssl.truststore.location

Default Value**API Name**

ssl_client_truststore_location

Required

false

YARN Queue Manager Store TLS/SSL Trust Store Password

Description

The password for the YARN Queue Manager Store TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

queuemanager.store.ssl.truststore.password

Default Value**API Name**

ssl_client_truststore_password

Required

false

Enable TLS/SSL for YARN Queue Manager Store

Description

Encrypt communication between clients and YARN Queue Manager Store using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

queuemanager_store_ssl_enabled

Default Value

false

API Name

ssl_enabled

Required

false

YARN Queue Manager Store TLS/SSL Server Keystore File Location

Description

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when YARN Queue Manager Store is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

queuemanager_store_keystore_file

Default Value

API Name

ssl_server_keystore_location

Required

false

YARN Queue Manager Store TLS/SSL Server Keystore File Password

Description

The password for the YARN Queue Manager Store keystore file.

Related Name

queuemanager_store_password

Default Value

API Name

ssl_server_keystore_password

Required

false

Supported SSL/TLS versions

Description

The SSL/TLS protocol versions to accept HTTPS connections from. Note that the available cipher suites also affect which protocol versions can be negotiated, and some cipher suites are only available in higher versions.

Related Name

queuemanager_includedProtocols

Default Value

TLSv1.2

API Name

supported_tls_versions

Required

false

SSL/TLS Cipher Suite

Description

The SSL/TLS cipher suites to use. "Modern 2018" is a modern set of cipher suites as of 2018, according to the Mozilla server-side TLS recommendations. These cipher suites use strong cryptography and are preferred unless interaction with older clients is required. These modern cipher suites are compatible with Firefox 27, Chrome 22, Internet Explorer 11, Opera 14, Safari 7, Android 4.4, and Java 8. "Intermediate 2018" is an intermediate set of cipher suites as of 2018, according to the Mozilla server-side TLS recommendations. Select the Intermediate 2018 cipher suites if you require compatibility with a wider range of clients, legacy browsers, or older Linux tools.

Related Name

queuemanager_includedCipherSuites

Default Value

modern2018

API Name

tls_ciphers

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user

with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: YARN Queue Manager Store Advanced Configuration Snippet (Safety Valve) for conf/webapp.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Queue Manager Store Advanced Configuration Snippet (Safety Valve) for conf/webapp.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_conf/webapp.properties_role_safety_valve

Required

true

Suppress Parameter Validation: Config Service Admin Connector Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Config Service Admin Connector Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_config_service_admin_connector_port

Required

true

Suppress Parameter Validation: Config Service Database New Password (Requires restart)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Config Service Database New Password (Requires restart) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_config_service_database_new_updated_password

Required

true

Suppress Parameter Validation: Config Service Database User**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Config Service Database User parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_config_service_database_user

Required

true

Suppress Parameter Validation: Location for config-service DB**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Location for config-service DB parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_config_service_db_loc

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: YARN Queue Manager Store Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Queue Manager Store Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: YARN Queue Manager Store Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Queue Manager Store Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

	false
API Name	role_config_suppression_otelcol_exporters
Required	true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_extensions
Required	true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_helper_port
Required	true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_processors
Required	true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description	
--------------------	--

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Additional QueueManager Store Java Options

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Additional QueueManager Store Java Options parameter.

Related Name

Default Value

false

API Name

role_config_suppression_queuemanager_store_java_opts

Required

true

Suppress Parameter Validation: YARN Queue Manager Store Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Queue Manager Store Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_queuemanager_store_role_env_safety_valve

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: YARN Queue Manager Store TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Queue Manager Store TLS/SSL Trust Store File parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: YARN Queue Manager Store TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Queue Manager Store TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Parameter Validation: YARN Queue Manager Store TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Queue Manager Store TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: YARN Queue Manager Store TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Queue Manager Store TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_queuemanager_queuemanager_store_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_queuemanager_queuemanager_store_file_descriptor

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

`role_health_suppression_queuemanager_queuemanager_store_host_health`**Required**`true`**Suppress Health Test: Log Directory Free Space****Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_queuemanager_queuemanager_store_log_directory_free_space`**Required**`true`**Suppress Health Test: Otelcol Health****Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_queuemanager_queuemanager_store_otelcol_health`**Required**`true`**Suppress Health Test: Process Status****Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`role_health_suppression_queuemanager_queuemanager_store_scm_health`**Required**`true`**Suppress Health Test: Swap Memory Usage****Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_queuemanager_queuemanager_store_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_queuemanager_queuemanager_store_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits**Description**

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_queuemanager_queuemanager_store_unexpected_exits

Required

true

YARN Queue Manager Webapp**Advanced****YARN Queue Manager Webapp Advanced Configuration Snippet (Safety Valve) for conf/external_cpx.properties****Description**

For advanced use only. A string to be inserted into conf/external_cpx.properties for this role only.

Related Name

Default Value

API Name

conf/external_cpx.properties_role_safety_valve

Required

false

YARN Queue Manager Webapp Advanced Configuration Snippet (Safety Valve) for conf/quartz.properties

Description

For advanced use only. A string to be inserted into conf/quartz.properties for this role only.

Related Name

Default Value

API Name

conf/quartz.properties_role_safety_valve

Required

false

YARN Queue Manager Webapp Advanced Configuration Snippet (Safety Valve) for conf/webapp.properties

Description

For advanced use only. A string to be inserted into conf/webapp.properties for this role only.

Related Name

Default Value

API Name

conf/webapp.properties_role_safety_valve

Required

false

YARN Queue Manager Webapp Advanced Configuration Snippet (Safety Valve) for database_properties

Description

For advanced use only. A string to be inserted into database_properties for this role only.

Related Name

Default Value

API Name

database_properties_role_safety_valve

Required

false

YARN Queue Manager Webapp Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name

Default Value**API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations**Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory

Description

When set, a SIGKILL signal is sent to the role process when `java.lang.OutOfMemoryError` is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

false

API Name

process_auto_restart

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

YARN Queue Manager Webapp Advanced Configuration Snippet (Safety Valve) for property_configs**Description**

For advanced use only. A string to be inserted into property_configs for this role only.

Related Name**Default Value****API Name**

property_configs_role_safety_valve

Required

false

YARN Queue Manager Webapp Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

QUEUEMANAGER_WEBAPP_role_env_safety_valve

Required

false

YARN Queue Manager Webapp Advanced Configuration Snippet (Safety Valve) for scheduling_rules**Description**

For advanced use only. A string to be inserted into scheduling_rules for this role only.

Related Name

Default Value

API Name
scheduling_rules_role_safety_valve

Required
false

Logs

YARN Queue Manager Webapp Log Directory

Description
The log directory for log files of the role YARN Queue Manager Webapp.

Related Name
yarn_queuemanager_webapp_log_dir

Default Value
/var/log/yarn/queuemanager

API Name
log_dir

Required
false

YARN Queue Manager Webapp Logging Threshold

Description
The minimum log level for YARN Queue Manager Webapp logs

Related Name

Default Value
INFO

API Name
log_threshold

Required
false

YARN Queue Manager Webapp Maximum Log File Backups

Description
The maximum number of rolled log files to keep for YARN Queue Manager Webapp logs. Typically used by log4j or logback.

Related Name

Default Value
10

API Name
max_log_backup_index

Required
false

YARN Queue Manager Webapp Max Log Size

Description

The maximum size, in megabytes, per log file for YARN Queue Manager Webapp logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name

Default Value

API Name

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name

Default Value

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Metric Filter

Description

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.

- **Default Dashboard Metric Set** - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- **Include/Exclude Custom Metrics** - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- **Metric Name** - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- **Include only Health Test Metric Set:** Selected.
- **Include/Exclude Custom Metrics:** Set to Include.
- **Metric Name:** `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name

Default Value

API Name

`monitoring_metric_filter`

Required

`false`

OpenTelemetry Collector Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

`otelcol_exporters`

Required

`false`

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
extensions: basicauth/$ROLE_NAME: client_auth: username:  
$ROLE_PARAM(otelcol_remote_write_user) password:  
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**`$INFRA(cdp_request_signer_url)`**API Name**

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify `$INFRA(cdp_request_signer_username)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**`$INFRA(cdp_request_signer_username)`**API Name**

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value**

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

queuemanager_webapp_fd_thresholds

Required

false

YARN Queue Manager Webapp Host Health Test

Description

When computing the overall YARN Queue Manager Webapp health, consider the host's health.

Related Name**Default Value**

true

API Name

queuemanager_webapp_host_health_enabled

Required

false

YARN Queue Manager Webapp Process Health Test

Description

Enables the health test that the YARN Queue Manager Webapp's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

queuemanager_webapp_scm_health_enabled

Required

false

Role Triggers

Description

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.

- streamThreshold (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- enabled (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- expressionEditorConfig (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=\$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}] See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name

Default Value

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name

Default Value

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

YARN Queue Manager Webapp Diagnostics Collection Timeout

Description

The timeout in milliseconds to wait for diagnostics collection to complete.

Related Name**Default Value**

5 minute(s)

API Name

csd_role_diagnostics_timeout

Required

false

YARN Queue Manager Accept Queue Size

Description

Accept queue size for the Queue Manager Webapp. For more information about this Jetty property, please refer to the Jetty documentation.

Related Name

queuemanager_accept_queue_size

Default Value**API Name**

queuemanager_accept_queue_size

Required

false

YARN Queue Manager Accepted Receive Buffer Size

Description

Accepted receive buffer size for the Queue Manager Webapp. For more information about this Jetty property, please refer to the Jetty documentation.

Related Name

queuemanager_accepted_receive_buffer_size

Default Value**API Name**

queuemanager_accepted_receive_buffer_size

Required

false

YARN Queue Manager Accepted Send Buffer Size

Description

Accepted Send Buffer Size for the Queue Manager Webapp. For more information about this Jetty property, please refer to the Jetty documentation.

Related Name

queuemanager_accepted_send_buffer_size

Default Value

API Name

queuemanager_accepted_send_buffer_size

Required

false

YARN Queue Manager Header Cache Size**Description**

Header size for the Queue Manager Webapp in Bytes. For more information about this Jetty property, please refer to the Jetty documentation.

Related Name

queuemanager_header_cache_size

Default Value**API Name**

queuemanager_header_cache_size

Required

false

YARN Queue Manager Idle Timeout**Description**

Idle timeout for the Queue Manager Webapp. For more information about this Jetty property, please refer to the Jetty documentation.

Related Name

queuemanager_idle_timeout

Default Value**API Name**

queuemanager_idle_timeout

Required

false

YARN Queue Manager Minimum Request Datarate**Description**

Minimum request datarate for the Queue Manager Webapp. For more information about this Jetty property, please refer to the Jetty documentation.

Related Name

queuemanager_min_request_datarate

Default Value**API Name**

queuemanager_min_request_datarate

Required

false

YARN Queue Manager Minimum Response Datarate**Description**

Min response datarate for the Queue Manager Webapp. For more information about this Jetty property, please refer to the Jetty documentation.

Related Name

queuemanager_min_response_datarate

Default Value**API Name**

queuemanager_min_response_datarate

Required

false

YARN Queue Manager Output Buffer Size**Description**

Output buffer size for the Queue Manager Webapp in Bytes. For more information about this Jetty property, please refer to the Jetty documentation.

Related Name

queuemanager_output_buffer_size

Default Value**API Name**

queuemanager_output_buffer_size

Required

false

YARN Queue Manager Request Header Size**Description**

Maximum HTTP request header size for the Queue Manager Webapp. For more information about this Jetty property, please refer to the Jetty documentation.

Related Name

queuemanager_request_header_size

Default Value**API Name**

queuemanager_request_header_size

Required

false

YARN Queue Manager Response Header Size**Description**

Maximum HTTP response header size for the Queue Manager Webapp in Bytes. For more information about this Jetty property, please refer to the Jetty documentation.

Related Name

queuemanager_response_header_size

Default Value**API Name**

queuemanager_response_header_size

Required

false

YARN Queue Manager Send Server Version

Description

Send server version for the Queue Manager Webapp. For more information about this Jetty property, please refer to the Jetty documentation.

Related Name

queuemanager_send_server_version

Default Value

true

API Name

queuemanager_send_server_version

Required

false

YARN Queue Manager Stop Timeout

Description

Stop timeout for the Queue Manager Webapp. For more information about this Jetty property, please refer to the Jetty documentation.

Related Name

queuemanager_stop_timeout

Default Value**API Name**

queuemanager_stop_timeout

Required

false

Additional QueueManager Webapp Java Options

Description

These arguments are passed as part of the Java command line. Commonly, garbage collection flags or extra debugging flags are passed here.

Related Name

queuemanager_webapp_java_opts

Default Value**API Name**

queuemanager_webapp_java_opts

Required

false

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value**

API Name

rlimit_fds

Required

false

Ports and Addresses**YARN Queue Manager Webapp Port****Description**

The port that the YARN Queue Manager Webapp user interface listens on.

Related Name

queuemanager_webapp_port

Default Value

8082

API Name

queuemanager_webapp_port

Required

true

Resource Management**Cgroup V1 BLKIO Weight****Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

`rm_cpu_shares`**Required**`true`**Cgroup V2 CPU Weight****Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name`cpu.weight`**Default Value**`100`**API Name**`rm_cpu_weight`**Required**`true`**Custom Control Group Resources (overrides Cgroup settings)****Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the `cgexec` command: `resource1,resource2:path1` or `resource3:path2` For example: `'cpu,memory:my/path blkio:my2/path2'`
These settings override other cgroup settings.

Related Name`custom.cgroups`**Default Value****API Name**`rm_custom_resources`**Required**`false`**Cgroup V2 I/O Weight****Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name`io.weight`**Default Value**`100`**API Name**`rm_io_weight`**Required**`true`

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

`rm_memory_soft_limit_v1`**Required**`true`**Cgroup V2 Memory Soft Limit****Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name`memory.high`**Default Value**`-1 MiB`**API Name**`rm_memory_soft_limit_v2`**Required**`true`**Security****YARN Queue Manager Webapp TLS/SSL Trust Store File****Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that YARN Queue Manager Webapp might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name`queuemanager.webapp.ssl.truststore.location`**Default Value****API Name**`ssl_client_truststore_location`**Required**`false`**YARN Queue Manager Webapp TLS/SSL Trust Store Password****Description**

The password for the YARN Queue Manager Webapp TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name`queuemanager.webapp.ssl.truststore.password`**Default Value****API Name**

ssl_client_truststore_password

Required

false

Enable TLS/SSL for YARN Queue Manager Webapp

Description

Encrypt communication between clients and YARN Queue Manager Webapp using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

queuemanager_webapp_ssl_enabled

Default Value

false

API Name

ssl_enabled

Required

false

YARN Queue Manager Webapp TLS/SSL Server Keystore File Location

Description

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when YARN Queue Manager Webapp is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

queuemanager_webapp_keystore_file

Default Value

API Name

ssl_server_keystore_location

Required

false

YARN Queue Manager Webapp TLS/SSL Server Keystore File Password

Description

The password for the YARN Queue Manager Webapp keystore file.

Related Name

queuemanager_keystore_password

Default Value

API Name

ssl_server_keystore_password

Required

false

Supported SSL/TLS versions

Description

The SSL/TLS protocol versions to accept HTTPS connections from. Note that the available cipher suites also affect which protocol versions can be negotiated, and some cipher suites are only available in higher versions.

Related Name

queuemanager_includedProtocols

Default Value

TLSv1.2

API Name

supported_tls_versions

Required

false

SSL/TLS Cipher Suite

Description

The SSL/TLS cipher suites to use. "Modern 2018" is a modern set of cipher suites as of 2018, according to the Mozilla server-side TLS recommendations. These cipher suites use strong cryptography and are preferred unless interaction with older clients is required. These modern cipher suites are compatible with Firefox 27, Chrome 22, Internet Explorer 11, Opera 14, Safari 7, Android 4.4, and Java 8. "Intermediate 2018" is an intermediate set of cipher suites as of 2018, according to the Mozilla server-side TLS recommendations. Select the Intermediate 2018 cipher suites if you require compatibility with a wider range of clients, legacy browsers, or older Linux tools.

Related Name

queuemanager_includedCipherSuites

Default Value

modern2018

API Name

tls_ciphers

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency

Description

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method

Description

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: YARN Queue Manager Webapp Advanced Configuration Snippet (Safety Valve) for conf/external_cpx.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Queue Manager Webapp Advanced Configuration Snippet (Safety Valve) for conf/external_cpx.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_conf/external_cpx.properties_role_safety_valve

Required

true

Suppress Parameter Validation: YARN Queue Manager Webapp Advanced Configuration Snippet (Safety Valve) for conf/quartz.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Queue Manager Webapp Advanced Configuration Snippet (Safety Valve) for conf/quartz.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_conf/quartz.properties_role_safety_valve

Required

true

Suppress Parameter Validation: YARN Queue Manager Webapp Advanced Configuration Snippet (Safety Valve) for conf/webapp.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Queue Manager Webapp Advanced Configuration Snippet (Safety Valve) for conf/webapp.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_conf/webapp.properties_role_safety_valve

Required

true

Suppress Parameter Validation: YARN Queue Manager Webapp Advanced Configuration Snippet (Safety Valve) for database_properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Queue Manager Webapp Advanced Configuration Snippet (Safety Valve) for database_properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_database_properties_role_safety_valve

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: YARN Queue Manager Webapp Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Queue Manager Webapp Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: YARN Queue Manager Webapp Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Queue Manager Webapp Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log_dir

Required

true

Suppress Parameter Validation: Heap Dump Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

	false
API Name	role_config_suppression_otelcol_receivers
Required	true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_remote_write_password
Required	true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_remote_write_url
Required	true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_otelcol_remote_write_user
Required	true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description	
--------------------	--

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: YARN Queue Manager Webapp Advanced Configuration Snippet (Safety Valve) for property_configs

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Queue Manager Webapp Advanced Configuration Snippet (Safety Valve) for property_configs parameter.

Related Name

Default Value

false

API Name

role_config_suppression_property_configs_role_safety_valve

Required

true

Suppress Parameter Validation: Additional QueueManager Webapp Java Options

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Additional QueueManager Webapp Java Options parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_queuemanager_webapp_java_opts

Required

true

Suppress Parameter Validation: YARN Queue Manager Webapp Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Queue Manager Webapp Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_queuemanager_webapp_port

Required

true

Suppress Parameter Validation: YARN Queue Manager Webapp Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Queue Manager Webapp Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_queuemanager_webapp_role_env_safety_valve

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: YARN Queue Manager Webapp Advanced Configuration Snippet (Safety Valve) for scheduling_rules**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Queue Manager Webapp Advanced Configuration Snippet (Safety Valve) for scheduling_rules parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_scheduling_rules_role_safety_valve

Required

true

Suppress Parameter Validation: YARN Queue Manager Webapp TLS/SSL Trust Store File**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Queue Manager Webapp TLS/SSL Trust Store File parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: YARN Queue Manager Webapp TLS/SSL Trust Store Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Queue Manager Webapp TLS/SSL Trust Store Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_client_truststore_password

Required

true

Suppress Parameter Validation: YARN Queue Manager Webapp TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Queue Manager Webapp TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: YARN Queue Manager Webapp TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN Queue Manager Webapp TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test

Description

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_queuemanager_queuemanager_webapp_audit_health

Required

true

Suppress Health Test: File Descriptors

Description

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_queuemanager_queuemanager_webapp_file_descriptor

Required

true

Suppress Health Test: Host Health

Description

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_queuemanager_queuemanager_webapp_host_health

Required

true

Suppress Health Test: Log Directory Free Space

Description

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_queuemanager_queuemanager_webapp_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_queuemanager_queuemanager_webapp_otelcol_health

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_queuemanager_queuemanager_webapp_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_queuemanager_queuemanager_webapp_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_queuemanager_queuemanager_webapp_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits**Description**

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_queuemanager_queuemanager_webapp_unexpected_exits

Required

true

ZooKeeper Properties in Cloudera Runtime 7.3.1

Role groups:

Gateway**Advanced****Deploy Directory****Description**

The directory where the client configs will be deployed

Related Name**Default Value**

/etc/zookeeper

API Name

client_config_root_dir

Required

true

Gateway Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Logs

Gateway Logging Threshold

Description

The minimum log level for Gateway logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Monitoring

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Other

Alternatives Priority

Description

The priority level that the client configuration will have in the Alternatives system on the hosts. Higher priority levels will cause Alternatives to prefer this configuration over any others.

Related Name

Default Value

90

API Name

client_config_priority

Required

true

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Deploy Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Deploy Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_client_config_root_dir

Required

true

Suppress Parameter Validation: Gateway Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Gateway Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Server

Advanced

ZooKeeper 'Four Letter Word' Command Whitelist

Description

ZooKeeper responds to specific Four-Letter-Word diagnostic telnet commands on its client port. Here you can configure which commands should be accepted by the server. Use asterisk (*) to enable all of them.

Related Name

4lw.commands.whitelist

Default Value

conf cons crst dirs dump envi gtmk ruok stmk srst svr stat wchs mntr isro

API Name

4lw_commands_whitelist

Required

false

Server Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory

Description

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions

and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap When Out of Memory**Description**

When set, generates a heap dump file when when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

true

API Name

process_auto_restart

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name

Default Value

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name

Default Value

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name

Default Value

20

API Name

process_start_secs

Required

false

Server Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

SERVER_role_env_safety_valve

Required

false

Java Configuration Options for Zookeeper Server**Description**

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or greater, {{JAVA_GC_ARGS}} will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name**Default Value****API Name**

zk_server_java_opts

Required

false

Server Advanced Configuration Snippet (Safety Valve) for zoo.cfg**Description**

For advanced use only. A string to be inserted into zoo.cfg for this role only.

Related Name**Default Value****API Name**

zookeeper_config_safety_valve

Required

false

Logs**Server Logging Threshold****Description**

The minimum log level for Server logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Server Maximum Log File Backups

Description

The maximum number of rolled log files to keep for Server logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

Server Max Log Size

Description

The maximum size, in megabytes, per log file for Server logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

ZooKeeper Log Directory

Description

Directory where ZooKeeper will place its log files.

Related Name**Default Value**

/var/log/zookeeper

API Name

zk_server_log_dir

Required

false

Metrics

Enable the Prometheus MetricsProvider

Description

Enable the Prometheus MetricsProvider for Zookeeper

Related Name

enable_prometheus_metrics_provider

Default Value

true

API Name

enable_prometheus_metrics_provider

Required

false

Prometheus MetricsProvider Http Port**Description**

Port number for Zookeeper's Prometheus MetricsProvider

Related Name

metricsProvider.httpPort

Default Value

7000

API Name

metricsProvider_httpPort

Required

false

Monitoring**Enable Health Alerts for this Role****Description**

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML**Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Rules to Extract Events from Log Files

Description

This file contains the rules that govern how log messages are turned into events by the custom log4j appender that this role loads. It is in JSON format, and is composed of a list of rules. Every log message is evaluated against each of these rules in turn to decide whether or not to send an event for that message. If a log message matches multiple rules, the first matching rule is used. Each rule has some or all of the following fields:

- alert - whether or not events generated from this rule should be promoted to alerts. A value of "true" will cause alerts to be generated. If not specified, the default is "false".
- rate (mandatory) - the maximum number of log messages matching this rule that can be sent as events every minute. If more than rate matching log messages are received in a single minute, the extra messages are ignored. If rate is less than 0, the number of messages per minute is unlimited.
- periodminutes - the number of minutes during which the publisher will only publish rate events or fewer. If not specified, the default is one minute
- threshold - apply this rule only to messages with this log4j severity level or above. An example is "WARN" for warning level messages or higher.
- content - match only those messages for which contents match this regular expression.
- exceptiontype - match only those messages that are part of an exception message. The exception type must match this regular expression.

Example:

- {"alert": false, "rate": 10, "exceptiontype": "java.lang.StringIndexOutOfBoundsException"} This rule sends events to Cloudera Manager for every StringIndexOutOfBoundsException, up to a maximum of 10 every minute.
- {"alert": false, "rate": 1, "periodminutes": 1, "exceptiontype": ".*"}, {"alert": true, "rate": 1, "periodminutes": 1, "threshold": "ERROR"} In this example, an event generated may not be promoted to alert if an exception is in the ERROR log message, because the first rule with alert = false will match.

Related Name

Default Value

version: 0, rules: [alert: false, rate: 1, periodminutes: 1, threshold: FATAL , alert: false, rate: 0, threshold: WARN, content: .* is deprecated. Instead, use .* , alert: false, rate: 0, threshold: WARN, content: .* is deprecated. Use .* instead , alert: false, rate: 1, periodminutes: 2, exceptiontype: .* , alert: false, rate: 1, periodminutes: 1, threshold: WARN]

API Name

log_event_whitelist

Required

false

Metric Filter

Description

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the jvm_heap_used_mb metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: jvm_heap_used_mb

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: {"includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }

Related Name

Default Value

API Name

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value**API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL**Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

	\$INFRA(cdp_request_signer_url)
API Name	otelcol_remote_write_url
Required	false

OpenTelemetry Collector Remote Write Username

Description	Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.
Related Name	
Default Value	\$INFRA(cdp_request_signer_username)
API Name	otelcol_remote_write_user
Required	false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description	Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.
Related Name	
Default Value	
API Name	otelcol_rtm_logs_exporters
Required	false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description	Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.
Related Name	
Default Value	
API Name	otelcol_rtm_logs_extensions
Required	false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description	
--------------------	--

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

```
common.process.swap_memory_rate_window
```

Default Value

```
5 minute(s)
```

API Name

```
process_swap_memory_rate_window
```

Required

```
false
```

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

```
Warning: 200 B, Critical: Never
```

API Name

```
process_swap_memory_thresholds
```

Required

```
false
```

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

```
[]
```

API Name

```
role_triggers
```

Required

true

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period**Description**

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

unexpected_exits_window

Required

false

ZooKeeper Server Connection Count Thresholds**Description**

The health check thresholds of the weighted average size of the ZooKeeper Server connection count over a recent period. See ZooKeeper Server Connection Count Monitoring Period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

zookeeper_server_connection_count_thresholds

Required

false

ZooKeeper Server Connection Count Monitoring Period**Description**

The period to review when computing the moving average of the connection count. Specified in minutes.

Related Name**Default Value**

3 minute(s)

API Name

zookeeper_server_connection_count_window

Required

false

Data Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's Data Directory.

Related Name

Default Value

Warning: 10 GiB, Critical: 5 GiB

API Name

zookeeper_server_data_directory_free_space_absolute_thresholds

Required

false

Data Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's Data Directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Data Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

zookeeper_server_data_directory_free_space_percentage_thresholds

Required

false

Transaction Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's Transaction Log Directory.

Related Name

Default Value

Warning: 10 GiB, Critical: 5 GiB

API Name

zookeeper_server_data_log_directory_free_space_absolute_thresholds

Required

false

Transaction Log Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's Transaction Log Directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Transaction Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

zookeeper_server_data_log_directory_free_space_percentage_thresholds

Required

false

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

zookeeper_server_fd_thresholds

Required

false

Garbage Collection Duration Thresholds**Description**

The health test thresholds for the weighted average time spent in Java garbage collection. Specified as a percentage of elapsed wall clock time.

Related Name**Default Value**

Warning: 30.0, Critical: 60.0

API Name

zookeeper_server_gc_duration_thresholds

Required

false

Garbage Collection Duration Monitoring Period**Description**

The period to review when computing the moving average of garbage collection time.

Related Name**Default Value**

5 minute(s)

API Name

zookeeper_server_gc_duration_window

Required

false

Server Host Health Test**Description**

When computing the overall Server health, consider the host's health.

Related Name**Default Value**

true

API Name

zookeeper_server_host_health_enabled

Required

false

Maximum Latency Monitoring Thresholds**Description**

The percentage thresholds of the ratio of the maximum request latency to the maximum client-negotiable session timeout since the server was started.

Related Name**Default Value**

Warning: 75.0 %, Critical: 100.0 %

API Name

zookeeper_server_max_latency_thresholds

Required

false

ZooKeeper Server Outstanding Requests Thresholds**Description**

The health check thresholds of the weighted average size of the ZooKeeper Server outstanding requests queue over a recent period. See ZooKeeper Server Outstanding Requests Monitoring Period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

zookeeper_server_outstanding_requests_thresholds

Required

false

ZooKeeper Server Outstanding Requests Monitoring Period**Description**

The period to review when computing the moving average of the outstanding requests queue size. Specified in minutes.

Related Name**Default Value**

3 minute(s)

API Name

zookeeper_server_outstanding_requests_window

Required

false

Quorum Membership Detection Window

Description

The tolerance window that will be used in the detection of a ZooKeeper server's membership in a quorum. Specified in minutes.

Related Name

Default Value

3 minute(s)

API Name

zookeeper_server_quorum_membership_detection_window

Required

false

Enable the Quorum Membership Check

Description

Enables the quorum membership check for this ZooKeeper Server.

Related Name

Default Value

true

API Name

zookeeper_server_quorum_membership_enabled

Required

false

Server Process Health Test

Description

Enables the health test that the Server's process state is consistent with the role configuration

Related Name

Default Value

true

API Name

zookeeper_server_scm_health_enabled

Required

false

Other

Client Port Address

Description

The address (IPv4, IPv6, or hostname) to monitor for client connections. This is the address that clients attempt to connect to. This setting is optional, because by default, ZooKeeper binds in such a way that any connection to the client port for any address/interface/NIC on the server will be accepted.

Related Name

clientPortAddress

Default Value**API Name**

clientPortAddress

Required

false

Data Directory**Description**

The disk location that ZooKeeper will use to store its database snapshots.

Related Name

dataDir

Default Value

/var/lib/zookeeper

API Name

dataDir

Required

false

Transaction Log Directory**Description**

The disk location that ZooKeeper will use to store its transaction logs.

Related Name

dataLogDir

Default Value

/var/lib/zookeeper

API Name

dataLogDir

Required

false

Enable JMX Agent**Description**

Enables the JMX agent on the ZooKeeper server. Turning this off on any of the ZooKeeper servers that are part of a service will prevent Cloudera Manager from being able to monitor that server and may affect the monitoring provided on the entire service.

Related Name**Default Value**

true

API Name

`enable_jmx_agent`**Required**`false`**Enable Authenticated Communication with the JMX Agent****Description**

Enables authentication when interacting with the JMX agent on the ZooKeeper server.

Related Name**Default Value**`false`**API Name**`enable_jmx_authentication`**Required**`false`**Enable ZooKeeper Admin Server****Description**

The AdminServer is an embedded HTTP server that provides a REST interface for different diagnostics commands in ZooKeeper. The results of the commands are returned in JSON. The AdminServer is optional to enable, you should consider it as an alternative to the 'Four-Letter-Word' telnet interface.

Related Name`admin.enableServer`**Default Value**`false`**API Name**`enable_zookeeper_admin_server`**Required**`false`**Name of User with Read-Only access to the JMX Agent****Description**

Specifies the name of the user that has read-only privileges when using password file based authentication for JMX access. JMX authentication must be enabled for this setting to take effect.

Related Name**Default Value**`monitorRole`**API Name**`jmx_passwd_file_readonly_user`**Required**`false`**Password of User with Read-Only Access to the JMX agent****Description**

Specifies the password of the user that has read-only privileges when using password file based authentication for JMX access. JMX authentication must be enabled for this setting to take effect.

Related Name**Default Value**

API Name

jmx_passwd_file_readonly_user_password

Required

false

Name of User with Read-Write Access to the JMX Agent**Description**

Specifies the name of the user that has read-write privileges when using password file based authentication for JMX access. JMX authentication must be enabled for this setting to take effect.

Related Name**Default Value**

controlRole

API Name

jmx_passwd_file_readwrite_user

Required

false

Password of user with read-write access to the JMX agent**Description**

Specifies the password of the user that has read-write privileges when using password file based authentication for JMX access. JMX authentication must be enabled for this setting to take effect.

Related Name**Default Value**

API Name

jmx_passwd_file_readwrite_user_password

Required

false

Maximum Client Connections**Description**

The maximum number of concurrent connections (at the socket level) that a single client, identified by the IP address, may make to a single member of the ZooKeeper ensemble. This setting is used to prevent certain classes of DoS attacks, including file descriptor exhaustion. To remove the limit on concurrent connections, set this value to 0.

Related Name

maxClientCnxns

Default Value

60

API Name

maxClientCnxns

Required

false

Maximum Session Timeout

Description

The maximum session timeout, in milliseconds, that the ZooKeeper Server will allow the client to negotiate

Related Name

maxSessionTimeout

Default Value

40000

API Name

maxSessionTimeout

Required

false

Minimum Session Timeout

Description

The minimum session timeout, in milliseconds, that the ZooKeeper Server will allow the client to negotiate

Related Name

minSessionTimeout

Default Value

4000

API Name

minSessionTimeout

Required

false

ZooKeeper Server ID

Description

Unique identifier for each ZooKeeper server, typically starts at 1

Related Name

myid

Default Value

API Name

serverId

Required

false

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses**Client Port****Description**

The port to monitor for client connections. This is the port that clients attempt to connect to.

Related Name

clientPort

Default Value

2181

API Name

clientPort

Required

false

Election Port**Description**

The port to monitor for leadership election

Related Name**Default Value**

4181

API Name

electionPort

Required

false

Quorum Port**Description**

The port to monitor for inter-server communication

Related Name**Default Value**

3181

API Name

quorumPort

Required

false

JMX Remote Port

Description

The port used by the ZooKeeper Server's RMI registry. This is required to enable JMX access through RMI which is required for Cloudera Manager ZooKeeper monitoring. This is added as "-Dcom.sun.management.jmxremote.port" to the ZooKeeper Server's JVM command line.

Related Name**Default Value**

9010

API Name

server_jmx_agent_port

Required

false

JMX RMI Server Port

Description

The port used by the ZooKeeper Server's RMI server to handle JMX RMI requests. This is added as "-Dcom.sun.management.jmxremote.rmi.port=*port*" to the ZooKeeper Server's JVM command line. This has an effect only in Oracle JDK 7u4 and higher. If the setting is left blank, the JMX Remote Port value is used. If set to 0 or -1, this setting is ignored. When this setting is not in effect, the JVM uses a random port for the RMI server.

Related Name**Default Value****API Name**

server_jmx_rmi_port

Required

false

Admin Server Port

Description

Port number for the REST Admin Server embedded in ZooKeeper.

Related Name

admin.serverPort

Default Value

5181

API Name

zookeeper_admin_server_port

Required

false

Secure Client Port

Description

The port used in ZooKeeper to accept TLS/SSL connections from clients. You need to select 'Enable TLS/SSL for ZooKeeper' in order to have this port open. Any client that connects to this port must use TLS/SSL.

Related Name

secureClientPort

Default Value

2182

API Name

zookeeper_secure_client_port

Required

false

Resource Management**Cgroup V1 BLKIO Weight****Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100	
API Name	rm_cpu_weight
Required	true

Custom Control Group Resources (overrides Cgroup settings)

Description

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value

API Name

rm_custom_resources

Required

false

Cgroup V2 I/O Weight

Description

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Java Heap Size of ZooKeeper Server in Bytes**Description**

Maximum size in bytes for the Java Process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

1 GiB

API Name

zookeeper_server_java_heapsize

Required

false

Security**Enable TLS client authentication for JMX port****Description**

If enabled, a valid client certificate must be presented by the JMX client in order to connect to the JMX port. Ensure that the trusted CA certificates are present in either the ZooKeeper JMX TLS/SSL Server Trust Store File or the global trust store.

Related Name**Default Value**

false

API Name

jmx_tls_client_auth_enabled

Required

false

Enable TLS/SSL for ZooKeeper JMX**Description**

Encrypt communication between clients and ZooKeeper JMX using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name**Default Value**

false

API Name

jmx_tls_enabled

Required

false

ZooKeeper JMX TLS/SSL Server Keystore File Location

Description

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when ZooKeeper JMX is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name**Default Value****API Name**

jmx_tls_keystore

Required

false

ZooKeeper JMX TLS/SSL Server Keystore File Password

Description

The password for the ZooKeeper JMX keystore file.

Related Name**Default Value****API Name**

jmx_tls_keystore_password

Required

false

ZooKeeper JMX TLS/SSL Server Trust Store File

Description

The location on disk of the trust store, used to confirm the authenticity of TLS/SSL servers that ZooKeeper JMX might connect to. This is used when ZooKeeper JMX is the server in a TLS/SSL connection. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name**Default Value****API Name**

jmx_tls_truststore

Required

false

ZooKeeper JMX TLS/SSL Server Trust Store Password

Description

The password for the ZooKeeper JMX TLS/SSL Certificate Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name**Default Value****API Name**

`jmx_tls_truststore_password`**Required**`false`**Client Port Unification****Description**

Enable secure connection on the non-secure client port. ZooKeeper TLS must be enabled to take effect.

Related Name`client.portUnification`**Default Value**`true`**API Name**`zookeeper_client_portUnification`**Required**`false`**Stacks Collection****Stacks Collection Data Retention****Description**

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name`stacks_collection_data_retention`**Default Value**`100 MiB`**API Name**`stacks_collection_data_retention`**Required**`false`**Stacks Collection Directory****Description**

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name`stacks_collection_directory`**Default Value****API Name**`stacks_collection_directory`**Required**`false`

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency

Description

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method

Description

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Parameter Validation: ZooKeeper 'Four Letter Word' Command Whitelist

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the ZooKeeper 'Four Letter Word' Command Whitelist parameter.

Related Name

Default Value

false

API Name

role_config_suppression_4lw_commands_whitelist

Required

true

Suppress Configuration Validator: CDH Version Validator**Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Client Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Client Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_clientport

Required

true

Suppress Parameter Validation: Client Port Address**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Client Port Address parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_clientportaddress

Required

true

Suppress Parameter Validation: Data Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Data Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_datadir

Required

true

Suppress Parameter Validation: Transaction Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Transaction Log Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_data_logdir

Required

true

Suppress Parameter Validation: Election Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Election Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_electionport

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Name of User with Read-Only access to the JMX Agent

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Name of User with Read-Only access to the JMX Agent parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_passwd_file_readonly_user

Required

true

Suppress Parameter Validation: Password of User with Read-Only Access to the JMX agent

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Password of User with Read-Only Access to the JMX agent parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_passwd_file_readonly_user_password

Required

true

Suppress Parameter Validation: Name of User with Read-Write Access to the JMX Agent

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Name of User with Read-Write Access to the JMX Agent parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_passwd_file_readwrite_user

Required

true

Suppress Parameter Validation: Password of user with read-write access to the JMX agent

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Password of user with read-write access to the JMX agent parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_passwd_file_readwrite_user_password

Required

true

Suppress Parameter Validation: ZooKeeper JMX TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the ZooKeeper JMX TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_tls_keystore

Required

true

Suppress Parameter Validation: ZooKeeper JMX TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the ZooKeeper JMX TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_tls_keystore_password

Required

true

Suppress Parameter Validation: ZooKeeper JMX TLS/SSL Server Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the ZooKeeper JMX TLS/SSL Server Trust Store File parameter.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_tls_truststore

Required

true

Suppress Parameter Validation: ZooKeeper JMX TLS/SSL Server Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the ZooKeeper JMX TLS/SSL Server Trust Store Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_tls_truststore_password

Required

true

Suppress Parameter Validation: Server Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Server Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Rules to Extract Events from Log Files**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Rules to Extract Events from Log Files parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log_event_whitelist

Required

true

Suppress Parameter Validation: Prometheus MetricsProvider Http Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Prometheus MetricsProvider Http Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_metricsprovider_httpport

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**

	false
API Name	role_config_suppression_otelcol_service
Required	true

Suppress Parameter Validation: Quorum Port

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Quorum Port parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_quorumport
Required	true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_rm_custom_resources
Required	true

Suppress Parameter Validation: Role Triggers

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.
Related Name	
Default Value	false
API Name	role_config_suppression_role_triggers
Required	true

Suppress Parameter Validation: JMX Remote Port

Description	
--------------------	--

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Remote Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_server_jmx_agent_port

Required

true

Suppress Parameter Validation: JMX RMI Server Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX RMI Server Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_server_jmx_rmi_port

Required

true

Suppress Parameter Validation: Server Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Server Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name

Default Value

false

API Name

role_config_suppression_server_role_env_safety_valve

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Parameter Validation: Java Configuration Options for Zookeeper Server**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for Zookeeper Server parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_zk_server_java_opts

Required

true

Suppress Parameter Validation: ZooKeeper Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the ZooKeeper Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_zk_server_log_dir

Required

true

Suppress Parameter Validation: Admin Server Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Admin Server Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_zookeeper_admin_server_port

Required

true

Suppress Parameter Validation: Server Advanced Configuration Snippet (Safety Valve) for zoo.cfg**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Server Advanced Configuration Snippet (Safety Valve) for zoo.cfg parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_zookeeper_config_safety_valve

Required

true

Suppress Parameter Validation: Secure Client Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Secure Client Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_zookeeper_secure_client_port

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_zookeeper_server_audit_health

Required

true

Suppress Health Test: Connection Count**Description**

Whether to suppress the results of the Connection Count health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_zookeeper_server_connection_count

Required

true

Suppress Health Test: Data Directory Free Space

Description

Whether to suppress the results of the Data Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_zookeeper_server_data_directory_free_space

Required

true

Suppress Health Test: Transaction Log Directory Free Space

Description

Whether to suppress the results of the Transaction Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_zookeeper_server_data_log_directory_free_space

Required

true

Suppress Health Test: File Descriptors

Description

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_zookeeper_server_file_descriptor

Required

true

Suppress Health Test: GC Duration

Description

Whether to suppress the results of the GC Duration health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_zookeeper_server_gc_duration

Required

true

Suppress Health Test: Heap Dump Directory Free Space**Description**

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_zookeeper_server_heap_dump_directory_free_space

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_zookeeper_server_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_zookeeper_server_log_directory_free_space

Required

true

Suppress Health Test: Maximum Request Latency

Description

Whether to suppress the results of the Maximum Request Latency health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_zookeeper_server_max_latency

Required

true

Suppress Health Test: Otelcol Health

Description

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_zookeeper_server_otelcol_health

Required

true

Suppress Health Test: Outstanding Requests

Description

Whether to suppress the results of the Outstanding Requests health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_zookeeper_server_outstanding_requests

Required

true

Suppress Health Test: Quorum Membership

Description

Whether to suppress the results of the Quorum Membership health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_zookeeper_server_quorum_membership

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_zookeeper_server_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_zookeeper_server_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_zookeeper_server_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_zookeeper_server_unexpected_exits

Required

true

Service-Wide

Advanced

Auto Purge Time Interval

Description

The time interval in hours for which the purge task has to be triggered. Set to a positive integer (1 and above) to enable the auto purging. Defaults to 24.

Related Name

autopurge.purgeInterval

Default Value

1 day(s)

API Name

autopurgeInterval

Required

false

Auto Purge Snapshots Retain Count

Description

When enabled, ZooKeeper auto purge feature retains this many most recent snapshots and the corresponding transaction logs in the dataDir and dataLogDir respectively and deletes the rest. Defaults to 5. Minimum value is 3.

Related Name

autopurge.snapRetainCount

Default Value

5

API Name

autopurgeSnapRetainCount

Required

false

System Group

Description

The group that this service's processes should run as.

Related Name**Default Value**

zookeeper

API Name

process_groupname

Required

true

System User**Description**

The user that this service's processes should run as.

Related Name**Default Value**

zookeeper

API Name

process_username

Required

true

Enable auto-creation of data directories**Description**

Automatically create data directories at startup, if they do not exist. Enabling this configuration should be used with care as it will suppress any errors in setup of data directories.

Related Name**Default Value**

false

API Name

zookeeper_datadir_autocreate

Required

false

ZooKeeper Service Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

zookeeper_env_safety_valve

Required

false

Monitoring

Enable Log Event Capture

Description

When set, each role identifies important log events and forwards them to Cloudera Manager.

Related Name

Default Value

true

API Name

catch_events

Required

false

Enable Service Level Health Alerts

Description

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name

Default Value

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name

Default Value

false

API Name

enable_config_alerts

Required

false

Log Event Retry Frequency

Description

The frequency in which the log4j event publication appender will retry sending undelivered log events to the Event server, in seconds

Related Name

Default Value

30

API Name

log_event_retry_frequency

Required

false

Service Triggers**Description**

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

service_triggers

Required

true

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name**Default Value****API Name**

smon_derived_configs_safety_valve

Required

false

ZooKeeper Canary Connection Timeout**Description**

Configures the timeout used by the canary for connection establishment with ZooKeeper servers

Related Name

Default Value

10 second(s)

API Name

zookeeper_canary_connection_timeout

Required

false

ZooKeeper Canary Health Check

Description

Enables the health check that a client can connect to ZooKeeper and perform basic operations

Related Name

Default Value

true

API Name

zookeeper_canary_health_enabled

Required

false

ZooKeeper Canary Operation Timeout

Description

Configures the timeout used by the canary for ZooKeeper operations

Related Name

Default Value

30 second(s)

API Name

zookeeper_canary_operation_timeout

Required

false

ZooKeeper Canary Root Znode Path

Description

Configures the path of the root znode under which all canary updates are performed

Related Name

Default Value

/cloudera_manager_zookeeper_canary

API Name

zookeeper_canary_root_path

Required

false

ZooKeeper Canary Session Timeout

Description

Configures the timeout used by the canary sessions with ZooKeeper servers

Related Name**Default Value**

30 second(s)

API Name

zookeeper_canary_session_timeout

Required

false

Healthy Server Monitoring Thresholds**Description**

The health test thresholds of the overall Server health. The check returns "Concerning" health if the percentage of "Healthy" Servers falls below the warning threshold. The check is unhealthy if the total percentage of "Healthy" and "Concerning" Servers falls below the critical threshold.

Related Name**Default Value**

Warning: 99.0 %, Critical: 51.0 %

API Name

zookeeper_servers_healthy_thresholds

Required

false

Other**Cleanup Retain Count****Description**

The number of snapshot files and corresponding transaction logs to keep when running the Cleanup command.

Related Name**Default Value**

5

API Name

cleanupRetainCount

Required

false

Initialization Limit**Description**

Amount of time, in ticks, to allow followers to connect and sync to a leader. Increase this value as needed, if the amount of data managed by ZooKeeper is large.

Related Name

initLimit

Default Value

10

API Name

initLimit

Required

false

Jute Max Buffer**Description**

The maximum size of the data that can be stored in a znode in bytes.

Related Name

jute.maxbuffer

Default Value

4 MiB

API Name

jute_maxbuffer

Required

false

Leader Serves**Description**

Whether the leader accepts client connections.

Related Name

leaderServes

Default Value

yes

API Name

leaderServes

Required

false

Quorum Connection Manager Thread Pool Size**Description**

Size of the thread pool quorum connection manager uses to manage connections between quorum servers. Only applies when ZooKeeper Server to Server SASL Authentication is enabled.

Related Name

quorum.cnxn.threads.size

Default Value

20

API Name

quorum_cnxn_threads_size

Required

false

Synchronization Limit**Description**

Amount of time, in ticks, to allow followers to sync with ZooKeeper. If followers fall too far behind a leader, they are dropped.

Related Name

	syncLimit
Default Value	5
API Name	syncLimit
Required	false

Tick Time

Description

The length of time, in milliseconds, of a single tick, which is the basic time unit used by ZooKeeper. A tick is used to regulate heartbeats and timeouts.

Related Name

tickTime

Default Value

2000

API Name

tickTime

Required

false

Security

Enable Kerberos Authentication

Description

Enable Kerberos authentication for ZooKeeper.

Related Name

enableSecurity

Default Value

false

API Name

enableSecurity

Required

false

Kerberos Principal

Description

Kerberos principal short name used by all roles of this service.

Related Name

Default Value

zookeeper

API Name

kerberos_princ_name

Required

true

Enable Server to Server SASL Authentication

Description

Enables SASL authentication between ZooKeeper servers. Only applies when ZooKeeper Kerberos Authentication is enabled.

Related Name

quorum.auth.enableSasl

Default Value

false

API Name

quorum_auth_enable_sasl

Required

false

Enable TLS/SSL for ZooKeeper

Description

Encrypt ZooKeeper communication using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)). This option will encrypt all internal communication between ZooKeeper servers (this feature is called QuorumSSL in ZooKeeper). Additionally, choosing this option will also encrypt the communication between ZooKeeper servers and all ZooKeeper client services that support TLS/SSL connections.

Related Name

zookeeper_tls_enabled

Default Value

false

API Name

zookeeper_tls_enabled

Required

false

ZooKeeper TLS/SSL Server Keystore File Location

Description

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when ZooKeeper is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

zookeeper_tls_keystore

Default Value**API Name**

zookeeper_tls_keystore

Required

false

ZooKeeper TLS/SSL Server Keystore File Password

Description

The password for the ZooKeeper keystore file.

Related Name

`zookeeper_tls_keystore_password`**Default Value****API Name**`zookeeper_tls_keystore_password`**Required**

false

ZooKeeper TLS/SSL Server Trust Store File**Description**

The location on disk of the trust store, used to confirm the authenticity of TLS/SSL servers that ZooKeeper might connect to. This is used when ZooKeeper is the server in a TLS/SSL connection. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name`zookeeper_tls_truststore`**Default Value****API Name**`zookeeper_tls_truststore`**Required**

false

ZooKeeper TLS/SSL Server Trust Store Password**Description**

The password for the ZooKeeper TLS/SSL Certificate Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name`zookeeper_tls_truststore_password`**Default Value****API Name**`zookeeper_tls_truststore_password`**Required**

false

Suppressions**Suppress Configuration Validator: ZooKeeper 'Four Letter Word' Command Whitelist****Description**

Whether to suppress configuration warnings produced by the ZooKeeper 'Four Letter Word' Command Whitelist configuration validator.

Related Name**Default Value**

false

API Name

`role_config_suppression_4lw_commands_whitelist`**Required**`true`**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_cdh_version_validator`**Required**`true`**Suppress Configuration Validator: Deploy Directory****Description**

Whether to suppress configuration warnings produced by the Deploy Directory configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_client_config_root_dir`**Required**`true`**Suppress Configuration Validator: Client Port****Description**

Whether to suppress configuration warnings produced by the Client Port configuration validator.

Related Name**Default Value**`false`**API Name**`role_config_suppression_clientport`**Required**`true`**Suppress Configuration Validator: Client Port Address****Description**

Whether to suppress configuration warnings produced by the Client Port Address configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_clientportaddress

Required

true

Suppress Configuration Validator: Data Directory

Description

Whether to suppress configuration warnings produced by the Data Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_datadir

Required

true

Suppress Configuration Validator: Transaction Log Directory

Description

Whether to suppress configuration warnings produced by the Transaction Log Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_data_logdir

Required

true

Suppress Configuration Validator: Election Port

Description

Whether to suppress configuration warnings produced by the Election Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_electionport

Required

true

Suppress Configuration Validator: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Configuration Validator: Name of User with Read-Only access to the JMX Agent

Description

Whether to suppress configuration warnings produced by the Name of User with Read-Only access to the JMX Agent configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_passwd_file_readonly_user

Required

true

Suppress Configuration Validator: Password of User with Read-Only Access to the JMX agent

Description

Whether to suppress configuration warnings produced by the Password of User with Read-Only Access to the JMX agent configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_passwd_file_readonly_user_password

Required

true

Suppress Configuration Validator: Name of User with Read-Write Access to the JMX Agent

Description

Whether to suppress configuration warnings produced by the Name of User with Read-Write Access to the JMX Agent configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_passwd_file_readwrite_user

Required

true

Suppress Configuration Validator: Password of user with read-write access to the JMX agent

Description

Whether to suppress configuration warnings produced by the Password of user with read-write access to the JMX agent configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_passwd_file_readwrite_user_password

Required

true

Suppress Configuration Validator: ZooKeeper JMX TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the ZooKeeper JMX TLS/SSL Server Keystore File Location configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_tls_keystore

Required

true

Suppress Configuration Validator: ZooKeeper JMX TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the ZooKeeper JMX TLS/SSL Server Keystore File Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_tls_keystore_password

Required

true

Suppress Configuration Validator: ZooKeeper JMX TLS/SSL Server Trust Store File

Description

Whether to suppress configuration warnings produced by the ZooKeeper JMX TLS/SSL Server Trust Store File configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_tls_truststore

Required

true

Suppress Configuration Validator: ZooKeeper JMX TLS/SSL Server Trust Store Password

Description

Whether to suppress configuration warnings produced by the ZooKeeper JMX TLS/SSL Server Trust Store Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_jmx_tls_truststore_password

Required

true

Suppress Configuration Validator: Server Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Server Logging Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Configuration Validator: Rules to Extract Events from Log Files

Description

Whether to suppress configuration warnings produced by the Rules to Extract Events from Log Files configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_log_event_whitelist

Required

true

Suppress Configuration Validator: Prometheus MetricsProvider Http Port

Description

Whether to suppress configuration warnings produced by the Prometheus MetricsProvider Http Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_metricsprovider_httpport

Required

true

Suppress Configuration Validator: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Exporters Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Extensions Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Helper Port

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: Quorum Port

Description

Whether to suppress configuration warnings produced by the Quorum Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_quorumport

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: Role Triggers

Description

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name

Default Value

	false
API Name	role_config_suppression_role_triggers
Required	true

Suppress Configuration Validator: JMX Remote Port

Description	Whether to suppress configuration warnings produced by the JMX Remote Port configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_server_jmx_agent_port
Required	true

Suppress Configuration Validator: JMX RMI Server Port

Description	Whether to suppress configuration warnings produced by the JMX RMI Server Port configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_server_jmx_rmi_port
Required	true

Suppress Configuration Validator: Server Environment Advanced Configuration Snippet (Safety Valve)

Description	Whether to suppress configuration warnings produced by the Server Environment Advanced Configuration Snippet (Safety Valve) configuration validator.
Related Name	
Default Value	false
API Name	role_config_suppression_server_role_env_safety_valve
Required	true

Suppress Configuration Validator: Stacks Collection Directory

Description	
--------------------	--

Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Configuration Validator: Java Configuration Options for Zookeeper Server**Description**

Whether to suppress configuration warnings produced by the Java Configuration Options for Zookeeper Server configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_zk_server_java_opts

Required

true

Suppress Configuration Validator: ZooKeeper Log Directory**Description**

Whether to suppress configuration warnings produced by the ZooKeeper Log Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_zk_server_log_dir

Required

true

Suppress Configuration Validator: Admin Server Port**Description**

Whether to suppress configuration warnings produced by the Admin Server Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_zookeeper_admin_server_port

Required

true

Suppress Configuration Validator: Server Advanced Configuration Snippet (Safety Valve) for zoo.cfg

Description

Whether to suppress configuration warnings produced by the Server Advanced Configuration Snippet (Safety Valve) for zoo.cfg configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_zookeeper_config_safety_valve

Required

true

Suppress Configuration Validator: Secure Client Port

Description

Whether to suppress configuration warnings produced by the Secure Client Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_zookeeper_secure_client_port

Required

true

Suppress Configuration Validator: Gateway Count Validator

Description

Whether to suppress configuration warnings produced by the Gateway Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_gateway_count_validator

Required

true

Suppress Parameter Validation: Kerberos Principal

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Principal parameter.

Related Name**Default Value**

	false
API Name	service_config_suppression_kerberos Princ_name
Required	true

Suppress Parameter Validation: System Group

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.
Related Name	
Default Value	false
API Name	service_config_suppression_process_groupname
Required	true

Suppress Parameter Validation: System User

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.
Related Name	
Default Value	false
API Name	service_config_suppression_process_username
Required	true

Suppress Configuration Validator: Server Count Validator

Description	Whether to suppress configuration warnings produced by the Server Count Validator configuration validator.
Related Name	
Default Value	false
API Name	service_config_suppression_server_count_validator
Required	true

Suppress Parameter Validation: Service Triggers

Description	
--------------------	--

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_service_triggers

Required

true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_smon_derived_configs_safety_valve

Required

true

Suppress Parameter Validation: ZooKeeper Canary Root Znode Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the ZooKeeper Canary Root Znode Path parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_zookeeper_canary_root_path

Required

true

Suppress Parameter Validation: ZooKeeper Service Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the ZooKeeper Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_zookeeper_env_safety_valve

Required

true

Suppress Configuration Validator: ZooKeeper Server Count Validator**Description**

Whether to suppress configuration warnings produced by the ZooKeeper Server Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_zookeeper_odd_number_of_servers_validator

Required

true

Suppress Configuration Validator: ZooKeeper Server-to-Server Authentication Validation**Description**

Whether to suppress configuration warnings produced by the ZooKeeper Server-to-Server Authentication Validation configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_zookeeper_server_to_server_authentication_validator

Required

true

Suppress Parameter Validation: ZooKeeper TLS/SSL Server Keystore File Location**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the ZooKeeper TLS/SSL Server Keystore File Location parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_zookeeper_tls_keystore

Required

true

Suppress Parameter Validation: ZooKeeper TLS/SSL Server Keystore File Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the ZooKeeper TLS/SSL Server Keystore File Password parameter.

Related Name**Default Value**

	false
API Name	service_config_suppression_zookeeper_tls_keystore_password
Required	true

Suppress Parameter Validation: ZooKeeper TLS/SSL Server Trust Store File

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the ZooKeeper TLS/SSL Server Trust Store File parameter.
Related Name	
Default Value	false
API Name	service_config_suppression_zookeeper_tls_truststore
Required	true

Suppress Parameter Validation: ZooKeeper TLS/SSL Server Trust Store Password

Description	Whether to suppress configuration warnings produced by the built-in parameter validation for the ZooKeeper TLS/SSL Server Trust Store Password parameter.
Related Name	
Default Value	false
API Name	service_config_suppression_zookeeper_tls_truststore_password
Required	true

Suppress Health Test: ZooKeeper Canary

Description	Whether to suppress the results of the ZooKeeper Canary health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.
Related Name	
Default Value	false
API Name	service_health_suppression_zookeeper_canary_health
Required	true

Suppress Health Test: Server Health

Description	
--------------------	--

Whether to suppress the results of the Server Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_zookeeper_servers_healthy

Required

true

Host Configuration Properties

Advanced

P2P Parcel Distribution Port

Description

TCP port (on each cluster host) to be used for P2P Parcel Distribution. Set to 0 to disable P2P Parcel Distribution. This setting should only be modified when no parcels are being distributed.

Related Name**Default Value**

7191

API Name

flood_torrent_port

Required

false

Cloudera Manager Agent Monitoring Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) used by Cloudera Manager Agent.

Related Name**Default Value****API Name**

host_agent_safety_valve

Required

false

Java Home Directory

Description

Explicitly set the value of JAVA_HOME for all processes. This will override the auto-detection logic that is normally used.

Related Name

Default Value**API Name**

java_home

Required

false

Data Services: Restrict workloads types**Description**

Select Dedicated GPU Node for Machine Learning service when the host has Nvidia GPU.

- If Dedicated GPU Node is selected, this host will be reserved for workloads requiring GPU resources.
- Should only be used if this host has Nvidia GPU drivers installed.

Select Dedicated NVMe Node for Data Warehouse service when the host has NVMe for caching.

- If Dedicated NVMe Node is selected, this host will be reserved for workloads requiring NVMe resources.

Select None, if both are not applicable.

- This will be the default value.

These selections are applicable only for hosts that will be used in a Data Services Cluster. Certain workloads are scheduled to run on all nodes. If the taint was applied after CDP was installed, those workloads will not be drained from tainted nodes.

Related Name**Default Value**

None

API Name

node_taint

Required

false

Host Upgrade Domain**Description**

For advanced use only, the HDFS Upgrade Domain that a host belongs to. Only applies to DataNode hosts. Any DataNode hosts without an Upgrade Domain set will default to using the rack assignment of the host. This setting is not used if the Upgrade Domains block placement policy is not enabled for HDFS.

Related Name

upgrade_domain

Default Value**API Name**

upgrade_domain

Required

false

Monitoring

Enable Health Alerts for This Host

Description

When set, Cloudera Manager will send alerts when the health of this host reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

false

API Name

`enable_alerts`

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

`enable_config_alerts`

Required

false

Cloudera Manager Agent TLS Certificate Expiry Thresholds

Description

The health test thresholds for monitoring the certificate of Cloudera Manager Agent.

Related Name**Default Value**

Warning: 60 day(s), Critical: 7 day(s)

API Name

`host_agent_certificate_expiry_thresholds`

Required

false

Cloudera Manager Agent Log Directory Free Space Monitoring Absolute Thresholds

Description

The health check thresholds for monitoring of free space on the filesystem that contains the Cloudera Manager Agent's log directory.

Related Name**Default Value**

Warning: 2 GiB, Critical: 1 GiB

API Name

host_agent_log_directory_free_space_absolute_thresholds

Required

false

Cloudera Manager Agent Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health check thresholds for monitoring of free space on the filesystem that contains the Cloudera Manager Agent's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Cloudera Manager Agent Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

host_agent_log_directory_free_space_percentage_thresholds

Required

false

Cloudera Manager Agent Parcel Directory Free Space Monitoring Absolute Thresholds**Description**

The health check thresholds for monitoring of free space on the filesystem that contains the Cloudera Manager Agent's parcel directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

host_agent_parcel_directory_free_space_absolute_thresholds

Required

false

Cloudera Manager Agent Parcel Directory Free Space Monitoring Percentage Thresholds**Description**

The health check thresholds for monitoring of free space on the filesystem that contains the Cloudera Manager Agent's parcel directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Cloudera Manager Agent Parcel Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

host_agent_parcel_directory_free_space_percentage_thresholds

Required

false

Cloudera Manager Agent Process Directory Free Space Monitoring Absolute Thresholds

Description

The health check thresholds for monitoring of free space on the filesystem that contains the Cloudera Manager Agent's process directory.

Related Name

Default Value

Warning: 200 MiB, Critical: 100 MiB

API Name

host_agent_process_directory_free_space_absolute_thresholds

Required

false

Cloudera Manager Agent Process Directory Free Space Monitoring Percentage Thresholds

Description

The health check thresholds for monitoring of free space on the filesystem that contains the Cloudera Manager Agent's process directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Cloudera Manager Agent Process Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

host_agent_process_directory_free_space_percentage_thresholds

Required

false

Host Entropy Thresholds

Description

The health check thresholds for the available entropy on the host.

Related Name

Default Value

Warning: 100.0, Critical: 50.0

API Name

host_available_entropy_thresholds

Required

false

Host Clock Offset Thresholds

Description

The thresholds for the host clock offset health test. The test compares this threshold against the absolute value of the clock offset reported by the host's NTP service from the 'ntpd -np' or 'chronyc sources' command. Setting both the warning and critical threshold values to never turns off collection of the clock offset by the Cloudera Manager Agent. If no time synchronization is in use, both threshold values should be set to never. Cloudera recommends using NTP for time synchronization of Hadoop clusters.

Related Name

Default Value

Warning: 3 second(s), Critical: 10 second(s)

API Name

host_clock_offset_thresholds

Required

false

Default Process Swap Memory Thresholds**Description**

The default health test thresholds on the swap memory usage of the processes on the host. This value is used if process level threshold is equal to the default.

Related Name**Default Value**

Warning: 200.0 page(s), Critical: Never

API Name

host_default_proc_memswap_thresholds

Required

false

Disk Device Collection Exclusion Regex**Description**

The regular expression used to filter monitored disk devices and partitions. Disk device (for example, sda) and partition (for example, sda2) names that match this pattern will be excluded from metric collection.

Related Name**Default Value**

^\$

API Name

host_disk_collection_filter

Required

false

Host DNS Resolution Duration Thresholds**Description**

The health check thresholds for the host DNS resolution duration.

Related Name**Default Value**

Warning: 1 second(s), Critical: Never

API Name

host_dns_resolution_duration_thresholds

Required

false

Hostname and Canonical Name Health Check**Description**

Whether the hostname and canonical names for this host are consistent when checked from a Java process.

Related Name**Default Value**

true

API Name

host_dns_resolution_enabled

Required

false

Filesystem Check Error Exclusion Regex

Description

The regular expression used to filter filesystem check errors. Filesystem check errors that match this pattern will be put into debug log level.

Related Name**Default Value**

`^((/run/user/[0-9])|(/var/lib/kubernetes/*))`

API Name

host_filesystem_check_error_filter

Required

false

Filesystem Collection Exclusion Regex

Description

The regular expression used to filter monitored filesystems. Mountpoints for filesystems (for example, /data/1) that match this pattern will be excluded from metric collection.

Related Name**Default Value**

`^$`

API Name

host_fs_collection_filter

Required

false

Host Memory Swapping Thresholds

Description

The health test thresholds of the number of pages swapped out on the host in the last 15 minutes

Related Name**Default Value**

Warning: 200.0 page(s), Critical: Never

API Name

host_memswap_thresholds

Required

false

Host Memory Swapping Check Window

Description

The amount of time over which the memory swapping test checks for pages swapped.

Related Name**Default Value**

15 minute(s)

API Name

host_memswap_window

Required

false

Host Network Frame Error Test Minimum Required Packets

Description

The minimum number of received packets that must be received within the test window for this test to return "Bad" health. If less than this number of packets is received during the test window, the health check will never return "Bad" health.

Related Name**Default Value**

0

API Name

host_network_frame_errors_floor

Required

false

Host Network Frame Error Percentage Thresholds

Description

The health check thresholds for the percentage of received packets that are frame errors.

Related Name**Default Value**

Warning: Any, Critical: 0.5 %

API Name

host_network_frame_errors_thresholds

Required

false

Host Network Frame Error Check Window

Description

The amount of time over which the host frame error checks for frame errors.

Related Name**Default Value**

15 minute(s)

API Name

host_network_frame_errors_window

Required

false

Network Interface Collection Exclusion Regex

Description

The regular expression used to filter monitored network interfaces. Network interfaces that match this pattern will be excluded from metric collection.

Related Name

Default Value

^(lo|bond[0-9]*)\$

API Name

host_network_interface_collection_filter

Required

false

Host's Network Interfaces Slow Link Modes Thresholds

Description

The thresholds for the health check of the number of network interfaces that appear to be operating at less than full speed.

Related Name

Default Value

Warning: Any, Critical: Never

API Name

host_network_interfaces_slow_mode_thresholds

Required

false

Network Interface Expected Duplex Mode

Description

The expected duplex mode for network interfaces.

Related Name

Default Value

Full

API Name

host_nic_expected_duplex_mode

Required

false

Network Interface Expected Link Speed

Description

The expected network interface link speed.

Related Name

Default Value

1000

API Name

host_nic_expected_speed

Required

false

Host Process Health Test**Description**

Enables the health test that the host's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

host_scm_health_enabled

Required

false

Host Triggers**Description**

The configured triggers for this host. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- triggerName (mandatory) - The name of the trigger. This value must be unique for the specific host.
- triggerExpression (mandatory) - A tsquery expression representing the trigger.
- streamThreshold (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- enabled (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- expressionEditorConfig (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if the host wait time exceeds 500 ms: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (select await_time where hostname=$HOSTNAME and last(await_time) > 500ms) DO health:concerning", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

host_triggers

Required

true

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/self-metrics: endpoint:
$HOST_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/self-metrics tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/self-metrics: client_auth: username:
$HOST_PARAM(otelcol_remote_write_user) password:
$HOST_PARAM(otelcol_remote_write_password)
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
processors: filter/self-metrics: metrics: exclude:
```

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters,

`$ENV_PARAM(name)` to fetch params from the process' environment, `$SYS_PARAM(name)` to fetch java system properties.

Related Name**Default Value**

```
receivers: prometheus/self-metrics: config: scrape_configs: - job_name: 'DMP-self-metrics'
scrape_interval: 60s scheme: http static_configs: - targets: ['localhost:8092'] labels: host_name:
$HOST_NAME instance: $INFRA(instance_id) cluster_id: $INFRA(cluster_id) platform:
$INFRA(platform) formfactor: paas-vm relabel_configs: - source_labels: [cluster_id] regex:
'crn:cdp:([^\:]+):.*' replacement: '$$1' target_label: app_type action: replace
```

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL**Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

`$INFRA(cdp_request_signer_url)`

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username**Description**

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings

using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify `$INFRA(cdp_request_signer_username)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

`$INFRA(cdp_request_signer_username)`

API Name

`otelcol_remote_write_user`

Required

`false`

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

`service: pipelines: metrics/self-metrics: receivers: [prometheus/self-metrics] exporters: [prometheusremotewrite/self-metrics]`

API Name

`otelcol_service`

Required

`false`

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

`true`

API Name

`otelcol_should_collect`

Required

`true`

OpenTelemetry Collector Self Telemetry Section**Description**

The OpenTelemetry Collector Self Telemetry provides information about its state for monitoring purposes. It requires a port where it publishes its metrics. This port will only be used if a role on the host requires OpenTelemetry Collector to run. See 'otelcol' related settings for services and roles. See the OpenTelemetry documentation.

Related Name**Default Value**

telemetry: metrics: address: :8092

API Name

otelcol_telemetry

Required

false

Parcels

Parcel Directory

Description

The directory that parcels will be installed into on the host(s). The download 'parcel-cache' directory will be placed next to this directory on the filesystem. If the 'parcel_dir' variable is set in the Agent's config.ini file, it will override this value.

Related Name**Default Value**

/opt/cloudera/parcels

API Name

parcels_directory

Required

true

Resource Management

Memory Overcommit Validation Threshold

Description

Threshold used when validating the allocation of RAM on a host. 0 means all of the memory is reserved for the system. 1 means none is reserved. Values can range from 0 to 1.

Related Name**Default Value**

0.8

API Name

memory_overcommit_threshold

Required

false

Enable Cgroup-based Resource Management

Description

Enables resource management using control groups (cgroups). When toggled, roles on the host must be restarted for cgroups to be enabled or disabled. Per-resource controls are found in the configuration pages of role configuration groups and individual roles. Control groups are a feature of the Linux kernel, and support varies by distribution; see the Cloudera Manager documentation for details.

Related Name

Default Value

false

API Name

rm_enabled

Required

true

Suppressions

Suppress Configuration Validator: Cloudera Manager Agent User and Group Validator

Description

Whether to suppress configuration warnings produced by the Cloudera Manager Agent User and Group Validator configuration validator.

Related Name**Default Value**

false

API Name

host_config_suppression_agent_system_user_group_validator

Required

true

Suppress Configuration Validator: CGroups Disabled Validator

Description

Whether to suppress configuration warnings produced by the CGroups Disabled Validator configuration validator.

Related Name**Default Value**

false

API Name

host_config_suppression_cgroups_disabled_validator

Required

true

Suppress Parameter Validation: P2P Parcel Distribution Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the P2P Parcel Distribution Port parameter.

Related Name**Default Value**

false

API Name

host_config_suppression_flood_torrent_port

Required

true

Suppress Parameter Validation: Cloudera Manager Agent Monitoring Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cloudera Manager Agent Monitoring Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

host_config_suppression_host_agent_safety_valve

Required

true

Suppress Parameter Validation: Disk Device Collection Exclusion Regex

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Disk Device Collection Exclusion Regex parameter.

Related Name**Default Value**

false

API Name

host_config_suppression_host_disk_collection_filter

Required

true

Suppress Parameter Validation: Filesystem Check Error Exclusion Regex

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Filesystem Check Error Exclusion Regex parameter.

Related Name**Default Value**

false

API Name

host_config_suppression_host_filesystem_check_error_filter

Required

true

Suppress Parameter Validation: Filesystem Collection Exclusion Regex

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Filesystem Collection Exclusion Regex parameter.

Related Name**Default Value**

false

API Name

host_config_suppression_host_fs_collection_filter

Required

true

Suppress Parameter Validation: Network Interface Collection Exclusion Regex**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Network Interface Collection Exclusion Regex parameter.

Related Name**Default Value**

false

API Name

host_config_suppression_host_network_interface_collection_filter

Required

true

Suppress Parameter Validation: Host Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Host Triggers parameter.

Related Name**Default Value**

false

API Name

host_config_suppression_host_triggers

Required

true

Suppress Parameter Validation: Java Home Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Home Directory parameter.

Related Name**Default Value**

false

API Name

host_config_suppression_java_home

Required

true

Suppress Configuration Validator: Java Version Validator**Description**

Whether to suppress configuration warnings produced by the Java Version Validator configuration validator.

Related Name**Default Value**

false

API Name

host_config_suppression_java_version_required_for_cdh_validator

Required

true

Suppress Configuration Validator: Memory Overcommitted Validator**Description**

Whether to suppress configuration warnings produced by the Memory Overcommitted Validator configuration validator.

Related Name**Default Value**

false

API Name

host_config_suppression_memory_overcommitted_validator

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

host_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

host_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

false

API Name

host_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

host_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**

false

API Name

host_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name**Default Value**

false

API Name`host_config_suppression_otelcol_remote_write_url`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name**Default Value**`false`**API Name**`host_config_suppression_otelcol_remote_write_user`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Service Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**`false`**API Name**`host_config_suppression_otelcol_service`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Self Telemetry Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Self Telemetry Section parameter.

Related Name**Default Value**`false`**API Name**`host_config_suppression_otelcol_telemetry`**Required**`true`**Suppress Parameter Validation: Parcel Directory****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Parcel Directory parameter.

Related Name**Default Value**

false

API Name

host_config_suppression_parcel_directory

Required

true

Suppress Configuration Validator: Rack Diversity Validator**Description**

Whether to suppress configuration warnings produced by the Rack Diversity Validator configuration validator.

Related Name**Default Value**

false

API Name

host_config_suppression_rack_diversity_validator

Required

true

Suppress Configuration Validator: Supervisord Version Validator**Description**

Whether to suppress configuration warnings produced by the Supervisord Version Validator configuration validator.

Related Name**Default Value**

false

API Name

host_config_suppression_supervisord_version_matched_with_cm_validator

Required

true

Suppress Parameter Validation: Host Upgrade Domain**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Host Upgrade Domain parameter.

Related Name**Default Value**

false

API Name

host_config_suppression_upgrade_domain

Required

true

Suppress Health Test: Certificate Expiration

Description

Whether to suppress the results of the Certificate Expiration health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

host_health_suppression_host_agent_certificate_expiry

Required

true

Suppress Health Test: Agent Log Directory

Description

Whether to suppress the results of the Agent Log Directory health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

host_health_suppression_host_agent_log_directory_free_space

Required

true

Suppress Health Test: Agent Parcel Directory

Description

Whether to suppress the results of the Agent Parcel Directory health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

host_health_suppression_host_agent_parcel_directory_free_space

Required

true

Suppress Health Test: Agent Process Directory

Description

Whether to suppress the results of the Agent Process Directory health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

host_health_suppression_host_agent_process_directory_free_space

Required

true

Suppress Health Test: Entropy**Description**

Whether to suppress the results of the Entropy health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

host_health_suppression_host_available_entropy

Required

true

Suppress Health Test: Clock Offset**Description**

Whether to suppress the results of the Clock Offset health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

host_health_suppression_host_clock_offset

Required

true

Suppress Health Test: DNS Resolution**Description**

Whether to suppress the results of the DNS Resolution health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

host_health_suppression_host_dns_resolution

Required

true

Suppress Health Test: Swapping

Description

Whether to suppress the results of the Swapping health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

host_health_suppression_host_memory_swapping

Required

true

Suppress Health Test: Frame Errors

Description

Whether to suppress the results of the Frame Errors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

host_health_suppression_host_network_frame_errors

Required

true

Suppress Health Test: Network Interface Speed

Description

Whether to suppress the results of the Network Interface Speed health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

host_health_suppression_host_network_interfaces_slow_mode

Required

true

Suppress Health Test: Agent Status

Description

Whether to suppress the results of the Agent Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

host_health_suppression_host_scm_health

Required

true

Cloudera Manager Server Properties

Advanced

Command Eviction Age

Description

Length of time after which inactive commands are evicted from the database. Default is two years.

Related Name**Default Value**

730 day(s)

API Name

command_eviction_age_hours

Required

true

Cloudera Manager Server Local Data Storage Directory

Description

Local path used by Cloudera Manager for storing data, including command result files. Note that changes to this configuration will only apply to commands started after the change. It is highly recommended that existing data be migrated over to the new location for the data to be accessible via and managed by Cloudera Manager.

Related Name**Default Value**

/var/lib/cloudera-scm-server

API Name

command_storage_path

Required

false

Cloudera Manager Agent Connections Disabled Protocols

Description

List of Disabled Protocols for Cloudera Manager Server to Cloudera Manager Agent HTTP/HTTPS Connections

Related Name**Default Value**

API Name

disabled_agent_connection_protocols

Required

false

Enable Debugging of API**Description**

When enabled, the server log will contain traces of all API calls.

Related Name**Default Value**

false

API Name

enable_api_debug

Required

true

Extra JVM arguments for Java-based services**Description**

A list of extra JVM arguments that Cloudera Manager will append to the command line for Java-based services.

Related Name**Default Value****API Name**

extra_jvm_opts

Required

false

Agent Heartbeat Logging Directory**Description**

Specifies the location where Agent heartbeat requests and responses should be logged, for debugging purposes. If empty, logging is disabled.

Related Name**Default Value****API Name**

heartbeat_logging_dir

Required

false

Offline Command Timeout**Description**

The amount of time (in seconds) to wait for all requested hosts to be offlined. If all requested hosts are not transitioned to offline in this interval, the command fails. If timeout occurs, hosts that transitioned to maintenance stay in maintenance, and those that failed to transition are returned to the normal state.

Related Name

Default Value

10 minute(s)

API Name

offline_default_timeout

Required

false

Queue Manager Request Timeout**Description**

Timeout for the Management console to fetch resources related to the YARN Queue Manager. This value may need to be increased for larger deployments where the Management console times out trying to fetch resources from the YARN Queue Manager.

Related Name

scm.server.qm_proxy.timeout

Default Value

5 minute(s)

API Name

qm_proxy_timeout

Required

true

Cloudera Manager Descriptor Fetch Timeout**Description**

Timeout for Cloudera Management Service roles to fetch deployment descriptor from Cloudera Manager service. This may need to be increased for larger deployments where Management roles are timing out trying to fetch the descriptor.

Related Name

scm.server.proxy.timeout

Default Value

10 second(s)

API Name

scm_proxy_timeout

Required

true

Tags Limit**Description**

The maximum number of tags that can be created globally. Note that creating more tags than are allowed by the default limit may lead to decreased performance of Cloudera Manager.

Related Name**Default Value**

100000

API Name

tags_limit

Required

false

Maximum Number of Time-Series Streams Returned Per Heatmap**Description**

The maximum number of time-series streams returned by a single time-series heatmap query. The default is 10,000 streams. This value can be set higher, but increasing it may negatively impact chart performance and may require more resources be given to the Cloudera Manager Server, Host Monitor, and Service Monitor.

Related Name**Default Value**

10000

API Name

tsquery_heatmap_streams_limit

Required

true

Time-Series Request Timeout**Description**

Timeout for requests to Service and Host Monitor.

Related Name**Default Value**

20 second(s)

API Name

tsquery_request_timeout

Required

true

Maximum Number of Time-Series Streams Returned Per Scatter Plot**Description**

The maximum number of time-series streams returned by a single time-series scatter plot. The default is 1000 streams. This value can be set higher, but increasing it may negatively impact chart performance and may require more resources be given to the Cloudera Manager Server, Host Monitor, and Service Monitor.

Related Name**Default Value**

1000

API Name

tsquery_scatter_streams_limit

Required

true

Maximum Number Of Time-Series Streams Returned Per Line-Based Chart**Description**

The maximum number of time-series streams that will be returned by a single time-series query. The default is 250 streams. This value can be set higher, but increasing it may negatively impact

chart performance and may require more resources be given to the Cloudera Manager Server, Host Monitor, and Service Monitor.

Related Name**Default Value**

250

API Name

tsquery_streams_limit

Required

true

Maximum Number of Time-Series Streams Returned Per Table**Description**

The maximum number of time-series streams returned in a single time-series table. The default is 2000 streams. This value can be set higher, but increasing it may negatively impact chart performance and may require more resources be given to the Cloudera Manager Server, Host Monitor, and Service Monitor.

Related Name**Default Value**

2000

API Name

tsquery_table_streams_limit

Required

true

Altus

Telemetry Altus Account**Description**

The account to use for data collection to Altus. This by itself does not enable telemetry. Telemetry needs to be explicitly enabled for specific services.

Related Name**Default Value****API Name**

telemetry_altus_account

Required

false

Custom Service Descriptors

Enable Local Descriptor Repository**Description**

When enabled, the server will read custom service descriptors from the local filesystem.

Related Name

Default Value

true

API Name

csd_repo_enabled

Required

true

Local Descriptor Repository Path**Description**

Path to the local repository where custom service descriptors are located.

Related Name**Default Value**

/opt/cloudera/csd

API Name

csd_repo_path

Required

true

External Authentication

Authentication Backend Order**Description**

The order in which authentication back ends are used for authenticating a user. Emergency Administrator Access allows Full and User Administrators in the local database to authenticate if external authentication is not functioning.

Related Name**Default Value**

DB_ONLY

API Name

auth_backend_order

Required

true

External Authentication Program Path**Description**

An external script (or binary) to use to authenticate users. Username is passed as the first command line argument. The password is passed over stdin. You can configure the return codes for the external script on the Roles page. A negative return value indicates a failure. A failure description can be printed to stderr.

Related Name**Default Value****API Name**

auth_script

Required

false

Authorization Backend Order.**Description**

The order in which authorization back ends are used for authorizing a user. This determines where a user's roles come from. If "Database and External" is chosen, then the union of all roles is used.

Related Name**Default Value**

EXTERNAL_AND_DB

API Name

authorization_backend_order

Required

true

Enable SPNEGO/Kerberos Authentication for the Admin Console and API**Description**

When enabled, you can authenticate to the Cloudera Manager Admin Console and API using Kerberos via the SPNEGO protocol. If you have not imported Kerberos admin credentials, you must also specify the Kerberos principal for SPNEGO authentication and Kerberos keytab file for SPNEGO authentication. This method of authentication is in addition to the configured external authentication methods.

Related Name**Default Value**

false

API Name

krb_auth_enable

Required

true

Exclude Users for SPNEGO/Kerberos Authentication**Description**

Users in this list will not be allowed to authenticate to Cloudera Manager using SPNEGO/Kerberos. They can still authenticate using other methods.

Related Name**Default Value**

admin

API Name

krb_auth_exclude_users

Required

false

Keytab File for SPNEGO Authentication Override**Description**

This is a path to the keytab file that Cloudera Manager will use for SPNEGO/Kerberos authentication. You can leave this blank to have Cloudera Manager automatically generate this keytab.

Related Name**Default Value****API Name**

krb_auth_keytab

Required

false

Kerberos Principal for SPNEGO Authentication Override**Description**

This is the full name of the service principal that Cloudera Manager will use for SPNEGO/Kerberos authentication. It is usually "HTTP/fqdn@REALM" where "fqdn" is the Cloudera Manager host and "REALM" is the Kerberos domain. The Kerberos keytab file for SPNEGO authentication must contain an entry for this principal. You can leave this blank to have Cloudera Manager automatically generate this principal.

Related Name**Default Value****API Name**

krb_auth_principal

Required

false

LDAP Bind User Distinguished Name**Description**

Distinguished name of the user to bind to AD as for user authentication search/bind and group lookup for role authorization. For openLDAP based directories this should be a DN string, for Active Directory this can be just a username, combined with the "Active Directory Domain" value for login. For example username in the field and example.com in the active directory domain will result in the User Principal Name value of username@example.com being used to bind. If you put a UPM value here, do not over-configure the "active directory domain" field otherwise you will end up presenting username@example.com@example.com for binds. AD will accept a UPN value or the DN value as a valid Bind DN; An example of a Distinguished Name (DN): CN=cdh admin,OU=svcaccount,DC=example,DC=com An example of a UPN value: cdhadmin@example.com

Related Name**Default Value****API Name**

ldap_bind_dn

Required

false

LDAP Bind Password**Description**

The password of the bind user.

Related Name

Default Value**API Name**

ldap_bind_pw

Required

false

LDAP Distinguished Name Pattern**Description**

This setting is deprecated and soon to be removed, do not use LDAP Distinguished Name Pattern for configuration moving forward. It is not necessary to use and deprecated as a configuration approach for LDAP and AD in general.

Related Name**Default Value****API Name**

ldap_dn_pattern

Required

false

LDAP Group Search Base**Description**

The distinguished name indicating the path within the directory information tree to begin user searches from. For example in AD it would be cn=groups,dc=example,dc=com. Or in an openLDAP compatible situation it would be something like ou=groups,dc=example,dc=com. Check with your directory administration team on the proper search base to configure for your environment.

Related Name**Default Value****API Name**

ldap_group_search_base

Required

false

LDAP Group Search Filter**Description**

The search filter to use for finding groups for authorization of authenticated users for their Cloudera Manager role. For Active Directory and openLDAP compatible directories this will usually be (member={0}), where {0} will be replaced by DN string for a successfully authenticated user through the search/bind process. This requires configuration of the LDAP Bind User Distinguished Name field.

Related Name**Default Value****API Name**

ldap_group_search_filter

Required

false

External Authentication Type

Description

The type of external authentication to use.

Related Name**Default Value**

ACTIVE_DIRECTORY

API Name

ldap_type

Required

true

LDAP URL

Description

The URL of the LDAP server. The URL must be prefixed with ldap:// or ldaps://. The URL can optionally specify a custom port, for example: ldaps://ldap_server.example.com:1636. Note that usernames and passwords will be transmitted in the clear unless either an ldaps:// URL is used, or "Enable LDAP TLS" is turned on (where available). Also note that encryption must be in use between the client and this service for the same reason. For more detail on the LDAP URL format, see [RFC 2255](#)

Related Name**Default Value****API Name**

ldap_url

Required

false

LDAP User Search Base

Description

The distinguished name indicating the path within the directory information tree to begin user searches from. For example in AD it would be cn=users,dc=example,dc=com. Or in an openLDAP compatible situation it would be something like ou=people,dc=example,dc=com. Check with your directory administration team on the proper user search base to configure for your environment.

Related Name**Default Value****API Name**

ldap_user_search_base

Required

false

LDAP User Search Filter

Description

The search filter to use for finding users. For AD configuration it will be (sAMAccountName={0}) and for openLDAP compatible directories it will usually be (uid={0}). Note that a custom attribute can also be used if the directory is configured differently for user names. The {0} expands the currently authenticating user's name entered in the login form for the query.

Related Name

Default Value**API Name**

ldap_user_search_filter

Required

false

Active Directory Domain**Description**

Use this field for Active Directory configurations only, when combined with a simple username value in the "LDAP Bind User Distinguished Name" field, it will result in a UPM of user@example.com used for search/bind operations for authenticated user lookups.

Related Name**Default Value****API Name**

nt_domain

Required

false

PAM Service Name**Description**

The service name that identifies the PAM module used to verify the username and password. This is typically the name of a file under /etc/pam.d/ on the Cloudera Manager server host.

Related Name**Default Value**

login

API Name

pam_service_name

Required

false

Allowed Groups for Knox Proxy**Description**

When Apache Knox makes a proxy request to Cloudera Manager, the proxied user must belong to one of these LDAP groups. This configuration is only used if LDAP authentication is enabled and the Authorization Backend Order is not Database Only. A wildcard "*" entry allows any group.

Related Name**Default Value****API Name**

proxyuser_knox_groups

Required

false

Allowed Hosts for Knox Proxy**Description**

When Apache Knox makes a proxy request to Cloudera Manager, the request must come from one of these hosts. You can specify either an IP address or a fully-qualified domain name. If using multiple Knox gateways, make sure that all gateway hosts are listed here. A wildcard "*" entry allows any host.

Related Name**Default Value****API Name**

proxyuser_knox_hosts

Required

false

Knox Proxy Principal**Description**

This is the service name of the Kerberos principal that Apache Knox will use to authenticate to Cloudera Manager when making proxy requests. Usually, this should be set to "knox" when using Knox to proxy to Cloudera Manager. If empty, Cloudera Manager will not accept proxy requests from any principal. The service name does not have to be a valid user.

Related Name**Default Value**

knox

API Name

proxyuser_knox_principal

Required

false

Allowed Users for Knox Proxy**Description**

When Apache Knox makes a proxy request to Cloudera Manager, the proxied user must be one of these users. A wildcard "*" entry allows any user.

Related Name**Default Value****API Name**

proxyuser_knox_users

Required

false

SAML Entity Alias**Description**

Unique alias used to identify the selected instance of local service provider based on used URL.

Related Name**Default Value**

clouderaManager

API Name

saml_entity_alias

Required

false

SAML Entity Base URL**Description**

The Base URL used to construct redirect URLs reported in this server's SP metadata. Leave this blank to let the server calculate the base URL itself.

Related Name**Default Value****API Name**

saml_entity_base_url

Required

false

SAML Entity ID**Description**

The ID that Cloudera Manager will use to identify itself to the IDP. This value should be unique to this Cloudera Manager installation.

Related Name**Default Value**

clouderaManager

API Name

saml_entity_id

Required

true

Alias of SAML Sign/Encrypt Private Key**Description**

The alias used to identify the sign/encrypt private key in the SAML keystore.

Related Name**Default Value****API Name**

saml_key_alias

Required

false

SAML Sign/Encrypt Private Key Password**Description**

The password for the sign/encrypt private key in the SAML keystore.

Related Name**Default Value****API Name**

saml_key_password

Required

false

SAML Keystore Password**Description**

The password for the SAML keystore.

Related Name**Default Value****API Name**

saml_keystore_password

Required

false

Path to SAML Keystore File**Description**

The filesystem path to the keystore file containing the SP private key and any necessary public certificates to validate the IDP.

Related Name**Default Value****API Name**

saml_keystore_path

Required

false

SAML Login URL**Description**

If your IDP does not support SP-initiated SSO (very uncommon), you use a separate login URL, outside of Cloudera Manager. Provide that URL here so that Cloudera Manager can use it when a user needs to log in.

Related Name**Default Value****API Name**

saml_login_url

Required

false

Path to SAML IDP Metadata File**Description**

The filesystem path to the IDP metadata XML file.

Related Name**Default Value****API Name**

saml_metadata_path

Required

false

SAML Attribute Identifier for User Role**Description**

The URN OID that will identify the user's role in the SAML attributes. Only has an effect when 'Attribute' based role assignment is used.

Related Name**Default Value**

urn:oid:2.5.4.11

API Name

saml_oid_role

Required

true

SAML Attribute Identifier for User ID**Description**

The URN OID that will identify the user's ID in the SAML attributes.

Related Name**Default Value**

urn:oid:0.9.2342.19200300.100.1.1

API Name

saml_oid_user

Required

true

SAML Response Binding**Description**

The SAML Binding format that the IDP is asked to use when sending authentication responses.

Related Name**Default Value**

POST

API Name

saml_response_binding

Required

true

SAML Role Assignment Mechanism**Description**

The mechanism to use for assigning roles to users. 'Attribute' assigns roles based on a SAML attribute. 'Script' assigns roles based on the result of an external script.

Related Name**Default Value**

ATTRIBUTE

API Name

saml_role_mapper

Required

true

Path to SAML Role Assignment Script**Description**

An external script (or binary) to use to assign roles to SAML users. The username is passed as the first command-line argument. You can configure the return codes for the external script on the Roles page. A negative return value indicates a failure.

Related Name**Default Value****API Name**

saml_role_script

Required

false

SAML Message Signing Algorithm**Description**

Sets the signing algorithm to use when signing the SAML messages.

Related Name**Default Value**

RSA_SHA512

API Name

saml_signature_algo

Required

false

SAML Single Logout (SLO)**Description**

When enabled, Cloudera Manager sends a Single Logout (SLO) request to the Identity Provider (IdP).

Related Name**Default Value**

false

API Name

saml_slo

Required

true

Source of User ID in SAML Response**Description**

Whether the user ID should be obtained from the SAML response's NameID field or from an attribute

Related Name

Default Value

ATTRIBUTE

API Name

saml_user_source

Required

true

Kerberos

Active Directory Account Prefix

Description

Prefix used in names while creating accounts in Active Directory. The prefix can be up to 15 characters long and can be set to identify accounts used for authentication by CDH processes. Used only if Active Directory KDC is used for authentication.

Related Name**Default Value****API Name**

ad_account_prefix

Required

false

Active Directory Account Properties

Description

Active Directory account properties used in credential generation. Used only if Active Directory KDC is being used for authentication. Only accountExpires is supported.

Related Name**Default Value**

accountExpires=0, objectClass=top, objectClass=person, objectClass=organizationalPerson, objectClass=user

API Name

ad_account_properties

Required

false

Active Directory Delete Accounts on Credential Regeneration

Description

Set this option to true if regeneration of credentials should automatically delete the associated Active Directory accounts. Used only if Active Directory KDC is used for authentication.

Related Name**Default Value**

false

API Name

ad_delete_on_regenerate

Required

false

Active Directory Suffix**Description**

Active Directory suffix where all the accounts used by CDH daemons will be created. Used only if Active Directory KDC is being used for authentication.

Related Name**Default Value**

ou=hadoop, DC=hadoop, DC=com

API Name

ad_kdc_domain

Required

true

Active Directory LDAP Port**Description**

Port to use for LDAP when using Active Directory for authentication. This port is going to transmit encrypted information protected by Kerberos SASL.

Related Name**Default Value**

389

API Name

ad_ldap_port

Required

true

Active Directory LDAPS Port**Description**

Port to use for LDAP over TLS/SSL when using Active Directory for authentication.

Related Name**Default Value**

636

API Name

ad_ldaps_port

Required

true

Active Directory Password Properties**Description**

Active Directory password properties used in password generation. Used only if Active Directory KDC is being used for authentication.

Related Name**Default Value**

length=12, minLowerCaseLetters=2, minUpperCaseLetters=2, minDigits=2, minSpaces=0, minSpecialChars=0, specialChars=?.!\$%^*()-_+=~

API Name

ad_password_properties

Required

false

Active Directory Set Encryption Types**Description**

Set this option to true if creation of Active Directory accounts should automatically turn on the associated encryption types represented by the msDS-EncryptionTypes field. Used only if Active Directory KDC is used for authentication.

Related Name**Default Value**

false

API Name

ad_set_encryption_types

Required

false

Custom Kerberos Keytab Retrieval Script**Description**

Specify the path to a custom script (or executable) to retrieve a Kerberos keytab. The script should take two arguments: a destination file to write the keytab to, and the full principal name to retrieve the key for. If this property is specified, Cloudera Manager ignores all other properties specified for Kerberos setup.

Related Name**Default Value****API Name**

gen_keytab_script

Required

false

Active Directory Domain Controller Override**Description**

If multiple Active Directory Domain Controllers are behind a load-balancer, Cloudera Manager should be provided with the address of one of them. Cloudera Manager then sends commands to create accounts to that Domain Controller only. Note: This setting is used only while creating accounts. CDH services use the value entered in the KDC Server Host field only while authenticating.

Related Name**Default Value****API Name**

kdc_account_creation_host_override

Required

false

KDC Admin Server Host

Description

Host where the KDC Admin server is located. Port number is optional and can be provided as hostname[:port]

Related Name

admin_server

Default Value

API Name

kdc_admin_host

Required

false

KDC Server Host

Description

Host where the KDC server is located. Port number is optional and can be provided as hostname[:port]

Related Name

kdc

Default Value

API Name

kdc_host

Required

false

KDC Type

Description

Type of KDC used for authentication in CDH clusters

Related Name

Default Value

MIT KDC

API Name

kdc_type

Required

true

DNS Lookup KDC

Description

Indicate whether DNS SRV records should be used to locate the KDCs and other servers for a realm, if they are not listed in the krb5.conf information for the realm.

Related Name

dns_lookup_kdc

Default Value

false

API Name

krb_dns_lookup_kdc

Required

true

Domain Name(s)**Description**

Domain(s) which are mapped to this Kerberos Realm. This is used to generate [domain_realm] section. Also, the first domain is used as default_domain in [realms] section

Related Name**Default Value****API Name**

krb_domain

Required

false

Kerberos Encryption Types**Description**

Encryption types supported by KDC. Note: To use AES encryption, make sure you have deployed JCE Unlimited Strength Policy File by following the instructions [here](#).

Related Name**Default Value**

rc4-hmac

API Name

krb_enc_types

Required

false

Forwardable Tickets**Description**

If this flag is true, initial tickets will be forwardable by default, if allowed by the KDC.

Related Name

forwardable

Default Value

true

API Name

krb_forwardable

Required

true

KDC Timeout**Description**

The maximum time to wait for a reply from the KDC. A time of 0 seconds means "use the client's default".

Related Name

kdc_timeout

Default Value

3 second(s)

API Name

krb_kdc_timeout

Required

false

krb5.conf file path**Description**

Set the path to the krb5.conf file for all Cloudera processes. This is a required field with a default value of '/etc/krb5.conf'. If the option 'Manage krb5.conf through Cloudera Manager' is not selected, you must copy the /etc/krb5.conf file to all cluster hosts. Note: If you configure a non-default file path (default path is /etc/krb5.conf) the KDC services must be configured by your system administrator. Also, check the documentation to add the new krb5.conf path to Cloudera Manager Server to avoid KDC health check failures.

Related Name**Default Value**

/etc/krb5.conf

API Name

krb_krb5_conf_path

Required

true

Advanced Configuration Snippet (Safety Valve) for [libdefaults] section of krb5.conf**Description**

For advanced use only. Any text here will be emitted verbatim in the [libdefaults] section of krb5.conf.

Related Name**Default Value****API Name**

krb_libdefaults_safety_valve

Required

false

Manage krb5.conf through Cloudera Manager**Description**

Whether Cloudera Manager should configure and deploy krb5.conf on secure clusters. If this option is not selected, then you must ensure that krb5.conf is deployed on all hosts in a secure cluster, including the Cloudera Manager Server host. Note: If you configure a non-default file path (default path is /etc/krb5.conf) the KDC services must be configured by your system administrator. Also, check the documentation to add the new krb5.conf path to Cloudera Manager Server to avoid KDC health check failures.

Related Name**Default Value**

false

API Name

krb_manage_krb5_conf

Required

false

Advanced Configuration Snippet (Safety Valve) for remaining krb5.conf**Description**

For advanced use only. Cloudera Manager configures the [libdefaults], [realms] and [domain_realm] section of krb5.conf. Any text here will be emitted verbatim after them in krb5.conf.

Related Name**Default Value****API Name**

krb_other_safety_valve

Required

false

Advanced Configuration Snippet (Safety Valve) for the Default Realm in krb5.conf**Description**

For advanced use only. Any text here will be emitted verbatim in the [realms] section of krb5.conf for the specified security realm. If you want to add realms besides the default one, configure them using Advanced Configuration Snippet (Safety Valve) for remaining krb5.conf.

Related Name**Default Value****API Name**

krb_realms_safety_valve

Required

false

Kerberos Renewable Lifetime**Description**

Default renewable lifetime for initial ticket requests.

Related Name

renew_lifetime

Default Value

7 day(s)

API Name

krb_renew_lifetime

Required

true

Kerberos Ticket Lifetime**Description**

Default lifetime for initial ticket requests.

Related Name

ticket_lifetime

Default Value

1 day(s)

API Name

krb_ticket_lifetime

Required

true

Maximum Renewable Life for Principals

Description

Maximum renewable lifetime for Kerberos principals generated by Cloudera Manager. This property is used only if MIT KDC is used. Set this property to zero if the KDC should provide the maximum renewable lifetime. Note: Principals with non-renewable tickets are not recommended because they can prevent Hadoop services from functioning.

Related Name**Default Value**

5 day(s)

API Name

max_renew_life

Required

true

Kerberos Security Realm

Description

The realm to use for Kerberos security. Note: Changing this setting would clear up all existing credentials and keytabs from Cloudera Manager.

Related Name

default_realm

Default Value

HADOOP.COM

API Name

security_realm

Required

true

Kerberos Trusted Realms

Description

List of Kerberos realms that all services on this Cloudera Manager should trust. This parameter is used to configure and verify krb5.conf file. The parameter is auto-configured while adding a peer, but it is recommended that users ensure the values are correct.

Related Name

trusted_realms

Default Value**API Name**

trusted_realms

Required

false

Monitoring

Cross Entity Aggregate Generation Filters

Description

Specifies two filters, a blacklist and a whitelist, that impact cross-entity aggregates generated by the Cloudera Manager monitoring system. By default, cross-entity aggregates are generated for all types. The blacklist entries can be used to disable generation of cross-entity aggregates, and whitelist entries can be used to force their creation. The JSON structure of this field is as follows:

- blacklist - A filter that when matched will prevent cross-entity aggregate creation. The structure of the filter is outlined below.
- whitelist - A filter that when matched will force cross-entity aggregate creation. The structure of the filter is outlined below. This filter takes precedence over the blacklist filter, so if both are matched, an aggregate will be generated.

The JSON structure of either filter is as follows:

- types - A list of entries in the following format `sourceType::targetType::aggregateMetricType`, e.g. `DATANODE::RACK::STATISTICAL`.
- streams - A list of entries in the following format `sourceType::targetType::metricName::aggregateMetricType`, e.g. `HOST::CLUSTER::fd_open::TOTAL`.

In the above filters the source and target types are entity type strings used within the metric system. `ROLE`, `SERVICE` and `ALL` are wildcards that match all role types, service types and all types respectively. Metrics are referred to by their user facing names, so counter-based metrics will be in `_rate` form. The two types of aggregate metrics are `TOTAL` and `STATISTICAL`. After making changes to this field, both the Cloudera Manager Server and the Service and Host Monitors should be restarted. For advanced use only. You could break Cloudera Manager charting and health functionality by editing this field.

Related Name**Default Value**

```
blacklist: streams : [ ], types : [ KUDU_REPLICA::KUDU_TABLET::STATISTICAL ] , whitelist:
streams : [ ], types : [ ]
```

API Name

```
cross_entity_aggregate_filters
```

Required

false

Set health status to Bad if the Agent heartbeats fail

Description

If an Agent fails to send this number of expected consecutive heartbeats to the Server, a "Bad" health status is assigned to that Agent.

Related Name**Default Value**

```
10 time(s)
```

API Name

missed_hb_bad

Required

true

Set health status to Concerning if the Agent heartbeats fail**Description**

If an Agent fails to send this number of expected consecutive heartbeats to the Server, a "Concerning" health status is assigned to that Agent.

Related Name**Default Value**

5 time(s)

API Name

missed_hb_concerning

Required

true

Network

No Proxy List**Description**

The no proxy list setting to include comma separated list of Cloudera specific names or IP addresses to avoid internal traffic routing through the Internet, also supports wildcard values e.g. "*cloudera.site, localhost, 172.0.0.1, 169.254.169.254, 170.254.169.254, 169.254.169.255".

Related Name**Default Value****API Name**

parcel_no_proxy_list

Required

false

Proxy Password**Description**

The basic authentication password for the proxy.

Related Name**Default Value****API Name**

parcel_proxy_password

Required

false

Proxy Port**Description**

The port for the proxy server to be used when the Cloudera Manager Server accesses the Internet, such as when downloading parcels and uploading diagnostic data.

Related Name**Default Value****API Name**

parcel_proxy_port

Required

false

Proxy Protocol**Description**

The protocol to use for the proxy server when the Cloudera Manager Server accesses the Internet, such as when downloading parcels and uploading diagnostic data.

Related Name**Default Value**

HTTP

API Name

parcel_proxy_protocol

Required

true

Proxy Server**Description**

The proxy server to be used when the Cloudera Manager Server accesses the Internet, such as when downloading parcels and uploading diagnostic data.

Related Name**Default Value****API Name**

parcel_proxy_server

Required

false

Proxy User**Description**

The basic authentication user name for the proxy.

Related Name**Default Value****API Name**

parcel_proxy_user

Required

false

Enable Automatic Authentication for Cloudera Repositories**Description**

You must enable this option if you are accessing Cloudera Repositories that require authentication. Cloudera Manager will use the configured HTTP authentication override username and password

if configured, or the information from the installed license. You can disable this option if you are using local repository mirrors, if you have an internal alias or mirror to archive.cloudera.com, or if you are only using the public Cloudera Repositories that do not require authentication.

Related Name**Default Value**

true

API Name

remote_repo_auth

Required

false

HTTP authentication password override for Cloudera Repositories

Description

Use this only in consultation with Cloudera Support. Specify an override password for HTTP authentication for Cloudera Repositories. You must also specify HTTP authentication override username.

Related Name**Default Value****API Name**

remote_repo_override_password

Required

false

HTTP authentication username override for Cloudera Repositories

Description

Use this only in consultation with Cloudera Support. Specify an override username for HTTP authentication for Cloudera Repositories. You must also specify an HTTP authentication override password.

Related Name**Default Value****API Name**

remote_repo_override_user

Required

false

Other

ECS App Domain Unique Regex

Description

The regex used to identify the unique portion of the App domain name that will be extracted and used as the default environment name generated during ECS installation. There can only be one unique portion of the regex and it must be enclosed in parentheses. The default regex will use the first layer of the App Domain name as the default environment name. e.g. With an App Domain name "cloudera-test.cloudera.com", "cloudera-test" will be used as the default environment name.

Related Name**Default Value**

^[^.]*)

API Name

app_domain_unique_regex

Required

false

CDP Private Cloud Repository URLs**Description**

URLs of the remote repositories where Cloudera Manager can download the CDP Private Cloud installer. There should be a manifest.json under these URLs. If you are using local mirror repositories, do not delete these local mirrors until after the corresponding CDP Private Cloud deployment has been upgraded or uninstalled.

Related Name**Default Value**

https://archive.cloudera.com/p/cdp-pvc-ds/latest

API Name

cdppc_repo_urls

Required

false

Custom Banner Text**Description**

The custom banner is used to display customer specific text in the header area.

Related Name**Default Value****API Name**

custom_banner_html

Required

false

Custom Header Color**Description**

The custom header color is used to distinguish different instances of Cloudera Manager.

Related Name**Default Value**

BLACK

API Name

custom_header_color

Required

true

Custom Information Assurance Policy Text

Description

An information assurance policy statement that must be agreed to in order for a user to login.

Related Name**Default Value****API Name**

custom_ia_policy

Required

false

Delete idle host principals (FreeIPA only)

Description

Delete idle host principals when no service principals are running on the hosts. Only applies when FreeIPA is used as the Kerberos KDC.

Related Name**Default Value**

false

API Name

delete_host_principal_ipa

Required

true

Enable Embedded Database Check

Description

When this option is unchecked, warnings about the embedded PostgreSQL database are suppressed.

Related Name**Default Value**

true

API Name

enable_embedded_db_check

Required

false

Global flag to enable/disable Observability DMP Metrics Collection Feature

Description

Global flag to enable/disable Observability DMP Metrics Collection Feature. It's hidden from the UI, the value can be changed via API call.

Related Name**Default Value**

false

API Name

enable_observability_metrics_dmp

Required

false

Global flag to enable/disable Observability Real-time Jobs Feature

Description

Global flag to enable/disable Observability Real-time Jobs Feature. It's hidden from the UI, the value can be changed via API call.

Related Name**Default Value**

false

API Name

enable_observability_real_time_jobs

Required

false

Enable Events Widget Auto-Search

Description

When enabled, the Events widget at the bottom of many pages will auto-fire its default search on page load.

Related Name**Default Value**

true

API Name

events_widget_search_on_load

Required

true

Maximum Cluster Count Shown In Full

Description

When the number of clusters exceeds this number, only the cluster summary information will be shown on the home page.

Related Name**Default Value**

2

API Name

home_page_full_limit

Required

true

System Identifier

Description

An identifier for this system, to be included with diagnostic data bundles.

Related Name**Default Value**

default

API Name

system_identifier

Required

true

Parcels

Automatically Distribute Available Parcels

Description

Whether available parcels should be automatically distributed to any cluster that already has parcels of the same product.

Related Name**Default Value**

false

API Name

distribute_parcels_automatically

Required

true

Automatically Download New Parcels

Description

Whether new parcels discovered on the remote parcel repository should be automatically downloaded.

Related Name**Default Value**

false

API Name

download_parcels_automatically

Required

true

Cloudera Manager Manages Parcels

Description

Whether Cloudera Manager should manage which parcels should be present on all managed hosts.

Related Name**Default Value**

true

API Name

manages_parcels

Required

true

Automatically Downloaded Products

Description

If automatic parcel downloading is enabled, the list of products that will be downloaded.

Related Name

Default Value

CDH

API Name

parcel_autodownload_products

Required

false

Automatically Remove Old Parcels**Description**

Whether parcels for old versions of an activated product should be removed from a cluster when they are no longer in use.

Related Name**Default Value**

false

API Name

parcel_cleanup_automatically

Required

true

Number of Old Parcel Versions to Retain**Description**

If automatic removal of old parcels is enabled, this specifies the number of old parcels to keep. Any old parcels beyond this value will be removed. If this is set to zero, no old parcels will be retained.

Related Name**Default Value**

3

API Name

parcel_cleanup_threshold

Required

true

Parcel Distribution Rate Limit**Description**

Per-second rate limit for parcel distribution. The default of 50MiB/second allows for parcel distribution to saturate about half of a Gigabit link.

Related Name**Default Value**

50 MiB

API Name

parcel_distribute_rate_limit_kbs_per_second

Required

true

Automatically Install CSD Repo URLs

Description

Each CSD may specify a parcel repo URL. If set to true, Cloudera Manager will automatically scan CSDs and add these URLs to the list of parcel repo URLs on every startup of Cloudera Manager. Uncheck this if you only want custom URLs to be present in the list.

Related Name**Default Value**

true

API Name

parcel_install_csd_repo_urls

Required

false

Maximum Parcel Uploads

Description

Maximum number of concurrent uploads allowed to distribute parcels to individual hosts. The maximum allowed number of concurrent uploads is 50.

Related Name**Default Value**

10

API Name

parcel_max_upload

Required

true

Apply Permissions with respect to files installed by the parcels

Description

Apply Permissions for files installed by the parcels

Related Name**Default Value**

true

API Name

parcel_permissions

Required

true

Validate Parcel Relations

Description

Enforce that parcel dependencies are satisfied and conflicts are prevented when activating parcels. Parcel relations (Depends, Conflicts, and Replaces) can be defined in the manifests of parcel repositories. Cloudera Manager can also enforce some default relations if none are defined in the manifest.

Related Name**Default Value**

true

API Name

parcel_relation_validation

Required

true

Local Parcel Repository Path**Description**

Path to the local package parcel repository from which binaries are served to the Agents.

Related Name**Default Value**

/opt/cloudera/parcel-repo

API Name

parcel_repo_path

Required

true

Create System-Wide Symlinks for Active Parcels**Description**

Whether system-wide symlinks should be created for the active parcels (for example, /usr/bin/hadoop).

Related Name**Default Value**

true

API Name

parcel_symlinks

Required

true

Parcel Update Frequency**Description**

How often to check local and remote parcel repositories for new parcels and if any old parcels should be cleaned up. Setting a value of 0 disables the parcel check.

Related Name**Default Value**

1 hour(s)

API Name

parcel_update_freq

Required

true

Create Users and Groups for Parcels**Description**

Whether a parcel's specified users, groups created. This may not be desired if custom users and groups are being used, or if they have to be created externally.

Related Name

Default Value

true

API Name

parcel_users_groups

Required

true

Remote Parcel Repository URLs**Description**

URLs of the remote parcel repositories where Cloudera Manager checks for new parcels. When checking for new parcels, Cloudera Manager sends the ID of the server and the server version to the repository host. The special variable {latest_supported} is replaced with the latest version of CDH that Cloudera Manager supports when checks are made.

Related Name**Default Value**

https://archive.cloudera.com/p/cdh7/latest_supported/parcels/ https://archive.cloudera.com/cdh7/latest_supported/parcels/ https://parcels.repos.intel.com/mkl/latest

API Name

remote_parcel_repo_urls

Required

false

Retain Downloaded Parcel Files**Description**

Whether downloaded parcel files be kept by Agents after they have been unpacked. Keeping the parcel files consumes additional disk space but allows downloads to be avoided if the parcel ever needs to be unpacked again.

Related Name**Default Value**

true

API Name

retain_parcels_in_cache

Required

true

Performance**Send Agent heartbeat every****Description**

The interval between each heartbeat that is sent from Agents to the server

Related Name**Default Value**

15 second(s)

API Name

heartbeat_interval

Required

true

Agent heartbeat requester**Description**

Whether heartbeat request must be made on-demand instead of relying on the next periodic heartbeat. System property setting "cmf.heartbeat.enableExplicit=false" takes precedence over this configuration.

Related Name**Default Value**

true

API Name

heartbeat_requester

Required

true

Multithread Configuration Generator Parallelism**Description**

Dynamically adjusts how many worker threads will be used to perform configuration generation by the Multithread Configuration Generator. Setting a value of 1 makes the generator work in sequential fashion (zero performance benefit). Higher values allow increased performance. This is recommended to be set to the number of available processor cores (this is the default setting). Adjustments are performed on the fly also when the generator is in operation.

Related Name**Default Value**

8

API Name

mt_config_generation_parallelism

Required

false

Ports and Addresses

Agent Port to connect to Server**Description**

Specify the port for Agents to use to connect to the Server. Must be 1024 or higher.

Related Name**Default Value**

7182

API Name

agent_port

Required

true

Cloudera Manager Hostname Override

Description

Override to use for Cloudera Manager's hostname. Normally this is determined automatically, but this can be used if `InetAddress.getLocalhost()` is returning the loopback address.

Related Name**Default Value****API Name**

cm_host_name

Required

false

Cloudera Manager Frontend URL

Description

If you are using a proxy such as Knox or a load balancer to access Cloudera Manager, specify the frontend URL of that proxy here. This will be used as a prefix for generating URLs and quick links. This should be in the form of `https://server:port` and should not contain any path information starting at `/cmf`. After making a change, restart the Event Server role to ensure all emails are generated using this url.

Related Name

frontend_url

Default Value**API Name**

frontend_url

Required

false

HTTP Port for Admin Console

Description

Specify the HTTP port to use to access the Server via the Admin Console. Must be 1024 or higher.

Related Name**Default Value**

7180

API Name

http_port

Required

true

HTTPS Port for Admin Console

Description

Specify the HTTPS port to use to access the Server via the Admin Console. Must be 1024 or higher.

Related Name**Default Value**

7183

API Name

https_port
Required
 true

Replication

The Replication page should be always visible

Description

The Replication page is by default not visible for non "Replication Administrator" users. Enable this to allow readonly access to the replication pages for non "Replication Administrator" users.

Related Name

Default Value

false

API Name

bdr_pages_always_visible

Required

true

Custom Kerberos Keytab Location (to be used for replication for secure clusters on this Cloudera Manager)

Description

Define a custom Kerberos keytab location on the Cloudera Manager host to use for replication. If this configuration is specified, the "Custom Kerberos Principal Name" must also be specified. The keytab should be owned by the user running the Cloudera Manager server process (typically "cloudera-scm") and should be configured with a filesystem access control of "0400".

Related Name

Default Value

API Name

bdr_replication_kerberos_keytab_location

Required

false

Custom Kerberos Principal Name (to be used for replication for secure clusters on this Cloudera Manager)

Description

Define a custom Kerberos principal name with an entry in the custom keytab defined in "Custom Kerberos Keytab Location". The principal should be a fully qualified name of an existing principal (eg. adminuser@MY.COMPANY.COM) and the principal must have an entry in the keytab specified in "Custom Kerberos Keytab Location". The principal should also be a superuser in all distributed file system services on secure clusters in this Cloudera Manager.

Related Name

Default Value

API Name

bdr_replication_kerberos_principal_name

Required

false

Use Multithreaded Remote Command Executor**Description**

When enabled, a multithreaded executor will be used to start and monitor remote commands (e.g. Hive/HDFS replication). This usually results in better performance when many remote commands are running concurrently.

Related Name**Default Value**

false

API Name

enable_multithreaded_remote_cmd_executor

Required

false

Remote Executor Thread Keepalive Time**Description**

Time after which the remote command executor should clean up unused threads.

Related Name**Default Value**

3 minute(s)

API Name

multithreaded_remote_cmd_executor_keepalive_time

Required

false

Maximum Number Of Remote Executor Threads**Description**

Maximum number of threads used to start and monitor remote commands.

Related Name**Default Value**

192

API Name

multithreaded_remote_cmd_executor_max_threads

Required

false

Reports

Report Configurations**Description**

List of configurations for the Cluster Utilization Report.

Related Name

Default Value

[name: Default, tenantType: POOL, daysOfWeek: [], isAllDay: true, startHourOfDay: 0, endHourOfDay: 23 , name: Weekdays, tenantType: POOL, daysOfWeek: [1, 2, 3, 4, 5], isAllDay: true, startHourOfDay: 0, endHourOfDay: 23]

API Name

report_configurations

Required

true

Security

Sleep timeout for regenerate credentials in Active Directory

Description

The time to wait after deleting an old principal and allowing this deletion to replicate on all Active Directory servers in sufficient time. This is to ensure a successful creation of a new principal after the deletion process. Set the timeout value according to your Active Directory setup i.e. number of Active Directory server replicas. If the value is too low, then an error of "stale principal" might occur i.e (Constraint violation on attribute userPrincipalName). Note: This won't take effect if the parameter is set to 0.

Related Name**Default Value**

10 second(s)

API Name

ad_wait_time_for_regenerate

Required

false

Use TLS Encryption for Agents

Description

Select this option to enable TLS encryption between the Server and Agents.

Related Name**Default Value**

false

API Name

agent_tls

Required

false

JKS Keystore File Password for Automatic TLS configuration

Description

The password for JKS keystore file used for automatic TLS configuration of Cloudera Manager server, agent and services.

Related Name**Default Value**

API Name

auto_tls_keystore_password

Required

false

JKS Truststore File Password for Automatic TLS configuration**Description**

The password for JKS truststore file used for automatic TLS configuration of Cloudera Manager server, agent and services.

Related Name**Default Value****API Name**

auto_tls_truststore_password

Required

false

Automatic configuration of TLS for services**Description**

Allows automatic configuration of TLS for services using Cloudera Manager's TLS configuration without specifying TLS related settings like keystore path, password etc. for each service.

Related Name**Default Value**

NONE

API Name

auto_tls_type

Required

false

Redaction Parameters for Diagnostic Bundles**Description**

Note: Do not edit this property in the classic layout. Switch to the new layout to edit and test your rules inline. Use this property to define a list of rules to be followed for redacting sensitive information from diagnostic bundles. Click + to add a new redaction rule. You can choose one of the preconfigured rules or add a custom rule. When specifying a custom rule, the Search field should contain a regular expression to be matched against the data. If a match is found, it is replaced by the contents of the Replace field. Trigger is an optional field. It can be used to specify a simple string to be searched in the data. If the string is found, the redactor attempts to find a match for the Search regex. If no trigger is specified, redaction occurs by matching the Search regular expression. Use the Trigger field to enhance performance: simple string matching is faster than regular expression matching. Test your rules by entering sample text into the Test Redaction Rules text box and clicking Test Redaction. If no rules match, the text you entered is returned unchanged.

Related Name**Default Value**

version: 1, rules: [description: Redact passwords from json files, caseSensitive: false, trigger: password, search: \password\[]*:[]*\[^\]+, replace: \password\; \BUNDLE-REDACTED \, description: Redact password= and password:, caseSensitive: false, trigger: password, search: password[:=]\[^\ \\\]+, replace: password=BUNDLE-REDACTED , description: Redact

passwd= and passwd:, caseSensitive: false, trigger: passwd, search: passwd[:=][^ \\\\]+, replace: passwd=BUNDLE-REDACTED , description: Redact pass= and pass:, caseSensitive: false, trigger: pass, search: pass[:=][^ \\\\]+, replace: pass=BUNDLE-REDACTED , description: Redact PASSWORD, , caseSensitive: false, trigger: PASSWORD, , search: PASSWORD, [^ \\\\]+, replace: PASSWORD, BUNDLE-REDACTED , description: Redact key= and key:, caseSensitive: false, trigger: key, search: key[:=][^ \\\\]+, replace: key=BUNDLE-REDACTED , description: Redact secret= and secret:, caseSensitive: false, trigger: secret, search: secret[:=][^ \\\\]+, replace: secret=BUNDLE-REDACTED , description: Redact credential= and credential:, caseSensitive: false, trigger: credential, search: credential[:=][^ \\\\]+, replace: credential=BUNDLE-REDACTED , description: Redact token= and token:, caseSensitive: false, trigger: token, search: token[:=][^ \\\\]+, replace: token=BUNDLE-REDACTED , description: Redact keyid= and keyid:, caseSensitive: false, trigger: keyid, search: keyid[:=][^ \\\\]+, replace: keyid=BUNDLE-REDACTED]

API Name

diag_bundle_redaction_policy

Required

false

Host certificate generator command.**Description**

Utility to be executed on CM server host to generate certificates for a new host. Host name will be passed as the sole positional argument. The process is expected to write to stdout a zip file containing keys/certificates.

Related Name**Default Value****API Name**

host_cert_generator

Required

false

Cloudera Manager TLS/SSL Server Keystore File Password**Description**

The password for the Cloudera Manager keystore file.

Related Name**Default Value****API Name**

keystore_password

Required

false

Cloudera Manager TLS/SSL Server Keystore File Location**Description**

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Cloudera Manager is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name**Default Value**

API Name

keystore_path

Required

false

Java Keystore Type**Description**

Type of Java keystore used for all keystores and trust stores. Default value is set to JKS. Some types may require a crypto provider to be configured. Example values: JKS, JCEKS, PKCS12, BCFKS.
Note: Default value for CM running in FIPS mode is BCFKS.

Related Name**Default Value**

jks

API Name

keystore_type

Required

false

Show Last Login**Description**

When enabled, shows the last login details for the current user in the user profile.

Related Name**Default Value**

true

API Name

last_login_enabled

Required

false

Verify Agent Hostname Against Certificate**Description**

Select this option to verify that agent hostnames must match their TLS client certificates.

Related Name**Default Value**

true

API Name

need_agent_hostname_validation

Required

true

Use TLS Authentication of Agents to Server**Description**

Select this option to enable TLS Authentication of Agents to the Server.

Related Name

Default Value

false

API Name

need_agent_validation

Required

true

Minimum password length**Description**

Minimum number of characters, including letters, digits, and special characters required in the password for local Cloudera Manager users.

Related Name**Default Value**

0

API Name

password_min_length

Required

false

Minimum number of digits required in password**Description**

Specifies the minimum number of digits required in the password.

Related Name**Default Value**

0

API Name

password_min_no_of_digits

Required

false

Minimum number of letters required in password**Description**

Specifies the minimum number of letters required in the password.

Related Name**Default Value**

0

API Name

password_min_no_of_letters

Required

false

Minimum number of special characters required in password**Description**

Specifies the minimum number of non-alphanumeric characters required in the password.

Related Name**Default Value**

0

API Name

password_min_no_of_special_chars

Required

false

HTTP Referer Check**Description**

Whether to verify "Referer" in HTTP header for state changing requests. This protects against cross-site request forgery, but may need to be turned off if browsers or proxies in your environment do not specify the header.

Related Name**Default Value**

true

API Name

referer_check

Required

true

Maximum Number of Active User Sessions**Description**

Restrict users to a certain number of active sessions at a time. If set, a user is limited to the specified number of sessions, and the oldest session is terminated if the user logs in somewhere else. If not set, users can be logged in from as many places as they choose. If the user has 'Remember Me' turned on, or SAML is used for authentication, the user is automatically logged back in each time the session is ended. '0' means no limit is applied.

Related Name**Default Value**

0

API Name

session_limit_concurrency

Required

true

Allow 'Remember Me' Option**Description**

Whether to allow a user to select 'Remember Me' when logging in. If this is set, the user will not need to log in again for two weeks (unless the server is restarted during that time). If the user chooses 'Remember Me', then the session timeout is ignored.

Related Name**Default Value**

true

API Name

session_remember_me

Required

true

Session Timeout**Description**

The length of time a user's session can be idle for before the user must log in again.

Related Name**Default Value**

30 minute(s)

API Name

session_timeout

Required

true

Show Stacktraces On Error Pages**Description**

Control whether stacktraces are shown on error pages. While stacktraces help with debugging, they can sometimes expose sensitive information to a potentially malicious user.

Related Name**Default Value**

false

API Name

show_stacktraces

Required

true

Server SSL Certificate Host Name**Description**

Host name associated with CM Server SSL certificate to be passed to configuration of newly added host as the host agents are to connect to.

Related Name**Default Value****API Name**

ssl_certificate_hostname

Required

false

Supported SSL/TLS versions**Description**

The SSL/TLS protocol versions to accept HTTPS connections from. Note that the available cipher suites also affect which protocol versions can be negotiated, and some cipher suites are only available in higher versions.

Related Name

Default Value

TLSv1.2

API Name

supported_tls_versions

Required

true

Cloudera Manager TLS/SSL Trust Store Password**Description**

The password for the Cloudera Manager TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name**Default Value****API Name**

truststore_password

Required

false

Cloudera Manager TLS/SSL Trust Store File**Description**

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Cloudera Manager might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name**Default Value****API Name**

truststore_path

Required

false

Use TLS Encryption for Admin Console**Description**

Enable TLS encryption (HTTPS) between the user and the Cloudera Manager Admin Console. When checked, the HTTPS port will be used.

Related Name**Default Value**

false

API Name

web_tls

Required

false

Support

Audit Records Eviction Frequency

Description

Frequency (in hours) to remove records from Cloudera Manager Audit table. Setting it to 0 will disable this function.

Related Name**Default Value**

23 hour(s)

API Name

audit_records_evict_frequency

Required

false

Audit Records batch eviction size

Description

Audit records are removed in batches. This field configures the size of the batch.

Related Name**Default Value**

0

API Name

audit_records_evict_no_of_records

Required

false

Audit Records Eviction Control

Description

Enable removal of records from Cloudera Manager Audit table. None means stop removing audit records.

Related Name**Default Value**

HOUR

API Name

audit_records_evit_schedule

Required

true

Audit Records Life Time

Description

Remove Audit Records older than the configured date

Related Name**Default Value**

API Name

audit_records_life_time

Required

false

Number of Diagnostic Bundles to Keep**Description**

The maximum number of command results to keep before deleting them from local storage. This property is used for the commands that generate large result files. A value of -1 indicates no limit.

Related Name**Default Value**

10

API Name

cluster_stats_count

Required

false

Scheduled Diagnostic Data Size (MB)**Description**

Approximate size in MB of scheduled diagnostic data bundle

Related Name**Default Value**

100

API Name

cluster_stats_default_size_mb

Required

false

Use HTTPS to Upload Diagnostic Data**Description**

Whether to use HTTPS to upload diagnostic data bundles instead of the now-deprecated SFTP. Uses proxy settings from the network setting.

Related Name**Default Value**

true

API Name

cluster_stats_http

Required

true

Diagnostic Data Bundle Directory**Description**

Local directory to store diagnostic data bundles. Leave blank to store bundles for 24 hours. This directory must be writable by the cloudera-scm user.

Related Name

Default Value**API Name**

cluster_stats_path

Required

false

Scheduled Diagnostic Data Collection Frequency**Description**

Frequency of automatically collecting diagnostic data and sending to Cloudera support.

Related Name**Default Value**

WEEKLY

API Name

cluster_stats_schedule

Required

true

Scheduled Diagnostic Data Collection Time**Description**

Time of day to collect and send diagnostic data to Cloudera

Related Name**Default Value****API Name**

cluster_stats_start

Required

false

Diagnostic Data Temp Directory**Description**

Local path to assemble diagnostic data bundles. Leave blank to assemble these bundles in your JVM temp directory. Set this value if you run out of disk space while collecting diagnostic data.

Related Name**Default Value****API Name**

cluster_stats_tmp_path

Required

false

Collect Cloudera Manager database copy with Diagnostic Data Bundle**Description**

Allows the Server to create Cloudera Manager database copy and ship it with diagnostic data bundle for debugging purposes.

Related Name

Default Value

false

API Name

cm_db_dump

Required

true

Cloudera Manager Database Table Names to skip**Description**

List of tables to ignore while collecting Cloudera Manager Database dump

Related Name**Default Value****API Name**

cm_db_dump_list_to_ignore_tables

Required

false

Cloudera Manager Database bundle size (MB)**Description**

The maximum size of the Cloudera Manager database copy to be included with the Diagnostic Bundle

Related Name**Default Value**

1024

API Name

cm_db_dump_size_mb

Required

false

Diagnostic Bundle Collection Thread Pool Size**Description**

Maximum limit of threads used by Cloudera Manager during diagnostic bundle

Related Name**Default Value**

128

API Name

diag_bundle_max_threads

Required

false

Diagnostic Bundle Scale Factor**Description**

Scaling factor is directly proportional to the time taken to collect diagnostic bundle. Increase this value to reduce the timeouts during data collection

Related Name**Default Value**

0.133

API Name

diag_bundle_scale_out_factor

Required

false

Send Diagnostic Data to Cloudera Automatically**Description**

Allows the Server to automatically send diagnostic data when a collection is triggered.

Related Name**Default Value**

true

API Name

phone_home

Required

true

Stale Process Threshold Days**Description**

Stale processes are ones that have been stopped. Cloudera Manager removes information about these stale processes from the Cloudera Manager Database after a configurable number of days. This field allows changing that number of days.

Related Name**Default Value**

1 day(s)

API Name

stale_process_threshold

Required

false

Suppressions

Suppress Parameter Validation: Active Directory Account Prefix**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Active Directory Account Prefix parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_ad_account_prefix

Required

true

Suppress Parameter Validation: Active Directory Suffix**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Active Directory Suffix parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_ad_kdc_domain

Required

true

Suppress Parameter Validation: Active Directory LDAP Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Active Directory LDAP Port parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_ad_ldap_port

Required

true

Suppress Parameter Validation: Active Directory LDAPS Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Active Directory LDAPS Port parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_ad_ldaps_port

Required

true

Suppress Parameter Validation: Agent Port to connect to Server**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Agent Port to connect to Server parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_agent_port

Required

true

Suppress Parameter Validation: ECS App Domain Unique Regex**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the ECS App Domain Unique Regex parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_app_domain_unique_regex

Required

true

Suppress Parameter Validation: External Authentication Program Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the External Authentication Program Path parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_auth_script

Required

true

Suppress Parameter Validation: JKS Keystore File Password for Automatic TLS configuration**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JKS Keystore File Password for Automatic TLS configuration parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_auto_tls_keystore_password

Required

true

Suppress Parameter Validation: JKS Truststore File Password for Automatic TLS configuration**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JKS Truststore File Password for Automatic TLS configuration parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_auto_tls_truststore_password

Required

true

Suppress Parameter Validation: Custom Kerberos Keytab Location (to be used for replication for secure clusters on this Cloudera Manager)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Kerberos Keytab Location (to be used for replication for secure clusters on this Cloudera Manager) parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_bdr_replication_kerberos_keytab_location

Required

true

Suppress Parameter Validation: Custom Kerberos Principal Name (to be used for replication for secure clusters on this Cloudera Manager)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Kerberos Principal Name (to be used for replication for secure clusters on this Cloudera Manager) parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_bdr_replication_kerberos_principal_name

Required

true

Suppress Parameter Validation: CDP Private Cloud Repository URLs**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the CDP Private Cloud Repository URLs parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_cdppc_repo_urls

Required

true

Suppress Parameter Validation: Diagnostic Data Bundle Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Diagnostic Data Bundle Directory parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_cluster_stats_path

Required

true

Suppress Parameter Validation: Diagnostic Data Temp Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Diagnostic Data Temp Directory parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_cluster_stats_tmp_path

Required

true

Suppress Parameter Validation: Cloudera Manager Database Table Names to skip**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cloudera Manager Database Table Names to skip parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_cm_db_dump_list_to_ignore_tables

Required

true

Suppress Parameter Validation: Cloudera Manager Hostname Override**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cloudera Manager Hostname Override parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_cm_host_name

Required

true

Suppress Parameter Validation: Cloudera Manager Server Local Data Storage Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cloudera Manager Server Local Data Storage Directory parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_command_storage_path

Required

true

Suppress Configuration Validator: Multithread Config Generator Parallelism validator**Description**

Whether to suppress configuration warnings produced by the Multithread Config Generator Parallelism validator configuration validator.

Related Name**Default Value**

false

API Name

scm_config_suppression_config_gen_executor_parallelism_validator

Required

true

Suppress Parameter Validation: Cross Entity Aggregate Generation Filters**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cross Entity Aggregate Generation Filters parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_cross_entity_aggregate_filters

Required

true

Suppress Parameter Validation: Local Descriptor Repository Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Local Descriptor Repository Path parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_csd_repo_path

Required

true

Suppress Parameter Validation: Custom Banner Text**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Banner Text parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_custom_banner_html

Required

true

Suppress Parameter Validation: Custom Information Assurance Policy Text**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Information Assurance Policy Text parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_custom_ia_policy

Required

true

Suppress Parameter Validation: Redaction Parameters for Diagnostic Bundles**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Redaction Parameters for Diagnostic Bundles parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_diag_bundle_redaction_policy

Required

true

Suppress Parameter Validation: Cloudera Manager Agent Connections Disabled Protocols**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cloudera Manager Agent Connections Disabled Protocols parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_disabled_agent_connection_protocols

Required

true

Suppress Parameter Validation: Extra JVM arguments for Java-based services**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Extra JVM arguments for Java-based services parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_extra_jvm_opts

Required

true

Suppress Parameter Validation: Cloudera Manager Frontend URL**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cloudera Manager Frontend URL parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_frontend_url

Required

true

Suppress Parameter Validation: Custom Kerberos Keytab Retrieval Script**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Kerberos Keytab Retrieval Script parameter.

Related Name

Default Value

false

API Name

scm_config_suppression_gen_keytab_script

Required

true

Suppress Parameter Validation: Agent Heartbeat Logging Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Agent Heartbeat Logging Directory parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_heartbeat_logging_dir

Required

true

Suppress Parameter Validation: Host certificate generator command.**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Host certificate generator command. parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_host_cert_generator

Required

true

Suppress Parameter Validation: HTTP Port for Admin Console**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HTTP Port for Admin Console parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_http_port

Required

true

Suppress Parameter Validation: HTTPS Port for Admin Console**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HTTPS Port for Admin Console parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_https_port

Required

true

Suppress Parameter Validation: Active Directory Domain Controller Override**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Active Directory Domain Controller Override parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_kdc_account_creation_host_override

Required

true

Suppress Parameter Validation: KDC Admin Server Host**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the KDC Admin Server Host parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_kdc_admin_host

Required

true

Suppress Parameter Validation: KDC Server Host**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the KDC Server Host parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_kdc_host

Required

true

Suppress Parameter Validation: Cloudera Manager TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cloudera Manager TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

scm_config_suppression_keystore_password

Required

true

Suppress Parameter Validation: Cloudera Manager TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cloudera Manager TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

scm_config_suppression_keystore_path

Required

true

Suppress Parameter Validation: Exclude Users for SPNEGO/Kerberos Authentication

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Exclude Users for SPNEGO/Kerberos Authentication parameter.

Related Name

Default Value

false

API Name

scm_config_suppression_krb_auth_exclude_users

Required

true

Suppress Parameter Validation: Keytab File for SPNEGO Authentication Override

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Keytab File for SPNEGO Authentication Override parameter.

Related Name

Default Value

false

API Name

scm_config_suppression_krb_auth_keytab

Required

true

Suppress Parameter Validation: Kerberos Principal for SPNEGO Authentication Override**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Principal for SPNEGO Authentication Override parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_krb_auth_principal

Required

true

Suppress Parameter Validation: Domain Name(s)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Domain Name(s) parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_krb_domain

Required

true

Suppress Configuration Validator: Validator for Advanced Configuration Snippet (Safety Valve) for remaining krb5.conf**Description**

Whether to suppress configuration warnings produced by the Validator for Advanced Configuration Snippet (Safety Valve) for remaining krb5.conf configuration validator.

Related Name**Default Value**

false

API Name

scm_config_suppression_krb_domain_realm

Required

true

Suppress Parameter Validation: Kerberos Encryption Types**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Encryption Types parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_krb_enc_types

Required

true

Suppress Parameter Validation: KDC Timeout**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the KDC Timeout parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_krb_kdc_timeout

Required

true

Suppress Parameter Validation: krb5.conf file path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the krb5.conf file path parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_krb_krb5_conf_path

Required

true

Suppress Parameter Validation: Advanced Configuration Snippet (Safety Valve) for [libdefaults] section of krb5.conf**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Advanced Configuration Snippet (Safety Valve) for [libdefaults] section of krb5.conf parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_krb_libdefaults_safety_valve

Required

true

Suppress Parameter Validation: Advanced Configuration Snippet (Safety Valve) for remaining krb5.conf**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Advanced Configuration Snippet (Safety Valve) for remaining krb5.conf parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_krb_other_safety_valve

Required

true

Suppress Parameter Validation: Advanced Configuration Snippet (Safety Valve) for the Default Realm in krb5.conf**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Advanced Configuration Snippet (Safety Valve) for the Default Realm in krb5.conf parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_krb_realms_safety_valve

Required

true

Suppress Parameter Validation: Kerberos Renewable Lifetime**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Renewable Lifetime parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_krb_renew_lifetime

Required

true

Suppress Parameter Validation: Kerberos Ticket Lifetime**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Ticket Lifetime parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_krb_ticket_lifetime

Required

true

Suppress Parameter Validation: LDAP Bind User Distinguished Name**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP Bind User Distinguished Name parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_ldap_bind_dn

Required

true

Suppress Parameter Validation: LDAP Bind Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP Bind Password parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_ldap_bind_pw

Required

true

Suppress Parameter Validation: LDAP Distinguished Name Pattern**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP Distinguished Name Pattern parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_ldap_dn_pattern

Required

true

Suppress Parameter Validation: LDAP Group Search Base**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP Group Search Base parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_ldap_group_search_base

Required

true

Suppress Parameter Validation: LDAP Group Search Filter**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP Group Search Filter parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_ldap_group_search_filter

Required

true

Suppress Parameter Validation: LDAP URL**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP URL parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_ldap_url

Required

true

Suppress Parameter Validation: LDAP User Search Base**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP User Search Base parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_ldap_user_search_base

Required

true

Suppress Parameter Validation: LDAP User Search Filter**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP User Search Filter parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_ldap_user_search_filter

Required

true

Suppress Configuration Validator: Mixed Packages And Parcels**Description**

Whether to suppress configuration warnings produced by the Mixed Packages And Parcels configuration validator.

Related Name**Default Value**

false

API Name

scm_config_suppression_mixed_packages_and_parcels

Required

true

Suppress Parameter Validation: Active Directory Domain**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Active Directory Domain parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_nt_domain

Required

true

Suppress Parameter Validation: PAM Service Name**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the PAM Service Name parameter.

Related Name

Default Value

false

API Name

scm_config_suppression_pam_service_name

Required

true

Suppress Parameter Validation: Automatically Downloaded Products**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Automatically Downloaded Products parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_parcel_autodownload_products

Required

true

Suppress Parameter Validation: No Proxy List**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the No Proxy List parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_parcel_no_proxy_list

Required

true

Suppress Parameter Validation: Proxy Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Proxy Password parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_parcel_proxy_password

Required

true

Suppress Parameter Validation: Proxy Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Proxy Port parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_parcel_proxy_port

Required

true

Suppress Parameter Validation: Proxy Server**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Proxy Server parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_parcel_proxy_server

Required

true

Suppress Parameter Validation: Proxy User**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Proxy User parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_parcel_proxy_user

Required

true

Suppress Parameter Validation: Local Parcel Repository Path**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Local Parcel Repository Path parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_parcel_repo_path

Required

true

Suppress Parameter Validation: Allowed Groups for Knox Proxy

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Allowed Groups for Knox Proxy parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_proxyuser_knox_groups

Required

true

Suppress Parameter Validation: Allowed Hosts for Knox Proxy

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Allowed Hosts for Knox Proxy parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_proxyuser_knox_hosts

Required

true

Suppress Parameter Validation: Knox Proxy Principal

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Knox Proxy Principal parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_proxyuser_knox_principal

Required

true

Suppress Parameter Validation: Allowed Users for Knox Proxy

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Allowed Users for Knox Proxy parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_proxyuser_knox_users

Required

true

Suppress Parameter Validation: Remote Parcel Repository URLs**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Remote Parcel Repository URLs parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_remote_parcel_repo_urls

Required

true

Suppress Parameter Validation: HTTP authentication password override for Cloudera Repositories**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HTTP authentication password override for Cloudera Repositories parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_remote_repo_override_password

Required

true

Suppress Parameter Validation: HTTP authentication username override for Cloudera Repositories**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the HTTP authentication username override for Cloudera Repositories parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_remote_repo_override_user

Required

true

Suppress Parameter Validation: Report Configurations**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Report Configurations parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_report_configurations

Required

true

Suppress Parameter Validation: SAML Entity Alias**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SAML Entity Alias parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_saml_entity_alias

Required

true

Suppress Parameter Validation: SAML Entity Base URL**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SAML Entity Base URL parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_saml_entity_base_url

Required

true

Suppress Parameter Validation: SAML Entity ID**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SAML Entity ID parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_saml_entity_id

Required

true

Suppress Parameter Validation: Alias of SAML Sign/Encrypt Private Key**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Alias of SAML Sign/Encrypt Private Key parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_saml_key_alias

Required

true

Suppress Parameter Validation: SAML Sign/Encrypt Private Key Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SAML Sign/Encrypt Private Key Password parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_saml_key_password

Required

true

Suppress Parameter Validation: SAML Keystore Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SAML Keystore Password parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_saml_keystore_password

Required

true

Suppress Parameter Validation: Path to SAML Keystore File**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Path to SAML Keystore File parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_saml_keystore_path

Required

true

Suppress Parameter Validation: SAML Login URL**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SAML Login URL parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_saml_login_url

Required

true

Suppress Parameter Validation: Path to SAML IDP Metadata File**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Path to SAML IDP Metadata File parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_saml_metadata_path

Required

true

Suppress Parameter Validation: SAML Attribute Identifier for User Role**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SAML Attribute Identifier for User Role parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_saml_oid_role

Required

true

Suppress Parameter Validation: SAML Attribute Identifier for User ID**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SAML Attribute Identifier for User ID parameter.

Related Name

Default Value

false

API Name

scm_config_suppression_saml_oid_user

Required

true

Suppress Parameter Validation: Path to SAML Role Assignment Script**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Path to SAML Role Assignment Script parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_saml_role_script

Required

true

Suppress Configuration Validator: Cloudera Manager Server Restart**Description**

Whether to suppress configuration warnings produced by the Cloudera Manager Server Restart configuration validator.

Related Name**Default Value**

false

API Name

scm_config_suppression_scm_server_restart

Required

true

Suppress Parameter Validation: Kerberos Security Realm**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Security Realm parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_security_realm

Required

true

Suppress Parameter Validation: Server SSL Certificate Host Name**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Server SSL Certificate Host Name parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_ssl_certificate_hostname

Required

true

Suppress Parameter Validation: System Identifier**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Identifier parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_system_identifier

Required

true

Suppress Configuration Validator: Tags Limit Validator**Description**

Whether to suppress configuration warnings produced by the Tags Limit Validator configuration validator.

Related Name**Default Value**

false

API Name

scm_config_suppression_tags_limit

Required

true

Suppress Configuration Validator: TLS With Kerberos Validator**Description**

Whether to suppress configuration warnings produced by the TLS With Kerberos Validator configuration validator.

Related Name**Default Value**

false

API Name

scm_config_suppression_tls_with_kerberos_validator

Required

true

Suppress Parameter Validation: Kerberos Trusted Realms

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kerberos Trusted Realms parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_trusted_realms

Required

true

Suppress Parameter Validation: Cloudera Manager TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cloudera Manager TLS/SSL Trust Store Password parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_truststore_password

Required

true

Suppress Parameter Validation: Cloudera Manager TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cloudera Manager TLS/SSL Trust Store File parameter.

Related Name**Default Value**

false

API Name

scm_config_suppression_truststore_path

Required

true

Cloudera Management Service

Role groups:

Activity Monitor - Unsupported Since 7.0.0

Advanced

Activity Monitor - Unsupported Since 7.0.0 Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

ACTIVITYMONITOR_role_env_safety_valve

Required

false

Event Publication Maximum Queue Size

Description

The maximum size of the queue in which events published from this role will be buffered. If this queue becomes full (for example, due to an outage), subsequent events will be dropped.

Related Name

activityevents.event.publish.queue.max

Default Value

20000

API Name

actmon_event_publication_queue_size_max

Required

true

Event Publication Retry Period

Description

If an event cannot be delivered immediately by this role, this value controls how long to wait before Event Publisher retries delivery.

Related Name

activityevents.event.publish.retry.ms

Default Value

5000

API Name

actmon_event_publication_retry_period

Required

true

Java Configuration Options for Activity Monitor - Unsupported Since 7.0.0

Description

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or greater, {{JAVA_GC_ARGS}} will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name**Default Value****API Name**

firehose_java_opts

Required

false

Activity Monitor - Unsupported Since 7.0.0 Advanced Configuration Snippet (Safety Valve) for cmon.conf**Description**

For advanced use only. A string to be inserted into cmon.conf for this role only.

Related Name**Default Value****API Name**

firehose_safety_valve

Required

false

Activity Monitor - Unsupported Since 7.0.0 Logging Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations**Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory

Description

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap for Cloudera Management Service When Out of Memory

Description

When set, generates a heap dump file for Cloudera Management Service when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory

Description

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name

Default Value

true

API Name

process_auto_restart

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Database

Activity Monitor - Unsupported Since 7.0.0 Database Hostname

Description

Name of host where Activity Monitor - Unsupported Since 7.0.0's database is running. It is highly recommended that this database is on the same host as the Activity Monitor - Unsupported Since 7.0.0. If the database is not running on its default port, specify the port number using this syntax: 'host:port'

Related Name

Default Value

localhost

API Name

firehose_database_host

Required

false

Activity Monitor - Unsupported Since 7.0.0 Database Name

Description

Name of the Activity Monitor - Unsupported Since 7.0.0's database.

Related Name

Default Value

firehose

API Name

firehose_database_name

Required

true

Activity Monitor - Unsupported Since 7.0.0 Database Password

Description

Password for logging in to the Activity Monitor - Unsupported Since 7.0.0 database

Related Name

db.hibernate.connection.password

Default Value

API Name

firehose_database_password

Required

false

Activity Monitor - Unsupported Since 7.0.0 Database Type

Description

Type of database to use for Activity Monitor - Unsupported Since 7.0.0.

Related Name

Default Value

mysql

API Name
firehose_database_type

Required
false

Activity Monitor - Unsupported Since 7.0.0 Database Username

Description
Username for logging in to the Activity Monitor - Unsupported Since 7.0.0 database.

Related Name
db.hibernate.connection.username

Default Value
firehose

API Name
firehose_database_user

Required
true

Logs

Activity Monitor - Unsupported Since 7.0.0 Logging Threshold

Description
The minimum log level for Activity Monitor - Unsupported Since 7.0.0 logs

Related Name

Default Value
INFO

API Name
log_threshold

Required
false

Activity Monitor - Unsupported Since 7.0.0 Maximum Log File Backups

Description
The maximum number of rolled log files to keep for Activity Monitor - Unsupported Since 7.0.0 logs. Typically used by log4j or logback.

Related Name

Default Value
10

API Name
max_log_backup_index

Required
false

Activity Monitor - Unsupported Since 7.0.0 Max Log Size

Description

The maximum size, in megabytes, per log file for Activity Monitor - Unsupported Since 7.0.0 logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Activity Monitor - Unsupported Since 7.0.0 Log Directory**Description**

Location of log files for Activity Monitor - Unsupported Since 7.0.0

Related Name**Default Value**

/var/log/cloudera-scm-firehose

API Name

mgmt_log_dir

Required

false

Monitoring

Activity Monitor Activity Monitor Pipeline Monitoring Thresholds**Description**

The health test thresholds for monitoring the Activity Monitor activity monitor pipeline. This specifies the number of dropped messages that will be tolerated over the monitoring time period.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

activitymonitor_activity_monitor_pipeline_thresholds

Required

false

Activity Monitor Activity Monitor Pipeline Monitoring Time Period**Description**

The time period over which the Activity Monitor activity monitor pipeline will be monitored for dropped messages.

Related Name**Default Value**

5 minute(s)

API Name

activitymonitor_activity_monitor_pipeline_window

Required

false

Activity Monitor Activity Tree Pipeline Monitoring Thresholds**Description**

The health test thresholds for monitoring the Activity Monitor activity tree pipeline. This specifies the number of dropped messages that will be tolerated over the monitoring time period.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

activitymonitor_activity_tree_pipeline_thresholds

Required

false

Activity Monitor Activity Tree Pipeline Monitoring Time Period**Description**

The time period over which the Activity Monitor activity tree pipeline will be monitored for dropped messages.

Related Name**Default Value**

5 minute(s)

API Name

activitymonitor_activity_tree_pipeline_window

Required

false

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

activitymonitor_fd_thresholds

Required

false

Activity Monitor - Unsupported Since 7.0.0 Host Health Test**Description**

When computing the overall Activity Monitor - Unsupported Since 7.0.0 health, consider the host's health.

Related Name**Default Value**

true

API Name

activitymonitor_host_health_enabled

Required

false

Pause Duration Thresholds**Description**

The health test thresholds for the weighted average extra time the pause monitor spent paused. Specified as a percentage of elapsed wall clock time.

Related Name**Default Value**

Warning: 30.0, Critical: 60.0

API Name

activitymonitor_pause_duration_thresholds

Required

false

Pause Duration Monitoring Period**Description**

The period to review when computing the moving average of extra time the pause monitor spent paused.

Related Name**Default Value**

5 minute(s)

API Name

activitymonitor_pause_duration_window

Required

false

Activity Monitor - Unsupported Since 7.0.0 Process Health Test**Description**

Enables the health test that the Activity Monitor - Unsupported Since 7.0.0's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

activitymonitor_scm_health_enabled

Required

false

Web Metric Collection**Description**

Enables the health test that the Cloudera Manager Agent can successfully contact and gather metrics from the web server.

Related Name**Default Value**

true

API Name

activitymonitor_web_metric_collection_enabled

Required

false

Web Metric Collection Duration**Description**

The health test thresholds on the duration of the metrics request to the web server.

Related Name**Default Value**

Warning: 10 second(s), Critical: Never

API Name

activitymonitor_web_metric_collection_thresholds

Required

false

Enable Health Alerts for this Role**Description**

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Rules to Extract Events from Log Files**Description**

This file contains the rules that govern how log messages are turned into events by the custom log4j appender that this role loads. It is in JSON format, and is composed of a list of rules. Every log message is evaluated against each of these rules in turn to decide whether or not to send an event for that message. If a log message matches multiple rules, the first matching rule is used.. Each rule has some or all of the following fields:

- alert - whether or not events generated from this rule should be promoted to alerts. A value of "true" will cause alerts to be generated. If not specified, the default is "false".
- rate (mandatory) - the maximum number of log messages matching this rule that can be sent as events every minute. If more than rate matching log messages are received in a single minute, the extra messages are ignored. If rate is less than 0, the number of messages per minute is unlimited.
- periodminutes - the number of minutes during which the publisher will only publish rate events or fewer. If not specified, the default is one minute
- threshold - apply this rule only to messages with this log4j severity level or above. An example is "WARN" for warning level messages or higher.
- content - match only those messages for which contents match this regular expression.

- `exceptiontype` - match only those messages that are part of an exception message. The exception type must match this regular expression.

Example:

- `{"alert": false, "rate": 10, "exceptiontype": "java.lang.StringIndexOutOfBoundsException"}` This rule sends events to Cloudera Manager for every `StringIndexOutOfBoundsException`, up to a maximum of 10 every minute.
- `{"alert": false, "rate": 1, "periodminutes": 1, "exceptiontype": ".*"}, {"alert": true, "rate": 1, "periodminutes": 1, "threshold": "ERROR"}` In this example, an event generated may not be promoted to alert if an exception is in the `ERROR` log message, because the first rule with `alert = false` will match.

Related Name

Default Value

version: 0, rules: [alert: false, rate: 0, threshold: WARN, content: .* is deprecated. Instead, use .* , alert: false, rate: 0, threshold: WARN, content: .* is deprecated. Use .* instead , alert: false, rate: 1, periodminutes: 1, threshold: FATAL , alert: false, rate: 1, periodminutes: 2, exceptiontype: .* , alert: false, rate: 1, periodminutes: 1, threshold: WARN]

API Name

`log_event_whitelist`

Required

false

Metric Filter

Description

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- **Health Test Metric Set** - Select this parameter to collect only metrics required for health tests.
- **Default Dashboard Metric Set** - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the `Custom Metrics` parameter.
- **Include/Exclude Custom Metrics** - Select `Include` to specify metrics that should be collected. Select `Exclude` to specify metrics that should not be collected. Enter the metric names to be included or excluded using the `Metric Name` parameter.
- **Metric Name** - The name of a metric that will be included or excluded during metric collection.

If you do not select `Health Test Metric Set` or `Default Dashboard Metric Set`, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- **Include only Health Test Metric Set:** Selected.
- **Include/Exclude Custom Metrics:** Set to `Include`.
- **Metric Name:** `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking `View as JSON`. In this example, the JSON looks like this: `{"includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name

Default Value

API Name

`monitoring_metric_filter`

Required

false

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL**Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**`$INFRA(cdp_request_signer_url)`**API Name**`otelcol_remote_write_url`**Required**`false`**OpenTelemetry Collector Remote Write Username****Description**

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify `$INFRA(cdp_request_signer_username)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**`$INFRA(cdp_request_signer_username)`**API Name**`otelcol_remote_write_user`**Required**`false`**Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section****Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**`otelcol_rtm_logs_exporters`**Required**`false`**Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section****Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**`otelcol_rtm_logs_extensions`**Required**`false`

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=\$ROLENAM and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}] See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Cloudera Manager Descriptor Age Thresholds**Description**

The health test thresholds for monitoring the time since the Cloudera Manager descriptor was last refreshed.

Related Name**Default Value**

Warning: 60000.0, Critical: 120000.0

API Name

scm_descriptor_age_thresholds

Required

false

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period**Description**

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other**Event Publication Log Quiet Time Period****Description**

To avoid producing excessive amounts of log output, the Event Publisher component of this role is limited to emitting one message per time period. This value controls the size of that time period.

Related Name

activityevents.event.publish.log.suppress.window.ms

Default Value

1 minute(s)

API Name

actmon_event_publication_log_suppress_window

Required

true

Use the Authentication Service to enable Single Sign On**Description**

Use the Authentication Service to enable Single Sign On for the Firehose debug servers. Requires a running Authentication Service.

Related Name

debug.servlet.auth.enabled

Default Value

false

API Name

debug_servlet_auth_enabled

Required

false

Purge Activities Data at This Age**Description**

In Activity Monitor, purge data about MapReduce jobs and aggregate activities when the data reaches this age in hours. By default, Activity Monitor keeps data about activities for 336 hours (14 days).

Related Name

firehose.activity.purge.duration.hours

Default Value

14 day(s)

API Name

firehose_activity_purge_duration_hours

Required

false

Purge Attempts Data at This Age**Description**

In the Activity Monitor, purge data about MapReduce attempts when the data reaches this age in hours. Because attempt data may consume large amounts of database space, you may wish to purge it more frequently than activity data. By default, Activity Monitor keeps data about attempts for 336 hours (14 days).

Related Name

firehose.attempt.purge.duration.hours

Default Value

14 day(s)

API Name

firehose_attempt_purge_duration_hours

Required

false

Starting Interval for Descriptor Fetch Attempts**Description**

The starting interval between fetch attempts for the SCM descriptor when Cloudera Management Service roles are starting. The interval is increased by an additional one second with each failed fetch attempt.

Related Name

mgmt.descriptor.fetch.frequency

Default Value

2 second(s)

API Name

mgmt_descriptor_fetch_frequency

Required

true

Descriptor Fetch Max Attempts**Description**

Maximum number of attempts to fetch the SCM descriptor when Cloudera Management Service roles are starting. If the roles are not able to get the descriptor in this number of attempts, then the roles exit.

Related Name

mgmt.num.descriptor.fetch.tries

Default Value

10

API Name

mgmt_num_descriptor_fetch_tries

Required

true

Purge MapReduce Service Data at This Age**Description**

The number of hours of past service-level data to keep in the Activity Monitor database, such as total slots running. The default is to keep data for 336 hours (14 days).

Related Name

timeseries.expiration.hours

Default Value

14 day(s)

API Name

timeseries_expiration_hours

Required

false

Performance**Maximum Process File Descriptors****Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses**Bind Activity Monitor - Unsupported Since 7.0.0 to Wildcard Address****Description**

If enabled, the Activity Monitor - Unsupported Since 7.0.0 binds to the wildcard address ("0.0.0.0") on all of its ports.

Related Name**Default Value**

false

API Name

amon_bind_wildcard

Required

false

Activity Monitor - Unsupported Since 7.0.0 Web UI Port**Description**

Port for Activity Monitor - Unsupported Since 7.0.0's Debug page. Set to -1 to disable the debug server.

Related Name

debug.servlet.port

Default Value

8087

API Name

firehose_debug_port

Required

false

Activity Monitor - Unsupported Since 7.0.0 Listen Port**Description**

Port where Activity Monitor - Unsupported Since 7.0.0 is listening for agent messages.

Related Name

firehose.server.port

Default Value

9999

API Name

firehose_listen_port

Required

false

Activity Monitor - Unsupported Since 7.0.0 Nozzle Port**Description**

Port where Activity Monitor - Unsupported Since 7.0.0's query API is exposed.

Related Name

nozzle.server.port

Default Value

9998

API Name

firehose_nozzle_port

Required

false

Resource Management**Java Heap Size of Activity Monitor - Unsupported Since 7.0.0 in Bytes****Description**

Maximum size in bytes for the Java Process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

1 GiB

API Name

firehose_heapsize

Required

false

Cgroup V1 BLKIO Weight**Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security**Activity Monitor Kerberos Principal****Description**

Kerberos principal used by the Activity Monitor. Note: Activity Monitoring should always use the principal used by Hue service.

Related Name**Default Value**

hue

API Name

kerberos_role_princ_name

Required

true

Enable TLS/SSL for Firehose Debug Server**Description**

Encrypt communication between clients and Firehose Debug Server using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

debug.servlet.https.enabled

Default Value

false

API Name

ssl_enabled

Required

false

Firehose Debug Server TLS/SSL Server Keystore File Location**Description**

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Firehose Debug Server is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

debug.servlet.https.keystorePath

Default Value**API Name**

ssl_server_keystore_location

Required

false

Firehose Debug Server TLS/SSL Server Keystore File Password**Description**

The password for the Firehose Debug Server keystore file.

Related Name

debug.servlet.https.keystorePassword

Default Value**API Name**

ssl_server_keystore_password

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency

Description

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions**Suppress Parameter Validation: Activity Monitor - Unsupported Since 7.0.0 Environment Advanced Configuration Snippet (Safety Valve)****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Activity Monitor - Unsupported Since 7.0.0 Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_activitymonitor_role_env_safety_valve

Required

true

Suppress Configuration Validator: CDH Version Validator**Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Activity Monitor - Unsupported Since 7.0.0 Database Hostname**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Activity Monitor - Unsupported Since 7.0.0 Database Hostname parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_database_host

Required

true

Suppress Parameter Validation: Activity Monitor - Unsupported Since 7.0.0 Database Name**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Activity Monitor - Unsupported Since 7.0.0 Database Name parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_database_name

Required

true

Suppress Parameter Validation: Activity Monitor - Unsupported Since 7.0.0 Database Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Activity Monitor - Unsupported Since 7.0.0 Database Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_database_password

Required

true

Suppress Parameter Validation: Activity Monitor - Unsupported Since 7.0.0 Database Username**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Activity Monitor - Unsupported Since 7.0.0 Database Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_database_user

Required

true

Suppress Parameter Validation: Activity Monitor - Unsupported Since 7.0.0 Web UI Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Activity Monitor - Unsupported Since 7.0.0 Web UI Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_debug_port

Required

true

Suppress Parameter Validation: Java Configuration Options for Activity Monitor - Unsupported Since 7.0.0**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for Activity Monitor - Unsupported Since 7.0.0 parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_java_opts

Required

true

Suppress Parameter Validation: Activity Monitor - Unsupported Since 7.0.0 Listen Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Activity Monitor - Unsupported Since 7.0.0 Listen Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_listen_port

Required

true

Suppress Parameter Validation: Activity Monitor - Unsupported Since 7.0.0 Nozzle Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Activity Monitor - Unsupported Since 7.0.0 Nozzle Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_nozzle_port

Required

true

Suppress Parameter Validation: Activity Monitor - Unsupported Since 7.0.0 Advanced Configuration Snippet (Safety Valve) for cmon.conf**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Activity Monitor - Unsupported Since 7.0.0 Advanced Configuration Snippet (Safety Valve) for cmon.conf parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_safety_valve

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Activity Monitor Kerberos Principal**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Activity Monitor Kerberos Principal parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_kerberos_role_princ_name

Required

true

Suppress Parameter Validation: Activity Monitor - Unsupported Since 7.0.0 Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Activity Monitor - Unsupported Since 7.0.0 Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Rules to Extract Events from Log Files**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Rules to Extract Events from Log Files parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log_event_whitelist

Required

true

Suppress Parameter Validation: Activity Monitor - Unsupported Since 7.0.0 Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Activity Monitor - Unsupported Since 7.0.0 Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_mgmt_log_dir

Required

true

Suppress Parameter Validation: Heap Dump Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Firehose Debug Server TLS/SSL Server Keystore File Location**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Firehose Debug Server TLS/SSL Server Keystore File Location parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: Firehose Debug Server TLS/SSL Server Keystore File Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Firehose Debug Server TLS/SSL Server Keystore File Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Activity Monitor Pipeline**Description**

Whether to suppress the results of the Activity Monitor Pipeline health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_activity_monitor_activity_monitor_pipeline

Required

true

Suppress Health Test: Activity Tree Pipeline**Description**

Whether to suppress the results of the Activity Tree Pipeline health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_activity_monitor_activity_tree_pipeline

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_activity_monitor_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_activity_monitor_file_descriptor

Required

true

Suppress Health Test: Heap Dump Directory Free Space**Description**

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_activity_monitor_heap_dump_directory_free_space

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_activity_monitor_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_activity_monitor_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_activity_monitor_otelcol_health

Required

true

Suppress Health Test: Pause Duration**Description**

Whether to suppress the results of the Pause Duration health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_activity_monitor_pause_duration

Required

true

Suppress Health Test: Cloudera Manager Descriptor Age**Description**

Whether to suppress the results of the Cloudera Manager Descriptor Age health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_activity_monitor_scm_descriptor_fetch

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_activity_monitor_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_activity_monitor_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_activity_monitor_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_activity_monitor_unexpected_exits

Required

true

Suppress Health Test: Web Server Status

Description

Whether to suppress the results of the Web Server Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_activity_monitor_web_metric_collection

Required

true

Alert Publisher

Advanced

Java Configuration Options for Alert Publisher

Description

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or greater, {{JAVA_GC_ARGS}} will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name
Default Value
API Name

alertpublisher_java_opts

Required

false

Alert Publisher Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name
Default Value
API Name

ALERTPUBLISHER_role_env_safety_valve

Required

false

Alert Publisher Advanced Configuration Snippet (Safety Valve) for alertpublisher.conf

Description

For advanced use only. A string to be inserted into alertpublisher.conf for this role only.

Related Name
Default Value
API Name

alertpublisher_safety_valve

Required

false

Alert Publisher Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name
Default Value

API Name

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations**Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap for Cloudera Management Service When Out of Memory**Description**

When set, generates a heap dump file for Cloudera Management Service when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory

Description

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

true

API Name

process_auto_restart

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Logs**Alert Publisher Logging Threshold****Description**

The minimum log level for Alert Publisher logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Alert Publisher Maximum Log File Backups**Description**

The maximum number of rolled log files to keep for Alert Publisher logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

Alert Publisher Max Log Size

Description

The maximum size, in megabytes, per log file for Alert Publisher logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Alert Publisher Log Directory

Description

Directory where Alert Publisher will place its log files.

Related Name**Default Value**

/var/log/cloudera-scm-alertpublisher

API Name

mgmt_log_dir

Required

false

Monitoring

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

alertpublisher_fd_thresholds

Required

false

Alert Publisher Host Health Test

Description

When computing the overall Alert Publisher health, consider the host's health.

Related Name**Default Value**

true

API Name

alertpublisher_host_health_enabled

Required

false

Alert Publisher Process Health Test**Description**

Enables the health test that the Alert Publisher's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

alertpublisher_scm_health_enabled

Required

false

Enable Health Alerts for this Role**Description**

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting eventserver_health_events_alert_threshold

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name

Default Value

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML**Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Rules to Extract Events from Log Files**Description**

This file contains the rules that govern how log messages are turned into events by the custom log4j appender that this role loads. It is in JSON format, and is composed of a list of rules. Every log message is evaluated against each of these rules in turn to decide whether or not to send an event for that message. If a log message matches multiple rules, the first matching rule is used.. Each rule has some or all of the following fields:

- alert - whether or not events generated from this rule should be promoted to alerts. A value of "true" will cause alerts to be generated. If not specified, the default is "false".
- rate (mandatory) - the maximum number of log messages matching this rule that can be sent as events every minute. If more than rate matching log messages are received in a single minute, the extra messages are ignored. If rate is less than 0, the number of messages per minute is unlimited.
- periodminutes - the number of minutes during which the publisher will only publish rate events or fewer. If not specified, the default is one minute
- threshold - apply this rule only to messages with this log4j severity level or above. An example is "WARN" for warning level messages or higher.
- content - match only those messages for which contents match this regular expression.
- exceptiontype - match only those messages that are part of an exception message. The exception type must match this regular expression.

Example:

- {"alert": false, "rate": 10, "exceptiontype": "java.lang.StringIndexOutOfBoundsException"} This rule sends events to Cloudera Manager for every StringIndexOutOfBoundsException, up to a maximum of 10 every minute.

- {"alert": false, "rate": 1, "periodminutes": 1, "exceptiontype": ".*"}, {"alert": true, "rate": 1, "periodminutes": 1, "threshold": "ERROR"} In this example, an event generated may not be promoted to alert if an exception is in the ERROR log message, because the first rule with alert = false will match.

Related Name**Default Value**

version: 0, rules: [alert: false, rate: 1, periodminutes: 1, threshold: FATAL , alert: false, rate: 1, periodminutes: 2, exceptiontype: .* , alert: false, rate: 1, periodminutes: 1, threshold: WARN]

API Name

log_event_whitelist

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: { "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }

Related Name**Default Value****API Name**

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

```
otelcol_exporters
```

Required

```
false
```

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

```
otelcol_extensions
```

Required

```
false
```

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

```
otelcol_helper_port
```

Required

```
false
```

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

```
otelcol_processors
```

Required

```
false
```

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: `$HOST_NAME`, `$CLUSTER_NAME`, `$CLUSTER_ID`, `$SERVICE_TYPE`, `$SERVICE_NAME`, `$ROLE_NAME`, `$ROLE_TYPE`, `$ROLE_PARAM(my_parameter_name)` - e.g.: a port parameter for the role's metrics, `$DECODE_B64(...)` and `$DECODE_URL(...)` to decode encoded parameters, `$ENV_PARAM(name)` to fetch params from the process' environment, `$SYS_PARAM(name)` to fetch java system properties.

Related Name

Default Value

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name

Default Value

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

`$INFRA(cdp_request_signer_url)`

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds

Description

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window

Description

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

`unexpected_exits_thresholds`

Required

false

Unexpected Exits Monitoring Period**Description**

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

`unexpected_exits_window`

Required

false

Other**Alerts: Enable Email Alerts****Description**

This setting allows you to turn email alert delivery on and off.

Related Name

`mailserver.enabled`

Default Value

true

API Name

`alert_mailserver_enabled`

Required

false

Alert: Mail From Address**Description**

The 'From' address to use for alert emails

Related Name**Default Value**

`noreply@localhost`

API Name

`alert_mailserver_from_address`

Required

false

Alerts: Mail Server Hostname

Description

The IP address or hostname of the mail server to send alerts to

Related Name**Default Value**

localhost

API Name

alert_mailserver_hostname

Required

true

Alerts: Mail Server Password

Description

The password to use to log into the mail server. Warning: this password will be sent over the network to the Alert Publisher host in clear text. In addition, the password will be stored in a plain text file on the Alert Publisher host with restrictive file system permissions.

Related Name**Default Value****API Name**

alert_mailserver_password

Required

false

Alerts: Mail Server Protocol

Description

The protocol to use for sending email alerts.

Related Name**Default Value**

smtp

API Name

alert_mailserver_protocol

Required

true

Alerts: Mail Message Recipients

Description

A comma-separated list of email addresses to send alerts to

Related Name**Default Value**

root@localhost

API Name

alert_mailserver_recipients

Required

true

Alerts: Mail Server Username**Description**

The username to use to log into the mail server

Related Name**Default Value****API Name**

alert_mailserver_username

Required

false

Custom Alert Script**Description**

If configured, this script is invoked on the machine hosting the alert publisher role. The script must be readable and executable by the cloudera-scm user. The script is passed, as a single argument, a path to a UTF-8 JSON file containing a list of alerts. Alerts are, by default, batched over time, and the batch size and the batch interval are configurable with the "Alert Publisher: Maximum Batch Size" and "Alert Publisher: Maximum Batch Interval" configuration options. The alerts file is deleted when the script finishes executing. Only one instance of this script is invoked at any given time, and the script must terminate. The standard out and standard error messages from this script are logged to the alert publisher role's log file.

Related Name

alert.script.path

Default Value**API Name**

alert_script_path

Required

false

Alert Publisher: Maximum Batch Size**Description**

The Alert Publisher can be configured to batch multiple alerts into a single email. This setting specifies the maximum number of alerts that will be batched into a single email (regardless of the batch interval).

Related Name

alert.aggregate.maxSize

Default Value

32

API Name

alertpublisher_aggregate_max_size

Required

false

Alert Publisher: Maximum Batch Interval**Description**

The Alert Publisher can be configured to batch multiple alerts into a single email. This setting specifies the maximum amount of time (in milliseconds) that the Alert Publisher waits before sending an email of the current batch.

Related Name

alert.aggregate.timeout.millis

Default Value

1 minute(s)

API Name

alertpublisher_aggregate_timeout

Required

false

Alert rules for email alerting**Description**

An alert rule defines which hosts / services / roles / health test alerts should be sent to which email addresses. Any number of alert rules can be created. If the alert matches to an alert rule, the alert rules with the lower priority won't be processed. Each alert rule has all of the following fields:

- severity - One of these values "WARNING" , "CRITICAL" , "BOTH". This defines the level of the alert severity.
- priority - Defines the order of the alert rule processing. The alert rule with the lowest priority will be processed first. Must be a non-negative integer.
- userProfiles - Defines which users should get the email alert. Any number of predefined user profiles can be listed there. If there are more than one profile here, the email alert will be sent to more addresses. If the field remains empty that means that the alerts won't be sent to anyone.
- clusters - Clusters that should be included to the alert rule. Can be an empty list.
- hosts - Hosts that should be included to the alert rule in addition to the host groups. Can be an empty list.
- services - Services that should be included to the alert rule in addition to the service groups. Can be an empty list.
- roles - Roles that should be included to the alert rule in addition to the role groups. Can be an empty list.
- hostGroups - Hosts that should be included to the alert rule. Any number of predefined host groups can be listed there. Can be an empty list. See "Host groups for email alerting".
- serviceGroups - Services that should be included to the alert rule. Any number of predefined service groups can be listed there. Can be an empty list. See "Service groups for email alerting".
- serviceTypes - Include all instances of a specific service. Can be an empty list.
- roleGroups - Roles that should be included to the alert rule. Any number of predefined role groups can be listed there. Can be an empty list. See "Role groups for email alerting".
- roleTypes - Include all instances of a specific role. Can be an empty list.
- healthTests - Include specific health tests. Can be an empty list.

Example: { "alertRules": [{ "severity": "WARNING", "priority": 0, "userProfiles": "Admins", "clusters": "Cluster 1" }] }

Related Name

alertpublisher.alert.rules

Default Value**API Name**

alertpublisher_alert_rules

Required

false

Alerts: Email footer**Description**

Optional. If not empty, the text entered here will be inserted verbatim as a footer in HTML and plain-text emails.

Related Name

alert.email.footer

Default Value**API Name**

alertpublisher_email_footer

Required

false

Alerts: Email header**Description**

Optional. If not empty, the text entered here will be inserted verbatim as a header in HTML and plain-text emails.

Related Name

alert.email.header

Default Value**API Name**

alertpublisher_email_header

Required

false

Host groups for email alerting**Description**

A host group defines a subset of hosts which can be used as one logical unit for email alerting. Any number of host groups can be created. Each host group must have all of the following fields:

- key - Name of the host group, which should be unique.
- value - Comma-separated list of host names. These should be valid host names or you'll get a validation error. In case of an empty list, it'll define a host group with all managed hosts.

Example: { "keyValues": [{ "key": "ManagementHosts", "value": "management-1.host.company.site,management-2.host.company.site" }] }

Related Name

alertpublisher.host.groups

Default Value**API Name**

alertpublisher_host_groups

Required

false

Role groups for email alerting

Description

A role group defines a subset of roles which can be used as one logical unit for email alerting. Any number of role groups can be created. Each role group must have all of the following fields:

- key - Name of the role group, which should be unique.
- value - Comma-separated list of role names. These should be the role names displayed in the Events page's filter or you'll get a validation error. In case of an empty list, it'll define a role group with all managed roles.

Example: { "keyValues": [{ "key": "Roles", "value": "DataNode (hdfs-1),DataNode (hdfs-2)" }] }

Related Name

alertpublisher.role.groups

Default Value

API Name

alertpublisher_role_groups

Required

false

Service groups for email alerting

Description

A service group defines a subset of services which can be used as one logical unit for email alerting. Any number of service groups can be created. Each service group must have all of the following fields:

- key - Name of the service group, which should be unique.
- value - Comma-separated list of service names. These should be the service names displayed on the service status pages or you'll get a validation error. In case of an empty list, it'll define a service group with all managed services.

Example: { "keyValues": [{ "key": "StorageServices", "value": "HBASE-1,HDFS-1" }] }

Related Name

alertpublisher.service.groups

Default Value

API Name

alertpublisher_service_groups

Required

false

User profiles for email alerting

Description

A user profile defines a user who should get the email alerts. Any number of user profiles can be created. Each user profile must have all of the following fields:

- key - Name of the user profile, which should be unique.
- value - Comma-separated list of email addresses.

Example: { "keyValues": [{ "key": "SysAdmins", "value": "sysadmin1@company.com,sysadmin2@company.com" }, { "key": "Admins", "value": "admin1@company.com,admin2@company.com" }] }

Related Name

alertpublisher.user.profiles

Default Value**API Name**

alertpublisher_user_profiles

Required

false

Alerts: Mail Message Format**Description**

The format of the email alert message. The 'JSON' format is easy for scripts/programs to parse. The 'HTML' and 'text' formats are designed to be easily read by people.

Related Name

mail.format

Default Value

html

API Name

mail_format

Required

true

Performance**Maximum Process File Descriptors****Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses**Alerts: Mail Server TCP Port****Description**

Optional. The TCP port where the mail server is listening. If not specified, defaults to 25 if SMTP is selected, or 465 if SMTPS is selected.

Related Name**Default Value****API Name**

alert_mailserver_port

Required

false

Alerts: Listen Port**Description**

Port where the Alert Publisher listens for internal API requests.

Related Name

alertpublisher.internalapi.port

Default Value

10101

API Name

alertpublisher_internalapi_port

Required

false

Resource Management**Java Heap Size of Alert Publisher in Bytes****Description**

Maximum size in bytes for the Java Process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

256 MiB

API Name

alert_heapsize

Required

false

Cgroup V1 BLKIO Weight**Description**

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares**Description**

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role

when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as

page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

SNMP**SNMP Authentication Protocol Pass Phrase****Description**

Pass phrase to use for SNMP authentication protocol

Related Name

alert.snmp.auth.password

Default Value**API Name**

alert_snmp_auth_password

Required

false

SNMP Authentication Protocol**Description**

Authentication algorithm to use for authentication

Related Name

alert.snmp.auth.protocol

Default Value

SHA

API Name

alert_snmp_auth_protocol

Required

false

SNMPv2 Community String**Description**

Community string to use to identify this service. Generated SNMPv2 traps will use this string for authentication purpose.

Related Name

alert.snmp.community

Default Value**API Name**

alert_snmp_community

Required

false

SNMP Retry Count**Description**

Number of time to try before trap is timed out. If this value is set to '0' the trap will be sent only once.

Related Name

alert.snmp.retries

Default Value

0

API Name

alert_snmp_retries

Required

true

SNMP Server Engine Id**Description**

Engine Id to use for authentication and privacy. Engine Id is normally a hexadecimal number (e.g. 8000173e03a0c095f80c68). Engine Id along with pass phrases are used to generate keys for authentication and privacy protocols.

Related Name

alert.snmp.security.engineid

Default Value**API Name**

alert_snmp_security_engineid

Required

false

SNMP Security Level

Description

Level of security to use for SNMP v3 protocol. Currently only 'no authentication' and 'authentication with no privacy' is supported. Select 'SNMPv2' to use 'Community String' based SNMPv2 authentication.

Related Name

alert.snmp.security.level

Default Value

SNMPv2

API Name

alert_snmp_security_level

Required

true

SNMP NMS Hostname

Description

Hostname of the SNMP NMS (network management software). It can be a DNS name or IP address of the host listening for SNMP traps and notifications. For reference, here is Cloudera Manager [SNMP Mib](#) .

Related Name

alert.snmp.server.hostname

Default Value**API Name**

alert_snmp_server_hostname

Required

false

SNMP Server Port

Description

Port number on which SNMP server is listening.

Related Name

alert.snmp.server.port

Default Value

162

API Name

alert_snmp_server_port

Required

true

SNMP Timeout

Description

Time to wait before an SNMP trap is resent or timed out.

Related Name

alert.snmp.timeout

Default Value

5 second(s)

API Name

alert_snmp_timeout

Required

true

SNMP Security UserName**Description**

Name of a user to use for SNMP security.

Related Name

alert.snmp.username

Default Value**API Name**

alert_snmp_username

Required

false

Stacks Collection**Stacks Collection Data Retention****Description**

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory**Description**

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency

Description

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method

Description

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Parameter Validation: Alert: Mail From Address

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Alert: Mail From Address parameter.

Related Name

Default Value

false

API Name

role_config_suppression_alert_mailserver_from_address

Required

true

Suppress Parameter Validation: Alerts: Mail Server Hostname**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Alerts: Mail Server Hostname parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_alert_mailserver_hostname

Required

true

Suppress Parameter Validation: Alerts: Mail Server Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Alerts: Mail Server Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_alert_mailserver_password

Required

true

Suppress Parameter Validation: Alerts: Mail Server TCP Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Alerts: Mail Server TCP Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_alert_mailserver_port

Required

true

Suppress Parameter Validation: Alerts: Mail Message Recipients**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Alerts: Mail Message Recipients parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_alert_mailserver_recipients

Required

true

Suppress Parameter Validation: Alerts: Mail Server Username**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Alerts: Mail Server Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_alert_mailserver_username

Required

true

Suppress Parameter Validation: Custom Alert Script**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Alert Script parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_alert_script_path

Required

true

Suppress Parameter Validation: SNMP Authentication Protocol Pass Phrase**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SNMP Authentication Protocol Pass Phrase parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_alert_snmp_auth_password

Required

true

Suppress Parameter Validation: SNMPv2 Community String**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SNMPv2 Community String parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_alert_snmp_community

Required

true

Suppress Parameter Validation: SNMP Server Engine Id**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SNMP Server Engine Id parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_alert_snmp_security_engineid

Required

true

Suppress Parameter Validation: SNMP NMS Hostname**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SNMP NMS Hostname parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_alert_snmp_server_hostname

Required

true

Suppress Parameter Validation: SNMP Server Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SNMP Server Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_alert_snmp_server_port

Required

true

Suppress Parameter Validation: SNMP Security UserName**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SNMP Security UserName parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_alert_snmp_username

Required

true

Suppress Parameter Validation: Alerts: Email footer**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Alerts: Email footer parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_alertpublisher_email_footer

Required

true

Suppress Parameter Validation: Alerts: Email header**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Alerts: Email header parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_alertpublisher_email_header

Required

true

Suppress Parameter Validation: Alerts: Listen Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Alerts: Listen Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_alertpublisher_internalapi_port

Required

true

Suppress Parameter Validation: Java Configuration Options for Alert Publisher**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for Alert Publisher parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_alertpublisher_java_opts

Required

true

Suppress Parameter Validation: Alert Publisher Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Alert Publisher Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_alertpublisher_role_env_safety_valve

Required

true

Suppress Parameter Validation: Alert Publisher Advanced Configuration Snippet (Safety Valve) for alertpublisher.conf**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Alert Publisher Advanced Configuration Snippet (Safety Valve) for alertpublisher.conf parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_alertpublisher_safety_valve

Required

true

Suppress Configuration Validator: CDH Version Validator**Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Alert Publisher Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Alert Publisher Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Rules to Extract Events from Log Files**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Rules to Extract Events from Log Files parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log_event_whitelist

Required

true

Suppress Parameter Validation: Alert Publisher Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Alert Publisher Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_mgmt_log_dir

Required

true

Suppress Parameter Validation: Heap Dump Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Configuration Validator: SNMP Validator**Description**

Whether to suppress configuration warnings produced by the SNMP Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_snmp_validator

Required

true

Suppress Parameter Validation: Stacks Collection Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_alert_publisher_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_alert_publisher_file_descriptor

Required

true

Suppress Health Test: Heap Dump Directory Free Space**Description**

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_alert_publisher_heap_dump_directory_free_space

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_alert_publisher_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_alert_publisher_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_alert_publisher_otelcol_health

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_alert_publisher_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_alert_publisher_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_alert_publisher_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_alert_publisher_unexpected_exits

Required

true

Event Server

Advanced

Java Configuration Options for Event Server

Description

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or greater, {{JAVA_GC_ARGS}} will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name**Default Value****API Name**

eventserver_java_opts

Required

false

Maximum Number of Events Returned by Any Query

Description

The maximum number of events that any query can return. Note: A high value can increase the amount of memory required by Event Server, as well as affect query response times.

Related Name

eventcatcher.max.query.events

Default Value

10000

API Name

eventserver_max_query_events

Required

true

Maximum Write Queue Length

Description

The maximum number of events that can be queued for write before further requests are rejected

Related Name

eventcatcher.ingest.pipeline.max

Default Value

10000

API Name

eventserver_max_write_queue_size

Required

true

Number of Core Event Writer Threads

Description

The number of threads that Event Server will use to write events to its store concurrently

Related Name

eventcatcher.num.ingest.threads

Default Value

2

API Name

eventserver_num_pipeline_threads

Required

true

Event Server Query Timeout

Description

The amount of time, in milliseconds, that Cloudera Manager and the Alert Publisher will wait for the Event Server to respond to a query.

Related Name

eventserver.query.timeout

Default Value

60000

API Name

eventserver_query_timeout

Required

false

Event Server Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

EVENTSERVER_role_env_safety_valve

Required

false

Event Server Advanced Configuration Snippet (Safety Valve) for eventserver.conf**Description**

For advanced use only. A string to be inserted into eventserver.conf for this role only.

Related Name**Default Value****API Name**

eventserver_safety_valve

Required

false

Event Server Logging Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations**Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when `java.lang.OutOfMemoryError` error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap for Cloudera Management Service When Out of Memory**Description**

When set, generates a heap dump file for Cloudera Management Service when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when `java.lang.OutOfMemoryError` is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

true

API Name

process_auto_restart

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name

Default Value

20

API Name

process_start_secs

Required

false

Logs

Event Server Logging Threshold

Description

The minimum log level for Event Server logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Event Server Maximum Log File Backups

Description

The maximum number of rolled log files to keep for Event Server logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

Event Server Max Log Size

Description

The maximum size, in megabytes, per log file for Event Server logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Event Server Log Directory

Description

Directory where Event Server will place its log files.

Related Name**Default Value**

/var/log/cloudera-scm-eventserver

API Name

mgmt_log_dir

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Event Store Capacity Monitoring Thresholds

Description

The health test thresholds on the number of events in the event store. Specified as a percentage of the maximum number of events in Event Server store.

Related Name**Default Value**

Warning: 115.0 %, Critical: 130.0 %

API Name

eventserver_capacity_thresholds

Required

false

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

eventserver_fd_thresholds

Required

false

Garbage Collection Duration Thresholds**Description**

The health test thresholds for the weighted average time spent in Java garbage collection. Specified as a percentage of elapsed wall clock time.

Related Name**Default Value**

Warning: 30.0, Critical: 60.0

API Name

eventserver_gc_duration_thresholds

Required

false

Garbage Collection Duration Monitoring Period**Description**

The period to review when computing the moving average of garbage collection time.

Related Name**Default Value**

5 minute(s)

API Name

eventserver_gc_duration_window

Required

false

Event Server Host Health Test**Description**

When computing the overall Event Server health, consider the host's health.

Related Name**Default Value**

true

API Name

eventserver_host_health_enabled

Required

false

Event Server Index Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's Event Server Index Directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

eventserver_index_directory_free_space_absolute_thresholds

Required

false

Event Server Index Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's Event Server Index Directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Event Server Index Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

eventserver_index_directory_free_space_percentage_thresholds

Required

false

Event Server Process Health Test**Description**

Enables the health test that the Event Server's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

eventserver_scm_health_enabled

Required

false

Web Metric Collection**Description**

Enables the health test that the Cloudera Manager Agent can successfully contact and gather metrics from the web server.

Related Name**Default Value**

true

API Name

eventserver_web_metric_collection_enabled

Required

false

Web Metric Collection Duration

Description

The health test thresholds on the duration of the metrics request to the web server.

Related Name**Default Value**

Warning: 10 second(s), Critical: Never

API Name

eventserver_web_metric_collection_thresholds

Required

false

Event Server Write Pipeline Monitoring Thresholds

Description

The health test thresholds for monitoring the Event Server write pipeline. This specifies the number of dropped messages that will be tolerated over the monitoring time period.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

eventserver_write_pipeline_thresholds

Required

false

Event Server Write Pipeline Monitoring Time Period

Description

The time period over which the Event Server write pipeline will be monitored for dropped messages.

Related Name**Default Value**

5 minute(s)

API Name

eventserver_write_pipeline_window

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Rules to Extract Events from Log Files**Description**

This file contains the rules that govern how log messages are turned into events by the custom log4j appender that this role loads. It is in JSON format, and is composed of a list of rules. Every log message is evaluated against each of these rules in turn to decide whether or not to send an event for that message. If a log message matches multiple rules, the first matching rule is used.. Each rule has some or all of the following fields:

- **alert** - whether or not events generated from this rule should be promoted to alerts. A value of "true" will cause alerts to be generated. If not specified, the default is "false".
- **rate** (mandatory) - the maximum number of log messages matching this rule that can be sent as events every minute. If more than rate matching log messages are received in a single minute, the extra messages are ignored. If rate is less than 0, the number of messages per minute is unlimited.
- **periodminutes** - the number of minutes during which the publisher will only publish rate events or fewer. If not specified, the default is one minute
- **threshold** - apply this rule only to messages with this log4j severity level or above. An example is "WARN" for warning level messages or higher.
- **content** - match only those messages for which contents match this regular expression.

- `exceptiontype` - match only those messages that are part of an exception message. The exception type must match this regular expression.

Example:

- `{"alert": false, "rate": 10, "exceptiontype": "java.lang.StringIndexOutOfBoundsException"}` This rule sends events to Cloudera Manager for every `StringIndexOutOfBoundsException`, up to a maximum of 10 every minute.
- `{"alert": false, "rate": 1, "periodminutes": 1, "exceptiontype": ".*"}, {"alert": true, "rate": 1, "periodminutes": 1, "threshold": "ERROR"}` In this example, an event generated may not be promoted to alert if an exception is in the ERROR log message, because the first rule with `alert = false` will match.

Related Name

Default Value

version: 0, rules: [alert: false, rate: 1, periodminutes: 1, threshold: FATAL , alert: false, rate: 1, periodminutes: 2, exceptiontype: .* , alert: false, rate: 1, periodminutes: 1, threshold: WARN]

API Name

`log_event_whitelist`

Required

false

Metric Filter

Description

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name

Default Value

API Name

`monitoring_metric_filter`

Required

false

OpenTelemetry Collector Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL**Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value`$INFRA(cdp_request_signer_url)`**API Name**`otelcol_remote_write_url`**Required**

false

OpenTelemetry Collector Remote Write Username**Description**

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify `$INFRA(cdp_request_signer_username)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**`$INFRA(cdp_request_signer_username)`**API Name**`otelcol_remote_write_user`**Required**

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**`otelcol_rtm_logs_exporters`**Required**

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**`otelcol_rtm_logs_extensions`**Required**

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAM and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Cloudera Manager Descriptor Age Thresholds**Description**

The health test thresholds for monitoring the time since the Cloudera Manager descriptor was last refreshed.

Related Name**Default Value**

Warning: 60000.0, Critical: 120000.0

API Name

scm_descriptor_age_thresholds

Required

false

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period**Description**

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other**Alert On Transitions Out of Alerting Health****Description**

If set, the health events for transitions out of an alertable health level will also be considered an alert. For example, consider an entity that is configured to alert when it has bad health. If that entity's health becomes bad, an alert will be generated. If this setting is enabled, an alert will also be generated when it returns to good health. If this setting is disabled, then no alert will be generated when it returns to good health. Note that an entity must have `enable_alerts` set to true for health alerts to be generated for it. And make sure to reference the per-entity setting to turn on health alerts.

Related Name**Default Value**

false

API Name

eventserver_alert_on_transition_out_of_alerting_health_enabled

Required

false

Health Alert Threshold**Description**

Threshold at which a health event will be considered an alert. Note that an entity must have `enable_alerts` set to true for health alerts to be generated for it. And make sure to reference the per-entity setting to turn on health alerts.

Related Name**Default Value**

Bad

API Name

eventserver_health_events_alert_threshold

Required

false

Event Server Index Directory**Description**

Location of the Lucene index for Event Server

Related Name

eventcatcher.server.lucenidir

Default Value

/var/lib/cloudera-scm-eventserver

API Name

eventserver_index_dir

Required

false

Maximum Number of Events in the Event Server Store**Description**

The maximum size of the Event Server store, in events. Once this size is exceeded, events is deleted started with the oldest first until the size of the store returns below this threshold

Related Name

eventcatcher.event.capacity

Default Value

5000000

API Name

eventserver_max_index_size

Required

true

Starting Interval for Descriptor Fetch Attempts**Description**

The starting interval between fetch attempts for the SCM descriptor when Cloudera Management Service roles are starting. The interval is increased by an additional one second with each failed fetch attempt.

Related Name

mgmt.descriptor.fetch.frequency

Default Value

2 second(s)

API Name

mgmt_descriptor_fetch_frequency

Required

true

Descriptor Fetch Max Attempts**Description**

Maximum number of attempts to fetch the SCM descriptor when Cloudera Management Service roles are starting. If the roles are not able to get the descriptor in this number of attempts, then the roles exit.

Related Name

mgmt.num.descriptor.fetch.tries

Default Value

10

API Name

mgmt_num_descriptor_fetch_tries

Required

true

Performance**Maximum Process File Descriptors****Description**

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses**Event Server Web UI Port****Description**

Port for the Event Server's Debug page. Set to -1 to disable debug server.

Related Name

eventcatcher.server.debug.port

Default Value

8084

API Name

eventserver_debug_port

Required

false

Event Query Port**Description**

Port on which the Event Server listens for queries for events.

Related Name

eventcatcher.server.httpport

Default Value

7185

API Name

eventserver_http_port

Required

false

Event Publish Port**Description**

Port on which the Event Server listens for the publication of events.

Related Name

eventcatcher.server.port

Default Value

7184

API Name

eventserver_listen_port

Required

false

Resource Management**Java Heap Size of EventServer in Bytes****Description**

Maximum size in bytes for the Java Process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

1 GiB

API Name

event_server_heapsize

Required

false

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares

Description

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight

Description

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Event Server Web UI Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Event Server Web UI Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_eventserver_debug_port

Required

true

Suppress Parameter Validation: Event Query Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Event Query Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_eventserver_http_port

Required

true

Suppress Parameter Validation: Event Server Index Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Event Server Index Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_eventserver_index_dir

Required

true

Suppress Parameter Validation: Java Configuration Options for Event Server

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for Event Server parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_eventserver_java_opts

Required

true

Suppress Parameter Validation: Event Publish Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Event Publish Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_eventserver_listen_port

Required

true

Suppress Parameter Validation: Event Server Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Event Server Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_eventserver_role_env_safety_valve

Required

true

Suppress Parameter Validation: Event Server Advanced Configuration Snippet (Safety Valve) for eventserver.conf**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Event Server Advanced Configuration Snippet (Safety Valve) for eventserver.conf parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_eventserver_safety_valve

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Event Server Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Event Server Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Rules to Extract Events from Log Files

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Rules to Extract Events from Log Files parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log_event_whitelist

Required

true

Suppress Parameter Validation: Event Server Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Event Server Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_mgmt_log_dir

Required

true

Suppress Parameter Validation: Heap Dump Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Stacks Collection Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test

Description

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_event_server_audit_health

Required

true

Suppress Health Test: Event Store Size

Description

Whether to suppress the results of the Event Store Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_event_server_event_store_size

Required

true

Suppress Health Test: File Descriptors

Description

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_event_server_file_descriptor

Required

true

Suppress Health Test: GC Duration

Description

Whether to suppress the results of the GC Duration health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_event_server_gc_duration

Required

true

Suppress Health Test: Heap Dump Directory Free Space**Description**

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_event_server_heap_dump_directory_free_space

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_event_server_host_health

Required

true

Suppress Health Test: Event Server Index Directory Free Space**Description**

Whether to suppress the results of the Event Server Index Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_event_server_index_directory_free_space

Required

true

Suppress Health Test: Log Directory Free Space

Description

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_event_server_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health

Description

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_event_server_otelcol_health

Required

true

Suppress Health Test: Cloudera Manager Descriptor Age

Description

Whether to suppress the results of the Cloudera Manager Descriptor Age health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_event_server_scm_descriptor_fetch

Required

true

Suppress Health Test: Process Status

Description

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_event_server_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_event_server_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_event_server_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits**Description**

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_event_server_unexpected_exits

Required

true

Suppress Health Test: Web Server Status

Description

Whether to suppress the results of the Web Server Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_event_server_web_metric_collection

Required

true

Suppress Health Test: Write Pipeline

Description

Whether to suppress the results of the Write Pipeline health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_event_server_write_pipeline

Required

true

Host Monitor

Advanced

Java Configuration Options for Host Monitor

Description

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or greater, {{JAVA_GC_ARGS}} will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name**Default Value****API Name**

firehose_java_opts

Required

false

Host Monitor Advanced Configuration Snippet (Safety Valve) for cmon.conf

Description

For advanced use only. A string to be inserted into cmon.conf for this role only.

Related Name**Default Value****API Name**

firehose_safety_valve

Required

false

Host Monitor Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

HOSTMONITOR_role_env_safety_valve

Required

false

Host Monitor Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory

Description

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap for Cloudera Management Service When Out of Memory

Description

When set, generates a heap dump file for Cloudera Management Service when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory

Description

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name

Default Value

true

API Name

process_auto_restart

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Event Publication Maximum Queue Size

Description

The maximum size of the queue in which events published from this role will be buffered. If this queue becomes full (for example, due to an outage), subsequent events will be dropped.

Related Name

health.event.publish.queue.max

Default Value

20000

API Name

svcmmon_event_publication_queue_size_max

Required

true

Event Publication Retry Period

Description

If an event cannot be delivered immediately by this role, this value controls how long to wait before Event Publisher retries delivery.

Related Name

health.event.publish.retry.ms

Default Value

5000

API Name

svcmmon_event_publication_retry_period

Required

true

Logs

Host Monitor Logging Threshold

Description

The minimum log level for Host Monitor logs

Related Name

Default Value

INFO

API Name

log_threshold

Required

false

Host Monitor Maximum Log File Backups

Description

The maximum number of rolled log files to keep for Host Monitor logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

Host Monitor Max Log Size**Description**

The maximum size, in megabytes, per log file for Host Monitor logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Host Monitor Log Directory**Description**

Location of log files for Host Monitor

Related Name**Default Value**

/var/log/cloudera-scm-firehose

API Name

mgmt_log_dir

Required

false

Monitoring**Metrics Aggregation Run Duration Thresholds****Description**

The health test thresholds for monitoring the metrics aggregation run duration.

Related Name**Default Value**

Warning: 10 second(s), Critical: 30 second(s)

API Name

aggregation_run_duration_thresholds

Required

false

Enable Health Alerts for this Role**Description**

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Host Monitor Storage Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's Host Monitor Storage Directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

firehose_storage_directory_free_space_absolute_thresholds

Required

false

Host Monitor Storage Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's Host Monitor Storage Directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Host Monitor Storage Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

firehose_storage_directory_free_space_percentage_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

hostmonitor_fd_thresholds

Required

false

Host Monitor Host Health Test**Description**

When computing the overall Host Monitor health, consider the host's health.

Related Name

Default Value

true

API Name

hostmonitor_host_health_enabled

Required

false

Host Monitor Host Pipeline Monitoring Thresholds**Description**

The health test thresholds for monitoring the Host Monitor host pipeline. This specifies the number of dropped messages that will be tolerated over the monitoring time period.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

hostmonitor_host_pipeline_thresholds

Required

false

Host Monitor Host Pipeline Monitoring Time Period**Description**

The time period over which the Host Monitor host pipeline will be monitored for dropped messages.

Related Name**Default Value**

5 minute(s)

API Name

hostmonitor_host_pipeline_window

Required

false

Pause Duration Thresholds**Description**

The health test thresholds for the weighted average extra time the pause monitor spent paused. Specified as a percentage of elapsed wall clock time.

Related Name**Default Value**

Warning: 30.0, Critical: 60.0

API Name

hostmonitor_pause_duration_thresholds

Required

false

Pause Duration Monitoring Period**Description**

The period to review when computing the moving average of extra time the pause monitor spent paused.

Related Name**Default Value**

5 minute(s)

API Name

hostmonitor_pause_duration_window

Required

false

Host Monitor Process Health Test

Description

Enables the health test that the Host Monitor's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

hostmonitor_scm_health_enabled

Required

false

Web Metric Collection

Description

Enables the health test that the Cloudera Manager Agent can successfully contact and gather metrics from the web server.

Related Name**Default Value**

true

API Name

hostmonitor_web_metric_collection_enabled

Required

false

Web Metric Collection Duration

Description

The health test thresholds on the duration of the metrics request to the web server.

Related Name**Default Value**

Warning: 10 second(s), Critical: Never

API Name

hostmonitor_web_metric_collection_thresholds

Required

false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Rules to Extract Events from Log Files**Description**

This file contains the rules that govern how log messages are turned into events by the custom log4j appender that this role loads. It is in JSON format, and is composed of a list of rules. Every log message is evaluated against each of these rules in turn to decide whether or not to send an event for that message. If a log message matches multiple rules, the first matching rule is used.. Each rule has some or all of the following fields:

- alert - whether or not events generated from this rule should be promoted to alerts. A value of "true" will cause alerts to be generated. If not specified, the default is "false".
- rate (mandatory) - the maximum number of log messages matching this rule that can be sent as events every minute. If more than rate matching log messages are received in a single minute, the extra messages are ignored. If rate is less than 0, the number of messages per minute is unlimited.
- periodminutes - the number of minutes during which the publisher will only publish rate events or fewer. If not specified, the default is one minute
- threshold - apply this rule only to messages with this log4j severity level or above. An example is "WARN" for warning level messages or higher.
- content - match only those messages for which contents match this regular expression.
- exceptiontype - match only those messages that are part of an exception message. The exception type must match this regular expression.

Example:

- {"alert": false, "rate": 10, "exceptiontype": "java.lang.StringIndexOutOfBoundsException"} This rule sends events to Cloudera Manager for every StringIndexOutOfBoundsException, up to a maximum of 10 every minute.
- {"alert": false, "rate": 1, "periodminutes": 1, "exceptiontype": ".*"}, {"alert": true, "rate": 1, "periodminutes": 1, "threshold": "ERROR"} In this example, an event generated may not be promoted to alert if an exception is in the ERROR log message, because the first rule with alert = false will match.

Related Name**Default Value**

```
version: 0, rules: [ alert: false, rate: 0, threshold: WARN, content: .* is deprecated. Instead, use .* ,
alert: false, rate: 0, threshold: WARN, content: .* is deprecated. Use .* instead , alert: false, rate: 1,
periodminutes: 1, threshold: FATAL , alert: false, rate: 1, periodminutes: 2, exceptiontype: .* , alert:
false, rate: 1, periodminutes: 1, threshold: WARN ]
```

API Name

log_event_whitelist

Required

false

Cloudera Manager Metric Schema Age Thresholds**Description**

The health test thresholds for monitoring the time since the Cloudera Manager metric schema was last refreshed.

Related Name

Default Value

Warning: 60000.0, Critical: 120000.0

API Name

metric_schema_age_thresholds_name

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking [View as JSON](#). In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name**Default Value****API Name**

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The

follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL**Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username**Description**

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify

`$INFRA(cdp_request_signer_username)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

`$INFRA(cdp_request_signer_username)`

API Name

`otelcol_remote_write_user`

Required

`false`

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

`otelcol_rtm_logs_exporters`

Required

`false`

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

`otelcol_rtm_logs_extensions`

Required

`false`

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

`otelcol_rtm_logs_processors`

Required

`false`

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)

Description

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds

Description

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name

Default Value

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers

Description

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAM and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

role_triggers

Required

true

Cloudera Manager Descriptor Age Thresholds

Description

The health test thresholds for monitoring the time since the Cloudera Manager descriptor was last refreshed.

Related Name

Default Value

Warning: 60000.0, Critical: 120000.0

API Name

scm_descriptor_age_thresholds

Required

false

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

Use the Authentication Service to enable Single Sign On

Description

Use the Authentication Service to enable Single Sign On for the Firehose debug servers. Requires a running Authentication Service.

Related Name

debug.servlet.auth.enabled

Default Value

false

API Name

debug_servlet_auth_enabled

Required

false

Host Monitor Storage Directory

Description

The directory where Host Monitor data is stored. The Host Monitor stores metric time series and health information.

Related Name

firehose.storage.base.directory

Default Value

/var/lib/cloudera-host-monitor

API Name

firehose_storage_dir

Required

true

Time-Series Storage

Description

The approximate amount of disk space dedicated to storing time series and health data. Once the store has reached its maximum size, older data is deleted to make room for newer data. The disk usage is approximate because data is deleted only when the limit is reached. Note that Cloudera Manager stores time-series data at a number of different data granularities, and these granularities have different effective retention periods. Specifically, Cloudera Manager stores metric data as both raw data points and ten-minutely, hourly, six-hourly, daily, and weekly summary data points. Raw data consumes the bulk of the allocated storage space, weekly summaries the least. As such, raw data is retained for the shortest amount of time, while weekly summary points are unlikely to ever be deleted. See the "Storage" tab on the 'Host Monitor' -> 'Charts Library' -> 'Host Monitor Storage' page for more information on how space is consumed within the Host Monitor. This tab also shows information about the amount of data retained and time window covered by each data granularity.

Related Name

firehose_time_series_storage_bytes

Default Value

10 GiB

API Name

firehose_time_series_storage_bytes

Required

false

Health Event Startup Policy

Description

This setting controls whether health events are emitted when this monitoring role is started. If set to "none", then no health events are emitted. If set to "bad" then health events are emitted for subjects with bad or concerning health. If set to "all" then health events are emitted for all subjects for all health values. The default is "bad".

Related Name

health.event.publish.startup.policy

Default Value

bad

API Name

health_event_publish_startup_policy

Required

false

Starting Interval for Descriptor Fetch Attempts**Description**

The starting interval between fetch attempts for the SCM descriptor when Cloudera Management Service roles are starting. The interval is increased by an additional one second with each failed fetch attempt.

Related Name

mgmt.descriptor.fetch.frequency

Default Value

2 second(s)

API Name

mgmt_descriptor_fetch_frequency

Required

true

Descriptor Fetch Max Attempts**Description**

Maximum number of attempts to fetch the SCM descriptor when Cloudera Management Service roles are starting. If the roles are not able to get the descriptor in this number of attempts, then the roles exit.

Related Name

mgmt.num.descriptor.fetch.tries

Default Value

10

API Name

mgmt_num_descriptor_fetch_tries

Required

true

Event Publication Log Quiet Time Period**Description**

To avoid producing excessive amounts of log output, the Event Publisher component of this role is limited to emitting one message per time period. This value controls the size of that time period.

Related Name

health.event.publish.log.suppress.window.ms

Default Value

1 minute(s)

API Name

svcmon_event_publication_log_suppress_window

Required

true

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses

Host Monitor Web UI Port

Description

Port for Host Monitor's Debug page. Set to -1 to disable the debug server.

Related Name

debug.servlet.port

Default Value

8091

API Name

firehose_debug_port

Required

false

Host Monitor Listen Port

Description

Port where Host Monitor is listening for agent messages.

Related Name

firehose.server.port

Default Value

9995

API Name

firehose_listen_port

Required

false

Host Monitor Nozzle Port

Description

Port where Host Monitor's query API is exposed.

Related Name

nozzle.server.port

Default Value

9994

API Name

firehose_nozzle_port

Required

false

Bind Host Monitor to Wildcard Address**Description**

If enabled, the Host Monitor binds to the wildcard address ("0.0.0.0") on all of its ports.

Related Name**Default Value**

false

API Name

hmon_bind_wildcard

Required

false

Resource Management**Java Heap Size of Host Monitor in Bytes****Description**

Maximum size in bytes for the Java Process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

1 GiB

API Name

firehose_heapsize

Required

false

Maximum Non-Java Memory of Host Monitor**Description**

The amount of memory the Host Monitor can use off of the Java heap.

Related Name

firehose_non_java_memory_bytes

Default Value

2 GiB

API Name

firehose_non_java_memory_bytes

Required

false

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares

Description

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight

Description

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)

Description

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security

Enable TLS/SSL for Firehose Debug Server

Description

Encrypt communication between clients and Firehose Debug Server using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

debug.servlet.https.enabled

Default Value

false

API Name

ssl_enabled

Required

false

Firehose Debug Server TLS/SSL Server Keystore File Location

Description

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Firehose Debug Server is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

debug.servlet.https.keystorePath

Default Value

API Name

ssl_server_keystore_location

Required

false

Firehose Debug Server TLS/SSL Server Keystore File Password

Description

The password for the Firehose Debug Server keystore file.

Related Name

debug.servlet.https.keystorePassword

Default Value

API Name

ssl_server_keystore_password

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory**Description**

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Host Monitor Web UI Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Host Monitor Web UI Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_debug_port

Required

true

Suppress Configuration Validator: Host Monitor Heap Size Validator**Description**

Whether to suppress configuration warnings produced by the Host Monitor Heap Size Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_host_monitor_heap_role_validator

Required

true

Suppress Configuration Validator: Host Monitor Off Heap Memory Size Validator**Description**

Whether to suppress configuration warnings produced by the Host Monitor Off Heap Memory Size Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_host_monitor_non_java_memory_role_validator

Required

true

Suppress Parameter Validation: Java Configuration Options for Host Monitor**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for Host Monitor parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_java_opts

Required

true

Suppress Parameter Validation: Host Monitor Listen Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Host Monitor Listen Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_listen_port

Required

true

Suppress Parameter Validation: Host Monitor Nozzle Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Host Monitor Nozzle Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_nozzle_port

Required

true

Suppress Parameter Validation: Host Monitor Advanced Configuration Snippet (Safety Valve) for cmon.conf**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Host Monitor Advanced Configuration Snippet (Safety Valve) for cmon.conf parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_safety_valve

Required

true

Suppress Parameter Validation: Host Monitor Storage Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Host Monitor Storage Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_storage_dir

Required

true

Suppress Parameter Validation: Host Monitor Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Host Monitor Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_hostmonitor_role_env_safety_valve

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Host Monitor Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Host Monitor Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Rules to Extract Events from Log Files**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Rules to Extract Events from Log Files parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log_event_whitelist

Required

true

Suppress Parameter Validation: Host Monitor Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Host Monitor Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_mgmt_log_dir

Required

true

Suppress Parameter Validation: Heap Dump Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Firehose Debug Server TLS/SSL Server Keystore File Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Firehose Debug Server TLS/SSL Server Keystore File Location parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: Firehose Debug Server TLS/SSL Server Keystore File Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Firehose Debug Server TLS/SSL Server Keystore File Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Metrics Aggregation Run Duration Test

Description

Whether to suppress the results of the Metrics Aggregation Run Duration Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_host_monitor_aggregation_run_duration

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_host_monitor_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_host_monitor_file_descriptor

Required

true

Suppress Health Test: Heap Dump Directory Free Space**Description**

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_host_monitor_heap_dump_directory_free_space

Required

true

Suppress Health Test: Host Health

Description

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_host_monitor_host_health

Required

true

Suppress Health Test: Host Pipeline

Description

Whether to suppress the results of the Host Pipeline health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_host_monitor_host_pipeline

Required

true

Suppress Health Test: Log Directory Free Space

Description

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_host_monitor_log_directory_free_space

Required

true

Suppress Health Test: Cloudera Manager Metric Schema Age

Description

Whether to suppress the results of the Cloudera Manager Metric Schema Age health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_host_monitor_metric_schema_fetch

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_host_monitor_otelcol_health

Required

true

Suppress Health Test: Pause Duration**Description**

Whether to suppress the results of the Pause Duration health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_host_monitor_pause_duration

Required

true

Suppress Health Test: Cloudera Manager Descriptor Age**Description**

Whether to suppress the results of the Cloudera Manager Descriptor Age health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_host_monitor_scm_descriptor_fetch

Required

true

Suppress Health Test: Process Status

Description

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_host_monitor_scm_health

Required

true

Suppress Health Test: Host Monitor Storage Directory Free Space

Description

Whether to suppress the results of the Host Monitor Storage Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_host_monitor_storage_directory_free_space

Required

true

Suppress Health Test: Swap Memory Usage

Description

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_host_monitor_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_host_monitor_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits**Description**

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_host_monitor_unexpected_exits

Required

true

Suppress Health Test: Web Server Status**Description**

Whether to suppress the results of the Web Server Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_host_monitor_web_metric_collection

Required

true

Navigator Audit Server

Advanced

Navigator Audit Server Logging Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations**Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Navigator Audit Server Advanced Configuration Snippet (Safety Valve) for db.navigator.properties**Description**

For advanced use only. A string to be inserted into db.navigator.properties for this role only.

Related Name**Default Value****API Name**

navigator_db_safety_valve

Required

false

Java Configuration Options for Navigator Audit**Description**

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or greater, {{JAVA_GC_ARGS}} will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name**Default Value****API Name**

navigator_java_opts

Required

false

Navigator Audit Server Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name

Default Value**API Name**

NAVIGATOR_role_env_safety_valve

Required

false

Navigator Audit Server Advanced Configuration Snippet (Safety Valve) for cloudera-navigator.properties**Description**

For advanced use only. A string to be inserted into cloudera-navigator.properties for this role only.

Related Name**Default Value****API Name**

navigator_server_safety_valve

Required

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap for Cloudera Management Service When Out of Memory**Description**

When set, generates a heap dump file for Cloudera Management Service when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory

Description

When set, a SIGKILL signal is sent to the role process when `java.lang.OutOfMemoryError` is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

PII Masking Regular Expression

Description

Regular expression that identifies the strings to be masked. Changing this expression does not mask the strings in previous entries. Leave blank to bypass masking. This feature is superseded by cluster-wide redaction of logs and SQL queries, as an HDFS service-wide configuration parameter.

Related Name

navigator.pii.masking.regex

Default Value

```
(4[0-9]12(?:[0-9]3?))|(5[1-5][0-9]14)|(3[47][0-9]13)|(3(?:0[0-5][68][0-9])[0-9]11)|(6(?:011|5[0-9]2)[0-9]12)|((?:2131|1800|35\d3)\d11)
```

API Name

pii_masking_regex

Required

false

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

true

API Name

process_auto_restart

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name

Default Value

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Database**Navigator Audit Server Database Hostname****Description**

Name of the host where Navigator Audit Server's database is running. It is highly recommended that this database is on the same host as Navigator Audit Server. If the database is not running on its default port, specify the port number using this syntax: 'host:port'

Related Name

navigator.db.host

Default Value

localhost

API Name

navigator_database_host

Required

false

Navigator Audit Server Database Name**Description**

The name of the Navigator Audit Server's database.

Related Name

navigator.db.name

Default Value

nav

API Name

navigator_database_name

Required

true

Navigator Audit Server Database Password**Description**

The password for Navigator Audit Server's database user account.

Related Name

navigator.db.password

Default Value**API Name**

navigator_database_password

Required

false

Navigator Audit Server Database Type**Description**

Type of database used for Navigator Audit Server.

Related Name

navigator.db.type

Default Value

mysql

API Name

navigator_database_type

Required

false

Navigator Audit Server Database Username**Description**

The username to use to log into Navigator Audit Server's database.

Related Name

navigator.db.user

Default Value

nav

API Name

navigator_database_user

Required

true

Logs

Navigator Audit Server Logging Threshold

Description

The minimum log level for Navigator Audit Server logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Navigator Audit Server Maximum Log File Backups

Description

The maximum number of rolled log files to keep for Navigator Audit Server logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

Navigator Audit Server Max Log Size

Description

The maximum size, in megabytes, per log file for Navigator Audit Server logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Navigator Audit Server Log Directory

Description

Directory where Navigator Audit Server will place its log files.

Related Name**Default Value**

/var/log/cloudera-scm-navigator

API Name

mgmt_log_dir

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML**Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name

Default Value

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Rules to Extract Events from Log Files**Description**

This file contains the rules that govern how log messages are turned into events by the custom log4j appender that this role loads. It is in JSON format, and is composed of a list of rules. Every log message is evaluated against each of these rules in turn to decide whether or not to send an event for that message. If a log message matches multiple rules, the first matching rule is used.. Each rule has some or all of the following fields:

- alert - whether or not events generated from this rule should be promoted to alerts. A value of "true" will cause alerts to be generated. If not specified, the default is "false".
- rate (mandatory) - the maximum number of log messages matching this rule that can be sent as events every minute. If more than rate matching log messages are received in a single minute, the extra messages are ignored. If rate is less than 0, the number of messages per minute is unlimited.
- periodminutes - the number of minutes during which the publisher will only publish rate events or fewer. If not specified, the default is one minute
- threshold - apply this rule only to messages with this log4j severity level or above. An example is "WARN" for warning level messages or higher.
- content - match only those messages for which contents match this regular expression.
- exceptiontype - match only those messages that are part of an exception message. The exception type must match this regular expression.

Example:

- {"alert": false, "rate": 10, "exceptiontype": "java.lang.StringIndexOutOfBoundsException"} This rule sends events to Cloudera Manager for every StringIndexOutOfBoundsException, up to a maximum of 10 every minute.
- {"alert": false, "rate": 1, "periodminutes": 1, "exceptiontype": ".*"}, {"alert": true, "rate": 1, "periodminutes": 1, "threshold": "ERROR"} In this example, an event generated may not be promoted to alert if an exception is in the ERROR log message, because the first rule with alert = false will match.

Related Name**Default Value**

version: 0, rules: [alert: false, rate: 0, threshold: WARN, content: .* is deprecated. Instead, use .* , alert: false, rate: 0, threshold: WARN, content: .* is deprecated. Use .* instead , alert: false, rate: 1, periodminutes: 1, threshold: FATAL , alert: false, rate: 1, periodminutes: 2, exceptiontype: .* , alert: false, rate: 1, periodminutes: 1, threshold: WARN]

API Name

log_event_whitelist

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: { "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }

Related Name**Default Value****API Name**

monitoring_metric_filter

Required

false

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

navigator_fd_thresholds

Required

false

Garbage Collection Duration Thresholds**Description**

The health test thresholds for the weighted average time spent in Java garbage collection. Specified as a percentage of elapsed wall clock time.

Related Name**Default Value**

Warning: 30.0, Critical: 60.0

API Name

navigator_gc_duration_thresholds

Required

false

Garbage Collection Duration Monitoring Period**Description**

The period to review when computing the moving average of garbage collection time.

Related Name**Default Value**

5 minute(s)

API Name

navigator_gc_duration_window

Required

false

Navigator Audit Server Host Health Test**Description**

When computing the overall Navigator Audit Server health, consider the host's health.

Related Name**Default Value**

true

API Name

navigator_host_health_enabled

Required

false

Navigator Audit Server Process Health Test**Description**

Enables the health test that the Navigator Audit Server's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

navigator_scm_health_enabled

Required

false

Web Metric Collection**Description**

Enables the health test that the Cloudera Manager Agent can successfully contact and gather metrics from the web server.

Related Name**Default Value**

true

API Name

navigator_web_metric_collection_enabled

Required

false

Web Metric Collection Duration**Description**

The health test thresholds on the duration of the metrics request to the web server.

Related Name**Default Value**

Warning: 10 second(s), Critical: Never

API Name

navigator_web_metric_collection_thresholds

Required

false

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port

Description

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name

Default Value

API Name

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters,

`$ENV_PARAM(name)` to fetch params from the process' environment, `$SYS_PARAM(name)` to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL**Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

`$INFRA(cdp_request_signer_url)`

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username**Description**

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify `$INFRA(cdp_request_signer_username)` when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value`$INFRA(cdp_request_signer_username)`**API Name**`otelcol_remote_write_user`**Required**`false`**Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section****Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**`otelcol_rtm_logs_exporters`**Required**`false`**Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section****Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**`otelcol_rtm_logs_extensions`**Required**`false`**Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section****Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**`otelcol_rtm_logs_processors`**Required**`false`**Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section****Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The

follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name

Default Value

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part of the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

Navigator Audit Server Data Expiration Period

Description

The number of hours of past audit events to keep in the Navigator Audit Server database. This will affect the size of the database.

Related Name

navigator.db.hours.retained

Default Value

90 day(s)

API Name

hours_retained

Required

false

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses

Navigator Audit Server Web UI Port

Description

The port where Navigator Audit Server starts a debug web server. Set to -1 to disable debug server.

Related Name

navigator.server.debug.port

Default Value

8089

API Name

navigator_debug_port

Required

false

Navigator Audit Server Port**Description**

The port where Navigator Audit Server listens for requests

Related Name

navigator.server.port

Default Value

7186

API Name

navigator_server_port

Required

false

Publishing

Kafka Topic**Description**

The name of the Kafka topic where Navigator will publish audit events.

Related Name**Default Value**

NavigatorAuditEvents

API Name

navigator_kafka_publishing_topic

Required

false

Resource Management

Java Heap Size of Auditing Server in Bytes**Description**

Maximum size in bytes for the Java Process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

1 GiB

API Name

navigator_heapsize

Required

false

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares

Description

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight

Description

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)

Description

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2'
These settings override other cgroup settings.

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight

Description

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security

Navigator Kerberos Principal

Description

Kerberos principal used by Navigator to authenticate to all services except HDFS. Note: Navigator should use the principal used by Hue service if you are using MapReduce1 service in any cluster.

Related Name**Default Value**

hue

API Name

kerberos_role_princ_name

Required

true

Navigator TLS/SSL Trust Store File

Description

The location on disk of the trust store, in .jks format, used to confirm the authenticity of TLS/SSL servers that Navigator might connect to. This trust store must contain the certificate(s) used to sign the service(s) connected to. If this parameter is not provided, the default list of well-known certificate authorities is used instead.

Related Name**Default Value****API Name**

navigator_truststore_file

Required

false

Navigator TLS/SSL Trust Store Password

Description

The password for the Navigator TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name**Default Value****API Name**

navigator_truststore_password

Required

false

Enable TLS/SSL for NAVIGATOR

Description

Encrypt communication between clients and NAVIGATOR using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

nav.http.enable_ssl

Default Value

false

API Name

ssl_enabled

Required

false

TLS/SSL Keystore Key Password**Description**

The password that protects the private key contained in the keystore used when NAVIGATOR is acting as a TLS/SSL server.

Related Name

nav.ssl.keyManagerPassword

Default Value**API Name**

ssl_server_keystore_keypassword

Required

false

TLS/SSL Keystore File Location**Description**

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when NAVIGATOR is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

nav.ssl.keyStorePath

Default Value**API Name**

ssl_server_keystore_location

Required

false

TLS/SSL Keystore File Password**Description**

The password for the NAVIGATOR keystore file.

Related Name

nav.ssl.keyStorePassword

Default Value**API Name**

ssl_server_keystore_password

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency

Description

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Navigator Kerberos Principal**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Navigator Kerberos Principal parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_kerberos_role_princ_name

Required

true

Suppress Parameter Validation: Navigator Audit Server Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Navigator Audit Server Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Rules to Extract Events from Log Files**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Rules to Extract Events from Log Files parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log_event_whitelist

Required

true

Suppress Parameter Validation: Navigator Audit Server Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Navigator Audit Server Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_mgmt_log_dir

Required

true

Suppress Parameter Validation: Navigator Audit Server Database Hostname**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Navigator Audit Server Database Hostname parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_navigator_database_host

Required

true

Suppress Parameter Validation: Navigator Audit Server Database Name**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Navigator Audit Server Database Name parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_navigator_database_name

Required

true

Suppress Parameter Validation: Navigator Audit Server Database Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Navigator Audit Server Database Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_navigator_database_password

Required

true

Suppress Parameter Validation: Navigator Audit Server Database Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Navigator Audit Server Database Username parameter.

Related Name

Default Value

false

API Name

role_config_suppression_navigator_database_user

Required

true

Suppress Parameter Validation: Navigator Audit Server Advanced Configuration Snippet (Safety Valve) for db.navigator.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Navigator Audit Server Advanced Configuration Snippet (Safety Valve) for db.navigator.properties parameter.

Related Name

Default Value

false

API Name

role_config_suppression_navigator_db_safety_valve

Required

true

Suppress Parameter Validation: Navigator Audit Server Web UI Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Navigator Audit Server Web UI Port parameter.

Related Name

Default Value

false

API Name

role_config_suppression_navigator_debug_port

Required

true

Suppress Parameter Validation: Java Configuration Options for Navigator Audit

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for Navigator Audit parameter.

Related Name

Default Value

false

API Name

role_config_suppression_navigator_java_opts

Required

true

Suppress Parameter Validation: Kafka Topic**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Kafka Topic parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_navigator_kafka_publishing_topic

Required

true

Suppress Parameter Validation: Navigator Audit Server Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Navigator Audit Server Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_navigator_role_env_safety_valve

Required

true

Suppress Parameter Validation: Navigator Audit Server Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Navigator Audit Server Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_navigator_server_port

Required

true

Suppress Parameter Validation: Navigator Audit Server Advanced Configuration Snippet (Safety Valve) for cloudera-navigator.properties

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Navigator Audit Server Advanced Configuration Snippet (Safety Valve) for cloudera-navigator.properties parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_navigator_server_safety_valve

Required

true

Suppress Parameter Validation: Navigator TLS/SSL Trust Store File

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Navigator TLS/SSL Trust Store File parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_navigator_truststore_file

Required

true

Suppress Parameter Validation: Navigator TLS/SSL Trust Store Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Navigator TLS/SSL Trust Store Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_navigator_truststore_password

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name`role_config_suppression_oom_heap_dump_dir`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Exporters Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_exporters`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Extensions Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_extensions`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Helper Port****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**`false`**API Name**`role_config_suppression_otelcol_helper_port`**Required**`true`**Suppress Parameter Validation: OpenTelemetry Collector Processors Section****Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: PII Masking Regular Expression

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the PII Masking Regular Expression parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_pii_masking_regex

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: TLS/SSL Keystore Key Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the TLS/SSL Keystore Key Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_keypassword

Required

true

Suppress Parameter Validation: TLS/SSL Keystore File Location**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the TLS/SSL Keystore File Location parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: TLS/SSL Keystore File Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the TLS/SSL Keystore File Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_navigator_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_navigator_file_descriptor

Required

true

Suppress Health Test: GC Duration**Description**

Whether to suppress the results of the GC Duration health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_navigator_gc_duration

Required

true

Suppress Health Test: Heap Dump Directory Free Space**Description**

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_navigator_heap_dump_directory_free_space

Required

true

Suppress Health Test: Host Health

Description

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_navigator_host_health

Required

true

Suppress Health Test: Log Directory Free Space

Description

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_navigator_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health

Description

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_navigator_otelcol_health

Required

true

Suppress Health Test: Process Status

Description

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_navigator_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_navigator_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_navigator_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits**Description**

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_navigator_unexpected_exits

Required

true

Suppress Health Test: Web Server Status**Description**

Whether to suppress the results of the Web Server Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_navigator_web_metric_collection

Required

true

Navigator Metadata Server**Advanced****Allow Usage Data Collection****Description**

Allows Cloudera to collect usage data, including the use of Google Analytics.

Related Name

nav.allow_usage_data

Default Value

true

API Name

allow_usage_data

Required

true

Navigator Metadata Server Logging Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations**Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Navigator Metadata Server Install Dir**Description**

The directory where Navigator Metadata Server is installed. This allows overriding the version packaged with the Cloudera Manager Server.

Related Name**Default Value****API Name**

nav_install_dir

Required

false

Navigator Metadata Server Client Advanced Configuration Snippet (Safety Valve) for navigator.client.properties**Description**

For advanced use only, a string to be inserted into the client configuration for navigator.client.properties.

Related Name**Default Value****API Name**

navigator_client_config_safety_valve

Required

false

Java Configuration Options for Navigator Metadata Server**Description**

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or greater, {{JAVA_GC_ARGS}} will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name**Default Value****API Name**

navigator_java_opts

Required

false

Navigator Metadata Server Advanced Configuration Snippet (Safety Valve) for cloudera-navigator.properties

Description

For advanced use only. A string to be inserted into cloudera-navigator.properties for this role only.

Related Name

Default Value

API Name

navigator_safety_valve

Required

false

Navigator Metadata Server Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name

Default Value

API Name

NAVIGATORMETASERVER_role_env_safety_valve

Required

false

Heap Dump Directory

Description

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap for Cloudera Management Service When Out of Memory

Description

When set, generates a heap dump file for Cloudera Management Service when an out-of-memory error occurs.

Related Name

Default Value

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

true

API Name

process_auto_restart

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Cloudera Navigator

Enable Audit Collection

Description

Enable collection of audit events from the service's roles.

Related Name

navigator.audit.enabled

Default Value

true

API Name

navigator_audit_enabled

Required

false

Audit Event Filter

Description

Event filters are defined in a JSON object like the following: { "defaultAction": ("accept", "discard"), "rules": [{ "action": ("accept", "discard"), "fields": [{ "name": "fieldName", "match": "regex" }] }] } A filter has a default action and a list of rules, in order of precedence. Each rule defines an action, and a list of fields to match against the audit event. A rule is "accepted" if all

the listed field entries match the audit event. At that point, the action declared by the rule is taken. If no rules match the event, the default action is taken. Actions default to "accept" if not defined in the JSON object. The following is the list of fields that can be filtered for NAVMS events:

- operation: Navigator operation performed e.g. auditReport, savedSearch etc.
- username: the user performing the action.
- ipAddress: the IP from where the request originated.
- allowed: whether the operation was allowed or denied.

Related Name

navigator.event.filter

Default Value**API Name**

navigator_audit_event_filter

Required

false

Database

Navigator Metadata Server Database Hostname

Description

Name of the host where the Navigator Metaserver database is running. If the database is not running on its default port, specify the port number using this syntax: 'host:port'.

Related Name

navms.db.host

Default Value

localhost

API Name

nav_metaserver_database_host

Required

false

Navigator Metadata Server Database Name

Description

The name of the Navigator Metadata Server database.

Related Name

navms.db.name

Default Value

navms

API Name

nav_metaserver_database_name

Required

true

Navigator Metadata Server Database Password

Description

The password for Navigator Metadata Server database user account.

Related Name

navms.db.password

Default Value**API Name**

nav_metaserver_database_password

Required

false

Navigator Metadata Server Database Type**Description**

Type of database used for Navigator Metadata Server.

Related Name

navms.db.type

Default Value

mysql

API Name

nav_metaserver_database_type

Required

false

Navigator Metadata Server Database Username**Description**

The username to use to log into the Navigator Metadata Server database.

Related Name

navms.db.user

Default Value

navms

API Name

nav_metaserver_database_user

Required

true

External Authentication**Authentication Backend Order****Description**

The order in which authentication backends are used for authenticating a user. For Cloudera Manager authentication, only users with role 'Full Administrator' and 'Navigator Administrator' are allowed. In addition, users authenticated by Cloudera Manager using external authentication mechanism are not allowed. Navigator will authenticate external users itself and will not rely on Cloudera Manager.

Related Name

nav.auth.backend.order

Default Value

CM_ONLY

API Name

auth_backend_order

Required

true

External Authentication Type**Description**

The type of external authentication system to use.

Related Name

nav.external.auth.type

Default Value

LDAP

API Name

external_auth_type

Required

true

Cloudera Navigator S3 Lineage AWS Credentials**Description**

Enable Cloudera Navigator to extract metadata and lineage for data that is written to S3 buckets in this account.

Related Name**Default Value****API Name**

nav_extraction_external_account

Required

false

LDAP Bind User Distinguished Name**Description**

Distinguished name of the user to bind to AD as for user authentication search/bind and group lookup for role authorization. For openLDAP based directories this should be a DN string, for Active Directory this can be just a username, combined with the "Active Directory Domain" value for login. For example username in the field and example.com in the active directory domain will result in the User Principal Name value of username@example.com being used to bind. If you put a UPM value here, do not over-configure the "active directory domain" field otherwise you will end up presenting username@example.com@example.com for binds. AD will accept a UPN value or the DN value as a valid Bind DN; An example of a Distinguished Name (DN): CN=cdh admin,OU=svcaccount,DC=example,DC=com An example of a UPN value: cdhadmin@example.com

Related Name

nav.ldap.bind.dn

Default Value**API Name**

nav_ldap_bind_dn

Required

false

LDAP Bind Password

Description

The password of the bind user.

Related Name

nav.ldap.bind.pw

Default Value**API Name**

nav_ldap_bind_pw

Required

false

LDAP Distinguished Name Pattern

Description

This setting is deprecated and soon to be removed, do not use LDAP Distinguished Name Pattern for configuration moving forward. It is not necessary to use and deprecated as a configuration approach for LDAP and AD in general.

Related Name

nav.ldap.dn.pattern

Default Value**API Name**

nav_ldap_dn_pattern

Required

false

LDAP Group Search Base

Description

The distinguished name indicating the path within the directory information tree to begin group searches from. For example in AD it would be cn=groups,dc=example,dc=com. Or in an openLDAP compatible situation it would be something like ou=groups,dc=example,dc=com. Check with your directory administration team on the proper search base to configure for your environment.

Related Name

nav.ldap.group.search.base

Default Value**API Name**

nav_ldap_group_search_base

Required

false

LDAP Group Search Filter For Logged In User

Description

A search filter for finding groups that the logged-in user belongs to. Typically, this is (member={0}), where {0} is replaced by the DN of a successfully authenticated user.

Related Name

nav.ldap.group.search.filter

Default Value**API Name**

nav_ldap_group_search_filter

Required

false

LDAP Groups Search Filter**Description**

The search filter to use for finding groups for authorization of authenticated users for their cloudera manager role. For Active Directory and openLDAP compatible directories this will usually be (member={0}), where {0} will be replaced by DN string for a successfully authenticated user through the search/bind process. This requires configuration of the LDAP Bind User Distinguished Name field.

Related Name

nav.ldap.groups.search.filter

Default Value

(&(objectClass=groupOfNames)(cn=*0*))

API Name

nav_ldap_groups_search_filter

Required

false

LDAP URL**Description**

The URL of the LDAP Server. The URL must be prefixed with ldap:// or ldaps:// . The URL can optionally specify a custom port if necessary, but by default the ldap:// will connect to port 389, and the ldaps:// will connect to port 636. Note that passwords will be in the clear if ldap:// is used, and by fall 2020 Active directory servers will no longer allow non LDAPS connections to bind to AD hosts with LDAP signing enabled. See microsoft knowledge document 935834 for more information.

Related Name

nav.ldap.url

Default Value**API Name**

nav_ldap_url

Required

false

LDAP User Search Base**Description**

The distinguished name indicating the path within the directory information tree to begin user searches from. For example in AD it would be cn=users,dc=example,dc=com. Or in an openLDAP compatible situation it would be something like ou=people,dc=example,dc=com. Check with your directory administration team on the proper user search base to configure for your environment.

Related Name

nav.ldap.user.search.base

Default Value

API Name

nav_ldap_user_search_base

Required

false

LDAP User Search Filter**Description**

The search filter to use for finding users. For AD configuration it will be (sAMAccountName={0}) and for openLDAP compatible directories it will usually be (uid={0}). Note that a custom attribute can also be used if the directory is configured differently for user names. The {0} expands the currently authenticating user's name entered in the login form for the query.

Related Name

nav.ldap.user.search.filter

Default Value**API Name**

nav_ldap_user_search_filter

Required

false

Active Directory Domain**Description**

Use this field for Active Directory configurations only, when combined with a simple username value in the "LDAP Bind User Distinguished Name" field, it will result in a UPM of user@example.com used for search/bind operations for authenticated user lookups.

Related Name

nav.nt_domain

Default Value**API Name**

nav_nt_domain

Required

false

SAML Entity Base URL**Description**

The Base URL used to construct redirect URLs reported in this server's SP metadata. Leave this blank to let the server calculate the base URL.

Related Name

nav.saml.entity.base_url

Default Value**API Name**

nav_saml_entity_base_url

Required

false

SAML Entity ID

Description

The ID that Navigator Metadata Server uses to identify itself to the IDP. This value should be unique to this Navigator Metadata Server installation.

Related Name

nav.saml.entity.id

Default Value

clouderaNavigator

API Name

nav_saml_entity_id

Required

true

Alias of SAML Sign/Encrypt Private Key

Description

The alias used to identify the sign/encrypt private key in the SAML keystore.

Related Name

nav.saml.key.alias

Default Value**API Name**

nav_saml_key_alias

Required

false

SAML Sign/Encrypt Private Key Password

Description

The password for the sign/encrypt private key in the SAML keystore.

Related Name

nav.saml.key.password

Default Value**API Name**

nav_saml_key_password

Required

false

SAML Keystore Password

Description

The password for the SAML keystore.

Related Name

nav.saml.keystore.password

Default Value**API Name**

nav_saml_keystore_password

Required

false

Path to SAML Keystore File

Description

The filesystem path to the keystore file containing the SP private key and any necessary public certificates to validate the IDP.

Related Name

nav.saml.keystore.path

Default Value

API Name

nav_saml_keystore_path

Required

false

SAML Login URL

Description

If your IDP does not support SP-initiated SSO (very uncommon), you use a separate login URL, outside of Navigator Metadata Server. Provide that URL here so that Navigator Metadata Server can use it when a user needs to log in.

Related Name

nav.saml.login.url

Default Value

API Name

nav_saml_login_url

Required

false

Path to SAML IDP Metadata File

Description

The filesystem path to the IDP metadata XML file.

Related Name

nav.saml.metadata.path

Default Value

API Name

nav_saml_metadata_path

Required

false

SAML Attribute Identifier for User Role

Description

The URN OID that identifies the user role in the SAML attributes. Only has an effect when 'Attribute'-based role assignment is used.

Related Name

nav.saml.oid.role

Default Value

urn:oid:2.5.4.11

API Name

nav_saml_oid_role

Required

true

SAML Attribute Identifier for User ID**Description**

The URN OID that identifies the user ID in the SAML attributes.

Related Name

nav.saml.oid.user

Default Value

urn:oid:0.9.2342.19200300.100.1.1

API Name

nav_saml_oid_user

Required

true

SAML Response Binding**Description**

The SAML binding format that the IDP is asked to use when sending authentication responses.

Related Name

nav.saml.response.binding

Default Value

ARTIFACT

API Name

nav_saml_response_binding

Required

true

SAML Attribute Values for Roles**Description**

The values that appear in the SAML role attribute for each Navigator Metadata Server role. The first value corresponds to the Full Administrator role. The second value corresponds to the User Administrator role. The third value corresponds to the Auditing Viewer role. The fourth value corresponds to the Lineage Viewer role. The fifth value corresponds to the Metadata Administrator role. The sixth value corresponds to the Policy Viewer role. The seventh value corresponds to the Policy Administrator role. To assign more than one role, the attribute can return values separated by a comma, like "role1, role2".

Related Name

nav.saml.role.map

Default Value

admin useradmin auditingviewer lineageviewer metadataadmin policyviewer policyadmin

API Name

nav_saml_role_map

Required

true

SAML Role Assignment Mechanism**Description**

The mechanism to use for assigning roles to users. 'Attribute' assigns roles based on a SAML attribute. 'Script' assigns roles based on the result of an external script.

Related Name

nav.saml.role.mapper

Default Value

ATTRIBUTE

API Name

nav_saml_role_mapper

Required

true

Path to SAML Role Assignment Script**Description**

An external script (or binary) to use to assign roles to SAML users. The username is passed as the first command-line argument. You can configure the return codes for the external script on the Roles page. A negative return value indicates a failure.

Related Name

nav.saml.role.script

Default Value**API Name**

nav_saml_role_script

Required

false

Source of User ID in SAML Response**Description**

Whether the user ID should be obtained from the SAML response NameID field or from an attribute

Related Name

nav.saml.user.source

Default Value

ATTRIBUTE

API Name

nav_saml_user_source

Required

true

Cloudera Telemetry Publisher S3 Bucket**Description**

The name of the S3 bucket where Cloudera Telemetry Publisher from remote clusters will upload metadata to for Cloudera Navigator.

Related Name

nav_telemetry_bucket_name

Default Value**API Name**

nav_telemetry_bucket_name

Required

false

Cloudera Telemetry Publisher AWS Credentials**Description**

Enable Cloudera Navigator to extract metadata and lineage from other clusters (e.g., Cloudera Altus) collected via Cloudera Telemetry Publisher.

Related Name**Default Value****API Name**

nav_telemetry_external_account

Required

false

Extractor Filter**HDFS Filter Enable****Description**

Enable HDFS Filtering. When Enabled, filters out the extraction of the items in the blacklist

Related Name

nav.filter.hdfs.enable

Default Value

false

API Name

nav_filter_hdfs_enable

Required

false

HDFS Filter Blacklist**Description**

List of paths to be filtered out. The paths can be regular expressions.

Related Name

nav.filter.hdfs.blacklist

Default Value**API Name**

nav_filter_hdfs_rules

Required

false

S3 Filter Default Action

Description

Set to Accept to extract all S3 buckets except for the ones blacklisted. Set to Discard to extract only the buckets that are whitelisted.

Related Name

nav.filter.s3.default.action

Default Value

ACCEPT

API Name

nav_filter_s3_default_action

Required

false

S3 Filter Enable

Description

Enable S3 Filtering

Related Name

nav.filter.s3.enable

Default Value

false

API Name

nav_filter_s3_enable

Required

false

S3 Filter list

Description

List of S3 buckets to be whitelisted or blacklisted. The strings can be regular expressions.

Related Name

nav.filter.s3.list

Default Value**API Name**

nav_filter_s3_rules

Required

false

Logs

Audit Log Directory

Description

Path to the directory where audit logs will be written. The directory will be created if it doesn't exist.

Related Name

audit_event_log_dir

Default Value

/var/log/cloudera-scm-navigator/audit

API Name

audit_event_log_dir

Required

false

Navigator Metadata Server Logging Threshold**Description**

The minimum log level for Navigator Metadata Server logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Navigator Metadata Server Maximum Log File Backups**Description**

The maximum number of rolled log files to keep for Navigator Metadata Server logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

Navigator Metadata Server Max Log Size**Description**

The maximum size, in megabytes, per log file for Navigator Metadata Server logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Navigator Metadata Server Log Directory**Description**

Directory where Navigator Metadata Server will place its log files.

Related Name

Default Value

/var/log/cloudera-scm-navigator

API Name

mgmt_log_dir

Required

false

Maximum Audit Log File Size**Description**

Maximum size of audit log file in MB before it is rolled over.

Related Name

navigator.audit_log_max_file_size

Default Value

100 MiB

API Name

navigator_audit_log_max_file_size

Required

false

Monitoring

Enable Health Alerts for this Role**Description**

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Rules to Extract Events from Log Files**Description**

This file contains the rules that govern how log messages are turned into events by the custom log4j appender that this role loads. It is in JSON format, and is composed of a list of rules. Every log message is evaluated against each of these rules in turn to decide whether or not to send an event for that message. If a log message matches multiple rules, the first matching rule is used.. Each rule has some or all of the following fields:

- **alert** - whether or not events generated from this rule should be promoted to alerts. A value of "true" will cause alerts to be generated. If not specified, the default is "false".
- **rate** (mandatory) - the maximum number of log messages matching this rule that can be sent as events every minute. If more than rate matching log messages are received in a single minute, the extra messages are ignored. If rate is less than 0, the number of messages per minute is unlimited.
- **periodminutes** - the number of minutes during which the publisher will only publish rate events or fewer. If not specified, the default is one minute
- **threshold** - apply this rule only to messages with this log4j severity level or above. An example is "WARN" for warning level messages or higher.
- **content** - match only those messages for which contents match this regular expression.

- `exceptiontype` - match only those messages that are part of an exception message. The exception type must match this regular expression.

Example:

- `{"alert": false, "rate": 10, "exceptiontype": "java.lang.StringIndexOutOfBoundsException"}` This rule sends events to Cloudera Manager for every `StringIndexOutOfBoundsException`, up to a maximum of 10 every minute.
- `{"alert": false, "rate": 1, "periodminutes": 1, "exceptiontype": ".*"}, {"alert": true, "rate": 1, "periodminutes": 1, "threshold": "ERROR"}` In this example, an event generated may not be promoted to alert if an exception is in the ERROR log message, because the first rule with `alert = false` will match.

Related Name

Default Value

version: 0, rules: [alert: false, rate: 0, threshold: WARN, content: .* is deprecated. Instead, use .* , alert: false, rate: 0, threshold: WARN, content: .* is deprecated. Use .* instead , alert: false, rate: 1, periodminutes: 1, threshold: FATAL , alert: false, rate: 1, periodminutes: 2, exceptiontype: .* , alert: false, rate: 1, periodminutes: 1, threshold: WARN]

API Name

`log_event_whitelist`

Required

false

Navigator Audit Failure Thresholds

Description

The health test thresholds for failures encountered when monitoring audits within a recent period specified by the `mgmt_navigator_failure_window` configuration for the role. The value that can be specified for this threshold is the number of bytes of audits data that is left to be sent to audit server.

Related Name

`mgmt.navigator.failure.thresholds`

Default Value

Warning: Never, Critical: Any

API Name

`mgmt_navigator_failure_thresholds`

Required

false

Monitoring Period For Audit Failures

Description

The period to review when checking if audits are blocked and not getting processed.

Related Name

`mgmt.navigator.failure.window`

Default Value

20 minute(s)

API Name

`mgmt_navigator_failure_window`

Required

false

Navigator Audit Pipeline Health Check

Description

Enable test of audit events processing pipeline. This will test if audit events are not getting processed by Audit Server for a role that generates audit.

Related Name

mgmt.navigator.status.check.enabled

Default Value

true

API Name

mgmt_navigator_status_check_enabled

Required

false

Metric Filter

Description

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name

Default Value

API Name

monitoring_metric_filter

Required

false

Audit Log Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's Audit Log Directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

navigatormetaserver_audit_event_log_directory_free_space_absolute_thresholds

Required

false

Audit Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's Audit Log Directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Audit Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

navigatormetaserver_audit_event_log_directory_free_space_percentage_thresholds

Required

false

Navigator Metadata Server Storage Dir Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's Navigator Metadata Server Storage Dir.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

navigatormetaserver_data_directory_free_space_absolute_thresholds

Required

false

Navigator Metadata Server Storage Dir Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's Navigator Metadata Server Storage Dir. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Navigator Metadata Server Storage Dir Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

navigatormetaserver_data_directory_free_space_percentage_thresholds

Required

false

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name

Default Value

Warning: 50.0 %, Critical: 70.0 %

API Name

navigatormetaserver_fd_thresholds

Required

false

Navigator Metadata Server Host Health Test

Description

When computing the overall Navigator Metadata Server health, consider the host's health.

Related Name

Default Value

true

API Name

navigatormetaserver_host_health_enabled

Required

false

Navigator Metadata Server Process Health Test

Description

Enables the health test that the Navigator Metadata Server's process state is consistent with the role configuration

Related Name

Default Value

true

API Name

navigatormetaserver_scm_health_enabled

Required

false

Solr Element Count Threshold

Description

Threshold for throwing alert when the Solr Element Count reaches

Related Name

Default Value

Warning: 5.0E8, Critical: 1.0E9

API Name

navigatormetaserver_solr_element_count_threshold

Required

false

Solr Relation Count Threshold**Description**

Threshold for throwing alert when the Solr Relation Count reaches

Related Name**Default Value**

Warning: 5.0E8, Critical: 1.0E9

API Name

navigatormetaserver_solr_relation_count_threshold

Required

false

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

exporters: prometheusremotewrite/\$ROLE_NAME: endpoint:
\$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/\$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

extensions: basicauth/\$ROLE_NAME: client_auth: username:
\$ROLE_PARAM(otelcol_remote_write_user) password:
'\$ROLE_PARAM(otelcol_remote_write_password)'

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: `$HOST_NAME`, `$CLUSTER_NAME`, `$CLUSTER_ID`, `$SERVICE_TYPE`, `$SERVICE_NAME`, `$ROLE_NAME`, `$ROLE_TYPE`, `$ROLE_PARAM(my_parameter_name)` - e.g.: a port parameter for the role's metrics, `$DECODE_B64(...)` and `$DECODE_URL(...)` to decode encoded parameters, `$ENV_PARAM(name)` to fetch params from the process' environment, `$SYS_PARAM(name)` to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name

Default Value

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL**Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username**Description**

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value**API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds

Description

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name

Default Value

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window

Description

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds

Description

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name

Default Value

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers

Description

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- triggerName (mandatory) - The name of the trigger. This value must be unique for the specific role.
- triggerExpression (mandatory) - A tsquery expression representing the trigger.

- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the `unexpected_exits_window` configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period**Description**

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

Navigator Metadata Server Storage Dir

Description

The directory where Navigator Metadata Server data is stored. Note that changing this location does not migrate existing data.

Related Name

nav.data.dir

Default Value

/var/lib/cloudera-scm-navigator

API Name

data_dir

Required

false

Default Facets

Description

List of metadata properties used by default for Navigator search facets. If no facets are listed, the facets used are some system properties such as "sourceType", "type", "owner", "clusterTemplate", "tags", "deleted". Your entries here replace these system facets. For example, to include some of the system properties and a managed property "region" in the "sales" namespace, include entries such as "type", "owner", and "sales.region".

Related Name

nav.search.default_facets

Default Value**API Name**

nav_search_default_facets

Required

false

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Policies

Enable Expression Input

Description

Allows policy properties to be specified using Java expressions.

Related Name

nav.policy.expression.enable

Default Value

false

API Name

nav_policies_expression_input

Required

false

JMS Password

Description

The password of the JMS user to which notifications of changes to entities affected by policies are sent.

Related Name

navms.jms.password

Default Value

API Name

nav_policies_jms_password

Required

false

JMS Queue

Description

The JMS queue to which notifications of changes to entities affected by policies are sent.

Related Name

navms.jms.queue

Default Value

Navigator

API Name

nav_policies_jms_queue

Required

false

JMS URL

Description

The URL of the JMS server to which notifications of changes to entities affected by policies are sent.

Related Name

navms.jms.url

Default Value

tcp://localhost:61616

API Name

nav_policies_jms_url

Required

false

JMS User**Description**

The JMS user to which notifications of changes to entities affected by policies are sent.

Related Name

navms.jms.user

Default Value

admin

API Name

nav_policies_jms_user

Required

false

Ports and Addresses

Navigator Metadata Server Port**Description**

The port where Navigator Metadata Server listens for requests

Related Name

nav.http.port

Default Value

7187

API Name

navigator_server_port

Required

false

Resource Management

Java Heap Size of Navigator Metadata Server in Bytes**Description**

Maximum size in bytes for the Java Process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

2 GiB

API Name

navigator_heapsize

Required

false

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares

Description

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight

Description

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)

Description

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight

Description

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security

Navigator Kerberos Principal

Description

Kerberos principal used by Navigator to authenticate to all services except HDFS. Note: Navigator should use the principal used by Hue service if you are using MapReduce1 service in any of the clusters.

Related Name**Default Value**

hue

API Name

kerberos_role_princ_name

Required

true

Navigator Kerberos Principal for HDFS

Description

Kerberos principal used by Navigator to authenticate to HDFS services. Note: This principal must have administrator and superuser privileges on all HDFS services.

Related Name**Default Value**

hdfs

API Name

nav_hdfs_kerberos_princ

Required

true

Enable TLS/SSL for Navigator Metadata Server

Description

Encrypt communication between clients and Navigator Metadata Server using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

nav.http.enable_ssl

Default Value

false

API Name

ssl_enabled

Required

false

TLS/SSL Keystore Key Password

Description

The password that protects the private key contained in the keystore used when Navigator Metadata Server is acting as a TLS/SSL server.

Related Name

nav.ssl.keyManagerPassword

Default Value**API Name**

ssl_server_keystore_keypassword

Required

false

TLS/SSL Keystore File Location

Description

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Navigator Metadata Server is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

nav.ssl.keyStorePath

Default Value**API Name**

ssl_server_keystore_location

Required

false

TLS/SSL Keystore File Password

Description

The password for the Navigator Metadata Server keystore file.

Related Name

nav.ssl.keyStorePassword

Default Value**API Name**

ssl_server_keystore_password

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory**Description**

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method

Description

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Parameter Validation: Audit Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Audit Log Directory parameter.

Related Name

Default Value

false

API Name

role_config_suppression_audit_event_log_dir

Required

true

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Navigator Metadata Server Storage Dir

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Navigator Metadata Server Storage Dir parameter.

Related Name

Default Value

false

API Name

role_config_suppression_data_dir

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Navigator Kerberos Principal**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Navigator Kerberos Principal parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_kerberos_role_princ_name

Required

true

Suppress Parameter Validation: Navigator Metadata Server Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Navigator Metadata Server Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Rules to Extract Events from Log Files

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Rules to Extract Events from Log Files parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log_event_whitelist

Required

true

Suppress Parameter Validation: Navigator Metadata Server Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Navigator Metadata Server Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_mgmt_log_dir

Required

true

Suppress Parameter Validation: HDFS Filter Blacklist

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the HDFS Filter Blacklist parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_filter_hdfs_rules

Required

true

Suppress Parameter Validation: S3 Filter list

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the S3 Filter list parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_filter_s3_rules

Required

true

Suppress Parameter Validation: Navigator Kerberos Principal for HDFS**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Navigator Kerberos Principal for HDFS parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_hdfs_kerberos_princ

Required

true

Suppress Parameter Validation: Navigator Metadata Server Install Dir**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Navigator Metadata Server Install Dir parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_install_dir

Required

true

Suppress Parameter Validation: LDAP Bind User Distinguished Name**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP Bind User Distinguished Name parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_ldap_bind_dn

Required

true

Suppress Parameter Validation: LDAP Bind Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP Bind Password parameter.

Related Name

Default Value

false

API Name

role_config_suppression_nav_ldap_bind_pw

Required

true

Suppress Parameter Validation: LDAP Distinguished Name Pattern**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP Distinguished Name Pattern parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_ldap_dn_pattern

Required

true

Suppress Parameter Validation: LDAP Group Search Base**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP Group Search Base parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_ldap_group_search_base

Required

true

Suppress Parameter Validation: LDAP Group Search Filter For Logged In User**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP Group Search Filter For Logged In User parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_ldap_group_search_filter

Required

true

Suppress Parameter Validation: LDAP Groups Search Filter**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP Groups Search Filter parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_ldap_groups_search_filter

Required

true

Suppress Parameter Validation: LDAP URL**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP URL parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_ldap_url

Required

true

Suppress Parameter Validation: LDAP User Search Base**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP User Search Base parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_ldap_user_search_base

Required

true

Suppress Parameter Validation: LDAP User Search Filter**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the LDAP User Search Filter parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_ldap_user_search_filter

Required

true

Suppress Parameter Validation: Navigator Metadata Server Database Hostname

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Navigator Metadata Server Database Hostname parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_metaserver_database_host

Required

true

Suppress Parameter Validation: Navigator Metadata Server Database Name

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Navigator Metadata Server Database Name parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_metaserver_database_name

Required

true

Suppress Parameter Validation: Navigator Metadata Server Database Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Navigator Metadata Server Database Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_metaserver_database_password

Required

true

Suppress Parameter Validation: Navigator Metadata Server Database Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Navigator Metadata Server Database Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_metaserver_database_user

Required

true

Suppress Parameter Validation: Active Directory Domain**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Active Directory Domain parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_nt_domain

Required

true

Suppress Parameter Validation: JMS Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMS Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_policies_jms_password

Required

true

Suppress Parameter Validation: JMS Queue**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMS Queue parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_policies_jms_queue

Required

true

Suppress Parameter Validation: JMS URL**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMS URL parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_policies_jms_url

Required

true

Suppress Parameter Validation: JMS User**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMS User parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_policies_jms_user

Required

true

Suppress Parameter Validation: SAML Entity Base URL**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SAML Entity Base URL parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_saml_entity_base_url

Required

true

Suppress Parameter Validation: SAML Entity ID**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SAML Entity ID parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_saml_entity_id

Required

true

Suppress Parameter Validation: Alias of SAML Sign/Encrypt Private Key**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Alias of SAML Sign/Encrypt Private Key parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_saml_key_alias

Required

true

Suppress Parameter Validation: SAML Sign/Encrypt Private Key Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SAML Sign/Encrypt Private Key Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_saml_key_password

Required

true

Suppress Parameter Validation: SAML Keystore Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SAML Keystore Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_saml_keystore_password

Required

true

Suppress Parameter Validation: Path to SAML Keystore File**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Path to SAML Keystore File parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_saml_keystore_path

Required

true

Suppress Parameter Validation: SAML Login URL**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SAML Login URL parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_saml_login_url

Required

true

Suppress Parameter Validation: Path to SAML IDP Metadata File**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Path to SAML IDP Metadata File parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_saml_metadata_path

Required

true

Suppress Parameter Validation: SAML Attribute Identifier for User Role**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SAML Attribute Identifier for User Role parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_saml_oid_role

Required

true

Suppress Parameter Validation: SAML Attribute Identifier for User ID**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SAML Attribute Identifier for User ID parameter.

Related Name

Default Value

false

API Name

role_config_suppression_nav_saml_oid_user

Required

true

Suppress Parameter Validation: SAML Attribute Values for Roles**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the SAML Attribute Values for Roles parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_saml_role_map

Required

true

Suppress Parameter Validation: Path to SAML Role Assignment Script**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Path to SAML Role Assignment Script parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_saml_role_script

Required

true

Suppress Parameter Validation: Default Facets**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Default Facets parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_search_default_facets

Required

true

Suppress Parameter Validation: Cloudera Telemetry Publisher S3 Bucket**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cloudera Telemetry Publisher S3 Bucket parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_telemetry_bucket_name

Required

true

Suppress Parameter Validation: Audit Event Filter**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Audit Event Filter parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_navigator_audit_event_filter

Required

true

Suppress Parameter Validation: Navigator Metadata Server Client Advanced Configuration Snippet (Safety Valve) for navigator.client.properties**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Navigator Metadata Server Client Advanced Configuration Snippet (Safety Valve) for navigator.client.properties parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_navigator_client_config_safety_valve

Required

true

Suppress Parameter Validation: Java Configuration Options for Navigator Metadata Server**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for Navigator Metadata Server parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_navigator_java_opts

Required

true

Suppress Parameter Validation: Navigator Metadata Server Advanced Configuration Snippet (Safety Valve) for cloudera-navigator.properties**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Navigator Metadata Server Advanced Configuration Snippet (Safety Valve) for cloudera-navigator.properties parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_navigator_safety_valve

Required

true

Suppress Parameter Validation: Navigator Metadata Server Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Navigator Metadata Server Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_navigator_server_port

Required

true

Suppress Parameter Validation: Navigator Metadata Server Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Navigator Metadata Server Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_navigatormetaserver_role_env_safety_valve

Required

true

Suppress Parameter Validation: Heap Dump Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: TLS/SSL Keystore Key Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the TLS/SSL Keystore Key Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_keypassword

Required

true

Suppress Parameter Validation: TLS/SSL Keystore File Location**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the TLS/SSL Keystore File Location parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: TLS/SSL Keystore File Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the TLS/SSL Keystore File Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Log Directory Free Space**Description**

Whether to suppress the results of the Audit Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_navigatormetaserver_audit_event_log_directory_free_space

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_navigatormetaserver_audit_health

Required

true

Suppress Health Test: Navigator Metadata Server Storage Dir Free Space**Description**

Whether to suppress the results of the Navigator Metadata Server Storage Dir Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_navigatormetaserver_data_directory_free_space

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_navigatormetaserver_file_descriptor

Required

true

Suppress Health Test: Heap Dump Directory Free Space**Description**

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_navigatormetaserver_heap_dump_directory_free_space

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_navigatormetaserver_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_navigatormetaserver_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_navigatormetaserver_otelcol_health

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_navigatormetaserver_scm_health

Required

true

Suppress Health Test: Swap Memory Usage**Description**

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_navigatormetaserver_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_navigatormetaserver_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_navigatormetaserver_unexpected_exits

Required

true

Suppress Health Test: Solr Element Count Threshold Test

Description

Whether to suppress the results of the Solr Element Count Threshold Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_nms_solr_element_count

Required

true

Suppress Health Test: Solr Relation Count Threshold Test

Description

Whether to suppress the results of the Solr Relation Count Threshold Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_nms_solr_relation_count

Required

true

Reports Manager

Advanced

Java Configuration Options for Reports Manager

Description

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or greater, {{JAVA_GC_ARGS}} will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name**Default Value****API Name**

headlamp_java_opts

Required

false

Maximum Document Buffer Size

Description

Amount of memory that can be used for buffering documents before they are flushed to the index. For faster indexing performance, consider increasing this value.

Related Name

lucene.max.buffer.size.mb

Default Value

32 MiB

API Name

headlamp_lucene_max_buffer_size_mb

Required

false

Index Merge Factor

Description

Reports Manager index is built in sections that are merged as the build progresses. This configuration determines how often index sections are merged. With smaller values, less memory is used while indexing, but indexing speed is slower. For faster indexing performance, consider increasing this value.

Related Name

lucene.merge.factor

Default Value

100

API Name

headlamp_lucene_merge_factor

Required

false

Publish HBase Space Usage

Description

When set, publishes HBase space usage metrics to support HBase usage reporting. This feature is only supported for the HBase service in CDH 5 and higher.

Related Name

publish.hbase.space

Default Value

true

API Name

headlamp_publish_hbase_metrics

Required

false

Enable snapshot processing

Description

When set, the HDFS snapshots will be processed and their size will appear in the HDFS Usage reports. Enabling this feature can cause huge memory consumption in the Reports Manager.

Related Name

snapshot.processing.enabled

Default Value

false

API Name

headlamp_snapshot_processing_enabled

Required

false

Reports Manager Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap for Cloudera Management Service When Out of Memory**Description**

When set, generates a heap dump file for Cloudera Management Service when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory**Description**

When set, a SIGKILL signal is sent to the role process when java.lang.OutOfMemoryError is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

true

API Name

process_auto_restart

Required

true

Enable Metric Collection

Description

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts

Description

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout

Description

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name

Default Value

20

API Name

process_start_secs

Required

false

Reports Manager Advanced Configuration Snippet (Safety Valve) for headlamp.db.properties**Description**

For advanced use only. A string to be inserted into headlamp.db.properties for this role only.

Related Name**Default Value****API Name**

reportsmanager_db_safety_valve

Required

false

Reports Manager Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

REPORTSMANAGER_role_env_safety_valve

Required

false

Reports Manager Advanced Configuration Snippet (Safety Valve) for headlamp.conf**Description**

For advanced use only. A string to be inserted into headlamp.conf for this role only.

Related Name**Default Value****API Name**

reportsmanager_safety_valve

Required

false

Database**Reports Manager Database Hostname****Description**

Name of the host where Reports Manager's database is running. It is highly recommended that this database is on the same host as Reports Manager. If the database is not running on its default port, specify the port number using this syntax: 'host:port'

Related Name

com.cloudera.headlamp.db.host

Default Value

localhost

API Name

headlamp_database_host

Required

false

Reports Manager Database Name**Description**

The name of the Reports Manager's database.

Related Name

com.cloudera.headlamp.db.name

Default Value

headlamp

API Name

headlamp_database_name

Required

true

Reports Manager Database Password**Description**

The password for Reports Manager's database user account.

Related Name

com.cloudera.headlamp.db.password

Default Value**API Name**

headlamp_database_password

Required

false

Reports Manager Database Type**Description**

Type of database used for Reports Manager.

Related Name

com.cloudera.headlamp.db.type

Default Value

mysql

API Name

headlamp_database_type

Required

false

Reports Manager Database Username**Description**

The username to use to log into Reports Manager's database.

Related Name

com.cloudera.headlamp.db.user

Default Value

headlamp

API Name

headlamp_database_user

Required

true

Logs**Reports Manager Logging Threshold****Description**

The minimum log level for Reports Manager logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Reports Manager Maximum Log File Backups**Description**

The maximum number of rolled log files to keep for Reports Manager logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

Reports Manager Max Log Size**Description**

The maximum size, in megabytes, per log file for Reports Manager logs. Typically used by log4j or logback.

Related Name

Default Value

200 MiB

API Name

max_log_size

Required

false

Reports Manager Log Directory**Description**

Directory where Reports Manager will place its log files.

Related Name**Default Value**

/var/log/cloudera-scm-headlamp

API Name

mgmt_log_dir

Required

false

Monitoring

Enable Health Alerts for this Role**Description**When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`**Related Name****Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

Enable JMX Exporter (beta)

Description

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML

Description

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Rules to Extract Events from Log Files**Description**

This file contains the rules that govern how log messages are turned into events by the custom log4j appender that this role loads. It is in JSON format, and is composed of a list of rules. Every log message is evaluated against each of these rules in turn to decide whether or not to send an event for that message. If a log message matches multiple rules, the first matching rule is used.. Each rule has some or all of the following fields:

- alert - whether or not events generated from this rule should be promoted to alerts. A value of "true" will cause alerts to be generated. If not specified, the default is "false".
- rate (mandatory) - the maximum number of log messages matching this rule that can be sent as events every minute. If more than rate matching log messages are received in a single minute, the extra messages are ignored. If rate is less than 0, the number of messages per minute is unlimited.
- periodminutes - the number of minutes during which the publisher will only publish rate events or fewer. If not specified, the default is one minute
- threshold - apply this rule only to messages with this log4j severity level or above. An example is "WARN" for warning level messages or higher.
- content - match only those messages for which contents match this regular expression.

- `exceptiontype` - match only those messages that are part of an exception message. The exception type must match this regular expression.

Example:

- `{"alert": false, "rate": 10, "exceptiontype": "java.lang.StringIndexOutOfBoundsException"}` This rule sends events to Cloudera Manager for every `StringIndexOutOfBoundsException`, up to a maximum of 10 every minute.
- `{"alert": false, "rate": 1, "periodminutes": 1, "exceptiontype": ".*"}, {"alert": true, "rate": 1, "periodminutes": 1, "threshold": "ERROR"}` In this example, an event generated may not be promoted to alert if an exception is in the ERROR log message, because the first rule with `alert = false` will match.

Related Name

Default Value

version: 0, rules: [alert: false, rate: 1, periodminutes: 1, threshold: FATAL , alert: false, rate: 0, threshold: WARN, content: .* is deprecated. Instead, use .* , alert: false, rate: 0, threshold: WARN, content: .* is deprecated. Use .* instead , alert: false, rate: 1, periodminutes: 2, exceptiontype: .* , alert: false, rate: 1, periodminutes: 1, threshold: WARN]

API Name

`log_event_whitelist`

Required

false

Metric Filter

Description

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name

Default Value

API Name

`monitoring_metric_filter`

Required

false

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

otelcol_exporters

Required

false

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

otelcol_extensions

Required

false

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

otelcol_helper_port

Required

false

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_processors

Required

false

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL**Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**`$INFRA(cdp_request_signer_url)`**API Name**`otelcol_remote_write_url`**Required**`false`**OpenTelemetry Collector Remote Write Username****Description**

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify `$INFRA(cdp_request_signer_username)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**`$INFRA(cdp_request_signer_username)`**API Name**`otelcol_remote_write_user`**Required**`false`**Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section****Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**`otelcol_rtm_logs_exporters`**Required**`false`**Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section****Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**`otelcol_rtm_logs_extensions`**Required**`false`

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section

Description

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds

Description

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

File Descriptor Monitoring Thresholds

Description

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

reportsmanager_fd_thresholds

Required

false

Reports Manager Host Health Test

Description

When computing the overall Reports Manager health, consider the host's health.

Related Name**Default Value**

true

API Name

reportsmanager_host_health_enabled

Required

false

Pause Duration Thresholds

Description

The health test thresholds for the weighted average extra time the pause monitor spent paused. Specified as a percentage of elapsed wall clock time.

Related Name**Default Value**

Warning: 30.0, Critical: 60.0

API Name

reportsmanager_pause_duration_thresholds

Required

false

Pause Duration Monitoring Period

Description

The period to review when computing the moving average of extra time the pause monitor spent paused.

Related Name**Default Value**

5 minute(s)

API Name

reportsmanager_pause_duration_window

Required

false

Reports Manager Process Health Test

Description

Enables the health test that the Reports Manager's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

reportsmanager_scm_health_enabled

Required

false

Reports Manager Working Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's Reports Manager Working Directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

reportsmanager_scratch_directory_free_space_absolute_thresholds

Required

false

Reports Manager Working Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's Reports Manager Working Directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Reports Manager Working Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

reportsmanager_scratch_directory_free_space_percentage_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: [{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=\$ROLENAM and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}] See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Cloudera Manager Descriptor Age Thresholds

Description

The health test thresholds for monitoring the time since the Cloudera Manager descriptor was last refreshed.

Related Name**Default Value**

Warning: 60000.0, Critical: 120000.0

API Name

scm_descriptor_age_thresholds

Required

false

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period

Description

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

Reports Manager Working Directory

Description

Directory for Reports Manager to use for its working files

Related Name

scratch.dir

Default Value

/var/lib/cloudera-scm-headlamp

API Name

headlamp_scratch_dir

Required

false

Reports Manager Update Frequency**Description**

Frequency in which Reports Manager refreshes its view of HDFS.

Related Name

update.frequency.seconds

Default Value

1 hour(s)

API Name

headlamp_update_frequency_seconds

Required

false

Starting Interval for Descriptor Fetch Attempts**Description**

The starting interval between fetch attempts for the SCM descriptor when Cloudera Management Service roles are starting. The interval is increased by an additional one second with each failed fetch attempt.

Related Name

mgmt.descriptor.fetch.frequency

Default Value

2 second(s)

API Name

mgmt_descriptor_fetch_frequency

Required

true

Descriptor Fetch Max Attempts**Description**

Maximum number of attempts to fetch the SCM descriptor when Cloudera Management Service roles are starting. If the roles are not able to get the descriptor in this number of attempts, then the roles exit.

Related Name

mgmt.num.descriptor.fetch.tries

Default Value

10

API Name

mgmt_num_descriptor_fetch_tries

Required

true

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses

Bind Reports Manager to Wildcard Address

Description

If enabled, the Reports Manager binds to the wildcard address ("0.0.0.0") on all of its ports.

Related Name**Default Value**

false

API Name

headlamp_bind_wildcard

Required

false

Reports Manager Web UI Port

Description

The port where Reports Manager starts a debug web server. Set to -1 to disable debug server.

Related Name

debug.server.port

Default Value

8083

API Name

headlamp_debug_port

Required

false

Reports Manager Server Port

Description

The port where Reports Manager listens for requests

Related Name

server.port

Default Value

5678

API Name

headlamp_server_port

Required

false

Resource Management

Java Heap Size of Reports Manager in Bytes

Description

Maximum size in bytes for the Java Process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

1 GiB

API Name

headlamp_heapsize

Required

false

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares

Description

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight**Description**

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)**Description**

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit

Description

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security**Reports Manager Kerberos Principal****Description**

Kerberos principal used by Reports Manager. Note: This principal must have administrator and superuser privileges on all HDFS services.

Related Name**Default Value**

hdfs

API Name

kerberos_role_princ_name

Required

true

Stacks Collection**Stacks Collection Data Retention****Description**

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory**Description**

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Reports Manager Database Hostname

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Reports Manager Database Hostname parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_headlamp_database_host

Required

true

Suppress Parameter Validation: Reports Manager Database Name

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Reports Manager Database Name parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_headlamp_database_name

Required

true

Suppress Parameter Validation: Reports Manager Database Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Reports Manager Database Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_headlamp_database_password

Required

true

Suppress Parameter Validation: Reports Manager Database Username**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Reports Manager Database Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_headlamp_database_user

Required

true

Suppress Parameter Validation: Reports Manager Web UI Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Reports Manager Web UI Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_headlamp_debug_port

Required

true

Suppress Parameter Validation: Java Configuration Options for Reports Manager**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for Reports Manager parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_headlamp_java_opts

Required

true

Suppress Parameter Validation: Reports Manager Working Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Reports Manager Working Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_headlamp_scratch_dir

Required

true

Suppress Parameter Validation: Reports Manager Server Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Reports Manager Server Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_headlamp_server_port

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Reports Manager Kerberos Principal

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Reports Manager Kerberos Principal parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_kerberos_role_princ_name

Required

true

Suppress Parameter Validation: Reports Manager Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Reports Manager Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Rules to Extract Events from Log Files

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Rules to Extract Events from Log Files parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log_event_whitelist

Required

true

Suppress Parameter Validation: Reports Manager Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Reports Manager Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_mgmt_log_dir

Required

true

Suppress Parameter Validation: Heap Dump Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Reports Manager Advanced Configuration Snippet (Safety Valve) for headlamp.db.properties**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Reports Manager Advanced Configuration Snippet (Safety Valve) for headlamp.db.properties parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_reportsmanager_db_safety_valve

Required

true

Suppress Parameter Validation: Reports Manager Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Reports Manager Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_reportsmanager_role_env_safety_valve

Required

true

Suppress Parameter Validation: Reports Manager Advanced Configuration Snippet (Safety Valve) for headlamp.conf**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Reports Manager Advanced Configuration Snippet (Safety Valve) for headlamp.conf parameter.

Related Name

Default Value

false

API Name

role_config_suppression_reportsmanager_safety_valve

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Stacks Collection Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Health Test: Audit Pipeline Test**Description**

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_reports_manager_audit_health

Required

true

Suppress Health Test: File Descriptors**Description**

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_reports_manager_file_descriptor

Required

true

Suppress Health Test: Heap Dump Directory Free Space**Description**

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_reports_manager_heap_dump_directory_free_space

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_reports_manager_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_reports_manager_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health**Description**

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_reports_manager_otelcol_health

Required

true

Suppress Health Test: Pause Duration**Description**

Whether to suppress the results of the Pause Duration health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_reports_manager_pause_duration

Required

true

Suppress Health Test: Cloudera Manager Descriptor Age

Description

Whether to suppress the results of the Cloudera Manager Descriptor Age health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_reports_manager_scm_descriptor_fetch

Required

true

Suppress Health Test: Process Status

Description

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_reports_manager_scm_health

Required

true

Suppress Health Test: Reports Manager Working Directory Free Space

Description

Whether to suppress the results of the Reports Manager Working Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_reports_manager_scratch_directory_free_space

Required

true

Suppress Health Test: Swap Memory Usage

Description

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_reports_manager_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta**Description**

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_reports_manager_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits**Description**

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_reports_manager_unexpected_exits

Required

true

Service Monitor

Advanced

Java Configuration Options for Service Monitor**Description**

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or greater, {{JAVA_GC_ARGS}} will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name

Default Value**API Name**

firehose_java_opts

Required

false

Service Monitor Advanced Configuration Snippet (Safety Valve) for cmon.conf**Description**

For advanced use only. A string to be inserted into cmon.conf for this role only.

Related Name**Default Value****API Name**

firehose_safety_valve

Required

false

Service Monitor Logging Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations**Description**

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Heap Dump Directory**Description**

Path to directory where heap dumps are generated when java.lang.OutOfMemoryError error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions

and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name

oom_heap_dump_dir

Default Value

/tmp

API Name

oom_heap_dump_dir

Required

false

Dump Heap for Cloudera Management Service When Out of Memory

Description

When set, generates a heap dump file for Cloudera Management Service when an out-of-memory error occurs.

Related Name**Default Value**

false

API Name

oom_heap_dump_enabled

Required

true

Kill When Out of Memory

Description

When set, a SIGKILL signal is sent to the role process when `java.lang.OutOfMemoryError` is thrown.

Related Name**Default Value**

true

API Name

oom_sigkill_enabled

Required

true

Automatically Restart Process

Description

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

true

API Name

process_auto_restart

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Service Monitor Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

SERVICEMONITOR_role_env_safety_valve

Required

false

Event Publication Maximum Queue Size**Description**

The maximum size of the queue in which events published from this role will be buffered. If this queue becomes full (for example, due to an outage), subsequent events will be dropped.

Related Name

health.event.publish.queue.max

Default Value

20000

API Name

svcmon_event_publication_queue_size_max

Required

true

Event Publication Retry Period**Description**

If an event cannot be delivered immediately by this role, this value controls how long to wait before Event Publisher retries delivery.

Related Name

health.event.publish.retry.ms

Default Value

5000

API Name

svcmon_event_publication_retry_period

Required

true

Logs**Service Monitor Logging Threshold****Description**

The minimum log level for Service Monitor logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Service Monitor Maximum Log File Backups**Description**

The maximum number of rolled log files to keep for Service Monitor logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

Service Monitor Max Log Size**Description**

The maximum size, in megabytes, per log file for Service Monitor logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Service Monitor Log Directory**Description**

Location of log files for Service Monitor

Related Name**Default Value**

/var/log/cloudera-scm-firehose

API Name

mgmt_log_dir

Required

false

Monitoring

Metrics Aggregation Run Duration Thresholds**Description**

The health test thresholds for monitoring the metrics aggregation run duration.

Related Name

Default Value

Warning: 10 second(s), Critical: 30 second(s)

API Name

aggregation_run_duration_thresholds

Required

false

Enable Health Alerts for this Role**Description**

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts**Description**

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Service Monitor Storage Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's Service Monitor Storage Directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

firehose_storage_directory_free_space_absolute_thresholds

Required

false

Service Monitor Storage Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's Service Monitor Storage Directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Service Monitor Storage Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

firehose_storage_directory_free_space_percentage_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML**Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Rules to Extract Events from Log Files**Description**

This file contains the rules that govern how log messages are turned into events by the custom log4j appender that this role loads. It is in JSON format, and is composed of a list of rules. Every log message is evaluated against each of these rules in turn to decide whether or not to send an event for

that message. If a log message matches multiple rules, the first matching rule is used.. Each rule has some or all of the following fields:

- alert - whether or not events generated from this rule should be promoted to alerts. A value of "true" will cause alerts to be generated. If not specified, the default is "false".
- rate (mandatory) - the maximum number of log messages matching this rule that can be sent as events every minute. If more than rate matching log messages are received in a single minute, the extra messages are ignored. If rate is less than 0, the number of messages per minute is unlimited.
- periodminutes - the number of minutes during which the publisher will only publish rate events or fewer. If not specified, the default is one minute
- threshold - apply this rule only to messages with this log4j severity level or above. An example is "WARN" for warning level messages or higher.
- content - match only those messages for which contents match this regular expression.
- exceptiontype - match only those messages that are part of an exception message. The exception type must match this regular expression.

Example:

- {"alert": false, "rate": 10, "exceptiontype": "java.lang.StringIndexOutOfBoundsException"} This rule sends events to Cloudera Manager for every StringIndexOutOfBoundsException, up to a maximum of 10 every minute.
- {"alert": false, "rate": 1, "periodminutes": 1, "exceptiontype": ".*"}, {"alert": true, "rate": 1, "periodminutes": 1, "threshold": "ERROR"} In this example, an event generated may not be promoted to alert if an exception is in the ERROR log message, because the first rule with alert = false will match.

Related Name

Default Value

version: 0, rules: [alert: false, rate: 1, periodminutes: 1, threshold: FATAL , alert: false, rate: 0, threshold: WARN, content: .* is deprecated. Instead, use .* , alert: false, rate: 0, threshold: WARN, content: .* is deprecated. Use .* instead , alert: false, rate: 1, periodminutes: 2, exceptiontype: .* , alert: false, rate: 1, periodminutes: 1, threshold: WARN]

API Name

log_event_whitelist

Required

false

Cloudera Manager Metric Schema Age Thresholds

Description

The health test thresholds for monitoring the time since the Cloudera Manager metric schema was last refreshed.

Related Name

Default Value

Warning: 60000.0, Critical: 120000.0

API Name

metric_schema_age_thresholds_name

Required

false

Metric Filter

Description

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name**Default Value****API Name**

`monitoring_metric_filter`

Required

`false`

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s
max_elapsed_time: 300s
```

API Name

`otelcol_exporters`

Required

`false`

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
extensions: basicauth/$ROLE_NAME: client_auth: username:
$ROLE_PARAM(otelcol_remote_write_user) password:
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

```
otelcol_extensions
```

Required

```
false
```

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

```
otelcol_helper_port
```

Required

```
false
```

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
processors: filter/$ROLE_NAME: metrics: exclude:
```

API Name

```
otelcol_processors
```

Required

```
false
```

OpenTelemetry Collector Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value**

```
receivers: prometheus/$ROLE_NAME: config: scrape_configs: - job_name: 'smon_health'
scrape_interval: 60s scheme: $SSL_PARAM(http_or_https) static_configs: - targets:
```

```
['$HOST_NAME:$ROLE_PARAM(prometheus_metrics_endpoint_port)'] labels: host_name:
$HOST_NAME instance: $INFRA(instance_id) cluster_id: $INFRA(cluster_id) platform:
$INFRA(platform) formfactor: paas-vm relabel_configs: - source_labels: [cluster_id] regex:
'crn:cdp:([^\:]+):.*' replacement: '$$1' target_label: app_type action: replace basic_auth:
username: $ROLE_PARAM(prometheus_metrics_endpoint_username) password:
$ROLE_PARAM(prometheus_metrics_endpoint_password) tls_config: insecure_skip_verify: true
```

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password**Description**

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_password)` expression. Specify `$INFRA(cdp_request_signer_password)` when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name**Default Value**

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL**Description**

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_url)` expression. Specify `$INFRA(cdp_request_signer_url)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**`$INFRA(cdp_request_signer_url)`**API Name**

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username**Description**

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the `$ROLE_PARAM(otelcol_remote_write_user)` expression. Specify `$INFRA(cdp_request_signer_username)` when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**`$INFRA(cdp_request_signer_username)`**API Name**`otelcol_remote_write_user`**Required**`false`**Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section****Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**`otelcol_rtm_logs_exporters`**Required**`false`**Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section****Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**`otelcol_rtm_logs_extensions`**Required**`false`**Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section****Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**`otelcol_rtm_logs_processors`**Required**`false`**Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section****Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

service: pipelines: metrics/\$ROLE_NAME: receivers: [prometheus/\$ROLE_NAME] exporters: [prometheusremotewrite/\$ROLE_NAME]

API Name

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name

Default Value

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry**Description**

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds**Description**

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window**Description**

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds

Description

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name

Default Value

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers

Description

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAM and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

role_triggers

Required

true

Cloudera Manager Descriptor Age Thresholds

Description

The health test thresholds for monitoring the time since the Cloudera Manager descriptor was last refreshed.

Related Name

Default Value

Warning: 60000.0, Critical: 120000.0

API Name

scm_descriptor_age_thresholds

Required

false

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

servicemonitor_fd_thresholds

Required

false

Heap Size Thresholds**Description**

The health test thresholds for the heap used.

Related Name**Default Value**

Warning: 90.0 %, Critical: 95.0 %

API Name

servicemonitor_heap_size_thresholds

Required

false

Service Monitor Host Health Test**Description**

When computing the overall Service Monitor health, consider the host's health.

Related Name**Default Value**

true

API Name

servicemonitor_host_health_enabled

Required

false

Pause Duration Thresholds**Description**

The health test thresholds for the weighted average extra time the pause monitor spent paused. Specified as a percentage of elapsed wall clock time.

Related Name**Default Value**

Warning: 30.0, Critical: 60.0

API Name

servicemonitor_pause_duration_thresholds

Required

false

Pause Duration Monitoring Period**Description**

The period to review when computing the moving average of extra time the pause monitor spent paused.

Related Name**Default Value**

5 minute(s)

API Name

servicemonitor_pause_duration_window

Required

false

Service Monitor Role Pipeline Monitoring Thresholds**Description**

The health test thresholds for monitoring the Service Monitor role pipeline. This specifies the number of dropped messages that will be tolerated over the monitoring time period.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

servicemonitor_role_pipeline_thresholds

Required

false

Service Monitor Role Pipeline Monitoring Time Period**Description**

The time period over which the Service Monitor role pipeline will be monitored for dropped messages.

Related Name**Default Value**

5 minute(s)

API Name

servicemonitor_role_pipeline_window

Required

false

Service Monitor Process Health Test

Description

Enables the health test that the Service Monitor's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

servicemonitor_scm_health_enabled

Required

false

Web Metric Collection

Description

Enables the health test that the Cloudera Manager Agent can successfully contact and gather metrics from the web server.

Related Name**Default Value**

true

API Name

servicemonitor_web_metric_collection_enabled

Required

false

Web Metric Collection Duration

Description

The health test thresholds on the duration of the metrics request to the web server.

Related Name**Default Value**

Warning: 10 second(s), Critical: Never

API Name

servicemonitor_web_metric_collection_thresholds

Required

false

Unexpected Exits Thresholds

Description

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period**Description**

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

unexpected_exits_window

Required

false

YARN MapReduce Counter Descriptions**Description**

This JSON document contains metadata that is used by the Service Monitor's YARN application monitoring feature for YARN-based MapReduce counter handling. Each counter description has the following fields:

- name (mandatory) - the name of the counter, for example, org.apache.hadoop.mapreduce.filesystemcounter.file_bytes_read.
- units (mandatory) - the units of the counter.
- attributeName (optional) - the attribute name to use for the counter within Cloudera Manager, this name will be used to identify the counter within the YARN Application Monitoring feature and in the Cloudera Manager API. If not specified the portion of the counter name after the last period will be used.
- displayName (optional) - a display name for the counter. If not specified the full counter name will be used.
- description (optional) - a description of the counter. If not specified the full counter name will be used.

Related Name**Default Value**

```
[ name: org.apache.hadoop.mapreduce.jobcounter.num_failed_maps, units: tasks ,
name: org.apache.hadoop.mapreduce.jobcounter.num_failed_reduces, units: tasks ,
name: org.apache.hadoop.mapreduce.jobcounter.total_launched_maps, units: tasks ,
name: org.apache.hadoop.mapreduce.jobcounter.total_launched_reduces, units: tasks ,
name: org.apache.hadoop.mapreduce.jobcounter.other_local_maps, units: tasks ,
name: org.apache.hadoop.mapreduce.jobcounter.data_local_maps, units: tasks ,
name: org.apache.hadoop.mapreduce.jobcounter.rack_local_maps, units: tasks ,
name: org.apache.hadoop.mapreduce.jobcounter.slots_millis_maps, units: ms , name:
org.apache.hadoop.mapreduce.jobcounter.slots_millis_reduces, units: ms , name:
org.apache.hadoop.mapreduce.jobcounter.fallow_slots_millis_maps, units: ms , name:
org.apache.hadoop.mapreduce.jobcounter.fallow_slots_millis_reduces, units: ms , name:
org.apache.hadoop.mapreduce.jobcounter.mb_millis_maps, units: mb millis , name:
org.apache.hadoop.mapreduce.jobcounter.mb_millis_reduces, units: mb millis , name:
org.apache.hadoop.mapreduce.jobcounter.vcores_millis_maps, units: vcore millis , name:
org.apache.hadoop.mapreduce.jobcounter.vcores_millis_reduces, units: vcore millis , name:
org.apache.hadoop.mapreduce.filesystemcounter.file_bytes_read, units: bytes , name:
org.apache.hadoop.mapreduce.filesystemcounter.file_bytes_written, units: bytes , name:
org.apache.hadoop.mapreduce.filesystemcounter.file_read_ops, units: operations , name:
```

```

org.apache.hadoop.mapreduce.filesystemcounter.file_large_read_ops, units: operations ,
name: org.apache.hadoop.mapreduce.filesystemcounter.file_write_ops, units: operations ,
name: org.apache.hadoop.mapreduce.filesystemcounter.hdfs_bytes_read, units: bytes ,
name: org.apache.hadoop.mapreduce.filesystemcounter.hdfs_bytes_written, units: bytes ,
name: org.apache.hadoop.mapreduce.filesystemcounter.hdfs_read_ops, units: operations ,
name: org.apache.hadoop.mapreduce.filesystemcounter.hdfs_large_read_ops, units:
operations , name: org.apache.hadoop.mapreduce.filesystemcounter.hdfs_write_ops,
units: operations , name: org.apache.hadoop.mapreduce.filesystemcounter.s3a_bytes_read,
units: bytes , name: org.apache.hadoop.mapreduce.filesystemcounter.s3a_bytes_written,
units: bytes , name: org.apache.hadoop.mapreduce.filesystemcounter.adl_bytes_read,
units: bytes , name: org.apache.hadoop.mapreduce.filesystemcounter.adl_bytes_written,
units: bytes , name: org.apache.hadoop.mapreduce.taskcounter.map_input_records, units:
records , name: org.apache.hadoop.mapreduce.taskcounter.map_output_records, units:
records , name: org.apache.hadoop.mapreduce.taskcounter.map_output_bytes, units:
bytes , name: org.apache.hadoop.mapreduce.taskcounter.map_output_materialized_bytes,
units: bytes , name: org.apache.hadoop.mapreduce.taskcounter.split_raw_bytes, units:
bytes , name: org.apache.hadoop.mapreduce.taskcounter.combine_input_records, units:
records , name: org.apache.hadoop.mapreduce.taskcounter.combine_output_records,
units: records , name: org.apache.hadoop.mapreduce.taskcounter.reduce_input_groups,
units: groups , name: org.apache.hadoop.mapreduce.taskcounter.reduce_shuffle_bytes,
units: bytes , name: org.apache.hadoop.mapreduce.taskcounter.reduce_input_records,
units: records , name: org.apache.hadoop.mapreduce.taskcounter.reduce_output_records,
units: records , name: org.apache.hadoop.mapreduce.taskcounter.spilled_records,
units: records , name: org.apache.hadoop.mapreduce.taskcounter.shuffled_maps,
units: tasks , name: org.apache.hadoop.mapreduce.taskcounter.failed_shuffle, units:
failures , name: org.apache.hadoop.mapreduce.taskcounter.merged_map_outputs, units:
outputs , name: org.apache.hadoop.mapreduce.taskcounter.gc_time_millis, units: ms ,
name: org.apache.hadoop.mapreduce.taskcounter.cpu_milliseconds, units: ms , name:
org.apache.hadoop.mapreduce.taskcounter.physical_memory_bytes, units: bytes ,
name: org.apache.hadoop.mapreduce.taskcounter.virtual_memory_bytes, units: bytes ,
name: org.apache.hadoop.mapreduce.taskcounter.committed_heap_bytes, units: bytes ,
attributeName: shuffle_errors_bad_id, name: shuffle_errors.bad_id, units: errors ,
attributeName: shuffle_errors_connection, name: shuffle_errors.connection, units: errors ,
attributeName: shuffle_errors_io, name: shuffle_errors.io_error, units: errors , attributeName:
shuffle_errors_wrong_length, name: shuffle_errors.wrong_length, units: errors , attributeName:
shuffle_errors_wrong_map, name: shuffle_errors.wrong_map, units: errors , attributeName:
shuffle_errors_wrong_reduce, name: shuffle_errors.wrong_reduce, units: errors , name:
org.apache.hadoop.mapreduce.lib.input.fileinputformatcounter.bytes_read, units: bytes , name:
org.apache.hadoop.mapreduce.lib.output.fileoutputformatcounter.bytes_written, units: bytes ]

```

API Name

yarn_application_mapreduce_counters

Required

false

Other**Use the Authentication Service to enable Single Sign On****Description**

Use the Authentication Service to enable Single Sign On for the Firehose debug servers. Requires a running Authentication Service.

Related Name

debug.servlet.auth.enabled

Default Value

false

API Name

debug_servlet_auth_enabled

Required

false

Impala Storage**Description**

The approximate amount of disk space dedicated to storing Impala query data. Once the store has reached its maximum size, older data is deleted to make room for newer queries. The disk usage is approximate because data is deleted only when the limit is reached.

Related Name

firehose_impala_storage_bytes

Default Value

1 GiB

API Name

firehose_impala_storage_bytes

Required

false

Reports Time-series Storage**Description**

The approximate amount of disk space dedicated to storing time series for reporting data. Once the store has reached its maximum size, older data is deleted to make room for newer data. The disk usage is approximate because data is deleted only when the limit is reached. See the "Disk Usage" tab on the Service Monitor page for more information on how space is consumed in the Service Monitor. This tab also shows information about the amount of data retained and the time window covered by each data granularity.

Related Name

firehose_reports_storage_bytes

Default Value

1 GiB

API Name

firehose_reports_storage_bytes

Required

false

Service Monitor Storage Directory**Description**

The directory where Service Monitor data is stored. The Service Monitor stores metric time series and health information, as well as Impala query and YARN application metadata if Impala and/or YARN are configured.

Related Name

firehose.storage.base.directory

Default Value

/var/lib/cloudera-service-monitor

API Name

firehose_storage_dir

Required

true

Time-Series Storage**Description**

The approximate amount of disk space dedicated to storing time series and health data. Once the store has reached its maximum size, older data is deleted to make room for newer data. The disk usage is approximate because data is deleted only when the limit is reached. Note that Cloudera Manager stores time-series data at a number of different data granularities, and these granularities have different effective retention periods. Specifically, Cloudera Manager stores metric data as both raw data points and ten-minutely, hourly, six-hourly, daily, and weekly summary data points. Raw data consumes the bulk of the allocated storage space, weekly summaries the least. As such, raw data is retained for the shortest amount of time, while weekly summary points are unlikely to ever be deleted. See the "Storage" tab on the 'Service Monitor' -> 'Charts Library' -> 'Service Monitor Storage' page for more information on how space is consumed within the Service Monitor. This tab also shows information about the amount of data retained and time window covered by each data granularity.

Related Name

firehose_time_series_storage_bytes

Default Value

10 GiB

API Name

firehose_time_series_storage_bytes

Required

false

YARN Storage**Description**

The approximate amount of disk space dedicated to storing YARN application data. Once the store has reached its maximum size, older data is deleted to make room for newer applications. The disk usage is approximate because data is deleted only when the limit is reached.

Related Name

firehose_yarn_storage_bytes

Default Value

1 GiB

API Name

firehose_yarn_storage_bytes

Required

false

Health Event Startup Policy**Description**

This setting controls whether health events are emitted when this monitoring role is started. If set to "none", then no health events are emitted. If set to "bad" then health events are emitted for subjects with bad or concerning health. If set to "all" then health events are emitted for all subjects for all health values. The default is "bad".

Related Name

health.event.publish.startup.policy

Default Value

bad

API Name

health_event_publish_startup_policy

Required

false

Starting Interval for Descriptor Fetch Attempts**Description**

The starting interval between fetch attempts for the SCM descriptor when Cloudera Management Service roles are starting. The interval is increased by an additional one second with each failed fetch attempt.

Related Name

mgmt.descriptor.fetch.frequency

Default Value

2 second(s)

API Name

mgmt_descriptor_fetch_frequency

Required

true

Descriptor Fetch Max Attempts**Description**

Maximum number of attempts to fetch the SCM descriptor when Cloudera Management Service roles are starting. If the roles are not able to get the descriptor in this number of attempts, then the roles exit.

Related Name

mgmt.num.descriptor.fetch.tries

Default Value

10

API Name

mgmt_num_descriptor_fetch_tries

Required

true

Prometheus adapter configuration**Description**

JSON configuration specifying metrics to expose on the experimental Prometheus-compatible endpoint, if enabled.

Related Name

prometheus.adapter.config

Default Value

```
[ subject_type: HBASE-MASTER, metrics: [ jvm_gc_rate, jvm_gc_time_ms_rate,
jvm_max_memory_mb, jvm_heap_committed_mb, jvm_heap_used_mb,
```

jvm_non_heap_committed_mb, jvm_non_heap_used_mb, jvm_total_threads,
 jvm_blocked_threads, jvm_new_threads, jvm_runnable_threads, jvm_terminated_threads,
 jvm_timed_waiting_threads, jvm_waiting_threads, gc_count_concurrent_mark_sweep_rate,
 gc_count_par_new_rate, gc_time_ms_concurrent_mark_sweep_rate,
 gc_time_ms_par_new_rate, ipc_process_rate, ipc_process_time_75th_percentile,
 ipc_process_time_95th_percentile, ipc_process_time_99th_percentile, ipc_process_time_max,
 ipc_process_time_mean, ipc_process_time_median, ipc_process_time_min,
 ipc_queue_rate, ipc_queue_time_75th_percentile, ipc_queue_time_95th_percentile,
 ipc_queue_time_99th_percentile, ipc_queue_time_max, ipc_queue_time_mean,
 ipc_queue_time_median, ipc_queue_time_min, ipc_received_bytes_Rate,
 ipc_sent_bytes_Rate, get_hadoop_groups_avg_time, get_hadoop_groups_rate, assign_rate,
 regions_in_transition_over_threshold, regions_in_transition_longest_time, regions_in_transition,
 bulk_assign_rate, balance_cluster_rate, balance_cluster_max, balance_cluster_median,
 balance_cluster_99th_percentile, balance_cluster_mean, balance_cluster_75th_percentile,
 balance_cluster_min, balance_cluster_95th_percentile, balancer_misc_invocations,
 master_start_time, master_active_time, regionservers, dead_regionservers, bulk_assign_mean,
 assign_95th_percentile, assign_min, assign_75th_percentile, bulk_assign_max,
 bulk_assign_min, assign_median, bulk_assign_95th_percentile, bulk_assign_median,
 assign_max, assign_mean, bulk_assign_75th_percentile, assign_99th_percentile,
 bulk_assign_99th_percentile, orphan_regions_on_regionserver, audit_agent_bytes_left_rate,
 audit_agent_send_failures_rate, audit_plugin_coalesced_rate, audit_plugin_events_rate,
 audit_plugin_exceptions_rate, audit_plugin_filtered_rate, audit_plugin_parse_errors_rate,
 log_error_rate, log_fatal_rate, log_warn_rate, login_failure_avg_time, login_failure_rate,
 login_success_rate, metrics_dropped_pub_all, metrics_num_active_sinks,
 metrics_num_active_sources, metrics_num_all_sinks, metrics_num_all_sources,
 metrics_publish_avg_time, metrics_publish_rate, metrics_snapshot_avg_time,
 metrics_snapshot_rate, ipc_authentication_failures_rate, ipc_authentication_successes_rate,
 ipc_authorization_failures_rate, ipc_authorization_successes_rate, orphan_regions_on_filesystem,
 inconsistent_regions, region_holes, region_overlaps, unknown_server_regions,
 empty_region_info_regions] , subject_type: HBASE-REGIONSERVER, metrics:
 [jvm_gc_rate, jvm_gc_time_ms_rate, jvm_max_memory_mb, jvm_heap_committed_mb,
 jvm_heap_used_mb, jvm_non_heap_committed_mb, jvm_non_heap_used_mb,
 jvm_total_threads, jvm_blocked_threads, jvm_new_threads, jvm_runnable_threads,
 jvm_terminated_threads, jvm_timed_waiting_threads, jvm_waiting_threads,
 slow_append_rate, slow_delete_rate, slow_get_rate, slow_increment_rate, slow_put_rate,
 pause_time_with_gc_99_9th_percentile, pause_time_with_gc_mean, pause_time_with_gc_rate,
 pause_time_without_gc_99_9th_percentile, pause_time_without_gc_mean,
 pause_time_without_gc_rate, gc_count_concurrent_mark_sweep_rate,
 gc_count_par_new_rate, gc_time_ms_concurrent_mark_sweep_rate,
 gc_time_ms_par_new_rate, ipc_process_rate, ipc_process_time_75th_percentile,
 ipc_process_time_95th_percentile, ipc_process_time_99th_percentile, ipc_process_time_max,
 ipc_process_time_mean, ipc_process_time_median, ipc_process_time_min,
 ipc_queue_rate, ipc_queue_time_75th_percentile, ipc_queue_time_95th_percentile,
 ipc_queue_time_99th_percentile, ipc_queue_time_max, ipc_queue_time_mean,
 ipc_queue_time_median, ipc_queue_time_min, ipc_received_bytes_rate, ipc_sent_bytes_rate,
 block_cache_blocks_cached, block_cache_evicted_rate, block_cache_express_hit_ratio,
 block_cache_free_size, block_cache_hit_rate, block_cache_hit_ratio, block_cache_miss_rate,
 block_cache_size, append_75th_percentile, append_95th_percentile, append_99th_percentile,
 append_max, append_mean, append_median, append_min, append_rate, delete_median,
 delete_min, delete_max, delete_rate, get_75th_percentile, get_95th_percentile,
 get_99th_percentile, get_hadoop_groups_avg_time, get_hadoop_groups_rate,
 get_max, get_mean, get_median, get_min, wal_append_time_75th_percentile,
 wal_append_time_95th_percentile, wal_append_time_99th_percentile, wal_append_time_max,
 wal_append_time_mean, wal_append_time_median, wal_append_time_min,
 wal_append_size_mean, wal_append_size_median, wal_append_size_min,
 wal_append_rate, wal_append_size_75th_percentile, wal_append_size_95th_percentile,

wal_append_size_99th_percentile, wal_append_size_max, scan_time_max, scan_time_mean, scan_time_median, scan_time_min, scan_time_rate, scan_size_75th_percentile, scan_size_95th_percentile, scan_size_99th_percentile, scan_size_max, scan_size_mean, scan_size_median, scan_size_min, scan_size_rate, increment_75th_percentile, increment_95th_percentile, increment_99th_percentile, increment_max, increment_mean, increment_median, increment_min, increment_rate, delete_75th_percentile, delete_95th_percentile, delete_99th_percentile, delete_max, delete_mean, wal_sync_time_99th_percentile, wal_sync_time_max, wal_sync_time_mean, wal_sync_time_median, wal_sync_time_min, mutate_rate, mutations_without_wal_rate, mutations_without_wal_size, check_mutate_failed_rate, check_mutate_passed_rate, get_rate, num_puts_without_wal, read_requests_rate, replay_75th_percentile, replay_95th_percentile, replay_99th_percentile, replay_max, replay_mean, replay_median, replay_min, replay_rate, regions, regionsserver_start_time, slave_master_connectivity, percent_hfiles_local, static_bloom_size, static_index_size, storefile_index_size, storefiles, storefiles_size, stores, requests_rate, updates_blocked_time_rate, compaction_queue_size, flush_queue_size, audit_agent_bytes_left_rate, audit_agent_send_failures_rate, audit_plugin_coalesced_rate, audit_plugin_events_rate, audit_plugin_exceptions_rate, audit_plugin_filtered_rate, audit_plugin_parse_errors_rate, log_error_rate, log_fatal_rate, log_warn_rate, login_failure_avg_time, login_failure_rate, login_success_rate, memstore_size, metrics_dropped_pub_all, metrics_num_active_sinks, metrics_num_active_sources, metrics_num_all_sinks, metrics_num_all_sources, metrics_publish_avg_time, metrics_publish_rate, metrics_snapshot_avg_time, metrics_snapshot_rate, ipc_authentication_failures_rate, ipc_authentication_successes_rate, ipc_authorization_failures_rate, ipc_authorization_successes_rate] , subject_type: HIVE_ON_TEZ-HIVESERVER2, metrics: [hive_memory_heap_used, hive_memory_non_heap_used, mem_rss, hive_open_connections, hive_open_operations, hive_waiting_compile_ops, oom_exits_rate, unexpected_exits_rate, hive_jvm_pause_time_rate, hive_jvm_pauses_info_threshold_rate, hive_jvm_pauses_warn_threshold_rate] , subject_type: HIVE-HIVEMETASTORE, metrics: [hive_memory_heap_used, hive_memory_non_heap_used, hive_jvm_pause_time_rate, hive_jvm_pauses_info_threshold_rate, hive_jvm_pauses_warn_threshold_rate, hive_open_connections, unexpected_exits_rate, mem_rss] , subject_type: IMPALA-IMPALAD, metrics: [impala_num_queries_registered] , subject_type: RANGER-RANGER_ADMIN, metrics: [mem_rss, oom_exits_rate, unexpected_exits_rate] , subject_type: RANGER-RANGER_TAGSYNC, metrics: [mem_rss, oom_exits_rate, unexpected_exits_rate] , subject_type: RANGER-RANGER_USERSYNC, metrics: [mem_rss, oom_exits_rate, unexpected_exits_rate] , subject_type: RANGER_RAZ-RANGER_RAZ_SERVER, metrics: [mem_rss, oom_exits_rate, unexpected_exits_rate]]

API Name

prometheus_adapter_config

Required

false

Enable Prometheus adapter service**Description**

Show a selected subset of metrics from the monitoring subsystem of Cloudera Manager on the experimental Prometheus-compatible metrics endpoint.

Related Name

prometheus.adapter.enabled

Default Value

false

API Name

prometheus_adapter_enabled

Required

true

Prometheus Publish Role Health

Description

Should service monitor publish role metrics to prometheus. Defaults to false.

Related Name

prometheus.metrics.publish.role.health

Default Value

false

API Name

prometheus_metrics_publish_role_health

Required

false

Event Publication Log Quiet Time Period

Description

To avoid producing excessive amounts of log output, the Event Publisher component of this role is limited to emitting one message per time period. This value controls the size of that time period.

Related Name

health.event.publish.log.suppress.window.ms

Default Value

1 minute(s)

API Name

svcmmon_event_publication_log_suppress_window

Required

true

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name**Default Value****API Name**

rlimit_fds

Required

false

Ports and Addresses

Service Monitor Web UI Port

Description

Port for Service Monitor's Debug page. Set to -1 to disable the debug server.

Related Name

debug.servlet.port

Default Value

8086

API Name

firehose_debug_port

Required

false

Service Monitor Listen Port**Description**

Port where Service Monitor is listening for agent messages.

Related Name

firehose.server.port

Default Value

9997

API Name

firehose_listen_port

Required

false

Service Monitor Nozzle Port**Description**

Port where Service Monitor's query API is exposed.

Related Name

nozzle.server.port

Default Value

9996

API Name

firehose_nozzle_port

Required

false

Prometheus Metrics Endpoint Port**Description**

Port where an experimental Prometheus-compatible metrics endpoint is exposed. Set to -1 to disable the endpoint.

Related Name

prometheus.metrics.endpoint.port

Default Value

-1

API Name

prometheus_metrics_endpoint_port

Required

false

Bind Service Monitor to Wildcard Address

Description

If enabled, the Service Monitor binds to the wildcard address ("0.0.0.0") on all of its ports.

Related Name

Default Value

false

API Name

smon_bind_wildcard

Required

false

Resource Management

Java Heap Size of Service Monitor in Bytes

Description

Maximum size in bytes for the Java Process heap memory. Passed to Java -Xmx.

Related Name

Default Value

1 GiB

API Name

firehose_heapsize

Required

false

Maximum Non-Java Memory of Service Monitor

Description

The amount of memory the Service Monitor can use off of the Java heap.

Related Name

firehose_non_java_memory_bytes

Default Value

2 GiB

API Name

firehose_non_java_memory_bytes

Required

false

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight
Default Value
500
API Name
rm_blkio_weight
Required
true

Cgroup V1 CPU Shares

Description

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight

Description

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

cpu.weight

Default Value

100

API Name

rm_cpu_weight

Required

true

Custom Control Group Resources (overrides Cgroup settings)

Description

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgexec command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2'
 These settings override other cgroup settings.

Related Name

custom.cgroups

Default Value**API Name**

rm_custom_resources

Required

false

Cgroup V2 I/O Weight**Description**

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Security**Role-Specific Kerberos Principal****Description**

Kerberos principal used by the Service Monitor roles.

Related Name

Default Value

hue

API Name

kerberos_role_princ_name

Required

true

Prometheus Metrics Endpoint Password**Description**

Password for the experimental Prometheus-compatible metrics endpoint. Changes require a restart to take effect.

Related Name

prometheus.metrics.endpoint.password

Default Value**API Name**

prometheus_metrics_endpoint_password

Required

false

Prometheus Metrics Endpoint Username**Description**

Username for the experimental Prometheus-compatible metrics endpoint. Changes require a restart to take effect.

Related Name

prometheus.metrics.endpoint.username

Default Value**API Name**

prometheus_metrics_endpoint_username

Required

false

Enable TLS/SSL for Firehose Debug Server**Description**

Encrypt communication between clients and Firehose Debug Server using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

debug.servlet.https.enabled

Default Value

false

API Name

ssl_enabled

Required

false

Firehose Debug Server TLS/SSL Server Keystore File Location

Description

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Firehose Debug Server is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

debug.servlet.https.keystorePath

Default Value**API Name**

ssl_server_keystore_location

Required

false

Firehose Debug Server TLS/SSL Server Keystore File Password

Description

The password for the Firehose Debug Server keystore file.

Related Name

debug.servlet.https.keystorePassword

Default Value**API Name**

ssl_server_keystore_password

Required

false

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled**Description**

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions

Suppress Configuration Validator: CDH Version Validator

Description

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: Service Monitor Web UI Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Web UI Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_debug_port

Required

true

Suppress Parameter Validation: Java Configuration Options for Service Monitor

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for Service Monitor parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_java_opts

Required

true

Suppress Parameter Validation: Service Monitor Listen Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Listen Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_listen_port

Required

true

Suppress Parameter Validation: Service Monitor Nozzle Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Nozzle Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_nozzle_port

Required

true

Suppress Parameter Validation: Service Monitor Advanced Configuration Snippet (Safety Valve) for cmon.conf**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Advanced Configuration Snippet (Safety Valve) for cmon.conf parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_safety_valve

Required

true

Suppress Configuration Validator: Service Monitor Heap Size Validator**Description**

Whether to suppress configuration warnings produced by the Service Monitor Heap Size Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_service_monitor_heap_role_validator

Required

true

Suppress Configuration Validator: Service Monitor Off Heap Memory Size Validator**Description**

Whether to suppress configuration warnings produced by the Service Monitor Off Heap Memory Size Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_service_monitor_non_java_memory_role_validator

Required

true

Suppress Parameter Validation: Service Monitor Storage Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Storage Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_storage_dir

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Role-Specific Kerberos Principal**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role-Specific Kerberos Principal parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_kerberos_role_princ_name

Required

true

Suppress Parameter Validation: Service Monitor Logging Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Rules to Extract Events from Log Files

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Rules to Extract Events from Log Files parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log_event_whitelist

Required

true

Suppress Parameter Validation: Service Monitor Log Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_mgmt_log_dir

Required

true

Suppress Parameter Validation: Heap Dump Directory

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Prometheus adapter configuration**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Prometheus adapter configuration parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_prometheus_adapter_config

Required

true

Suppress Parameter Validation: Prometheus Metrics Endpoint Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Prometheus Metrics Endpoint Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_prometheus_metrics_endpoint_password

Required

true

Suppress Parameter Validation: Prometheus Metrics Endpoint Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Prometheus Metrics Endpoint Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_prometheus_metrics_endpoint_port

Required

true

Suppress Parameter Validation: Prometheus Metrics Endpoint Username**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Prometheus Metrics Endpoint Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_prometheus_metrics_endpoint_username

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Service Monitor Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_servicemonitor_role_env_safety_valve

Required

true

Suppress Parameter Validation: Firehose Debug Server TLS/SSL Server Keystore File Location**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Firehose Debug Server TLS/SSL Server Keystore File Location parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: Firehose Debug Server TLS/SSL Server Keystore File Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Firehose Debug Server TLS/SSL Server Keystore File Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Parameter Validation: YARN MapReduce Counter Descriptions**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the YARN MapReduce Counter Descriptions parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_application_mapreduce_counters

Required

true

Suppress Health Test: Metrics Aggregation Run Duration Test

Description

Whether to suppress the results of the Metrics Aggregation Run Duration Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_service_monitor_aggregation_run_duration

Required

true

Suppress Health Test: Audit Pipeline Test

Description

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_service_monitor_audit_health

Required

true

Suppress Health Test: File Descriptors

Description

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_service_monitor_file_descriptor

Required

true

Suppress Health Test: Heap Dump Directory Free Space

Description

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_service_monitor_heap_dump_directory_free_space

Required

true

Suppress Health Test: Heap Size**Description**

Whether to suppress the results of the Heap Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_service_monitor_heap_size

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_service_monitor_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_service_monitor_log_directory_free_space

Required

true

Suppress Health Test: Cloudera Manager Metric Schema Age

Description

Whether to suppress the results of the Cloudera Manager Metric Schema Age health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_service_monitor_metric_schema_fetch

Required

true

Suppress Health Test: Otelcol Health

Description

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_service_monitor_otelcol_health

Required

true

Suppress Health Test: Pause Duration

Description

Whether to suppress the results of the Pause Duration health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_service_monitor_pause_duration

Required

true

Suppress Health Test: Role Pipeline

Description

Whether to suppress the results of the Role Pipeline health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_service_monitor_role_pipeline

Required

true

Suppress Health Test: Cloudera Manager Descriptor Age**Description**

Whether to suppress the results of the Cloudera Manager Descriptor Age health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_service_monitor_scm_descriptor_fetch

Required

true

Suppress Health Test: Process Status**Description**

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_service_monitor_scm_health

Required

true

Suppress Health Test: Service Monitor Storage Directory Free Space**Description**

Whether to suppress the results of the Service Monitor Storage Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_service_monitor_storage_directory_free_space

Required

true

Suppress Health Test: Swap Memory Usage

Description

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_service_monitor_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_service_monitor_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits

Description

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_service_monitor_unexpected_exits

Required

true

Suppress Health Test: Web Server Status

Description

Whether to suppress the results of the Web Server Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_service_monitor_web_metric_collection

Required

true

Service-Wide

Advanced

Cloudera Management Service Service Environment Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of all roles in this service except client configuration.

Related Name**Default Value****API Name**

mgmt_service_env_safety_valve

Required

false

Cloudera Management Service Advanced Configuration Snippet (Safety Valve) for ssl-client.xml

Description

For advanced use only, a string to be inserted into ssl-client.xml. This setting currently applies to the Reports Manager only.

Related Name**Default Value****API Name**

mgmt_ssl_client_safety_valve

Required

false

Small Files Reporting: HDFS Service for Data Staging

Description

Data collection for small files analysis requires a data staging area in HDFS. If you enable data collection for small files reporting, this property sets which HDFS service stages the data.

Related Name

nav.smallfiles.hdfs.staging.service.name

Default Value**API Name**

navigator_small_files_staging_hdfs_service_name

Required

false

Small Files Reporting: Enable Data Collection**Description**

When Small Files Reporting is enabled, Navigator passes additional metadata to the Telemetry Publisher so the data can be used by Cloudera Workload XM (WXM). This additional data allows WXM to identify Impala query performance issues caused when data is organized into small files in HDFS. Enable this option only when Telemetry Publisher is enabled.

Related Name

nav.smallfiles.reporting.enabled

Default Value

false

API Name

navigator_smallfiles_enabled

Required

true

Small Files Reporting: HDFS Staging Location**Description**

Data collection for small files analysis requires a data staging area in HDFS. If you enable data collection for small files reporting, this property sets the HDFS location where Small Files Reporting data is staged. If the directory doesn't already exist, Navigator creates it using the same credentials it uses for HDFS extraction from this service.

Related Name

nav.smallfiles.hdfs.staging.root.path

Default Value

/user/cloudera/navigator/smallfiles

API Name

navigator_smallfiles_hdfs_path

Required

false

System Group**Description**

The group that this service's processes should run as.

Related Name**Default Value**

cloudera-scm

API Name

process_groupname

Required

true

System User**Description**

The user that this service's processes should run as.

Related Name**Default Value**

cloudera-scm

API Name

process_username

Required

true

Monitoring

Enable Log Event Capture

Description

When set, each role identifies important log events and forwards them to Cloudera Manager.

Related Name**Default Value**

true

API Name

catch_events

Required

false

Enable Service Level Health Alerts

Description

When set, Cloudera Manager will send alerts when the health of this service reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

false

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Cloudera Manager KDC Server Connection Health Thresholds

Description

The health test thresholds for monitoring the KDC Server connection health by login time.

Related Name**Default Value**

Warning: 1.5 second(s), Critical: 2 second(s)

API Name

kdc_availability_thresholds

Required

false

KDC Connection Health Check Enabled

Description

Enable or disable Cloudera Manager KDC Server Connection Health Check execution. Restart Cloudera Manager Server to apply changes.

Related Name**Default Value**

true

API Name

kdc_monitoring_enabled

Required

false

Cloudera Manager LDAP Server Connection Health Thresholds

Description

The health test thresholds for monitoring the LDAP Server connection health by login time.

Related Name**Default Value**

Warning: 1.5 second(s), Critical: 2 second(s)

API Name

ldap_availability_thresholds

Required

false

LDAP Connection Health Check Enabled

Description

Enable or disable Cloudera Manager LDAP Server Connection Health Check execution. Restart Cloudera Manager Server to apply changes.

Related Name**Default Value**

true

API Name

ldap_monitoring_enabled

Required

false

Cloudera Manager LDAP Monitoring Period

Description

The Period of the Cloudera Manager's LDAP Monitoring functionality.

Related Name**Default Value**

60000

API Name

ldap_monitoring_period

Required

false

Log Event Retry Frequency

Description

The frequency in which the log4j event publication appender will retry sending undelivered log events to the Event server, in seconds

Related Name**Default Value**

30

API Name

log_event_retry_frequency

Required

false

Activity Monitor - Unsupported Since 7.0.0 Role Health Test

Description

When computing the overall MGMT health, consider Activity Monitor - Unsupported Since 7.0.0's health

Related Name**Default Value**

true

API Name

mgmt_activitymonitor_health_enabled

Required

false

Alert Publisher Role Health Test

Description

When computing the overall MGMT health, consider Alert Publisher's health

Related Name**Default Value**

true

API Name

mgmt_alertpublisher_health_enabled

Required

false

Cloudera Manager TLS Certificate Expiry Thresholds**Description**

The health test thresholds for monitoring the certificate of Cloudera Manager Server.

Related Name**Default Value**

Warning: 60 day(s), Critical: 7 day(s)

API Name

mgmt_certificate_expiry_thresholds

Required

false

Cloudera Manager Server Clock Offset Thresholds**Description**

The health test thresholds for monitoring the clock offset between the Cloudera Manager Server and the Service Monitor.

Related Name**Default Value**

Warning: 30 second(s), Critical: 1 minute(s)

API Name

mgmt_clock_offset_with_smon_thresholds

Required

false

Cloudera Manager Server Cluster Availability Threshold Percents**Description**

The health test thresholds for the Cloudera Manager Server Cluster Availability. Specify the minimum required percent of healthy and running CM cluster nodes.

Related Name**Default Value**

Warning: 67.0 %, Critical: 50.0 %

API Name

mgmt_cm_ha_availability_thresholds

Required

false

Command Storage Directory Free Space Monitoring Thresholds**Description**

The health test thresholds for monitoring the free space on the filesystem that contains the Cloudera Manager Server command storage directory.

Related Name

Default Value

Warning: 2 GiB, Critical: 1 GiB

API Name

mgmt_command_storage_directory_free_space_absolute_thresholds

Required

false

Embedded Database Free Space Monitoring Thresholds**Description**

The health test thresholds for monitoring the free space on the volume for the embedded PostgreSQL database optionally running on the Cloudera Manager Server. If the embedded database is not in use, this has no effect.

Related Name**Default Value**

Warning: 2 GiB, Critical: 1 GiB

API Name

mgmt_embedded_database_free_space_absolute_thresholds

Required

false

Event Server Role Health Test**Description**

When computing the overall MGMT health, consider Event Server's health

Related Name**Default Value**

true

API Name

mgmt_eventserver_health_enabled

Required

false

Cloudera Manager Server Heap Size Thresholds**Description**

The health test thresholds for the Cloudera Manager Server heap usage.

Related Name**Default Value**

Warning: 90.0 %, Critical: 95.0 %

API Name

mgmt_heap_size_thresholds

Required

false

Host Monitor Role Health Test**Description**

When computing the overall MGMT health, consider Host Monitor's health

Related Name**Default Value**

true

API Name

mgmt_hostmonitor_health_enabled

Required

false

Navigator Audit Server Role Health Test**Description**

When computing the overall MGMT health, consider Navigator Audit Server's health

Related Name**Default Value**

true

API Name

mgmt_navigator_health_enabled

Required

false

Navigator Metadata Server Role Health Test**Description**

When computing the overall MGMT health, consider Navigator Metadata Server's health

Related Name**Default Value**

true

API Name

mgmt_navigatormetaserver_health_enabled

Required

false

Cloudera Manager Server Pause Duration Thresholds**Description**

The health test thresholds for the Cloudera Manager Server pause duration time.

Related Name**Default Value**

Warning: 2.0 %, Critical: 5.0 %

API Name

mgmt_pause_duration_thresholds

Required

false

Cloudera Manager Server Pause Duration Monitoring Period**Description**

The period to review when computing the moving average of extra time the pause monitor spent paused.

Related Name

mgmt.mgmt_pause_duration_window

Default Value

5 minute(s)

API Name

mgmt_pause_duration_window

Required

false

Reports Manager Role Health Test**Description**

When computing the overall MGMT health, consider Reports Manager's health

Related Name**Default Value**

true

API Name

mgmt_reportsmanager_health_enabled

Required

false

Service Monitor Role Health Test**Description**

When computing the overall MGMT health, consider Service Monitor's health

Related Name**Default Value**

true

API Name

mgmt_servicemonitor_health_enabled

Required

false

Telemetry Publisher Role Health Test**Description**

When computing the overall MGMT health, consider Telemetry Publisher's health

Related Name**Default Value**

true

API Name

mgmt_telemetrypublisher_health_enabled

Required

false

Service Triggers

Description

The configured triggers for this service. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific service.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger fires if there are more than 10 DataNodes with more than 500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "I F (SELECT fd_open WHERE roleType = DataNode and last(fd_open) > 500) DO health:bad", "streamThreshold": 10, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name

Default Value

[]

API Name

`service_triggers`

Required

true

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a list of derived configuration properties that will be used by the Service Monitor instead of the default ones.

Related Name

Default Value

API Name

`smon_derived_configs_safety_valve`

Required

false

Other

Emit Sensitive Data In Stderr

Description

If set, sensitive data, like passwords, are emitted to stderr.

Related Name

Default Value

false

API Name

mgmt_emit_sensitive_data_in_stderr

Required

true

Minimum Kerberos Ticket Validity Period**Description**

The minimum Kerberos ticket validity period. The Cloudera Management Services attempt to log in again only after this minimum period of time has elapsed.

Related Name

tgt.login.validity.period

Default Value

1 hour(s)

API Name

tgt_login_validity_period

Required

false

Publishing**Kafka Service****Description**

The Kafka service where Navigator will publish audit events.

Related Name**Default Value****API Name**

navigator_kafka_publishing_service

Required

false

Security**TLS/SSL Client Truststore File Location****Description**

Path to the client truststore file used in HTTPS communication. This truststore contains certificates of trusted servers, or of Certificate Authorities trusted to identify servers. If set, this is used to verify certificates in HTTPS communication with CDH services and the Cloudera Manager Server. If not set, the default Java truststore is used to verify certificates. The contents of this truststore can be modified without restarting the Cloudera Management Service roles. By default, changes to its contents are picked up within ten seconds.

Related Name

ssl.client.truststore.location

Default Value**API Name**

ssl_client_truststore_location

Required

false

Cloudera Manager Server TLS/SSL Trust Store Password**Description**

The password for the Cloudera Manager Server TLS/SSL Trust Store File. This password is not required to access the trust store; this field can be left blank. This password provides optional integrity checking of the file. The contents of trust stores are certificates, and certificates are public information.

Related Name

ssl.client.truststore.password

Default Value**API Name**

ssl_client_truststore_password

Required

false

Suppressions**Suppress Configuration Validator: Activity Monitor - Unsupported Since 7.0.0 Environment Advanced Configuration Snippet (Safety Valve)****Description**

Whether to suppress configuration warnings produced by the Activity Monitor - Unsupported Since 7.0.0 Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_activitymonitor_role_env_safety_valve

Required

true

Suppress Configuration Validator: Alert: Mail From Address**Description**

Whether to suppress configuration warnings produced by the Alert: Mail From Address configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_alert_mailserver_from_address

Required

true

Suppress Configuration Validator: Alerts: Mail Server Hostname**Description**

Whether to suppress configuration warnings produced by the Alerts: Mail Server Hostname configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_alert_mailserver_hostname

Required

true

Suppress Configuration Validator: Alerts: Mail Server Password**Description**

Whether to suppress configuration warnings produced by the Alerts: Mail Server Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_alert_mailserver_password

Required

true

Suppress Configuration Validator: Alerts: Mail Server TCP Port**Description**

Whether to suppress configuration warnings produced by the Alerts: Mail Server TCP Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_alert_mailserver_port

Required

true

Suppress Configuration Validator: Alerts: Mail Message Recipients**Description**

Whether to suppress configuration warnings produced by the Alerts: Mail Message Recipients configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_alert_mailserver_recipients

Required

true

Suppress Configuration Validator: Alerts: Mail Server Username**Description**

Whether to suppress configuration warnings produced by the Alerts: Mail Server Username configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_alert_mailserver_username

Required

true

Suppress Configuration Validator: Custom Alert Script**Description**

Whether to suppress configuration warnings produced by the Custom Alert Script configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_alert_script_path

Required

true

Suppress Configuration Validator: SNMP Authentication Protocol Pass Phrase**Description**

Whether to suppress configuration warnings produced by the SNMP Authentication Protocol Pass Phrase configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_alert_snmp_auth_password

Required

true

Suppress Configuration Validator: SNMPv2 Community String**Description**

Whether to suppress configuration warnings produced by the SNMPv2 Community String configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_alert_snmp_community

Required

true

Suppress Configuration Validator: SNMP Server Engine Id**Description**

Whether to suppress configuration warnings produced by the SNMP Server Engine Id configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_alert_snmp_security_engineid

Required

true

Suppress Configuration Validator: SNMP NMS Hostname**Description**

Whether to suppress configuration warnings produced by the SNMP NMS Hostname configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_alert_snmp_server_hostname

Required

true

Suppress Configuration Validator: SNMP Server Port**Description**

Whether to suppress configuration warnings produced by the SNMP Server Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_alert_snmp_server_port

Required

true

Suppress Configuration Validator: SNMP Security UserName**Description**

Whether to suppress configuration warnings produced by the SNMP Security UserName configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_alert_snmp_username

Required

true

Suppress Configuration Validator: Alerts: Email footer**Description**

Whether to suppress configuration warnings produced by the Alerts: Email footer configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_alertpublisher_email_footer

Required

true

Suppress Configuration Validator: Alerts: Email header**Description**

Whether to suppress configuration warnings produced by the Alerts: Email header configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_alertpublisher_email_header

Required

true

Suppress Configuration Validator: Alerts: Listen Port**Description**

Whether to suppress configuration warnings produced by the Alerts: Listen Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_alertpublisher_internalapi_port

Required

true

Suppress Configuration Validator: Java Configuration Options for Alert Publisher

Description

Whether to suppress configuration warnings produced by the Java Configuration Options for Alert Publisher configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_alertpublisher_java_opts

Required

true

Suppress Configuration Validator: Alert Publisher Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Alert Publisher Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_alertpublisher_role_env_safety_valve

Required

true

Suppress Configuration Validator: Alert Publisher Advanced Configuration Snippet (Safety Valve) for alertpublisher.conf

Description

Whether to suppress configuration warnings produced by the Alert Publisher Advanced Configuration Snippet (Safety Valve) for alertpublisher.conf configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_alertpublisher_safety_valve

Required

true

Suppress Configuration Validator: Audit Log Directory

Description

Whether to suppress configuration warnings produced by the Audit Log Directory configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_audit_event_log_dir

Required

true

Suppress Configuration Validator: CDH Version Validator**Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Configuration Validator: Navigator Metadata Server Storage Dir**Description**

Whether to suppress configuration warnings produced by the Navigator Metadata Server Storage Dir configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_data_dir

Required

true

Suppress Configuration Validator: Event Server Web UI Port**Description**

Whether to suppress configuration warnings produced by the Event Server Web UI Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_eventserver_debug_port

Required

true

Suppress Configuration Validator: Event Query Port**Description**

Whether to suppress configuration warnings produced by the Event Query Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_eventserver_http_port

Required

true

Suppress Configuration Validator: Event Server Index Directory**Description**

Whether to suppress configuration warnings produced by the Event Server Index Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_eventserver_index_dir

Required

true

Suppress Configuration Validator: Java Configuration Options for Event Server**Description**

Whether to suppress configuration warnings produced by the Java Configuration Options for Event Server configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_eventserver_java_opts

Required

true

Suppress Configuration Validator: Event Publish Port**Description**

Whether to suppress configuration warnings produced by the Event Publish Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_eventserver_listen_port

Required

true

Suppress Configuration Validator: Event Server Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Event Server Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_eventserver_role_env_safety_valve

Required

true

Suppress Configuration Validator: Event Server Advanced Configuration Snippet (Safety Valve) for eventserver.conf

Description

Whether to suppress configuration warnings produced by the Event Server Advanced Configuration Snippet (Safety Valve) for eventserver.conf configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_eventserver_safety_valve

Required

true

Suppress Configuration Validator: Activity Monitor - Unsupported Since 7.0.0 Database Hostname

Description

Whether to suppress configuration warnings produced by the Activity Monitor - Unsupported Since 7.0.0 Database Hostname configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_database_host

Required

true

Suppress Configuration Validator: Activity Monitor - Unsupported Since 7.0.0 Database Name

Description

Whether to suppress configuration warnings produced by the Activity Monitor - Unsupported Since 7.0.0 Database Name configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_firehose_database_name

Required

true

Suppress Configuration Validator: Activity Monitor - Unsupported Since 7.0.0 Database Password**Description**

Whether to suppress configuration warnings produced by the Activity Monitor - Unsupported Since 7.0.0 Database Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_database_password

Required

true

Suppress Configuration Validator: Activity Monitor - Unsupported Since 7.0.0 Database Username**Description**

Whether to suppress configuration warnings produced by the Activity Monitor - Unsupported Since 7.0.0 Database Username configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_database_user

Required

true

Suppress Configuration Validator: Service Monitor Web UI Port**Description**

Whether to suppress configuration warnings produced by the Service Monitor Web UI Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_debug_port

Required

true

Suppress Configuration Validator: Host Monitor Heap Size Validator**Description**

Whether to suppress configuration warnings produced by the Host Monitor Heap Size Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_host_monitor_heap_role_validator

Required

true

Suppress Configuration Validator: Host Monitor Off Heap Memory Size Validator**Description**

Whether to suppress configuration warnings produced by the Host Monitor Off Heap Memory Size Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_host_monitor_non_java_memory_role_validator

Required

true

Suppress Configuration Validator: Java Configuration Options for Service Monitor**Description**

Whether to suppress configuration warnings produced by the Java Configuration Options for Service Monitor configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_java_opts

Required

true

Suppress Configuration Validator: Service Monitor Listen Port**Description**

Whether to suppress configuration warnings produced by the Service Monitor Listen Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_listen_port

Required

true

Suppress Configuration Validator: Service Monitor Nozzle Port

Description

Whether to suppress configuration warnings produced by the Service Monitor Nozzle Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_nozzle_port

Required

true

Suppress Configuration Validator: Service Monitor Advanced Configuration Snippet (Safety Valve) for cmon.conf

Description

Whether to suppress configuration warnings produced by the Service Monitor Advanced Configuration Snippet (Safety Valve) for cmon.conf configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_safety_valve

Required

true

Suppress Configuration Validator: Service Monitor Heap Size Validator

Description

Whether to suppress configuration warnings produced by the Service Monitor Heap Size Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_service_monitor_heap_role_validator

Required

true

Suppress Configuration Validator: Service Monitor Off Heap Memory Size Validator

Description

Whether to suppress configuration warnings produced by the Service Monitor Off Heap Memory Size Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_service_monitor_non_java_memory_role_validator

Required

true

Suppress Configuration Validator: Service Monitor Storage Directory**Description**

Whether to suppress configuration warnings produced by the Service Monitor Storage Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_firehose_storage_dir

Required

true

Suppress Configuration Validator: Reports Manager Database Hostname**Description**

Whether to suppress configuration warnings produced by the Reports Manager Database Hostname configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_headlamp_database_host

Required

true

Suppress Configuration Validator: Reports Manager Database Name**Description**

Whether to suppress configuration warnings produced by the Reports Manager Database Name configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_headlamp_database_name

Required

true

Suppress Configuration Validator: Reports Manager Database Password**Description**

Whether to suppress configuration warnings produced by the Reports Manager Database Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_headlamp_database_password

Required

true

Suppress Configuration Validator: Reports Manager Database Username**Description**

Whether to suppress configuration warnings produced by the Reports Manager Database Username configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_headlamp_database_user

Required

true

Suppress Configuration Validator: Reports Manager Web UI Port**Description**

Whether to suppress configuration warnings produced by the Reports Manager Web UI Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_headlamp_debug_port

Required

true

Suppress Configuration Validator: Java Configuration Options for Reports Manager**Description**

Whether to suppress configuration warnings produced by the Java Configuration Options for Reports Manager configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_headlamp_java_opts

Required

true

Suppress Configuration Validator: Reports Manager Working Directory

Description

Whether to suppress configuration warnings produced by the Reports Manager Working Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_headlamp_scratch_dir

Required

true

Suppress Configuration Validator: Reports Manager Server Port

Description

Whether to suppress configuration warnings produced by the Reports Manager Server Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_headlamp_server_port

Required

true

Suppress Configuration Validator: Host Monitor Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Host Monitor Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_hostmonitor_role_env_safety_valve

Required

true

Suppress Configuration Validator: JMX Exporter configuration YAML

Description

Whether to suppress configuration warnings produced by the JMX Exporter configuration YAML configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Configuration Validator: Role-Specific Kerberos Principal**Description**

Whether to suppress configuration warnings produced by the Role-Specific Kerberos Principal configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_kerberos_role_princ_name

Required

true

Suppress Configuration Validator: Service Monitor Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the Service Monitor Logging Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Configuration Validator: Rules to Extract Events from Log Files**Description**

Whether to suppress configuration warnings produced by the Rules to Extract Events from Log Files configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_log_event_whitelist

Required

true

Suppress Configuration Validator: Telemetry Publisher Data Directory**Description**

Whether to suppress configuration warnings produced by the Telemetry Publisher Data Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_mgmt_data_dir

Required

true

Suppress Configuration Validator: Service Monitor Log Directory**Description**

Whether to suppress configuration warnings produced by the Service Monitor Log Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_mgmt_log_dir

Required

true

Suppress Configuration Validator: HDFS Filter Blacklist**Description**

Whether to suppress configuration warnings produced by the HDFS Filter Blacklist configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_filter_hdfs_rules

Required

true

Suppress Configuration Validator: S3 Filter list**Description**

Whether to suppress configuration warnings produced by the S3 Filter list configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_filter_s3_rules

Required

true

Suppress Configuration Validator: Navigator Kerberos Principal for HDFS**Description**

Whether to suppress configuration warnings produced by the Navigator Kerberos Principal for HDFS configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_hdfs_kerberos_princ

Required

true

Suppress Configuration Validator: Navigator Metadata Server Install Dir**Description**

Whether to suppress configuration warnings produced by the Navigator Metadata Server Install Dir configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_install_dir

Required

true

Suppress Configuration Validator: LDAP Bind User Distinguished Name**Description**

Whether to suppress configuration warnings produced by the LDAP Bind User Distinguished Name configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_ldap_bind_dn

Required

true

Suppress Configuration Validator: LDAP Bind Password**Description**

Whether to suppress configuration warnings produced by the LDAP Bind Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_ldap_bind_pw

Required

true

Suppress Configuration Validator: LDAP Distinguished Name Pattern**Description**

Whether to suppress configuration warnings produced by the LDAP Distinguished Name Pattern configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_ldap_dn_pattern

Required

true

Suppress Configuration Validator: LDAP Group Search Base**Description**

Whether to suppress configuration warnings produced by the LDAP Group Search Base configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_ldap_group_search_base

Required

true

Suppress Configuration Validator: LDAP Group Search Filter For Logged In User**Description**

Whether to suppress configuration warnings produced by the LDAP Group Search Filter For Logged In User configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_ldap_group_search_filter

Required

true

Suppress Configuration Validator: LDAP Groups Search Filter**Description**

Whether to suppress configuration warnings produced by the LDAP Groups Search Filter configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_nav_ldap_groups_search_filter

Required

true

Suppress Configuration Validator: LDAP URL**Description**

Whether to suppress configuration warnings produced by the LDAP URL configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_ldap_url

Required

true

Suppress Configuration Validator: LDAP User Search Base**Description**

Whether to suppress configuration warnings produced by the LDAP User Search Base configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_ldap_user_search_base

Required

true

Suppress Configuration Validator: LDAP User Search Filter**Description**

Whether to suppress configuration warnings produced by the LDAP User Search Filter configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_ldap_user_search_filter

Required

true

Suppress Configuration Validator: Navigator Metadata Server Database Hostname**Description**

Whether to suppress configuration warnings produced by the Navigator Metadata Server Database Hostname configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_metaserver_database_host

Required

true

Suppress Configuration Validator: Navigator Metadata Server Database Name**Description**

Whether to suppress configuration warnings produced by the Navigator Metadata Server Database Name configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_metaserver_database_name

Required

true

Suppress Configuration Validator: Navigator Metadata Server Database Password**Description**

Whether to suppress configuration warnings produced by the Navigator Metadata Server Database Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_metaserver_database_password

Required

true

Suppress Configuration Validator: Navigator Metadata Server Database Username**Description**

Whether to suppress configuration warnings produced by the Navigator Metadata Server Database Username configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_metaserver_database_user

Required

true

Suppress Configuration Validator: Active Directory Domain

Description

Whether to suppress configuration warnings produced by the Active Directory Domain configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_nt_domain

Required

true

Suppress Configuration Validator: JMS Password

Description

Whether to suppress configuration warnings produced by the JMS Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_policies_jms_password

Required

true

Suppress Configuration Validator: JMS Queue

Description

Whether to suppress configuration warnings produced by the JMS Queue configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_policies_jms_queue

Required

true

Suppress Configuration Validator: JMS URL

Description

Whether to suppress configuration warnings produced by the JMS URL configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_policies_jms_url

Required

true

Suppress Configuration Validator: JMS User**Description**

Whether to suppress configuration warnings produced by the JMS User configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_policies_jms_user

Required

true

Suppress Configuration Validator: SAML Entity Base URL**Description**

Whether to suppress configuration warnings produced by the SAML Entity Base URL configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_saml_entity_base_url

Required

true

Suppress Configuration Validator: SAML Entity ID**Description**

Whether to suppress configuration warnings produced by the SAML Entity ID configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_saml_entity_id

Required

true

Suppress Configuration Validator: Alias of SAML Sign/Encrypt Private Key**Description**

Whether to suppress configuration warnings produced by the Alias of SAML Sign/Encrypt Private Key configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_nav_saml_key_alias

Required

true

Suppress Configuration Validator: SAML Sign/Encrypt Private Key Password**Description**

Whether to suppress configuration warnings produced by the SAML Sign/Encrypt Private Key Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_saml_key_password

Required

true

Suppress Configuration Validator: SAML Keystore Password**Description**

Whether to suppress configuration warnings produced by the SAML Keystore Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_saml_keystore_password

Required

true

Suppress Configuration Validator: Path to SAML Keystore File**Description**

Whether to suppress configuration warnings produced by the Path to SAML Keystore File configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_saml_keystore_path

Required

true

Suppress Configuration Validator: SAML Login URL**Description**

Whether to suppress configuration warnings produced by the SAML Login URL configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_saml_login_url

Required

true

Suppress Configuration Validator: Path to SAML IDP Metadata File**Description**

Whether to suppress configuration warnings produced by the Path to SAML IDP Metadata File configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_saml_metadata_path

Required

true

Suppress Configuration Validator: SAML Attribute Identifier for User Role**Description**

Whether to suppress configuration warnings produced by the SAML Attribute Identifier for User Role configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_saml_oid_role

Required

true

Suppress Configuration Validator: SAML Attribute Identifier for User ID**Description**

Whether to suppress configuration warnings produced by the SAML Attribute Identifier for User ID configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_saml_oid_user

Required

true

Suppress Configuration Validator: SAML Attribute Values for Roles

Description

Whether to suppress configuration warnings produced by the SAML Attribute Values for Roles configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_saml_role_map

Required

true

Suppress Configuration Validator: Path to SAML Role Assignment Script

Description

Whether to suppress configuration warnings produced by the Path to SAML Role Assignment Script configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_saml_role_script

Required

true

Suppress Configuration Validator: Default Facets

Description

Whether to suppress configuration warnings produced by the Default Facets configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_search_default_facets

Required

true

Suppress Configuration Validator: Cloudera Telemetry Publisher S3 Bucket

Description

Whether to suppress configuration warnings produced by the Cloudera Telemetry Publisher S3 Bucket configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_nav_telemetry_bucket_name

Required

true

Suppress Configuration Validator: Audit Event Filter**Description**

Whether to suppress configuration warnings produced by the Audit Event Filter configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_navigator_audit_event_filter

Required

true

Suppress Configuration Validator: Navigator Metadata Server Client Advanced Configuration Snippet (Safety Valve) for navigator.client.properties**Description**

Whether to suppress configuration warnings produced by the Navigator Metadata Server Client Advanced Configuration Snippet (Safety Valve) for navigator.client.properties configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_navigator_client_config_safety_valve

Required

true

Suppress Configuration Validator: Navigator Audit Server Database Hostname**Description**

Whether to suppress configuration warnings produced by the Navigator Audit Server Database Hostname configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_navigator_database_host

Required

true

Suppress Configuration Validator: Navigator Audit Server Database Name**Description**

Whether to suppress configuration warnings produced by the Navigator Audit Server Database Name configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_navigator_database_name

Required

true

Suppress Configuration Validator: Navigator Audit Server Database Password**Description**

Whether to suppress configuration warnings produced by the Navigator Audit Server Database Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_navigator_database_password

Required

true

Suppress Configuration Validator: Navigator Audit Server Database Username**Description**

Whether to suppress configuration warnings produced by the Navigator Audit Server Database Username configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_navigator_database_user

Required

true

Suppress Configuration Validator: Navigator Audit Server Advanced Configuration Snippet (Safety Valve) for db.navigator.properties**Description**

Whether to suppress configuration warnings produced by the Navigator Audit Server Advanced Configuration Snippet (Safety Valve) for db.navigator.properties configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_navigator_db_safety_valve

Required

true

Suppress Configuration Validator: Navigator Audit Server Web UI Port**Description**

Whether to suppress configuration warnings produced by the Navigator Audit Server Web UI Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_navigator_debug_port

Required

true

Suppress Configuration Validator: Java Configuration Options for Navigator Audit**Description**

Whether to suppress configuration warnings produced by the Java Configuration Options for Navigator Audit configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_navigator_java_opts

Required

true

Suppress Configuration Validator: Kafka Topic**Description**

Whether to suppress configuration warnings produced by the Kafka Topic configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_navigator_kafka_publishing_topic

Required

true

Suppress Configuration Validator: Navigator Audit Server Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the Navigator Audit Server Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_navigator_role_env_safety_valve

Required

true

Suppress Configuration Validator: Navigator Metadata Server Advanced Configuration Snippet (Safety Valve) for cloudera-navigator.properties**Description**

Whether to suppress configuration warnings produced by the Navigator Metadata Server Advanced Configuration Snippet (Safety Valve) for cloudera-navigator.properties configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_navigator_safety_valve

Required

true

Suppress Configuration Validator: Navigator Audit Server Port**Description**

Whether to suppress configuration warnings produced by the Navigator Audit Server Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_navigator_server_port

Required

true

Suppress Configuration Validator: Navigator Audit Server Advanced Configuration Snippet (Safety Valve) for cloudera-navigator.properties**Description**

Whether to suppress configuration warnings produced by the Navigator Audit Server Advanced Configuration Snippet (Safety Valve) for cloudera-navigator.properties configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_navigator_server_safety_valve

Required

true

Suppress Configuration Validator: Navigator TLS/SSL Trust Store File**Description**

Whether to suppress configuration warnings produced by the Navigator TLS/SSL Trust Store File configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_navigator_truststore_file

Required

true

Suppress Configuration Validator: Navigator TLS/SSL Trust Store Password**Description**

Whether to suppress configuration warnings produced by the Navigator TLS/SSL Trust Store Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_navigator_truststore_password

Required

true

Suppress Configuration Validator: Navigator Metadata Server Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the Navigator Metadata Server Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_navigatormetaserver_role_env_safety_valve

Required

true

Suppress Configuration Validator: Heap Dump Directory**Description**

Whether to suppress configuration warnings produced by the Heap Dump Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Exporters Section**Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Exporters Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Extensions Section**Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Extensions Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Helper Port**Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Helper Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Processors Section**Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Processors Section configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Receivers Section**Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Receivers Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Password**Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write URL**Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write URL configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Remote Write Username**Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Remote Write Username configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Configuration Validator: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Whether to suppress configuration warnings produced by the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Configuration Validator: OpenTelemetry Collector Service Section**Description**

Whether to suppress configuration warnings produced by the OpenTelemetry Collector Service Section configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Configuration Validator: PII Masking Regular Expression**Description**

Whether to suppress configuration warnings produced by the PII Masking Regular Expression configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_pii_masking_regex

Required

true

Suppress Configuration Validator: Prometheus adapter configuration**Description**

Whether to suppress configuration warnings produced by the Prometheus adapter configuration configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_prometheus_adapter_config

Required

true

Suppress Configuration Validator: Prometheus Metrics Endpoint Password**Description**

Whether to suppress configuration warnings produced by the Prometheus Metrics Endpoint Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_prometheus_metrics_endpoint_password

Required

true

Suppress Configuration Validator: Prometheus Metrics Endpoint Port**Description**

Whether to suppress configuration warnings produced by the Prometheus Metrics Endpoint Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_prometheus_metrics_endpoint_port

Required

true

Suppress Configuration Validator: Prometheus Metrics Endpoint Username

Description

Whether to suppress configuration warnings produced by the Prometheus Metrics Endpoint Username configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_prometheus_metrics_endpoint_username

Required

true

Suppress Configuration Validator: Reports Manager Advanced Configuration Snippet (Safety Valve) for headlamp.db.properties

Description

Whether to suppress configuration warnings produced by the Reports Manager Advanced Configuration Snippet (Safety Valve) for headlamp.db.properties configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_reportsmanager_db_safety_valve

Required

true

Suppress Configuration Validator: Reports Manager Environment Advanced Configuration Snippet (Safety Valve)

Description

Whether to suppress configuration warnings produced by the Reports Manager Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_reportsmanager_role_env_safety_valve

Required

true

Suppress Configuration Validator: Reports Manager Advanced Configuration Snippet (Safety Valve) for headlamp.conf

Description

Whether to suppress configuration warnings produced by the Reports Manager Advanced Configuration Snippet (Safety Valve) for headlamp.conf configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_reportsmanager_safety_valve

Required

true

Suppress Configuration Validator: Custom Control Group Resources (overrides Cgroup settings)**Description**

Whether to suppress configuration warnings produced by the Custom Control Group Resources (overrides Cgroup settings) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Configuration Validator: Role Triggers**Description**

Whether to suppress configuration warnings produced by the Role Triggers configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Configuration Validator: Service Monitor Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the Service Monitor Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_servicemonitor_role_env_safety_valve

Required

true

Suppress Configuration Validator: SNMP Validator**Description**

Whether to suppress configuration warnings produced by the SNMP Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_snmp_validator

Required

true

Suppress Configuration Validator: TLS/SSL Keystore Key Password**Description**

Whether to suppress configuration warnings produced by the TLS/SSL Keystore Key Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_keypassword

Required

true

Suppress Configuration Validator: Firehose Debug Server TLS/SSL Server Keystore File Location**Description**

Whether to suppress configuration warnings produced by the Firehose Debug Server TLS/SSL Server Keystore File Location configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Configuration Validator: Firehose Debug Server TLS/SSL Server Keystore File Password**Description**

Whether to suppress configuration warnings produced by the Firehose Debug Server TLS/SSL Server Keystore File Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Configuration Validator: Stacks Collection Directory**Description**

Whether to suppress configuration warnings produced by the Stacks Collection Directory configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Configuration Validator: Telemetry Publisher Web UI Port.**Description**

Whether to suppress configuration warnings produced by the Telemetry Publisher Web UI Port. configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_telemetry_publisher_debug_port

Required

true

Suppress Configuration Validator: Telemetry Publisher Web UI IPAddress.**Description**

Whether to suppress configuration warnings produced by the Telemetry Publisher Web UI IPAddress. configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_telemetry_publisher_debug_server_interface

Required

true

Suppress Configuration Validator: Telemetry Publisher Server Port**Description**

Whether to suppress configuration warnings produced by the Telemetry Publisher Server Port configuration validator.

Related Name

Default Value

false

API Name

role_config_suppression_telemetry_publisher_server_port

Required

true

Suppress Configuration Validator: Java Configuration Options for Telemetry Publisher**Description**

Whether to suppress configuration warnings produced by the Java Configuration Options for Telemetry Publisher configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_telemetrypublisher_java_opts

Required

true

Suppress Configuration Validator: Proxy Password**Description**

Whether to suppress configuration warnings produced by the Proxy Password configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_telemetrypublisher_proxy_password

Required

true

Suppress Configuration Validator: Proxy Port**Description**

Whether to suppress configuration warnings produced by the Proxy Port configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_telemetrypublisher_proxy_port

Required

true

Suppress Configuration Validator: Proxy Server**Description**

Whether to suppress configuration warnings produced by the Proxy Server configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_telemetrypublisher_proxy_server

Required

true

Suppress Configuration Validator: Proxy User**Description**

Whether to suppress configuration warnings produced by the Proxy User configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_telemetrypublisher_proxy_user

Required

true

Suppress Configuration Validator: Telemetry Publisher Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the Telemetry Publisher Environment Advanced Configuration Snippet (Safety Valve) configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_telemetrypublisher_role_env_safety_valve

Required

true

Suppress Configuration Validator: Telemetry Publisher Advanced Configuration Snippet (Safety Valve) for telemetrypublisher.conf**Description**

Whether to suppress configuration warnings produced by the Telemetry Publisher Advanced Configuration Snippet (Safety Valve) for telemetrypublisher.conf configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_telemetrypublisher_safety_valve

Required

true

Suppress Configuration Validator: Telemetry Kerberos Principal for HDFS

Description

Whether to suppress configuration warnings produced by the Telemetry Kerberos Principal for HDFS configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_tp_hdfs_kerberos_princ

Required

true

Suppress Configuration Validator: YARN MapReduce Counter Descriptions

Description

Whether to suppress configuration warnings produced by the YARN MapReduce Counter Descriptions configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_yarn_application_mapreduce_counters

Required

true

Suppress Configuration Validator: Activity Monitor - Unsupported Since 7.0.0 Count Validator

Description

Whether to suppress configuration warnings produced by the Activity Monitor - Unsupported Since 7.0.0 Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_activitymonitor_count_validator

Required

true

Suppress Configuration Validator: Alert Publisher Count Validator

Description

Whether to suppress configuration warnings produced by the Alert Publisher Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_alertpublisher_count_validator

Required

true

Suppress Configuration Validator: Event Server Count Validator**Description**

Whether to suppress configuration warnings produced by the Event Server Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_eventserver_count_validator

Required

true

Suppress Configuration Validator: Host Monitor Count Validator**Description**

Whether to suppress configuration warnings produced by the Host Monitor Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_hostmonitor_count_validator

Required

true

Suppress Configuration Validator: Cloudera Management Service Host Colocation Validator**Description**

Whether to suppress configuration warnings produced by the Cloudera Management Service Host Colocation Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_mgmt_colocation_validator

Required

true

Suppress Parameter Validation: Cloudera Management Service Service Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cloudera Management Service Service Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_mgmt_service_env_safety_valve

Required

true

Suppress Parameter Validation: Cloudera Management Service Advanced Configuration Snippet (Safety Valve) for ssl-client.xml

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cloudera Management Service Advanced Configuration Snippet (Safety Valve) for ssl-client.xml parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_mgmt_ssl_client_safety_valve

Required

true

Suppress Configuration Validator: Navigator Audit Server Count Validator

Description

Whether to suppress configuration warnings produced by the Navigator Audit Server Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_navigator_count_validator

Required

true

Suppress Parameter Validation: Small Files Reporting: HDFS Staging Location

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Small Files Reporting: HDFS Staging Location parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_navigator_smallfiles_hdfs_path

Required

true

Suppress Configuration Validator: Navigator Metadata Server Count Validator**Description**

Whether to suppress configuration warnings produced by the Navigator Metadata Server Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_navigatormetaserver_count_validator

Required

true

Suppress Parameter Validation: System Group**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the System Group parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_groupname

Required

true

Suppress Parameter Validation: System User**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the System User parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_process_username

Required

true

Suppress Configuration Validator: Reports Manager Count Validator**Description**

Whether to suppress configuration warnings produced by the Reports Manager Count Validator configuration validator.

Related Name

Default Value

false

API Name

service_config_suppression_reportsmanager_count_validator

Required

true

Suppress Parameter Validation: Service Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Triggers parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_service_triggers

Required

true

Suppress Configuration Validator: Service Monitor Count Validator**Description**

Whether to suppress configuration warnings produced by the Service Monitor Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_servicemonitor_count_validator

Required

true

Suppress Parameter Validation: Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_smon_derived_configs_safety_valve

Required

true

Suppress Parameter Validation: TLS/SSL Client Truststore File Location**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the TLS/SSL Client Truststore File Location parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ssl_client_truststore_location

Required

true

Suppress Parameter Validation: Cloudera Manager Server TLS/SSL Trust Store Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Cloudera Manager Server TLS/SSL Trust Store Password parameter.

Related Name**Default Value**

false

API Name

service_config_suppression_ssl_client_truststore_password

Required

true

Suppress Configuration Validator: Telemetry Publisher Count Validator**Description**

Whether to suppress configuration warnings produced by the Telemetry Publisher Count Validator configuration validator.

Related Name**Default Value**

false

API Name

service_config_suppression_telemetrypublisher_count_validator

Required

true

Suppress Health Test: KDC Server Connection Health**Description**

Whether to suppress the results of the KDC Server Connection Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_kdc_availability

Required

true

Suppress Health Test: LDAP Server Connection Health**Description**

Whether to suppress the results of the LDAP Server Connection Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_ldap_availability

Required

true

Suppress Health Test: Activity Monitor - Unsupported Since 7.0.0 Health**Description**

Whether to suppress the results of the Activity Monitor - Unsupported Since 7.0.0 Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_mgmt_activity_monitor_health

Required

true

Suppress Health Test: Alert Publisher Health**Description**

Whether to suppress the results of the Alert Publisher Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_mgmt_alert_publisher_health

Required

true

Suppress Health Test: Certificate Expiration**Description**

Whether to suppress the results of the Certificate Expiration health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_mgmt_certificates_expiry

Required

true

Suppress Health Test: Cloudera Manager Server Clock Offset**Description**

Whether to suppress the results of the Cloudera Manager Server Clock Offset health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_mgmt_clock_offset_with_smon

Required

true

Suppress Health Test: Cloudera Manager Server Cluster Availability**Description**

Whether to suppress the results of the Cloudera Manager Server Cluster Availability health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_mgmt_cm_ha_availability

Required

true

Suppress Health Test: Command Storage Directory Free Space**Description**

Whether to suppress the results of the Command Storage Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name`service_health_suppression_mgmt_command_storage_directory_free_space`**Required**`true`**Suppress Health Test: Embedded Database Free Space****Description**

Whether to suppress the results of the Embedded Database Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`service_health_suppression_mgmt_embedded_db_free_space`**Required**`true`**Suppress Health Test: Event Server Health****Description**

Whether to suppress the results of the Event Server Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`service_health_suppression_mgmt_event_server_health`**Required**`true`**Suppress Health Test: Cloudera Manager Server Heap Size****Description**

Whether to suppress the results of the Cloudera Manager Server Heap Size health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**`false`**API Name**`service_health_suppression_mgmt_heap_size`**Required**`true`

Suppress Health Test: Host Monitor Health

Description

Whether to suppress the results of the Host Monitor Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_mgmt_host_monitor_health

Required

true

Suppress Health Test: Navigator Audit Server Health

Description

Whether to suppress the results of the Navigator Audit Server Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_mgmt_navigator_health

Required

true

Suppress Health Test: Navigator Metadata Server Health

Description

Whether to suppress the results of the Navigator Metadata Server Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_mgmt_navigatormetaserver_health

Required

true

Suppress Health Test: Cloudera Manager Server Pause Duration

Description

Whether to suppress the results of the Cloudera Manager Server Pause Duration health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

service_health_suppression_mgmt_pause_duration

Required

true

Suppress Health Test: Reports Manager Health**Description**

Whether to suppress the results of the Reports Manager Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_mgmt_reports_manager_health

Required

true

Suppress Health Test: Service Monitor Health**Description**

Whether to suppress the results of the Service Monitor Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_mgmt_service_monitor_health

Required

true

Suppress Health Test: Telemetry Publisher Health**Description**

Whether to suppress the results of the Telemetry Publisher Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

service_health_suppression_mgmt_telemetrypublisher_health

Required

true

Telemetry Publisher

Advanced

Telemetry Publisher Export Period

Description

The export period in seconds.

Related Name

export.period

Default Value

1 minute(s)

API Name

export_period

Required

true

Telemetry Publisher Logging Advanced Configuration Snippet (Safety Valve)

Description

For advanced use only, a string to be inserted into log4j.properties for this role only.

Related Name**Default Value****API Name**

log4j_safety_valve

Required

false

Enable auto refresh for metric configurations

Description

When true, Enable Metric Collection and Metric Filter parameters will be set automatically if they're changed. Otherwise, a refresh by hand is required.

Related Name**Default Value**

false

API Name

metric_config_auto_refresh

Required

false

Telemetry Publisher Data Directory

Description

Storage for tracking persistent state of the role.

Related Name

data.dir

Default Value`/var/lib/cloudera-scm-telemetrypublisher`**API Name**`mgmt_data_dir`**Required**`false`**Heap Dump Directory****Description**

Path to directory where heap dumps are generated when `java.lang.OutOfMemoryError` error is thrown. This directory is automatically created if it does not exist. If this directory already exists, it will be owned by the current role user with 1777 permissions. Sharing the same directory among multiple roles will cause an ownership race. The heap dump files are created with 600 permissions and are owned by the role user. The amount of free space in this directory should be greater than the maximum Java Process heap size configured for this role.

Related Name`oom_heap_dump_dir`**Default Value**`/tmp`**API Name**`oom_heap_dump_dir`**Required**`false`**Dump Heap for Cloudera Management Service When Out of Memory****Description**

When set, generates a heap dump file for Cloudera Management Service when an out-of-memory error occurs.

Related Name**Default Value**`false`**API Name**`oom_heap_dump_enabled`**Required**`true`**Kill When Out of Memory****Description**

When set, a SIGKILL signal is sent to the role process when `java.lang.OutOfMemoryError` is thrown.

Related Name**Default Value**`true`**API Name**`oom_sigkill_enabled`

Required

true

Telemetry Publisher Polling Period**Description**

The extractor polling period in seconds.

Related Name

extractor.poll_period

Default Value

1 minute(s)

API Name

poll_period

Required

true

Automatically Restart Process**Description**

When set, this role's process is automatically (and transparently) restarted in the event of an unexpected failure. This configuration applies in the time after the Start Wait Timeout period.

Related Name**Default Value**

true

API Name

process_auto_restart

Required

true

Enable Metric Collection**Description**

Cloudera Manager agent monitors each service and each of its role by publishing metrics to the Cloudera Manager Service Monitor. Setting it to false will stop Cloudera Manager agent from publishing any metric for corresponding service/roles. This is usually helpful for services that generate large amount of metrics which Service Monitor is not able to process.

Related Name**Default Value**

true

API Name

process_should_monitor

Required

true

Process Start Retry Attempts**Description**

Number of times to try starting a role's process when the process exits before the Start Wait Timeout period. After a process is running beyond the Start Wait Timeout, the retry count is reset. Setting this configuration to zero will prevent restart of the process during the Start Wait Timeout period.

Related Name**Default Value**

3

API Name

process_start_retries

Required

false

Process Start Wait Timeout**Description**

The time in seconds to wait for a role's process to start successfully on a host. Processes which exit/crash before this time will be restarted until reaching the limit specified by the Start Retry Attempts count parameter. Setting this configuration to zero will turn off this feature.

Related Name**Default Value**

20

API Name

process_start_secs

Required

false

Java Configuration Options for Telemetry Publisher**Description**

These arguments will be passed as part of the Java command line. Commonly, garbage collection flags, PermGen, or extra debugging flags would be passed here. Note: When CM version is 6.3.0 or greater, {{JAVA_GC_ARGS}} will be replaced by JVM Garbage Collection arguments based on the runtime Java JVM version.

Related Name**Default Value****API Name**

telemetrypublisher_java_opts

Required

false

Log and Query Redaction**Description**

Telemetry Publisher recommends and by default requires that Log and Query Redaction be enabled for all CDH clusters. If disabled for any cluster, an alert will be raised during role start. Disable this setting to allow running without redaction.

Related Name

log_query_redaction

Default Value

true

API Name

telemetrypublisher_log_query_redaction

Required

true

Proxy Support for Telemetry Publisher**Description**

When set, Telemetry Publisher sends telemetry through a proxy server.

Related Name

telemetrypublisher.proxy.enabled

Default Value

false

API Name

telemetrypublisher_proxy_enabled

Required

false

Proxy Password**Description**

Proxy Server Password. This configuration is used only when proxy support is enabled for Telemetry Publisher.

Related Name

telemetrypublisher.proxy.password

Default Value**API Name**

telemetrypublisher_proxy_password

Required

false

Proxy Port**Description**

Proxy Server Port. This configuration is used only when proxy support is enabled for Telemetry Publisher.

Related Name

telemetrypublisher.proxy.port

Default Value**API Name**

telemetrypublisher_proxy_port

Required

false

Proxy Server**Description**

Proxy Server Hostname. This configuration is used only when proxy support is enabled for Telemetry Publisher.

Related Name

telemetrypublisher.proxy.server

Default Value**API Name**

telemetrypublisher_proxy_server

Required

false

Proxy User**Description**

Proxy Server User. This configuration is used only when proxy support is enabled for Telemetry Publisher.

Related Name

telemetrypublisher.proxy.user

Default Value**API Name**

telemetrypublisher_proxy_user

Required

false

Telemetry Publisher Environment Advanced Configuration Snippet (Safety Valve)**Description**

For advanced use only, key-value pairs (one on each line) to be inserted into a role's environment. Applies to configurations of this role except client configuration.

Related Name**Default Value****API Name**

TELEMETRYPUBLISHER_role_env_safety_valve

Required

false

Telemetry Publisher Advanced Configuration Snippet (Safety Valve) for telemetrypublisher.conf**Description**

For advanced use only. A string to be inserted into telemetrypublisher.conf for this role only.

Related Name**Default Value****API Name**

telemetrypublisher_safety_valve

Required

false

Telemetry Publisher Thread Pool Size**Description**

The number of parallel threads used for extractor task execution.

Related Name

extractor.thread_pool_size

Default Value

10

API Name

thread_pool_size

Required

true

Logs

Telemetry Publisher Logging Threshold

Description

The minimum log level for Telemetry Publisher logs

Related Name**Default Value**

INFO

API Name

log_threshold

Required

false

Telemetry Publisher Maximum Log File Backups

Description

The maximum number of rolled log files to keep for Telemetry Publisher logs. Typically used by log4j or logback.

Related Name**Default Value**

10

API Name

max_log_backup_index

Required

false

Telemetry Publisher Max Log Size

Description

The maximum size, in megabytes, per log file for Telemetry Publisher logs. Typically used by log4j or logback.

Related Name**Default Value**

200 MiB

API Name

max_log_size

Required

false

Telemetry Publisher Log Directory

Description

Directory where Telemetry Publisher will place its log files.

Related Name**Default Value**

/var/log/cloudera-scm-telemetrypublisher

API Name

mgmt_log_dir

Required

false

Monitoring

Enable Health Alerts for this Role

Description

When set, Cloudera Manager will send alerts when the health of this role reaches the threshold specified by the EventServer setting `eventserver_health_events_alert_threshold`

Related Name**Default Value**

true

API Name

enable_alerts

Required

false

Enable Configuration Change Alerts

Description

When set, Cloudera Manager will send alerts when this entity's configuration changes.

Related Name**Default Value**

false

API Name

enable_config_alerts

Required

false

Heap Dump Directory Free Space Monitoring Absolute Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

heap_dump_directory_free_space_absolute_thresholds

Required

false

Heap Dump Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's heap dump directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Heap Dump Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

heap_dump_directory_free_space_percentage_thresholds

Required

false

Enable JMX Exporter (beta)**Description**

JMX Exporter support is a beta feature. If enabled, CM configures the role to run JMX Exporter in agent mode with the provided port and YAML configuration. This exporter then can be used with the OpenTelemetry Collector feature. [See the JMX Exporter documentation.](#)

Related Name**Default Value**

true

API Name

jmx_exporter_enabled

Required

true

JMX Exporter configuration YAML**Description**

This configuration is passed to JMX Exporter as it is. [See the JMX Exporter documentation.](#)

Related Name**Default Value****API Name**

jmx_exporter_yaml

Required

false

Log Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory.

Related Name

Default Value

Warning: 10 GiB, Critical: 5 GiB

API Name

log_directory_free_space_absolute_thresholds

Required

false

Log Directory Free Space Monitoring Percentage Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's log directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Log Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

log_directory_free_space_percentage_thresholds

Required

false

Rules to Extract Events from Log Files**Description**

This file contains the rules that govern how log messages are turned into events by the custom log4j appender that this role loads. It is in JSON format, and is composed of a list of rules. Every log message is evaluated against each of these rules in turn to decide whether or not to send an event for that message. If a log message matches multiple rules, the first matching rule is used.. Each rule has some or all of the following fields:

- alert - whether or not events generated from this rule should be promoted to alerts. A value of "true" will cause alerts to be generated. If not specified, the default is "false".
- rate (mandatory) - the maximum number of log messages matching this rule that can be sent as events every minute. If more than rate matching log messages are received in a single minute, the extra messages are ignored. If rate is less than 0, the number of messages per minute is unlimited.
- periodminutes - the number of minutes during which the publisher will only publish rate events or fewer. If not specified, the default is one minute
- threshold - apply this rule only to messages with this log4j severity level or above. An example is "WARN" for warning level messages or higher.
- content - match only those messages for which contents match this regular expression.
- exceptiontype - match only those messages that are part of an exception message. The exception type must match this regular expression.

Example:

- {"alert": false, "rate": 10, "exceptiontype": "java.lang.StringIndexOutOfBoundsException"} This rule sends events to Cloudera Manager for every StringIndexOutOfBoundsException, up to a maximum of 10 every minute.
- {"alert": false, "rate": 1, "periodminutes": 1, "exceptiontype": ".*"}, {"alert": true, "rate": 1, "periodminutes": 1, "threshold": "ERROR"} In this example, an event generated may not be promoted to alert if an exception is in the ERROR log message, because the first rule with alert = false will match.

Related Name**Default Value**

version: 0, rules: [alert: false, rate: 1, periodminutes: 1, threshold: FATAL , alert: false, rate: 0, threshold: WARN, content: .* is deprecated. Instead, use .* , alert: false, rate: 0, threshold: WARN, content: .* is deprecated. Use .* instead , alert: false, rate: 0, threshold: ALL, content: .*AUTOACTIONTRIGGER.* , alert: false, rate: 1, periodminutes: 2, exceptiontype: .* , alert: false, rate: 1, periodminutes: 1, threshold: WARN]

API Name

log_event_whitelist

Required

false

Metric Filter**Description**

Defines a Metric Filter for this role. Cloudera Manager Agents will not send filtered metrics to the Service Monitor. Define the following fields:

- Health Test Metric Set - Select this parameter to collect only metrics required for health tests.
- Default Dashboard Metric Set - Select this parameter to collect only metrics required for the default dashboards. For user-defined charts, you must add the metrics you require for the chart using the Custom Metrics parameter.
- Include/Exclude Custom Metrics - Select Include to specify metrics that should be collected. Select Exclude to specify metrics that should not be collected. Enter the metric names to be included or excluded using the Metric Name parameter.
- Metric Name - The name of a metric that will be included or excluded during metric collection.

If you do not select Health Test Metric Set or Default Dashboard Metric Set, or specify metrics by name, metric filtering will be turned off (this is the default behavior). For example, the following configuration enables the collection of metrics required for Health Tests and the `jvm_heap_used_mb` metric:

- Include only Health Test Metric Set: Selected.
- Include/Exclude Custom Metrics: Set to Include.
- Metric Name: `jvm_heap_used_mb`

You can also view the JSON representation for this parameter by clicking View as JSON. In this example, the JSON looks like this: `{ "includeHealthTestMetricSet": true, "filterType": "whitelist", "metrics": ["jvm_heap_used_mb"] }`

Related Name**Default Value****API Name**

monitoring_metric_filter

Required

false

OpenTelemetry Collector Exporters Section**Description**

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name

Default Value

```
exporters: prometheusremotewrite/$ROLE_NAME: endpoint:  
$ROLE_PARAM(otelcol_remote_write_url) auth: authenticator: basicauth/$ROLE_NAME tls:  
insecure_skip_verify: true retry_on_failure: enabled: true initial_interval: 10s max_interval: 40s  
max_elapsed_time: 300s
```

API Name

```
otelcol_exporters
```

Required

```
false
```

OpenTelemetry Collector Extensions Section**Description**

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value**

```
extensions: basicauth/$ROLE_NAME: client_auth: username:  
$ROLE_PARAM(otelcol_remote_write_user) password:  
'$ROLE_PARAM(otelcol_remote_write_password)'
```

API Name

```
otelcol_extensions
```

Required

```
false
```

OpenTelemetry Collector Helper Port**Description**

This port can be used for JMX Exporter to implement a Prometheus exporter or for other OpenTelemetry Collector related purposes

Related Name**Default Value****API Name**

```
otelcol_helper_port
```

Required

```
false
```

OpenTelemetry Collector Processors Section**Description**

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

```
otelcol_processors
```

Required

```
false
```

OpenTelemetry Collector Receivers Section

Description

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name

Default Value

API Name

otelcol_receivers

Required

false

OpenTelemetry Collector Remote Write Password

Description

Remote write password for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_password) expression. Specify \$INFRA(cdp_request_signer_password) when forwarding to Cloudera Observability central monitoring. (This is the default.)

Related Name

Default Value

API Name

otelcol_remote_write_password

Required

false

OpenTelemetry Collector Remote Write URL

Description

Remote write URL for the OpenTelemetry Collector. This param is for convenience and intended to be used at the exporters section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_url) expression. Specify \$INFRA(cdp_request_signer_url) when forwarding to Cloudera Observability central monitoring.

Related Name

Default Value

\$INFRA(cdp_request_signer_url)

API Name

otelcol_remote_write_url

Required

false

OpenTelemetry Collector Remote Write Username

Description

Remote write username for the OpenTelemetry Collector. This param is for convenience and intended to be used at the extensions section of Otelcol settings using the \$ROLE_PARAM(otelcol_remote_write_user) expression. Specify \$INFRA(cdp_request_signer_username) when forwarding to Cloudera Observability central monitoring.

Related Name**Default Value**

\$INFRA(cdp_request_signer_username)

API Name

otelcol_remote_write_user

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section

Description

Define the exporters settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_exporters

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section

Description

Define the extensions settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_extensions

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section

Description

Define the processors settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_processors

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section**Description**

Define the receivers settings as a yaml snippet according to the OpenTelemetry Collector standards. A number of variables can help to use the same config everywhere. The follow strings or expressions will be substituted: \$HOST_NAME, \$CLUSTER_NAME, \$CLUSTER_ID, \$SERVICE_TYPE, \$SERVICE_NAME, \$ROLE_NAME, \$ROLE_TYPE, \$ROLE_PARAM(my_parameter_name) - e.g.: a port parameter for the role's metrics, \$DECODE_B64(...) and \$DECODE_URL(...) to decode encoded parameters, \$ENV_PARAM(name) to fetch params from the process' environment, \$SYS_PARAM(name) to fetch java system properties.

Related Name**Default Value****API Name**

otelcol_rtm_logs_receivers

Required

false

Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_rtm_logs_service

Required

false

OpenTelemetry Collector Service Section**Description**

Define the service settings as a yaml snippet according to the OpenTelemetry Collector standards. Variable substitution available, see the receivers' help.

Related Name**Default Value****API Name**

otelcol_service

Required

false

Enable OpenTelemetry Collector (beta)**Description**

OpenTelemetry Collector support is a new beta feature (will change without notice) which can run OpenTelemetry Collector as an agent together with the CM Agent to forward metrics to a Prometheus like storage.

Related Name**Default Value**

false

API Name

otelcol_should_collect

Required

true

Enable Real-Time Monitoring for Jobs / Queries with OpenTelemetry

Description

This enables OpenTelemetry Collector as an agent together with the CM Agent to forward real-time monitoring data about jobs / queries to Observability backend. The configuration of the subsections shouldn't be modified manually.

Related Name**Default Value**

false

API Name

otelcol_should_collect_rtm_logs

Required

true

Swap Memory Usage Rate Thresholds

Description

The health test thresholds on the swap memory usage rate of the process. Specified as the change of the used swap memory during the predefined period.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

process_swap_memory_rate_thresholds

Required

false

Swap Memory Usage Rate Window

Description

The period to review when computing unexpected swap memory usage change of the process.

Related Name

common.process.swap_memory_rate_window

Default Value

5 minute(s)

API Name

process_swap_memory_rate_window

Required

false

Process Swap Memory Thresholds**Description**

The health test thresholds on the swap memory usage of the process. This takes precedence over the host level threshold.

Related Name**Default Value**

Warning: 200 B, Critical: Never

API Name

process_swap_memory_thresholds

Required

false

Role Triggers**Description**

The configured triggers for this role. This is a JSON-formatted list of triggers. These triggers are evaluated as part as the health system. Every trigger expression is parsed, and if the trigger condition is met, the list of actions provided in the trigger expression is executed. Each trigger has the following fields:

- `triggerName` (mandatory) - The name of the trigger. This value must be unique for the specific role.
- `triggerExpression` (mandatory) - A tsquery expression representing the trigger.
- `streamThreshold` (optional) - The maximum number of streams that can satisfy a condition of a trigger before the condition fires. By default set to 0, and any stream returned causes the condition to fire.
- `enabled` (optional) - By default set to 'true'. If set to 'false', the trigger is not evaluated.
- `expressionEditorConfig` (optional) - Metadata for the trigger editor. If present, the trigger should only be edited from the Edit Trigger page; editing the trigger here can lead to inconsistencies.

For example, the following JSON formatted trigger configured for a DataNode fires if the DataNode has more than 1500 file descriptors opened: `[{"triggerName": "sample-trigger", "triggerExpression": "IF (SELECT fd_open WHERE roleName=$ROLENAME and last(fd_open) > 1500) DO health:bad", "streamThreshold": 0, "enabled": "true"}]` See the trigger rules documentation for more details on how to write triggers using tsquery. The JSON format is evolving and may change and, as a result, backward compatibility is not guaranteed between releases.

Related Name**Default Value**

[]

API Name

role_triggers

Required

true

Telemetry Publisher Data Directory Free Space Monitoring Absolute Thresholds**Description**

The health test thresholds for monitoring of free space on the filesystem that contains this role's Telemetry Publisher Data Directory.

Related Name**Default Value**

Warning: 10 GiB, Critical: 5 GiB

API Name

telemetrypublisher_data_directory_free_space_absolute_thresholds

Required

false

Telemetry Publisher Data Directory Free Space Monitoring Percentage Thresholds

Description

The health test thresholds for monitoring of free space on the filesystem that contains this role's Telemetry Publisher Data Directory. Specified as a percentage of the capacity on that filesystem. This setting is not used if a Telemetry Publisher Data Directory Free Space Monitoring Absolute Thresholds setting is configured.

Related Name**Default Value**

Warning: Never, Critical: Never

API Name

telemetrypublisher_data_directory_free_space_percentage_thresholds

Required

false

Metrics Data Export Failure Thresholds

Description

The health test thresholds for monitoring the data export failure count.

Related Name**Default Value**

Warning: 3.0 time(s), Critical: 5.0 time(s)

API Name

telemetrypublisher_data_export_failure_thresholds

Required

true

Telemetry Publisher Data Export Monitoring Time Period

Description

The time period over which the telemetry publisher data export for streams will be monitored for failed export.

Related Name**Default Value**

5 minute(s)

API Name

telemetrypublisher_data_export_failure_window

Required

true

Metrics Data Ingest Failure Thresholds**Description**

The health test thresholds for monitoring the data ingest failure count.

Related Name**Default Value**

Warning: 3.0 time(s), Critical: 5.0 time(s)

API Name

telemetrypublisher_data_ingest_failure_thresholds

Required

true

Telemetry Publisher Data Ingest Monitoring Time Period**Description**

The time period over which the telemetry publisher data ingest for streams will be monitored for failed ingest.

Related Name**Default Value**

5 minute(s)

API Name

telemetrypublisher_data_ingest_failure_window

Required

true

File Descriptor Monitoring Thresholds**Description**

The health test thresholds of the number of file descriptors used. Specified as a percentage of file descriptor limit.

Related Name**Default Value**

Warning: 50.0 %, Critical: 70.0 %

API Name

telemetrypublisher_fd_thresholds

Required

false

Garbage Collection Duration Thresholds**Description**

The health test thresholds for the weighted average time spent in Java garbage collection. Specified as a percentage of elapsed wall clock time.

Related Name**Default Value**

Warning: 30.0, Critical: 60.0

API Name

telemetrypublisher_gc_duration_thresholds

Required

false

Garbage Collection Duration Monitoring Period**Description**

The period to review when computing the moving average of garbage collection time.

Related Name**Default Value**

5 minute(s)

API Name

telemetrypublisher_gc_duration_window

Required

false

Telemetry Publisher Host Health Test**Description**

When computing the overall Telemetry Publisher health, consider the host's health.

Related Name**Default Value**

true

API Name

telemetrypublisher_host_health_enabled

Required

false

Telemetry Publisher Process Health Test**Description**

Enables the health test that the Telemetry Publisher's process state is consistent with the role configuration

Related Name**Default Value**

true

API Name

telemetrypublisher_scm_health_enabled

Required

false

Web Metric Collection**Description**

Enables the health test that the Cloudera Manager Agent can successfully contact and gather metrics from the web server.

Related Name**Default Value**

true

API Name

telemetrypublisher_web_metric_collection_enabled

Required

false

Web Metric Collection Duration**Description**

The health test thresholds on the duration of the metrics request to the web server.

Related Name**Default Value**

Warning: 10 second(s), Critical: Never

API Name

telemetrypublisher_web_metric_collection_thresholds

Required

false

Unexpected Exits Thresholds**Description**

The health test thresholds for unexpected exits encountered within a recent period specified by the unexpected_exits_window configuration for the role.

Related Name**Default Value**

Warning: Never, Critical: Any

API Name

unexpected_exits_thresholds

Required

false

Unexpected Exits Monitoring Period**Description**

The period to review when computing unexpected exits.

Related Name**Default Value**

5 minute(s)

API Name

unexpected_exits_window

Required

false

Other

Telemetry Publisher Web UI IPAddress.

Description

The IP where Telemetry Publisher starts a debug web server.

Related Name

telemetry_publisher.debug.server.interface

Default Value

0.0.0.0

API Name

telemetry_publisher_debug_server_interface

Required

false

Performance

Maximum Process File Descriptors

Description

If configured, overrides the process soft and hard rlimits (also called ulimits) for file descriptors to the configured value.

Related Name
Default Value
API Name

rlimit_fds

Required

false

Ports and Addresses

Telemetry Publisher Web UI Port.

Description

The port where Telemetry Publisher starts a debug web server. Set to -1 to disable debug server.

Related Name

telemetry_publisher.debug.port

Default Value

10111

API Name

telemetry_publisher_debug_port

Required

false

Telemetry Publisher Server Port

Description

The port where Telemetry Publisher listens for requests

Related Name

	telemetry_publisher.server.port
Default Value	10110
API Name	telemetry_publisher_server_port
Required	false

Resource Management

Cgroup V1 BLKIO Weight

Description

Weight for the read I/O requests issued by this role, enforced by the Linux kernel under cgroup v1. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 100 and 1000. Defaults to 1000 for processes not managed by Cloudera Manager.

Related Name

blkio.weight

Default Value

500

API Name

rm_blkio_weight

Required

true

Cgroup V1 CPU Shares

Description

Number of CPU shares to assign to this role, enforced by the Linux kernel under cgroup v1. The greater the number of shares, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 2 and 262144. Defaults to 1024 for processes not managed by Cloudera Manager.

Related Name

cpu.shares

Default Value

1024

API Name

rm_cpu_shares

Required

true

Cgroup V2 CPU Weight

Description

Weight of CPU resources to assign to this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the larger the share of the host's CPUs that will be given to this role when the host experiences CPU contention. Must be between 1 and 10000. Defaults to 100.

Related Name

	cpu.weight
Default Value	100
API Name	rm_cpu_weight
Required	true

Custom Control Group Resources (overrides Cgroup settings)

Description

Custom control group resources to assign to this role, which will be enforced by the Linux kernel. These resources should exist on the target hosts, otherwise an error will occur when the process starts. Use the same format as used for arguments to the cgroup command: resource1,resource2:path1 or resource3:path2 For example: 'cpu,memory:my/path blkio:my2/path2' ***These settings override other cgroup settings.***

Related Name

custom.cgroups

Default Value

API Name

rm_custom_resources

Required

false

Cgroup V2 I/O Weight

Description

Weight for the I/O requests issued by this role, enforced by the Linux kernel under cgroup v2. The greater the weight, the higher the priority of the requests when the host experiences I/O contention. Must be between 1 and 10000. Defaults to 100.

Related Name

io.weight

Default Value

100

API Name

rm_io_weight

Required

true

Cgroup V1 Memory Hard Limit

Description

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v1

Required

true

Cgroup V2 Memory Hard Limit**Description**

Hard memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.max

Default Value

-1 MiB

API Name

rm_memory_hard_limit_v2

Required

true

Cgroup V1 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v1. When the limit is reached, the kernel will reclaim pages charged to the process if and only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous as well as page cache pages contribute to the limit. Use a value of -1 to specify no limit. By default processes not managed by Cloudera Manager will have no limit. If the value is -1, Cloudera Manager will not monitor Cgroup memory usage therefore some of the charts will show 'No Data'

Related Name

memory.soft_limit_in_bytes

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v1

Required

true

Cgroup V2 Memory Soft Limit**Description**

Soft memory limit to assign to this role, enforced by the Linux kernel under cgroup v2. When the limit is reached, the kernel will reclaim pages charged to the process only if the host is facing memory pressure. If reclaiming fails, the kernel may kill the process. Both anonymous and page cache pages contribute to the limit. Use a value of 'max' to specify no limit. By default, processes

not managed by Cloudera Manager will have no limit. If the value is 'max', Cloudera Manager will not monitor Cgroup memory usage, and some charts will show 'No Data'.

Related Name

memory.high

Default Value

-1 MiB

API Name

rm_memory_soft_limit_v2

Required

true

Java Heap Size of TelemetryPublisher in Bytes

Description

Maximum size in bytes for the Java Process heap memory. Passed to Java -Xmx.

Related Name**Default Value**

4 GiB

API Name

telemetry_publisher_heapsize

Required

false

Security

Telemetry Kerberos Principal

Description

Kerberos principal used by Telemetry Publisher to authenticate to all services except HDFS. Note: Telemetry should use the principal used by Hue service if you are using MapReduce1 service in any of the clusters.

Related Name**Default Value**

hue

API Name

kerberos_role_princ_name

Required

true

Enable TLS/SSL for Telemetry Publisher

Description

Encrypt communication between clients and Telemetry Publisher using Transport Layer Security (TLS) (formerly known as Secure Socket Layer (SSL)).

Related Name

telemetrypublisher.http.enable_ssl

Default Value

false

API Name

ssl_enabled

Required

false

Telemetry Publisher TLS/SSL Server Keystore Key Password**Description**

The password that protects the private key contained in the keystore used when Telemetry Publisher is acting as a TLS/SSL server.

Related Name

telemetrypublisher.ssl.keyManagerPassword

Default Value**API Name**

ssl_server_keystore_keypassword

Required

false

Telemetry Publisher TLS/SSL Server Keystore File Location**Description**

The path to the TLS/SSL keystore file containing the server certificate and private key used for TLS/SSL. Used when Telemetry Publisher is acting as a TLS/SSL server. The keystore must be in the format specified in Administration > Settings > Java Keystore Type.

Related Name

telemetrypublisher.ssl.keyStorePath

Default Value**API Name**

ssl_server_keystore_location

Required

false

Telemetry Publisher TLS/SSL Server Keystore File Password**Description**

The password for the Telemetry Publisher keystore file.

Related Name

telemetrypublisher.ssl.keyStorePassword

Default Value**API Name**

ssl_server_keystore_password

Required

false

Telemetry Kerberos Principal for HDFS**Description**

Kerberos principal used by Telemetry Publisher to authenticate to HDFS services. Note: This principal must be in the same groups as the principals used by Job History and Spark History Servers.

Related Name

telemetrypublisher.dfs.user

Default Value

hdfs

API Name

tp_hdfs_kerberos_princ

Required

true

Stacks Collection

Stacks Collection Data Retention

Description

The amount of stacks data that is retained. After the retention limit is reached, the oldest data is deleted.

Related Name

stacks_collection_data_retention

Default Value

100 MiB

API Name

stacks_collection_data_retention

Required

false

Stacks Collection Directory

Description

The directory in which stacks logs are placed. If not set, stacks are logged into a stacks subdirectory of the role's log directory. If this directory already exists, it will be owned by the current role user with 755 permissions. Sharing the same directory among multiple roles will cause an ownership race.

Related Name

stacks_collection_directory

Default Value**API Name**

stacks_collection_directory

Required

false

Stacks Collection Enabled

Description

Whether or not periodic stacks collection is enabled.

Related Name

stacks_collection_enabled

Default Value

false

API Name

stacks_collection_enabled

Required

true

Stacks Collection Frequency**Description**

The frequency with which stacks are collected.

Related Name

stacks_collection_frequency

Default Value

5.0 second(s)

API Name

stacks_collection_frequency

Required

false

Stacks Collection Method**Description**

The method used to collect stacks. The jstack option involves periodically running the jstack command against the role's daemon process. The servlet method is available for those roles that have an HTTP server endpoint exposing the current stacks traces of all threads. When the servlet method is selected, that HTTP endpoint is periodically scraped.

Related Name

stacks_collection_method

Default Value

jstack

API Name

stacks_collection_method

Required

false

Suppressions**Suppress Configuration Validator: CDH Version Validator****Description**

Whether to suppress configuration warnings produced by the CDH Version Validator configuration validator.

Related Name**Default Value**

false

API Name

role_config_suppression_cdh_version_validator

Required

true

Suppress Parameter Validation: JMX Exporter configuration YAML**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the JMX Exporter configuration YAML parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_jmx_exporter_yaml

Required

true

Suppress Parameter Validation: Telemetry Kerberos Principal**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Telemetry Kerberos Principal parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_kerberos_role_princ_name

Required

true

Suppress Parameter Validation: Telemetry Publisher Logging Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Telemetry Publisher Logging Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_log4j_safety_valve

Required

true

Suppress Parameter Validation: Rules to Extract Events from Log Files**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Rules to Extract Events from Log Files parameter.

Related Name

Default Value

false

API Name

role_config_suppression_log_event_whitelist

Required

true

Suppress Parameter Validation: Telemetry Publisher Data Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Telemetry Publisher Data Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_mgmt_data_dir

Required

true

Suppress Parameter Validation: Telemetry Publisher Log Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Telemetry Publisher Log Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_mgmt_log_dir

Required

true

Suppress Parameter Validation: Heap Dump Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Heap Dump Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_oom_heap_dump_dir

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_exporters

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_extensions

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Helper Port**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Helper Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_helper_port

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Processors Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_processors

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_receivers

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_password

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write URL

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write URL parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_url

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Remote Write Username

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Remote Write Username parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_remote_write_user

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Exporters Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_exporters

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Extensions Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_extensions

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Processors Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_processors

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Receivers Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_receivers

Required

true

Suppress Parameter Validation: Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Real-Time Monitoring for Jobs / Queries with OpenTelemetry - Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_rtm_logs_service

Required

true

Suppress Parameter Validation: OpenTelemetry Collector Service Section

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the OpenTelemetry Collector Service Section parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_otelcol_service

Required

true

Suppress Parameter Validation: Custom Control Group Resources (overrides Cgroup settings)

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Custom Control Group Resources (overrides Cgroup settings) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_rm_custom_resources

Required

true

Suppress Parameter Validation: Role Triggers**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Role Triggers parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_role_triggers

Required

true

Suppress Parameter Validation: Telemetry Publisher TLS/SSL Server Keystore Key Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Telemetry Publisher TLS/SSL Server Keystore Key Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_keypassword

Required

true

Suppress Parameter Validation: Telemetry Publisher TLS/SSL Server Keystore File Location**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Telemetry Publisher TLS/SSL Server Keystore File Location parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_location

Required

true

Suppress Parameter Validation: Telemetry Publisher TLS/SSL Server Keystore File Password**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Telemetry Publisher TLS/SSL Server Keystore File Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_ssl_server_keystore_password

Required

true

Suppress Parameter Validation: Stacks Collection Directory**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Stacks Collection Directory parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_stacks_collection_directory

Required

true

Suppress Parameter Validation: Telemetry Publisher Web UI Port.**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Telemetry Publisher Web UI Port. parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_telemetry_publisher_debug_port

Required

true

Suppress Parameter Validation: Telemetry Publisher Web UI IPAddress.**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Telemetry Publisher Web UI IPAddress. parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_telemetry_publisher_debug_server_interface

Required

true

Suppress Parameter Validation: Telemetry Publisher Server Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Telemetry Publisher Server Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_telemetry_publisher_server_port

Required

true

Suppress Parameter Validation: Java Configuration Options for Telemetry Publisher

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Java Configuration Options for Telemetry Publisher parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_telemetrypublisher_java_opts

Required

true

Suppress Parameter Validation: Proxy Password

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Proxy Password parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_telemetrypublisher_proxy_password

Required

true

Suppress Parameter Validation: Proxy Port

Description

Whether to suppress configuration warnings produced by the built-in parameter validation for the Proxy Port parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_telemetrypublisher_proxy_port

Required

true

Suppress Parameter Validation: Proxy Server**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Proxy Server parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_telemetrypublisher_proxy_server

Required

true

Suppress Parameter Validation: Proxy User**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Proxy User parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_telemetrypublisher_proxy_user

Required

true

Suppress Parameter Validation: Telemetry Publisher Environment Advanced Configuration Snippet (Safety Valve)**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Telemetry Publisher Environment Advanced Configuration Snippet (Safety Valve) parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_telemetrypublisher_role_env_safety_valve

Required

true

Suppress Parameter Validation: Telemetry Publisher Advanced Configuration Snippet (Safety Valve) for telemetrypublisher.conf**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Telemetry Publisher Advanced Configuration Snippet (Safety Valve) for telemetrypublisher.conf parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_telemetrypublisher_safety_valve

Required

true

Suppress Parameter Validation: Telemetry Kerberos Principal for HDFS**Description**

Whether to suppress configuration warnings produced by the built-in parameter validation for the Telemetry Kerberos Principal for HDFS parameter.

Related Name**Default Value**

false

API Name

role_config_suppression_tp_hdfs_kerberos_princ

Required

true

Suppress Health Test: Data Export Test For Stream Hive-App**Description**

Whether to suppress the results of the Data Export Test For Stream Hive-App health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hive__app_data_export_failure

Required

true

Suppress Health Test: Data Ingest Test For Stream Hive-App**Description**

Whether to suppress the results of the Data Ingest Test For Stream Hive-App health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hive__app_data_ingest_failure

Required

true

Suppress Health Test: Data Export Test For Stream Hive-Query-Audits**Description**

Whether to suppress the results of the Data Export Test For Stream Hive-Query-Audits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hive__query__audits_data_export_failure

Required

true

Suppress Health Test: Data Ingest Test For Stream Hive-Query-Audits**Description**

Whether to suppress the results of the Data Ingest Test For Stream Hive-Query-Audits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hive__query__audits_data_ingest_failure

Required

true

Suppress Health Test: Data Export Test For Stream Hive-Tez-App**Description**

Whether to suppress the results of the Data Export Test For Stream Hive-Tez-App health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hive__tez__app_data_export_failure

Required

true

Suppress Health Test: Data Ingest Test For Stream Hive-Tez-App**Description**

Whether to suppress the results of the Data Ingest Test For Stream Hive-Tez-App health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_hive__tez__app_data_ingest_failure

Required

true

Suppress Health Test: Data Export Test For Stream Impala-Query-Profile**Description**

Whether to suppress the results of the Data Export Test For Stream Impala-Query-Profile health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_impala__query__profile_data_export_failure

Required

true

Suppress Health Test: Data Ingest Test For Stream Impala-Query-Profile**Description**

Whether to suppress the results of the Data Ingest Test For Stream Impala-Query-Profile health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_impala__query__profile_data_ingest_failure

Required

true

Suppress Health Test: Data Export Test For Stream Oozie-Workflows**Description**

Whether to suppress the results of the Data Export Test For Stream Oozie-Workflows health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_oozie__workflows_data_export_failure

Required

true

Suppress Health Test: Data Ingest Test For Stream Oozie-Workflows**Description**

Whether to suppress the results of the Data Ingest Test For Stream Oozie-Workflows health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_oozie__workflows_data_ingest_failure

Required

true

Suppress Health Test: Data Export Test For Stream Spark2_on_yarn-Event-Log**Description**

Whether to suppress the results of the Data Export Test For Stream Spark2_on_yarn-Event-Log health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_spark2_on_yarn__event__log_data_export_failure

Required

true

Suppress Health Test: Data Ingest Test For Stream Spark2_on_yarn-Event-Log**Description**

Whether to suppress the results of the Data Ingest Test For Stream Spark2_on_yarn-Event-Log health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_spark2_on_yarn__event__log_data_ingest_failure

Required

true

Suppress Health Test: Audit Pipeline Test

Description

Whether to suppress the results of the Audit Pipeline Test health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_telemetrypublisher_audit_health

Required

true

Suppress Health Test: Telemetry Publisher Data Directory Free Space

Description

Whether to suppress the results of the Telemetry Publisher Data Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_telemetrypublisher_data_directory_free_space

Required

true

Suppress Health Test: File Descriptors

Description

Whether to suppress the results of the File Descriptors health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_telemetrypublisher_file_descriptor

Required

true

Suppress Health Test: GC Duration

Description

Whether to suppress the results of the GC Duration health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_telemetrypublisher_gc_duration

Required

true

Suppress Health Test: Heap Dump Directory Free Space**Description**

Whether to suppress the results of the Heap Dump Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_telemetrypublisher_heap_dump_directory_free_space

Required

true

Suppress Health Test: Host Health**Description**

Whether to suppress the results of the Host Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_telemetrypublisher_host_health

Required

true

Suppress Health Test: Log Directory Free Space**Description**

Whether to suppress the results of the Log Directory Free Space health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_telemetrypublisher_log_directory_free_space

Required

true

Suppress Health Test: Otelcol Health

Description

Whether to suppress the results of the Otelcol Health health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_telemetrypublisher_otelcol_health

Required

true

Suppress Health Test: Process Status

Description

Whether to suppress the results of the Process Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_telemetrypublisher_scm_health

Required

true

Suppress Health Test: Swap Memory Usage

Description

Whether to suppress the results of the Swap Memory Usage health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_telemetrypublisher_swap_memory_usage

Required

true

Suppress Health Test: Swap Memory Usage Rate Beta

Description

Whether to suppress the results of the Swap Memory Usage Rate Beta health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name

Default Value

false

API Name

role_health_suppression_telemetrypublisher_swap_memory_usage_rate

Required

true

Suppress Health Test: Unexpected Exits**Description**

Whether to suppress the results of the Unexpected Exits health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_telemetrypublisher_unexpected_exits

Required

true

Suppress Health Test: Web Server Status**Description**

Whether to suppress the results of the Web Server Status health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_telemetrypublisher_web_metric_collection

Required

true

Suppress Health Test: Data Export Test For Stream Yarn-Apps**Description**

Whether to suppress the results of the Data Export Test For Stream Yarn-Apps health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_yarn__apps_data_export_failure

Required

true

Suppress Health Test: Data Ingest Test For Stream Yarn-Apps**Description**

Whether to suppress the results of the Data Ingest Test For Stream Yarn-Apps health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_yarn__apps_data_ingest_failure

Required

true

Suppress Health Test: Data Export Test For Stream Yarn-Jhist**Description**

Whether to suppress the results of the Data Export Test For Stream Yarn-Jhist health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_yarn__jhist_data_export_failure

Required

true

Suppress Health Test: Data Ingest Test For Stream Yarn-Jhist**Description**

Whether to suppress the results of the Data Ingest Test For Stream Yarn-Jhist health test. The results of suppressed health tests are ignored when computing the overall health of the associated host, role or service, so suppressed health tests will not generate alerts.

Related Name**Default Value**

false

API Name

role_health_suppression_yarn__jhist_data_ingest_failure

Required

true