## CDP Public Cloud / Data Catalog

# **Profilers in Compute Cluster Enabled Environments**

Date published: 2019-11-14 Date modified: 2025-10-17



## **Legal Notice**

© Cloudera Inc. 2025. All rights reserved.

The documentation is and contains Cloudera proprietary information protected by copyright and other intellectual property rights. No license under copyright or any other intellectual property right is granted herein.

Unless otherwise noted, scripts and sample code are licensed under the Apache License, Version 2.0.

Copyright information for Cloudera software may be found within the documentation accompanying each component in a particular release.

Cloudera software includes software from various open source or other third party projects, and may be released under the Apache Software License 2.0 ("ASLv2"), the Affero General Public License version 3 (AGPLv3), or other license terms. Other software included may be released under the terms of alternative open source licenses. Please review the license and notice files accompanying the software for additional licensing information.

Please visit the Cloudera software product page for more information on Cloudera software. For more information on Cloudera support services, please visit either the Support or Sales page. Feel free to contact us directly to discuss your specific needs.

Cloudera reserves the right to change any products at any time, and without notice. Cloudera assumes no responsibility nor liability arising from the use of products, except as expressly agreed to in writing by Cloudera.

Cloudera, Cloudera Altus, HUE, Impala, Cloudera Impala, and other Cloudera marks are registered or unregistered trademarks in the United States and other countries. All other trademarks are the property of their respective owners.

Disclaimer: EXCEPT AS EXPRESSLY PROVIDED IN A WRITTEN AGREEMENT WITH CLOUDERA, CLOUDERA DOES NOT MAKE NOR GIVE ANY REPRESENTATION, WARRANTY, NOR COVENANT OF ANY KIND, WHETHER EXPRESS OR IMPLIED, IN CONNECTION WITH CLOUDERA TECHNOLOGY OR RELATED SUPPORT PROVIDED IN CONNECTION THEREWITH. CLOUDERA DOES NOT WARRANT THAT CLOUDERA PRODUCTS NOR SOFTWARE WILL OPERATE UNINTERRUPTED NOR THAT IT WILL BE FREE FROM DEFECTS NOR ERRORS, THAT IT WILL PROTECT YOUR DATA FROM LOSS, CORRUPTION NOR UNAVAILABILITY, NOR THAT IT WILL MEET ALL OF CUSTOMER'S BUSINESS REQUIREMENTS. WITHOUT LIMITING THE FOREGOING, AND TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, CLOUDERA EXPRESSLY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY, QUALITY, NON-INFRINGEMENT, TITLE, AND FITNESS FOR A PARTICULAR PURPOSE AND ANY REPRESENTATION, WARRANTY, OR COVENANT BASED ON COURSE OF DEALING OR USAGE IN TRADE.

# **Contents**

Cloudera Data Catalog Profilers	4
The Data Compliance Profiler	4
The Statistics Collector Profiler	
The Activity Profiler	7
Profiler data testing	8

## **Cloudera Data Catalog Profilers**

Profilers create metadata annotations that summarize the content and shape characteristics of the data assets (such as distribution of values in a box plot or histogram).



#### Note:

The VM-based architecture (using the Cluster) is deprecated from the 3.0.0 release but remains available until 7.2.18 is supported (Sept 2025). Therefore, based profilers will also not be available in versions after 7.2.18. Only Compute Cluster enabled environment will be able to run profilers after version 7.2.18.

For more information, see Cloudera Support lifecycle policy.

Cloudera Data Catalog supports different environments:

- When using the VM-based environment, you can create a Cloudera Data Hub cluster for a profiler engine to run data profiling operations as a pipeline on data located in one of your data lakes. You can install the profiler agent in a data lake and set up a specific schedule to generate various types of data profiles.
- When using the Compute Cluster enabled environment, after launching a profiler cluster, an internal service provisions new Kubernetes pods, scheduling and running profiler jobs on-demand.

Profiler Name	Description
Data Compliance Profiler	The profiler automatically classifies your data with preconfigured tags, such as, PII, PCI, HIPAA and others.
Activity Profiler Profiler	A Ranger audit log summarizer.
Statistics Collector Profiler	Provides summary statistics like Maximum, Minimum, Mean, Unique, and Null values at the Hive column level.

#### Limitations

- In Compute Cluster enabled environments, profilers only support tables which are stored on AWS S3 storage.
- Supported file formats:
  - Compute Cluster enabled environments:
    - Statistics Collector profilers and Data Compliance profilers
      - CSV
      - Parquet
      - Iceberg tables
      - ORC
      - Avro



**Note:** When trying to profile any unsupported assets, the status SKIPPED is shown in Profiler Details Job History Job Summary Profiled Assets .

Compute Cluster based profilers may hang if the underlying AWS cloud provider environment cannot provide the
necessary memory for the executor instances. In this case, reconfigure your executors with 4-5 GB memory in
Profiler Details Configuration.

## The Data Compliance Profiler

The Data Compliance automatically performs context and content inspection to detect various types of sensitive data and suggest suitable classifications or tags based on the type of sensitive content detected or discovered.

#### **Auto-detected data types**

#### Type of data

- · Bank account
- · Credit card
- Driver number (UK)
- Email
- IBAN number
  - Austria (AUT)
  - Belgium (BEL)
  - Bulgaria (BGR)
  - Switzerland (CHE)
  - Cyprus (CYP)
  - Czech Republic (CZE)
  - Germany (DEU)
  - Denmark (DNK)
  - Spain (ESP)
  - Estonia (EST)
  - Finland (FIN)
  - France (FRA)
  - United Kingdom (GBR)
  - Greece (GRC)
  - Croatia (HRV)
  - Hungary (HUN)
  - Ireland (IRL)
  - Iceland (ISL)
  - Italy (ITA)
  - Liechtenstein (LIE)
  - Lithuania (LTU)
  - Latvia (LVA)
  - Luxembourg (LUX)
  - Malta (MLT)
  - Netherlands (NLD)
  - Norway (NOR)
  - Poland (POL)
  - Portugal (PRT)
  - Romania (ROU)
  - Slovakia (SVK)
  - Slovenia (SVN)
  - Sweden (SWE)
- IP address
- NPI
- Name

- National ID number
  - Bulgaria (BGR)
  - Switzerland (CHE)
  - Czech Republic (CZE)
  - Denmark (DNK)
  - Spain (ESP)
  - Estonia (EST)
  - Finland (FIN)
  - Greece (GRC)
  - Ireland (IRL)
  - Iceland (ISL)
  - Italy (ITA)
  - Lithuania (LTU)
  - Latvia (LVA)
  - Norway (NOR)
  - Poland (POL)
  - Portugal (PRT)
  - Romania (ROU)
  - Slovakia (SVK)
  - Sweden (SWE)
- National insurance number (UK)
- Passport number
  - Austria (AUT)
  - Belgium (BEL)
  - Switzerland (CHE)
  - Germany (DEU)
  - Spain (ESP)

  - Finland (FIN) France (FRA)
  - Greece (GRC)
  - Ireland (IRL)
  - Italy (ITA)
  - Poland (POL)
  - United Kingdom (UK)
- Bank Routing Number
- US Social Security Number
- Society for Worldwide Interbank Financial Telecommunication (SWIFT)
- Telephone


#### The Statistics Collector Profiler

You can view the shape or distribution characteristics of the columnar data within a Hive table based on the Statistics Collector.

There are different charts available to help visualize the shape and distribution of the data within the column as well as summary statistics for a column with numerical data. These include the following:

- Unique Values
- Null Values
- Max

- Min
- Mean



The profiler computes column univariate statistics that are displayed using an appropriate chart in the Schema tab.

Pie charts are presented for categorical data with limited number of categories or classes. Examples include data such as eye colors that only have a fixed list of values (categories or labels).


When the data within columns is numeric, a histogram of the distribution of values organized into 10 groups (decile frequency histogram) and a box plot with a five-number summary (mean, median, quartiles, maximum, and minimum values) are shown for the column.

## **The Activity Profiler**

You can view who has accessed which data from a forensic audit or compliance perspective, visualize access patterns, and identify anomalies in access patterns using the Activity Profiler.

The Activity Profiler uses the Apache Ranger logs to show the most recent raw event data as well as summarized views of event by type of access and access outcomes (allowed/denied). These views are obtained by profiling the records in the data lake.





## **Profiler data testing**

You must note the important information about profiler services.



Note: The Cloudera Data Catalog profilers are not tested at par with the Hive scale.

#### **Test data for Compute Cluster enabled environments**

The following dataset has been validated and works as expected for Compute Cluster enabled environments.

• Supported asset types:

#### **External Tables:**

- CSV
- Parquet
- Iceberg
- Avro
- ORC

#### **Managed Tables:**

- CSV
- Parquet
- Iceberg
- Avro
- ORC

- Scheduled profiling results:
  - Total data tested:
    - · Total of 5 TB of data



**Note:** Testing the total 5 TB data took approximately three days.

- Total table count: 7700
- Tested tables:
  - 600 Parquet tables
  - 6500 CSV tables
  - 300 Iceberg tables
  - 150 Avro tables
  - 150 ORC tables



**Note:** When trying to profile any unsupported assets, the status SKIPPED is shown in Profiler Details Job History Job Summary Profiled Assets .

- On-demand profiling results:
  - Parquet table: 250 GB, sample (17 GB)
    - Statistics Collector profiler:
      - 30 Executors / 9 mins
      - 20 executors / 14 mins
      - 10 executors / 30 mins
    - Data Compliance profiler:
      - 30 Executors / 13 mins
      - 20 executors / 18 mins
      - 10 executors / 35 mins
  - CSV table: 430 GB, sample (28 GB)
  - Statistics Collector profiler:
    - 30 Executors / 23 mins
    - 20 executors / 40 mins
    - 10 executors / 86 mins
    - Data Compliance profiler:
      - 30 Executors / 42 mins
      - 20 executors / 63 mins
      - 10 executors / 70 mins