

Customizing Dashboards

Date published: 2020-10-30

Date modified: 2022-09-21

CLOUDERA

Legal Notice

© Cloudera Inc. 2024. All rights reserved.

The documentation is and contains Cloudera proprietary information protected by copyright and other intellectual property rights. No license under copyright or any other intellectual property right is granted herein.

Unless otherwise noted, scripts and sample code are licensed under the Apache License, Version 2.0.

Copyright information for Cloudera software may be found within the documentation accompanying each component in a particular release.

Cloudera software includes software from various open source or other third party projects, and may be released under the Apache Software License 2.0 (“ASLv2”), the Affero General Public License version 3 (AGPLv3), or other license terms. Other software included may be released under the terms of alternative open source licenses. Please review the license and notice files accompanying the software for additional licensing information.

Please visit the Cloudera software product page for more information on Cloudera software. For more information on Cloudera support services, please visit either the Support or Sales page. Feel free to contact us directly to discuss your specific needs.

Cloudera reserves the right to change any products at any time, and without notice. Cloudera assumes no responsibility nor liability arising from the use of products, except as expressly agreed to in writing by Cloudera.

Cloudera, Cloudera Altus, HUE, Impala, Cloudera Impala, and other Cloudera marks are registered or unregistered trademarks in the United States and other countries. All other trademarks are the property of their respective owners.

Disclaimer: EXCEPT AS EXPRESSLY PROVIDED IN A WRITTEN AGREEMENT WITH CLOUDERA, CLOUDERA DOES NOT MAKE NOR GIVE ANY REPRESENTATION, WARRANTY, NOR COVENANT OF ANY KIND, WHETHER EXPRESS OR IMPLIED, IN CONNECTION WITH CLOUDERA TECHNOLOGY OR RELATED SUPPORT PROVIDED IN CONNECTION THEREWITH. CLOUDERA DOES NOT WARRANT THAT CLOUDERA PRODUCTS NOR SOFTWARE WILL OPERATE UNINTERRUPTED NOR THAT IT WILL BE FREE FROM DEFECTS NOR ERRORS, THAT IT WILL PROTECT YOUR DATA FROM LOSS, CORRUPTION NOR UNAVAILABILITY, NOR THAT IT WILL MEET ALL OF CUSTOMER'S BUSINESS REQUIREMENTS. WITHOUT LIMITING THE FOREGOING, AND TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, CLOUDERA EXPRESSLY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY, QUALITY, NON-INFRINGEMENT, TITLE, AND FITNESS FOR A PARTICULAR PURPOSE AND ANY REPRESENTATION, WARRANTY, OR COVENANT BASED ON COURSE OF DEALING OR USAGE IN TRADE.

Contents

Customizing general settings for dashboards.....	5
Changing dashboard width.....	5
Enabling animations.....	5
Enabling manual refresh of visuals in a dashboard.....	6
Adjusting horizontal margins.....	6
Adjusting vertical margins.....	7
Displaying a visual in full screen.....	8
Adjusting detailed data columns.....	9
Displaying filter selections for each visual.....	9
Displaying context menus in visuals.....	10
Overriding visual style settings.....	13
Adjusting automatic refresh.....	14
Enabling or disabling case sensitive dashboard filters.....	15
Enabling viewing data in dashboard visuals.....	15
Rendering visuals after filters in dashboards.....	16
Customizing download settings for dashboards.....	16
Enabling PNG and PDF download for dashboards.....	17
Enabling printing style in PDF for dashboards.....	17
Changing the scale of dashboards for PDFs.....	17
Selecting the page size of PDF downloads.....	17
Selecting the page orientation of PDF downloads.....	18
Enabling headers and footers when printing in PDF.....	18
Enabling CSV/Excel download for visuals in a dashboard.....	19
Enabling email for dashboard.....	19
Showing borders around visuals.....	20
Customizing style for dashboards.....	20
Basics styles.....	21
Dashboard text color.....	25
Dashboard background color.....	27
Dashboard page background color.....	29
Dashboard titles styles.....	31
Dashboard titles font family.....	34
Dashboard titles font size.....	36
Dashboard titles font weight.....	36
Dashboard titles text color.....	36
Dashboard titles background color.....	37
Dashboard titles alignment.....	38
Hiding dashboard titles.....	38
Dashboard subtitles styles.....	38
Dashboard subtitles font family.....	41
Dashboard subtitles font size.....	43
Dashboard subtitles text color.....	43
Dashboard subtitles background color.....	43

Dashboard subtitles alignment.....	44
Dashboard filter styles.....	44
Aligning dashboard filters.....	47
Using filter labels inline.....	48
Hiding filters line separator.....	48
Hiding borders for filters in dashboards.....	49
Changing dashboard filter font.....	49
Changing dashboard filter font size.....	51
Changing text color for dashboard filter.....	51
Changing selected text color for dashboard filter.....	51
Changing container color for dashboard filter.....	52
Changing background color for dashboard filter.....	53
Visual basics styles in dashboards.....	53
Visual basic font family in dashboards.....	56
Visual basic font size in dashboards.....	58
Visual basic background color in dashboards.....	58
Visual border styles in dashboards.....	58
Show borders on visuals in dashboards.....	61
Change visual border color in dashboards.....	62
Change visual border radius in dashboards.....	62
Visual titles styles in dashboard.....	63
Visual title font family in dashboards.....	66
Visual title font size in dashboards.....	68
Visual title font weight in dashboards.....	68
Visual title text color in dashboards.....	68
Visual title background color in dashboards.....	69
Visual title alignment in dashboards.....	70
Visual subtitles styles in dashboard.....	70
Visual subtitle font family in dashboards.....	73
Visual subtitle font size in dashboards.....	75
Visual subtitle text color in dashboards.....	75
Visual subtitle background color in dashboards.....	75
Visual subtitle alignment in dashboards.....	76
Visual axes and labels styles in dashboards.....	76
Axis label font size in dashboards.....	79
Axis ticks font size in dashboards.....	80
Visual label font size in dashboards.....	80
Visual label title text color in dashboards.....	80
Visual trellis font size in dashboards.....	81
Visual legend font size in dashboards.....	82
Tooltips in dashboards.....	82
Tooltip font family in dashboards.....	85
Tooltip font size in dashboards.....	87

Adding custom styles to dashboards..... **87**

Adding CSS classes to dashboards.....	88
Adding included styles to dashboards.....	89
Searching custom styles in dashboards.....	89
Sorting custom styles in dashboards.....	93
Adding inline CSS code to dashboards.....	95

Creating a dashboard with multi-page table visuals..... **96**

Customizing general settings for dashboards

CDP Data Visualization supports several options for display settings for dashboards. To change the options for dashboard settings, follow these steps.

Procedure


1. On the right side of Visual Designer, click the Settings menu.
2. In the Settings menu, click General to open the menu.
3. Select the option you need.

Changing dashboard width


About this task

You can change the width of a dashboard in CDP Data Visualization.

To change the width of a dashboard, navigate to the General menu, and adjust the value of the Dashboard width option. The default value is 1024. To have dashboards extend to the full width of the page, clear the field.



For example, we decreased the dashboard width from 1024 to 500 in the following dashboard:



Enabling animations

About this task

CDP Data Visualization enables visual transitions in dashboards for the following visual types: bars, lines, combo, area, scatter, grouped bar, histogram, sparklines, pie, packed bubbles, and correlation heat map.



Note: This feature is only available when you enable visual transitions at site level. For more information, see *Enabling visual options*.

To enable animations on specific dashboard visuals, follow these steps:

Procedure

1. Open the dashboard.
2. In Dashboard Designer, select the Settings menu.
3. Click the General menu to expand it.
4. Select the Enable animations option.



Enable animations

Related Information

[Enabling visual options](#)

Enabling manual refresh of visuals in a dashboard

About this task

If you have a slow back-end data connection and your dashboard is loading slowly, you can choose to load the filters first, specify their settings, and then manually load the visuals. This topic describes how to enable manual refresh.

To enable manual refresh of visuals in a dashboard, follow these steps:

Procedure

1. Open the dashboard in Edit mode.
2. In the Dashboard Designer, select the Settings menu.
3. Click the General menu to expand it.
4. Select the Refresh visuals manually option.



Refresh visuals manually

Results


This adds a REFRESH VISUALS button to the dashboard.

Adjusting horizontal margins


About this task

You can change the horizontal margins of a dashboard in CDP Data Visualization.

To change the horizontal margins of a dashboard, navigate to the General menu, and adjust the value in the selector for the Horizontal Margins option. The default value is 10.



For example, we increased the horizontal margins from 10 to 35 in the following dashboard. Notice that both visuals are shifted to the right, but the filter controls remain stationary.




Adjusting vertical margins


About this task

You can change the vertical margins of a dashboard in CDP Data Visualization.

To change the horizontal margins of a dashboard, navigate to the General menu, and adjust the value in the selector for the Vertical Margins option. The default value is 10.



For example, we increased the vertical margins from 10 to 35 in the following dashboard. Notice that the first visual is shifted downwards, and both visuals are vertically 'squashed'. The filter controls remain stationary.



Displaying a visual in full screen

About this task

You can display a visual in full screen in CDP Data Visualization.


To extend a visual in a dashboard to the full width of the page, navigate to the General menu, and select the Make full screen for single visual option. This option is available if there is only one visual in the dashboard.



Make fullscreen for single visual

Removes background shading and padding.

For example, compare the two visuals: one in its original size, and the other in full-screen mode.



Adjusting detailed data columns

About this task

You can change detailed data columns in CDP Data Visualization.

To change the number of columns that appear when selecting Detailed Data in a context menu of a dashboard visual, navigate to the General menu, and adjust the value in the selector for the Detailed Data Columns option.

Horizontal Margins

-
10
+

Displaying filter selections for each visual

About this task

You can display filter selections for the visuals of a dashboard in CDP Data Visualization.



To show active filter selections for each visual in the dashboard, navigate to the General menu, and select the Display filter selections for each visual option.



Display filter selections for each visual i

For example, compare the two dashboards:

- The top dashboard displays filters parameters when you hover the pointer over the filter icon at the top right corner of the dashboard, but not on the visuals themselves.
- The bottom dashboard displays filters and parameters both at the top right corner, and on each visual modified by the filter.



Displaying context menus in visuals

About this task

In a dashboard, you can see the context menu within each visual in both Edit and View mode.

In Edit mode, you can see context menus by default.

Procedure


1. To enable the context menu in View mode, navigate to the General menu.
2. Select the Display context menus within visuals option.



Display context menus within visuals

3. Click the selected part of the graph in View mode, to see the context menu.


Notice the three data discovery options in the context menu, Show Detailed Data, Filter All, and Drill Into.



4. Switch to Edit mode, and click the selected part of the graph to show the context menus.

In Edit mode, you can see more data discovery options in the context menu as compared to View mode.

In the following image, notice that when you enable context menus at the dashboard level through the Display context menus within visuals setting option, the No Action on Click context menu appears as Show Context Menu on Click.



If you disable context menus by de-selecting the Display context menus within visuals setting option, the Show Context Menu on Click changes to No Action on Click.



Overriding visual style settings

About this task

To achieve consistent styling of all visuals in a dashboard, you can override all individual visual styling choices using a single dashboard setting in CDP Data Visualization.

To override the settings of the visuals by the dashboard settings, navigate to the General menu, and select the Override visual style settings option.



Override visual style settings

To change the styles at dashboard level, see *Dashboard Style Customization*.

Related Information

[Customizing style for dashboards](#)

Adjusting automatic refresh

About this task

Data Visualization can automatically refresh the dashboards at a rate set by the user. This is typically necessary when the dashboard includes visuals with dynamic information, such as stock tickers.

To enable automatic refresh, navigate to the General menu, and adjust the value in the selector for the Auto-refresh seconds option. By default, the selector is empty and the auto-refresh option is not on.

Auto-refresh seconds



Example

This example demonstrates how to create a simple dashboard with a refresh rate through using a URL link visual to access live information about the 2017 French Presidential election.

1. Start a new dashboard, based on any dataset.
2. Within the Visual Designer, click New Visual.
3. Hover over the Visual Controls of the new visual, in the top right corner, and click the (pencil) icon to edit the new visual.
4. Select the External Link from the Visual Type Catalog.
5. In the URL field, enter https://en.wikipedia.org/wiki/French_presidential_election,_2017.
6. Name and Save the new visual.

In this example, the name is used French Election 2017.

7. In the dashboard Settings, set the Auto-refresh seconds option to 300, which is equivalent to an update every 5 minutes.

The screenshot shows the Arcadia Data Visual Designer interface. At the top, there's a navigation bar with 'ARCADIA DATA', 'HOME', 'VISUALS', 'DATA', and a user 'admin'. Below the navigation is a toolbar with 'VIEW', 'SAVE', and other icons. The main area is titled 'News' and contains a 'French Election 2017' section. This section includes a Wikipedia logo, a link to 'French presidential election, 2017' from Wikipedia, and a note about the article being current. To the right, the 'SETTINGS' panel is open, showing 'General' settings like 'Dashboard Width' (1024), 'Horizontal Margins' (-10 +10), 'Vertical Margins' (-10 +10), and a list of checkboxes. One checkbox, 'Auto-refresh seconds', is selected and has a value of '300' entered into its input field, which is highlighted with a green border.

8. Name the new dashboard.

In this example, the name is used News.

9. Click Save.

10. Click View to switch to View mode.

Note the periodic updates to the dashboard.

Enabling or disabling case sensitive dashboard filters

About this task

By default, Data Visualization processes all parameter data in case-sensitive manner. It also has an option for disabling case-sensitive comparison on dashboard settings.

This example demonstrates how to create a simple dashboard with a refresh rate through using a URL link visual to access live information about the 2017 French Presidential election.

Procedure

- To enable dashboards to use case-sensitive names in output parameters, navigate to the General menu, and select the Parameter names are case sensitive option.

Parameter names are case sensitive

- To disable case-sensitive comparison, de-select this option.

The following image shows Visual_1 and Visual_2. They do not use a case-sensitive output parameter filter. You can compare them before applying the case-sensitive filter. Note that the visuals look the same.

The screenshot shows the Arcadia Data interface with the title "Output Parameters are Case Sensitive". At the top, there's a header bar with "ARCADIA DATA", "HOME", "VISUALS", "DATA", "HELP", and "admin". Below the header, there are buttons for "VIEW", "SAVE", and "PRIVATE". A sidebar on the right lists "Visuals", "Filters", "Settings", "Style", and "Custom Style".

Two visualizations are displayed:

- Visual_1:** Shows a table with "cereal_name" and "sum(calories)". The data is:

cereal_name	sum(calories)
All-Bran	70
Almond_Delight	110
Apple_Cinnamon_Cheerios	110
- Visual_2:** Shows a table with "cereal_name" and "sum(calories)". The data is:

cereal_name	sum(calories)
All-Bran	70
Almond_Delight	110
Apple_Cinnamon_Cheerios	110

A tooltip box titled "Current Parameters" is shown, containing the following entries:

```
cereal_name.data: 'All-Bran', 'Almond_Delight', 'Apple_Cinnamon_Cheerios'
cereal_name.exclude: in
```

Enabling viewing data in dashboard visuals

About this task


You can view the detailed data in each visual of a dashboard CDP Data Visualization.

To see the detailed data of each visual in the dashboard, navigate to the SettingsGeneral menu, and select the option Enable viewing data within each visual. By default, this feature is turned off.



Enable viewing data within each visual

In dashboard Edit mode, note the difference between the available widgets on a focus visual when the option is disabled, and when it is enabled. Clicking the (table) icon opens the Detailed Data window modal, which enables you to examine and download this data.



The (table) icon also appears in view-enabled dashboards in View mode.

Rendering visuals after filters in dashboards

About this task

You can render the visuals of a dashboard after all filters load in CDP Data Visualization.

To load the dashboard visuals after the filtering completes, navigate to the SettingsGeneral menu, and select the option Render visuals after loading dashboard filters.. By default, this feature is turned off.



Render visuals after loading dashboard filters

Customizing download settings for dashboards

CDP Data Visualization supports several options for dashboard download settings. To change the options, follow these steps.

Procedure

1. On the right side of Visual Designer, click the Settings menu.
2. In the Settings menu, click Downloads to open the menu.
3. Select the option you need.

Enabling PNG and PDF download for dashboards

About this task

You can download the visuals of a dashboard in PNG and PDF format in CDP Data Visualization.

To enable the download of the dashboard as a PNG image, navigate to the Downloads menu, and select the Enable "Download as Image/PDF" option.



Enable "Download as Image/PDF"

The option will appear in the supplemental menu for the dashboard.

Enabling printing style in PDF for dashboards

About this task

You can enable PDF printing for dashboards in CDP Data Visualization.

To enable PDF styling when printing dashboards, navigate to the Downloads menu, and select the Enable print style PDF option.



Enable print style PDF

The option will appear in the supplemental menu for the dashboard.

Changing the scale of dashboards for PDFs

About this task

You can change the PDF scale in CDP Data Visualization.

To change the scale of the PDF, navigate to the Downloads menu, and adjust the numerical value of the option Print PDF Scale option.

Print PDF Scale (0 = auto)

A horizontal slider with a central value of '0' and '+' and '-' buttons on either side, used for adjusting the print scale.

Selecting the page size of PDF downloads

About this task

You can select page size when downloading a PDF in CDP Data Visualization.

To change the page size of PDF downloads, navigate to the Downloads menu, and select the appropriate option in the PDF Page Size menu.

Data Visualization. supports the standard sizes Letter and A4.

PDF Page Size

Letter ▾

Letter

A4

Selecting the page orientation of PDF downloads

About this task

You can select page orientation when downloading a PDF in CDP Data Visualization.

To change the page orientation of PDF downloads, navigate to the Downloads menu, and select the appropriate option in the PDF Page Orientation menu.

Data Visualization. supports the standard sizes Portrait and Landscape.

PDF Page Orientation

Portrait ▾

Portrait

Landscape

Enabling headers and footers when printing in PDF

About this task

You can enable headers/footers for PDF files in CDP Data Visualization.

To add headers and footers to PDF, navigate to the Downloads menu, and select the Enable PDF Header and Footer option.

Data Visualization. supports the standard sizes Portrait and Landscape.



Enable PDF Header and Footer

Enabling CSV/Excel download for visuals in a dashboard

About this task

You can enable CSV/Excel download for dashboard visuals in CDP Data Visualization.

To enable the download of the data in the visuals as CSV or Excel files, navigate to the Downloads menu, and select the Enable "Download as CSV/Excel" for visuals option.



Enable "Download as CSV/Excel" for visuals

In View mode, the visuals of the dashboards show the CSV download option, the icon, when you hover the pointer over the Visual Controls.

For example, compare the two visuals: one without CSV download options, and the other that shows the CSV download functionality for each visual.

World Life Expectancy

A new perspective

un_region (All) country (All)

World Life Expectancy - Grouped Bars

sum(population)

Africa	0.00
Americas	0.00
Asia	50.0B
Europe	0.00
Oceania	0.00

World Life Expectancy - Cross Tabulation

Year	Life Expectancy	Ex				
2010	59.60	76.80	70.60	0.00	0.00	

World Life Expectancy

A new perspective

un_region (All) country (All)

World Life Expectancy - Grouped Bars

sum(population)

Africa	0.00
Americas	0.00
Asia	50.0B
Europe	0.00
Oceania	0.00

World Life Expectancy - Cross Tabulation

Year	Life Expectancy	Ex				
2010	59.60	76.80	70.60	0.00	0.00	

Enabling email for dashboard

About this task

You can email dashboards in CDP Data Visualization

To allow the user to email dashboards, navigate to the Downloads menu, and select the Enable emails option.



Enable email

The option appears in the supplemental menu for the dashboard.

Showing borders around visuals


You can add borders to create a frame around visuals in a dashboard in CDP Data Visualization.

To show borders for all visuals, navigate to the General menu, and select the Show borders around visuals option. By default, visuals in a dashboard do not show borders.



Show borders around visuals

For example, compare the two visuals: one with a hidden border, and the other with a border showing.




Customizing style for dashboards

CDP Data Visualization supports several options for styling on dashboards. To change the options for dashboard style, follow these steps.

Procedure

1. On the right side of Visual Designer, click the Style menu.
2. In the Style menu, note the menus that contain all the style adjustments.



3. Select the option you need.

Basics styles

About this task

You can adjust several style options for basics in CDP Data Visualization dashboards. To get to the options in the Dashboard Basics menu, follow these steps:

Procedure

1. On the right side of Visual Designer, click the Style menu.



Visuals




Filters



Settings



2. In the Style menu, click Dashboard Basics.




3. Select one of the options.

Dashboard text color

You can change the color of the text in the dashboard in CDP Data Visualization.

To change the color of the text in the dashboard, navigate to the dashboard Style menu, select the Dashboard Basics menu, and select a new color in the Text Color selector.


You can choose from one of the standard system colors, specify a hexadecimal or RGB color, or select one in the continuous color palette. You can also adjust color opacity. The default is no color.



The following image shows the dashboard text before changing the color.



The following image shows the dashboard text after changing the color.




Dashboard background color

You can change the color of the background in the dashboard in CDP Data Visualization.

To change the color of the background in the dashboard, navigate to the dashboard Style menu, select the Dashboard Basics menu, and select a new color in the Background Color selector.


You can choose from one of the standard system colors, specify a hexadecimal or RGB color, or select one in the continuous color palette (you can also adjust color opacity). The default is no color.



The following image shows the dashboard background before changing the color.



The following image shows the dashboard background after changing the color.




Dashboard page background color

You can change the color of the page background in the dashboard in CDP Data Visualization.

To change the color of the page background in the dashboard, navigate to the dashboard Style menu, select the Dashboard Basics menu, and select a new color in the Page Background Color selector.


You can choose from one of the standard system colors, specify a hexadecimal or RGB color, or select one in the continuous color palette. You can also adjust color opacity. The default is no color.



The following image shows the dashboard page background before changing the color.



The following image shows the dashboard page background after changing the color.



Dashboard titles styles

About this task

You can adjust several style options for dashboard titles in CDP Data Visualization dashboards. To get to the options in the Dashboard Title menu, follow these steps:

Procedure

1. On the right side of Visual Designer, click the Style menu.



Visuals




Filters



Settings



2. In the Style menu, click Dashboard Title.



3. Select one of the options.

Dashboard titles font family

You can change the font of the dashboard title in CDP Data Visualization.

To change the font of the dashboard title, navigate to the dashboard Style menu, select the Dashboard Title menu, and then select a new font in the Font Family selector.

Font Family

default ▾

default

Roboto

Arial

Arial Black

Comic Sans MS

Courier New

Georgia

Helvetica

Impact

Lato

Lucida Console

Lucida Sans Unicode

Palatino Linotype


Tahoma

Times New Roman

Dashboard titles font size

You can change the font size of the dashboard title in CDP Data Visualization.


To change the font size of the dashboard title, navigate to the dashboard Style menu, select the Dashboard Title menu, and then adjust the Font Size selector.



Dashboard titles font weight

You can change the font weight of the dashboard title in CDP Data Visualization.


To change the font weight of the dashboard title, navigate to the dashboard Style menu, select the Dashboard Title menu, and then select the new font weight in the Font Weight selector.



Dashboard titles text color

You can change the text color of the dashboard title in CDP Data Visualization.


To change the color of the text in the dashboard title, navigate to the dashboard Style menu, select the Dashboard Title menu, and then select a new color in the Text Color selector. You can choose from one of the standard system colors, specify a hexadecimal or RGB color, or select one in the continuous color palette (you can also adjust color opacity). The default is no color.



Dashboard titles background color

You can change the background color of the dashboard title in CDP Data Visualization.

To change the color of the background in the dashboard title, navigate to the dashboard Style menu, select the Dashboard Title menu, and then select a new color in the Background Color selector. You can choose from one of the standard system colors, specify a hexadecimal or RGB color, or select one in the continuous color palette (you can also adjust color opacity). The default is no color.



Dashboard titles alignment

You can change the alignment of the dashboard title in CDP Data Visualization.

To change the alignment of the dashboard title, navigate to the dashboard Style menu, select the Dashboard Title menu, and then select the desired Alignment option. By default, the title is left-aligned.

Alignment



Hiding dashboard titles

You can hide a dashboard title in CDP Data Visualization.

To hide the dashboard title, navigate to the dashboard Style menu, select the Dashboard Title menu, and then select the Hide title in view mode option. By default, the title is on.



Hide title in view mode


Dashboard subtitles styles

About this task

You can adjust several style options for dashboard subtitles in CDP Data Visualization dashboards. To get to the options in the Dashboard Subtitle menu, follow these steps:

Procedure

1. On the right side of Visual Designer, click the Style menu.



Visuals




Filters



Settings



2. In the Style menu, click Dashboard Subtitle.



3. Select one of the options.

Dashboard subtitles font family

You can change the font of the dashboard subtitle in CDP Data Visualization.

To change the font of the dashboard subtitle, navigate to the dashboard Style menu, select the Dashboard Subtitle menu, and then select a new font in the Font Family selector.

Font Family

default ▾

default

Roboto

Arial

Arial Black

Comic Sans MS

Courier New

Georgia

Helvetica

Impact

Lato

Lucida Console

Lucida Sans Unicode

Palatino Linotype


Tahoma

Times New Roman

Dashboard subtitles font size

You can change the font size of the dashboard subtitle in CDP Data Visualization.


To change the font size of the dashboard subtitle, navigate to the dashboard Style menu, select the Dashboard Subtitle menu, and then select a new font in the Font Size selector.



Dashboard subtitles text color

You can change the text color of the dashboard subtitle in CDP Data Visualization.


To change the color of the text in the dashboard subtitle, navigate to the dashboard Style menu, select the Dashboard Subtitle sub-menu, and then select a new color in the Text Color selector. You can choose from one of the standard system colors, specify a hexadecimal or RGB color, or select one in the continuous color palette (you can also adjust color opacity). The default is no color.



Dashboard subtitles background color

You can change the background color of the dashboard subtitle in CDP Data Visualization.


To change the color of the background in the dashboard subtitle, navigate to the dashboard Style menu, select the Dashboard Subtitle sub-menu, and then select a new color in the Background Color selector. You can choose from one of the standard system colors, specify a hexadecimal or RGB color, or select one in the continuous color palette (you can also adjust color opacity). The default is no color.



Dashboard subtitles alignment

You can change the alignment of the dashboard subtitle in CDP Data Visualization.

To change the alignment of the dashboard subtitle, navigate to the dashboard Style menu, select the Dashboard Subtitle sub-menu, and then select the desired Alignment option. By default, the title is left-aligned.



Dashboard filter styles

About this task

You can adjust several style options for dashboard filters in CDP Data Visualization.


To get to the options in the Filters menu, follow these steps:



Note: These styling choices affect the filter appearance when it is in the filter area of the dashboard. When you choose to place the filter inside the main dashboard area, it takes on the default style choices of the visuals in the dashboard.

Procedure

1. On the right side of Visual Designer, click the Style menu.



Visuals




Filters



Settings



2. In the Style menu, click Filters.




3. Select one of the options.

Aligning dashboard filters

You can change the alignment of the dashboard filter controls in CDP Data Visualization. To show filters on the left of the dashboard, navigate to the dashboard Style menu, select the Filters menu, and select the Align filters on the left option. By default, the filter controls of a visual appear across the top.

Align filters on the left i

For example, compare the two visuals: one with filters across the top, and the other with filters on the left.



Cloudera recommends that you do not use this option with quick filters. For more information, see [Using quick filters](#).

Related Information

[Using quick filters](#)

Using filter labels inline


You can change the position of the dashboard filter labels in CDP Data Visualization. To show labels inline with selectors, navigate to the dashboard Style menu, select the Filters menu, and select the Display labels inline option. By default, the filter labels appear over its selection controls.



Note: This option is only available when the dashboard has filters across the top.

Display labels inline i

For example, compare the two visualizations: one with labels across the top, and the other with labels inline.



Hiding filters line separator


You can hide the line separator in dashboard filets in CDP Data Visualization. To hide the separator, navigate to the dashboard Style menu, select the Filters menu, and select the Display line separator option. By default, the filter shows the line separator.



Note: This option is only available when the filter labels appear over the selection controls.

Display line separator i

For example, compare the two visuals: one with the line separator, and one without.




Hiding borders for filters in dashboards

You can hide filter borders in dashboards in CDP Data Visualization. To hide the filter borders, navigate to the dashboard Style menu, select the Filters menu, and select the Show borders around filters option. By default, the borders are on.

Show borders around filters

For example, compare the two visuals: one with borders, and one without them.



Changing dashboard filter font

You can change filter font family in dashboards in CDP Data Visualization. To change the font used in a dashboard filter, navigate to the dashboard Style menu, select the Filters menu, and select the Font Family selector.

Font Family

default ▾

default

Roboto

Arial

Arial Black

Comic Sans MS

Courier New

Georgia

Helvetica

Impact

Lato

Lucida Console

Lucida Sans Unicode


Palatino Linotype

Tahoma

Times New Roman


Changing dashboard filter font size

You can change filter font size in dashboards in CDP Data Visualization. To change the size of the font used in a dashboard filter, navigate to the dashboard Style menu, select the Filters sub-menu, and select the Font Size selector.




Changing text color for dashboard filter

You can change the text color of the filter in dashboards in CDP Data Visualization. To change the color of the text in all filters of the dashboard, navigate to the dashboard Style menu, select the Filters menu, and select a new color in the Text Color selector. You can choose from one of the standard system colors, specify a hexadecimal or RGB color, or select one in the continuous color palette (you can also adjust color opacity).




Changing selected text color for dashboard filter

You can change the color of the selected text in dashboard filters in CDP Data Visualization. To change the color of the selected text in all filters of the dashboard, navigate to the dashboard Style menu, select the Filters menu, and select a new color in the Selected Text Color selector. You can choose from one of the standard system colors, specify a hexadecimal or RGB color, or select one in the continuous color palette (you can also adjust color opacity).




Changing container color for dashboard filter

You can change the color of the container in dashboard filters in CDP Data Visualization. To change the color of the containers in all filters of the dashboard, navigate to the dashboard Style menu, select the Filters menu, and select a new color in the Container Color selector. You can choose from one of the standard system colors, specify a hexadecimal or RGB color, or select one in the continuous color palette (you can also adjust color opacity).



Changing background color for dashboard filter

You can change the background color of the dashboard filters in CDP Data Visualization. To change the color of the background in the filters of the dashboard, navigate to the dashboard Style menu, select the Filters menu, and select a new color in the Background Color selector. You can choose from one of the standard system colors, specify a hexadecimal or RGB color, or select one in the continuous color palette (you can also adjust color opacity).



Visual basics styles in dashboards

About this task

You can find several basic style options for dashboard visuals in CDP Data Visualization.

To get to the options in the Visual Basics menu, follow these steps:

Procedure

1. On the right side of Visual Designer, click the Style menu.



Visuals




Filters



Settings



2. In the Style menu, click Visual Basics.



3. Select one of the options.

Visual basic font family in dashboards

You can change the font of the visuals of a dashboard in CDP Data Visualization. To change the font for the visuals in the dashboard, navigate to the dashboard Style menu, select the Visual Basics sub-menu, and then select a new font in the Font Family selector.

Font Family

default ▾

default

Roboto

Arial

Arial Black

Comic Sans MS

Courier New

Georgia

Helvetica

Impact

Lato

Lucida Console

Lucida Sans Unicode


Palatino Linotype

Tahoma

Times New Roman


Visual basic font size in dashboards

You can change the font size of the visuals of a dashboard in CDP Data Visualization. To change the size of the font in the visuals in the dashboard, navigate to the dashboard Style menu, select the Visual Basics sub-menu, and then select a new font in the Font Size selector.



Visual basic background color in dashboards

You can change the font size of the visuals of a dashboard in CDP Data Visualization. To change the color of the background in the visual, navigate to the dashboard Style menu, select the Visual Basics sub-menu, and then select a new color in the Background Color selector. You can choose from one of the standard system colors, specify a hexadecimal or RGB color, or select one in the continuous color palette (you can also adjust color opacity). The default is no color.



Visual border styles in dashboards


About this task

You can find several border style options for dashboard visuals in CDP Data Visualization.

To get to the options in the Visual Borders menu, follow these steps:

Procedure

1. On the right side of Visual Designer, click the Style menu.



Visuals




Filters



Settings



2. In the Style menu, click Visual Borders.



3. Select one of the options.

Show borders on visuals in dashboards

You can show visual borders in dashboards in CDP Data Visualization. To show the borders for all visuals, navigate to the dashboard Style menu, select the Visual Borders sub-menu, and select the Show borders around visuals option. By default, the borders are off.



Note: The width of the border is 1px.




Show borders around visuals

Change visual border color in dashboards

You can change the visual border color in dashboards in CDP Data Visualization. To change the color of borders for all visuals that appear on this dashboard, navigate to the dashboard Style menu, select the Border Color sub-menu, and select a new color in the Border Color selector. You can choose from one of the standard system colors, specify a hexadecimal or RGB color, or select one in the continuous color palette (you can also adjust color opacity).



Note: This option is not available if the Show Borders is not on. When you turn on the Show Borders option, the color is not specified in the selector. However, the default that shows on the dashboard is light grey, or #E6E6E6.



Change visual border radius in dashboards

You can change the visual border radius in dashboards in CDP Data Visualization. To change the radius of borders on visuals or how curvy the corners are, navigate to the dashboard Style menu, select the Visual Borders sub-menu, and select a new color in the Border Radius option.



Note: This option is available only when Show Borders is enabled. When you turn on the Show Borders option, the default radius is 3. To make the corners curvier than the default, increase the radius setting. To set the borders to square corners, use the radius value of 0.

Border Radius



Visual titles styles in dashboard


About this task

You can adjust several style options for visual titles in CDP Data Visualization dashboards.

To get to the options in the Visual Title menu, follow these steps:

Procedure

1. On the right side of Visual Designer, click the Style menu.



Visuals




Filters



Settings



2. In the Style menu, click Visual Title.



3. Select one of the options.

Visual title font family in dashboards

You can change the font of the visual title in CDP Data Visualization dashboards. To change the font of the text in titles of all visuals of the dashboard, navigate to the dashboard Style menu, select the Visual Title menu, and then select a new font in the Font Family selector.

Font Family

default ▾

default

Roboto

Arial

Arial Black

Comic Sans MS

Courier New

Georgia

Helvetica

Impact

Lato

Lucida Console

Lucida Sans Unicode


Palatino Linotype

Tahoma

Times New Roman


Visual title font size in dashboards

You can change the font size of the visual title in CDP Data Visualization dashboards. To change the font size of the text in titles of all visuals of the dashboard, navigate to the dashboard Style menu, select the Visual Title menu, and then adjust the Font Size selector.




Visual title font weight in dashboards

You can change the font weight of the visual title in CDP Data Visualization dashboards. To change the font weight of the text in titles of all visuals of the dashboard, navigate to the dashboard Style menu, select the Visual Title menu, and then select the new font weight in the Font Weight selector.




Visual title text color in dashboards

You can change the text color of the visual title in CDP Data Visualization dashboards. To change the color of the text in titles of all visuals of the dashboard, navigate to the dashboard Style menu, select the Visual Title menu, and then select a new color in the Text Color selector. You can choose from one of the standard system colors, specify a hexadecimal or RGB color, or select one in the continuous color palette (you can also adjust color opacity).




Visual title background color in dashboards

You can change the background color of the visual title in CDP Data Visualization dashboards. To change the color of the background in the title of all visuals of the dashboard, navigate to the dashboard Style menu, select the Visual Title menu, and then select a new color in the Background Color selector. You can choose from one of the standard system colors, specify a hexadecimal or RGB color, or select one in the continuous color palette (you can also adjust color opacity).



Visual title alignment in dashboards

You can change the alignment of the visual title in CDP Data Visualization dashboards. To change the alignment of the text in titles of all visuals of the dashboard, navigate to the dashboard Style menu, select the Visual Title menu, and then select the desired Alignment option. By default, the title is left-aligned.



Visual subtitles styles in dashboard

About this task

You can adjust several style options for visual subtitles in CDP Data Visualization dashboards.

To get to the options in the Visual Subtitle menu, follow these steps:

Procedure

1. On the right side of Visual Designer, click the Style menu.



Visuals




Filters



Settings



2. In the Style menu, click Visual Subtitle.



3. Select one of the options.

Visual subtitle font family in dashboards

You can change the font of the visual subtitle in CDP Data Visualization dashboards. To change the font of the text in subtitles of all visuals of the dashboard, navigate to the dashboard Style menu, select the Visual Subtitle menu, and then select a new font in the Font Family selector.

Font Family

default ▾

default

Roboto

Arial

Arial Black

Comic Sans MS

Courier New

Georgia

Helvetica

Impact

Lato

Lucida Console

Lucida Sans Unicode

Palatino Linotype


Tahoma

Times New Roman

Trebuchet MS


Visual subtitle font size in dashboards

You can change the font size of the visual subtitle in CDP Data Visualization dashboards. To change the font size of the text in subtitles of all visuals of the dashboard, navigate to the dashboard Style menu, select the Visual Subtitle menu, and then adjust the Font Size selector.




Visual subtitle text color in dashboards

You can change the text color of the visual subtitle in CDP Data Visualization dashboards. To change the color of the text in subtitles of all visuals of the dashboard, navigate to the dashboard Style menu, select the Visual Subtitle menu, and then select a new color in the Text Color selector. You can choose from one of the standard system colors, specify a hexadecimal or RGB color, or select one in the continuous color palette (you can also adjust color opacity).



Visual subtitle background color in dashboards

You can change the background color of the visual subtitle in CDP Data Visualization dashboards. To change the color of the background in the subtitle of all visuals of the dashboard, navigate to the dashboard Style menu, select the Visual Subtitle menu, and then select a new color in the Background Color selector. You can choose from one of the standard system colors, specify a hexadecimal or RGB color, or select one in the continuous color palette (you can also adjust color opacity).



Visual subtitle alignment in dashboards

You can change the alignment of the visual subtitle in CDP Data Visualization dashboards. To change the alignment of the text in subtitles of all visuals of the dashboard, navigate to the dashboard Style menu, select the Visual Subtitle menu, and then select the desired Alignment option. By default, the title is left-aligned.

Alignment



Visual axes and labels styles in dashboards

About this task

You can adjust several style options for visual axes and labels in CDP Data Visualization dashboards.

To get to the options in the Visual Axes and Labels menu, follow these steps:

Procedure

1. On the right side of Visual Designer, click the Style menu.



Visuals




Filters



Settings



- In the Style menu, click Visual Axes and Labels.



- Select one of the options.
- To style the visuals individually, de-select the Override visual style settings option, and specify the corresponding setting in each visual.

Axis label font size in dashboards

You can change the font size of the axis labels in visuals in CDP Data Visualization dashboards. To change the font size used by the axis labels in all visuals that appear on this dashboard, navigate to the dashboard Style menu, select the Visual Axes and Labels sub-menu, and make adjustments in the Axis Label Font Size selector.

Axis Label Font Size



To style the visuals individually, de-select the Override visual style settings option, and specify the corresponding setting in each visual.

Axis ticks font size in dashboards

You can change the font size of the axis ticks in visuals in CDP Data Visualization dashboards. To change the font size used by the axis ticks in all visuals that appear on this dashboard, navigate to the dashboard Style menu, select the Visual Axes and Labels sub-menu, and make adjustments in the Axis Ticks Font Size selector.

Axis Ticks Font Size



To style the visuals individually, de-select the Override visual style settings option, and specify the corresponding setting in each visual.

Visual label font size in dashboards

You can change the font size of the visual labels in CDP Data Visualization dashboards. To change the font size used by the labels in all visuals that appear on this dashboard, navigate to the dashboard Style menu, select the Visual Axes and Labels sub-menu, and make adjustments in the Label Font Size selector.


Label Font Size




To style the visuals individually, de-select the Override visual style settings option, and specify the corresponding setting in each visual.

Visual label title text color in dashboards

You can change the text color of a trellis used in visuals in CDP Data Visualization dashboards. To change the font size used of a trellis in all visuals that appear on this dashboard, navigate to the dashboard Style menu, select the Visual Axes and Labels sub-menu, and make adjustments in the Label Text Color selector. You can choose from one of the standard system colors, specify a hexadecimal or RGB color, or select one in the continuous color palette (you can also adjust color opacity).



In the following example, compare the two visuals; the first one uses the default color scheme in labels, and the second one uses black font color.



Note: This style option overrides the selection at the level of the individual visual. To style the visuals individually, de-select the Override visual style settings option, and specify the corresponding setting in each visual.

Visual trellis font size in dashboards

You can change the font size of a trellis in visuals in CDP Data Visualization dashboards. To change the font size used of a trellis in all visuals that appear on this dashboard, navigate to the dashboard Style menu, select the Visual Axes and Labels sub-menu, and make adjustments in the Trellis Font Size selector.

Trellis Font Size



To style the visuals individually, de-select the Override visual style settings option, and specify the corresponding setting in each visual.

Visual legend font size in dashboards

You can change the font size of a legend in visuals in CDP Data Visualization dashboards. To change the font size used of the legend in all visuals that appear on this dashboard, navigate to the dashboard Style menu, select the Visual Axes and Labels sub-menu, and make adjustments in the Legend Font Size selector.

Legend Font Size



To style the visuals individually, de-select the Override visual style settings option, and specify the corresponding setting in each visual.

Tooltips in dashboards

About this task

You can adjust several style options for tooltips in CDP Data Visualization dashboards.

To get to the options in the Visual Axes and Labels menu, follow these steps:

Procedure

1. On the right side of Visual Designer, click the Style menu.



Visuals




Filters



Settings



2. In the Style menu, click Tooltips.



3. Select one of the options.

Tooltip font family in dashboards

You can change the font of the tooltips in CDP Data Visualization dashboards. To change the font of the tooltips in all visuals of the dashboard, navigate to the dashboard Style menu, select the Tooltip sub-menu, and then select a new font in the Font Family selector.

Font Family

default ▾

default

Roboto

Arial

Arial Black

Comic Sans MS

Courier New

Georgia

Helvetica

Impact

Lato

Lucida Console

Lucida Sans Unicode


Palatino Linotype

Tahoma

Times New Roman

Tooltip font size in dashboards

You can change the font size of the tooltips in CDP Data Visualization dashboards. To change the font size of the tooltips used in all visuals of the dashboard, navigate to the dashboard Style menu, select the Tooltip sub-menu, and adjust the Font Size selector.



Adding custom styles to dashboards

CDP Data Visualization supports several options for custom styling on dashboards.


About this task

To change the options for custom styles on dashboards, follow these steps:

Procedure

1. On the right side of Visual Designer, click the Custom Style menu.

2. In the Style menu, choose from the available custom style options.



Adding CSS classes to dashboards

You can add CSS classes to CDP Data Visualization dashboards.

To add CSS classes to a dashboard, navigate to the dashboard Custom Style menu, and enter the name(s) of classes in the text box for the option CSS classes for this dashboard.


CSS classes for this dashboard

When using multiple classes, separate them by spaces. These classes add to the existing CSS classes of the dashboard's container.

Adding included styles to dashboards

You can add defined styles to all visuals in CDP Data Visualization dashboards.

To add previously defined styles to all visuals in a dashboard, navigate to the dashboard Custom Style menu, click the Add Style button, select one or more existing styles from the menu, and click Add.



You can also search or sort the custom styles in the Pick Custom CSS interface.

Searching custom styles in dashboards

CDP Data Visualization enables you to search custom styles in dashboards by Name and Modified By fields. You can also search by the content of CSS and Javascript code.

About this task

When you start typing characters in the search text box, the search results display the exact match on the top, followed by the closest matches. You must type at least two characters to start the search.

To demonstrate how to search custom styles in dashboards, follow these steps:

Procedure

1. Navigate to the Custom Style menu, click the Add Style button.

The Pick Custom CSS interface appears.

The screenshot shows a user interface titled "Pick Custom CSS" with a search bar labeled "Search by name, description, function...". Below the search bar is a table with columns: Name, ID, Last Updated, and Modified By. The table contains three entries:

Name	ID	Last Updated	Modified By
<input type="checkbox"/> Dark Blue Table Bar	3	3 days ago	admin
<input type="checkbox"/> Pie Chart Legend Labels	2	3 days ago	admin
<input type="checkbox"/> Dark Blue Table	1	3 days ago	admin

At the bottom right are "CANCEL" and "SAVE" buttons.

2. To demonstrate how to search the list of custom styles, enter Pie in the Search text box.

In the following image, notice that the Pie Chart Legend Label custom style is filtered from the list.

Pick Custom CSS X

Search

Name	ID	Last Updated	Modified By
<input type="checkbox"/> Pie Chart Legend Labels	2	3 days ago	admin

CANCEL SAVE

3. To search the list of custom styles by JavaScript code, follow these steps:

a) Click the (pencil) icon next to the Pie Chart Legend Label to view the JavaScript code of this style.

In our example, we will search by Not Applicable from the JavaScript code.

[Custom Styles](#) / ID: 2

Custom Style: Pie Chart Legend Labels

SAVE

CLONE

Name: Pie Chart Legend Labels

Description: Change Labels

CSS

Javascript

Autocomplete on

```

1+ return function() {
2     var f = function() {};
3     f.version = "1";
4     f.settings = function() {
5         return [
6             {
7                 id: 'Square Size',
8                 defaultValue: '10',
9             },
10        ];
11    };
12    f.beforeDraw = function() {
13        var rows = arcapi.dataResult().rows();
14        rows.map(function (r) {
15            if (r[0].toLowerCase() === 'other') {
16                r[0] = 'Not Applicable';
17            }
18        });
}

```

- b) Enter Not Applicable in the Search text box.

In the following image, notice that the Pie Chart Legend Label custom style is filtered out of the list of custom styles.

Pick Custom CSS

Name	ID	Last Updated	Modified By
<input type="checkbox"/> Pie Chart Legend Labels	2	3 days ago	admin

CANCEL SAVE

Sorting custom styles in dashboards

CDP Data Visualization enables you to sort custom styles in dashboards by ID, Name, Last Updated, and Modified By fields. You can sort in ascending or descending order.

About this task



Note: You cannot sort by the Description field.

To demonstrate how to sort custom styles in dashboards, follow these steps:

Procedure

1. Navigate to the Custom Style menu, click the Add Style button.
The Pick Custom CSS interface appears.

2. Click the Name field.

When you hover over a field, notice that a (hand icon) appears only on the fields that you can sort.

Pick Custom CSS



🔍

Name	ID	Last Updated	Modified By
<input type="checkbox"/> Dark Blue Table Bar	3	6 days ago	admin
<input type="checkbox"/> Pie Chart Legend Labels	2	6 days ago	admin
<input type="checkbox"/> Dark Blue Table	1	6 days ago	admin

CANCEL SAVE

3. To sort the field in descending order, click the Name field again.

Example

In the following image, the Name field is sorted in ascending order and a sort icon appears next to the field.

Pick Custom CSS



Search by name, description, function... Q

Name	ID	Last Updated	Modified By
<input type="checkbox"/> Dark Blue Table	1	3 days ago	admin
<input type="checkbox"/> Dark Blue Table Bar	3	3 days ago	admin
<input type="checkbox"/> Pie Chart Legend Labels	2	3 days ago	admin

CANCEL SAVE

Adding inline CSS code to dashboards


You can apply simple formatting to visuals with CSS code snippets in CDP Data Visualization dashboards.

To add simple formatting to all the visuals in the dashboard, navigate to the dashboard Custom Style menu, and enter a CSS code snippet under the Enter in-line CSS option. You can select the Autocomplete option, too.

Enter inline CSS below



Autocomplete on

A large, empty text input field with a light gray background and a thin gray border. It occupies most of the vertical space between the "Enter inline CSS below" instruction and the "Autocomplete on" setting.

To apply this operation at the level of a specific visual, see *Adding inline CSS code to visuals*.

Related Information

[Adding inline CSS code to visuals](#)

Creating a dashboard with multi-page table visuals

This customization example shows you how to build an embedded dashboard that prints the full contents of a table as part of a dashboard print. This dashboard contains visuals at the top, and a table at the bottom. The table prints as many pages as necessary to display all rows. Table headers repeat at the top of each page. Several custom styles are used to achieve the desired outcome.

About this task

Complete these tasks to develop a dashboard with a large table that prints over multiple pages.

Procedure

1. Create the custom table style.

These steps show how to create and add a dashboard style for printing long tables over multiple pages. This table must be the last visual in the dashboard.

a) Create a new style, Named Print PDF table - CSS/JS.

For help on how to create a new style, see *CSS custom styles*. The optional Description for this style can be as follows:

```
Add this Style to the table to be printed on multiple pages.  
The table must be the last visual in the dashboard.
```

b) In the CSS tab, add the following code.

You can download it as multi-page-table.css.

```
@charset "UTF-8";  
/* CSS Document */  
  
/* screen table style */  
.print-pdf-table table.table-bordered.dataTable {  
    border-collapse: collapse !important;  
}  
.print-pdf-table .dataTables_scrollBody table tbody tr td {  
    height: 0.53cm !important; /* table row height */  
    box-sizing: border-box;  
    font-size: 10px;  
}  
  
@media print {  
    @page {  
        size: letter landscape;  
        margin: 1.27cm 1.27cm 1.27cm 1.27cm;  
    }  
  
.print-pdf-table .dataTables_scrollBody table thead tr th {  
    border-bottom: solid #000 2px !important; /* bottom border of table header */  
    font-size: 12px;  
    font-weight: bold;  
    height: 1.48cm !important; /* table header height */  
    line-height: 1;  
    padding: 12px 8px !important;  
}  
  
.print-pdf-table .dataTables_scrollBody table thead tr th > div {  
    height: 1.48cm !important; /* table header height */  
    display: flex;  
    justify-content: center;  
    flex-direction: column;  
}  
  
.print-pdf-table table.dataTable.table-viz thead > tr > th.sorting {  
    padding: inherit;  
    padding-right: 8px; /* remove extra space where sort icon is displayed */  
}  
  
.print-pdf-table .dataTables_scrollBody table tbody tr td {  
    height: 0.53cm !important; /* table row height */  
    box-sizing: border-box;
```

```

        font-size: 10px;
    }

.gs-w.print-pdf-table .dataTables_scrollBody {
    max-height: none !important;
}

/* this class prints the table on the second page */
/* remove to print normally */
.gs-w.print-pdf-table {
    position: absolute;
    top: 23.5cm; /* add landscape page height + top margin */
}

.gs-w.print-pdf-table {
    height: unset !important;
}

.print-pdf-table .dash-viz-wrapper {
    display: contents;
}
.print-pdf-table .arc-viz-container {
    overflow: unset !important;
}

.main-app.arc-app-container.view-mode {
    display: table;
    background-color: transparent;
}

.control-container {
    background-color: transparent;
}

.arc-dashboard-title-container {
    padding-top: 1cm; /* adjust if want more or less space at the top
of the first page */
}

.builder-container.view-mode,
.builder-container-app,
.builder-container {
    display: table;
}
.main-app-view,
.main-view {
    overflow: visible !important;
    top: 0;
}
.main-view.view-mode {
    top: 0;
}

.print-pdf-table table th,
.print-pdf-table table td {
    border: 1px solid #bbb !important; /* border color */
}

.print-pdf-table table.table-bordered.dataTable {
    border-collapse: collapse !important;
}
.print-pdf-table .arc-viz-title-container {
    display: none; /* hide table title to print properly */
}

```

```

.print-pdf-table .dash-viz-wrapper {
    padding: 0;
}
.print-pdf-table .dataTables_scrollHead {
    height: 0;
}

.print-pdf-table .table {
    border-width: 0;
}

.print-pdf-table thead {
    break-inside: avoid;
    display: table-header-group;
}

.print-pdf-table table {
    page-break-after: always;
}

.print-pdf-table tfoot {
    break-inside: avoid;
    display: table-header-group;
}

/* hide elements when printing */
#extension-print-btn, /* extension buttons */
#toggle-filter-container /* filter collapse icon */
{
    display: none;
}
}

```

- c) In the JS tab, add the following code.

You can download it as `multi-page-table.js`.

```

return function() {
    var f = function() {};
    f.version = "1";
    f.afterDraw = function() {
        var $sel = $('#' + arcapi.chartId());
        $sel.closest('.gs-w').addClass('print-pdf-table');
    };
    return f;
}();

```

- d) Save the new style.

2. Create the dashboard.

- Create a dashboard on your target dataset. For more information, see *Creating a dashboard*.
- Add several visuals to the dashboard, such as KPIs, summary tables, pie charts, and so on.
- Add all necessary filters to the dashboard.

3. Specify dashboard general settings to achieve correct layout in dashboard.
 - a) On the right side of Visual Designer, click the Settings menu.
 - b) In the Settings menu, click General to open that menu.
 - c) In the General menu, clear the Dashboard Width specification. For more information, see *Changing dashboard width*.

The screenshot shows the 'Dashboard Designer' application interface. At the top, there are user account and settings icons. Below the header is a teal bar with the title 'Dashboard Designer'. The main area is titled 'SETTINGS' and contains a section for 'General' settings. On the right side, there is a vertical sidebar with icons and labels for 'Visuals', 'Filters', 'Settings' (which is currently selected), 'Style', and 'Custom Style'.

General

Dashboard Width (highlighted with a green border)

Clear field for full width.

Enable animations

Refresh visuals manually

Horizontal Margins (with a value of 10)

Vertical Margins (with a value of 10)

Make fullscreen for single visual i

Detailed Data Columns (with a value of 50)

Display filter selections for each visual i

Display context menus within visuals


Override visual style settings

Auto-refresh seconds (with a value of 0)

Parameter names are case sensitive

Enable viewing data within each visual

4. Specify dashboard downloads settings to print the dashboard using the PDF options.
 - a) On the right side of Visual Designer, click the Settings menu.
 - b) In the Settings menu, click Downloads to open that menu.
 - c) In the Downloads menu, make the following selections and changes:
 - Enable "Download as Image/PDF"
 - Enable print style PDF
 - Set "Print PDF Scale" to 0
 - Set "PDF Page Size" to Letter
 - Set "PDF Page Orientation" to Landscape
 - Enable PDF Header and Footer



- Add time stamp.
- Create the extension visual using the following definition:

```

<span style="color:#aaa">Today:</span>
<span id="tdate"></span>

<script>
$(document).ready(function() {
    var today = new Date();
    $('#tdate').html(
        $.datepicker.formatDate('MM dd, yy', today));
})</script>

```

```
} );
</script>
```

When you add this extension visual to the dashboard, it will look similar to this (in View mode).

The screenshot shows a dashboard titled "13 Week Item Movement Report - Store 1234". It displays a single-line script extension visual with the following code:

```
});  
</script>
```

Below the visual, there is a "Drug-specific report" section showing nutritional information for "All-Bran":

cereal_name	calories	protein_grams	fat_grams	sugars_grams
All-Bran	70	4	1	5

To the right, a summary of quantities as of today is shown:

On the shelf	Ready	Return in progress
120	12	10

6. Add capabilities to print dashboard and download PDF.

Use the following definition to create the buttons.

- Print button with an icon, Print
- Download PDF button with an icon, Download PDF

```
<div id="extension-print-btn">
    <button class="btn btn-xs btn-primary"
        onclick="window.print();return false;">
        <span class="fa fa-print"></span> Print</button>

    <button class="pdf-download btn btn-xs btn-primary"
        onclick="$('.viz-params-more').find('[data-arc-imageformat="pdf-current"])[0].click();">
        <span class="fa fa-download"></span> Download PDF</button>
    <div class="image-dropdown-submenu"></div>
</div>
```

When you add this extension visual to the dashboard, it would look similar to this (in View mode).

The screenshot shows the same dashboard as before, but now includes two new buttons in the top right corner:

- A "Print" button with a printer icon.
- A "Download PDF" button with a download icon.

The rest of the dashboard content remains the same, including the "Drug-specific report" table and the quantity summary.

7. Create and customize the table visual.

These steps show you how to create and customize the main table visual. This visual should be the last (lowest) one in the dashboard.

- a) Create the table visual on the target dataset. For more information, see *Tables*.
- b) On the right side of Visual Designer, click the Style menu.



Data



Settings




Colors



106

Style

- c) In the Style menu, click Table Style.



- d) In the Table Style menu, make the following selections and changes:

- *Choose the first table template*
- *Table Header Alignment* set to Align with contents
- *Enable Full Table Width*
- *Wrap Column Contents*

Table Templates

Table Header Alignment


- Align with content
-
-
-
-
-

- Full table width
- Wrap column contents
- Show totals
- Show totals header (i)

- e) Switch to the Custom Style menu, and make the following changes:
- Add the style arc-print-last-table to the visual. For more information, see *Adding custom styles to visuals*.
 - Add the style we created earlier, Print PDF table - CSS/JS, to the visual. For more information, see *Adding included styles to visuals*.



Note: The ID of your custom style may be different. CDP Data Visualization generates sequential ID on each instance.



Your Custom Style menu selections should look something like this:

The screenshot shows the 'CUSTOM STYLE' configuration page in Tableau. On the right, a vertical sidebar lists navigation options: Data (with a 3D cube icon), Settings (with a gear icon), Style (with a diamond icon), Custom Style (selected, indicated by a dark grey background and a white leaf icon), and Segments (with a people icon). The main area contains fields for entering CSS classes ('arc-print-last-table') and a table of included styles. A large section for inline CSS is also present.

CUSTOM STYLE

Enter CSS classes for the visual [i](#)

arc-print-last-table

Included Styles

+ Add Style

ID	Style Name	Actions
1	Print PDF table - CSS/JS	

Inline CSS

Autocomplete on

- f) When you finished configuring the table, it would look similar to this in View mode of the dashboard. Ensure that this table visual is the last item on the dashboard.

ARCADIA DATA HOME VISUALS DATA EDIT PRIVATE admin

13 Week Item Movement Report - Store 1234
Provides information regarding a specific drug for the store above

cereal_name (All) cold_or_hot (All)

Today: January 23, 2019 DOWNLOAD PDF

Drug-specific report

cereal_name	calories	protein_grams	fat_grams	sugars_grams	On the shelf	Ready	Return in progress
All-Bran	70	4	1	5	120	12	10

Quantity as of today

Table printed on multiple pages

cereal_name	manufacturer	protein_grams	fat_grams	sodium_mg	dietary_fiber_grams	sugars_grams	sum(calories)
Shredded_Wheat_spoon_size	Nabisco	3	0	0	3	0	90
Smacks	Kellogg's	2	1	70	1	15	110
Special_K	Kellogg's	6	0	230	1	3	110
Strawberry_Fruit_Wheats	Nabisco	2	0	15	3	5	90
Total_Corn_Flakes	General Mills	2	1	200	0	3	110
Total_Raisin_Bran	General Mills	3	1	190	4	14	140
Total_Whole_Grain	General Mills	3	1	200	3	3	100
Triples	General Mills	2	1	250	0	3	110
Trix	General Mills	1	1	140	0	12	110
Wheat_Chex	Ralston Purina	3	1	230	3	3	100
Totals							8,020

8. Print and download.

- After saving the dashboard, switch to View mode.
- Click the Print button on the dashboard, and then follow system prompts to complete the printing process.

The screenshot shows a dashboard titled "Final - 13 Week Item Movement Report - Store 1234". It provides information regarding a specific drug for the store above. The report is filtered by "cereal_name (All)" and "cold_or_hot (All)". The date is set to "Today: December 20, 2018". There are two main sections: a "Drug-specific report" and a "Table to be printed on multiple pages".

Drug-specific report:

cereal_name	calories	protein_grams	fat_grams	sugars_grams	On the shelf	Ready	Return in progress
All-Bran	70	4	1	5	120	0	0

Table to be printed on multiple pages:

cereal_name	manufacturer	protein...	fat_grams	sodium_mg	dietary_fiber_grams	sugars_grams	sum(calories)
100%_Bran	Nabisco	4	1	130	10	6	1
100%_Natural_Bran	Quaker Oats	3	5	15	2	8	1
All-Bran	Kellogg's	4	1	260	9	5	1

- Click the Download PDF button on the dashboard, and then follow system prompts to complete the PDF download of the dashboard.

The screenshot shows a dashboard titled "13 Week Item Movement Report - Store 1234". It provides information regarding a specific drug for the store above. The report is filtered by "cereal_name (All)" and "cold_or_hot (All)". The date is set to "Today: January 23, 2019". There are two main sections: a "Drug-specific report" and a "Table printed on multiple pages".

Drug-specific report:

cereal_name	calories	protein_grams	fat_grams	sugars_grams	On the shelf	Ready	Return in progress
All-Bran	70	4	1	5	120	12	10

Table printed on multiple pages:

cereal_name	manufacturer	protein_gra...	fat_grams	sodium_mg	dietary_fiber_grams	sugars_grams	sum(calories)
Shredded_Wheat_spoon_size	Nabisco	3	0	0	3	0	90
Smacks	Kellogg's	2	1	70	1	15	110
Special_LK	Kellogg's	6	0	230	1	3	110
Strawberry_Fruit_Wheats	Nabisco	2	0	15	3	5	90
Total_Corn_Flakes	General Mills	2	1	200	0	3	110
Total_Raisin_Bran	General Mills	3	1	190	4	14	140
Total_Whole_Grain	General Mills	3	1	200	3	3	100
Trix	General Mills	2	1	250	0	3	110
Wheat_Chez	Ralston Purina	3	1	230	3	3	100
Totals							8,020

Related Information

- [CSS custom styles](#)
- [Creating a dashboard](#)
- [Changing dashboard width](#)
- [Tables](#)
- [Adding custom styles to visuals](#)
- [Adding included styles to visuals](#)