Cloudera Data Visualization 7.2.3

# **Managing Filter Shelves**

Date published: 2020-10-30 Date modified: 2024-04-29



https://docs.cloudera.com/

### **Legal Notice**

© Cloudera Inc. 2024. All rights reserved.

The documentation is and contains Cloudera proprietary information protected by copyright and other intellectual property rights. No license under copyright or any other intellectual property right is granted herein.

Unless otherwise noted, scripts and sample code are licensed under the Apache License, Version 2.0.

Copyright information for Cloudera software may be found within the documentation accompanying each component in a particular release.

Cloudera software includes software from various open source or other third party projects, and may be released under the Apache Software License 2.0 ("ASLv2"), the Affero General Public License version 3 (AGPLv3), or other license terms. Other software included may be released under the terms of alternative open source licenses. Please review the license and notice files accompanying the software for additional licensing information.

Please visit the Cloudera software product page for more information on Cloudera software. For more information on Cloudera support services, please visit either the Support or Sales page. Feel free to contact us directly to discuss your specific needs.

Cloudera reserves the right to change any products at any time, and without notice. Cloudera assumes no responsibility nor liability arising from the use of products, except as expressly agreed to in writing by Cloudera.

Cloudera, Cloudera Altus, HUE, Impala, Cloudera Impala, and other Cloudera marks are registered or unregistered trademarks in the United States and other countries. All other trademarks are the property of their respective owners.

Disclaimer: EXCEPT AS EXPRESSLY PROVIDED IN A WRITTEN AGREEMENT WITH CLOUDERA, CLOUDERA DOES NOT MAKE NOR GIVE ANY REPRESENTATION, WARRANTY, NOR COVENANT OF ANY KIND, WHETHER EXPRESS OR IMPLIED, IN CONNECTION WITH CLOUDERA TECHNOLOGY OR RELATED SUPPORT PROVIDED IN CONNECTION THEREWITH. CLOUDERA DOES NOT WARRANT THAT CLOUDERA PRODUCTS NOR SOFTWARE WILL OPERATE UNINTERRUPTED NOR THAT IT WILL BE FREE FROM DEFECTS NOR ERRORS, THAT IT WILL PROTECT YOUR DATA FROM LOSS, CORRUPTION NOR UNAVAILABILITY, NOR THAT IT WILL MEET ALL OF CUSTOMER'S BUSINESS REQUIREMENTS. WITHOUT LIMITING THE FOREGOING, AND TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, CLOUDERA EXPRESSLY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY, QUALITY, NON-INFRINGEMENT, TITLE, AND FITNESS FOR A PARTICULAR PURPOSE AND ANY REPRESENTATION, WARRANTY, OR COVENANT BASED ON COURSE OF DEALING OR USAGE IN TRADE.

## **Contents**

Selecting discrete values on filter shelves	.4
Selecting a range of number values on filter shelves	. 6
Selecting a string pattern for values on filter shelves	.9
Selecting a range of dates on filter shelves1	11
Selecting values by using an expression on filter shelves1	16

## Selecting discrete values on filter shelves

### About this task

It is very simple to select discrete values on the filter shelf for all data types: numerical, string, date, and so on.

For selecting discrete numbers in a filter, the example from building *Cross tabulation* is used, where several discrete years of the dataset World Life Expectancy are specified.

### Procedure

1. On the Filters shelf, click the Down Arrow on the year field placed there earlier, then click Select values.



**2.** In the Filter for year modal window, under the Values tab, select 1900, 1910, 1920, 1930, 1940, 1950, 1960, 1970, 1970, 1980, 1990, 2000, and 2010.

### **3.** Click APPLY.

Filter for year	$\sim$	

v	alues/	Range	
	Exclude	e these values	3
	1900		
	1901		
	1902		
	1903		
	1904		
	1905		
	1906		
	1907		
	1908		
	1909		
•	1910		
	1911		
	1912		
	1913		

Cancel

Apply

### **4.** Click REFRESH VISUAL.

The cross tabulation visual appears with the years specified in the previous step.

				country 11			
	Angola	Cameroon	Chad	Congo	Equatorial Guinea	Gabon	Sao Tome and Principe
year 11	avg(life_expectancy)						
1900	27.00	28.80	30.90	31.60	29.80	30.60	31.00
1910	27.00	28.80	30.90	31.60	29.80	30.60	31.00
1920	27.00	28.80	30.90	31.60	29.80	30.60	31.00
1930	27.00	28.80	30.90	31.60	29.80	30.60	31.00
1940	27.00	28.80	30.90	31.60	29.80	30.60	35.80
1950	29.20	37.90	35.60	38.30	33.90	36.00	45.50
1960	33.00	41.50	38.00	41.10	36.70	39.60	50.40
1970	37.00	46.10	41.30	43.90	39.80	46.70	55.90
1980	40.20	51.20	44.70	46.10	43.00	54.90	60.60
1990	41.20	53.60	46.40	47.50	46.50	61.40	61.80
2000	45.20	52.00	46.70	46.40	47.70	59.70	63.30
2010	50.70	53.70	49.80	49.00	51.50	62.30	65.90

Alternatively, with numerical data, you can specify a range of numerical values. For more information, see Selecting a range of number values on filter shelves on page 6. You can also choose the desired combination of filters by specifying an expression. For more information, see Selecting values by using an expression on filter shelves on page 16.

**Related Information** 

Cross tabulation

## Selecting a range of number values on filter shelves

#### About this task

For selecting a range of numerical values in a filter shelf, let's use the example from building *Cross tabulation*, where we specify several discrete years of the dataset World Life Expectancy.

### Procedure

1. On the Filters shelf, click Down Arrow on the year field placed there earlier, then click Select values.



2. In the Filter for year modal window, click the Range tab, and then slide the range upper and lower values to select the range of values used by the visual.

By default, the lowest value of the range is at the extreme left of the slide control (set to  $\geq$ ), and the highest value is on the extreme right (set to  $\leq$ ). You can change the end-point specifications of the range.

The valid operators for the bottom of the range are:

- Greater than or equal to (>=)
- Greater than (>)
- Equal to (=)
- Not equal to (!=)
- Do not use minimum range

The valid operators for the top of the range are:

- Less than or equal to (<=)
- Less than (<)
- Do not use maximum range

Filter for year		×
Values Range		
Pick a range of value	s below	1995 2010
Greater than or equ ✓ Greater than (>) Equal to (=) Not equal to (!=) Do not use minimur	al to (>=)	Less than or equal to (<=) 🗘
		Cancel Apply

				country 11			
	Angola	Cameroon	Chad	Congo	Equatorial Guinea	Gabon	Sao Tome and Principe
year 11	avg(life_expectancy)						
1996	42.50	53.00	46.50	46.20	47.70	60.90	62.80
1997	43.10	52.80	46.50	46.10	47.70	60.70	62.90
1998	43.70	52.50	46.60	46.00	47.70	60.30	63.00
1999	44.50	52.20	46.60	46.10	47.70	60.00	63.20
2000	45.20	52.00	46.70	46.40	47.70	59.70	63.30
2001	46.00	51.80	46.80	46.70	47.80	59.60	63.50
2002	46.70	51.70	47.00	47.10	47.90	59.50	63.80
2003	47.40	51.70	47.10	47.40	48.10	59.50	64.00
2004	48.00	51.70	47.40	47.60	48.40	59.70	64.30
2005	48.60	51.90	47.70	47.90	48.80	60.10	64.60
2006	49.00	52.20	48.10	48.00	49.30	60.50	65.00
2007	49.50	52.50	48.50	48.20	49.80	60.90	65.30
2008	49.90	52.90	48.90	48.50	50.30	61.40	65.50
2009	50.30	53.30	49.30	48.70	50.90	61.90	65.70
2010	50.70	53.70	49.80	49.00	51.50	62.30	65.90

### 3. After clicking Refresh Visual, the cross tabulation visual appears. Note the years we specified in the previous step.

#### **Related Information**

Cross tabulation

### Selecting a string pattern for values on filter shelves

#### About this task

For selecting a range of numerical values in a filter shelf, let's use the example from building *Cross tabulation*, where we specify several discrete years of the dataset World Life Expectancy.

### Procedure

1. On the Filters shelf, click Down Arrow on the year field placed there earlier, then click Select values.



- **2.** In the Filter for country modal window, click the Pattern tab, and then enter the necessary information. The patterns can be matched in the following manner:
  - Starts With
  - Ends With
  - Contains
- 3. To select all countries that start with Z, select Starts With, enter Z in the text box, and click Apply.

Filter for c	country					×
Values	Pattern					
Exclude	e these val	lues				
Starts Wit	th \$	z				
					Cancel	Apply

**4.** After clicking Refresh Visual, the cross tabulation visual appears. Note that only two countries, Zambia and Zimbabwe, match the filter conditions.

	countr	y l <u>i</u>
	Zambia	Zimbabwe
year 11	avg(life_expectancy)	avg(life_expectancy)
2001	42.50	43.30
2002	43.50	43.00
2003	44.50	42.90
2004	45.80	43.20
2005	47.20	44.00
2006	48.60	45.20
2007	50.10	46.80
2008	51.60	48.90
2009	53.10	51.20
2010	54.50	53.70

5. To select all countries that end with 'stan', select Ends With, enter stan in the text box, and click Apply.

				country 11			
	Afghanistan	Kazakhstan	Kyrgyzstan	Pakistan	Tajikistan	Turkmenistan	Uzbekistan
year 11	avg(life_expectancy)						
2001	55.30	63.80	66.30	64.10	63.90	64.00	67.10
2002	55.70	64.20	66.50	64.40	64.30	64.20	67.20
2003	56.10	64.60	66.50	64.70	64.70	64.30	67.20
2004	56.60	64.90	66.60	64.90	65.10	64.30	67.30
2005	57.10	65.20	66.60	65.20	65.40	64.40	67.40
2006	57.60	65.40	66.70	65.40	65.80	64.50	67.50
2007	58.10	65.60	66.70	65.60	66.10	64.60	67.50
2008	58.60	65.80	66.80	65.80	66.40	64.70	67.60
2009	59.10	66.00	66.90	65.90	66.60	64.90	67.80
2010	59.60	66.10	67.10	66.10	66.80	65.00	67.90

Related Information Cross tabulation

## Selecting a range of dates on filter shelves

### About this task

For selecting a range of dates in a filter shelf, let's use a visual built in *Creating joins*.

### Procedure

1. Create a new field crs\_dep\_timestamp directly on the dataset.

- 2. Create a new cross tabulation visual on the dataset Flight Delays with the following configuration:
  - On the X shelf, add the dimension unique\_carrier. Alias the field as Airline.
  - On the Y shelf, add the dimension fl\_date.

Click the filed name, and under the Field Properties, change the Date/Time Functions to Date.

➡ Filters	FIELD PROPERTIES ×
	Date/Time Functions •
fl_date	-> 🗸 Date
	Year
	Month
	Year and Month
	Day of Month
	Day of Year
	Day of Week (numeric, starting with Sunday)
	Day of Week (numeric, starting with Monday)

- On the Measures shelf, add the measure dep\_delay, and ensure that it uses the avg(dep\_delay) aggregate. Alias the field as Delay.
- On the Filters shelf, add crs\_dep\_timestamp.

		Airline I±												
	AA	AS	B6	DL	EV	F9	HA	MQ	NK	00	UA	US	VX	WN
Date 上	Delay	Delay	Delay	Delay	Delay	Delay	Delay	Delay	Delay	Delay	Delay	Delay	Delay	Delay
2015-01-01	18.0	1.21	5.62	3.42	5.48	14.7	4.22	13.9	9.95	13.0	14.9	3.60	1.56	10.5
2015-01-02	21.4	8.04	2.08	6.30	6.99	16.6	22.1	18.5	15.5	14.3	18.2	3.10	5.38	16.5
2015-01-03	29.9	9.12	20.6	14.3	32.1	52.4	22.3	34.3	30.9	25.4	29.1	15.3	6.31	27.6
2015-01-04	36.1	10.9	34.4	21.3	37.6	65.3	1.58	56.3	36.7	31.2	38.4	17.0	16.8	31.6
2015-01-05	25.6	6.35	21.1	6.99	29.5	31.9	6.02	49.1	47.0	26.4	23.6	7.13	7.40	18.7
2015-01-06	16.0	8	33.4	13.6	21.8	26.1	-1.59	35.3	30.7	15.8	25.5	26.1	11.4	29.0
2015-01-07	14.3	5.76	15.7	6.01	14.5	35.2	-1.81	32.0	23.7	16.3	25.7	6.42	8.62	12.9
2015-01-08	17.9	5.10	6.73	11.5	19.8	18.1	1.55	33.1	17.5	20.7	29.9	8.71	1.89	13.9
2015-01-09	14.1	0.289	27.8	11.8	17.1	33.4	2.63	28.2	20.2	22.8	28.6	5.79	7.38	7.60
2015-01-10	12.8	-1.79	7.32	4.49	5.98	19.9	-0.592	12.3	12.7	11.1	16.4	3.84	0.642	6.97
2015-01-11	15.3	8.38	7.89	4.63	11.4	20.1	2.37	21.8	10.9	17.7	18.1	6.99	23.0	18.8
2015-01-12	11.1	3.20	13.2	27.8	25.4	21.7	-2.71	31.0	33.2	22.5	19.7	9.73	18.6	16.8
2015-01-13	5.83	-0 420	0.405	3.93	4 65	3.34	1 12	22.3	7.18	16.4	6.78	2.57	-0.669	4.91
2015-02	7.02	-0.651	10.4		14.1	Z	1.79		14.0	10.2				
2015-02-19	4.98	3.02	19.7	11.2	9.85	26.1	2.34	19.3	12.8	12.2	15.5	9.62	11.7	11.1
2015-02-20	7.48	5.41	15.8	15.5	11.2	23.2	1.52	31.7	13.0	8.58	15.7	13.9	8.91	9.28
2015-02-21	12.1	4.08	22.9	17.6	8.31	35.8	2.21	17.8	19.3	9.07	21.7	14.2	-1.16	11.3
2015-02-22	21.4	2.29	50.1	18.6	18.5	72.5	5.93	20.1	28.8	12.8	21.2	28.3	9.94	11.8
2015-02-23	14.0	3.53	13.5	10.3	17.7	30.1	-1.80	25.8	48.7	15.7	13.7	8.96	6.98	12.2
2015-02-24	10.4	-3.49	3.68	35.3	23.8	16.1	-4.00	34.1	23.3	6.10	8.99	10.2	-1.05	11.2
2015-02-25	11.9	-1.57	14.7	16.6	11.9	31.8	-1.15	17.9	14.3	8.63	13.4	3.09	-2.35	9.58
2015-02-26	22.9	1.28	12.4	12.4	26.8	28.3	0.721	39.9	23.2	21.4	24.9	14.2	4.98	25.3
2015-02-27	34.1	3.66	10.8	8.20	8.01	12.2	3.88	30.9	15.9	16.8	16.8	7.91	22.5	12.4
2015-02-28	37.3	1.01	15.8	6.20	5.27	54.8	2.31	21.7	31.4	10.8	17.0	9.51	5.53	9.57

**3.** Click Refresh Visual. Note that all the date values in the dataset, starting with 2015-01-01 and ending with 2015-02-28.

- **4.** On the Filters shelf, click the crs\_dep\_timestamp field.
- 5. Click Select values.



- 6. In the Filter for crs\_dep\_timestamp modal window, click the Date Range tab.
- 7. Click inside the textbox that contains the text.
- 8. Click to select range.

Note the selection options in date range/calendar interface:

- Pre-set ranges, such as Today, Yesterday, Last 7 Days, Last Week, Last 30 Days, This Month, and Last Month.
- Custom Range, that can be configured either through the FROM and TO entry boxes, or by manipulating the calendar widgets
- Time of Day control for beginning and end of the time period.

Values	Date Range	Relative	Date	Rang	je	Set v	alues	1								
click to s	select range															
Today	r	•		Ja	an 20	15		→		f		Fe	eb 20	15		<b>→</b>
Yester	rday	Su	Мо	Tu	We	Th	Fr	Sa	s	u	Мо	Tu	We	Th	Fr	Sa
Last 7	' Days	28	29	30	31	1	2	3	2	5	26	27	28	29	30	31
Last V	Veek	4	5	6	7	8	9	10		1	2	3	4	5	6	7
Last 3	0 Days	11	12	13	14	15	16	17	;	В	9	10	11	12	13	14
This M	Aonth	18	19	20	21	22	23	24	1	5	16	17	18	19	20	21
11110 1		25	26	27	28	29	30	31	2	2	23	24	25	26	27	28
Last N	Month	1	2	3	4	5	6	7		1	2	3	4	5	6	7
Custo FROM 2015-01	TO -01 ( 2015-02-28 ( Y CANCEL		6	•:	00	\$ F	* M	)		(	5	•:	59	¢ F	* M	)

**9.** In the calendar widget, select the date range of 24th of January 2015 (10:00 AM) through 17th of February 2015 (9:30 PM).

**10.** Click Apply.

Today	← Jan 2015					→	← Feb 2015 →				→			
Yesterday	Su	Мо	Tu	We	Th	Fr	Sa	Su	Мо	Tu	We	Th	Fr	Sa
Last 7 Days	28	29	30	31	1	2	3	25	26	27	28	29	30	31
Last Week	4	5	6	7	8	9	10	1	2	3	4	5	6	7
Last 30 Days	11	12	13	14	15	16	17	8	9	10	11	12	13	14
This Month	18	19	20	21	22	23	24	15	16	17	18	19	20	21
Lest Menth	25	26	27	28	29	30	31	22	23	24	25	26	27	28
Last Month	1	2	3	4	5	6	7	1	2	3	4	5	6	7
Custom Range		10	\$:	00	<b>\$</b>	M \$	)		9	•:	30	<b>\$</b> F	M 🖨	)
2015-01-24 2015-02-17 :														

	Airline I <u>L</u>													
	AA	AS	B6	DL	EV	F9	HA	MQ	NK	00	UA	US	VX	WN
Date 📙	Delay	Delay	Delay	Delay	Delay	Delay	Delay	Delay	Delay	Delay	Delay	Delay	Delay	Delay
2015-01-25	5.20	-2.05	0.618	0.373	1.59	18.9	-3.57	16.0	11.5	8.32	7.52	1.09	7.03	3.47
2015-01-26	6.30	4.57	21.4	2.86	5.23	5.04	-5.21	12.7	5.94	4.26	7.98	3.51	4.49	4.47
2015-01-27	0.697	-2.34	4.56	-0.569	-0.959	-4.06	-5.09	5.13	-1.27	0.307	1.80	0.304	-3.47	-1.42
2015-01-28	2.38	1.09	7.77	1.23	-0.037	3.16	-1.50	2.02	0.929	0.132	2.63	2.61	5.08	1.73
2015-01-29	2.61	5.02	6.43	2.65	2.40	7.72	4.87	5.48	1.11	2.97	7.34	-0.920	-1.12	5.54
2015-01-30	4.56	15.4	11.4	7.15	5.53	14.5	-0.258	10.1	8.30	12.7	13.5	14.3	12.6	12.2
2015-01-31	4.70	10.0	5.80	1.92	-0.804	8.26	3.89	0.617	3.77	6.75	6.54	2.85	-1.11	2.38
2015-02-01	9.74	3.93	7.25	10.7	8.67	51.7	-2.32	9.66	29.2	19.3	12.7	31.9	-1.27	13.6
2015-02-02	13.7	10.2	54.0	30.2	22.7	43.1	-1.56	24.6	28.4	16.6	21.0	14.8	11.9	10.7
2015-02-03	4.83	-1.49	44.0	10.4	11.7	32.0	-3.90	21.2	16.2	12.0	15.6	7.04	8.10	6.92
2015-02-04	3.67	-1.29	9.20	5.37	13.2	47.0	-0.764	25.4	18.4	20.5	13.2	0.112	20.1	6.83
2015-02-05	13.2	7.25	32.7	8.43	9.06	15.8	0.188	33.7	22.4	23.1	15.5	5.96	24.7	12.8
2015-02-06	3.52	6.36	1.74	3.53	1.53	7.58	5.50	5.86	2.85	6.90	20.9	1.31	87.0	7.06
2015-02-07	1.41	2.62	4.77	1.83	-1.36	0.132	5.10	0.698	-1.78	4.57	6.65	-0.890	9.45	1.48
2015-02-08	8.31	6.98	23.7	5.18	3.31	4.55	4.96	9.90	4.08	11.9	12.1	2.90	57.5	8.01
2015-02-09	7.41	2.57	18.2	12.9	7.59	11.1	12.0	25.4	9.20	9.13	9.32	2.81	7.72	5.09
2015-02-10	2.58	2.60	18.1	2.62	2.51	7.06	-1.12	1.39	8.81	1.43	2.43	2.93	-1.92	3.05
2015-02-11	0.371	-1.17	7.60	2.83	0.999	8.68	4.80	3.56	-0.486	2.85	5.45	1.10	-1.62	2.19
2015-02-12	3.95	6.40	10.1	5.54	6.18	7.44	-1.40	3.82	3.95	5.04	19.7	3.59	2.67	7.57
2015-02-13	6.21	4.29	7.56	10.5	5.94	7.19	1.86	9.96	12.7	5.67	13.2	7.18	11.6	8.42
2015-02-14	5.45	3.50	16.4	9.99	4.64	41.4	33.4	10.9	21.5	3.19	13.0	3.33	6.64	10.4
2015-02-15	6.45	0.529	21.8	7.06	12.7	22.8	0.510	22.7	18.4	9.11	18.5	9.89	9.69	8.74
2015-02-16	18.3	-1.14	56.2	21.4	21.0	41.2	3.66	24.7	21.9	13.2	20.6	11.5	5.64	18.1
2015-02-17	10.8	4.02	38.6	26.1	23.4	33.4	-2.19	23.1	21.4	8.67	17.2	32.5	16.4	13.0

**11.** After clicking Refresh Visual, the updated visual appears. Note the range of dates we specified in the previous step.

#### **Related Information**

Creating joins

### Selecting values by using an expression on filter shelves

#### About this task

The Enter/Edit Expression interfaced may be used on a filter shelf to fine-tune value filtering, and to incorporate information about values from multiple rows of the dataset. To demonstrate this approach, let's use the example from building *Cross tabulation*, where we specify several discrete years of the dataset World Life Expectancy.

#### Procedure

1. On the Filters shelf, click Down Arrow on the year field placed there earlier.

 $\times$ 

SAVE

2. Click [] Enter/Edit Expression



3. In the Enter/Edit Expression modal window, build an expression.

We used the following expression to specify a range of year values:

### [year]BETWEEN 1950 AND 2010

Enter/Edit Expression

year] BETWEEN 1950 AND 2010		All Functions	All Fields
		abs	A alt_names
		acos	# cdh_id
		add_months	A code2
		adddate	A code3
		AND	A comments
		appx_median	A country
		ascii	A country_5
		asin	A fips_code
VALIDATE EXPRESSION	<ul> <li>Autocomplete on</li> </ul>	atan	A fips_country_n
Validation Successful!	×		

VALIDATE & SAVE CANCEL

- 4. Click Validate Expression.
- 5. Click Save.

6. After clicking Refresh Visual, the cross tabulation visual appears.

Note the range of years we specified in the previous step, and that the columns stop reporting life expectancy when it reaches the threshold of 50 years for all seven countries in Middle Africa UN sub-region.

				country 12			
	Angola	Angola Cameroon		Congo	Equatorial Guinea	Gabon	Sao Tome and Principe
year 11	Life Expectancy	Life Expectancy	Life Expectancy				
1950	29.2	37.9	35.6	38.3	33.9	36.0	45.5
1951	29.4	38.0	35.7	38.5	34.0	36.2	45.7
1952	29.8	38.4	35.9	38.9	34.3	36.8	46.2
1953	30.2	38.7	36.2	39.2	34.6	37.3	46.6
1954	30.6	39.1	36.4	39.6	34.9	37.7	47.1
1955	31.0	39.4	36.7	39.9	35.2	38.1	47.6
1956	31.4	39.8	37.0	40.1	35.5	38.4	48.1
1957	31.8	40.3	37.2	40.4	35.8	38.7	48.6
1958	32.2	40.7	37.5	40.7	36.1	39.0	49.2
1959	32.6	41.1	37.8	40.9	36.4	39.3	49.8
1960	33.0	41.5	38.0	41.1	36.7	39.6	50.4
1961	33.4	42.0	38.3	41.3	37.0	39.9	50.9
1962	33.8	42.4	38.5	41.5	37.3	40.4	51.5
1963	34.2	42.9	38.8	41.8	37.6	40.9	52.1
1964	34.6	43.3	39.1	42.0	37.9	41.6	52.6
1965	35.0	43.7	39.4	42.3	38.2	42.3	53.1
1966	35.4	44.2	39.7	42.5	38.5	43.2	53.6
1967	35.8	44.6	40.0	42.9	38.8	44.1	54.2
1968	36.2	45.1	40.4	43.2	39.1	44.9	54.7
1069		45.6					4-1-1-1-155.3
1950	42.5	53.0	46.5	40.2	47.7	60.9	62.8
1997	43.1	52.8	46.5	46.1	47.7	60.7	62.9
1998	43.7	52.5	46.6	46.0	47.7	60.3	63.0
1999	44.5	52.2	46.6	46.1	47.7	60.0	63.2
2000	45.2	52.0	46.7	46.4	47.7	59.7	63.3
2001	46.0	51.8	46.8	46.7	47.8	59.6	63.5
2002	46.7	51.7	47.0	47.1	47.9	59.5	63.8
2003	47.4	51.7	47.1	47.4	48.1	59.5	64.0
2004	48.0	51.7	47.4	47.6	48.4	59.7	64.3
2005	48.6	51.9	47.7	47.9	48.8	60.1	64.6
2006	49.0	52.2	48.1	48.0	49.3	60.5	65.0
2007	49.5	52.5	48.5	48.2	49.8	60.9	65.3
2008	49.9	52.9	48.9	48.5	50.3	61.4	65.5
2009	50.3	53.3	49.3	48.7	50.9	61.9	65.7
2010	50.7	53.7	49.8	49.0	51.5	62.3	65.9

7. Let us change the expression to report only when life expectancy is at 50 years or more for the same year range. ([year]BETWEEN 1950 AND 2010) AND ([life\_expectancy]>=50)

Note the following results:

- The first row is for year 1960, the first time a country in Middle Africa reported a life expectancy over 50 years.
- Only five out of seven countries are reporting; this means that life expectancy for Chad and Congo never reaches 50 years over the period covered by our dataset, through the year 2010.

	Angola	Cameroon	Equatorial Guinea	Gabon	Sao Tome and Principe	
year 🔢	Life Expectancy	Life Expectancy	Life Expectancy	Life Expectancy	Life Expectancy	
196	0				50.4	
196	1				50.9	
196	2				51.5	
196	3				52.1	
196	4				52.6	
196	5				53.1	
196	6				53.6	
196	7				54.2	
196	8				54.7	
196	9				55.3	
197	0				55.9	
197	1				56.5	
197	2				57.1	
197	3				57.8	
197	4				58.4	
197	5			50.8	59.0	
197	6			51.6	59.5	
197	7			52.4	59.9	
197	8	50.3		53.2	60.2	
197	9	50.8		54.1	60.4	
198	0	51.2		54.9	60.6	
198	1	51.6		55.8	60.6	
198	2	52.0		56.6	60.7	
198	3	52.3		57.5	60.8	
198	4	52.6		58.3	60.8	
198	5	52.9		59.1	61.0	
198	6	53.1		59.8	61.1	
109	7	50.1		60.2	61.0	
190	0		21	00.3	01.3	
198	5	53.4		60.8	61.5	

### **Related Information**

Cross tabulation