

Working with Data

Date published: 2020-10-30

Date modified: 2024-02-29

CLOUDERA

Legal Notice

© Cloudera Inc. 2024. All rights reserved.

The documentation is and contains Cloudera proprietary information protected by copyright and other intellectual property rights. No license under copyright or any other intellectual property right is granted herein.

Unless otherwise noted, scripts and sample code are licensed under the Apache License, Version 2.0.

Copyright information for Cloudera software may be found within the documentation accompanying each component in a particular release.

Cloudera software includes software from various open source or other third party projects, and may be released under the Apache Software License 2.0 (“ASLv2”), the Affero General Public License version 3 (AGPLv3), or other license terms. Other software included may be released under the terms of alternative open source licenses. Please review the license and notice files accompanying the software for additional licensing information.

Please visit the Cloudera software product page for more information on Cloudera software. For more information on Cloudera support services, please visit either the Support or Sales page. Feel free to contact us directly to discuss your specific needs.

Cloudera reserves the right to change any products at any time, and without notice. Cloudera assumes no responsibility nor liability arising from the use of products, except as expressly agreed to in writing by Cloudera.

Cloudera, Cloudera Altus, HUE, Impala, Cloudera Impala, and other Cloudera marks are registered or unregistered trademarks in the United States and other countries. All other trademarks are the property of their respective owners.

Disclaimer: EXCEPT AS EXPRESSLY PROVIDED IN A WRITTEN AGREEMENT WITH CLOUDERA, CLOUDERA DOES NOT MAKE NOR GIVE ANY REPRESENTATION, WARRANTY, NOR COVENANT OF ANY KIND, WHETHER EXPRESS OR IMPLIED, IN CONNECTION WITH CLOUDERA TECHNOLOGY OR RELATED SUPPORT PROVIDED IN CONNECTION THEREWITH. CLOUDERA DOES NOT WARRANT THAT CLOUDERA PRODUCTS NOR SOFTWARE WILL OPERATE UNINTERRUPTED NOR THAT IT WILL BE FREE FROM DEFECTS NOR ERRORS, THAT IT WILL PROTECT YOUR DATA FROM LOSS, CORRUPTION NOR UNAVAILABILITY, NOR THAT IT WILL MEET ALL OF CUSTOMER’S BUSINESS REQUIREMENTS. WITHOUT LIMITING THE FOREGOING, AND TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, CLOUDERA EXPRESSLY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY, QUALITY, NON-INFRINGEMENT, TITLE, AND FITNESS FOR A PARTICULAR PURPOSE AND ANY REPRESENTATION, WARRANTY, OR COVENANT BASED ON COURSE OF DEALING OR USAGE IN TRADE.

Contents

Working with datasets in Data Visualization.....	5
Creating a dataset.....	5
Creating a dataset from a table.....	5
Creating a dataset from a query.....	7
Finding a dataset.....	9
Exploring dataset details.....	10
Tables.....	12
Connection type.....	12
Description.....	12
Join elimination.....	13
Result cache.....	13
SQL.....	14
Information on creation and update.....	14
Checking related dashboards.....	14
Editing datasets based on a SQL query.....	15
Restricting columns in datasets based on SQL query.....	16
Restricting rows in datasets based on SQL query.....	19
Deleting a dataset.....	21
 Changing dataset fields.....	 23
Editing dataset fields.....	23
Hiding dataset fields from applications.....	27
Changing field aggregation.....	31
Creating calculated fields.....	35
Testing calculated fields.....	39
Changing the field display format.....	41
Changing currency field display format.....	42
Changing custom field display format.....	46
Changing custom Javascript field display format.....	48
Changing data type.....	51
Specifying geographic fields.....	52
Adding field comments.....	54
Adding field comments in dataset.....	54
Viewing field comments in Visual Builder.....	57
Automatically renaming dataset fields.....	58
Custom renaming dataset fields.....	60
Refreshing a dataset.....	62
 Working with data extracts in Data Visualization.....	 64
Creating a data extract.....	65
Exploring data extract details.....	69
Running a data extract.....	69
Creating a dataset from a data extract.....	71
Editing a data extract.....	71
Deleting a data extract.....	73

Working with data models in Data Visualization..... 73

- Creating a join..... 74
- Changing join types..... 79
- Editing join details.....81
- Deleting a join..... 86
- Applying field display format on sample data.....87

Working with datasets in Data Visualization

Datasets are defined on the connections to your data, and provide access to the specific tables in the data store.

In Cloudera Data Visualization, visualizations are built from datasets. These datasets provide access to data and enhance data access and usage.

Related Information

[Datasets](#)

Creating a dataset

Cloudera Data Visualization allows you to create datasets based on your data available through a data connection.

About this task

There are two options to create a new dataset:


- [Creating a dataset from a table](#) on page 5
- [Creating a dataset from a query](#) on page 7

Creating a dataset from a table

Cloudera Data Visualization allows you to define a new dataset based on an existing table.

Procedure


1. On the main navigation bar, click DATA.
The Data view appears, open on the Datasets tab.
2. Click NEW DATASET near the top of the screen.



The New Dataset modal window appears.



Note: You can also open this modal window from the Connection Explorer, by clicking New dataset next to the table's name.



3. In the New Dataset modal window, specify the following values:

Dataset title

Provide a name for the new dataset.

Dataset Source

Open the menu and select the From Table option.

Select Database

Scroll down the list of connected databases to select the correct database.

Select Table

Scroll down the list of tables to select the correct table.

New Dataset

Create a dataset from data on this connection. You need to create a dataset before you can create dashboards or apps.

Dataset title *

Dataset Source

From Table ▾

Select Database

main ▾


Select Table

census_pop ▾

CANCELCREATE

4. Click CREATE.

You can now see the new dataset on the Datasets tab.



Title/Table	ID	Created	Last Updated	Modified By	# Dashboards
Test Dataset main.census_pop	16	Jul 14, 2023	a few seconds ago	vizapps_admin	0
demo set Created from SQL	15	Jul 13, 2023	21 hours ago	vizapps_admin	0
US State Populations Over Time main.census_pop	7	Oct 26, 2021	a day ago	vizapps_admin	3



Tip: To find the dataset in the future, you can scroll through the list of datasets available on the connection, or use Search at the top of the page.


Creating a dataset from a query

Cloudera Data Visualization allows you to define a new dataset using a SQL query. This feature makes it easy to restrict access to specific table columns or rows for all users, either for security or for relevancy reasons. It also enables you to specify complex joins and analytic functions at the dataset level.

Using the DATA tab

Procedure

1. On the main navigation bar, click DATA.
The Data view appears, open on the Datasets tab.
2. Click NEW DATASET near the top of the screen.



NEW CONNECTION	NEW DATASET	ADD DATA	...
All Connections	Datasets 13	Connection Explorer	?

The New Dataset modal window appears.



Note: You can also open this modal window from the Connection Explorer, by clicking New dataset next to the table's name.




Table Name	# Datasets	
census_pop	1	New dataset
cereals	1	New dataset
chicago_govt_pay	0	New dataset

3. In the New Dataset modal window, specify the following values:

Dataset title

Provide a name for the new dataset.

Dataset Source

Open the menu and select the From SQL option.

Enter SQL below

- a. Enter the SQL query you want to use to define the new dataset.
- b. Run the query.

New Dataset

Create a dataset from data on this connection. You need to create a dataset before you can create dashboards or apps.

Dataset title *

Test Dataset from SQL

Dataset Source

From SQL

Enter SQL below

```
select * from main.us_counties
```

☒ Autocomplete on

CANCEL CREATE

4. Click CREATE.

You can now see the new dataset on the Datasets tab.



Tip: To find the dataset in the future, you can scroll through the list of datasets available on the connection, or use Search at the top of the page.

Using the SQL tab

Procedure

1. On the main navigation bar, click SQL.
The SQL view appears.
2. Select the database and the table.
3. Add the SQL query to the SQL text field.

4. Click RUN.

The screenshot shows the Cloudera Data Visualization interface. At the top, there's a navigation bar with 'HOME', 'SQL', 'VISUALS', and 'DATA'. Below this, the 'Data Connection' is set to 'samples'. The 'Connection Explorer' on the left shows a tree view with 'Database' set to 'main' and a list of tables including 'census_pop', 'cereals', 'chicago_govt_pay', 'earthquake_data2019', 'infoseq_1559', 'iris', 'restaurant_scores_lives_sta...', 'retail_food_store_inspectio...', 'superstore_sales', 'trips', 'trips_detail', 'us_counties', and 'world_life_expectancy'. The main area is the 'SQL' editor, where the query 'SELECT * FROM main.census_pop' is entered. Below the editor, there are buttons for 'RUN', 'SAVE QUERY', 'SAVE AS DATASET', and '+ NEW DASHBOARD'. The 'Results' tab is active, showing the query 'SELECT * FROM main.census_pop LIMIT 100' and a table of results with columns 'year', 'state', and 'population'.

year	state	population
1960	AL	3266740
1960	AK	226167
1960	AZ	1302161
1960	AR	1786272
1960	CA	15717204
1960	CO	1753947
1960	CT	2535234

5. Click SAVE AS DATASET.

The New Dataset modal window appears.

6. Add a title for the dataset.

7. Click CREATE.

You can now see the new dataset on the Datasets tab.



Tip: To find the dataset in the future, you can scroll through the list of datasets available on the connection, or use Search at the top of the page.

Finding a dataset

Cloudera Data Visualization makes it easy to find your datasets. You can browse the list of Datasets, check out the Connection Explorer, or use Search.

Procedure


1. On the main navigation bar, click DATA.

The screenshot shows the Cloudera Data Visualization interface with the 'DATA' tab selected in the main navigation bar. The navigation bar includes 'HOME', 'VISUALS', and 'DATA'. Below the navigation bar, there's a search bar and a 'SEARCH' button. The user is logged in as 'vizapps_admin'.

The Data view appears, open on the Datasets tab.

2. On the left-side panel, select the connection on which the dataset is defined.

3. Use Search on the main navigation bar. Type the search string that matches all or part of the dataset you are looking for.



Some examples of search criteria are for example data connection names, data table names, dataset names, visualization names, or application names.

4. Select the correct dataset from the abbreviated list of datasets.

Exploring dataset details

Cloudera Data Visualization makes it easy to check out and examine the information available about your datasets.

Procedure

1. On the main navigation bar, click DATA.

The Data view appears, open on the Datasets tab.


2. Find the dataset, either by browsing to a known connection and scrolling, or by using Search.

3. Click the dataset you want to examine.

Dataset side navigation appears, open at Dataset Detail view.

Depending on the dataset definition approach, there are two alternatives:

- Defined on Table



- Defined on SQL

The screenshot shows the 'Dataset Detail' view for a dataset named 'Test Dataset from SQL'. The left sidebar contains navigation links: Dataset Detail, Related Dashboards, Fields, Data Model, Time Modeling, Search Modeling, Segments (0), Filter Associations (0), and Permissions. The main content area is titled 'Detail' and shows the following information:

- Dataset: Test Dataset from SQL (with an edit icon)
- Connection Type: SQLite
- Data Connection: samples (with an edit icon)
- Description: (with an edit icon)
- Join Elimination: Enabled (with an edit icon)
- Result Cache: From Connection (with edit and refresh icons)
- SQL for first table: `select * from main.us_counties` (with an edit icon)

Below the SQL query, the following metadata is displayed:

- ID: 14
- Created on: Aug 19, 2021 09:55 AM
- Created by: vizapps_admin
- Last updated: Aug 19, 2021 09:55 AM
- Last updated by: vizapps_admin

The following information is available on Dataset Detail view, under Detail:

Tables

This is the qualified name of the data source. It appears in the form `DatabaseName.DatabaseTable`.

Connection type

This is the name of the database that hosts the data that appears in the form `DataConnection`. This feature is ideal for enterprise environments, with dashboards developed on test clusters, and then deployed to a production environment.

About this task

This assumes that the new connection has, at the minimum, the relevant base tables with metadata definitions that match those on the original connection. Users with appropriate permissions can switch the data connection of a dataset by following these steps.

Procedure

1. Click the Edit (pencil) icon.
2. Choose a different data connection from the menu.
3. Click Save.

Description

This is an optional field. You can add a description of the dataset in the available textbox.

Procedure

1. Click the Edit (pencil) icon.
2. Enter the description in the text box.
3. Click Save.

Join elimination

Join elimination improves query execution and visual rendering in CDP Data Visualization.

About this task

Join elimination is available both for left outer and inner joins. It is turned on by default.

When a visual uses fields and expressions that reference only a subset of the joined tables that form the dataset, this feature eliminates the unnecessary joins and access only the necessary subset of the joined tables. This improves query execution speeds, and renders the visuals faster.

Procedure

1. Click the Edit (pencil) icon.
2. You can enable or disable join elimination:
 - Disabling: select the Disabled option.
 - Enabling: select the Enabled option.
3. Click Save.


Result cache

Each dataset inherits the result caching preferences configured for its connection. The value for this field is From Connection by default, but this may be changed at the level of the dataset.

Procedure

1. Click the Edit (pencil) icon.
2. You can enable or disable the result cache:
 - Disabling: select the Disabled option.
 - Enabling: select the Enabled option, and specify the Retention Time, in seconds.
3. Click Save.

4. To clear the result cache, click the **Clear** icon.



SQL

In datasets initially defined on a SQL query, you can alter the query at any time to change the list of fields fetched, content of the WHERE clause, ORDER BY, and so on.

Procedure

1. Click the Edit (pencil) icon.
2. Edit the SQL statement.
3. Click Save.

Information on creation and update

The Dataset Detail interface provides information about the creation of the dataset and most recent updates to it.

Created on

This is the date, in timestamp form, when the dataset was created.

Created by

This is the username of the user who created the dataset.

Last updated

This is the date, in timestamp form, of the most recent dataset update.

Last updated by

This is the username of the user who updated the dataset most recently.

Checking related dashboards

In Cloudera Data Visualization, you can easily determine which visuals use a particular dataset.

Procedure

1. On the main navigation bar, click Data.



The Data view appears, open on the Datasets tab.

- Find the dataset that you want to examine in the list of datasets, either by scrolling or by using search.
- Click the dataset.

Dataset side navigation appears, open at Dataset Detail view.

- In the side navigation menu, click Related Dashboards.

Dataset: World Life Expectancy

Related Dashboards and Linked Visuals

These visuals were created based on this dataset

Title	ID	Related Dashboards/Linked Visuals	Created	Last Updated	Modified By	Total Views	Workspace	Actions
Life Expectancy Dashboard	66		Aug 19, 2021	6 days ago	vizapps_admin	0	Public	
World Population & GDP Trends	57		Aug 19, 2021	6 days ago	vizapps_admin	0	Public	
Animated world population - GDP vs life expectancy	52		Aug 19, 2021	6 days ago	vizapps_admin	0	Public	

Showing 1 to 3 of 3 entries

Related Dashboards view appears, which is a list of visuals that use this dataset.

The following information is available for each app in this list, under Related Dashboards:

- Type icon represents the style of the dashboard, or a snapshot icon of the visual (if this feature is on).
- Title is the name of the visual.
- ID
- Related Dashboards/Linked Visuals
- Created is the date when the visual was created.
- Last Updated is the time interval after the last update of the visual. It is expressed in minutes, hours, days, or months, as appropriate.
- Modified by is the name of the user who modified the app most recently.
- Total Views is the number of times the app was viewed.
- Workspace
- Actions are the permissions available to you They may include the following:
 - Clicking Edit (pencil) icon edits the visual.
 - Clicking Delete (trash) icon deletes the visual.

Editing datasets based on a SQL query

One of the major advantages Cloudera Data Visualization provides is the option to edit the data selection that defines the dataset.

Procedure

- Navigate to a dataset that you created based on a SQL query.

2. Click to open the dataset, on the Dataset Detail view.

There is a SQL text window, which you can edit.

The screenshot shows the Cloudera Data Visualization interface. On the left is a sidebar with navigation links: Dataset Detail, Related Dashboards, Fields, Data Model, Time Modeling, Search Modeling, Segments (0), Filter Associations (0), and Permissions. The main content area is titled 'Dataset: Test Dataset from SQL' and 'Detail'. It displays the following configuration: Connection Type: SQLite, Data Connection: samples, Description: (empty), Join Elimination: Enabled, and Result Cache: From Connection. A text box labeled 'SQL for first table:' contains the query 'select * from main.us_counties' and is highlighted with an orange border. Below this, the dataset's metadata is shown: ID: 14, Created on: Aug 19, 2021 09:55 AM, Created by: vizapps_admin, Last updated: Aug 19, 2021 09:55 AM, and Last updated by: vizapps_admin.


3. You can restrict rows and columns depending on what you need.

Restricting columns in datasets based on SQL query

In Cloudera Data Visualization, you can easily restrict the table columns in the dataset by changing the SQL definition of that dataset. SQL-defined datasets make it easy to limit their content to specific columns.

Procedure

1. Switch to Data Model interface, and click Show Data.



There is a large number of columns in the query result, and many of them are not necessary when it comes to answering most common questions.

sumlev	state	county	stname	ctname	year	agegrp	tot_pop	tot_male	tot_female	wa_male	wa_female	ba_male	ba_female	la_male	la_female	aa_male	aa_female	na_male	na_female	tom_male	tom_female	wac_r
50	51	149	Virginia	Prince George County	5	0	36941	20368	16573	12155	10721	7230	4763	171	98	254	410	61	55	497	526	1257
50	51	153	Virginia	Prince William County	5	0	430289	213820	216469	141918	138857	44291	47256	2453	2331	16249	18465	405	374	8504	9186	1495
50	51	155	Virginia	Pulaski County	5	0	34736	17284	17452	15915	16222	959	866	35	37	93	105	6	2	276	220	1617
50	51	157	Virginia	Rappahannock County	5	0	7456	3694	3762	3420	3496	181	171	5	13	19	28	1	2	68	52	3483
50	51	159	Virginia	Richmond County	5	0	9059	5066	3993	3138	2925	1799	961	24	15	31	17	1	2	73	73	3204
50	51	161	Virginia	Roanoke County	5	0	92901	44385	48516	39834	43608	2424	2605	85	82	1338	1465	12	21	692	735	4048
50	51	163	Virginia	Rockbridge County	5	0	22394	11071	11323	10482	10693	321	323	60	63	50	76	1	3	157	165	10631
50	51	165	Virginia	Rockingham County	5	0	77391	37840	39551	36012	37908	841	629	227	213	232	278	15	11	513	512	3649
50	51	167	Virginia	Russell County	5	0	28445	13914	14531	13631	14249	148	120	28	35	32	24	0	1	75	102	13701
50	51	169	Virginia	Scott County	5	0	22781	11413	11368	11197	11172	92	68	25	23	17	29	8	7	74	69	1126

2. Find the fields that you would like to keep in the dataset definition.
3. Switch back to Dataset Detail interface, and edit SQL text window by applying the following statement:

```
select county, stname, ctname, tot_pop, tot_male, tot_female from main.us_counties
```

In this example we keep the columns county, stname, ctname, tot_pop, tot_male, and tot_female.

4. Click Save.

The screenshot shows the 'Dataset Detail' page for a dataset named 'Test Dataset from SQL'. The left sidebar contains navigation links: Dataset Detail, Related Dashboards, Fields, Data Model, Time Modeling, Search Modeling, Segments (0), Filter Associations (0), and Permissions. The main content area is titled 'Detail' and shows the following configuration:

- Dataset: Test Dataset from SQL
- Connection Type: SQLite
- Data Connection: samples
- Description:
- Join Elimination: Enabled
- Result Cache: From Connection

The 'SQL for first table:' field is highlighted with an orange border and contains the following SQL query:

```
select county, stname, ctynome, tot_pop, tot_male, tot_female from  
main.us_counties
```

To the right of the SQL field are 'CANCEL' and 'SAVE' buttons. Below the configuration, the dataset's metadata is displayed:

- ID: 14
- Created on: Aug 19, 2021 09:55 AM
- Created by: vizapps_admin
- Last updated: Aug 19, 2021 09:55 AM
- Last updated by: vizapps_admin

5. In the Refresh dataset table column information modal window, click Close.

The screenshot shows a modal window titled 'Refresh dataset table column information'. The main text inside the modal reads 'Table columns updated'. At the bottom right of the modal is a 'CLOSE' button.

- Switch back to the Data Model interface, click Show Data, and check that the dataset only has the explicitly specified columns:

Dataset: Test Dataset from SQL

Data Model [EDIT DATA MODEL](#) [NEW DASHBOARD](#)

sql

[HIDE DATA](#)

☒ Apply Display Format

county	stname	ctyname	tot_pop	tot_male	tot_female
149	Virginia	Prince George County	36941	20368	16573
153	Virginia	Prince William County	430289	213820	216469
155	Virginia	Pulaski County	34736	17284	17452
157	Virginia	Rappahannock County	7456	3694	3762
159	Virginia	Richmond County	9059	5066	3993
161	Virginia	Roanoke County	92901	44385	48516
163	Virginia	Rockbridge County	22394	11071	11323
165	Virginia	Rockingham County	77391	37840	39551
167	Virginia	Russell County	28445	13914	14531
169	Virginia	Scott County	22781	11413	11368

In this example we have kept the columns `county`, `stname`, `ctyname`, `tot_pop`, `tot_male`, and `tot_female`.

Restricting rows in datasets based on SQL query

In Cloudera Data Visualization, you can easily restrict the table rows in the dataset by changing the SQL definition of that dataset. SQL-defined datasets make it easy to limit their content to specific rows.

Procedure

- Switch to Dataset Detail interface, and edit SQL text window by applying the following statement:

```
select county, stname, ctyname, tot_pop, tot_male, tot_female from main.
us_counties
where stname in ('Arizona','New Mexico',
'California','Nevada','Colorado','Utah')
```

2. Click Save.

The screenshot shows the 'Dataset Detail' page for a dataset named 'Test Dataset from SQL'. The left sidebar contains navigation links: Dataset Detail, Related Dashboards, Fields, Data Model, Time Modeling, Search Modeling, Segments (0), Filter Associations (0), and Permissions. The main content area displays the following details:

- Dataset: Test Dataset from SQL
- Connection Type: SQLite
- Data Connection: samples
- Description:
- Join Elimination: Enabled
- Result Cache: From Connection

The 'SQL for first table:' section is highlighted with an orange border and contains the following SQL query:

```
select county, stname, ctynome, tot_pop, tot_male, tot_female from  
main.us_counties  
where stname in ('Arizona', 'New Mexico', 'California', 'Nevada',  
'Colorado', 'Utah')
```

To the right of the SQL query are 'CANCEL' and 'SAVE' buttons. Below the SQL section, the following metadata is displayed:

- ID: 14
- Created on: Aug 19, 2021 09:55 AM
- Created by: vizapps_admin
- Last updated: Aug 25, 2021 01:35 PM
- Last updated by: vizapps_admin

3. In the Refresh dataset table column information modal window, click Close.

The screenshot shows a modal window titled 'Refresh dataset table column information'. The main text inside the modal reads 'Table columns updated'. At the bottom right of the modal is a 'CLOSE' button.

4. Switch back to the Data Model interface, click Show Data, and notice that the dataset is limited to the states specified in the SQL statement.

CLUSTERED

Data Visualization

HOMEVISUALSDATA

SEARCH

vizapps_admin

Dataset Detail

Related Dashboards

Fields

Data Model

Time Modeling

Search Modeling

Segments

Filter Associations

Permissions

Dataset: Test Dataset from SQL

Data Model

EDIT DATA MODEL

NEW DASHBOARD


sql

HIDE DATA

Apply Display Format

county	stname	ctyname	tot_pop	tot_male	tot_female
1	Arizona	Apache County	73195	36300	36895
3	Arizona	Cochise County	132088	67820	64268
5	Arizona	Cocconino County	136011	67136	68875
7	Arizona	Gila County	53144	26434	26710
9	Arizona	Graham County	37416	20000	17416
11	Arizona	Greenlee County	8802	4611	4191
12	Arizona	La Paz County	20281	10336	9945
13	Arizona	Maricopa County	3942169	1950188	1991981
15	Arizona	Mohave County	203334	102329	101005
17	Arizona	Navajo County	107094	53545	53549

5. If you were to test it by creating a simple map visual on the dataset, it would look something like this:



Deleting a dataset

In CDP Data Visualization, you can delete a dataset without deleting the data from the database.

About this task



Note: Deleting a dataset deletes all dashboards and both linked and unlinked visuals that use it. However, it does not delete the data from the database. Any analytical views that were defined on the dataset remain.

Procedure


1. On the main navigation bar, click Data.



The Data view appears, open on the Datasets tab.

2. Find the dataset in the list of datasets, either by scrolling or by using search.
3. On the row that represents the particular dataset, click the Delete (trash) icon to delete the dataset.

In this example, the Cereals dataset has been selected, which contains 1 visual.



The Delete Confirmation modal window appears.

It contains information about all related dashboards and linked and unlinked visuals that the system deletes with the dataset:

- *Snapshot* with a tag indicating that the artifact is a visual or a dashboard
- *Title*
- *ID*
- *Related Dashboards / Visuals* lists the number of related artifacts, and their IDs.
 - For visuals, this is the number and IDs of dashboards where they appear.
 - For dashboards, it is the number and IDs of visuals that they contain.
- *Created* date
- Last Updated time period
- *Modified by* username








Note: When deleting a dataset that has associated dashboards in private workspaces, these dashboards are not listed in the Delete confirmation modal window. However, a warning will appear notifying about the dashboards.

4. In the Delete confirmation modal window's text entry field, type DELETE in uppercase, and click Delete.

Delete Confirmation

Dataset **Cereals** will be deleted.

The following dashboards/visuals related to this dataset will also be deleted:

	Title	ID	Related Dashboards / Visuals	Created	Last Updated	Modified By	Workspace
	Comparison of average calories per manufacturer to overall average	77	1 78	Aug 19, 2021	6 days ago	vizapps_admin	Public
	Avg quantity per nutritional category	76	1 78	Aug 19, 2021	6 days ago	vizapps_admin	Public
	Cereal Manufacturers available	75	1 78	Aug 19, 2021	6 days ago	vizapps_admin	Public
	Cereal comparisons across 9 nutritional categories	74	1 78	Aug 19, 2021	6 days ago	vizapps_admin	Public
	Cereal	78	4 74, 75, 76, 77	Aug 19, 2021	6 days ago	vizapps_admin	Public

Showing 1 to 5 of 5 entries

To confirm, type in the word DELETE in the field below and then click the Delete button.

CANCEL
DELETE

In the Dataset modal window, you can see the Cereals dataset shows 1 visuals. This represents linked visuals and dashboards that reference the dataset directly. When you delete this dataset, the total number of entries display 5. This represents all dashboards, linked visuals, and all other visuals that reference this dataset.

Changing dataset fields

It is easy to make changes to the fields of a dataset in Cloudera Data Visualization.

Editing dataset fields

Editing dataset fields allows you to tailor your data to better suit specific analytical needs and visualization requirements. By modifying field parameters, you can enhance the accuracy, clarity, and relevance of your datasets.

Procedure

1. Navigate to the Data view by clicking DATA on the main navigation bar.
The Data view appears, open on the Datasets tab.
2. Select a connection from the left navigation menu.
3. In the Datasets area, select the dataset you want to modify.

4. In the Dataset Detail menu, select Fields.

The screenshot shows the Cloudera Data Visualization interface. The top navigation bar includes 'HOME', 'SQL', 'VISUALS', and 'DATA'. A search bar on the right contains the text 'find titles, viz types, datasets, authors...'. The left sidebar contains a 'Dataset Detail' menu with the following items: 'Dataset Detail', 'Related Dashboards' (with a count of 1), 'Fields' (highlighted with an orange box), 'Data Model', 'Time Modeling', 'Data Extracts', 'Segments' (with a count of 0), and 'Permissions'. The main content area displays the 'Detail' view for the 'World Life Expectancy' dataset. It shows the following information: Dataset: World Life Expectancy, Table: main.world_life_expectancy, Connection Type: SQLite, Data Connection: samples, Description: (empty), Tags: (empty), Join Elimination: Enabled, and Result Cache: From Connection. Below this, the ID is 9, and the creation and update details are: Created on: Jan 26, 2023 11:29 AM, Created by: vizapps_admin, Last updated: Jan 26, 2023 11:29 AM, and Last updated by: vizapps_admin.

CLOUDERA
Data Visualization

HOME SQL VISUALS DATA

find titles, viz types, datasets, authors...

Dataset Detail

Related Dashboards 1

Fields

Data Model

Time Modeling

Data Extracts

Segments 0

Permissions

Dataset: World Life Expectancy

Detail

Dataset: World Life Expectancy

Table: main.world_life_expectancy

Connection Type: SQLite

Data Connection: samples

Description:

Tags:

Join Elimination: Enabled

Result Cache: From Connection

ID: 9

Created on: Jan 26, 2023 11:29 AM

Created by: vizapps_admin

Last updated: Jan 26, 2023 11:29 AM

Last updated by: vizapps_admin

- Click EDIT FIELDS to access the editing interface.

The screenshot shows the Cloudera Data Visualization interface. The top navigation bar includes 'HOME', 'SQL', 'VISUALS', and 'DATA'. A search bar is present with the text 'find titles, viz types, datasets, authors...'. The left sidebar contains a menu with 'Dataset Detail', 'Related Dashboards' (1), 'Fields' (selected), 'Data Model', 'Time Modeling', 'Data Extracts', 'Segments' (0), and 'Permissions'. The main content area displays 'Dataset: World Life Expectancy' and 'Fields'. The 'EDIT FIELDS' button is highlighted with an orange box. Below it, a list of fields is shown under the 'Dimensions' section, including 'country', 'year', 'country_5', 'alt_names', 'code2', 'code3', 'fips_code', 'fips_country_name', 'un_region', 'un_subregion', and 'comments'. Each field has a small 'A' icon next to it.

This action adds an edit button (pencil) to each dataset field row.

The screenshot shows the Cloudera Data Visualization interface. The top navigation bar includes 'HOME', 'SQL', 'VISUALS', and 'DATA'. A search bar is present with the text 'find titles, viz types, datasets, authors...'. The left sidebar contains a menu with 'Dataset Detail', 'Related Dashboards' (1), 'Fields' (selected), 'Data Model', 'Time Modeling', 'Data Extracts', 'Segments' (0), and 'Permissions'. The main content area displays 'Dataset: World Life Expectancy' and 'Fields'. The 'EDIT FIELDS' button is highlighted with an orange box. Below it, a list of fields is shown under the 'Dimensions' section, including 'country', 'year', 'country_5', 'alt_names', 'code2', 'code3', 'fips_code', 'fips_country_name', 'un_region', 'un_subregion', and 'comments'. Each field has a small 'A' icon next to it.

- Click the edit button for the specific field you want to update.
The Edit Field Parameters modal window appears.

7. Make your changes as needed.

- You can adjust basic field settings such as name, default aggregation, or geo type, and add comments to the field.
- You can mark a field as 'Sensitive' to restrict its usage in specific visual shelves that are marked as 'Sensitive'.

For example the 'Embedding Context' shelf of the Artificial Intelligence (AI) Assistant visual is a sensitive shelf.

- You can switch to the Display Format tab to assign a category to the field or to the Color tab to enable custom colors for the field.

Edit Field Parameters ✕

Basic Settings Display Format Color

Base Column: component_id

Display Name

Field Comment

Default Aggregation

Maximum ▼

Geo Type

None ▼

☒ Show field in data detail screen
☒ Show field in Visual Designer
☐ Sensitive field

Category
☒ Dimension ☐ Measure

CANCEL

APPLY

8. Click APPLY.

Hiding dataset fields from applications

You may find it useful to hide dataset fields that are not typically used for visualizations to prevent unintended bias in BI and analytics, or even to obscure confidential data. In Cloudera Data Visualization, you can do this by turning off the default visibility option of a particular dataset field.

About this task

The following steps demonstrate how to prevent data fields from appearing in visualizations and applications of dataset World Life Expectancy [data source samples.world_life_expectancy]. The fields comments, lat, and lng are empty, so they are good candidates for this operation.


Procedure

1. On the main navigation bar, click DATA.
- The Data view appears, open on the Datasets tab.
2. In the left navigation menu, click Samples.
3. In the Datasets area, select World Life Expectancy (main.world_life_expectancy).
4. In the Dataset Detail menu, select Fields.

The screenshot shows the Cloudera Data Visualization interface. The top navigation bar includes 'HOME', 'SQL', 'VISUALS', and 'DATA'. The left sidebar contains a 'Dataset Detail' section with options: 'Related Dashboards' (1), 'Fields' (highlighted with an orange box), 'Data Model', 'Time Modeling', and 'Data Extracts'. Below this are 'Segments' (0) and 'Permissions'. The main content area is titled 'Dataset: World Life Expectancy' and 'Detail'. It displays the following information:

- Dataset: World Life Expectancy
- Table: main.world_life_expectancy
- Connection Type: SQLite
- Data Connection: samples
- Description:
- Tags:
- Join Elimination: Enabled
- Result Cache: From Connection
- ID: 9
- Created on: Jan 26, 2023 11:29 AM
- Created by: vizapps_admin
- Last updated: Jan 26, 2023 11:29 AM
- Last updated by: vizapps_admin

5. In the Fields interface, select EDIT FIELDS.



6. Under Dimensions, find the field comments.

7. Click the (eye) icon on the comments line.

Dataset Detail

Related Dashboards 3

Fields

Data Model

Time Modeling

Segments 0

Filter Associations 0

Permissions

Dataset: World Life Expectancy

Fields

UNDO REFRESH TITLE CASE SAVE Show Comments

To add a new calculated field, use the down arrow to the right of a field to clone it, and then edit the expression of the cloned field.

Dimensions

world_life_expectancy 11

country year country_5 alt_names code2 code3 fips_code fips_country_name un_region un_subregion comments

Measures

world_life_expectancy 7

life_expectancy gdp_per_capita population iso_cc cdh_id lat lng

Clone

Hide

Create Hierarchy

The icon next to the comment field changes to (slashed eye).

Dimensions

world_life_expectancy 11

country year country_5 alt_names code2 code3 fips_code fips_country_name un_region un_subregion

comments

8. Under Measures, find the fields lat and lng, and hide them.

Measures			
▼ world_life_expectancy 7			
Mes	1.2	life_expectancy	
Mes	1.2	gdp_per_capita	
Mes	1.2	population	
Mes	#	iso_cc	
Mes	#	cdh_id	
Mes	1.2	lat	
Mes	1.2	lng	

9. Click Save.

Results

In the updated Fields interface, Dimensions table has a total of 11 fields and Measures table lists a total of 7 fields, as before.

CLOUDERA
Data Visualization

[HOME](#)
[SQL](#)
[VISUALS](#)
[DATA](#)

find titles, viz types, datasets, authors...

Dataset Detail
 Related Dashboards 3

Fields
 Data Model
 Time Modeling
 Search Modeling
 Segments 0
 Filter Associations 0
 Permissions

Dataset: World Life Expectancy
Fields [EDIT FIELDS](#) [Show Comments](#)

Dimensions
 ▼ world_life_expectancy 11

- country
- year
- country_5
- alt_names
- code2
- code3
- fips_code
- fips_country_name
- un_region
- un_subregion
- comments

Measures
 ▼ world_life_expectancy 7

- 1.2 life_expectancy
- 1.2 gdp_per_capita
- 1.2 population
- # iso_cc
- # cdh_id
- 1.2 lat
- 1.2 lng

- The number of Dimensions is 11. This is calculated as All Dimensions (11) - Hidden Dimensions (1) + Segment (1).
- The number of Measures is 6. This is calculated as All Measures (7) - Hidden Measures (2) + Record Count (1).

However, when using Visual Designer, the hidden fields do not show.

The screenshot shows the Cloudera Data Visualization interface. The main area displays a table with data for Afghanistan across various years (1900 to 1905). The table columns are: country, year, life_expectancy, gdp_per_capita, population, country_5, and alt. The right sidebar, titled 'Dashboard Designer', shows the 'World Life Expectancy' dataset selected. It lists dimensions (country, year, country_5, alt_names, code2, code3, fps_code, fps_country_name, un_region, un_subregion) and measures (Record Count, life_expectancy, gdp_per_capita, population, iso_cc, cdb_id). The 'Visuals' panel on the left shows a 'Table' visualization selected.

**Tip:**

The field visibility can be changed in the Edit Field Parameters window modal.

Changing field aggregation

You can change the basic fields defaults in your dataset.


About this task

The following steps demonstrate how to change the default aggregation function from Sum to Average for the field `life_expectancy` in the dataset `World Life Expectancy` [data source: `main.world_life_expectancy`].

Procedure

1. On the main navigation bar, click **DATA**.
The Data view appears, open on the Datasets tab.
2. In the left navigation menu, click **samples**.
3. In the Datasets area, select **World Life Expectancy** (`samples.world_life_expectancy`).

4. In the Dataset Detail menu, select Fields.



The screenshot shows the Cloudera Data Visualization interface. The top navigation bar includes 'HOME', 'SQL', 'VISUALS', and 'DATA'. A search bar on the right contains the text 'find titles, viz types, datasets, authors...'. The left sidebar contains a 'Dataset Detail' menu with the following items: 'Related Dashboards' (1), 'Fields' (highlighted with an orange box), 'Data Model', 'Time Modeling', 'Data Extracts', 'Segments' (0), and 'Permissions'. The main content area displays the 'Detail' view for the 'World Life Expectancy' dataset. The dataset information includes: 'Dataset: World Life Expectancy', 'Table: main.world_life_expectancy', 'Connection Type: SQLite', 'Data Connection: samples', 'Description:', 'Tags:', 'Join Elimination: Enabled', and 'Result Cache: From Connection'. Below this, the 'ID: 9' is shown, followed by 'Created on: Jan 26, 2023 11:29 AM', 'Created by: vizapps_admin', 'Last updated: Jan 26, 2023 11:29 AM', and 'Last updated by: vizapps_admin'.

CLOUDERA
Data Visualization

HOME SQL VISUALS DATA

find titles, viz types, datasets, authors...

Dataset Detail

Related Dashboards 1

Fields

Data Model

Time Modeling

Data Extracts

Segments 0

Permissions

Dataset: World Life Expectancy

Detail

Dataset: World Life Expectancy

Table: main.world_life_expectancy

Connection Type: SQLite

Data Connection: samples

Description:

Tags:

Join Elimination: Enabled

Result Cache: From Connection

ID: 9


Created on: Jan 26, 2023 11:29 AM

Created by: vizapps_admin

Last updated: Jan 26, 2023 11:29 AM

Last updated by: vizapps_admin

5. In the Fields interface, select EDIT FIELDS.



- 6. Under Measures, find the field life_expectancy and click the (down arrow) icon on its right side.
- 7. Click the Edit (pencil) icon.



The Edit Field Parameters window modal appears.

8. Change Default Aggregation from Sum to Average, and click APPLY.

Edit Field Parameters

Basic Settings Display Format Color

Base Column: life_expectancy

Display Name
life_expectancy

Field Comment
Enter field comment

Default Aggregation

- ✓ Sum
- Count
- Approx Distinct Count
- Exact Distinct Count
- Minimum
- Maximum
- Average
- String Concat

Category
☐ Dimension ☒ Measure

CANCEL APPLY

9. Under Dataset: World Life Expectancy, click SAVE.

Results

As a result of this change, all new visuals created from this dataset will automatically use the new aggregation.

Dashboard Designer

VISUALS

Table

1234

Dimensions

drag fields to add here

Measures

avg(life_expectancy)

Tooltips

drag fields to add here

Filters

drag fields to add here

Limit: 100

REFRESH VISUAL

DATA

World Life Expectancy

Search

Dimensions 10

world_life_expectancy

- country
- year
- country_5
- alt_names
- code2
- code3
- fips_code
- fips_country_name
- un_region
- un_subregion

Measures 6

world_life_expectancy

- # Record Count
- 1.2 life_expectancy
- 1.2 gdp_per_capita
- 1.2 population
- # iso_cc
- # cdh_id

Creating calculated fields

In Cloudera Data Visualization, you can easily create a new calculated field in the dataset, and subsequently use it in dashboards and visuals.

About this task

Sometimes the data in the base tables cannot be used directly, and you must use an expression to change or "correct" it. For other use cases, you can create a calculation based on one or more fields. Instead of adding these expression for every visual, you can create a new calculated field in the dataset.

The following steps demonstrate how to create a new field gdp (gross domenstic product) in the dataset World Life Expectancy [data source main.world_life_expectancy]. We define it by the following equation:


```
gdp = gdp_per_capita x population
```

Data Visualization supports three primary methods of editing fields at the dataset level: Basic, Expression, and Display Format. In this example, we make changes both on the Basic and Expression tabs. For innformationn on how to use Display Format options, see *Changing the Field Display Format*..

Procedure


1. On the main navigation bar, click DATA.
2. In the left navigation menu, click samples.
3. In the Datasets area, select World Life Expectancy (main.world_life_expectancy).

4. In the Dataset Detail menu, select Fields.




The screenshot shows the Cloudera Data Visualization interface. The top navigation bar includes 'HOME', 'SQL', 'VISUALS', and 'DATA'. A search bar on the right contains the text 'find titles, viz types, datasets, authors...'. The left sidebar contains a 'Dataset Detail' menu with the following items: 'Dataset Detail', 'Related Dashboards' (with a count of 1), 'Fields' (highlighted with an orange box), 'Data Model', 'Time Modeling', 'Data Extracts', 'Segments' (with a count of 0), and 'Permissions'. The main content area displays the 'Detail' view for the 'World Life Expectancy' dataset. It shows the following information: Dataset: World Life Expectancy (with an edit icon), Table: main.world_life_expectancy, Connection Type: SQLite, Data Connection: samples (with an edit icon), Description: (with an edit icon), Tags: (with an edit icon), Join Elimination: Enabled (with an edit icon), and Result Cache: From Connection (with edit and refresh icons). Below this, a horizontal line separates the configuration from the metadata, which includes: ID: 9, Created on: Jan 26, 2023 11:29 AM, Created by: vizapps_admin, Last updated: Jan 26, 2023 11:29 AM, and Last updated by: vizapps_admin.


5. In the Fields interface, select EDIT FIELDS.



6. Under Measures, find the field `gdp_per_capita`, and click the (down arrow) icon on its right side.
 7. From the menu, select Clone.



8. Under Measures, find the new cloned field 'Copy of gdp_per_capita', click the Edit (pencil) icon on its right side.



The Edit Field Parameters window modal appears, which supports three primary methods of editing fields. They match the three tabs of the modal: Basic, Expression, and Display Format.

9. Make the following changes on the Basic tab:
 - a) Change Display Name to gdp.
 - b) Add Field Comment gdp_per_capita * population.
 - c) Ensure that the Default Aggregation is Sum.

The screenshot shows the 'Edit Field Parameters' dialog box with the 'Basic Settings' tab selected. The 'Base Column' is 'gdp_per_capita'. The 'Display Name' is 'gdp'. The 'Field Comment' is 'gdp_per_capita * population'. The 'Default Aggregation' is 'Sum'. The 'Geo Type' is 'None'. The 'Show field in data detail screen' and 'Show field in Visual Designer' checkboxes are checked. The 'Use as a partition column for Analytical Views' checkbox is unchecked. The 'Category' is 'Measure'.

10. Click the Expression tab and make the following changes:
 - a) Change Expression to [gdp_per_capita] * [population].
 - b) Click VALIDATE EXPRESSION to ensure that the calculation works.
 - c) When the Validation Successful message appears on the modal, click APPLY.

The screenshot shows the 'Edit Field Parameters' dialog box with the 'Expression' tab selected. The 'Expression' field contains '[gdp_per_capita] * [population]'. The 'All Functions' dropdown is open, showing a list of functions including abs, AND, avg, BETWEEN, CASE, cast, char, COALESCE, and count. The 'All Fields' dropdown is also open, showing a list of fields including alt_names, cdh_id, code2, code3, Copy of gdp_per..., country, country_5, fips_code, and geo_country. The 'Expression contains an aggregation' checkbox is unchecked, and the 'Autocomplete on' checkbox is checked. The 'VALIDATE EXPRESSION' button is highlighted. The 'Save expression only after validation succeeds' checkbox is checked. A green message box at the bottom says 'Validation Successful!'. The 'REMOVE', 'CANCEL', and 'APPLY' buttons are at the bottom right.

The new calculated field has an equal sign (=) notation.


11. Under Dataset: World Life Expectancy, click SAVE.

Testing calculated fields


In Cloudera Data Visualization, you can easily test whether a newly calculated field works correctly or not.

Procedure

1. Click New Dashboard in the top right corner of this interface.
2. Select the Combined Bar/Line visual type.




3. Populate the shelves from the available fields in the following way:
 - a) Under Dimensions, select country, and place it on the Dimensions shelf.
 - b) Under Dimensions, select year, and place it on the Filters shelf.
 - c) In the Filter for year modal window, under the Value tab, select the year 2010.
 - d) Under Dimensions, select un_region, and place it on the Filters shelf.
 - e) In the Filter for un_region modal window, under the Value tab, select Europe.
 - f) Under Measures, select gdp_per_capita, and place it on the Bar Measure shelf.
 - g) Under Measures, select gdp, and place it on the Line Measure shelf.
 - h) Click the arrow on gdp field.
 - i) In the Field Properties under Axis, select Secondary Axis.



4. Click REFRESH VISUAL.

Results

The two measurements appear on the graph, superimposed on each other: the original gdp_per_capita represented by the bars, and the calculated gdp, represented by the line.



Changing the field display format

Cloudera Data Visualization lets you configure the display format of each field at the dataset level.

Procedure

1. In the World Life Expectancy dataset, click EDIT FIELDS.

- Under Measures, find the field `gdp_per_capita` and click the (pencil) icon on its right side.

The screenshot shows the Cloudera Data Visualization interface. On the left is a sidebar with navigation options: Dataset Detail, Related Dashboards (1), Fields (selected), Data Model, Time Modeling, Segments (0), Filter Associations (0), and Permissions. The main area is titled 'Dataset: World Life Expectancy' and 'Fields'. It includes buttons for UNDO, REFRESH, TITLE CASE, SAVE, and Show Comments. Below these are two panels: 'Dimensions' and 'Measures'. The 'Measures' panel lists several fields: life_expectancy, gdp_per_capita, population, iso_cc, cdh_id, lat, and lng. The 'gdp_per_capita' field is highlighted with an orange box, and its edit icon (pencil) is visible on the right.

The Edit Field Parameters modal window appears.

- Click the Display Format tab.

Under Display Format, you have several options in the Category menu:

- None
- Real Number
- Integer
- Percentage
- Scientific
- Currency
- Date/Time
- Custom Format
- Custom Javascript

For more information, see:

Changing currency field display format


In Cloudera Data Visualization, you can set currency display options for numerical fields across all visuals of a dataset.

About this task

Follow these steps to continue configuring a field at the dataset level for currency format. See *Changing the field display format* for the initial navigation steps.

Procedure

1. In the Edit Field Parameters modal window, under the Display Format tab, select Currency from the Category menu.



2. In the Currency Symbols menu, select the appropriate currency symbol: \$ (Dollar), £ (Pound), ¥ (Yen/Yuan), # (Rupee), € (Euro), or # (Cedi).

Edit Field Parameters

Basic Settings

Display Format

Color

Base Column: gdp_per_capita

Category
Currency

Example:
12345.6789123 → \$12,345.68

Currency Symbols

- ✓ \$ (Dollar)
- £ (Pound)
- ¥ (Yen/Yuan)
- ₹ (Rupee)
- € (Euro)
- ¢ (Cedi)
- No Currency Symbol

For more documentation, go [here](#)

CANCEL

APPLY

3. Select the Basic Format for your records.

You can also define and apply a custom format. Enter a valid format mask in the Customize Currency text box. For a full list of options, see *Display Format Reference*.

Display Format

Category

Currency

Example:

12345.6789123

→

¢12,345.68

Currency Symbols

¢ (Cedi)

Basic Formats

¢12,345.68

Customize Currency

¢,.2f

For more documentation, go [here](#)

None

Real Number

Integer

Percentage

Scientific

✓ Currency

Date/Time

Custom Format

Custom Javascript

CLOSE

SAVE


4. Click APPLY.

5. Click SAVE to save the changes to the dataset.

6. To verify that the format applies to all new visuals that use the field, create a new visual by repeating the steps in *Testing the Calculated Field*.

Results

The new visual displays the vertical axis numbers in currency format.



Related Information

[Changing the field display format](#)

[Display format reference](#)

Changing custom field display format

In Cloudera Data Visualization, you can Set currency display options for numerical fields across all visuals of a dataset.

About this task

Follow these steps to continue configuring a field at the dataset level for custom format. See *Changing the field display format* for the initial navigation steps.

Procedure

1. In the Edit Field Parameters window modal, under the Display Format tab, select Custom Format from the Category menu.

2. Under Customize Format, enter \$\$.

- \$ appends the dollar currency symbol to the left of the number.
- S simplifies the number by minimizing the significant numbers (which on the axes appear with a large number of trailing zeros) and appending the appropriate non-scientific (currency) suffix to the right of the number.



Note:

Display Format Examples demonstrate some of the available options for defining custom format.

Edit Field Parameters

Basic Settings Expression Display Format Color

Base Column: gdp_per_capita

Category: Custom Format

Example: 12345.6789123 → \$12.3456789123k

Customize Format: \$\$

Display Format Examples: For more documentation, go [here](#)

Enter	For Display	Enter	For Currencies	Mac Shortcut
f	12346	\$	\$12345	Shift+4
,f	12,346	£	£12345	Alt+3
.,2f	12,345.68	¥	¥12345	Alt+Y
\$.f	\$12,345	₹	₹12345	
.4s	12.35k (for SI notation)	€	€12345	Alt+Shift+2
.4S	12.35k (for currencies)			
.1s	10k			
.2s	12k			
\$.2S	\$12k			
%	1234568%			

REMOVE CANCEL APPLY


3. Click APPLY.

4. Save the changes to the dataset.

5. [Optional] To verify that the format applies to all new visuals that use the field, create a new visual by repeating the steps in *Testing the calculated field.*

Results

When we use the \$\$ custom format on the gdp field, the visual still uses the dollar currency sign, but also simplifies/abbreviates the number and shows the corresponding currency suffix. In the case of this visual, T for trillion; this custom format transforms the representation \$2,500,000,000,000.00 into \$2.5T.



Related Information

[Changing the field display format](#)

Changing custom Javascript field display format

About this task

Follow these steps to continue configuring a field at the dataset level using Javascript (js). See *Changing the field display format* for initial navigation steps.

Procedure

1. In the Edit Field Parameters window modal, under the Display Format tab, select Custom Javascript from the Category menu.
2. Under Custom JS Format Function, enter the following js code:

```
function myFunc(value) {
  // Show the number in trillions with a dollar sign return
  '$${value/1000000000000}';
}
```


}

×

Edit Field Parameters

Basic Settings
Expression
Display Format
Color

Base Column: gdp_per_capita

Category: Custom Javascript

Example:

12345.6789123

→

12345.6789123

☒ Autocomplete on

Custom JS Format Function

Enter a custom function that takes a single value and returns the value with the desired modifications.

```

1 function myFunc(value) {
2   // Show the number in trillions with a dollar sign return
3   return '$${value/1000000000000}';
4 }

```

UPDATE EXAMPLE

REMOVE

CANCEL

APPLY

3. Click APPLY.

4. Save the changes to the dataset.



In this example, under Dataset: World Life Expectancy, click Save.

5. To verify that the format applies to all new visuals that use the field, repeat the steps in *Testing the calculated field*.

Results

Let's compare the visuals before and after we apply the js format on the gdp field.

- Before we apply the js format, the visual displays the currency with many trailing zeros.
- After applying the custom js format, notice that the trailing zeros no longer appear.



Related Information

[Changing the field display format](#)

Changing data type

Cloudera Data Visualization allows you to change the effective data type of a column in the dataset model without changing the source data. This is useful in many business environments to ensure correct processing of numerical codes, catalog numbers, event IDs, dates, and so on.

About this task

The following steps demonstrate how to change the type of a column. The column `iso_cc` (the ISO-compliant country code) in the dataset World Life Expectancy [data source `samples.world_life_expectancy`] is used.


Procedure

1. On the main navigation bar, click DATA.
2. In the left navigation menu, click samples.
3. In the Datasets area, select World Life Expectancy (`samples.world_life_expectancy`).
4. In the Dataset Detail menu, select Fields.


The screenshot displays the Cloudera Data Visualization interface. The top navigation bar includes 'HOME', 'SQL', 'VISUALS', and 'DATA'. The left sidebar shows a navigation menu with 'Dataset Detail', 'Related Dashboards' (1), 'Fields' (highlighted with an orange box), 'Data Model', 'Time Modeling', 'Data Extracts', 'Segments' (0), and 'Permissions'. The main content area is titled 'Dataset: World Life Expectancy' and 'Detail'. It lists the following information:

- Dataset: World Life Expectancy
- Table: main.world_life_expectancy
- Connection Type: SQLite
- Data Connection: samples
- Description:
- Tags:
- Join Elimination: Enabled
- Result Cache: From Connection
- ID: 9
- Created on: Jan 26, 2023 11:29 AM
- Created by: vizapps_admin
- Last updated: Jan 26, 2023 11:29 AM
- Last updated by: vizapps_admin

5. In the Fields interface, select EDIT FIELDS.



6. Under Dimensions, find the field fips_code, and click the down arrow icon, immediately following the # icon.
7. In the menu, select String.



8. Under Dataset: World Life Expectancy, click Save.

Results

All new visuals created from this dataset will automatically use the new type.



Note: Use this functionality carefully, as it may break the visuals that already use the column in aggregations or custom expressions.

Specifying geographic fields

In Cloudera Data Visualization, you can explicitly specify a dataset field as one of the many supported geographical types.

About this task

In this example the dataset Canadian Census is used, constructed from example datasets, and joined of the fields fsa and Postal Code, respectively.

The following steps demonstrate how to assign Geo Types to a dataset field. We are using the two fields from the join of the Canadian Census dataset: `fsa` from `canada_census_population_dwellings`, and `Postal Code` from `ca_postal_codes`.



Note: Before creating visuals that use geographic data, specify the appropriate information as Geo Types.

Procedure

1. Navigate to the dataset that you must modify. In this example, the Food Stores Inspection in NYC dataset is used.
2. In the Dataset Detail menu, select Fields.
3. In the Fields interface, select EDIT FIELDS.

CLOUDERA
Data Visualization

HOME SQL VISUALS DATA

find titles, viz types, datasets, authors...

Dataset Detail

Related Dashboards 1

Fields

Data Model

Time Modeling

Data Extracts

Segments 0

Permissions

Dataset: World Life Expectancy

Detail

Dataset: World Life Expectancy

Table: main.world_life_expectancy

Connection Type: SQLite

Data Connection: samples

Description:

Tags:

Join Elimination: Enabled

Result Cache: From Connection

ID: 9

Created on: Jan 26, 2023 11:29 AM

Created by: vizapps_admin

Last updated: Jan 26, 2023 11:29 AM

Last updated by: vizapps_admin

4. Click the Edit (pencil) icon on the right side of the field.

Measures


retail_food_store_inspections_current_critical_violations

Measures: # zip_code

Edit Field

5. In the Edit Field Parameters window modal, under Geo Type, select the appropriate option from the menu.

6. Click APPLY. For zip_code, we also changed the Display Name to Postal Code in the example.



7. Under Dataset: Food Stores Inspection in NYC.
8. Click SAVE.

Results

The dataset can now be successfully used for map and interactive map visuals, without further adjustments at the level of the visual.

Adding field comments

When working with big data, it can be very helpful to have access to comprehensive field-level descriptions. In Cloudera Data Visualization, you can use field comments to provide the context and meaning of each dataset field.

Adding field comments in dataset


When working with large datasets data, it can be useful to have access to comprehensive field-level descriptions. In Cloudera Data Visualization, you can use field comments to provide the context and meaning of each dataset field.

About this task


The following steps demonstrate how to add description to a column of a dataset, as a 'comment'. In this example, the column iso_cc (the ISO-compliant country code) is used from the dataset World Life Expectancy [data source samples.world_life_expectancy].

Procedure

- 1. On the main navigation bar, click DATA.
- The Data view appears, open on the Datasets tab.
- 2. In the left navigation menu, click samples.
- 3. In the Datasets area, select World Life Expectancy (samples.world_life_expectancy).
- 4. In the Dataset Detail menu, select Fields.




- 5. In the Fields interface, select EDIT FIELDS.



- 6. Under Dimensions, find the field iso_cc, and click the down arrow icon on the right.

- Click the Edit (pencil) icon.



The Edit Field Parameters window modal appears.

- Under Field Comment, add the following text:

ISO 3166 Country Code Standard, Numeric, described in http://www.iso.org/iso/country_codes. Mappings are at <https://www.iso.org/obp/ui/#search>.

- Click APPLY.

The 'Edit Field Parameters' modal window is shown with the 'Basic Settings' tab selected. The 'Base Column' is 'iso_cc'. The 'Display Name' is 'iso_cc'. The 'Field Comment' field contains the text: 'ISO 3166 Country Code Standard, Numeric, described in http://www.iso.org/iso/country_codes. Mappings are at <https://www.iso.org/obp/ui/#search>'. The 'Default Aggregation' is 'Sum'. The 'Geo Type' is 'None'. The 'Show field in data detail screen' and 'Show field in Visual Designer' checkboxes are checked. The 'Use as a partition column for Analytical Views' checkbox is unchecked. The 'Category' is 'Dimension'.

10. Click SAVE in the top row.

11. Click Show Comments to display the field comment.

Dataset: World Life Expectancy

Fields

EDIT FIELDS

Show Comments

Dimensions	Measures
<div>▼ world_life_expectancy12</div> <div><div>A</div>country</div> <div><div>A</div>year</div> <div><div>A</div>country_5</div> <div><div>A</div>alt_names</div> <div><div>A</div>code2</div> <div><div>A</div>code3</div> <div><div>A</div>iso_cc</div> <div><div>A</div>fips_code</div> <div><div>A</div>fips_country_name</div> <div><div>A</div>un_region</div> <div><div>A</div>un_subregion</div> <div><div>A</div>comments</div>	<div>▼ world_life_expectancy7</div> <div><div>1.2</div>life_expectancy</div> <div><div>1.2</div>gdp_per_capita</div> <div>=<div>1.2</div>gdp</div> <div><div>1.2</div>population</div> <div><div>#</div>cdh_id</div> <div><div>1.2</div>lat</div> <div><div>1.2</div>lng</div>


12. To hide field comments, click Hide Comments.

Viewing field comments in Visual Builder

When working with big data, it can be very helpful to have access to comprehensive field-level descriptions. In Cloudera Data Visualization, you can use field comments to provide the context and meaning of each dataset field.

To view field comments in the Visual Builder, create a new visual using the World Life Expectancy dataset [data source samples.world_life_expectancy]. See *Creating visuals*.

The fields iso-cc and gdp-per-capita display a gray triangle on the top right corner of the field. Hover over the triangle to view the field comments defined in the dataset.



Automatically renaming dataset fields

Quite often, the column names of the base data tables are not very human-friendly. Cloudera Data Visualization gives you the option to automatically adjust field names at the level of the dataset.


About this task

The following steps demonstrate how to prevent data fields from appearing in visualizations and applications of dataset World Life Expectancy [data source samples.world_life_expectancy]. The fields comments, lat, and lng are empty, so they are good candidates for this operation.


Procedure

1. On the main navigation bar, click DATA.
The Data view appears, open on the Datasets tab.
2. In the left navigation menu, click samples.
3. In the Datasets area, select World Life Expectancy (samples.world_life_expectancy).

4. In the Dataset Detail menu, select Fields.



5. In the Fields interface, select EDIT FIELDS.



- 6. Near the top of the page, click TITLE CASE.

Dataset: World Life Expectancy

Fields

UNDOREFRESHTITLE CASESAVEShow Comments

To add a new calculated field, use the down arrow to the right of a field to clone it, and then edit the expression of the cloned field.

Dimensions

world_life_expectancy12

Dim

A

country

Dim

A

year

Dim

A

country_5

Dim

A

alt_names

Dim

A

code2

Dim

A

code3

Dim

#

iso_cc

Dim

A

fips_code

Dim

A

fips_country_name

Dim

A

un_region

Dim

A

un_subregion

Dim

A

comments

Measures

world_life_expectancy7

Mes

1.2

life_expectancy

Mes

1.2

gdp_per_capita

=

Mes

1.2

Copy of gdp_per_capita

Mes

1.2

population

Mes

#

cdh_id

Mes

1.2

lat

Mes

1.2

lng

The field titles change. For example, the Measure gdp_per_capita appears as GDP Per Capita.

Note: The Title Case option does not affect fields that are calculated over table fields, such as gdp.

- 7. Click SAVE.

Custom renaming dataset fields

Often, we find it useful to rename a frequently-used field directly in the dataset, instead of using an alias in each visual. Cloudera Visualization makes it very easy to change the display name of a dataset field.

About this task


The following steps demonstrate how to rename a field. We are using the column iso_cc (the ISO-compliant country code) in the dataset World Life Expectancy [data source: samples.world_life_expectancy].

Procedure


1. On the main navigation bar, click DATA.
The Data view appears, open on the Datasets tab.
2. In the left navigation menu, click samples.
3. In the Datasets area, select World Life Expectancy (samples.world_life_expectancy).

60

4. In the Dataset Detail menu, select Fields.




5. In the Fields interface, select EDIT FIELDS.



6. Under Dimensions, find the field iso_cc, and click the (down arrow) icon on the right.

- Click the Edit (pencil) icon.



The Edit Field Parameters window modal appears.



Note: The Base Column name cannot be edited, but you can change the Display Name of the column.

- Change the Display Name from iso_cc to ISO Country Code.
- Click APPLY.
- Under Dataset: World Life Expectancy, click SAVE.

Results

All new visuals created from this dataset use the new name automatically.

Refreshing a dataset

You can refresh an existing dataset if the underlying tables change or if you update the associated extract with new or changed fields.

Procedure

- Click DATA on the main navigation bar.
The Data view appears, open on the Datasets tab.
- Click the dataset you want to refresh.
The Detail view appears.

3. Select Fields in the Dataset Detail menu.

CLUSTERA

Data Visualization

HOME SQL VISUALS DATA

find titles, viz types, datasets, authors...

Dataset Detail

Related Dashboards

Fields

Data Model

Time Modeling

Data Extracts3

Segments0

Filter Associations0

Permissions

Dataset: doc-test-dataset2

Fields

EDIT FIELDS

Hide Comments

Dimensions

cdv_doc_test_data3

A

country

A

un_region

A

un_subregion

4. In the Fields interface, click **EDIT FIELDS REFRESH**

The top screenshot shows the Cloudera Data Visualization interface with the 'DATA' tab selected. The 'Fields' section displays a list of dimensions under the dataset 'cdv_doc_test_data': 'country', 'un_region', and 'un_subregion'. The 'EDIT FIELDS' button is highlighted with an orange box.

The bottom screenshot shows the same interface, but the 'REFRESH' button is highlighted with an orange box. The 'Fields' section now includes a 'Dim' column next to each dimension name.

To add a new calculated field, use the down arrow to the right of a field to clone it, and then edit the expression of the cloned

This screenshot shows the 'Fields' section with three dimensions: 'country', 'un_region', and 'un_subregion'. Each dimension has a 'Dim' column and a dropdown arrow to its right, indicating that they can be cloned or edited.

Data Visualization scans the table for changed fields. If no changes are detected, no refresh is done and a notification is displayed. If changes are detected, the table columns are updated and a notification is displayed about the change.


5. Close the notification.

Working with data extracts in Data Visualization

Data extracts are saved subsets of data that you can use for data discovery and analytics.

You create an extract to reduce the total amount of data you work with by selecting certain dimensions and measures. With the help of data extracts you can manage the analytical capabilities, performance, concurrency and security of data access in your system.

The following diagram shows you the workflow of building visualizations on top of data extracts:



Creating a data extract

Learn how you can extract data from a dataset to a table in the same or a different data connection.

About this task

You need the following privileges to work with data extracts:

- Manage dataset right for the source dataset
- Manage AVs/extracts right for source and target data connections.

Follow these steps to create a data extract:

Procedure


1. Click DATA on the main navigation bar.

The Data view appears, open on the Datasets tab.

2. In the left navigation panel, select the connection on which your source dataset is defined.
3. Select the dataset you want to use as a source for the data extract.
4. Click Data Extracts in the left navigation panel.

In the Data Extracts view, you can create data extracts and manage extracts that exist from this dataset.

5. Click CREATE DATA EXTRACT.



The CREATE DATA EXTRACT modal window appears.

Create Data Extract

×

A Data Extract is a copy of the data in this dataset to a table in the same or a different Data Connection. Once an extract is created, it can be refreshed manually or on a schedule.

Data Extract

Advanced

Refresh Schedule ⓘ

Manual

Target Data Connection * ⓘ

Select data connection

Target Database * ⓘ

Target Table Name (starting with cdv_) * ⓘ

* Please select at least one field below

Q Search

✖

■ Dimensions

☐ cereal_name
 ☐ manufacturer_code
 ☐ cold_or_hot
 ☐ manufacturer_code_15
 ☐ manufacturer

☒ Use aggregate functions below ⓘ

■ Measures

☐ # Record Count
 ☐ # sum(calories)
 ☐ # sum(protein_grams)
 ☐ # sum(fat_grams)
 ☐ # sum(sodium_mg)
 ☐ # sum(dietary_fiber_grams)
 ☐ # sum(complex_carbohydrates_grams)
 ☐ # sum(sugars_grams)
 ☐ # sum(display_shelf)
 ☐ # sum(potassium_mg)
 ☐ # sum(vitamins_and_minerals)
 ☐ # sum(weight_ounces)
 ☐ 1.2 sum(cups_per_serving)

CANCEL

CREATE DATA EXTRACT

6. Select the frequency for the Data Extract refreshes.

The default is Manual, but you can create custom schedules. For more information, see *Managing schedule intervals*.

7. Select the data connection where the Data Extract will be stored.

It can be the same connection where the source dataset is or you can also choose a different connection.



Note: In Cloudera Data Warehouse (CDW) you cannot choose SQLite data connections as targets because those connections are read-only.

8. Select the database on the previously selected connection where you want to store the Data Extract.

9. Enter a target table name, starting with `cdv_`.



Note: `cdv_` is the default prefix for target table names. If you have admin privileges, you can change the prefix in the Advanced Site Settings by changing the value in `DATA_EXTRACTS_TARGET_TABLE_NAME_PREFIX = "cdv_"`.

10. Select the dimension and measure fields depending on what data you want to store in your extract.

If you want to use the selected measures as they are and you do not want the columns to be aggregated, deselect the Use aggregate functions below option.



Note: You must select at least one dimension or measure field.

When configuring a data extract, you can search for a column by name, as well as view the field types and complex data types available.

11. If you want to send an email confirmation about the extract's status, switch to the Advanced tab of the Create Data Extract modal window.



Important: The Advanced tab is only visible if you enabled sending visuals and receiving extract refresh status messages through email in Site Settings.

- Select what event(s) you want to be notified about - success, failure or both.
- Add one or more email addresses as recipients.
- You can edit the default subject line of the notification email.

Create Data Extract ✕

A Data Extract is a copy of the data in this dataset to a table in the same or a different Data Connection. Once an extract is created, it can be refreshed manually or on a schedule.

Data Extract

Advanced

Email Refresh Status Upon ☐ Success ☐ Fail

To *

Subject * ⓘ

CANCEL

CREATE DATA EXTRACT

12. Click CREATE DATA EXTRACT after all required fields are completed.

When the extract is created, you can refresh it manually or it will be refreshed on the schedule you defined in [Step 5](#).

Dataset: Food Stores Inspection in NYC

Data Extracts CREATE DATA EXTRACT REFRESH NEW DASHBOARD

ID	Target Connection	Target Table	Target Datasets	State	Last Successful Run	Schedule	Columns	
6 ⓘ	doc-test	main.cdv_test_extract	CREATE DATASET	Never run		Manual	Dimensions: county, owner...	EDIT RUN NOW DELETE



Note: After the source dataset becomes associated with the data extract, a new tag appears in the Datasets list showing Extract Source.

Results

The extract is created, and its state shows as Never run.

What to do next

You must run the extract to populate the target table and allow building a dataset or dashboard on the target table.

Related Information

[Managing schedule intervals](#)

Exploring data extract details

Learn how you can examine the available information about your data extracts.

Procedure

1. Click DATA on the main navigation bar.
The Data view appears, open on the Datasets tab.
2. In the left navigation panel, select the connection where your source dataset is defined.
3. Select the dataset of your data extract.
4. Click Data Extracts in the left navigation panel to display the Data Extracts view.

You can see the list of available data extracts with the following information shown:

- ID
- Target Connection
- Target Table
- Target Datasets
- State
- Last Successful Run
- Schedule
- Columns

You can also access the following action buttons:

- Edit
- Run now
- Delete

Running a data extract

Learn how to run or refresh a data extract.

About this task

After creating a data extract, you must run it as an initial 'refresh' to populate the target table and allow building a dataset or dashboard on the target table. When the original data changes, becomes stale or invalid, you can manually refresh the extracted data by running your data extract.

Procedure

1. Click DATA on the main navigation bar.
The Data view appears, open on the Datasets tab.
2. In the left navigation panel, select the connection where your source dataset is defined.
3. Select the dataset of your extract.

- Click Data Extracts in the left navigation panel.
- Select the data extract you want to run/refresh.
- Click RUN NOW.

A confirmation modal window appears where you have to confirm the action.

- Click RUN EXTRACT.

A green success message is displayed and while the refresh is in progress, the state of the extract shows as Running. When the refresh is successfully completed, the state of the extract changes to Success.

Dataset: Food Stores Inspection in NYC

Data Extracts CREATE DATA EXTRACT REFRESH NEW DASHBOARD

ID	Target Connection	Target Table	Target Datasets	State	Last Successful Run	Schedule	Columns	
6	doc-test	main.cdv_test_extract	CREATE DATASET	Success	2023-01-30 16:09:25	Manual	Dimensions: county, owner...	EDIT RUN NOW DELETE

You can check out the extract refresh job logs on the Job Logs tab of the Jobs page. For more information, see *Job log*.

CLOUDERA Data Visualization HOME SQL VISUALS DATA vizapps_admin

Type: All Adhoc Email Scheduled Email Threshold Email Data Extract

Status: All Error Finished Running Cancelled Creator: All

Status	Job ID	Log ID	Type	Name	Details	Initiated by	Start Time	Total Run Time	
Finished	11	71	Data Extract	Adhoc Data Extract: 6	Source Dataset: Food Stores Inspection in NYC Target Data Connection: doc-test Target Table: main.cdv_test_extract	vizapps_admin	2023-01-30 16:09	a few seconds	DETAILS RUN NOW CANCEL
Finished	7	70	Data Extract	Data Extract: 4	Source Dataset: doc-test-dataset2 Target Data Connection: doc-test Target Table: main.cdv_world_misc_data Custom refresh schedule schedule	vizapps_admin	2023-01-30 15:31	a few seconds	DETAILS RUN NOW CANCEL
Finished	10	57	Data Extract	Adhoc Data Extract: 2	Source Dataset: doc-test-dataset2 Target Data Connection: doc-test Target Table: main.cdv_world_population	vizapps_admin	2023-01-27 14:16	a few seconds	DETAILS RUN NOW CANCEL
Finished	9	47	Data Extract	Adhoc Data Extract: 3	Source Dataset: doc-test-dataset2 Target Data Connection: doc-test Target Table: main.cdv_world-life-expectancy	vizapps_admin	2023-01-27 11:08	a few seconds	DETAILS RUN NOW CANCEL
Finished	8	46	Data Extract	Adhoc Data Extract: 2	Source Dataset: doc-test-dataset2 Target Data Connection: doc-test Target Table: main.cdv_world_population	vizapps_admin	2023-01-27 11:08	a few seconds	DETAILS RUN NOW CANCEL
Finished	6	6	Data Extract	Adhoc Data Extract: 4	Source Dataset: doc-test-dataset2 Target Data Connection: doc-test Target Table: main.cdv_world_misc_data	vizapps_admin	2023-01-26 14:11	a few seconds	DETAILS RUN NOW CANCEL

You can configure extracts to be automatically refreshed, and you can define a schedule for the automatic refreshes to update the data included in the extract.

If you set a refresh schedule for the extract to run, you can see the job logs on the Scheduled Jobs tab of the Jobs page. For more information, see *Scheduled jobs*.

Jobs REFRESH Job Logs (last few) Scheduled Jobs Manage Schedule Intervals DELETE SELECTED RUN NOW RESUME

Type: All Scheduled Email Threshold Email Data Extract

Status: All Error Finished Running Cancelled Paused Creator: All

Job ID	Type	Name	Details	Created By	Schedule	Last Run	Next Run	Last Status	
7	Data Extract	Data Extract: 4	Source Dataset: doc-test-dataset2 Target Data Connection: doc-test Target Table: main.cdv_world_misc_data Custom refresh schedule schedule	vizapps_admin	Custom refresh schedule	2023-01-30 15:31	2023-01-30 16:15	✓	DETAILS EDIT RUN NOW PAUSE

Showing 1 to 1 of 1 entries Previous Next

You can edit an existing schedule in the Edit Data Extract modal window from the Data Extracts view. For more information, see *Editing a data extract*. Or you can also update an existing schedule in the Manage Schedule Intervals interface. For more information, see *Changing schedule intervals*.

Related Information

[Job log](#)

[Scheduled jobs](#)

[Editing a data extract](#)

[Changing schedule intervals](#)

Creating a dataset from a data extract

Learn how to create a second dataset built on the extracted data, which is used as the dataset for building visuals.

Procedure

1. Click DATA on the main navigation bar.
The Data view appears, open on the Datasets tab.
2. Click Data Extracts.
3. Find the data extract that you want to use for the new dataset.
4. Click CREATE DATASET.

Dataset: doc-test-dataset2

Data Extracts [CREATE DATA EXTRACT](#) [REFRESH](#) [NEW DASHBOARD](#)

ID	Target Connection	Target Table	Target Datasets	State	Last Successful Run	Schedule	Columns	
2	doc-test	main.cdv_world_population	doc-test-dataset-population CREATE DATASET	Success	2023-01-27 14:16:49	Manual	Dimensions: country, un_re...	EDIT RUN NOW DELETE
3	doc-test	main.cdv_world-life-expect...	doc-test-dataset-life-expec... main-world-life-expectancy CREATE DATASET	Success	2023-01-27 11:08:59	Manual	Dimensions: country, year, l...	EDIT RUN NOW DELETE
4	doc-test	main.cdv_world_misc_data	doc-test-dataset-misc CREATE DATASET	Success	2023-01-30 16:16:18	Custom refresh schedule	Dimensions: country	EDIT RUN NOW DELETE

5. Add a name in the Dataset title field and click CREATE.



Note: After the dataset becomes associated with a data extract, a new tag appears in the Datasets list showing Extract Target.

Editing a data extract

Learn about the option to edit the data extract after it has been created.

Procedure

1. Click DATA on the main navigation bar.
The Data view appears, open on the Datasets tab.
2. Click Data Extracts.

3. Select the data extract you want to edit and click EDIT.

The Edit Data Extract modal window appears.

Edit Data Extract

A Data Extract is a copy of the data in this dataset to a table in the same or a different Data Connection. Once an extract is created, it can be refreshed manually or on a schedule.

Data Extract

Advanced

Refresh Schedule ⓘ

Manual

Target Data Connection * ⓘ

doc-test

Target Database * ⓘ

main

Target Table Name (starting with cdv_) * ⓘ

cdv_world_population

* Please select at least one field below

Dimensions

☒ country
 ☒ un_region

Use aggregate functions below ⓘ

Measures

☐ Record Count
 ☐ sum(year)
 ☐ sum(life_expectancy)
 ☐ sum(population)

CANCEL

EDIT DATA EXTRACT

4. Make changes in the available fields.

- You can set a Data Extract refresh schedule.
- You can change the target data connection and database.
- You can update the name of the target table.
- You can add or remove dimension and measure columns.

Important: If you change the target data connection, target database, target table name or target table fields the target table will be deleted and a new one will be created.

5. If you want to send an email confirmation about the extract's status, switch to the Advanced tab of the Edit Data Extract modal window.

Important: The Advanced tab is only visible if you enabled sending visuals and receiving extract refresh status messages through email in Site Settings.

- Select what event(s) you want to be notified about - success, failure or both.
- Add one or more email addresses as recipients.
- You can edit the default subject line of the notification email.

6. Click EDIT DATA EXTRACT to save your changes.

72

Deleting a data extract

Learn how you can delete a data extract.

About this task

For various business reasons or because the extract has become invalid, you may choose to delete an existing data extract.

Procedure

1. Click DATA on the main navigation bar.
The Data view appears, open on the Datasets tab.
2. Click Data Extracts.
3. Select the data extract you want to edit and click DELETE.

A confirmation modal window appears where you have to confirm the action.



Important: Deleting an extract does not automatically remove the associated target table. The confirmation modal offers you an option to drop the target table when deleting the extract. If you want to delete the target table, mark the checkbox.

The modal window is titled "Confirmation" with a close button (X) in the top right corner. The main text reads: "Confirm that you want to delete this extract by clicking the 'Delete Extract' button." Below this, a note states: "Note that deleting this extract will NOT remove the target table. If you want to also delete the extract target table, select the checkbox below." There is a checkbox labeled "Delete extract table" which is currently unchecked. At the bottom right, there are two buttons: "CANCEL" and "DELETE EXTRACT".

4. Click DELETE EXTRACT.



Note: Deleting an extract does not delete the target table or any datasets that were created on the extract target.

Working with data models in Data Visualization

You can expand the basic one-table dataset by creating joins with other relevant tables from the same or other data stores. Combining data across multiple tables enriches the dataset considerably. It enables you to conduct much more meaningful research and produce insightful visual analytics.

There are two distinct approaches for creating data joins for the purpose of visualization:

- Defining in UI is ideal for datasets that include star-type schemas.
- Defining on back end ETL is preferable for fact-fact joins, so they may be pre-materialized.

Related Information

[Data modeling](#)

Creating a join

Learn how you can create new data joins in a dataset in CDP Data Visualization.

About this task


This example shows you how to create new data joins using the Flight Delays dataset.

Procedure

1. On the main navigation bar, click DATA.



The Data view appears, open on the Datasets tab.



2. Create a new dataset based on the sample datafile.
3. Find the dataset in the list of datasets, either by scrolling or by using search, and click it.


Dataset side navigation appears, open at Dataset Detail view.

4. In the side navigation menu, click Data Model.


The Data Model view appears, and shows the name of the only table in the dataset. You may click SHOW DATA to display the data of that table.

year	quarter	month	dayofmonth	dayofweek	flightdate	uniquecarrier	airlineid	carrier	tailnum
2014	1	1	21	2	2014-01-21 00:00:00	AA	19805	AA	N514AA
2014	1	1	22	3	2014-01-22 00:00:00	AA	19805	AA	N502AA

5. Click EDIT DATA MODEL.



6. Click the plus sign on the table representation.



The Table Browser modal window appears.

7. In the Table Browser modal window, make the following selections:

- In the Database Name selector, choose the database documentation.



Note: You can join tables from different databases. This value is pre-populated to match the dataset's existing table, but it may be changed.

- In the Table Name selector, choose the table name `airline_id`.

This value is pre-populated to match the existing table of the dataset, but it may be changed.

- Click SELECT.

Table Browser



Choose the table you want to join. You will be able to select the columns that are joined in the next step.

Database Name

documentation



Table Name

airline_id



CANCEL

SELECT



The Edit Join modal window appears.

8. In the Edit Join modal window, the following options are available:
- [Optional] Click Clear Fields to clear all already defined joins between the two tables.
 - [Optional] Click sample data to preview the data. Click again to hide sample data.
 - [Optional] Click Add Join Pair to add another column connection between the same two tables.
 - [Optional] Click Add Join Expression to add a join between the two tables based on a custom SQL expression.
 - [Optional] Click icon (minus) to remove an existing join pair or an existing join expression.
 - [Optional] Under Join Expressions, click the text box to open the Join Expression interface and specify or update a custom SQL expression that defines the join conditions.
 - Click APPLY to save the changes.

×

CLEAR FIELDS 1

documentation.flights_2014

documentation.state_abbreviations

deststate

sample data

Foreign Key

=

abbreviation

sample data

Foreign Key

2

5

Join Expressions

If you enter multiple expressions they will automatically have an "AND" logic between them

[deststate]=[abbreviation] AND [arrdelay] > 5 6

Click to update in SQL expression editor

+ ADD JOIN PAIR 3

+ ADD JOIN EXPRESSION 4

CANCEL

APPLY 7

9. In the Edit Join modal window, do the following:

- Select the matching columns for both tables. On the left side, select the field airlineid. On the right side, select the field code.
- Click Sample Data to view some data in both columns, and verify that the join makes sense. Click again to hide sample data.

77

10. Click APPLY.

Edit Join
✕

CLEAR FIELDS

documentation.flights_2014
documentation.airline_id

airlineid

code

=

sample data

Foreign Key

sample data

Foreign Key

Join Expressions

If you enter multiple expressions they will automatically have an "AND" logic between them

Click to update in SQL expression editor

+ ADD JOIN PAIR

+ ADD JOIN EXPRESSION

CANCEL

APPLY

11. Repeat the previous two steps to create seven more joins as follows:

- The table airport_codes has two joins to the main table, and you must create each join separately as follows:
 - Left column origin = right column code.
 - Left column dest = right column code.
- The table cancellation_code has a join for left column cancellationcode = right column code.
- The table airport_lat_long has two joins to the main table, and you must create each join separately as follows:
 - Left column origin = right column locationid.
 - Left column dest = right column locationid.
- The table state_abbreviations has two joins to the main table, and you must create each join separately:
 - Left column deststate = right column abbreviation.
 - Left column originstate = right column abbreviation.

This step is optional, and depends on whether your flights_* table has fully extended state names.

12. Click SAVE.

13. Click the (link) icon to edit joins or to change join type.

Changing join types

Learn how you can change the join type in a table in CDP Data Visualization.


About this task

The following steps demonstrate how to change the join type in the `airport_codes` table from the default Left join to the Right join.

Procedure


1. Navigate to the Data Model page of the dataset.

2. Click Edit Data Model to edit the data model.



3. Click the (link) icon that represents the connection that must be changed.

In our example, we clicked the join with the table `airport_codes`.



The Join Details modal window appears.

4. In the Join Details modal window, select an alternate join type.

For example, instead of the default Left join, select Right join.



5. Click outside the Join Details modal window, or click Edit Join Details.
6. Click Save.

Editing join details


Learn how you can change the specifications of existing table joins in CDP Data Visualization.

About this task

To demonstrate how to create new data joins, we used dataset Flight Delays, based on data previously imported from a sample datafile

Procedure

1. Navigate to the Data Model page of the dataset.
2. Click Edit Data Model to edit the data model.



- 3. Click the (link) icon beside the state_abbreviations connection.

Dataset Detail

Related Dashboards

Fields

Data Model

Analytical Views 0

Events 0

Segments 3

Filter Associations 0

Permissions

Dataset: Flight Delays

Data Model

↶ UNDO

SAVE

flights_2014

⌵

⌵

⌵

⌵

⌵

⌵

⌵

airline_id

airport_codes

airport_codes_1

cancellation_code

airport_lat_long

airport_lat_long_1

state_abbreviati...

state_abbreviati...

The Join Details modal window appears.

- 4. Click Edit Join.

Join Details

Inner

Left

Right

Outer

Source Column

deststate

=

Target Column

abbreviation

DELETE JOIN

EDIT JOIN

5. In the Edit Join modal window, the following options are available:
 - a. [Optional] Click Clear Fields to clear all already defined joins between the two tables.
 - b. [Optional] Click sample data to preview the data. Click again to hide sample data.
 - c. [Optional] Click Add Join Pair to add another column connection between the same two tables.
 - d. [Optional] Click Add Join Expression to add a join between the two tables based on a custom SQL expression.
 - e. [Optional] Click icon (minus) to remove an existing join pair or an existing join expression.
 - f. [Optional] Under Join Expressions, click the text box to open the Join Expression interface. There, specify or update a custom SQL expression that defines the join conditions.
 - g. Click Apply to save the changes.

Edit Join

✕

CLEAR FIELDS 1

documentation.flights_2014

deststate ⇅

▶ sample data
☐ Foreign Key

documentation.state_abbreviations

abbreviation ⇅

▶ sample data
☐ Foreign Key

▶ sample data
▶ sample data

Join Expressions
2

If you enter multiple expressions they will automatically have an "AND" logic between them

[deststate]=[abbreviation] AND [arrdelay] > 5 6

Click to update in SQL expression editor

+ ADD JOIN PAIR 3

+ ADD JOIN EXPRESSION 4

CANCEL

APPLY 7

6. To add a join expression and replace the original field:field join, perform the following steps in the Edit Join modal window:
 - a. Remove the initial join between the two columns by clicking the (minus) icon.
 - b. Under Join Expressions, click the text box to open the Join Expression interface.

Here you can specify or update the custom SQL expression that defines the join conditions.

Edit Join

CLEAR FIELDS

documentation.flights_2014

documentation.state_abbreviations

deststate

abbreviation

sample data

sample data

Foreign Key

Foreign Key

Join Expressions

If you enter multiple expressions they will automatically have an "AND" logic between them

Click to update in SQL expression editor

+ ADD JOIN PAIR

+ ADD JOIN EXPRESSION

CANCEL

APPLY

7. In the Join Expression modal window, perform the following steps:
 - a. Enter the following expression to show only flights that have significant arrival delay, more than five minutes:

```
[deststate]=[abbreviation] AND [arrdelay] > 5
```
 - b. Click Apply to save the expression and return to the Edit Join modal window.

Join Expression ✕

[deststate]=[abbreviation] AND [arrdelay] > 5

VALIDATE EXPRESSION

☒ Autocomplete on


All Functions

abs
acos
add_months
adddate
AND
appx_median
ascii
asin
atan

All Fields

A abbreviation
actualelapse...
airlineid
airtime
T/F arrdel15
arrdelay
arrdelayminut...
arrivaldelaygr...
artime

CANCEL

APPLY 

8. In the Edit Join modal window, perform the following steps:

- a. Verify that the initial join between the two columns is deleted and the new join expression appears under Join Expressions.
- b. Click Apply.

×

CLEAR FIELDS

documentation.flights_2014

documentation.state_abbreviations

sample data

Foreign Key

=

sample data

Foreign Key

+

Join Expressions

If you enter multiple expressions they will automatically have an "AND" logic between them

[deststate]=[abbreviation] AND [arrdelay] > 5

Click to update in SQL expression editor

+ ADD JOIN PAIR

+ ADD JOIN EXPRESSION

CANCEL

APPLY

The Data Model interface appears. You can click Show Data to display the updated table.

9. [Optional] To revert this change prior to saving, click Undo.

10. Click Save.


Deleting a join

Learn how you can remove an existing join between tables.

Procedure


1. Navigate to the Data Model page of the dataset.

- Click Edit Data Model to edit the data model.



- Click the (link) icon that represents the connection that must be changed.
The Join Details modal window appears.
- Click Delete Join.

In our example, we deleted the `cancellation_code` connection. Notice that this table no longer appears in the Data Model.



- [Optional] To revert this change prior to saving, click Undo.
- Click Save.

Applying field display format on sample data

Learn how you can test field display formats you have configured.

Procedure

1. Navigate to the Data Model page of the dataset.

2. Select Apply Display Format.

Selecting/deselecting the checkbox applies or removes the formatting without refetching the data.



Note: The display format checkbox setting will be remembered.

For information on how to configure field display at the dataset level, see *Changing the field display format*.

3. You can click SHOW DATA to view a sample of your data model.

trips_detail								trips				
pickup_datetime	passenger_count	trip_distance	pickup_longitude	pickup_latitude	dropoff_longitude	dropoff_latitude	pickup_neighborhood	trips_pickup_neighborhood	pickup_boro	pickup_hour	ride_cnt	total_amo
2013-10-07 20:13:00	1	10	-73.8734512329	40.7741127014	-73.9803848267	40.7706794739	Airport	Airport	Queens	0	44	2138.2
2013-10-07 20:13:00	1	10	-73.8734512329	40.7741127014	-73.9803848267	40.7706794739	Airport	Airport	Queens	1	263	13743.07
2013-10-07 20:13:00	1	10	-73.8734512329	40.7741127014	-73.9803848267	40.7706794739	Airport	Airport	Queens	2	463	24303.97
2013-10-07 20:13:00	1	10	-73.8734512329	40.7741127014	-73.9803848267	40.7706794739	Airport	Airport	Queens	3	895	45841.37
2013-10-07 20:13:00	1	10	-73.8734512329	40.7741127014	-73.9803848267	40.7706794739	Airport	Airport	Queens	4	1076	52089.04
2013-10-07 20:13:00	1	10	-73.8734512329	40.7741127014	-73.9803848267	40.7706794739	Airport	Airport	Queens	5	1127	52571.34
2013-10-07 20:13:00	1	10	-73.8734512329	40.7741127014	-73.9803848267	40.7706794739	Airport	Airport	Queens	6	1138	50456.47
2013-10-07 20:13:00	1	10	-73.8734512329	40.7741127014	-73.9803848267	40.7706794739	Airport	Airport	Queens	7	1033	47973.92
2013-10-07 20:13:00	1	10	-73.8734512329	40.7741127014	-73.9803848267	40.7706794739	Airport	Airport	Queens	8	1050	47469.01

Related Information[Changing the field display format](#)