

CLI Commands

Date published: 2020-08-14

Date modified: 2024-01-18

CLOUdera

Legal Notice

© Cloudera Inc. 2024. All rights reserved.

The documentation is and contains Cloudera proprietary information protected by copyright and other intellectual property rights. No license under copyright or any other intellectual property right is granted herein.

Unless otherwise noted, scripts and sample code are licensed under the Apache License, Version 2.0.

Copyright information for Cloudera software may be found within the documentation accompanying each component in a particular release.

Cloudera software includes software from various open source or other third party projects, and may be released under the Apache Software License 2.0 (“ASLv2”), the Affero General Public License version 3 (AGPLv3), or other license terms. Other software included may be released under the terms of alternative open source licenses. Please review the license and notice files accompanying the software for additional licensing information.

Please visit the Cloudera software product page for more information on Cloudera software. For more information on Cloudera support services, please visit either the Support or Sales page. Feel free to contact us directly to discuss your specific needs.

Cloudera reserves the right to change any products at any time, and without notice. Cloudera assumes no responsibility nor liability arising from the use of products, except as expressly agreed to in writing by Cloudera.

Cloudera, Cloudera Altus, HUE, Impala, Cloudera Impala, and other Cloudera marks are registered or unregistered trademarks in the United States and other countries. All other trademarks are the property of their respective owners.

Disclaimer: EXCEPT AS EXPRESSLY PROVIDED IN A WRITTEN AGREEMENT WITH CLOUDERA, CLOUDERA DOES NOT MAKE NOR GIVE ANY REPRESENTATION, WARRANTY, NOR COVENANT OF ANY KIND, WHETHER EXPRESS OR IMPLIED, IN CONNECTION WITH CLOUDERA TECHNOLOGY OR RELATED SUPPORT PROVIDED IN CONNECTION THEREWITH. CLOUDERA DOES NOT WARRANT THAT CLOUDERA PRODUCTS NOR SOFTWARE WILL OPERATE UNINTERRUPTED NOR THAT IT WILL BE FREE FROM DEFECTS NOR ERRORS, THAT IT WILL PROTECT YOUR DATA FROM LOSS, CORRUPTION NOR UNAVAILABILITY, NOR THAT IT WILL MEET ALL OF CUSTOMER’S BUSINESS REQUIREMENTS. WITHOUT LIMITING THE FOREGOING, AND TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, CLOUDERA EXPRESSLY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY, QUALITY, NON-INFRINGEMENT, TITLE, AND FITNESS FOR A PARTICULAR PURPOSE AND ANY REPRESENTATION, WARRANTY, OR COVENANT BASED ON COURSE OF DEALING OR USAGE IN TRADE.

Contents

- Cloudera Operational Database CLI commands.....4**
- CDP CLI Beta command reference.....5**
- custom-user-tags in Operational Database.....5**
 - Examples for identifying resources.....6
 - Install CDP CLI beta.....7

Cloudera Operational Database CLI commands

You can learn about the various Cloudera Operational Database (COD) CLI commands. You can run these commands to do administration and management tasks like create or describe a COD instance. Users who have the CDP PowerUser role can run any command, regardless of whether they have the ODUser or OAdmin role.

Download the CDP CLI tool

Before you can use the operational database CLI commands, you must download the CDP CLI client for your operating system. For more information about downloading the CDP CLI client, see [Installing CDP client](#).

You can see all the commands and their syntax in the *COD CLI command reference GitHub* page.

You can see all the CDP CLI BETA commands and their syntax in the *CDP CLI BETA command reference GitHub* page.

Table 1: COD CLI commands

Command	Description	Required Role
create-database	Create a database with the provided name in a given environment.	OAdmin
describe-client-connectivity	List the available connectors to programmatically interact with the database and required information to use each connector.	ODUser
describe-database	Query the details of a database.	ODUser
describe-upgrade-database	Describes the upgrade availability.	ODUser
drop-database	Stop and destroy the database. Data remains in the configured cloud storage.	OAdmin
list-databases	List all databases which the user has permission to view.	ODUser
start-database	Start an existing database.	OAdmin
stop-database	Stop a database.	OAdmin
collect-diagnostics	A link to the download location of the diagnostics bundle.	OAdmin
list-diagnostics	Returns list of diagnostics collections	OAdmin
list-supported-environments	List of environments available for the database creation.	OAdmin

When you run the `cdp opdb` commands, you must provide your COD database name and the CDP environment name as parameters as shown in this example:

```
cdp opdb describe-database --database-name [***MY DATABASE NAME***] --environment-name [***MY CDP ENVIRONMENT NAME***]
```

Related Information

[COD CLI command reference GitHub repository](#)

[CDP CLI BETA command reference GitHub repository](#)

CDP CLI Beta command reference

You can learn about the various Cloudera Operational Database (COD) CLI Beta commands. You can run these commands to do administration and management tasks like create or describe a COD instance. To use any of the CDP CLI beta commands for Operational Database, you need to download and install the latest CDP CLI beta version.

Install CDP CLI Beta

To install CDP CLI Beta, see *Installing Beta CDP CLI*.

You can see all the CDP CLI Beta commands and their syntax in the *CDP CLI BETA command reference GitHub* page.

Related Information

[Installing Beta CDP CLI](#)

[COD CLI command reference GitHub repository](#)

[CDP CLI BETA command reference GitHub repository](#)

--custom-user-tags in Operational Database

You can identify and monitor infrastructure resources that are launched in your AWS account by applying the `--custom-user-tags`. This is an optional tag. You can apply the `--custom-user-tags` tags after creating the CDP environment. For Cloudera operational database (COD), use this feature by running the following command in the CDP CLI beta version:

```
`cdp opdb create-database --custom-user-tags`
```

For example:

```
`cdp opdb create-database --custom-user-tags key=name1,value=value1
key=name2,value=value2 --database-name ... --environment-name ...`
```

Following is the code snippet:

```
<snip>
--custom-user-tags (array) Optional tags to apply to launched i
nfra-
structure resources

Shorthand Syntax:

    key=string,value=string ... (separate items with spaces)

JSON Syntax:
    [
      {
        "key": "string",
        "value": "string"
      }
      ...
    ]
</snip>
```

Examples for identifying resources

You can identify and monitor various resources within the Cloudera operational database (COD) experience for AWS environments.

The following are the various resources that you can identify and monitor:

- Database names in operational database with custom-user level tags
- EC2 instances
- RDS database instances

For example, if you run the following command through CDP CLI beta version, You can view the AWS EC2 and RDS resources launched by COD.

```
cdp.sh opdb create-database --environment-name <env-name> --database-name <d
b-name>
--custom-user-tags key=tag1,value=example key=tag2,value=value
```

Figure 1: Example of AWS EC2 resource




Figure 2: Example of RDS resource

dbsvr-3abd9bf4-bd28-4186-bd9d-1482947c46ab

Summary

DB identifier

dbsvr-3abd9bf4-bd28-4186-bd9d-1482947c46ab

CPU

 4.83%

Status

 Available

Role

Instance

Current activity

 14 Connections

Engine

PostgreSQL

Connectivity & security

Monitoring

Logs & events

Configuration

Maintenance & backups

Tags**Tags (16)**

Q tag

X

☐

Tags

▲

Value

☐

tag1

example

☐

tag2

value

Install CDP CLI beta

If you would like to apply custom user tags on Operational Database through CDP CLI, you need to download and install CDP CLI beta version 0.9.40.

Before you begin

Do not install both the regular and beta CLIs in the same Python environment, as they use the same entry points and will therefore conflict. Either use a separate virtual environment or uninstall the `cdpcli` first before installing `cdpcli-beta`.

Procedure

1. Install Python if needed, as described in [CDP CLI documentation](#) for your platform.
Do not install CDP CLI. Instead, proceed to step 2.
2. Run the following to install CDP CLI beta:

```
pip3 install cdpcli-beta
```

3. Configure access keys as described in [Generating an API access key](#)