

Cloudera Runtime 7.2.17

## Atlas Search

Date published: 2019-09-23

Date modified: 2023-06-26

# CLOUDERA

<https://docs.cloudera.com/>

# Legal Notice

© Cloudera Inc. 2024. All rights reserved.

The documentation is and contains Cloudera proprietary information protected by copyright and other intellectual property rights. No license under copyright or any other intellectual property right is granted herein.

Unless otherwise noted, scripts and sample code are licensed under the Apache License, Version 2.0.

Copyright information for Cloudera software may be found within the documentation accompanying each component in a particular release.

Cloudera software includes software from various open source or other third party projects, and may be released under the Apache Software License 2.0 (“ASLv2”), the Affero General Public License version 3 (AGPLv3), or other license terms. Other software included may be released under the terms of alternative open source licenses. Please review the license and notice files accompanying the software for additional licensing information.

Please visit the Cloudera software product page for more information on Cloudera software. For more information on Cloudera support services, please visit either the Support or Sales page. Feel free to contact us directly to discuss your specific needs.

Cloudera reserves the right to change any products at any time, and without notice. Cloudera assumes no responsibility nor liability arising from the use of products, except as expressly agreed to in writing by Cloudera.

Cloudera, Cloudera Altus, HUE, Impala, Cloudera Impala, and other Cloudera marks are registered or unregistered trademarks in the United States and other countries. All other trademarks are the property of their respective owners.

Disclaimer: EXCEPT AS EXPRESSLY PROVIDED IN A WRITTEN AGREEMENT WITH CLOUDERA, CLOUDERA DOES NOT MAKE NOR GIVE ANY REPRESENTATION, WARRANTY, NOR COVENANT OF ANY KIND, WHETHER EXPRESS OR IMPLIED, IN CONNECTION WITH CLOUDERA TECHNOLOGY OR RELATED SUPPORT PROVIDED IN CONNECTION THEREWITH. CLOUDERA DOES NOT WARRANT THAT CLOUDERA PRODUCTS NOR SOFTWARE WILL OPERATE UNINTERRUPTED NOR THAT IT WILL BE FREE FROM DEFECTS NOR ERRORS, THAT IT WILL PROTECT YOUR DATA FROM LOSS, CORRUPTION NOR UNAVAILABILITY, NOR THAT IT WILL MEET ALL OF CUSTOMER’S BUSINESS REQUIREMENTS. WITHOUT LIMITING THE FOREGOING, AND TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, CLOUDERA EXPRESSLY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY, QUALITY, NON-INFRINGEMENT, TITLE, AND FITNESS FOR A PARTICULAR PURPOSE AND ANY REPRESENTATION, WARRANTY, OR COVENANT BASED ON COURSE OF DEALING OR USAGE IN TRADE.

# Contents

<b>Searching overview.....</b>	<b>4</b>
<b>Using Basic search.....</b>	<b>5</b>
Basic search enhancement.....	6
<b>Using Relationship search.....</b>	<b>7</b>
<b>Using Search filters.....</b>	<b>10</b>
<b>Ability to download search results from Atlas UI.....</b>	<b>12</b>
How to download results using Basic and Advanced search options.....	13
<b>Using Free-text Search.....</b>	<b>14</b>
<b>Enhancements with search query.....</b>	<b>15</b>
<b>Ignore or Prune pattern to filter Hive metadata entities.....</b>	<b>18</b>
How Ignore and Prune feature works.....	19
Using Ignore and Prune patterns.....	20
<b>Saving searches.....</b>	<b>21</b>
<b>Using advanced search.....</b>	<b>22</b>
<b>Atlas index repair configuration.....</b>	<b>25</b>

## Searching overview

Search using any metadata text, by entity type, entity and system attribute value, classification, or glossary term.

You can search for entities using four search modes:

- Free text from all string-type metadata, including classifications, labels, Business Metadata attributes, and user-defined properties
- By entity type, with refinements by system attribute, entity attribute, Business Metadata attribute, classification, term, label, or user-defined property
- By classification
- By glossary term

The image shows a composite screenshot of the Apache Atlas search interface. It highlights four search modes:

- Search by Entity Type:** The 'SEARCH' button in the top navigation bar is circled in orange.
- Free Text Search:** The search bar at the top right is circled in orange, with the text 'Search entities' visible.
- Search by Classification:** The 'CLASSIFICATION' button in the top navigation bar is circled in orange. Below it, a search panel shows a list of classifications with 'AUTO\_INSURANCE' selected.
- Search by Glossary Term:** The 'GLOSSARY' button in the top navigation bar is circled in orange. Below it, a search panel shows a list of glossary terms with 'Automotive' selected.

The background shows the main search results page for the entity 'impala\_process', including a table with columns for Owner, Description, Type, Classifications, and Term.

### Related Information

[Using Free-text Search](#)

[Using Basic search](#)

[Using Search filters](#)

[Searching for entities using classifications](#)

[Searching for entities using Business Metadata attributes](#)

[Searching for entities using terms](#)

[Using advanced search](#)

[Saving searches](#)

## Using Basic search

Search using an entity type in Basic Search.

With Basic Search, Atlas returns all of the entities of the type you select.

There are many ways you can define a Basic Search. Setting a value in more than one search field builds a logical



AND condition for the search. To repeat the same search, click the Refresh button.

### Search By Type

- Choose an entity type to limit the search.
- Choose `_ALL_ENTITY_TYPES` to apply an attribute filter across all entity types.



### Search By Type and specify attribute values using the Filter

The Attribute Filter dialog box lists all the attributes that correspond to the selected entity type, including:

- Technical attributes specific to the entity type
- System attributes, including classifications, labels, and user-defined properties
- Business Metadata attributes
- Terms



**Note:** When searching on classifications in the Search By Type filter, use "contains" rather than "=" for the filter operator. If there is more than one classification assigned to an entity, "contains" matches a single classification name; equal only matches the entire list of classifications names.

### Search By Classification

- Choose an existing classification; the search returns all entities that have that classification assigned to them.
- Choose `_ALL_CLASSIFICATION_TYPES` to apply an attribute filter across all classifications.
- Choose `_CLASSIFIED` or `_NOT_CLASSIFIED` with an entity type selected to find entities of that type with any or no classifications assigned.



### Search By Classification and specify attribute values using the Filter

The Attribute Filter dialog box lists all the attributes for the selected classification; set a value to one or more attributes to define the search. You can choose to match partial strings using the "contains", "begins with", and "ends with" operators.

### Search by Term

Choose an existing glossary term. You can enter the first few letters to select a term from a list of matching terms. This filter is case-sensitive.

### Search by Text

Search on string values for technical, system, Business Metadata, and classification attribute values. Labels and terms are also included. This search is the same as the Free-Text search; note that when you enter text in the Free-Text search box, it fills in this Search By Text field also.

You can also save these searches when they are useful to run more than once.

## Related Information

- [Using Free-text Search](#)
- [Searching for entities using Business Metadata attributes](#)
- [Searching for entities using terms](#)
- [Searching for entities using classifications](#)
- [Saving searches](#)
- [Apache Atlas metadata attributes](#)
- [Using Search filters](#)

## Basic search enhancement

While performing basic search in Atlas you can exclude header attributes of entities from the response and avoid issues like latency.

Basic search feature in Atlas has AtlasEntityHeader of each entity in the response.

The AtlasEntityHeader has multiple attributes including classification and terms. AtlasEntityHeader requests the Janusgraph database to provide the information for each attribute. This process can be time consuming and there could be latency with the response.

To overcome this situation, you can add a flag to exclude generic attributes and add only the selected attributes from the 'attributes' field in the response.

In the request payload, ensuring the following helps improve the search capabilities:

- Attributes having entityType
- excludeHeaderAttributes=true
- Valid entity attributes (not relationship) in the 'attributes' field



**Note:** The excludeHeaderAttributes attribute overrides other attributes' fields like includeClassificationAttributes in the request payload.

An example payload request:

Request: {

```
"excludeDeletedEntities": true,
"includeSubClassifications": true,
"includeSubTypes": true,
"includeClassificationAttributes": true,
"limit": 25,
"offset": 0,
"typeName": "hdfs_path",
"attributes": ["path", "name"],
"excludeHeaderAttributes": "true"
}
```

Response: {

```
"queryType": "BASIC",
"searchParameters":
{ "typeName": "hdfs_path", "excludeDeletedEntities": true, "includeClassificationAttributes": true,
"includeSubTypes": true, "includeSubClassifications": true, "limit": 25, "offset": 0, "attributes": ["path", "name"] }
```

```
,  
"attributes": {  
  "name": ["path", "name"],  
  "values": [  
    ["/data/warehouse/customer", "customer"],  
    ["/data/warehouse/sales", "sales"]  
  ]  
},  
"approximateCount": 2  
}
```

## Using Relationship search

Entities in Atlas can be searched based on the relationships that describe various metadata between a couple of entity end-points.

As an example, a relationship between entities `hive_table1` and `hive_db1` can be attributed or defined as `hive_table1_db1`, which has a standalone metadata that can be added as an attribute to this format. By searching for `hive_table1_db1`, you can retrieve the relationship between `hive_table1` and `hive_db1` entities. This enhancement ensures that those relationships which are tied to the entities and that match the filter criteria on attributes of the relationships, can be searched.


### Configuring relationship search

For the entities to be searchable in the relationship definition model before starting the Atlas service, the attributes must be added and marked as indexable.


As an example configuration setup:

```
{  
  "attributeDefs": [{  
    "Name": "edge_property1",  
    "typeName": "string",  
    "isIndexable": true  
  }]  
}
```

In Atlas, when you commence search using the relationship option, you can use the toggle button to enable the same.



You can search for the relationship using the drop-down list to select a relationship between entities and explore them in Atlas.



The list of entities with the type “user\_post” contains additional information about the connected entities.



Search entities

Results for: **Relationship: user\_post**

Columns

Guid	Type	end1 (user)	end2 (post)	label
c4a30878-d280-4b60-ac1a-12147543096c	user_post	Ajay Mishra	ind-post@Ajay	__user.posts
5613e0e1-0472-4535-9e4d-0bcd6d03521a	user_post	Ajay Mishra	onam-post@Ajay	__user.posts
7e236bdb-eaf8-4bb6-b98d-68d3bde98246	user_post	Ajay Mishra	diwali-post@Ajay	__user.posts
a75d5011-d306-4838-9782-98647b33afe8	user_post	Ajay Mishra	trip-post@Ajay	__user.posts
6aaae550-94f7-4aa7-a3a8-6b8fb7e66350	user_post	Ajay Mishra	officeparty-post@Ajay	__user.posts
7d97f048-b937-49aa-89ba-1f40776d05e7	user_post	Ajay Mishra	christmas-post@Mary	__user.posts
5cff58b6-cea0-46fc-8d96-b5fcd482a6a2	user_post	Ajay Mishra	ganeshchaturthi-post@Divya	__user.posts
6679055c-7359-45e4-9efc-3be318b34d9d	user_post	Mary Williams	ind-post@Mary	__user.posts
2c078dbe-ff2c-4984-b090-8e24ec87b123	user_post	Mary Williams	christmas-post@Mary	__user.posts
db90b6c3-b733-4b62-9cd1-0afb04319fd2	user_post	Mary Williams	elevationSRA@Mary	__user.posts
79726d46-8490-44f6-a4d6-d3a21cc8a01d	user_post	Mary Williams	onam-post@Ajay	__user.posts

You can add specific filters to search for relationship entities.

Attribute Filter

AND OR

+ Add filter + Add filter group

--Select Attribute--

--Select Attribute--

user\_post Attribute

post\_name (string)

reaction (string)

user\_name (string)

Cancel Apply Search

In the example image, end 1 and end 2 are the entities with which the relationship is created.

Back To Results Search entities admin

**c4a30878-d280-4b60-ac1a-12147543096c (user\_post)**

Properties

**Others**

createTime	09/07/2022 09:20:21 AM (IST)
createdBy	atlas
guid	c4a30878-d280-4b60-ac1a-12147543096c
label	__user.posts
propagateTags	NONE
provenanceType	0
status	ACTIVE
updateTime	09/07/2022 09:20:21 AM (IST)
updatedBy	atlas
version	0

**Relationship properties**

post_name	ind-post@Ajay
reaction	create
user_name	Ajay Mishra

> end 1

> end 2

By clicking on each search result you can navigate to the details page to view additional details and pertinent information.

## Using Search filters

The Basic Search panel includes filter icons that allow you to search for entities based on one or more attribute values.

In a filter row, the attribute data type determines which of the following operators can be used to define your search criteria:

Strings	Dates	Enumerations Boolean	Numerics
=		=	=
!=		!=	!=
	>	>	>
	<	<	<
is null	is null	is null	is null
is not null	is not null	is not null	is not null
contains			
begins with			
ends with			

All classification attributes are string values; numerics include byte, short, int, float, double, and long attribute data types.




**Note:** If the attribute you are searching for could include multiple values, use "contains" rather than "=" to make sure the search finds the individual value out of the list.

To search on values for more than one attribute, add another filter row to the search filter (click Add filter). The search can find entities matching either filter criteria (logical OR) or matching both criteria (logical AND). Set the logic using the AND / OR buttons at the top-left of the filter rows.

You can combine logical AND and OR criteria using filter groups. The logic is the same within a filter group; use more than one filter group to produce both AND and OR logic. For example, the following Classification attribute filter searches for entities that are at "new" or "acknowledged" stages in their processing and are owned by the Finance business team.

If you wanted to further limit the search results to the entities that were created in Atlas in the last 24 hours, you would open the attribute filter for Search by Entity Type and set the system attribute "Created Timestamp" less than 24 hours. To open the Search by Entity Type filter, you would need to select an entity type or "\_ALL\_ENTITY\_TYPES".



## Ability to download search results from Atlas UI

Atlas supports improved search results capabilities. You can download search results for both basic and advanced search options. You can configure the parameters to specify a directory path and configure automatic cleaning up of files to manage space efficiently.

You can use the new Download option to capture the search results of both Basic and Advanced (DSL) searches, in CSV file format. The CSV files are stored on the local file system. This download option queues up the search results and downloads the files in the following format: User type\_type\_of\_search\_timestamp. For example: admin\_DSL\_2023-04-29\_04-56.csv indicates that the file contains results of search performed using the advanced search option.

Atlas employs the API path to route the requests to queue up the search results and later convert them to CSV files. The following are commonly used for the search and download operations.

- /atlas/v2/search/<basic/dsl>/download/create\_file
- /atlas/v2/search/download/status - Status API
- /atlas/v2/search/download/{filename} - Download request API

### Search results configuration

You can configure the search result size. The default value of search result size is 10000 and only 50 simultaneous requests can be done. You can configure the search request using the atlas.download.search.max.pending.tasks property.

You can configure the parameters in such a way that the downloaded CSV files are available in a specified directory path for a fixed time period and they are automatically cleaned up to free up the storage space. You can search for specific type definitions in Atlas and download them as appropriate.

The following APIs can be used to manage the download options and can be included in the Configuration tab in the Cloudera Manager instance under Atlas Server Advanced Configuration Snippet (Safety Valve) for conf/atlas-application.properties.

- atlas.download.search.dir.path - Use this parameter to define the path for storing the downloaded CSVs.


- `atlas.download.search.file.expiry.millis` - Use this parameter to set the time limit for the downloaded file to live in the storage. As an example: 180000 milliseconds # 3 minutes.




**Note:** For every logged in user, a separate directory is created automatically under the path defined by the `atlas.download.search.dir.path` property and the user's requested search files are stored in that directory. Users can only download files created by them using UI / API.

## How to download results using Basic and Advanced search options

Using the Basic search option you can search and download the results. You must select the type of query and search for the results and later click the Download option.

The search query queues up the results. Click  to view the resultant queue.




Results for: **Type: ALL\_ENTITY\_TYPES**  
If you do not find the entity in search result below then you can [create new entity](#)

[Download](#)  Exclude sub-types  Exclude sub-classifications  Show historical entities [Columns](#)

Name	Owner	Description	Type	Classifications	Term
default.ctasimp_01_0@cm_storage			hive_storagedesc	+	+
default.imp_01@cm_storage			hive_storagedesc	+	+
default.ctasimp_01_0_2@cm_storage			hive_storagedesc	+	+
default.ctasimp_01_0_2@cm:1679546678000			hive_table_ddl	+	+
c1	hbase	c1	hbase_column_family	+	+
c1	hbase	c1	hbase_column_family	+	+
c1	hbase	c1	hbase_column_family	+	+
c2	hbase	c2	hbase_column_family	+	+
c2	hbase	c2	hbase_column_family	+	+

You can expand the scope of the downloaded search results by using the Column drop-down menu to select the columns that you want to get include in the CSV files.



Results for: **Type: hdfs\_path**  
If you do not find the entity in search result below then you can [create new entity](#)

[Download](#)  Exclude sub-types  Exclude sub-classifications  Show historical entities [Columns](#)

Name	Owner	Description	Type	Classifications	Term
hdfs_name108dc52ed17f1a41599509d1589433d1d6			hdfs_path	+	+
hdfs_name119533d8ad25f524811938be170d872694c			hdfs_path	+	+
hdfs_name122d7f33af064fa41579cea89e71335ea0			hdfs_path	+	+
hdfs_name123f766bdfb2414015b4f6803cca554452			hdfs_path	+	+
hdfs_name1359e78a191b4024518a11e2ad0bc94e3fe			hdfs_path	+	+
hdfs_name160af066eeba65f45a79fd6e6cb9cda4f8			hdfs_path	+	+
hdfs_name170677c8ff53634655b5e158f3e3b0c51f			hdfs_path	+	+
hdfs_name18071b1724001c4ad1a007582290549b5			hdfs_path	+	+
hdfs_name181a416af927a44759c53f17e0b10b0ff			hdfs_path	+	+

Columns dropdown menu options:

- Select
- Name
- Owner
- Description
- Type
- Classifications
- Term
- ClusterName
- CreateTime
- DisplayName
- ExtendedAttributes
- FileSize
- Group
- HiveDb
- InputToProcesses
- IsFile
- IsSymlink

You can search using the Advanced option and download the search results. For example, you can search by using the name and owner criteria. Click Download and follow the same process as described while performing the Basic search operations.

The top screenshot shows the Apache Atlas search interface. The search criteria are: Type: hive\_table, Query: select name, owner. The search results are displayed in a table with columns 'Name' and 'Owner'. A 'Download' button is visible above the table.

Name	Owner
ctasetable0	hive
ctasetable0_0	hive
ctasetable0_1	hive
ctasimp_01_0	impala
ctasimp_01_0_0	impala
ctasimp_01_0_1	impala
ctasimp_01_0_2	impala
ctassp_01	spark
ctassp_02	spark
ctassp_03	spark
etable0	hive
imp_01	impala


The bottom screenshot shows the same search results, but with a 'Downloads' window open. The window displays two CSV files for download:

- admin\_DSL\_2023-03-27\_04-42-52.csv
- admin\_DSL\_2023-03-27\_04-41-33.csv

## Using Free-text Search

Apache Atlas builds a ranked index of metadata values so you can search for values across all metadata.

The search field in the top of the dashboard lets you search for entities, classifications, or terms by entering any full or partial text to match any entity metadata values. Atlas searches all metadata fields that have string data types, so you can use this search tool to find entities by their labels, descriptions, locations, or other metadata.



Searches are case insensitive. Searches automatically append the asterisk (\*) wildcard to the search term or terms so that the search behavior is to find partial strings anywhere they occur in the metadata value. The following single and double characters have special meaning:

```
+ - && | | ! ( ) { } [ ] ^ " ~ * ? : \
```

If your search string includes one of these characters, surround the string in double quotation marks or escape the special character with a backslash.

You can see that the search terms you use in the search at the top of the dashboard are also inserted into the free text search field in the left Search panel: you can combine the free text search with other selections to narrow the search results. The combination acts as an “AND” with other search criteria.

**Search result ordering:** The search results are ranked by how well they match the search terms, with entities that match on more than one metadata value being ranked higher.

Different metadata have different scores, where the highest scoring metadata fields are entity names, including Kafka topic names. Descriptions, users/owners, query text, and comments rank next. Locations, namespaces, domains, etc. come next. Search results are not ordered in any specific way among results that have the same search ranking.

**Suggestions:** As you enter your search text, you see the five highest-ranked matching items and as many as five suggestions.

The matching items are ranked in the same way as the general search results, case-sensitive (at the moment) terms that “contain” the search terms; If there are more than five search results with the same search ranking, the five shown are randomly ordered from the highest scoring results.

The suggested items are chosen from search results that match with a “starts with” behavior.

## Enhancements with search query

When you perform search operations in Atlas, note some of the new changes that are in effect.

First use case

Performing freetext / quick search does not require pre-fixing the attribute name in the search text query.

You can directly search for the entities by searching with its value.

For example:

To search entity having:

qualifiedName="default.avbzi\_random\_table@cm"

You can directly add "default.avbzi\_random\_table@cm" in the search bar.

The screenshot shows the Apache Atlas search interface. On the left is a sidebar with search filters: 'Basic' (selected) and 'Advanced', 'Search By Type' (set to '\_ALL\_ENTITY\_TYPES'), 'Search By Classification' (set to 'Select Classification'), 'Search By Term' (empty), and 'Search By Text' (set to 'default.avbzi\_random\_table'). There are 'Clear' and 'Search' buttons, and a 'Favorite Searches' section at the bottom.

The main search area has a search bar with 'Search entities' and a user profile 'admin'. Below the search bar, it displays 'Results for: ( Type: \_ALL\_ENTITY\_TYPES ) AND ( Query: default.avbzi\_random\_table )' and a link to 'create new entity'. There are checkboxes for 'Exclude sub-types', 'Exclude sub-classifications', and 'Show historical entities', along with a 'Columns' dropdown.

<input type="checkbox"/>	Name ↕	Owner ↕	Description ↕	Type ↕	Classifications	Term
<input type="checkbox"/>	avbzi_random_table			hdfs_path	+	+

Showing 1 records From 1 - 25 Page Limit: 25

Second use case

While using the basic / quick search in Atlas, the characters which are not alphabetic and numeric are considered as special characters except for the following characters:

\_, ., :, and `



**Note:** When using ., :, and ` characters, if the prefix or suffix does not contain alphabet character, it is considered a special character.

For example:

default.1marketing > . will be considered as a special character because suffix is numeric not alphabetic


default.marketing > . will not be considered as a special character because prefix and suffix are alphabetic

Additionally, while performing the search operation, when the search string has special characters, SOLR tokenizes the string enabling the search result query to provide OR condition of each tokenized string.

For example: if search string is provided as default.avbzi\_random\_table@cm

results in, picking up all the matching documents or attributes, where, attribute contains default.avbzi\_random\_table OR cm.






If a string is enclosed with double quotes, SOLR does not tokenize and behave as a single string.

For example: if search string is like "default.avbzi\_random\_table@cm"

results in, picking up all the matching documents or attributes, where, attribute contains default.avbzi\_random\_table AND cm.




### Third use case

In Atlas, name and qualifiedName attributes are different in the way they operate in Atlas Properties. The qualifiedName is a text-based attribute while the name is a string-based attribute. SOLR does not tokenize any string type attribute and does tokenize the text-based attribute.

When you search for 'STRING' type attribute called: 'name', the following conditions must be met:

- Client has to escape 'space'
- For the partial search, client has to append "{\*}"



For example: While searching for string with name = finance department@axis, user has to search like finance\ department\*

Whenever you search for a 'TEXT' type attribute called: 'qualifiedName', the following conditions must be met:

- No Need of escape 'space'. If it is escaped partial search will not work
- For partial search, no need of appending "{\*}"

For example: While searching for string with qualifiedName = finance department@axis, user has to search like finance department or finance\ department@axis

## Ignore or Prune pattern to filter Hive metadata entities

Atlas supports metadata and lineage updates from services like HBase, Hive, Impala, and Spark.

These updates are in the form of messages that are posted by these services. The messages contain Atlas entities specific to the service. The notification processing module within Atlas processes these messages.

Typically, most of the metadata is tracked. Sometimes, a part of the schema changes more often than not and tracking these frequent changes creates metadata that is insignificant. The Atlas notification processing system gets overloaded with the frequently changing schema updates. The resultant outcome might be that the low-value messages are processed at the expense of messages that contain critical schema updates.

To overcome such a pattern within a data processing pipeline, you can employ a couple of options:

- Ignore schema updates.
- Preserve an abbreviated form of the entity.

The Ignore and Prune feature within Atlas addresses this scenario for Hive Metastore and Hive Server2 (HS2) hooks. This feature is a mechanism to specify which Hive tables should be ignored and which ones should be pruned. This feature helps regulate data that is posted to Atlas. The user is able to choose data that is important for metadata management and lineage capture.



**Note:** This mechanism does not exist for other hooks.



**Attention:** The Ignore / Prune configurations feature is not supported when the configurations are provided in upper case or mixed case. You must use the lower case while setting up the Ignore / Prune configurations.

Tables whose lifecycle is of no consequence are targeted for being ignored. Tables whose lifecycle need not be tracked closely or for garnering minute details are targeted for pruning.



**Attention:** Atlas tracks the table and table-level lineage; however, columns of pruned table and their column level lineage are not tracked in Atlas.

### Use case

As a part of the Extract/Transform/Load (ETL) data pipeline, services such as Hive use a number of temporary and/or staging tables that are short-lived. These temporary and/or staging tables are generally employed during the extract or transform phase before the data is loaded. Once the processing is complete, these tables are not used anymore and are deleted.

With Atlas Hive Hook enabled, Atlas captures metadata events, lifecycle, and lineage of all the Hive entities.

Temporary tables that are created only to aid the development process are safe to be ignored. Metadata for these tables are not generated or reported into Atlas.

For staging tables, tracking details like columns and column-lineage in Atlas may not be useful. By not tracking the information in Atlas, it can significantly reduce the time it takes to process notification and can help the overall performance of Atlas.

You can ignore temporary tables completely. Just the minimum details of these staging tables can be stored in Atlas, to capture data lineage from source to target table through all the intermediate staging tables.

### Setting Ignore and Prune Properties

The ignore and prune configuration properties can be set both at Atlas server-side and Hive hooks configuration.

Setting it at Hive Hook side prevents Atlas' metadata from being generated.

If the metadata for ignored and pruned elements is generated and posted on Atlas' Kafka topic, setting this property on Atlas' server side handles these elements before they get stored within Atlas.

Both these properties accept Java regex expressions. For more information, see [documentation](#).

## How Ignore and Prune feature works

The configurations are matched against the Hive table's qualifiedName attribute.

Within the Hive hook, qualifiedName attribute value has this format: database.table@namespace

The namespace is the value specified by the atlas.metadata.namespace property.

For example, for a Hive hook, the property atlas.metadata.namespace is set to glv.

On that server, for a table t1 which is a part of database db1, the qualifiedName value is: db1.tb1@glv

### Ignore Pattern

Hook-side

atlas.hook.hive.hive\_table.ignore.pattern

Atlas server side

atlas.notification.consumer.preprocess.hive\_table.ignore.pattern

### Prune pattern

Hook-side

atlas.hook.hive.hive\_table.prune.pattern

Atlas server side

`atlas.notification.consumer.preprocess.hive_table.prune.pattern`

## Using Ignore and Prune patterns

You can configure both Ignore and Prune patterns to manage your data.

### Using the Ignore pattern

Atlas ignores temporary managed tables by default. But an external temporary table is captured because the table uses the HDFS path for storage and Atlas creates a lineage in between.

To disregard the temporary table and avoid Atlas processing it, you can set up appropriate configurations in Hive and Atlas and later restart the services.

For example, if all tables in the 'sales' database and the tables that contain '\_tmp' in the 'finance' database should be ignored, the property can be set as follows in your Cloudera Manager instance.

Hive Metastore Server and Hive settings:

`atlas.hook.hive.hive_table.ignore.pattern=finance\.*_tmp.*,sales\.*` is set in Cloudera Manager Hive Service Advanced Configuration Snippet (Safety Valve) for atlas-application properties in Hive(HMS) and Hiveserver2.

Atlas server

`atlas.notification.consumer.preprocess.hive_table.ignore.pattern=finance\.*_tmp.*`

With the above configurations, tables having \_tmp in their names, in the finance database are ignored.




**Note:** The "." is a special regular expression character, hence had to be escaped with a backslash (\).

### Using the Prune pattern

Staging tables are created to hold data temporarily during a query execution and are manually dropped once the processing is completed. It might be insignificant to track the details of the staging tables.

For example, in the below images, the finance table contains 333 columns (column names blurred) and the staging tables are created frequently by running an “INSERT OVERWRITE TABLE” query on the finance table. Processing is executed on the data in staging tables and later the staging tables are deleted as observed in the table level lineage diagram.

## Table-level Lineage



Every time you run a query to create lineage between tables, column-level lineage is also created along with table-level lineage.




**Note:** If the query involves all the columns, 333 hive\_column\_lineage entities are created and pushed to the ATLAS\_HOOK Kafka topic.

## Saving searches

Saving a search saves the search criteria with a name that will help you remember what the search returns.

After you run a search, you can save it under a name in the list of Favorites. Here's what you can do to save a search and to use a search you've already saved:




## Using advanced search

Apache Atlas advanced search lets you use a query language to combine criteria and refine search results.

Advanced search gives you more control over search criteria through the Atlas domain-specific query language.

In the left navigator pane, Search tab, switch to Advanced search mode by sliding the green toggle button from Basic to Advanced.



Select an entity type if appropriate, then add your query to refine the search results. Here are some examples of advanced search queries:

- Search for partial names

```
from hive_table where name LIKE '*_dim'
```

- Search in date ranges

Note that the entity attributes may contain date fields that are populated from the source while the system attributes contain date fields that are populated when the entity is created in Atlas. The values can be different.

Entity attribute createTime	<pre>from hive_table where createTime &gt; '2019-01-01' and createTime &lt; '2019-01-03'</pre>
System attribute Create Timestamp	<pre>from hive_table where __timestamp &gt; '2019-01-01' and __timestamp &lt; '2019-01-03'</pre>

- Search for deleted entities

System attributes (with two underscores before the name) are available on all entity types.

```
from hive_table where __state = DELETED
```

- Search for multiple criteria

```
from hdfs_path where isFile = true and name = "Invoice"
```

- Return specific metadata

```
from hive_table where name = 'customer_dim' select owner, name,
qualifiedName, createTime
```

- Search for entities with classifications

```
from hive_table where hive_table isa Dimension select owner, name, qualifiedName
```

See the advanced search reference for information about the query language and for more examples.

### Improved search capabilities for Glossary terms and Relationships

In Atlas, while using the Advanced Search feature, you can now search for entities based on the glossary term, by using the newly introduced `hasTerm` keyword that allows users to search the entities which are tagged with them. You can also search the entities based on relationship attributes using the `where` clause.

In order to search for those entities having a specific glossary term, you must add a fully qualified name. For example: `{termName}@{glossaryName}`. This term gets compared with the `qualifiedName` attribute of glossary type.

Where as, when you add only the term name, the resultant output will be the available entities with the specific term name. This is irrespective of what type of glossary it is in and would compare with the `name` attribute of the glossary type.

Additionally, to search for entities related to the referenced entities, you must add the relationship attribute and value to search for in the `where` clause. For example: To search for tables under a specific database. For example: `{relationshipName}.{attributeName} = {value}`

Examples of Glossary term filtering:

- Table `hasTerm savingAccount1234`
- Table `hasTerm "savingAccount1234@Banking"`
- Table `hasTerm "savingAccount1234@Banking" where Table.name = "customer_dim" and tableType = "external"`
- Table `hasTerm "savingAccount1234@Banking" select name orderby name desc`
- Table `hasTerm "savingAccount1234@Banking" limit 2`
- Table `hasTerm "savingAccount1234@Banking" or Table hasTerm "salesTerm@salesGlossary"`
- Table `hasTerm "savingAccount1234@Banking" and Table isA Dimension`
- Table `hasTerm "savingAccount1234t@Banking" and db.name = "Sales" or (Table.qualifiedName like "customer")`
- Table `where Table hasTerm "savingAccount1234@Banking"`
- Table `where (name = "customer_dim" and Table hasTerm "savingAccount1234@Banking")`
- Table `hasTerm "savingAccount1234@Banking" select count() as terms`

Examples of Relationship attributes filtering:

- Table `where db.name = "Sales4321"`
- Table `where name = "customer_dim" select columns`
- Table `where columns.name like "sales" and Table isA Dimension`
- Table `where db.name = "Sales4321" limit 2`
- Table `where db.name = "Sales4321" orderby name asc`
- Table `where db.name = "Sales4321" and columns.name like "sales" and Table hasTerm "salesTerm@salesGlossary" - (Combination of both where and hasTerm attribute and keyword respectively.)`

### Related Information

[Atlas Advanced Search language reference](#)



[Apache Atlas Advanced Search \(atlas.apache.org\)](https://atlas.apache.org)

## Atlas index repair configuration

Use the following information to troubleshoot Atlas basic search inconsistency.

In your Cloudera Manager instance running the Atlas service, add the following in "Atlas Server Advanced Configuration Snippet (Safety Valve) for conf/atlas-application.properties".

```
atlas.rebuild.index=true atlas.patch.numWorkers=22 atlas.patch.batchSize=1000
```

Later, restart the Atlas Service.