

Cloudera Runtime 7.3.2

Atlas Search

Date published: 2020-07-28

Date modified: 2026-03-31

CLOUdera

<https://docs.cloudera.com/>

Legal Notice

© Cloudera Inc. 2026. All rights reserved.

The documentation is and contains Cloudera proprietary information protected by copyright and other intellectual property rights. No license under copyright or any other intellectual property right is granted herein.

Unless otherwise noted, scripts and sample code are licensed under the Apache License, Version 2.0.

Copyright information for Cloudera software may be found within the documentation accompanying each component in a particular release.

Cloudera software includes software from various open source or other third party projects, and may be released under the Apache Software License 2.0 (“ASLv2”), the Affero General Public License version 3 (AGPLv3), or other license terms. Other software included may be released under the terms of alternative open source licenses. Please review the license and notice files accompanying the software for additional licensing information.

Please visit the Cloudera software product page for more information on Cloudera software. For more information on Cloudera support services, please visit either the Support or Sales page. Feel free to contact us directly to discuss your specific needs.

Cloudera reserves the right to change any products at any time, and without notice. Cloudera assumes no responsibility nor liability arising from the use of products, except as expressly agreed to in writing by Cloudera.

Cloudera, Cloudera Altus, HUE, Impala, Cloudera Impala, and other Cloudera marks are registered or unregistered trademarks in the United States and other countries. All other trademarks are the property of their respective owners.

Disclaimer: EXCEPT AS EXPRESSLY PROVIDED IN A WRITTEN AGREEMENT WITH CLOUDERA, CLOUDERA DOES NOT MAKE NOR GIVE ANY REPRESENTATION, WARRANTY, NOR COVENANT OF ANY KIND, WHETHER EXPRESS OR IMPLIED, IN CONNECTION WITH CLOUDERA TECHNOLOGY OR RELATED SUPPORT PROVIDED IN CONNECTION THEREWITH. CLOUDERA DOES NOT WARRANT THAT CLOUDERA PRODUCTS NOR SOFTWARE WILL OPERATE UNINTERRUPTED NOR THAT IT WILL BE FREE FROM DEFECTS NOR ERRORS, THAT IT WILL PROTECT YOUR DATA FROM LOSS, CORRUPTION NOR UNAVAILABILITY, NOR THAT IT WILL MEET ALL OF CUSTOMER’S BUSINESS REQUIREMENTS. WITHOUT LIMITING THE FOREGOING, AND TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, CLOUDERA EXPRESSLY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY, QUALITY, NON-INFRINGEMENT, TITLE, AND FITNESS FOR A PARTICULAR PURPOSE AND ANY REPRESENTATION, WARRANTY, OR COVENANT BASED ON COURSE OF DEALING OR USAGE IN TRADE.

Contents

Using Basic Search.....	4
Basic search enhancement.....	19
Using Relationship Search.....	20
Using Search filters.....	25
Ability to download search results from Atlas UI.....	30
How to download results using Basic and Advanced search options.....	32
Using Free-text Search.....	35
Search query enhancements.....	38
Ignore or Prune pattern to filter Hive metadata entities.....	43
How Ignore and Prune feature works.....	44
Using Ignore and Prune patterns.....	44
Using generic ignore patterns.....	46
Saving searches.....	49
Using advanced search.....	50
Atlas index repair configuration.....	54

Using Basic Search

Basic Search allows you to find entities by type, classification, term, or text, using filters to refine results. It supports logical conditions, partial matches, and attribute-specific searches. Saved searches enable quick reuse for frequent queries.

With **Basic Search**, Atlas returns all of the entities of the type you select.

There are multiple ways you can define a **Basic Search**. Setting a value in more than one search field builds a logical AND condition for the search. To repeat the same search, click the Refresh button.



Figure 1: Basic search with classification and glossary term filters







Apache Atlas

Entities, Classifications, Glossaries


▼ Entities

>  file_system (27)

>  hbase (11)

▼  hive (880)

 hive_column (332)

 hive_column_lineage (15)

| **For Classic**

|




Apache Atlas

 **SEARCH**

 **CLASSIFICATION**

Basic



Advanced 

Search By Type

hive_table (77)

Search By Classification

Business Domain (2)


Search By Term

For New user interface

Entities


When using the New User Interface, all entity types with available assets are listed by default in the **Basic Search** view in a flat or grouped tree. Clicking any type starts a search filtered to the specific entity type.


Figure 2: Search by entity types



Choose `_ALL_ENTITY_TYPES` to apply an attribute filter for all entity types.




Clicking the  icon refreshes the list of types. Selecting the radio button shows all Atlas supported entity types, not only those with assets.





Classifications

All classifications that are assigned to assets are listed by default. Clicking any classification starts a search filtered to the specific classification.

Figure 3: Search by classifications




Clicking the  icon refreshes the list of classifications. Selecting the radio button shows all available classifications, not only those with assigned assets.



Business MetaData

You can access your business metadata sets from the **Basic Search** menu.


Figure 4: Business metadata sets




Glossary

All glossary terms are listed by default. Clicking any terms starts a search filtered to the specific term.

Figure 5: Search by glossary terms




Clicking the refresh icon refreshes the list of terms. Selecting the radio button shows only the available glossary categories.







Search Entities, Classifications Glossaries by text


You can quickly filter your available Entities, Classifications Glossaries by typing in a name of an element.










Figure 6: Filtering Hive entities




 **Apache Atlas**

hive_ 

▼ **Entities**   

▼  **hive (880)**

-  **hive_column (332)**
-  **hive_column_lineage (152)**
-  **hive_db (20)**
-  **hive_db_ddl (25)**
-  **hive_process (56)**
-  **hive_process_execution (58)**
-  **hive_storagedesc (77)**
-  **hive_table (77)**
-  **hive_table_ddl (83)**


Classifications   

Filters

You can add additional filters combined with logical operators to your entity, classification and glossary terms filter conditions.


- Operator for filter conditions:
 - AND
 - OR
- Operators for value conditions:
 - String conditions: =, !=, contains, begins_with, ends_with, is_null, not_null
 - Date conditions: =, !=, >, <, >=, <=, Time Range, is_null, not_null
 - Boolean conditions: =, !=, is_null, not_null

Figure 7: Additional filters



Custom Filters


You can also save your search conditions as **Custom Filters** by clicking Save Filter.



Columns

You can select further column values for your search results to display. The available values depend on the result types.

Figure 8: Column values



For Classic user interface

Search By Type

- Choose an entity type to limit the search.
- Choose `_ALL_ENTITY_TYPES` to apply an attribute filter for all entity types.

Figure 9: Basic entity search

The screenshot displays the Apache Atlas search interface. At the top left is the Apache Atlas logo. Below it are navigation links for SEARCH, CLASSIFICATION, and GLOSSARY. A search mode toggle is set to 'Basic'. A 'Search By Type' dropdown menu is open, showing a list of entity types including 'hive', 'hive_column (332)', 'hive_column_lineage (152)', 'hive_db (20)', 'hive_db_ddl (25)', 'hive_process (56)', and 'hive_process_execution (58)'. A red box highlights a funnel icon on the right side of the dropdown menu.



Search By Type and specify attribute values using the Entity Attribute Filter


The **Attribute Filter** dialog box lists all the attributes that correspond to the selected entity type, including:

- Technical attributes specific to the entity type
- System attributes, including classifications, labels, and user-defined properties
- Business Metadata attributes
- Terms



Note: When searching classifications in the **Search By Type** filter, use "contains" rather than "=" for the filter operator. If there is more than one classification assigned to an entity, "contains" matches a single classification name; equal only matches the entire list of classifications names.

Figure 10: Entity Attribute Filter options




Search By Classification

- Choose an existing classification; the search returns all entities that have that classification assigned to them.
- Choose `_ALL_CLASSIFICATION_TYPES` to apply an attribute filter across all classifications.
- Choose `_CLASSIFIED` or `_NOT_CLASSIFIED` with an entity type selected to find entities of that type with any or no classifications assigned.




Search By Classification and specify attribute values using the Filter

The **Attribute Filter** dialog box lists all the attributes for the selected classification; set a value to one or more attributes to define the search. You can choose to match partial strings using the "contains", "begins with", and "ends with" operators.



Search by Term

Choose an existing glossary term. Enter the first few letters to select a term from a list of matching terms. This filter is case-sensitive.



Search by Text

Search on string values for technical, system, Business Metadata, and classification attribute values. Labels and terms are also included. This search is the same as the Free-Text search; note that when you enter text in the Free-Text search box, it fills in this Search By Text field also.

Columns

You can select further column values for your search results to display. The available values depend on the result types.


Figure 11: Column values

The screenshot shows the Apache Atlas search interface. On the left, there are search filters: 'Basic' (selected) and 'Advanced'. The search criteria include 'Search By Type' (hive_table (77)), 'Search By Classification', 'Search By Term', and 'Search By Text'. Below these are 'Favorite Searches' with a list including 'hive_columns', 'hive_db', 'hive_process', and 'hive-tables'. The main search results table displays columns: Name, Owner, Type, Description, and Classification. The results list various 'hive_table' entries such as 'agg_route_performance', 'airlines_new', and 'baggage_drop_raw'. A 'Columns' dropdown menu is open over the table, showing a list of available columns for display, including Name, Owner, Type, Description, Classifications, Term, Aliases, Columns, Comment, CreateTime, Db, DdlQueries, DisplayName, InputToProcesses, LastAccessTime, and Meanings.

Name	Owner	Type	Description	Classification
agg_route_performance	admin	hive_table		Business...
airlines_new	admin	hive_table		Pil_Com...
baggage_drop_raw	admin	hive_table		+
baggage_drop_raw_3	admin	hive_table		+
baggage_drop_raw_4	admin	hive_table		+
baggage_drop_raw_new	admin	hive_table		+
baggage_priority_load_3	admin	hive_table		+
baggage_priority_load_4	admin	hive_table		+
baggage_security_check_new	admin	hive_table		+
baggage_standard_load_3	admin	hive_table		+
catering_kitchen_queue	admin	hive_table		+
catering_orders_raw	admin	hive_table		+
catering_orders_raw	admin	hive_table		+

Favorite Searches

You can also save your search conditions as **Favorite Searches**.



Related Information

[Using Free-text Search](#)

[Searching for entities using Business Metadata attributes](#)

[Searching for entities using terms](#)

[Searching for entities using classifications](#)

[Saving searches](#)

[Apache Atlas metadata attributes](#)

[Using Search filters](#)

Basic search enhancement

While performing basic search in Atlas, you can exclude header attributes of entities from the response to reduce latency.

The Basic Search feature in Atlas has `AtlasEntityHeader` data type of each entity in the response.

The `AtlasEntityHeader` data type has multiple attributes including classification and terms. `AtlasEntityHeader` requests the Janusgraph database to provide the information for each attribute. This process can be time consuming increasing the response latency.

To overcome this situation, you can add a flag to exclude generic attributes and add only the selected attributes from the attributes field in the response.

In the request payload, including the following improves the search experience:

- `Attributes having entityTypees`
- `excludeHeaderAttributes=true`

- Valid entity attributes (not relationship) in the attributes field



Note: The `excludeHeaderAttributes` attribute overrides other attributes' fields such as the `includeClassificationAttributes` in the request payload.

An example payload request:

Request

```
{
  "excludeDeletedEntities": true,
  "includeSubClassifications": true,
  "includeSubTypes": true,
  "includeClassificationAttributes": true,
  "limit": 25,
  "offset": 0,
  "typeName": "hdfs_path",
  "attributes": ["path", "name"],
  "excludeHeaderAttributes": "true"
}
```

Response

```
{
  "queryType": "BASIC",
  "searchParameters": {
    "typeName": "hdfs_path", "excludeDeletedEntities": true, "includeClassificationAttributes": true, "includeSubTypes": true, "includeSubClassifications": true, "limit": 25, "offset": 0, "attributes": ["path", "name"] }
  ,
  "attributes": {
    "name": ["path", "name"],
    "values": [
      ["/data/warehouse/customer", "customer"],
      ["/data/warehouse/sales", "sales"]
    ]
  }
  ,
  "approximateCount": 2
}
```

Using Relationship Search

Entities in Atlas can be searched based on the relationships that describe various metadata between entity endpoints.



Important: By default, the Relationship Search feature is disabled in Atlas to reduce the start and restart time of the service.

As an example, a relationship between entities `hive_table` and `hive_db` can be attributed or defined as `hive_table_db`, which has a standalone metadata that can be added as an attribute to this format. By searching for `hive_table_db`, you can retrieve the relationship between `hive_table` and `hive_db` entities. This enhancement ensures that those relationships which are tied to the entities and that match the filter criteria on attributes of the relationships, can be searched.

Enabling relationship search

You can enable Relationship Search in Cloudera Manager under Atlas Server Advanced Configuration Snippet for `conf/atlas-application.properties` by setting the `atlas.relationship.search.enabled` property to `true`.



Note: Until the property is enabled, Relationship Search is not visible in the user interface.

Configuring Relationship Search

For the entities to be searchable in the relationship definition model, the attributes must be added and marked as indexable before starting the Atlas service.

Use the POST API `typedef` for the following configuration:

As an example of the configuration setup is as follows:

```
{
  "attributeDefs": [{
    "Name": "edge_property1",
    "isIndexable": true
  }]
}
```



Note:

The following API calls are enabled if the `isIndexable` flag is set to true:

- GET/POST `/v2/search/relations`
- GET `/v2/search/relationship`

These API calls are not available by default.

In Atlas, once the `atlas.relationship.search.enabled` property is set to true, you can switch between Entity Search and Relationship Search in the classic user interface:


For New user interface

When using the new user interface, **Relationships** will appear in the **Basic Search** pane, following the other metadata categories, such as, **Entities**, **Classifications**, **Glossary**.

The screenshot displays the Apache Atlas user interface. On the left, a sidebar menu shows a list of categories under 'Relationships', with 'AtlasGlossarySemanticAssignment' selected. The main content area shows a search results table with columns: Guid, Type, End1, End2, and Label. The table contains several rows of data, all of which are 'AtlasGlossarySemanticAssignment' type. The interface includes a search bar at the top, navigation buttons like 'Filters' and 'Clear', and options for 'Save Filter', 'Columns', and 'Download'.

Guid	Type	End1	End2	Label
32282db3-e513-47ef-b68b-f...	AtlasGlossarySemanticAssignment	Flight Manifest@Airline Operations Glossary	airline_operations.enriched_flg...	rAtlasGlossarySemanticAssignm...
57b4795a-1102-4ad6-afe2-...	AtlasGlossarySemanticAssignment	IATA Code@Airline Operations Glossary	airline_operations.raw_bookings...	rAtlasGlossarySemanticAssignm...
5b9e5831-da7e-4828-a315-...	AtlasGlossarySemanticAssignment	Flight Manifest@Airline Operations Glossary	airline_operations.stg_flight_ma...	rAtlasGlossarySemanticAssignm...
02706296-b823-46d2-bc88-...	AtlasGlossarySemanticAssignment	IATA Code@Airline Operations Glossary	airline_operations.agg_route_pe...	rAtlasGlossarySemanticAssignm...
c9a8ddf4-e74a-45ba-b06c-...	AtlasGlossarySemanticAssignment	SWIFT Code@Airline Operations Glossary	airline_operations.airlines_new...	rAtlasGlossarySemanticAssignm...
3f3dc0bd-f2a1-4108-970d-c...	AtlasGlossarySemanticAssignment	IATA Code@Airline Operations Glossary	airline_operations.enriched_flg...	rAtlasGlossarySemanticAssignm...
b369520e-99fc-429e-9682-1...	AtlasGlossarySemanticAssignment	Airline Alliance@Airline Operations Glossary	airline_operations.airlines_new...	rAtlasGlossarySemanticAssignm...
1dbfc719-4f7b-4ec7-aa83-0...	AtlasGlossarySemanticAssignment	Data Enrichment@Airline Operations Glossary	airline_operations.dim_aircraft...	rAtlasGlossarySemanticAssignm...
42932985-5b49-40ad-a4d9-...	AtlasGlossarySemanticAssignment	Flight Manifest@Airline Operations Glossary	airline_operations.raw_bookings...	rAtlasGlossarySemanticAssignm...
5f1c0e07-d62f-494f-b8c4-0e...	AtlasGlossarySemanticAssignment	Dimension Table@Airline Operations Glossary	airline_operations.airlines_new...	rAtlasGlossarySemanticAssignm...
782b9113-f6a7-449a-a069-...	AtlasGlossarySemanticAssignment	Passenger Name Record@Airline Operations Glossary	airline_operations.enriched_flg...	rAtlasGlossarySemanticAssignm...
6cd7994b-b64e-4f20-97ea-...	AtlasGlossarySemanticAssignment	Load Factor@Airline Operations Glossary	airline_operations.agg_route_pe...	rAtlasGlossarySemanticAssignm...

For Classic user interface



For New user interface

The screenshot displays the Apache Atlas classic user interface. On the left is a dark sidebar with navigation options: Entities, Classifications, Business MetaData, Glossary, Relationships (expanded), and Custom Filters. The 'Relationships' section is active, showing a search for 'AtlasGlossarySemanticAssignment'. The main content area features a search bar at the top with the text 'Search Entities...'. Below the search bar are buttons for 'Filters', 'Clear', 'Save Filter', 'Columns', and 'Download'. The central part of the interface is a table listing search results. The table has columns for 'Guid', 'Type', 'End1', 'End2', and 'Label'. The results are filtered to show only 'AtlasGlossarySemanticAssignment' relationships. The table contains 15 rows of data, each representing a specific relationship between entities in the Atlas metadata.

Guid	Type	End1	End2	Label
32282db3-e513-47ef-b68b-f...	AtlasGlossarySemanticAssignment	Flight Manifest@Airline Operations Glossary	airline_operations.enriched_flg...	r:AtlasGlossarySemanticAssignm...
57b4795a-1102-4ad6-afe2-...	AtlasGlossarySemanticAssignment	IATA Code@Airline Operations Glossary	airline_operations.raw_bookings...	r:AtlasGlossarySemanticAssignm...
5b9e5831-da7e-4828-a315-...	AtlasGlossarySemanticAssignment	Flight Manifest@Airline Operations Glossary	airline_operations.stg_flight_ma...	r:AtlasGlossarySemanticAssignm...
02706296-b823-46d2-bc88-...	AtlasGlossarySemanticAssignment	IATA Code@Airline Operations Glossary	airline_operations.agg_route_pe...	r:AtlasGlossarySemanticAssignm...
c9a8ddf4-e74a-45ba-b06c-...	AtlasGlossarySemanticAssignment	SWIFT Code@Airline Operations Glossary	airline_operations.airlines_new...	r:AtlasGlossarySemanticAssignm...
3f3dc0bd-f2a1-4108-970d-c...	AtlasGlossarySemanticAssignment	IATA Code@Airline Operations Glossary	airline_operations.enriched_flg...	r:AtlasGlossarySemanticAssignm...
b369520e-99fc-429e-9682-1...	AtlasGlossarySemanticAssignment	Airline Alliance@Airline Operations Glossary	airline_operations.airlines_new...	r:AtlasGlossarySemanticAssignm...
1dbfc719-4f7b-4ec7-aa83-0...	AtlasGlossarySemanticAssignment	Data Enrichment@Airline Operations Glossary	airline_operations.dim_aircraft...	r:AtlasGlossarySemanticAssignm...
42932985-5b49-40ad-a4d9-...	AtlasGlossarySemanticAssignment	Flight Manifest@Airline Operations Glossary	airline_operations.raw_bookings...	r:AtlasGlossarySemanticAssignm...
5f1c0e07-d62f-494f-b8c4-0e...	AtlasGlossarySemanticAssignment	Dimension Table@Airline Operations Glossary	airline_operations.airlines_new...	r:AtlasGlossarySemanticAssignm...
782b9113-f6a7-449a-a069-...	AtlasGlossarySemanticAssignment	Passenger Name Record@Airline Operations Glossary	airline_operations.enriched_flg...	r:AtlasGlossarySemanticAssignm...
6cd7994b-b64e-4f20-97ea-...	AtlasGlossarySemanticAssignment	Load Factor@Airline Operations Glossary	airline_operations.agg_route_pe...	r:AtlasGlossarySemanticAssignm...

For Classic user interface



SEARCH

CLASSIFICATION

GLOSSARY

ENTITIES

RELATIONSHIPS

Search By Relationship

Select Relationship

hive

hive_db_ddl_queries

hive_db_location

hive_db_managed_location


hive_process_column_lineage

hive_process_process_executions

hive_table_columns



The list of entities with the type `hive_table_columns` contains additional information about the connected entities.



You can apply filters by certain relationships types to refine your search.

By clicking on each search result, you can navigate to the details page to view additional details and pertinent information.

In the example image, end 1 and end 2 are the entities with which the relationship is created.

Using Search filters

Basic Search includes filter icons that allow you to search for entities based on one or more attribute values.

In a filter row, the attribute's data type determines which of the following operators can be used to define your search criteria:

Strings	Dates	Enumerations Boolean	Numerics
=		=	=
!=		!=	!=
	>	>	>
	<	<	<
is null	is null	is null	is null
is not null	is not null	is not null	is not null
contains			
begins with			
ends with			

All classification attributes are string values; numerics include byte, short, int, float, double, and long attribute data types.




Note: If the attribute you are searching for includes multiple values, use "contains" rather than "=" to make sure the search finds the individual value out of the list.

For New user interface

The screenshot displays the Apache Atlas New user interface. On the left, a sidebar shows a search for 'hive_' and a list of entities including 'hive' (880), 'hive_column' (332), 'hive_column_lineage' (152), 'hive_db' (20), 'hive_db_ddl' (25), 'hive_process' (56), 'hive_process_execution' (58), 'hive_storagedesc' (77), 'hive_table' (77), and 'hive_table_ddl' (83). Below the entities are sections for 'Classifications', 'Business MetaData', 'Glossary', and 'Custom Filters' (Basic Search). The main area shows a search for 'hive_process' with a dropdown menu open for 'hive_process Attribute'. The dropdown lists various attributes such as 'clusterName (string)', 'description (string)', 'displayName (string)', 'endTime (date)', 'name (string)', 'operationType (string)', 'owner (string)', 'qualifiedName (string)', 'queryGraph (string)', 'queryId (string)', 'queryPlan (string)', 'queryText (string)', 'startTime (date)', 'userDescription (string)', 'userName (string)', and 'System Attribute' (Guid (string), Type Name (string), Created Timestamp (date), Last Modified Timestamp (date), Created By User (string)). The main interface also includes a search bar, filters, and a table of results with columns for 'Classifications' and 'Term'.

For Classic user interface



To search on values for more than one attribute, add another filter row to the search filter (click Add filter). The search can find entities matching either filter criteria (logical OR) or matching both criteria (logical AND). Set the logic using the AND / OR buttons at the top-left of the filter rows.

You can combine logical AND and OR criteria using filter groups. The logic is the same within a filter group; use more than one filter group to produce both AND and OR logic. For example, the following classification attribute filter searches for entities that have Passport, Name or Age, Name PII types and are assigned to the Compliance_Analysts access group.

For New user interface

Figure 13: Filter settings

▼ **Include/Exclude**

Show historical entities
 Exclude sub-classifications
 Exclude sub-types

▼ **Type: hive_table**

AND ▼
+ Add filter
+ Add filter group

▼ **Classification: PII_Combined**

OR ▼
+ Add filter
+ Add filter group

pii_types (string) ▼
= ▼
Passport, Name
✕

pii_types (string) ▼
= ▼
Age, Name
✕

AND ▼
+ Add filter
+ Add filter group
✕

access_group (string) ▼
= ▼
Compliance_Analysts
✕

Apply
Close

Figure 14: Filter results

Apache Atlas

Entities, Classifications, Glossaries

- ▼ Restricted
- ▼ PII_Combined (8)

Search Entities... Advanced

Filters
Clear
Save Filter
Columns ▼
Download
+ Create Entity

(Type:hive_table) AND (Classification:PII_Combined AND (OR (pii_types=Passport, Name AND pii_types=Age, Name AND)))

Name ↑	Owner ↑	Description ↑	Type ↑	Classifications	Term
agg_route_perform...	admin		hive_table	Business Performa...	IATA Code@Airline ...
enriched_flight_data	admin		hive_table	GDPR_PNR	IATA Code@Airline ...
raw_bookings	admin		hive_table	Flight Operations	IATA Code@Airline ...
route_performance...	admin		hive_table	Archive	Load Factor@Airlin...
stg_flight_manifests	admin		hive_table	Staged	Personally Identifia...

Showing 5 records From 1 - 25 Page Limit : 25

For Classic user interface
Figure 15: Filter settings

Attribute Filter ✕

AND
OR
+ Add filter
+ Add filter group

pii_types (string)
=
Passport, Name
✕

pii_types (string)
=
Age, Name
✕

AND
OR
+ Add filter
+ Add filter group
✕ Delete

access_group (string)
=
Compliance_Analysts
✕

Cancel
Apply
Search

Figure 16: Filter results

☰
Q Search entities
⌵
📊
admin

Results for: (**Type: hive_table**) AND (**Classification: PII_Combined** AND (OR (**pii_types = Passport, Name**, **pii_types = Age, Name**, AND (**access_group = Compliance_Analysts**))))

If you do not find the entity in search result below then you can [create new entity](#)


Exclude sub-types
 Exclude sub-classifications
 Show historical entities
 Columns ▾
Download

☐ Name ▲	Owner ⇅	Type ⇅	Description ⇅	Classifications	Term
☐ agg_route_performance	admin	hive_table		Business... ✕ + ⋮	IATA Cod... ✕ + ⋮
☐ enriched_flight_data	admin	hive_table		GDPR_P... ✕ + ⋮	IATA Cod... ✕ + ⋮
☐ raw_bookings	admin	hive_table		Flight O... ✕ + ⋮	IATA Cod... ✕ + ⋮
☐ route_performance_archive_hive	admin	hive_table		Archive... ✕ + ⋮	Load Fac... ✕ +
☐ stg_flight_manifests	admin	hive_table		Staged@... ✕ + ⋮	Personal... ✕ + ⋮


Showing 5 records From 1 - 25
Page Limit: 25 ▾

If you wanted to further limit the search results to the entities that were created in Atlas in the last 24 hours, you would open the attribute filter for **Search by Entity Type/Entities** and set the system attribute Created Timestamp less than 24 hours. To open the Search by Entity Type filter, you would need to select an entity type or "_ALL_ENTITY_TYPES".

For New user interface



For Classic user interface




Ability to download search results from Atlas UI

Atlas supports improved search results capabilities. You can download search results for both basic and advanced search options. You can configure the parameters to specify a directory path and configure automatic cleaning up of files to manage space efficiently.

You can Download the search results of both Basic and Advanced (DSL) searches, in CSV file format.

For New user interface



Search Entities... Advanced admin


Entities, Classifications, Glossaries

(Type:hive_table) AND (Classification:PII_Combined AND (OR (pii_types=Passport, Name pii_types=Age, Name AND)))

Name	Owner	Description	Type	Classifications	Term
agg_route_perform...	admin		hive_table	Business Performa...	IATA Code@Airline ...
enriched_flight_data	admin		hive_table	GDPR_PNR	IATA Code@Airline ...
raw_bookings	admin		hive_table	Flight Operations	IATA Code@Airline ...
route_performance...	admin		hive_table	Archive	Load Factor@Airlin...
stg_flight_manifests	admin		hive_table	Staged	Personally Identifia...

Showing 5 records From 1 - 25 Page Limit: 25

For Classic user interface



Search entities admin

Results for: (Type: hive_table) AND (Classification: PII_Combined AND (OR (pii_types = Passport, Name, pii_types = Age, Name, AND (access_group = Compliance_Analysts))))

If you do not find the entity in search result below then you can create new entity

Exclude sub-types Exclude sub-classifications Show historical entities Columns Download

Name	Owner	Type	Description	Classifications	Term
agg_route_performance	admin	hive_table		Business...	IATA Cod...
enriched_flight_data	admin	hive_table		GDPR_P...	IATA Cod...
raw_bookings	admin	hive_table		Flight O...	IATA Cod...
route_performance_archive_hive	admin	hive_table		Archive...	Load Fac...
stg_flight_manifests	admin	hive_table		Staged@...	Personal...

Showing 5 records From 1 - 25 Page Limit: 25

The CSV files are stored on the local file system. This download option queues up the search results and downloads the files in the following format: User type_type_of_search_timestamp. For example: admin_DSL_2023-04-29_04-56.csv indicates that the file contains results of search performed using the advanced search option.

Atlas employs the API path to route the requests to queue up the search results and later convert them to CSV files. The following are commonly used for the search and download operations.

- /atlas/v2/search/<basic/dsl>/download/create_file
- /atlas/v2/search/download/status - Status API
- /atlas/v2/search/download/{filename} - Download request API

Search results configuration

You can configure the search result size. The default value of search result size is 10000 and only 50 simultaneous requests can be done. You can configure the search request using the atlas.download.search.max.pending.tasks property.

You can configure the parameters in such a way that the downloaded CSV files are available in a specified directory path for a fixed time period and they are automatically cleaned up to free up the storage space. You can search for specific type definitions in Atlas and download them as appropriate.

The following APIs can be used to manage the download options and can be included in the **Configuration** tab in the Cloudera Manager instance under **Atlas Server Advanced Configuration Snippet (Safety Valve)** for `conf/atlas-application.properties`.


- `atlas.download.search.dir.path` - Use this parameter to define the path for storing the downloaded CSVs.
- `atlas.download.search.file.expiry.millis` - Use this parameter to set the time limit for the downloaded file to live in the storage. As an example: 180000 milliseconds # 3 minutes.




Note: For every logged in user, a separate directory is created automatically under the path defined by the `atlas.download.search.dir.path` property and the user's requested search files are stored in that directory. Users can only download files created by them using UI / API.

How to download results using Basic and Advanced search options

Using the Basic search option you can search and download the results. You must select the type of query and search for the results and later click the Download option.

The search query queues up the results. Click  to view the resultant queue.

For New user interface




The screenshot shows the Apache Atlas search results page. On the left is a navigation sidebar with categories like 'AtlasServer (1)', 'file_system (38)', 'hdfs_path (38)', 'hbase (11)', 'hbase_column_family (9)', 'hbase_namespace (1)', 'hbase_table (1)', and 'hive (2300)'. The main area has a search bar with 'Search Entities...' and a 'Type:hive_table' filter. Below the filter is a table of search results:

Name	Owner	Description	Type	Classifications	Term
airlines_new	admin		hive_table	PIL_Combined	Airline Alliance@Air...
baggage_carousel_...	admin		hive_table		
baggage_delivery_8	admin		hive_table		

A 'Downloads' dialog box is open, showing a file named 'admin_BASIC_2025-12-09_13-23-11.291.csv' with a download icon.


You can expand the scope of the downloaded search results by using the Column drop-down menu to select the columns that you want to get include in the CSV files.

For Classic user interface



For win

For New user interface



For Classic user interface

The top screenshot shows the Apache Atlas search interface with the search type set to 'hive_table'. A 'Download' button is highlighted with a red box. A green notification box states: 'The current search results have been enqueued for download. You can access the csv file by clicking the large arrow icon at the top of the page.'

Name	Owner	Type	Description	Classifications	Term
airlines_new	admin	hive_table		PII.Com...	Airline AL...
baggage_carousel_alloc_10	admin	hive_table			
baggage_delivery_8	admin	hive_table			
baggage_drop_raw_5	admin	hive_table			
baggage_drop_raw_6	admin	hive_table			
baggage_drop_raw_7	admin	hive_table			
baggage_drop_raw_8	admin	hive_table			
baggage_fast_track_10	admin	hive_table			
baggage_final_log_7	admin	hive_table			
baggage_fragile_6	admin	hive_table			
baggage_local_load_5	admin	hive_table			
baggage_sorting_8	admin	hive_table			
baggage_staging_5	admin	hive_table			

The bottom screenshot shows the same search results with a 'Downloads' dialog box open, displaying a CSV file named 'admin_BASIC_2025-12-09_12-48-30.315.csv'.

You can search using the Advanced option and download the search results. For example, you can search by using the name and owner criteria. Click Download and follow the same process as described while performing the Basic search operations.

For Classic user interface

The screenshot shows the Apache Atlas search interface with the search type set to 'hive_table'. A 'Download Search Results' button is visible at the top right of the results table.

Name	Owner	Type	Description	Classifications	Term
pax_boarding_pass_final_12	admin	hive_table			
baggage_drop_raw	admin	hive_table			
baggage_drop_raw_6	admin	hive_table			
baggage_fragile_6	admin	hive_table			
baggage_drop_raw_7	admin	hive_table			
baggage_priority_load_3	admin	hive_table			
baggage_aircraft_load	admin	hive_table			

For New user interface

The screenshot shows the Apache Atlas interface. On the left is a navigation sidebar with a tree view of entities. The main area displays a search results table for the query 'Type:hive_table'. The table has columns: Name, Owner, Description, Type, Classifications, and Term. The 'Download' button in the top right of the table area is highlighted with a red box.

Name	Owner	Description	Type	Classifications	Term
airlines_new	admin		hive_table	PII_Combined	Airline Alliance@Air...
baggage_carousel_...	admin		hive_table		
baggage_delivery_8	admin		hive_table		
baggage_drop_raw_5	admin		hive_table		
baggage_drop_raw_6	admin		hive_table		
baggage_drop_raw_7	admin		hive_table		
baggage_drop_raw_8	admin		hive_table		
baggage_fast_track...	admin		hive_table		
baggage_final_log_7	admin		hive_table		
baggage_fragile_6	admin		hive_table		
baggage_local_loa...	admin		hive_table		
baggage_sorting_8	admin		hive_table		

Using Free-text Search


Apache Atlas builds a ranked index of metadata values so you can search for values across all metadata.

The search field in the top of the dashboard lets you search for entities, classifications, or terms by entering any full or partial text to match any entity metadata values. Atlas searches all metadata fields that have string data types, so you can use this search tool to find entities by their labels, descriptions, locations, or other metadata.


For New user interface

The screenshot shows the search interface for the new user interface. The search bar contains the text 'raw' and the 'Advanced' button is visible. Below the search bar, a list of entities is shown, including '/warehouse/tablespace/external/hive/airline_operations.db/raw_bookings(hdfs_path)', 'airline_engineering.view_daily_engine_health@cm:1763463965000(hive_process)', 'view_daily_engine_health(hive_table)', 'engine_telemetry_logs(hive_table)', and 'raw_bookings(hive_table)'. Below the entities, a 'Suggestions' section shows 'raw_bookings' and 'raw_data'.

For Classic user interface



Searches are case insensitive. You can add the asterisk (*) wildcard to the search term's start or end or terms to find partial strings anywhere they occur in the metadata value.



For Classic user interface

The screenshot shows the Cloudera Classic user interface search results for the query "aircraft". The search bar at the top contains "aircraft*" and the user is logged in as "admin". Below the search bar, the results are displayed in a table with columns: Name, Owner, Type, Description, Classifications, and Term. The table lists various entities related to aircraft, including airline operations, performance metrics, and models. Each row has a checkbox on the left and a "+" icon on the right. There are also filters for "Exclude sub-types", "Exclude sub-classifications", and "Show historical entities", along with "Columns" and "Download" buttons.

<input type="checkbox"/>	Name ▲	Owner ⇅	Type ⇅	Description ⇅	Classifications	Term
<input type="checkbox"/>	airline_operations.raw_bookings@c...		hive_table_ddl		+	+
<input type="checkbox"/>	airline_operations.stg_flight_manifes...		hive_table_ddl		+	+
<input type="checkbox"/>	airline_operations.enriched_flight_da...		hive_table_ddl		+	+
<input type="checkbox"/>	agg_route_performance	admin	hive_table		Business... x + ...	IATA Cod... x + ...
<input type="checkbox"/>	aircraft_model	admin	hive_column		+	+
<input type="checkbox"/>	aircraft_model	admin	hive_column		+	+
<input type="checkbox"/>	aircraft_model	admin	hive_column		+	+
<input type="checkbox"/>	aircraft_model_raw	admin	hive_column		+	+
<input type="checkbox"/>	aircraft_tail_number	admin	hive_column		Asset_M... x + ...	+
<input type="checkbox"/>	aircraft_tail_number	admin	hive_column		Asset_Maste... + ...	+
<input type="checkbox"/>	airline_engineering.view_daily_engin...		hive_column_lineage		Asset_Maste... + ...	+
<input type="checkbox"/>	airline_operations.enriched_flight_da...		hive_process_execution		+	+
<input type="checkbox"/>	airline_operations.raw_bookings@c...		hive_process_execution		+	+

The following single and double characters have special meaning:

```
+ - && | | ! ( ) { } [ ] ^ " ~ * ? : \
```

If your search string includes one of these characters, surround the string in double quotation marks or escape the special character with a backslash.

You can see that the search terms you use in the search at the top of the dashboard are also inserted into the free text search field in the left Search panel: you can combine the free text search with other selections to narrow the search results. The combination acts as an “AND” with other search criteria.

Search result ordering: The search results are ranked by how well they match the search terms, with entities that match on more than one metadata value being ranked higher.

Different metadata have different scores, where the highest scoring metadata fields are entity names, including Kafka topic names. Descriptions, users/owners, query text, and comments rank next. Locations, namespaces, domains, etc. come next. Search results are not ordered in any specific way among results that have the same search ranking.


Suggestions: As you enter your search text, you see the five highest-ranked matching items and as many as five suggestions.

The matching items are ranked in the same way as the general search results, case-sensitive (at the moment) terms that “contain” the search terms; If there are more than five search results with the same search ranking, the five shown are randomly ordered from the highest scoring results.

The suggested items are chosen from search results that match with a “starts with” behavior.

Limitations

The suggestions under the Free-text Search field work independently from the search results. Also, certain languages have different behaviors when they are used for searching:

Language or Alphabet	Limitations
<ul style="list-style-type: none"> English and languages with Latin alphabets Chinese Japanese Japanese Kana 	<ul style="list-style-type: none"> Searching entity names (indexable attributes) <ul style="list-style-type: none"> Suggestions are provided for multicharacter searches. Partial search terms return results. Searching descriptions or comments and other (non-indexable attributes) <ul style="list-style-type: none"> Suggestions are not provided for multiword searches. Partial search terms return results.
<ul style="list-style-type: none"> Korean 	<ul style="list-style-type: none"> Searching entity names (indexable attributes) <ul style="list-style-type: none"> Suggestions are provided for multicharacter searches. Partial search terms do not return results. Only partial suggestions return search results. Searching descriptions or comments and other (non-indexable attributes) <ul style="list-style-type: none"> Suggestions are provided for multicharacter searches. Partial search terms do not return results. Only partial suggestions return search results. <p> Note: For Korean, you need to add manually the asterisk character to enable partial search results. However, suggestions are provided for partial searches if your search matches the start of an existing term.</p>

Search query enhancements

Atlas search query enhancements simplify search operations by removing the need to prefix attribute names, handling special characters effectively, and differentiating between text-based and string-based attributes for precise results.

Searching for qualified names

Performing free-text or quick search does not require adding a prefix to the attribute name in the search text query. You can directly search for the entities by searching with its value.

To search an entity with the qualified name `airline_operations.raw_booking@cm`:

You can directly add `airline_operations.raw_booking@cm` in the search bar instead of `qualifiedName="airline_operations.raw_booking@cm"`.

For New user interface

Search Entities... [Advanced](#)

[Filters](#) [Clear](#) [Save Filter](#) [Columns](#) [Download](#) [+ Create Entity](#)

Query: `airline_operations.flight_summary_complex@cm`

<input type="checkbox"/>	Name ↑	Owner ↑	Description ↑	Type ↑	Classifications	Term
<input type="checkbox"/>	airline_operations	admin		hive_db	+	+
<input type="checkbox"/>	app	admin		hive_column	+	+
<input type="checkbox"/>	atlas_janus	atlas	atlas_janus	hbase_table	+	+
<input type="checkbox"/>	bytes	admin		hive_column	+	+
<input type="checkbox"/>	client_ip	admin		hive_column	+	+
<input type="checkbox"/>	country_name	admin		hive_column	+	+
<input type="checkbox"/>	default	atlas	default	hbase_namespace	+	+
<input type="checkbox"/>	default	public	Default Hive database	hive_db	+	+
<input type="checkbox"/>	e	atlas	e	hbase_column_family	+	+
<input type="checkbox"/>	f	atlas	f	hbase_column_family	+	+
<input type="checkbox"/>	flight_summary_comp...	admin		hive_table	BusinessPerformance ...	+
<input type="checkbox"/>	g	atlas	g	hbase_column_family	+	+
<input type="checkbox"/>	h	atlas	h	hbase_column_family	+	+
<input type="checkbox"/>	i	atlas	i	hbase_column_family	+	+

For Classic user interface

Results for: Query: `airline_operations.flight_summary_complex@cm`
 If you do not find the entity in search result below then you can [create new entity](#)

Exclude sub-types Exclude sub-classifications Show historical entities [Columns](#) [Download](#)

<input type="checkbox"/>	Name	Owner	Type	Description	Classifications	Term
<input type="checkbox"/>	airline_operations.flight_summary_complex@cm...		hive_storagedesc		+	+
<input type="checkbox"/>	airline_operations.flight_summary_complex@cm:...		hive_table_ddl		+	+
<input type="checkbox"/>	airline_operations	admin	hive_db		+	+
<input type="checkbox"/>	app	admin	hive_column		+	+
<input type="checkbox"/>	atlas_janus	atlas	hbase_table	atlas_janus	+	+
<input type="checkbox"/>	bytes	admin	hive_column		+	+
<input type="checkbox"/>	client_ip	admin	hive_column		+	+
<input type="checkbox"/>	country_name	admin	hive_column		+	+
<input type="checkbox"/>	default	atlas	hbase_namespace	default	+	+
<input type="checkbox"/>	default	public	hive_db	Default Hive database	+	+
<input type="checkbox"/>	e	atlas	hbase_column_family	e	+	+
<input type="checkbox"/>	f	atlas	hbase_column_family	f	+	+
<input type="checkbox"/>	flight_summary_complex	admin	hive_table		Business... + +	+
<input type="checkbox"/>	g	atlas	hbase_column_family	g	+	+
<input type="checkbox"/>	h	atlas	hbase_column_family	h	+	+

Handling of special characters

While using the quick search in Atlas, the characters which are not alphabetic and numeric are considered as special characters except for the following characters:

- -
- .
- :
- ‘



Note: When using ., :, and ‘ characters, if the prefix or suffix does not contain alphabet character, they are considered a special character.

For example:

- By default, Imarketing, the character . is considered as a special character because the suffix is numeric not alphabetic
- By default.marketing, the character . is not considered as a special character because prefix and suffix are alphabetic.

When the search string has special characters, Solr tokenizes the string. This results in the search result query using OR conditions between each tokenized string.

For example:

The search string `flight@revenue` returns all assets whose name or its attribute's contains `flight` OR `revenue`.

For New user interface

Search Entities... admin

Query: flight@revenue

<input type="checkbox"/>	Name ↑	Owner ↑	Description ↑	Type ↑	Classifications	Term
<input type="checkbox"/>	flight_id_raw	admin		hive_column	FlightOperations	
<input type="checkbox"/>	flight_summary_comp...	admin		hive_table	BusinessPerformance	
<input type="checkbox"/>	total_revenue	admin		hive_column	RevenueManagement	

Showing 3 records From 1 - 25 Page Limit: 25

For Classic user interface

flight@revenue admin

Results for: Query: flight@revenue
If you do not find the entity in search result below then you can [create new entity](#)

Exclude sub-types Exclude sub-classifications Show historical entities

<input type="checkbox"/>	Name ↑	Owner ↑	Type ↑	Description ↑	Classifications	Term
<input type="checkbox"/>	flight_id_raw	admin	hive_column		FlightOp... <input type="button" value="x"/> <input type="button" value="+"/>	<input type="button" value="+"/>
<input type="checkbox"/>	flight_summary_complex	admin	hive_table		Business... <input type="button" value="x"/> <input type="button" value="+"/> <input type="button" value="..."/>	<input type="button" value="+"/>
<input type="checkbox"/>	total_revenue	admin	hive_column		Revenue... <input type="button" value="x"/> <input type="button" value="+"/> <input type="button" value="..."/>	<input type="button" value="+"/>

Showing 3 records From 1 - 25 Page Limit: 25

If a string is enclosed with double quotes (""), Solr does not tokenize it. The search behaves as a single string.

For example:

The search "airline_operations.flight_summary_complex@cm" returns all assets whose name or its attribute's contains "airline_operations.flight_summary_complex" AND cm.

For New user interface


Search Entities... admin

Query: "airline_operations.flight_summary_complex@cm"

<input type="checkbox"/>	Name ↑	Owner ↑	Description ↑	Type ↑	Classifications	Term
<input type="checkbox"/>	flight_summary_comp...	admin		hive_table	BusinessPerformance	
<input type="checkbox"/>	airline_operations.fig...			hive_table_ddl		

Showing 2 records From 1 - 25 Page Limit: 25

For Classic user interface




Handling of names and qualifiedNames of assets


In Atlas, name and qualifiedName attributes operate differently. The qualifiedName is a text-based attribute while the name is a string-based attribute. Solr does not tokenize any string type attribute (name). However, it does tokenize the text-based attribute (qualifiedName).

Searching string attributes (name)	Searching text attributes (qualifiedName)
<ul style="list-style-type: none"> • Escape whitespace characters • For a partial search, append * 	<ul style="list-style-type: none"> • Whitespace characters are not needed to be escaped. However, escaping them turns off partial search. • * characters are not needed to be appended for a partial search
<p>For example, while searching for a name string such as, finance department@axis, use the search expression finance\ department*.</p>	<p>For example, while searching for a qualifiedName text string, such as finance department@axis, use search expression finance department or finance\ department@axis.</p>

For New user interface



For Classic user interface



Ignore or Prune pattern to filter Hive metadata entities

Atlas supports metadata and lineage updates from services like HBase, Hive, Impala, and Spark. You can selectively ignore or prune these incoming metadata messages to reduce resource consumption and focus on the important metadata for your scenario.

These updates are in the form of messages that are posted by these services. The messages contain Atlas entities specific to the service. The notification processing module within Atlas processes these messages.

Typically, most of the metadata is tracked. Sometimes, a part of the schema changes more often than not and tracking these frequent changes creates metadata that is insignificant. The Atlas notification processing system gets overloaded with the frequently changing schema updates. The resultant outcome might be that the low-value messages are processed at the expense of messages that contain critical schema updates.

To overcome such a pattern within a data processing pipeline, you can employ a couple of options:

- Ignore schema updates.
- Preserve an abbreviated form of the entity.

The Ignore and Prune feature within Atlas addresses this scenario for Hive Metastore and Hive Server2 (HS2) hooks. This feature is a mechanism to specify which Hive tables should be ignored and which ones should be pruned. This feature helps regulate data that is posted to Atlas. The user is able to choose data that is important for metadata management and lineage capture.



Note: This mechanism does not exist for other hooks.



Attention: The Ignore / Prune configurations feature is not supported when the configurations are provided in upper case or mixed case. You must use the lower case while setting up the Ignore / Prune configurations.

Tables whose lifecycle is of no consequence are targeted for being ignored. Tables whose lifecycle need not be tracked closely or for garnering minute details are targeted for pruning.



Attention: Atlas tracks the table and table-level lineage; however, columns of pruned table and their column level lineage are not tracked in Atlas.

Use case

As a part of the Extract/Transform/Load (ETL) data pipeline, services such as Hive use a number of temporary and/or staging tables that are short-lived. These temporary and/or staging tables are generally employed during the extract or transform phase before the data is loaded. Once the processing is complete, these tables are not used anymore and are deleted.

With Atlas Hive Hook enabled, Atlas captures metadata events, lifecycle, and lineage of all the Hive entities.

Temporary tables that are created only to aid the development process are safe to be ignored. Metadata for these tables are not generated or reported into Atlas.

For staging tables, tracking details like columns and column-lineage in Atlas may not be useful. By not tracking the information in Atlas, it can significantly reduce the time it takes to process notification and can help the overall performance of Atlas.

You can ignore temporary tables completely. Just the minimum details of these staging tables can be stored in Atlas, to capture data lineage from source to target table through all the intermediate staging tables.

Setting Ignore and Prune Properties

The ignore and prune configuration properties can be set both at Atlas server-side and Hive hooks configuration.

Setting it at Hive Hook side prevents Atlas' metadata from being generated.

If the metadata for ignored and pruned elements is generated and posted on Atlas' Kafka topic, setting this property on Atlas' server side handles these elements before they get stored within Atlas.

Both these properties accept Java regex expressions. For more information, see [documentation](#).

How Ignore and Prune feature works

The configurations are matched against the Hive table's qualifiedName attribute.

Within the Hive hook, qualifiedName attribute value has this format: database.table@namespace

The namespace is the value specified by the atlas.metadata.namespace property.

For example, for a Hive hook, the property atlas.metadata.namespace is set to glv.

On that server, for a table t1 which is a part of database db1, the qualifiedName value is: db1.tb1@glv

Ignore Pattern

Hook-side

```
atlas.hook.hive.hive_table.ignore.pattern
```

Atlas server side

```
atlas.notification.consumer.preprocess.hive_table.ignore.pattern
```

Prune pattern

Hook-side

```
atlas.hook.hive.hive_table.prune.pattern
```

Atlas server side

```
atlas.notification.consumer.preprocess.hive_table.prune.pattern
```

Using Ignore and Prune patterns

You can configure both Ignore and Prune patterns to manage your data.

Using the Ignore pattern

Atlas ignores temporary managed tables by default. But an external temporary table is captured because the table uses the HDFS path for storage and Atlas creates a lineage in between.

To disregard the temporary table and avoid Atlas processing it, you can set up appropriate configurations in Hive and Atlas and later restart the services.

For example, if all tables in the 'sales' database and the tables that contain '_tmp' in the 'finance' database should be ignored, the property can be set as follows in your Cloudera Manager instance.

Hive Metastore Server and Hive settings:

The screenshot shows the Cloudera Manager configuration interface for HIVE-1. The search bar at the top contains the text 'atlas'. On the left, there is a 'Filters' sidebar with two sections: 'SCOPE' and 'CATEGORY'. Under 'SCOPE', 'HIVE-1 (Service-Wide)' is selected with a count of 3. Under 'CATEGORY', 'Advanced' is selected with a count of 1. The main configuration area displays three configuration snippets:

- Atlas Service:** HIVE-1 (Service-Wide). The 'Atlas' checkbox is checked.
- Hive Service Advanced Configuration Snippet (Safety Valve) for atlas-application.properties:** HIVE-1 (Service-Wide). The property `atlas.hook.hive.hive_table.ignore.pattern=finance\..*_tmp.*,sales\..*` is visible in the text area.
- Atlas Kafka Messages Spool Directory:** HIVE-1 (Service-Wide). The property `atlas.hook.spool.dir` is set to `/var/log/hive/atlas-spool`.

`atlas.hook.hive.hive_table.ignore.pattern=finance\..*_tmp.*,sales\..*` is set in Cloudera Manager Hive Service Advanced Configuration Snippet (Safety Valve) for atlas-application properties in Hive(HMS) and Hiveserver2.

Atlas server

`atlas.notification.consumer.preprocess.hive_table.ignore.pattern=finance\..*_tmp.*`

With the above configurations, tables having _tmp in their names, in the finance database are ignored.




Note: The "." is a special regular expression character, hence had to be escaped with a backslash (\).

Using the Prune pattern

Staging tables are created to hold data temporarily during a query execution and are manually dropped once the processing is completed. It might be insignificant to track the details of the staging tables.

For example, in the below images, the finance table contains 333 columns (column names blurred) and the staging tables are created frequently by running an "INSERT OVERWRITE TABLE" query on the finance table. Processing is executed on the data in staging tables and later the staging tables are deleted as observed in the table level lineage diagram.

Table-level Lineage



Every time you run a query to create lineage between tables, column-level lineage is also created along with table-level lineage.



Note: If the query involves all the columns, 333 `hive_column_lineage` entities are created and pushed to the `ATLAS_HOOK` Kafka topic.

Using generic ignore patterns

Next to Hive metadata entities, generic ignore patterns can be set up to reduce resource consumption caused by the incoming metadata from any type of service.

Generic ignore patterns allow you to specify entities using regex patterns to be excluded from metadata capture and processing. This helps you to focus its metadata management efforts on relevant data entities, reducing clutter and improving the accuracy and efficiency of metadata operations.

The supported metadata sources include the following:

- Apache Hbase Hook
- Apache Hive Metastore Hook
- Apache HiveServer2 Hook
- Apache Impala Hook
- Apache Spark Hook



Note: When using both generic and Apache Hive specific ignore patterns or prune patterns, the generic ignore pattern configuration takes precedence.

Generic ignore patterns on the server side

Ignore pattern can be configured to ignore entities based on Type Name, qualifiedName or both. You can configure the generic ignore pattern in Atlas Server Advanced Configuration Snippet (Safety Valve) for `conf/atlas-application.properties`:

1. Go to Cloudera Manager Clusters Atlas Configuration .
2. Search for `conf/atlas-application.properties`.
3. Enter the following configurations combined with your regex expression:

Configuration for Type Name

```
atlas.notification.consumer.preprocess.entity.type.ignore.pattern
```


Configuration for qualifiedName

```
atlas.notification.consumer.preprocess.entity.ignore.pattern
```

The screenshot shows the Cloudera Manager interface for configuring Atlas. The search bar contains `conf/atlas-application.properties`. The left sidebar shows filters for SCOPE, CATEGORY, and STATUS. The main content area displays the configuration for the Atlas Server Advanced Configuration Snippet (Safety Valve) for `conf/atlas-application.properties`. The configuration value is `atlas.notification.consumer.preprocess.entity.type.ignore.pattern`. The status bar at the bottom indicates that 1 value has been edited and provides a "Save Changes (CTRL+S)" button.

4. Click Save Changes.

5. Click Actions Restart to apply your changes.



Ignoring all Apache Hive entities

```
atlas.notification.consumer.preprocess.entity.type.ignore.pattern=hive_.*
```

Ignoring all entities with suffix `_tmp` in their name

```
atlas.notification.consumer.preprocess.type.ignore.pattern=.*\\.\\.*_tmp.*
```

Ignoring all Apache Hive entities with column name "password" and "confidential" as table name

```
atlas.notification.consumer.preprocess.entity.ignore.pattern=.*\\.\\.*.\\.\\.*.pas
sword.*,.*\\.\\.*.confidential.*
atlas.notification.consumer.preprocess.entity.type.ignore.pattern=hive_col
umn,hive_table_ddl
```



Note:

- Multiple regex patterns can be used by dividing them with ",".
- Use "\\\" to escape a "." (period) character.

Ignoring all Apache Hive entities with suffix `_tmp` in their name

```
atlas.notification.consumer.preprocess.entity.type.ignore.pattern=hive_.*
atlas.notification.consumer.preprocess.entity.ignore.pattern=.*\\.\\.*_tmp.*
```

Generic ignore patterns on the hook side

Ignore pattern can be configured on the hook side to ignore entities based on qualifiedName. You can configure the hook side generic ignore patterns Cloudera Manager Advanced Configuration Snippet (Safety Valve) for atlas-application properties section of each individual hook:

1. Go to Cloudera Manager Clusters *****HOOK SERVICE***** Configuration .
2. Search for atlas-application.properties.
3. Enter the following configurations combined with your regex expression:

Configuration for qualifiedName

```
atlas.hook.entity.ignore.pattern
```

4. Click Save Changes.
5. Click Actions Restart to apply your changes.

Ignoring all entities with "test" in their name

```
atlas.hook.entity.ignore.pattern=.*\\.\\.test.*
```

Saving searches

Learn how to save search criteria in Atlas for quick access and reuse. This guide explains saving searches, including options to rename, delete, or update saved searches.

After you run a search, you can save it under a name in the list of **Favorite Searches**. Here's what you can do to save a search and to use a search you've already saved:


For New user interface




The screenshot shows the Apache Atlas interface. On the left is a dark sidebar with navigation options like 'Business MetaData', 'Glossary', and 'Custom Filters'. The main area displays a search results table with columns: Name, Owner, Description, Type, Classifications, and Term. The 'Save Filter' button is highlighted with a red box. A context menu is visible over the 'hive_tables' entry in the sidebar, showing 'Rename' and 'Delete' options.

Name	Owner	Description	Type	Classifications	Term
airlines_new	admin		hive_table	PII_Combined	Airline Alliance@Air...
baggage_carousel...	admin		hive_table		
baggage_delivery_8	admin		hive_table		
baggage_drop_raw_5	admin		hive_table		
baggage_drop_raw_6	admin		hive_table		
baggage_drop_raw_7	admin		hive_table		
baggage_drop_raw_8	admin		hive_table		
baggage_fast_track...	admin		hive_table		
baggage_final_log_7	admin		hive_table		
baggage_fragile_6	admin		hive_table		
baggage_local_loa...	admin		hive_table		
baggage_sorting_8	admin		hive_table		
baggage_tracking_5	admin		hive_table		

- After setting up your search criteria with the free-text field and the Filters, run them and click **Save Filter** to preserve the criteria set as an **Advanced Search** or **Basic Search** for later use.
- Clicking the **⋮** icon shows the **Rename** and **Delete** options.

For Classic user interface



- After setting up your search criteria with the free-text field and the Filters () run them and, click Save As to preserve the criteria set as one of the **Favorite Searches** for later use.
- Clicking the  icon shows the Search, Rename and Delete options.
- Clicking the name of the favorite search or the Search button (both  and the main Search button) runs the query.
- The Save button lets you rewrite your currently selected favorite search with new criteria.

Using advanced search

Apache Atlas advanced search lets you use a query language to combine criteria and refine search results.




Important: In Atlas, the Basic Search feature is the recommended search method because of its more efficient use of resources. Advanced Search is recommended to be used in the following scenarios:

- Querying relationship attributes, for example: `hive_table select outputFromProcesses.name`
- Using aggregate functions, such as `sum`, `min`, `max`, `count`, `groupby`


Advanced search gives you more control over search criteria through the Atlas domain-specific query language.

For New user interface



For Classic user interface

In the left navigator pane, Search tab, switch to Advanced Search mode by sliding the green toggle button from Basic to Advanced.



Select an entity type if appropriate, then add your query to refine the search results. Here are some examples of advanced search queries:

- Search for partial names

```
from hive_table where name LIKE '*_dim'
```

- Search in date ranges

Note that the entity attributes may contain date fields that are populated from the source while the system attributes contain date fields that are populated when the entity is created in Atlas. The values can be different.

Entity attribute createTime	<pre>from hive_table where createTime > '2019-01-01' and createTime < '2019-01-03'</pre>
System attribute Create Timestamp	<pre>from hive_table where __timestamp > '2019-01-01' and __timestamp < '2019-01-03'</pre>

- Search for deleted entities System attributes (with two underscores before the name) are available on all entity types.

```
from hive_table where __state = DELETED
```

- Search for multiple criteria

```
from hdfs_path where isFile = true and name = "Invoice"
```

- Return specific metadata

```
from hive_table where name = 'customer_dim' select owner, name,
qualifiedName, createTime
```

- Search for entities with classifications

```
from hive_table where hive_table isa Dimension select owner, name, qualifiedName
```

See the advanced search reference for information about the query language and for more examples.

Improved search capabilities for Glossary terms and Relationships

In Atlas, while using the Advanced Search feature, you can now search for entities based on the glossary term, by using the newly introduced `hasTerm` keyword that allows users to search the entities which are tagged with them. You can also search the entities based on relationship attributes using the `where` clause.

In order to search for those entities having a specific glossary term, you must add a fully qualified name. For example: `{termName}@{glossaryName}`. This term gets compared with the `qualifiedName` attribute of glossary type.

Where as, when you add only the term name, the resultant output will be the available entities with the specific term name. This is irrespective of what type of glossary it is in and would compare with the `name` attribute of the glossary type.

Additionally, to search for entities related to the referenced entities, you must add the relationship attribute and value to search for in the `where` clause. For example: To search for tables under a specific database. For example: `{relationshipName}.{attributeName} = {value}`

Examples of Glossary term filtering:

- Table `hasTerm savingAccount1234`
- Table `hasTerm "savingAccount1234@Banking"`
- Table `hasTerm "savingAccount1234@Banking" where Table.name = "customer_dim" and tableType = "external"`
- Table `hasTerm "savingAccount1234@Banking" select name order by name desc`
- Table `hasTerm "savingAccount1234@Banking" limit 2`
- Table `hasTerm "savingAccount1234@Banking" or Table hasTerm "salesTerm@salesGlossary"`
- Table `hasTerm "savingAccount1234@Banking" and Table isA Dimension`
- Table `hasTerm "savingAccount1234t@Banking" and db.name = "Sales" or (Table.qualifiedName like "customer")`
- Table `where Table hasTerm "savingAccount1234@Banking"`
- Table `where (name = "customer_dim" and Table hasTerm "savingAccount1234@Banking")`
- Table `hasTerm "savingAccount1234@Banking" select count() as terms`

Examples of Relationship attributes filtering:

- ```
Table where db.name = "Sales4321"
```
- Table `where name = "customer_dim" select columns`
- Table `where columns.name like "sales" and Table isA Dimension`

- Table where db.name = “Sales4321” limit 2
- Table where db.name = “Sales4321” orderby name asc
- Table where db.name = “Sales4321” and columns.name like “sales” and Table hasTerm “salesTerm@salesGlossary” - (Combination of both where and hasTerm attribute and keyword respectively.)

### Related Information

[Atlas Advanced Search language reference](#)

[Apache Atlas Advanced Search \(atlas.apache.org\)](http://atlas.apache.org)

## Atlas index repair configuration

You can use reindexing to troubleshoot Apache Atlas basic search inconsistency.

### Rebuilding the whole Atlas index

In your Cloudera Manager instance running the Atlas service, add the following in Atlas Server Advanced Configuration Snippet (Safety Valve) for conf/atlas-application.properties.

```
atlas.rebuild.index=true
```

```
atlas.patch.numWorkers=3
```

```
atlas.patch.batchSize=300
```

Later, restart the Atlas Service.



#### Attention:

- You must revert back this configuration once the reindexing is completed, else the reindexing takes place on every restart.
- The reindexing process will be done during Atlas restart, so Atlas will not be reachable till reindexing process is completed.
- The time taken for reindexing depends upon the amount of data.

### Rebuilding the index for particular GUID

Incorrect search results related to a particular GUID can be repaired by limiting the reindex to that element.

```
atlas-index-repair/repair_index.py [-g <***GUID***>]
```



#### Note:

Atlas will use REST APIs to fetch the entity, which will need the correct authentication mechanism to be specified based on the installation.

For an Atlas installation with username and password use the following:

```
atlas-index-repair/repair_index.py [-g <***GUID***>] [-u <***USER***>] [-p <***PASSWORD***>] *
guid: [optional]
```

Example:

```
atlas-index-repair/repair_index.py -u admin -p admin123 -g 13d77457-2a45-4e92-ad53-a172c7cb70a5
```

For Atlas installations using Kerberos as authentication mode, use the following:

```
kinit -kt /etc/security/keytabs/atlas.service.keytab atlas/fqdn@DOMAIN
```

Example:

```
kinit -kt /etc/security/keytabs/atlas.service.keytab atlas/fqdn@EXAMPLE.com
```

```
atlas-index-repair/repair_index.py -g 13d77457-2a45-4e92-ad53-a172c7cb70a5
```



**Note:** In case of many affected entities, it is recommended to rebuild the whole index instead.