

Cloudera Data Science Workbench

Cloudera Data Science Workbench Requirements and Supported Platforms

Date published: 2020-02-28

Date modified: 2020-12-15

The Cloudera logo is displayed in a bold, orange, sans-serif font. The word "CLOUDERA" is written in all caps, with the letter 'E' in the middle of "CLUDERA" being a stylized, three-barred character.

<https://docs.cloudera.com/>

Legal Notice

© Cloudera Inc. 2024. All rights reserved.

The documentation is and contains Cloudera proprietary information protected by copyright and other intellectual property rights. No license under copyright or any other intellectual property right is granted herein.

Unless otherwise noted, scripts and sample code are licensed under the Apache License, Version 2.0.

Copyright information for Cloudera software may be found within the documentation accompanying each component in a particular release.

Cloudera software includes software from various open source or other third party projects, and may be released under the Apache Software License 2.0 (“ASLv2”), the Affero General Public License version 3 (AGPLv3), or other license terms. Other software included may be released under the terms of alternative open source licenses. Please review the license and notice files accompanying the software for additional licensing information.

Please visit the Cloudera software product page for more information on Cloudera software. For more information on Cloudera support services, please visit either the Support or Sales page. Feel free to contact us directly to discuss your specific needs.

Cloudera reserves the right to change any products at any time, and without notice. Cloudera assumes no responsibility nor liability arising from the use of products, except as expressly agreed to in writing by Cloudera.

Cloudera, Cloudera Altus, HUE, Impala, Cloudera Impala, and other Cloudera marks are registered or unregistered trademarks in the United States and other countries. All other trademarks are the property of their respective owners.

Disclaimer: EXCEPT AS EXPRESSLY PROVIDED IN A WRITTEN AGREEMENT WITH CLOUDERA, CLOUDERA DOES NOT MAKE NOR GIVE ANY REPRESENTATION, WARRANTY, NOR COVENANT OF ANY KIND, WHETHER EXPRESS OR IMPLIED, IN CONNECTION WITH CLOUDERA TECHNOLOGY OR RELATED SUPPORT PROVIDED IN CONNECTION THEREWITH. CLOUDERA DOES NOT WARRANT THAT CLOUDERA PRODUCTS NOR SOFTWARE WILL OPERATE UNINTERRUPTED NOR THAT IT WILL BE FREE FROM DEFECTS NOR ERRORS, THAT IT WILL PROTECT YOUR DATA FROM LOSS, CORRUPTION NOR UNAVAILABILITY, NOR THAT IT WILL MEET ALL OF CUSTOMER’S BUSINESS REQUIREMENTS. WITHOUT LIMITING THE FOREGOING, AND TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, CLOUDERA EXPRESSLY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY, QUALITY, NON-INFRINGEMENT, TITLE, AND FITNESS FOR A PARTICULAR PURPOSE AND ANY REPRESENTATION, WARRANTY, OR COVENANT BASED ON COURSE OF DEALING OR USAGE IN TRADE.

Contents

Cloudera Manager and CDH Requirements.....	4
Operating System Requirements.....	4
JDK Requirements.....	5
Networking and Security Requirements.....	5
Ports Required by Cloudera Data Science Workbench.....	7
GPU Support.....	9
Recommended Hardware Configuration.....	9
Python Supported Versions.....	10
Docker and Kubernetes Support.....	11
Supported Browsers.....	11
Cloudera Altus Director Support (AWS and Azure Only).....	11
Recommended Configuration on Amazon Web Services (AWS).....	12
Recommended Configuration on Microsoft Azure.....	12

Cloudera Manager and CDH Requirements

Cloudera Data Science Workbench is supported on several versions of CDH and Cloudera Manager.

Cloudera Data Science Workbench is supported on the following versions of CDH and Cloudera Manager:



Note: For requirements and supported platforms specific to Hortonworks Data Platform, see [Deploying Cloudera Data Science Workbench 1.9.0 on Hortonworks Data Platform](#).

Type	CDH	Cloudera Manager
CSD Deployments	<ul style="list-style-type: none"> CDH 5.10 or higher CDH 6.1.x or higher Cloudera Runtime Data Center 7.0.3 or higher 	<ul style="list-style-type: none"> Cloudera Manager 5.x: 5.16.2.4505 or higher Cloudera Manager 6.1.x: 6.1.1.4505 or higher Cloudera Manager 6.2.x: 6.2.1.4505 or higher Cloudera Manager 6.3.x+: 6.3.3 or higher Cloudera Manager Data Center 7.0.3 or higher
RPM Deployments	<ul style="list-style-type: none"> CDH 5.10 or higher CDH 6.1.x or higher 	<ul style="list-style-type: none"> Cloudera Manager 5.11 or higher Cloudera Manager 6.1.x or higher

All cluster hosts must be managed by Cloudera Manager. Note that all Cloudera Data Science Workbench administrative tasks require root access to the cluster's gateway hosts where Cloudera Data Science Workbench is installed. Therefore, Cloudera Data Science Workbench does not support single-user mode installations.

Apache Spark Requirements

CDH Version	Spark 2 Compatibility
CDH 5	CDS 2.1.x Powered by Apache Spark (and higher)
CDH 6	On CDH 6 clusters, Apache Spark 2 is packaged with CDH and can no longer be installed separately. To find out which version of Spark 2 ships with your version of CDH 6, refer the CDH 6 Packaging Information guide.
Cloudera Runtime 7	On Cloudera Runtime clusters, Apache Spark 2 is packaged with Cloudera Runtime and can no longer be installed separately. To find out which version of Spark 2 ships with your version of Cloudera Runtime, refer the Cloudera Runtime Component Versions guide.



Note: Apache Spark 3.x is not supported.

For a list of supported CDSW versions, see [Support Lifecycle Policy](#)

Operating System Requirements

Cloudera Data Science Workbench 1.9.0 is supported on the following operating systems. A gateway host that is dedicated to running Cloudera Data Science Workbench must use one of the following supported versions. Cloudera does not support multiple Operating Systems running on the same cluster.

Operating System	Versions
RHEL / CentOS / Oracle Linux RHCK	8.2, 7.9, 7.8, 7.7, 7.6
SLES	12 SP5



Note: Before upgrading the host's operating system or installing a patch, you must stop all CDSW services.

Additional OS-level Settings

- CDSW requires root access.
- Enable memory cgroups on your operating system.
- Disable swap for optimum stability and performance. For instructions, see [Setting the vm.swappiness Linux Kernel Parameter](#).
- Cloudera Data Science Workbench uses uid 8536 and uid 28536 for an internal service account. Make sure that these user IDs is not assigned to any other service or user account.
- Cloudera recommends that all users have the max-user-processes ulimit set to at least 65536.
- Cloudera recommends that all users have the max-open-files ulimit set to 1048576.

JDK Requirements

The entire CDH cluster, including Cloudera Data Science Workbench gateway hosts, must use the same version of JDK.

Points to remember:

- [Oracle JDK 7](#) is supported across all versions of Cloudera Manager 5 and CDH 5. [Oracle JDK 8](#) is supported in Cloudera Enterprise 5.3.x and higher. Note the [JDK 8 Requirement for Spark 2.2 \(or higher\)](#) on page 5.
- OpenJDK 8 is supported in Cloudera Enterprise 5.16.1 and higher. OpenJDK 7 is not supported.
- For Red Hat/CentOS deployments in particular, Java Cryptography Extension (JCE) Unlimited Strength Jurisdiction must be enabled on the Cloudera Data Science Workbench gateway hosts.

For more specifics on the versions of Oracle JDK and OpenJDK recommended for CDH and Cloudera Manager clusters, and instructions on how to install the Java Cryptography Extension, see the Cloudera Product Compatibility Matrix.

JDK 8 Requirement for Spark 2.2 (or higher)

CSD-based deployments:

To upgrade your entire CDH cluster to JDK 1.8, see [Upgrading to Oracle JDK 1.8](#).

Package-based deployments:

Set JAVA_HOME to the JDK 8 path in cdsw.conf during the installation process. If you need to modify JAVA_HOME after the fact, restart the master and worker hosts to have the changes go into effect.

Networking and Security Requirements

It is important to note networking and security requirements for Cloudera Data Science Workbench.



Note: Make sure that your networking/security settings on Cloudera Data Science Workbench gateway hosts are not being overwritten behind-the-scenes, either by any automated scripts, or by other high-priority configuration such as /etc/sysctl.conf, /etc/krb5.conf, or /etc/hosts.deny.

- All Cloudera Data Science Workbench gateway hosts must be part of the same datacenter and use the same network. Hosts from different data-centers or networks can result in unreliable performance.

- A wildcard subdomain such as `*.cdsw.company.com` must be configured. Wildcard subdomains are used to provide isolation for user-generated content.

The wildcard DNS hostname configured for Cloudera Data Science Workbench must be resolvable from both, the CDSW cluster, and your browser.

- Disable all pre-existing iptables rules. While Kubernetes makes extensive use of iptables, it's difficult to predict how pre-existing iptables rules will interact with the rules inserted by Kubernetes. Therefore, Cloudera recommends you to disable all pre-existing rules before you proceed with the installation.

It is recommended to save the iptables and check whether the changes have been written to the `/etc/sysconfig/iptables` file before you disable them. If you disable the iptables without saving, then the settings can get erased upon system reboot.

1. Save the iptables by running the following command:

```
service iptables save
```

2. Verify whether the changes have been written to the file by running the following command:

```
ls -l /etc/sysconfig/iptables
```

3. Disable the iptables by running the following commands:

```
sudo iptables -P INPUT ACCEPT
sudo iptables -P FORWARD ACCEPT
sudo iptables -P OUTPUT ACCEPT
sudo iptables -t nat -F
sudo iptables -t mangle -F
sudo iptables -F
sudo iptables -X
```

- Cloudera Data Science Workbench sets the following sysctl options in `/etc/sysctl.d/k8s.conf`:
 - `net.bridge.bridge-nf-call-iptables=1`
 - `net.bridge.bridge-nf-call-ip6tables=1`
 - `net.ipv4.ip_forward=1`
 - `net.ipv4.conf.default.forwarding=1`

Underlying components of Cloudera Data Science Workbench (Docker, Kubernetes, and NFS) require these options to work correctly. Make sure they are not overridden by high-priority configuration such as `/etc/sysctl.conf`.

- SELinux must either be disabled or run in permissive mode.
- Multi-homed networks are supported with Cloudera Data Science Workbench 1.2.2 (and higher). However, you will need to explicitly configure the private IP address of the worker nodes in the kubelet start script as follows:

```
# vi /opt/cloudera/parcels/CDSW/scripts/start-kubelet-worker-standalone-
core.sh
88 kubelet_opts+=(--v=2)
89 kubelet_opts+=(--node-ip=172.x.x.x)
```

- Firewall restrictions must be disabled across Cloudera Data Science Workbench and CDH/HDP cluster hosts. For more details on cluster communication, see [Ports Required by Cloudera Data Science Workbench](#).
- Untrusted (non-sudo) SSH access to Cloudera Data Science Workbench hosts must be disabled to ensure a secure deployment.

Cloudera Data Science Workbench assumes that users only access the gateway hosts through the web application. Untrusted users with SSH access to a Cloudera Data Science Workbench host can gain full access to the cluster, including access to other users' workloads.

- `localhost` must resolve to `127.0.0.1`.
- Forward and reverse DNS lookup must be enabled for the Cloudera Data Science Workbench domain name and IP address (CDSW master host).

- Cloudera Data Science Workbench does not support DNS servers running on 127.0.0.1:53. This IP address resolves to the container localhost within Cloudera Data Science Workbench containers. As a workaround, use either a non-loopback address or a remote DNS server.
- All third-party security software (such as McAfee, Tanium, Symantec, etc.) must be disabled on CDSW hosts. Failure to do so can result in Cloudera Data Science Workbench failing randomly. After CDSW is started, you should be able to re-enable the security software.

Cloudera Data Science Workbench does not support hosts or clusters that do not conform to these restrictions.

Ports Required by Cloudera Data Science Workbench

Cloudera Data Science Workbench runs on gateway hosts in a CDH/HDP cluster. As such, Cloudera Data Science Workbench acts as a gateway and requires full connectivity to cluster services such as Impala, Spark 2, etc. Additionally, in the case of Spark 2, cluster hosts will require access to the Spark driver running on a set of random ports (20050-32767) on Cloudera Data Science Workbench hosts.

Firewall restrictions must be disabled across Cloudera Data Science Workbench and CDH/HDP cluster hosts. Internally, the Cloudera Data Science Workbench master and worker hosts require full connectivity with no firewalls. Externally, end users connect to Cloudera Data Science Workbench exclusively through a web server running on the master host, and therefore do not need direct access to any other internal Cloudera Data Science Workbench or CDH services.

This information has been summarized in the following table.

Components	Details
Communication with the CDH / HDP cluster	CDH / HDP -> Cloudera Data Science Workbench The CDH/HDP cluster must have access to the Spark driver that runs on Cloudera Data Science Workbench hosts, on a set of randomized ports in the range, 20050-32767.
	Cloudera Data Science Workbench -> CDH / HDP As a gateway service, Cloudera Data Science Workbench must have access to all the ports used by CDH and Cloudera Manager .
Communication with the Web Browser	The Cloudera Data Science Workbench web application is available at port 80. HTTPS access is available over port 443.

Table 1: Ports used for communication with Unsecure Master

Port	Process	Mandatory	Note
22/tcp	sshd	yes	secure shell server (mandatory for CM managed host provisioning)
80/tcp	ingress-controller	yes	CDSW web interface
2049/tcp	nfs	yes	shared filesystem
2379/tcp	etcd-client	yes	k8s shared data store client
2380/tcp	etcd-server	yes	k8s shared data store server
3306/tcp	mysql		for CM Agent
6443/tcp	kube-apiserver	yes	k8s API endpoint
6783/tcp	weaver	yes	virtual network for docker containers
7191/tcp	CM Agent	yes	for CM Agent
9000/tcp	CM Agent	yes	CM Agent status server

Port	Process	Mandatory	Note
9100/tcp	node_exporter		Prometheus node monitoring service
10250/tcp	kubelet	yes	k8s the primary "node agent"
10256/tcp	kube-proxy	yes	network proxy that implements part of the k8s Service concept
20048/tcp	rpc.mountd	yes	server side of the NFS MOUNT protocol

Table 2: Ports used for communication with Secure Master

Port	Process	Mandatory	Note
22/tcp	sshd	yes	secure shell server (mandatory for CM managed host provisioning)
80/tcp	ingress-controller		CDSW web interface
443/tcp	secure ingress-controller	yes	CDSW web interface
2049/tcp	nfs	yes	shared filesystem
2379/tcp	etcd-client	yes	k8s shared data store client
2380/tcp	etcd-server	yes	k8s shared data store server
3306/tcp	mysql		for CM Agent
6443/tcp	kube-apiserver	yes	k8s API endpoint
6783/tcp	weaver	yes	virtual network for docker containers
7191/tcp	CM Agent	yes	for CM Agent
9000/tcp	CM Agent	yes	CM Agent status server
9100/tcp	node_exporter		Prometheus node monitoring service
10250/tcp	kubelet	yes	k8s the primary "node agent"
10256/tcp	kube-proxy	yes	network proxy that implements part of the k8s Service concept
20048/tcp	rpc.mountd	yes	server side of the NFS MOUNT protocol

Table 3: Ports used for communication with Secure/Unsecure Worker

Port	Process	Mandatory	Note
22/tcp	sshd	yes	secure shell server (mandatory for CM managed host provisioning)
3306/tcp	mysql		for CM Agent
6783/tcp	weaver	yes	virtual network for docker containers
7191/tcp	CM Agent	yes	for CM Agent
9000/tcp	CM Agent	yes	CM Agent status server
9100/tcp	node_exporter		Prometheus node monitoring service
10250/tcp	kubelet	yes	k8s the primary "node agent"
10256/tcp	kube-proxy	yes	network proxy that implements part of the k8s Service concept

GPU Support

Known issues with GPU support.

Only CUDA-enabled NVIDIA GPU hardware is supported

Cloudera Data Science Workbench only supports CUDA-enabled NVIDIA GPU cards.

Heterogeneous GPU hardware is not supported

You must use the same GPU hardware across a single Cloudera Data Science Workbench deployment.

Known Issues with Tensorflow 2.4 and CUDA 11.2

During GPU set up, the dynamic library libcusolver.so.10 is not read. For more information, see <https://github.com/tensorflow/tensorflow/issues/44777>.

Workaround: Enter the following commands when starting a session:

```
!ln -s /usr/local/cuda-11.1/targets/x86_64-linux/lib/libcusolver.so.11.0.1.1
05 /usr/local/cuda-11.1/targets/x86_64-linux/lib/libcusolver.so.10
!ln -s /usr/lib/x86_64-linux-gnu/libcuda.so.460.73.01 /usr/lib/x86_64-linux-
gnu/libcuda.so.1
```

Recommended Hardware Configuration

Cloudera Data Science Workbench hosts are added to your CDH cluster as gateway hosts.



Note: For proof-of-concept deployments, you can deploy a 1-host cluster with just a Master host. The Master host can run user workloads just as a worker host can when required for demonstration purposes. For production deployments, you must have a reserved, dedicated master host and separate worker host(s).

The recommended minimum hardware configuration for Cloudera Data Science Workbench gateway hosts is:



Note:

- Allocate separate CDH gateway hosts for Cloudera Data Science Workbench. Do not reuse existing hosts that are already running other CDH services. Doing this can lead to port conflicts, unreliable execution of user workloads, and out-of-memory errors.
- Starting with version 1.4.3, multi-host CDSW deployments can be customized to reserve the Master only for internal processes while user workloads are run exclusively on workers. For details, see [Reserving the Master Host for Internal CDSW Components](#).

Resource Type	Master	Workers	Notes
Supported architecture			Intel 64 bit, AMD 64
CPU	16+ CPU (vCPU) cores	16+ CPU (vCPU) cores	
RAM	32+ GB	32+ GB	
Disk Space			
Root Volume	100+ GB	100+ GB	If you are going to partition the root volume, make sure you allocate at least 20 GB to / so that the installer can proceed without running out of space.

Resource Type	Master	Workers	Notes
Application Block Device	1 TB	-	The Application Block Device is only required on the Master where it is mounted to /var/lib/cdsw. You will be asked to create a /var/lib/cdsw directory on all the Worker hosts during the installation process. However, they do not need to be mounted to a block device. It is only used to store client configuration for HDP cluster services on Workers.
Docker Block Device	1 TB	1 TB	A raw device is expected on all Master and Worker hosts. Docker will create the necessary volumes on these hosts.

Scaling Guidelines

New hosts can be added and removed from a Cloudera Data Science Workbench deployment without interrupting any jobs already scheduled on existing hosts. Therefore, it is rather straightforward to increase capacity based on observed usage. At a minimum, Cloudera recommends you allocate at least 1 CPU core and 2 GB of RAM per concurrent session or job. CPU can burst above a 1 CPU core share when spare resources are available. Therefore, a 1 CPU core allocation is often adequate for light workloads. Allocating less than 2 GB of RAM can lead to out-of-memory errors for many applications.

As a general guideline, Cloudera recommends hosts with RAM between 60GB and 256GB, and between 16 and 48 cores. This provides a useful range of options for end users. Note that SSDs are strongly recommended for application data storage. Using standard HDDs can sometimes result in poor application performance.

For some data science and machine learning applications, users can collect a significant amount of data in memory within a single R or Python process, or use a significant amount of CPU resources that cannot be easily distributed into the CDH cluster. If individual users frequently run larger workloads or run workloads in parallel over long durations, increase the total resources accordingly. Understanding your users' concurrent workload requirements or observing actual usage is the best approach to scaling Cloudera Data Science Workbench.

Python Supported Versions

Cloudera Data Science Workbench on HDP supports the following Python versions.

The default Cloudera Data Science Workbench engine includes Python 2.7.11 and Python 3.6.10. CDSW supports what comes bundled with the base image. To use PySpark within the HDP cluster, the Spark executors must have access to a matching version of Python. For many common operating systems, the default system Python will not match the minor release of Python included in Cloudera Data Science Workbench.

To ensure that the Python versions match, Python can either be installed on every HDP host or made available per job run using Spark's ability to distribute dependencies. Given the size of a typical isolated Python environment and the desire to avoid repeated uploads from gateway hosts, Cloudera recommends installing Python 2.7 and 3.6 on the cluster if you are using PySpark with lambda functions.

You can install Python 2.7 and 3.6 on the cluster using any method and set the corresponding PYSARK_PYTHON environment variable in your project. Cloudera Data Science Workbench includes a separate environment variable for Python 3 sessions called PYSARK3_PYTHON. Python 2 sessions continue to use the default PYSARK_PYTHON variable. This will allow you to run Python 2 and Python 3 sessions in parallel without either variable being overridden by the other.

Anaconda

Continuum Analytics and Cloudera have partnered to create an Anaconda parcel for CDH to enable simple distribution, installation, and management of popular Python packages and their dependencies. Note that this parcel is not directly supported by Cloudera.

**Note:**

The latest Anaconda package ships with Python 3.7. However, Cloudera Data Science Workbench only supports Python 2.7.11 and Python 3.6.1. For instructions on how to install Anaconda with Python 3.6, refer this section in the Anaconda FAQs: [How do I get Anaconda with Python 3.6?](#)

Docker and Kubernetes Support

Cloudera Data Science Workbench only supports the versions of Docker and Kubernetes that are shipped with each release.

Cloudera Data Science Workbench only supports the versions of [Docker](#) and [Kubernetes](#) that are shipped with each release. Upgrading Docker or Kubernetes, or running on third-party Kubernetes clusters is not supported.

Supported Browsers

It is important to note the browsers supported by Cloudera Data Science Workbench.

- Chrome (latest stable version)
- Firefox (latest released version and latest ESR version)
- Safari 9+
- Microsoft Edge (latest, Chromium-based)

Cloudera Altus Director Support (AWS and Azure Only)

Altus Director support for Cloudera Data Science Workbench is available for a variety of platforms.

Altus Director support for Cloudera Data Science Workbench is available for the following platforms:

- Amazon Web Services (AWS) - Cloudera Altus Director 2.6.0 (and higher)
Microsoft Azure - Cloudera Altus Director 2.7 (and higher)
- Cloudera Manager 5.13.1 (and higher)
- CSD-based Cloudera Data Science Workbench 1.2.x (and higher)

Deploying Cloudera Data Science Workbench with Altus Director

Points to note when using Altus Director to install Cloudera Data Science Workbench:

- (Required for Director 2.6) Before you run the command to bootstrap a new cluster, set the `lp.normalization.mountAllUnmountedDisksRequired` property to `false` in the Altus Director server's `application.properties` file, and then restart Altus Director.

Higher versions of Altus Director do not require this step. Altus Director 2.7 (and higher) include an instance-level setting called `mountAllUnmountedDisks` that must be set to `false` as demonstrated in the following sample configuration files.

- Depending on your cloud platform, you can use one of the following sample configuration files to deploy a Cloudera Manager cluster with Cloudera Data Science Workbench.
 - AWS - [aws.cdswh.conf](#)
 - Azure - [azure.cdswh.conf](#)

Note that these sample files are tailored to Altus Director 2.7 (and higher) and they install a very limited CDH cluster with just the following services: HDFS, YARN, and Spark 2. You can extend them as needed to match your use case.

Related Topics:

- [Using Products outside CDH with Altus Director](#)
- [Altus Director CLI](#)
- [The Altus Director Configuration File](#)
- [Setting Altus Director Properties](#)

Recommended Configuration on Amazon Web Services (AWS)

On AWS, Cloudera Data Science Workbench must be used with persistent/long-running Apache Hadoop clusters only.

CDH and Cloudera Manager Hosts

- For instructions on deploying CDH and Cloudera Manager on AWS, refer the [Cloudera Reference Architecture for AWS deployments](#).

Cloudera Data Science Workbench Hosts

- Operations
 - Use Cloudera Director to orchestrate operations. Use Cloudera Manager to monitor the cluster.
- Networking
 - No security group or network restrictions between hosts.
 - HTTP connectivity to the corporate network for browser access. Do not use proxies or manual SSH tunnels.
- Recommended Instance Types
 - m4.4xlarge–m4.16xlarge

In this case, bigger is better. That is, one m4.16large is better than four m4.4xlarge hosts. AWS pricing scales linearly, and larger instances have more EBS bandwidth.
- Storage
 - 100 GB root volume block device (gp2) on all hosts
 - 500 GB Docker block devices (gp2) on all hosts
 - 1 TB Application block device (io1) on master host

Recommended Configuration on Microsoft Azure

When setting up Cloudera Data Science Workbench on Microsoft Azure, you should consider the recommended configuration.

CDH and Cloudera Manager Hosts

- For instructions on deploying CDH and Cloudera Manager on Azure, refer the [Cloudera Reference Architecture for Azure deployments](#).

Cloudera Data Science Workbench Hosts

- Operations
 - Use Cloudera Director to orchestrate operations. Use Cloudera Manager to monitor the cluster.
- Networking
 - No security group or network restrictions between hosts.
 - HTTP connectivity to the corporate network for browser access. Do not use proxies or manual SSH tunnels.

- Recommended Instance Types
 - DS13-DS14 v2 instances on all hosts.
- Storage
 - P30 premium storage for the Application and Docker block devices.

Cloudera Data Science Workbench requires premium disks for its block devices on Azure. Standard disks can lead to unacceptable performance even on small clusters.