

Configuring Restricting Row-Level Access

Date published: 2020-10-30

Date modified: 2025-09-30



Legal Notice

© Cloudera Inc. 2025. All rights reserved.

The documentation is and contains Cloudera proprietary information protected by copyright and other intellectual property rights. No license under copyright or any other intellectual property right is granted herein.

Unless otherwise noted, scripts and sample code are licensed under the Apache License, Version 2.0.

Copyright information for Cloudera software may be found within the documentation accompanying each component in a particular release.

Cloudera software includes software from various open source or other third party projects, and may be released under the Apache Software License 2.0 (“ASLv2”), the Affero General Public License version 3 (AGPLv3), or other license terms. Other software included may be released under the terms of alternative open source licenses. Please review the license and notice files accompanying the software for additional licensing information.

Please visit the Cloudera software product page for more information on Cloudera software. For more information on Cloudera support services, please visit either the Support or Sales page. Feel free to contact us directly to discuss your specific needs.

Cloudera reserves the right to change any products at any time, and without notice. Cloudera assumes no responsibility nor liability arising from the use of products, except as expressly agreed to in writing by Cloudera.

Cloudera, Cloudera Altus, HUE, Impala, Cloudera Impala, and other Cloudera marks are registered or unregistered trademarks in the United States and other countries. All other trademarks are the property of their respective owners.

Disclaimer: EXCEPT AS EXPRESSLY PROVIDED IN A WRITTEN AGREEMENT WITH CLOUDERA, CLOUDERA DOES NOT MAKE NOR GIVE ANY REPRESENTATION, WARRANTY, NOR COVENANT OF ANY KIND, WHETHER EXPRESS OR IMPLIED, IN CONNECTION WITH CLOUDERA TECHNOLOGY OR RELATED SUPPORT PROVIDED IN CONNECTION THEREWITH. CLOUDERA DOES NOT WARRANT THAT CLOUDERA PRODUCTS NOR SOFTWARE WILL OPERATE UNINTERRUPTED NOR THAT IT WILL BE FREE FROM DEFECTS NOR ERRORS, THAT IT WILL PROTECT YOUR DATA FROM LOSS, CORRUPTION NOR UNAVAILABILITY, NOR THAT IT WILL MEET ALL OF CUSTOMER’S BUSINESS REQUIREMENTS. WITHOUT LIMITING THE FOREGOING, AND TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, CLOUDERA EXPRESSLY DISCLAIMS ANY AND ALL IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO IMPLIED WARRANTIES OF MERCHANTABILITY, QUALITY, NON-INFRINGEMENT, TITLE, AND FITNESS FOR A PARTICULAR PURPOSE AND ANY REPRESENTATION, WARRANTY, OR COVENANT BASED ON COURSE OF DEALING OR USAGE IN TRADE.

Contents

Setting segments.....4

Creating users and user groups.....4

Setting roles.....5

Setting filter associations.....7

Verifying access restriction on a visual.....11

Setting segments

About this task

To specify segments in the dataset, you can save information from the Filters shelf of a visual as a segment. Follow the steps outlined in our article *Creating Segments from Filter Definitions*.

Alternatively, you can specify the filters in the Dataset Segments interface, as described in *Creating Segments*.

Procedure

Define the following segments:

Table 1: Definitions of Segments on the Dataset US County Population

Group	Name	Filters
Geographic Regions	California	([State] in ('California'))
Geographic Regions	Mountain	([State] in ('Arizona', 'Nevada'))
Geographic Regions	North West	([State] in ('Washington', 'Oregon'))

After you define these segments in your dataset, your Dataset Segments interface should look like this:

The screenshot shows the 'Dataset: US County Population' Segments interface. It includes a '+ NEW SEGMENT' button and a table with the following data:

Group	Entity	Name	Apply To New Visuals	Filters	Actions
Geographic Regions		California		(([State] in ('California')))	Edit Clone Delete
Geographic Regions		Mountain		(([State] in ('Arizona', 'Nevada')))	Edit Clone Delete
Geographic Regions		North West		(([State] in ('Washington', 'Oregon')))	Edit Clone Delete

Related Information

[Creating segments from filter definitions](#)

[Creating segments](#)

Creating users and user groups

Procedure

1. Create a user group for all sales representatives. In the Manage Users & Groups interface, create a user group named Sales Reps.

See, *Creating new user groups*.

After you define this user group, your Manage Users & Groups interface should look like this:

The screenshot shows the 'Manage Users & Groups' interface. It includes buttons for '+ NEW USER' and '+ NEW GROUP', and tabs for 'Users' and 'Groups'. Below the tabs is a table with the following data:

Group	# Members	Members	Roles
SalesReps	0		

2. Define the following users, with normal user permissions, and assign them to the SalesReps user group:
- AZrep1
 - CArep1
 - CArep2
 - NVrep1
 - ORrep1
 - WArep1

See, *Creating new user accounts* and *Adding users to user groups*.

After you create these users, your Manage Users & Groups interface should look like this:

Manage Users & Groups

NEW USER

NEW GROUP

Users

Groups

ADD TO GROUP

ADD TO ROLE

DELETE

<input type="checkbox"/> Username (first last)	Permissions	Date Joined	Last Login	Member of Group(s)	Roles	Status	
<input type="checkbox"/> AZrep1	Normal	a minute ago	Never	SalesReps		<div></div>	<div></div>
<input type="checkbox"/> CArep1	Normal	a minute ago	Never	SalesReps		<div></div>	<div></div>
<input type="checkbox"/> CArep2	Normal	a few seconds ago	Never	SalesReps		<div></div>	<div></div>
<input type="checkbox"/> NVrep1	Normal	a few seconds ago	Never	SalesReps		<div></div>	<div></div>
<input type="checkbox"/> ORrep1	Normal	a few seconds ago	Never	SalesReps		<div></div>	<div></div>
<input type="checkbox"/> WArep1	Normal	a few seconds ago	Never	SalesReps		<div></div>	<div></div>

Related Information

- [Creating new user groups](#)
- [Creating new user accounts](#)
- [Adding users to user groups](#)

Setting roles

About this task

To enforce row-level access restrictions, it is important to define roles with appropriate privileges and assign them to individual users or user groups.

Procedure

1. Follow the instructions covered in *Creating segments from filter definitions* and *Editing role assignments*.
For more information about permission sets, see *Role privileges*.


2. Define a role with the following specifications:

Name

See_Customer_Data

Description

Sales Reps can see customer data



3. Configure the roles's privileges on the Privileges tab.

System Privileges

None

Dataset Privileges

Customer Value Analysis dataset, on the sample connection (this may vary depending on where you loaded the data).

Permission

View visuals and apps

4. Add the SalesReps group to the role on the Members tab.

Users

None

Groups

SalesReps

Role: See_Customer_Data

SAVE **UNDO**

Name See_Customer_Data

Description Sales Reps can see customer data

☒ Privileges ☐ Members

Users **EDIT USER(S)**

Username	First Name	Last Name
(these users were explicitly added and are not necessarily part of the added groups)		

Groups ☐ Require all groups **EDIT GROUP(S)**

Group Name
SalesReps

Related Information

[Editing role assignments](#)

[Role privileges](#)

[Creating segments from filter definitions](#)

Setting filter associations

About this task

The final task in restricting user or user group access is to specify filter associations.

Before you begin


Make sure that either of the listed requirements is fulfilled:

- You have Manage roles and users permission.
- You have View roles and users permission and `MANAGE_DS_FA = True` has been added to the Advanced Site Settings.

Procedure

1. On the main navigation bar, click DATA.
The Data view appears, open on the Datasets tab.
2. In the left navigation menu, select your data connection.
3. In the Datasets area, click the dataset that you want to use.
The Dataset Detail page appears.

4. In the left navigation, select Filter Associations and click NEW FILTER ASSOCIATION.



- 5.** In the Add Filter Association modal window, perform the following actions:
 - a.** Under Filter Association Name, enter CA SalesReps.
 - b.** Under Applied Segments, select is California from Geographic Regions.
 - c.** On the Users tab, select users CArep1 and CArep2, and add them to the filter association.
 - d.** Click CREATE.

Add Filter Association

Filter Association Name

Enter filter association name (no spaces)

Applied Segments

Geographic Regions

☒ is California

☐ is Mountain

☐ is North West

Users

Groups

Search Users

Search

Partial groups are shown; please use the search box to search the full list of groups.

Available to select

☐ Select All

☐ a

☐ aabrahams

☐ aakulov

☐ aalmel

☐ aaron.ho

☐ aarrieta

ADD >>

<<


Selected

Select options from the left

CANCEL

CREATE

The new filter association now appears on the Filter Associations interface.




6. Repeat the steps above to add two more filter associations as described in the following table:

Table 2: Definitions of Segments on the Dataset Customer Value Analysis

Filter Association Name	Applied Segment	Users to Include
Mountain SalesReps	Mountain	NVrep1, AZrep1
North West SalesReps	North West	ORrep1, WArep1

After you define these filter associations in your dataset, your Filter Associations interface should look like this:




Verifying access restriction on a visual

About this task


To ensure that we specified the access restrictions correctly, let us view the same visual as an Administrative user, and as a user who is linked to each of the three filter associations declared in the previous section.

Procedure


1. Log in as a user with Administrative privileges, and navigate to the application. Notice that the entire dataset appears in the visual; for example, it shows 4,621 Four-Door Cars.



2. Log in as a user associated with the dataset through the CA SalesReps filter association. Such a user, in this case CArep1, can only see records available for the state of California. For example, when you navigate to the application, you can only see 1,593 records for Four-Door Cars.



3. If you log in as AZrep1, a user associated with the dataset through the Mountain SalesReps filter association, you could only see records available for the states of Arizona and Nevada. For example, when you login as AZrep1 and navigate to the application, you can see only 1,325 records for Four-Door Cars.



4. Finally, if you log in as WArepl, a user associated with the dataset through the North West SalesReps filter association, you would see records available for the states of Oregon and Washington, but none of the others. For example, when you login as WArepl and navigate to the application, you see 1,703 records for Four-Door Cars.

